

AD621585

TT65-64002

CURRENT REFERENCES IN MEDICAL ENTOMOLOGY FROM
RUSSIAN, CENTRAL AND EASTERN EUROPEAN
AND CHINESE LITERATURE

VOLUME IV

Number 9

ALENA ELBL
Translator and Editor
Department of Zoology
University of Maryland
College Park, Maryland

CLEARINGHOUSE FOR FEDERAL SCIENTIFIC AND TECHNICAL INFORMATION			
Hardcopy	Microfiche		
\$1.00	\$0.50	22	as
ARCHIVE COPY			

DOC
OCT 7 1965
JISA D

This investigation was supported in part by United States Army
Medical Research and Development Command, Department of
the Army, under Research Contract No. DA-43-193-MD-2238.

TICKS

- Bairamova, R. A., 1963, Experiment in the infection of chicken embryos with tick-borne spirochaetosis by feeding infected *Ornithodoros* ticks on them. *Zhurnal Mikrobiol., Epidemiol. i Immunobiol.*, 40 (9): 83-84.
- Balashov, Yu. S., 1963, Periodicity of oogenesis in argasid and ixodid ticks. *Parazit. Sborn.*, 21: 39-43.
- Balashov, Yu. S., 1963, Effect of environmental factors on the number of nymphal stages in argasid ticks. *Parazit. Sborn.*, 21: 28-38.
- Balashov, Yu. S., 1964, Amount of blood ingested by ixodid ticks (*Acarina, Ixodidae*) during feeding. *Zool. Zhurnal*, 43 (3): 418-423.
- Davydova, M. S., and Gritsenko, I. N., 1963, Variation of the relationships between ticks and the causative agents of natural focus infections. *Trudy Biol. Inst. Sib. Otd. AN SSSR*, (10): 123-129.
- Diusembaev, E. B., 1963, Biology of the tick *Dermacentor marginatus* Sulz. *Paraz. Sel'khoz. Zhiv. Kazakh.*, (2): 110-113.
- Diusembaev, E. B., 1963, Wintering of the tick *Dermacentor marginatus* Sulz. on farm animals in Karaganda Province. *Paraz. Sel'khoz. Zhiv. Kazakh.*, (2): 114-115.
- Elizarov, Yu. A., 1963, Study of chemoreception in insects and ticks; electrophysiological study of chemoreception in ixodid ticks. *Vest. Mosk. un. Ser. 6: Biol., Pochv.* 18 (6): 16-24.
- Elizarov, Yu. A., 1964, Study of chemoreception in insects and ticks. Report No. 1: Electrical activity of chemoreceptors of Haller's organ under the action of repellents. *Nauch. Dokl. Vys. Shkoly; Biol. Nauki*, (2): 55-59.
- Fastovskaia, E. I., Nikoforov, L. P., and Naumov, R. L., 1963, Influence of the terrain on tick-borne encephalitis morbidity in Krasnoyarsk Territory. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 280-283.

TICKS

- Filimonov, M. N., 1961, Dynamics of seasonal tick infestation of cattle in the southern areas of the Mari ASSR. Trudy Ul'ian. Sel'khoz. Inst. 8 (2): 147-163.
- Filimonov, M. N., 1961, Ixodid ticks in areas of the middle Volga Valley. Trudy Ul'ian. Sel'khoz. Inst. 8 (2): 59-71.
- Filippova, N. A., 1963, Ticks of the genus *Ornithodoros* Koch parasitizing on birds. Parazit. Sborn. 21: 16-27.
- Gasanov, A. A., 1963, Infection of the tick *Rhipicephalus bursa* (Can. et Fanz., 1877) by the causative agent of hemosporidiosis of sheep in the Nakhichevan ASSR. Izv. AN Azerb. SSR. Ser. Biol. i Med. Nauk (4): 117-123.
- Kadatskaia, K. P., and Shashnikova, N. V., 1963, Ecology of the tick *Alectorobius alactagalis* in Azerbaidzhan in relation to its epidemiological importance. Med. Parazitol. i Parazitar. Bolezni, 32 (3): 320-323.
- Karabaeva, R. D., 1963, Seasonal infestation of animals by ticks, carriers of Hemosporidia, and measures for their control. Vest. Sel'khoz. Nauki [Kazakh.], 6 (11): 75-78.
- Karpov, S. P., 1963, Current state of the tick-borne encephalitis problem. Sovet. Med. 26 (4): 41-47.
- Karpov, S. P., et al., 1963, Sanitation of the natural focus of tick-borne encephalitis in inhabited areas. Med. Parazitol. i Parazitar. Bolezni, 32 (3): 292-296.
- Karpov, S. P., and Kolmakova, A. G., 1960, Materials on the nosogeography of tick-borne encephalitis in Western Siberia. Trudy Tom. NIIVS, 12: 7-12.
- Karpov, S. P., and Yav'ia, A. R., 1960, Tick-borne encephalitis in the Tomsk focus during the 1958 season. Trudy Tom. NIIVS, (12): 18-21.
- Kesarev, I. P., and Prodan, Z. G., 1963, Parenteral infection of the argasid tick *Ornithodoros papillipes* by *Rickettsia prowazeki*. Trudy Ukr. Resp. Nauch. Ob-va Paraz., (2): 61-63.

TICKS

- Kuzybaeva, Kh., 1961, Materials on the infestation of burrows by ticks, carriers of the relapsing fever in Golodnaya Steppe. Uzb. Biol. Zhurnal, (5): 78-82.
- Lipin, S. I., 1960, Some data on the mammals and birds in the focus of tick-borne encephalitis in the Alzamay region, Irkutsk Province. Trudy Irk. IEG, (5): 120-126.
- Lutta, A. S., 1959, Ixodes of the Karelian ASSR and measures for their control. Petrozavodsk, Gos. Izd-vo Karel'skoi ASSR, 66 pp.
- Lutta, A. S., 1963, Ecologic and geographic features of the foci of tick-borne encephalitis in Karelia. Med. Parazitol. i Parazitar. Bolezni, 32 (3): 284-288.
- Maliushina, E. P., 1963, Detection of the tick *Ixodes trianguliceps* Bir. in Tyumen' Province. Med. Parazitol. i Parazitar. Bolezni, 32 (3): 355.
- Miasnikov, Yu. A., Zhemchuzhin, E. K., and Khodzhash, S. I., 1963, Focus of tick-borne encephalitis in deciduous forests of Tula Province. Med. Parazitol. i Parazitar. Bolezni, 32 (3): 354-355.
- Pchelkina, A. A., Zemskaya, A. A., and Suvorova, L. G., 1963, Territorial distribution and density changes of virus-infected ticks in a natural focus of tick-borne encephalitis in the southern part of Kirov Province. Med. Parazitol. i Parazitar. Bolezni, 32 (3): 288-292.
- Pokidov, I. I., 1962, Experiments in the use of acaricidal preparations in controlling ixodid ticks in pastures. Trudy Stavr. Sel' khoz. Inst. (11): 125-130.
- Popov, V. M., 1962, Ixodid ticks of Western Siberia; taxonomy, characteristics, ecology and geographical distribution of individual species, epidemiological and epizootiological role, control of ixodid ticks. Tomsk, Izd-vo Tomskogo Univ., 257 pp.
- Savitskii, B. P., 1963, Use of heptachloran NBK (G-17) smoke pots in controlling tick-borne encephalitis carriers. Zdrav. Bel., 9 (8): 56-57.

TICKS

- Skrynnik, A. N., 1964, Observations on *Ornithodoros* ticks belonging to the "erraticus group". *Zool. Zhurnal*, 43 (3): 424-428.
- Smirnov, O. V., 1963, Specificity of spirochaetae transmitted through the bite of the tick *Ornithodoros nereensis*; remarks concerning some assertions of I. A. Moskvina. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 359-361.
- Sosnina, M. F., 1961, Some data on the distribution of the larvae of *Ixodes* on the body of the host under laboratory conditions. *Izv. Otd. Sel'khoz. i Biol. Nauk AN Tadzh. SSR*, (2): 61-73.
- Vasil'eva, V. L., 1964, Presence of foci of tick-borne encephalitis in Kiev, Chernigov and Zhitomir Provinces. *Vrach. Delo.*, 3: 98-102.
- Zhumatov, Kh. Zh., and Dmitrienko, N. K., 1961, Characteristics of the natural foci of tick-borne encephalitis in Kazakhstan; report at a conference devoted to diseases of tropical countries, September 1961, Tashkent. *Medgiz, Moskva*, 7 pp.

MITES

- Anon., 1963, Brief news and information. *Zool. Zhurnal*, 42 (7): 1119-1126.
- Antonenko, V. V., 1963, Study of gamasid mites in Dnepropetrovsk Province. *Trudy Ukr. Resp. Nauch. Ob-va Paraz.*, (2): 154-158.
- Borzenkov, D. S., and Sorokin, V. V., 1960, Nikochloran is a highly effective agent against the chicken-mite. *Veterinariya*, 37 (2): 69-70.
- Chistiakov, A. F., 1963, Ways of dissemination of *Dermanyssus gallinae* in human residences. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 355-356.
- Davydova, M. S., 1963, Gamasid mites of water rats in the forest steppe zone of Western Siberia. *Trudy Biol. Inst. Sib. Otd. AN SSSR*, (10): 109-122.
- Frolov, B. A., 1963, Effective means for the control of chicken mites. *Veterinariya*, 40 (10): 58-61.

MITES

- Gadzhiev, A. T., and Kadatskaia, K. P., 1961, Gamasid mites of the rodents of Kobystan. *Izv. AN Azerb. SSR. Ser. Biol. i Med. Nauk* (12): 47-53.
- Igolkin, N. I., 1960, Arthropoda from the chipmunk nests in tick-borne encephalitis foci. *Trudy Tom. NIIVS*, (12): 13-17.
- Izosov, A. A., 1961, Occurrence of murine rodents and gamasid mites associated with them in Kursk Province. *Uch. Zap. Kursk. Gos. Ped. Inst.*, (12): 87-105.
- Khomiakov, I. P., 1963, Gamasid mites of some rodents and entomophagous mammals in Bryansk Province. *Nauch. Dokl. Vys. Shkoly; Biol. Nauki*, (4): 17-19.
- Lagutenko, Yu. P., 1963, Functional and histological features of the gonotrophic cycle of the chicken mite *Dermanyssus gallinae* (Gamasoidea, Dermanyssidae). *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 313-319.
- Litvishko, N. T., 1963, Epizootiology of chicken scabies caused by *Cnemidocoptes mutans*. *Trudy Ukr. Resp. Nauch. Ob-va Paraz.*, (2): 141-145.
- Meledzhaeva, M. A., 1963, Gamasid mites (Parasitiformes, Gamasoidea) in southeastern Turkmenia. *Izv. AN Turk. SSR. Ser. Biol. Nauk* (6): 81-83.
- Ogandzhanian, A. M., 1963, Study of gamasid mites in the Armenian SSR. *Izv. AN Arm. SSR. Biol. Nauki*, 16 (5): 81-83.
- Petrov, V. G., 1963, Role of the mite *Hirstionyssus musculi* Johnst. in the transmission and preservation of tularemia infection. *Zool. Zhurnal*, 42 (7): 1031-1040.
- Reitblat, A. G., 1963, Fauna of gamasid mites in Transcaucasia. *Paraz. Sborn.*, (21): 69-82.
- Sitnikova, L. G., 1963, Vertical distribution and quantitative fluctuations of oribatid mites in the turf-Podzolic soils of the Leningrad region. Report No. 2: Forest associations. *Paraz. Sborn.*, (21): 80-95.

MITES

- Violovich, N. A., 1963, Materials on gamasid mites (Gamasoidea) in the Kamchatka Peninsula. Trudy Biol. Inst. Sib. Otd. AN SSSR, (10): 102-108.
- Volgin, V. I., 1963, Materials on the taxonomy of predatory mites of the family Cheyletidae. Part 4: Genus Eucheyletia Baker, 1949. Paraz. Sborn. (21): 44-68.

DIPTERA

- Amirgaziev, K., 1963, Horseflies in Gur'yev. Paraz. Sel'khoz. Zhiv. Kazakh., (2): 125-128.
- Beklemishev, V. N., 1961, Exophily of mosquitoes and its significance in the prevention of malaria; report at a conference devoted to diseases of tropical countries, September 1961, Tashkent. Medgiz, Moskva, 6 pp.
- Belizin, V. L., 1963, Cynipids parasitizing on synanthropic flies in Uzbekistan (Hymenoptera, Cynipoidea). Zool. Zhurnal, 42 (11): 1652-1658.
- Belova, E. M., and Karapte'ian, A. B., 1963, Experimental study of leptomonad cultures isolated from moth flies *Phlebotomus caucasicus*. Med. Parazitol. i Parazitar. Bolezni, 32 (3): 305-306.
- Belova, E. M., and Saf'ianova, V. M., 1963, Methods of studying natural infection of moth flies with leptomonads in the nidi of cutaneous leishmaniasis. Zool. Zhurnal, 42 (11): 1729-1732.
- Boshko, G. V., 1963, Materials on the fauna and distribution of horseflies (Diptera, Tabanidae) in the Crimea. Trudy Ukr. Resp. Nauch. Ob-va Paraz. (2): 182-194.
- Breev, K. A., and Diadechko, V. N., 1964, Artificial infestation of cattle with the eggs of the warble fly *Hypoderma bovis* DeGeer. Zool. Zhurnal, 43 (3): 474-479.

DIPTERA

- Cherepanov, A. I., and Gomoionova, N. P., 1963, Use of nettings impregnated with diethylamide or metatoluic acid for individual protection of humans against horseflies and mosquitoes. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 341-343.
- Dzhafarov, Sh. M., 1963, A new species of bloodsucking midges (Diptera, Heleidae) of the eastern districts of Georgia. *Dokl. AN Azerb. SSR*, 19 (5): 53-55.
- Fedorova, S. P., 1963, Existing international and national measures against malaria importation; data of the World Health Organization. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 349-352.
- Frantsevych, L. I. and Loskot, V. M., 1964, Effect of temperature on the toxicity of insecticides to larvae of *Aedes aegypti* L. *Dop. AN URSSR*, (3): 401-404.
- Ipatov, V. P., and Sakovich, O. Yu., 1963, Study of the insecticide sensitivity of malarial mosquitoes in the Massaly and Astrakhan-Bazar districts of the Azerbaidzhan SSR in 1961; results of the second year of observation. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 271-274.
- Istomina, L. P., 1963, Horseflies in Semipalatinsk Province. *Paraz. Sel'khoz. Zhiv. Kazakh.*, (2): 121-124.
- Kuandykova, U. S., 1963, Horseflies in the middle Ili River Valley. *Paraz. Sel'khoz. Zhiv. Kazakh.*, (2): 116-120.
- Leviev, P. Ya., and Gadzhei, E. F., 1961, Controlling flies in the valley region of Tadzhikistan. *Izv. Otd. Sel'khoz. i Biol. Nauk AN Tadzh. SSR* (2): 91-97.
- Linevich, A. A., 1963, Biology of biting midges of the family Tendipedidae. *Trudy Lim. Inst.*, 1 (2): 3-48.
- Luppova, N. N., Morozova, Z. A. and Semushkina, T. V., 1963, Malaria in the Chuvash ASSR during the final stage of its eradication. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 267-270.

DIPTERA

- Makarevich, V. M., et al., 1963, Effect of chloroorganic insecticides on the processes of tissue respiration in the imagoes and larvae of houseflies and in the caterpillars of the lackey moth. Dokl. AN SSSR 152 (2): 475-477.
- Maslov, A. V., 1963, Development of aquatic phases and the formation of the perdiapause state in female mosquitoes of the genus *Culiseta*. Prim. Mat. Metod. v Biol. (2): 132-139.
- Mirzaeva, A. G., 1963, Effect of microclimatic conditions on the invasive activity of biting midges in the Chulym Valley within Tomsk Province. Trudy Biol. Inst. Sib. Otd. AN SSSR (10): 171-184.
- Mirzaeva, A. G., 1963, Fauna of biting midges in the Ob' Valley. Trudy Biol. Inst. Sib. Otd. AN SSSR (10): 82-88.
- Mirzaeva, A. G., 1963, Phenology and seasonal changes in the abundance of biting midges in the southern taiga of the Ob' Valley. Izv. SO AN SSSR 12, Ser. Biol. -Med. Nauk (3): 91-96.
- Monchadskii, A. S., 1964, Role of the larvae of Chaoborinae (Diptera, Culicidae) in the extermination of bloodsucking mosquitoes. Zool. Zhurnal, 43 (3): 455-466.
- Parve-Kontelova, T. E., 1963, Organization of antimalarial preventive measures on ships going to foreign countries. Med. Parazitol. i Parazitar. Bolezni, 32 (3): 262-267.
- Patrusheva, V. D., 1963, Effect of meteorological conditions on the invasive activity of blackflies. Trudy Biol. Inst. Sib. Otd. AN SSSR, (10): 152-170.
- Patrusheva, V. D., 1963, Invasion of blackflies in various biotopes. Trudy Biol. Inst. Sib. Otd. AN SSSR, (10): 89-96.
- Poliakova, P. E., 1963, Fauna of bloodsucking mosquitoes (Diptera, Culicidae) in the lower Ob' Valley. Trudy Biol. Inst. Sib. Otd. AN SSSR, (10): 97-101.
- Remiannikova, T. N., and Karapet'ian, A. B., 1962, Infection of rodents by *Leishmania tropica* as related to the season and characteristics of the population biology of sandflies. Izv. AN Turk. SSR Ser. Biol. Nauk (2): 57-62.

DIPTERA

- Riabykh, L. V., 1963. Fauna and ecology of mosquito larvae of the genus *Aedes* in Voronezh Province. Nauch. Dokl. Vys. Shkoly; Biol. Nauki, (4): 20-23.
- Saf'ianova, V. M., and Katkov, V. M., 1964, Network canopy saturated with a repellent as a protective means against sand fly attacks. Zdrav. Turk. 8 (2): 36-39.
- Saf'ianova, V. M., Seledtsov, I. I., 1963, Results of comparative tests of insecticides in moth fly control in a settlement in southern Turkmenia. Med. Parazitol. i Parazitar. Bolezni, 32 (3): 308-311.
- Sergiev, P. G. and Dukhanina, N. N., 1961, System of measures to prevent the occurrence of malaria in the USSR and its epidemiological basis. Sentiabr' 1961 g. Tashkent, Moskva, Medgiz, 6 pp.
- Shakirzianova, M. S., 1962. Materials on bloodsucking Diptera of some districts of eastern Kazakhstan. Trudy Inst. Zool. AN Kazakh. SSR, (18): 235-240.
- Shakirzianova, M. S., 1962, New species of punkies (Diptera, Heleidae) from Kazakhstan. Trudy Inst. Zool. AN Kazakh, SSR (18): 254-259.
- Shevchenko, A. K. and Nalivaiko, L. E., 1963, Fauna and ecology of bloodsucking midges in the middle Northern Donets Valley. Trudy Ukr. Resp. Nauch. Ob-va Paraz. (2): 171-181.
- Shevchenko, V. V., 1962, Genitalia of some Palaearctic horseflies (*Chrysozona*, Tabanidae, Diptera). Trudy Inst. Zool. AN Kazakh. SSR, (18): 224-234.
- Shvetsova-Shilovskaia, K. D., Smirnova, E. I., and Mel'nikov, N. N., 1963, Chemical means for controlling warble flies. Zhur. VKhO, 8 (6): 659-668.
- Sinel'shchikov, V. A., 1962, Horseflies of the middle course of the Irtysh River. Trudy Inst. Zool. AN Kazakh. SSR, (18): 241-253.

DIPTERA

- Strelkov, A., 1964, Biology of a new mermithid parasitizing in flies of Rybinsk Reservoir. Vest. LGU 19 (3): 55-69.
- Sychevskaia, V. I., 1961, Species of synanthropic flies in the Fergana Valley. Izv. Otd. Sel'khoz. i Biol. Nauk AN Tadzh. SSR, (2): 85-89.
- Sychevskaia, V. I., 1963, Synanthropic flies of the family Helomyzidae (Diptera) in Central Asia. Zool. Zhurnal, 42 (11): 1659-1665.
- Violovich, N. A., 1963, Horseflies (Diptera, Tabanidae) of Tuva. Trudy Biol. Inst. Sib. Otd. AN SSSR, (10): 185-190.

FLEAS

- Bibikova, V. A., et al., 1963, Biology of fleas of the genus Xenopsylla in Sary-Ishik-Otrau. Zool. Zhurnal, 42 (7): 1045-1051.
- Yurkina, V. I., 1963, Biology of Ophthalnopsylla volgensis Wagn. et Ioff and Ctenophthalmus orientalis Wagn. as related to the ecology of their host animals. Trudy Ukr. Resp. Nauch. Ob-va Paraz. (2): 159-165.

LICE

- Batarova, N. A., 1963, Development of the pathogen of paroxysmal (tick-borne) rickettsiosis and Volhynia rickettsial fever in body lice. Med. Parazitol. i Parazitar. Bolezni, 32 (3): 311-313.
- Dubitskii, A. M., 1963, Individual unsusceptibility of cattle to Linognathus infestation. Paraz. Sel'khoz. Zhiv. Kazakh., (2): 108-109.
- Fedorenko, I. O., 1962, Study of poultry lice. Zbir. Prats' Zool. Mus. AN URSSR, (31): 74-75.
- Fedorenko, I. O., Sabinevs'kyi, B. V., 1963, Bird lice of gulls nesting on islands of the Tendra Bay of the Black Sea. Zbir. Prats' Zool. Muz. AN URSSR, (32): 64-72.

LICE

- Pshenichnov, A. V., and Grembovskaia, A. V., 1962, Experimental study of the development of *Rickettsia prowazekii* in the body of human head lice. *Zhur. Mikrobiol., Epidemiol. i Immunobiol.*, 33 (10): 80-83.

GENERAL REFERENCES

- Abuladze, S. S., 1963, Ronald Ross on the merits of Russian parasitologists. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 346-349.
- Anastas'ian, S. N., 1963, Little known zoonoses (diseases transmittable from animals to man). Frunze, 72 pp.
- Arkhangel'skii, I. I., et al., 1964, Infection focuses. *Veterinariya*, 41 (1): 29-33.
- Avramenko, I. D., and Zenchenko, V. S., 1964, Forecasting the large-scale multiplication of harmful insects in 1964. *Les. Khoz.* 17 (4): 58-61.
- Beklemisheva, V. N., and Rashinoi, M. G., 1963, Problems of medical parasitology; collection of scientific papers. *Voprosy Med. Parazitol., Sborn. Nauch. Trudov.*, Moskva, 488 pp.
- Belopol'skaia, M. M., 1963, Survey of parasites of birds in the Sudzkh Preserve (Maritime Territory). *Paraz. Sborn.* 21: 221-244.
- Berim, N. G., 1964, Arsenic-containing inorganic insecticides and toxic substances. *Zashch. Rast. ot Vred. i Bol.*, 9 (4): 32-34.
- Bezuglyi, S. F., Sarishvili, I. G., and Larina, G. A., 1964, Photochemical oxidation of petroleum products used as insecticides. *Khim. v. Sel'khoz.*, 2 (2): 26-29.
- Boiko, A. A., 1963, Infection focuses. *Veterinariya*, 40 (10): 9-11.

GENERAL REFERENCES

- Borzenkov, D. S., and Sorokin, V. V., 1960, Nikochloran is a highly effective agent against the chicken-mite. *Veterinariya*, 37 (2): 69-70.
- Boshko, G. V., and Emchuk, E. M., 1963, Twentieth anniversary of the Parasitology Department of the Institute of Zoology of the Academy of Sciences of the Ukrainian SSR. *Trudy Ukr. Resp. Nauch. Ob-va Paraz.*, (2): 206-213.
- Bunit, K. V., 1961, *Infectious diseases*. Moskva, Medgiz, 478 pp.
- Cherepanov, A. I., and Gomoionova, N. P., 1963, Use of nettings impregnated with diethylamide or metatoluic acid for individual protection of humans against horseflies and mosquitoes. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 341-343.
- Dukhanina, N. N., 1963, Soviet literature on problems of medical parasitology and parasitic diseases for 1962. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 364-376.
- Dunskii, V. F., and Sidorov, A. I., 1964, Existence of an aerodynamic crisis when a stream of light aerosols or gas is allowed to propagate in a closed room. *Inzh.-fiz. Zhurnal*, 7 (3): 42-45.
- Favorova, L. A., et al., 1963, Study on the insecticidal properties of butadione and some data on its content in the blood serum and in dead insects. Report No. 2. *Zhurnal Mikrobiol., Epidemiol. i Immunobiol.*, 40 (9): 84-87.
- Frantsevych, L. I., Loskot, V. M., 1964, Effect of temperature on the toxicity of insecticides to larvae of *Aedes aegypti* L. *Dop. AN URSSR*, (3): 401-404.
- Frolov, B. A., 1963, Effective means for the control of chicken mites. *Veterinariya*, 40 (10): 58-61.
- Gordadze, G. N., and Zenaishvili, O. P., 1963, Activity of the Scientific Society of Medical Parasitologists of Tiflis in 1962. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 378-379.

GENERAL REFERENCES

- Gutsevich, A. V., 1964, Insects as vectors of human and animal viruses
Zool. Zhurnal, 43 (3): 429-442.
- Ipatov, V. P., and Sakovich, O. Yu., 1963, Study of the insecticide
sensitivity of malarial mosquitoes in the Masaly and Astrakhan
Bazar districts of the Azertaidzhan SSR in 1961; results of the
second year of observation. Med. Parazitol. i Parazitar.
Bolezni, 32 (3): 271-274.
- Ivanov, E. N., 1964, Forum of entomologists. Zashch. Rast. ot Vred.
i Bol., 9 (1): 13-17.
- Kosmachevskii, A. S., 1963, Harmful insects in Vietnam. Zashch. Rast. ot
Vred. i Bol., 8 (11): 51-52.
- Kovalenok, A. V., 1963, Histological changes in the common cockroach
after poisoning with diethyl-4-nitrophenylthiophosphate. Izv.
SO AN SSSR 12, Ser. Biol. -Med. Nauk (3): 97-104.
- Lapins, I., 1963, Biology and parasites of small forest mammals of
the Latvian SSR. Riga, Izd. -vo Akad. Nauk Latviiskoi SSR,
134 pp.
- Leviev, P. Ya., Gadzhei, E. F., 1961, Controlling flies in the valley
region of Tadzhikistan. Izv. Otd. Sel'khoz. i Biol. Nauk AN
Tadzh. SSR, (2): 91-97.
- MacDonald, G., 1963, Natural foci of infection. Med. Parazitol. i
Parazitar. Bolezni, 32 (3): 274-280.
- Makarevich, V. M., et al., 1963, Effect of chloroorganic insecticides
on the processes of tissue respiration in the imagoes and
larvae of houseflies and in the caterpillars of the lackey moth.
Dokl. AN SSSR, 152 (2): 475-477.
- Markevich, A. P., Problem of interrelationships of parasites, hosts
and environment in the studies of the Ukrainian school of
parasitology. Trudy Ukr. Resp. Nauch. Ob-va Paraz. (2);
3-19.
- Meklenburtsev, R. N., 1962, Birds as carriers of ectoparasites.
Tashkent, SamGU, Biol. Nauki, n. s. 196 (40): 1-75.

GENERAL REFERENCES

- Miasnikov, Yu. A., and Levacheva, Z. A., 1963, Geography of natural focus infections in Tula Province. *Biul. MOIP Otd. Biol.*, 68 (1): 5-15.
- Naglov, V. A., and Naglova, G. I., 1963, Ectoparasites of murine rodents living in the forests of the Donets Valley. *Trudy Ukr. Resp. Nauch. Ob-va Paraz.* (2): 146-153.
- Naumov, N. P., 1964, Microstructure and stability of natural disease foci. *Zool. Zhurnal*, 43 (3): 322-333.
- Parve-Kontelova, T. E., 1963, Organization of antimalarial preventive measures on ships going to foreign countries. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 262-267.
- Pavlovskii, E. N., 1964, Natural foci of transmissible diseases in connection with the landscape-related epidemiology of anthroozoonoses. Moskva, Izd-vo "Nauka", 210 pp.
- Petrishcheva, P. A., 1964, Effect of economic activity on the natural foci of some communicable diseases. *Zool. Zhurnal*, 43 (3): 334-345.
- Petrishcheva, P. A., and Olsuf'ev, N. G., Editors, 1964 *Methods of studying natural focus diseases in man.* Moskva, Meditsina, 306 pp.
- Pokidov, I. I., 1962, Experiments in the use of acaricidal preparations in controlling ixodid ticks in pastures. *Trudy Stavr. Sel'khoz. Inst.*, (11): 125-130.
- Saf'ianova, V. M., and Katkov, V. M., 1964, Network canopy saturated with a repellent as a protective means against sand fly attacks. *Zdrav. Turk.* 8 (2): 36-39.
- Savitskii, B. P., 1963, Use of hexachloran NBK (G-17) smoke pots in controlling tick-borne encephalitis carriers. *Zdrav. Bel.* 9 (8): 56-57.
- Saf'ianova, V. M., and Seledtsov, 1963, Results of comparative tests of insecticides in moth fly control in a settlement in southern Turkmenia. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 308-311.

GENERAL REFERENCES

- Sergiev, P. G., and Dukhanina, N. N., 1961, System of measures to prevent the occurrence of malaria in the USSR and its epidemiological basis. Sentiabr' 1961 g. Tashkent, Moskva, Medgiz, 6 pp.
- Shapovalova, K. G., Maksimova, Z. I., and Mel'nikova, I. A., 1964, Insecticidal properties of some carbamic acid derivatives. Khim. v Sel'khoz. 2 (3): 23-27.
- Shevtsov, A. A., Zaskind, L. N., and Seraia, V. G., 1963, Study of the parasitological situation in Skvira District, Kiev Province. Trudy Ukr. Resp. Nauch. Ob-va Paraz. (2): 124-136.
- Shvetsova-Shilovskaia, K. D., Smirnova, E. I., and Mel'nikov, N. N., 1963, Chemical means for controlling warble flies. Zhurnal VKHO, 8 (6): 659-668.
- Tumka, A. F., 1964, Parasitocenoses as one of the most important problems of parasitology developed by Academician E. N. Pavlovskii and his school. Zool. Zhurnal, 43 (4): 346-354.
- Vanags, G. J., 1964, Conference on toxic substances. Zashch. Rast. ot Vred. i Bol., 9 (4): 57.
- Vil'shanskaia, M. L., 1963, Soviet literature. Zhurnal Mikrobiol., Epidemiol. i Immunobiol., 40 (9): 151-158.
- Yefimov, H. O., and Kahan, Yu. S., 1964, Toxicity of diesters of urethanphosphoric acids to insects and warm-blooded animals. Dop. AN URSS (2): 275-278.

BACTERIAL AND SPIROCHAETAL DISEASES

- Anisimova, T. I., Anisimov, P. I., and Sosunova, A. N., 1963, Mechanism of natural immunity to plague in greater gerbils. Zhurnal Mikrobiol., Epidemiol. i Immunobiol., 40 (3): 96-100.
- Bairamova, R. A., 1964 Cultivation of spirochaete pathogens of Caucasian tick spirochaetosis on developing chick embryos. Lab. Delo, (5): 309-311.

BACTERIAL AND SPIROCHAETAL DISEASES

- Bairamova, R. A., 1963, Experiment in the infection of chicken embryos with tick-borne spirochaetosis by feeding infected *Ornithodoros* ticks on them. *Zhurnal Mikrobiol., Epidemiol. i Immunobiol.*, 40 (9): 83-84.
- Bibikov, D. I., 1964, Plague and the marmots. *Priroda*, 53 (2): 37-42.
- Dunaeva, T. N., et al., 1964, Natural foci of tularemia on the territory of the Komi ASSR. *Biul. MOIP Otd. Biol.*, 69 (1): 28-40.
- Galuzc, I. G., and Rementsova, M. M., 1960, Reservoir of brucellosis infection in nature. *Veterinariya*, 37 (2): 12-15.
- Klimova, T. K., et al., 1963, Some data on tularemia in Archangel Province. *Zhurnal Mikrobiol., Epidemiol. i Immunobiol.*, 40 (6): 48-54.
- Kuzina, A. I., and Mukharova, L. S., 1960, Natural tularemia foci in Kemerovo Province. *Trudy Tom.NIIVS*, 12: 43-47.
- Kuzybaeva, Kh., 1961, Materials on the infestation of burrows by ticks, carriers of the relapsing fever in Golodnaya Steppe. *Uzb. Biol. Zhurnal*, (5): 78-82.
- Oisuf'ev, N. G., 1964, Paleogenesis of the natural foci of tularemia. *Zool. Zhurnal*, 43 (3): 355-370.
- Petrov, V. G., 1963, Role of the mite *Hirstionyssus musculi* Johnst. in the transmission and preservation of tularemia infection. *Zool. Zhurnal*, 42 (7): 1031-1040.
- Shcherbak, Yu. N., 1964, Characteristics of the epidemiology of brucellosis in man caused by cattle in the Ukrainian SSR. *Vrach. Delo*, (1): 109-112.
- Smirnov, O. V., 1963, Specificity of spirochaetae transmitted through the bite of the tick *Ornithodoros nereensis*; remarks concerning some assertions of I. A. Moskvin. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 359-361.
- Streliaeva, V. M., Lapaeva, N. I., and Mel'kumova, L. P., 1964, Natural tularemia foci in the Turkmen SSR. *Zdrav. Turk.*, 8 (2): 31-34.

BACTERIAL AND SPIROCHAETAL DISEASES

Ustin-Petrova, T. F., 1963, Epidemiology of tularemia in natural foci of Krasnodar Territory. Zhurnal Mikrobiol. Epidemiol. i Immunobiol., 40 (4): 117-122.

Yafaev, R. Kh., 1963, Detection of plague and tularemia infection in rodents. Zhurnal Mikrobiol., Epidemiol. i Immunobiol., 40 (9): 93-96.

PROTOZOAN DISEASES

Beklemishev, V. N., 1961, Exophily of mosquitoes and its significance in the prevention of malaria; report at a conference devoted to diseases of tropical countries, September, 1961, Tashkent. Moskva, Medgiz, 6 pp.

Belova, E. M., and Karapet'ian, A. B., 1963, Experimental study of leptomonad cultures isolated from moth flies *Phlebotomus caucasicus*. Med. Parazitol. i Parazitar. Bolezni, 32 (3): 305-306.

Belova, E. M., and Saf'ianova, V. M., 1963, Isolation of leptomonad cultures from Caspian gekkos in the Serakhs focus of cutaneous leishmaniasis. Zdrav. Turk., 7 (11): 26.-

Belova, E. M., and Saf'ianova, V. M., 1963, Methods of studying natural infection of moth flies with leptomonads in the nidi of cutaneous leishmaniasis. Zool. Zhurnal, 42 (11): 1729-1732.

Fedorova, S. P., 1963, Existing international and national measures against malaria importation. data of the World Health Organization. Med. Parazitol. i Parazitar. Bolezni, 32 (3): 349-352.

Gasanov, A. A., 1963, Infection of the tick *Rhipicephalus bursa* (Can. et Fanz., 1877) by the causative agent of haemosporidiosis of sheep in the Nakichevan ASSR. Izv. AN Azerb. SSR Ser. Biol. i Med. Nauk (4): 117-123.

Ipatov, V.P., and Sakovich, O. Yu., 1963, Study of the insecticide sensitivity of malarial mosquitoes in the Massaly and Astrakhan-Bazar districts of the Azerbaidzhan SSR in 1961; results of the second year of observation. Med. Parazitol. i Parazitar. Bolezni, 32 (3): 271-274.

PROTOZOAN DISEASES

- Iskhakov, S. I., 1963, Petr Fokich Borovskii and the study of cutaneous leishmaniasis; on the centenary of his birth. *Zdrav. Tadzh.* 10 (3): 42-44.
- Ismail-Zade, I. M., Gusein-Zade, K. M., and Mamedov, K. A., 1963, Results of 12-year control of cutaneous leishmaniasis in an epidemic focus. *Vest. Derm. i Ven.*, 37 (4): 61-64.
- Karabaeva, R. D., 1963, Seasonal infestation of animals by ticks, carriers of Haemosporidia, and measures for their control. *Vest. Sel'-khoz. Nauki, Kazakh.*, 6 (11): 75-78.
- Luppova, N. N., Morozova, Z. A., and Semushkina, T. V., 1963, Malaria in the Chuvash ASSR during the final stage of its eradication. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 267-270.
- Maruashvili, G. M., 1961, Results of the control of malaria in the Georgian SSR; report at a conference devoted to diseases of tropical countries, September 1961, Tashkent. Moskva, Medgiz, 7 pp.
- Parve-Kontelova, T. E., 1963, Organization of antimalarial preventive measures on ships going to foreign countries. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 262-267.
- Remiannikova, T. N., and Karapet'ian, A. B., 1962, Infection of rodents by *Leishmania tropica* as related to the season and characteristics of the population biology of sandflies. *Izv. AN Turk. SSR Ser. Biol. Nauk*, (2): 57-62.
- Sergiev, P. G., 1961, Elimination of malaria in the USSR and measures to prevent its recurrence; report at a conference devoted to diseases of tropical countries, September 1961, Tashkent. Moskva, Medgiz, 1961, 9 pp.
- Sergiev, P. G., and Dukhanina, N. N., 1961, System of measures to prevent the occurrence of malaria in the USSR and its epidemiological basis. Moskva, Medgiz, 6 pp.
- Tiburskaia, N. A., 1961, Characteristics of the Moscow strain of *Plasmodium vivax*; report at a conference devoted to diseases of tropical countries, September 1961, Tashkent. Moskva, Medgiz, 5 pp.

RICKETTSIAL DISEASES

- Balaeva, N. M., and Levina, E. N., 1964, Detection of Rickettsia prowazeki by the method of fluorescent antibodies in the organism of experimental animals and insects. *Izv. AN SSSR Ser. Biol.*, (3): 433-438.
- Batarova, N. A., 1963, Development of the pathogen of paroxysmal (tick-borne) rickettsiosis and Volhynia rickettsial fever in body lice. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 311-313.
- Kesarev, I. P., and Prodan, Z. G., 1963, Parenteral infection of the argasid tick *Ornithodoros papillipes* by Rickettsia prowazeki. *Trudy Ukr. Resp. Nauch. Ob-va Paraz.*, (2): 61-63.
- Kostromina, E. E., 1962, Some data on the epidemiology of Q fever in the Western Urals. *Zhurnal Mikrobiol., Epidemiol. i Immunobiol.*, 33 (10): 140-141.
- Proreshnaia, T. L., 1962, What one should know about Q fever. *Frunze, Kirgiz., SSSR*, 17 pp.
- Pshenichnov, A. V., and Grembovskaia, A. V., 1962, Experimental study of the development of Rickettsia prowazekii in the body of human head lice. *Zhurnal Mikrobiol., Epidemiol. i Immunobiol.*, 33 (10): 80-83.
- Tarasevich, I. V., 1963, Foreign literature. *Zhurnal Mikrobiol., Epidemiol. i Immunobiol.*, 40 (5): 161-165.
- Zakharov, V. I., 1963, Review of I. D. Drobinskii's book "Gamasoid rickettsiosis". *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 361-363.
- Zatulovskii, B. G., and Bondarenko, V. I., 1962, Study of Q fever in the Ukrainian SSR. *Zhurnal Mikrobiol., Epidemiol. i Immunobiol.*, 33 (10): 116-121.

VIRAL DISEASES

- Didovets, S. R., 1960, Foot-and-mouth disease as a zoonotic infection. *Veterinariya*, 37 (2): 16-19.

VIRAL DISEASES

- Fastovskaja, E. I., Nikiforov, L. P., and Naumov, R. L., 1963. Influence of the terrain on tick-borne encephalitis morbidity in Krasnoyarsk Territory. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 280-283.
- Igolkin, N. I., 1960, Arthropoda from the chipmunk nests in tick-borne encephalitis foci. *Trudy Tom. NIIVS*, 12: 13-17.
- Karpov, S. P., 1963, Current state of the tick-borne encephalitis problems. *Sovet. Med.*, 26 (4): 41-47.
- Karpov, S. P., and Kolmakova, A. G., 1960, Materials on the nosogeography of tick-borne encephalitis in Western Siberia. *Trudy Tom. NIIVS*, (12): 7-12.
- Karpov, S. P., and Yav'ia, A. R., 1960, Tick-borne encephalitis in the Tomsk focus during the 1958 season. *Trudy Tom. NIIVS*, (12): 18-21.
- Karpov, S. P., et al., 1963, Sanitation of the natural focus of tick-borne encephalitis in inhabited areas. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 292-296.
- Levkovich, E. N., 1961, Problem of arthropod-carried viruses of the tick-borne encephalitis group; report at a conference devoted to diseases of tropical countries, September 1961, Tashkent. Moskva, Medgiz, 9 pp.
- Lipin, S. I., 1960, Some data on the mammals and birds in the focus of tick-borne encephalitis in the Alzamay region, Irkutsk Province. *Trudy Irk. IEG*, (5): 120-126.
- Lutta, A. S., 1963, Ecologic and geographic features of the foci of tick-borne encephalitis in Karelia. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 284-288.
- Miasnikov, Yu. A., Zhemchuzhin, E. K., and Khodzhash, S. E., 1963, Focus of tick-borne encephalitis in deciduous forests of Tula Province. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 354-355.
- Nabokov, V. A., 1964, Taiga sickness; tick-borne encephalitis. *Izd. -vo "Meditsina"*, Moskva, 18 pp.

VIRAL DISEASES

- Pchelkina, A. A., Zemskaya, A. A., and Suvorova, L. G., 1963, Territorial distribution and density changes of virus-infected ticks in a natural focus of tick-borne encephalitis in the southern part of Kirov Province. *Med. Parazitol. i Parazitar. Bolezni*, 32 (3): 288-292.
- Shapoval, A. N., 1963, Tick-borne encephalitis; prevention. Leningrad, Medgiz, 56 pp.
- Vasil'eva, V. L., 1964, Presence of foci of tick-borne encephalitis in Kiev, Chernigov and Zhitomir Provinces. *Vrach. Delo.*, (3): 98-102.
- Zhumatov, Kh. Zh., and Dmitrienko, N. K., 1961, Characteristics of the natural foci of tick-borne encephalitis in Kazakhstan; report at a conference devoted to diseases of tropical countries, September 1961, Tashkent. Moskva, Medgiz., 7 pp.