

June 1966

AD

AD 699861

THE RATIO OF THE EXCHANGE COEFFICIENTS FOR HEAT AND MOMENTUM IN A HOMOGENEOUS, THERMALLY STRATIFIED ATMOSPHERE

By

FRANK V. HANSEN

CLEARINGHOUSE	
FOR FEDERAL SCIENTIFIC AND	
TECHNICAL INFORMATION	
Hardcopy	Microfiche
\$2.00	\$1.50
30	30
pp	pp
1 ARCHIVE COPY	

OCT 12 1966

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

Distribution of this
report is unlimited.

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

20050218000 Best Available Copy

五

DISPOSITION INSTRUCTIONS

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

Best Available Copy 30020718000

THE RATIO OF THE EXCHANGE COEFFICIENTS
FOR HEAT AND MOMENTUM IN A HOMOGENEOUS,
THERMALLY STRATIFIED ATMOSPHERE

by

FRANK V. HANSEN

DA TASK IV014501B53A-10

ECOM-5059

June 1966

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

ABSTRACT

A hypothesis concerning the ratio of the exchange coefficients for heat and momentum is formulated. From the basic assumptions of the Monin-Obukhov similarity theory and the theory of free convection, it is shown that the ratio of the coefficients is a two-part function of the nondimensional logarithmic wind shear and the gradient Richardson number. Experimental data tend to corroborate the theoretical values derived in this study within the limits of experimental error.

CONTENTS

	Page
ABSTRACT -----	iii
INTRODUCTION -----	1
SIMILARITY CONCEPTS -----	1
THE RATIO OF THE EXCHANGE COEFFICIENTS FOR HEAT AND MOMENTUM --	5
NUMERICAL EVALUATION OF THE RATIO OF THE EXCHANGE COEFFICIENTS--	7
DISCUSSION -----	9
CONCLUSIONS -----	13
REFERENCES -----	15

INTRODUCTION

Contemporary hypotheses pertaining to the turbulent processes of the surface boundary layer are based upon the principles of dynamic similarity of flows. True dynamic similarity requires that the measured quantities of one system go identically or by an exact ratio into those of another, implying a constant ratio of forces in the two systems. For the surface boundary layer, this requires that the wind and temperature profiles be similar, as well as the vertical fluxes of heat, momentum, and water vapor.

The structure of turbulence in the boundary layer is dependent upon the thermal stratification. Richardson (1920, 1925) found that the generation or suppression of turbulence could be expressed as the ratio of work done by buoyancy forces against gravity forces where turbulence increased as stability decreased. The converse was also found to be true. Richardson's criterion, as originally derived, assumed that the exchange coefficients for heat, momentum, and water vapor were equal, allowing the Richardson number to be expressed in generalized form. Current thinking indicates that the exchange coefficients are not equal, so that the Richardson number may be represented by either its flux or gradient form. The two Richardson numbers are related by

$$R_f = Ri \frac{K_H}{K_M} \quad (1)$$

where R_f is the flux form, Ri is the gradient form and K_H/K_M is the ratio of the exchange coefficients for heat and momentum.

Batchelor (1953) demonstrated that the Richardson number possessed the characteristics of true dynamic similarity, which allows it to be used as a basic parameter for the investigation of turbulent processes in the surface boundary layer. This leads to the premise that the ratio of the exchange coefficients is also a similarity ratio of major importance owing to the nature of its relationship to the Richardson numbers. If dynamic similarity of flows indeed exists in the planetary boundary layer, it should be possible from the basic definitions to write an expression for the ratio of the exchange coefficients for heat and momentum.

The purposes of this paper then, are to: (1) examine the role that K_H/K_M assumes in the analysis of wind and temperature profiles observed in the planetary boundary layer, (2) examine the dependency of diabatic boundary layer hypotheses upon K_H/K_M , and (3) to present an expression for computing the ratio in terms of similarity parameters. In addition, values of K_H/K_M as determined from experimental data are presented.

SIMILARITY CONCEPTS

The application of dynamic similarity concepts to surface boundary layer flow is usually attributed to Monin and Obukhov (1954), even though the earlier work of Sverdrup, Rossby and Montgomery, and Holtzman (see Deacon, 1955 and Lettau, 1949) was based upon this postulate of aerodynamics. The conjugate law for the wind profile in the surface boundary layer may be written as

$$\frac{\partial \bar{V}}{\partial z} = \frac{u_*^2}{kz} (S) \quad (2)$$

where $\bar{V}$ is the wind speed, z is height, u_* is the friction velocity, k is Karman's constant and S is a stability correction factor known as the diabatic influence function. Monin and Obukhov (1954) determined that dynamic similarity of flows was controlled by the unique existence near the ground of the friction velocity u_* , a scaling temperature T^* and a scaling length L . All the equivalent measured values could then be expressed as functions of these parameters. With the aid of the dimensional constants g/θ and $H/c_p\rho$, L and T^* were defined as

$$L = - \frac{u_*^3}{k(g/\theta)H/c_p\rho} = - \frac{u_*^3}{kgH} \frac{c_p\rho\theta}{1} \quad (3)$$

and

$$T^* = \frac{1}{ku_*} \frac{H}{c_p\rho} \quad (4)$$

where g is the acceleration of gravity, θ is potential temperature, H the vertical heat flux, c_p the specific heat of air at constant pressure, and ρ the mean density.

From the above definitions, an exact statement describing the shape of the wind and temperature profiles in a diabatic surface boundary layer may be written as

$$\frac{z}{L} = SR_f \quad (5)$$

where z/L is a scaling ratio, and the flux Richardson number is given by

$$R_f = - \frac{gH}{c_p\theta\tau (\partial\bar{V}/\partial z)} \quad (6)$$

The wind profile may then be determined by integration to be

$$\bar{V} = \frac{u_*}{k} \left[\ln \frac{z}{z_0} + \alpha \left(\frac{z}{L} \right) \right] \quad (7)$$

where z_0 is a constant of integration known as the roughness length and α is a universal constant.

Since the expressions for both L and R_i contain the heat flux H , a parameter difficult to obtain by inference or direct measurement, Eq. (5) may be restated

$$\frac{z}{L'} = S R_i \quad (8)$$

where R_i is the gradient Richardson number defined as

$$R_i = \frac{g}{\theta} \frac{\left(\frac{\partial \theta}{\partial z} \right)^2}{\left(\frac{\partial \bar{v}}{\partial z} \right)^2} \quad (9)$$

and L' is a gradient length (Panofsky, Blackadar, and McVehil, 1960) given by

$$L' = \frac{u_* \theta \frac{\partial \bar{v}}{\partial z}}{K_g \frac{\partial \theta}{\partial z}} \quad (10)$$

and related to L by $L' = L K_H/K_M$. The wind profile may now be stated as

$$\bar{v} = \frac{u_*}{k} \left[\ln \frac{z}{z_0} - \psi \left(\frac{z}{L'} \right) \right] \quad (11)$$

where ψ is a universal function. A similar expression may be written for the temperature profile.

Thus, from easily determined parameters which are functions of the vertical gradients of wind and temperature, the turbulent processes in the surface boundary layer may be investigated. Accurate evaluation of the vertical fluxes from profile measurements is entirely dependent upon the ratio of the exchange coefficients.

Another factor influencing the dynamic similarity of flows in a diabatic surface boundary layer, particularly as the atmosphere becomes less stable, is the effect of convection upon the turbulent processes. It is generally accepted that there exists a transition zone between the forced and free convection regimes at $-0.02 > R_i > -0.05$. In fully forced convection ($R_i > -0.02$), Priestley (1960) has shown that the potential temperature gradient can be stated as

$$\frac{\partial \theta}{\partial z} = - \frac{K_M}{K_H} \frac{SH}{c_p \rho k_\infty z} \quad (12)$$

Beyond the transition, the profile no longer follows the z^{-1} law of forced convection, but, as shown by Priestley (1954), becomes proportional to height to the minus four-thirds. The potential temperature gradient in free convection then becomes

$$\frac{\partial \theta}{\partial z} = -h^{-2/3} (H/c_p)^{2/3} (g/\theta)^{-1/3} z^{-4/3} \quad (13)$$

where h is a constant whose value remains to be determined. In the evaluation of h , Priestley (1955) introduced a reduced or dimensionless heat flux $\bar{H}$ in the form

$$\bar{H} = \frac{H}{c_p \rho (g/\theta)^{1/2} |(\partial \theta / \partial z)| z^2} \quad (14)$$

allowing the flux-gradient reciprocal dependence between free and forced convection to be given by

$$\bar{H} = h \quad (\text{free}) \quad (15)$$

$$\bar{H} = k^2 |Ri|^{-1/2} \quad (\text{forced}) \quad (16)$$

where $\bar{H}$ is a constant with height in the free convection regime and a variable in the forced regime.

Eqs. (14) through (16) were evaluated using Swinbank's (1955) data in terms of $\bar{H}$ and Ri . An extension of this inquiry by Taylor (1956) resulted in establishing a value for h such that

$$\bar{H} = h = 0.79 \pm 0.04$$

According to Priestley (1960), measurements of the heat flux were some 10 per cent low and a tentative adjusted value of $\bar{H}=h = 0.9$ was adopted for the free convection regime.

Heat flux measurements by Priestley (1955) and Taylor (1956) and temperature profiles by Webb (1958) indicate the height to the minus four-thirds law for free convection is valid for $z/L < 0.03$ through a range up to about 30 times this value. Eqs. (12) and (13) then represent the behavior of the temperature structure in the surface boundary layer with the scale height of the

transition from forced to free convection proportional to the Monin-Obukhov scaling length L .

The transition between forced and free convection can be considered smooth since moving turbulent elements can traverse the junction. With no smoothing, it can be shown from the diabatic similarity theory that a junction height is given by

$$\frac{z}{L} = -k^4 h^{-2} (K_H/K_M) \quad (17)$$

Eq. (17) yields an arbitrary junction height of $z/L = -0.0317$ if it is assumed that $k = 0.4$, $h = 0.9$ and K_H/K_M is set equal to 1. The value of the gradient Richardson number is also found to be -0.0317 at the unsmoothed junction.

THE RATIO OF THE EXCHANGE COEFFICIENTS FOR HEAT AND MOMENTUM

Now, from the related diabatic similarity and free convection theories, we can formulate an expression for the exchange coefficients for heat and momentum. The exchange coefficient hypothesis states that the mean flux per unit area of a conservative quantity such as heat, momentum, or water vapor is proportional to the gradient of the mean value of the quantity, that is

$$\text{mean flux per unit area} = -K \frac{d\bar{E}}{dn}$$

where K is the exchange coefficient, $d\bar{E}/dn$ is the gradient of the mean, and n is the direction normal to the surface. For turbulent flow in the boundary layer, K is dependent upon time and location. A differentiation between the various coefficients is necessary to adequately describe turbulent processes in the boundary layer. These can be stated as

$$E = -\rho K_w \frac{\partial q}{\partial z} \quad (18)$$

$$H = -\rho c_p K_H \frac{\partial \theta}{\partial z} \quad (19)$$

$$\gamma = -\rho K_M \frac{\partial \bar{v}}{\partial z} \quad (20)$$

where K_w , K_H , and K_M are the coefficients for water vapor, heat, and momentum, respectively.

Considering only heat and momentum, the exchange coefficients can be shown to be

$$K_H = \frac{\overline{v'\theta'}}{\frac{\partial \theta}{\partial z}} \quad (21)$$

and

$$K_M = \frac{\overline{u'v'}}{\frac{\partial v}{\partial z}} \quad (22)$$

which can be verified by direct observation. Since independent observations of the terms necessary to provide a solution for Eqs. (19) through (22) are difficult, if not sometimes impossible, to obtain by direct measurement, an indirect determination of the ratio of K_H to K_M can be derived from the basic framework of the similarity and free convection theories.

From Eqs. (1) and (9) it is seen that

$$R_f = R_1 \frac{K_H}{K_M} = \frac{K_H}{K_M} \frac{g}{\theta} \left(\frac{\partial \theta}{\partial z} \right)^2 \quad (23)$$

Substitution of Eq. (19) and (20) yields

$$R_f = - \frac{H_g}{c_p \tau \theta \frac{\partial v}{\partial z}} \quad (24)$$

By definition $u^2 = \tau/\rho$, so that Eq. (19) may be restated as

$$R_f = \frac{H_g}{\rho c_p u_*^2 \theta \frac{\partial v}{\partial z}} \quad (25)$$

Introducing Priestley's (1955) reduced heat flux H_g^* , it is seen that

$$R_f = - \frac{H_g^{*2} (g/\theta)^{1/2} |\partial \theta / \partial z|^{3/2}}{\theta u_* \frac{\partial v}{\partial z}} \quad (26)$$

Multiplying and dividing by $k^2 (\delta V / \delta z)^2$, introducing the diabatic influence function S , and rearranging terms, Eq. (26) becomes

$$R_f = - \frac{S^2 \hat{H} (g/\theta)^{1/2} |\partial \theta / \partial z|^{3/2}}{k \theta (\partial V / \partial z)} \quad (27)$$

Simplifying

$$R_f = - \frac{|Ri|^{1/2} \hat{H} S^2}{k^2} Ri.$$

Since by definition $R_f = Ri (K_H / K_M)$, then (28)

$$\frac{K_H}{K_M} = \frac{\hat{H} S^2}{k^2} |Ri|^{1/2}.$$

If the junction between forced and free convection is assumed to occur at $Ri = -0.0317$, then

(a) for forced convection where $|Ri| < 0.0317$ and $\hat{H} = |Ri|^{-1/2} k^2$

$$\frac{K_H}{K_M} = \frac{k^2 S^2 |Ri|^{1/2}}{|Ri|^{1/2} k^2} = S^2 \quad (29)$$

(b) for free convection where $|Ri| > 0.0317$ and $\hat{H} = h = 0.9$

$$\frac{K_H}{K_M} = \frac{0.9 S^2}{k^2} |Ri|^{1/2}. \quad (30)$$

It is seen that the ratio K_H / K_M may be calculated from two of the basic parameters of similarity theory, the Richardson number and the diabatic influence function S .

NUMERICAL EVALUATION OF THE RATIO OF THE EXCHANGE COEFFICIENTS

The ratio of the exchange coefficients may be evaluated numerically by use of any of the contemporary hypotheses for the diabatic boundary layer. Since

none of the dozen or so hypotheses are universally accepted, the choice is rather arbitrary. Application of Eqs. (29) and (30) is dependent upon the definition of S assumed as a stability parameter for solution of the log-linear profile. By definition

$$S = \frac{kz}{u_*} \frac{\partial \bar{v}}{\partial z} \quad (31)$$

the solution to which is available only with independent measurements of stress. The Monin-Obukhov (1954) hypothesis assumed that

$$S = (1 + \alpha \frac{z}{L}) \quad (32)$$

which is a first approximation for small z/L only and consequently is not valid in the free convection regime. Interpolation formulae to span the transition zone between forced and free convection and fit at both small and large z/L have been formulated, those of Businger (1959, 1961), Priestley (1960), Webb (1960) and the KEYPS function of Panofsky (1963) being the most notable.

Depending upon the choice of an interpolation scheme, slightly different values of S are obtained for the same value of Ri or z/L' , causing the stress determination as obtained from Eqs. (7) or (9) to differ. The same holds true for the determination of K_H/K_M from Eqs. (29) and (30). The differences among the expressions for the diabatic influence functions as proposed by various investigators are currently unresolved.

In this particular study, the KEYPS function was chosen to evaluate K_H/K_M . Panofsky (1963) has shown that for a diabatic surface boundary layer, the diabatic influence function from the KEYPS expression is given by

$$S^4 - \gamma \frac{z}{L} S^3 = 1 \quad (33)$$

where γ is a universal function. In terms of the gradient length L' , this may be expressed as

$$S^4 - \gamma' \frac{z}{L'} S^3 = 1 \quad (34)$$

where γ' is another universal function. From similarity theory it can be shown that

$$\frac{z}{L'} = \frac{Ri}{(1 - \gamma' Ri)^{1/4}} \quad (35)$$

and

$$S = (1 - \gamma' Ri)^{-1/4} \quad (36)$$

allowing determination of the various profile parameters if the vertical gradients of wind speed and temperature are measured.

Numerical evaluation of K_H/K_M was accomplished using high-speed digital computer techniques. Eqs. (29), (30), (35), and (36) were programmed to provide a solution in terms of S , $-Ri$, $-z/L'$ and the equivalent values of K_H/K_M in the stability range $0 > Ri > -10.0$. K_H/K_M as a function of $-Ri$ and $-z/L'$ is shown in Figures 1 and 2.

DISCUSSION

The solution of many problems of boundary layer flow depends upon the exact numerical value of the ratio of the exchange coefficients for heat and momentum. Early experimenters such as Richardson (1920, 1925) assumed that $K_H/K_M = 1$, an assumption not justified by current hypotheses. The evolving similarity theory of Monin-Obukhov utilized this assumption. Extension of the Monin-Obukhov hypothesis by the interpolation formulae tended to indicate that K_H/K_M was closer to 1.3 in the free convection regime.

Experimental values of the ratio of the exchange coefficients have been published by a number of investigators, notably Rider (1954), Swinbank (1955), Deacon (1958), and Senderikhina (1961). Published values range from 1.08 to 1.67, although Lumley and Panofsky (1964) quote unpublished data by Priestley showing that values as large as 3.0 have been observed in the boundary layer. Brooks (1963) found values as high as 2.5 during extremely unstable periods over an irrigated field, but according to Dyer and Fruitt (1962) and Dyer (1963), the process in operation when Brook's data were collected was heterogeneous, probably accounting for the large K_H/K_M ratio.

Lettau (1957) analyzed two-dimensional wind and temperature data obtained during the Great Plains Turbulence Field Program and determined the ratio of the exchange coefficients from the Bowen ratio and a similarity assumption referred to as the "Ground-flux Ratio." It was assumed that conditions valid for the neutral case held true for the forced and free convection regimes also. This led to biasing the data to the extent that computed values of K_H/K_M in the range $Ri < -0.0317$ are abnormally high as shown in Figure 3.

All evidence, both empirical and experimental, indicate that the ratio of the exchange coefficients for heat and momentum varies between unity and 1.3 from the neutral case to the upper limit of the free convection regime which lies in the stability range $-0.1 > Ri > -1.0$ according to Webb (1958) and Townsend (1962). This is considered to be a second transition zone and separates the free and "windless" or natural convection regimes. The temperature profile no longer follows the minus one-third law of free convection but obeys a z^{-2} law according to Lumley and Panofsky (1964). This is borne out by the failure of any of the diabatic models to predict stress and roughness lengths accurately at large negative values of Ri , since the interpolation formulae are tailored to free convection theory and the minus one-third potential temperature profile of that stability regime. The effect on predicted or measured values of K_H/K_M is not known.




FIGURE 1. THE RELATION BETWEEN THE RATIO OF THE EXCHANGE COEFFICIENTS FOR HEAT AND MOMENTUM AND THE GRADIENT RICHARDSON NUMBER.




FIGURE 2. THE RELATION BETWEEN THE RATIO OF THE EXCHANGE COEFFICIENTS FOR HEAT AND MOMENTUM AND THE KEYS RATIO.




FIGURE 3. RATIO OF THE EXCHANGE COEFFICIENTS $v_s R_I$ AT 1.6 METERS

CONCLUSIONS

The empirical solution for the ratio of the exchange coefficients for heat and momentum yields numerical values in good agreement with the published results derived from experimental data. It must be emphasized that the solution is valid only for a homogeneous and stationary diabatic boundary layer. Other assumptions used for the solution are that: (1) the basic similarity and free convection theories are valid; (2) that the transition from forced to free convection occurs in the range $-0.02 < Ri < -0.05$ and more particularly at $Ri = -0.0317$; and (3) that the interpolation formulae for the diabatic influence function span the transition from forced to free convection. Since none of the interpolation schemes are universally accepted and verification of the solution for K_H/K_M by direct observation is extremely difficult, the empirical results of this study perhaps do not represent the actual ratio of the exchange coefficients.

REFERENCES

- Batchelor, G. K. (1953). The conditions for dynamic similarity of motions of a frictionless perfect gas atmosphere. Quart. J. Roy. Met. Soc. 79.
- Brooks, F. A. (1963). Physical interpretations of diurnal variations of eddy transfers near the ground. Investigation of Energy and Mass Transfer near the Ground including the Influences of Soil-Plant-Atmosphere System, Contract DA-36-039-SC-80334, University of California, Davis.
- Businger, J. A. (1959). A generalization of the mixing length concept. J. Meteor. 16, 516.
- Businger, J. A. (1961). On the relation between spectra of turbulence and the diabatic wind profile. J. Geophys. Res. 66, 2405.
- Deacon, E. L. (1955). Turbulent transfer of momentum in the lowest layers of the atmosphere. C.S.I.R.O. Div. Met. Phys. Tech. paper 4.
- Deacon, E. L. (1958). The measurement of turbulent transfer in the lower atmosphere. Advances in Geophysics, Vol. 6, Academic Press, New York.
- Dyer, A. J. (1963). The adjustment of profiles and eddy fluxes. Quart. J. Roy. Met. Soc., 88.
- Dyer, A. J., and W. O. Pruitt, (1962). Eddy-flux measurements over a small, irrigated area. J. Appl. Met., 1, 4.
- Lettau, H. H. (1949). Isotropic and non-isotropic turbulence in the atmospheric surface layer. Geophysical Research Paper No. 1, Geophysics Research Directorate, Air Force Cambridge Research Center, Bedford, Mass.
- Lettau, H. H. (1957). Computation of heat budget constituents of the earth/air interface. Exploring the Atmosphere's First Mile, (H. H. Lettau and Ben Davidson, eds.) Pergamon Press, New York.
- Lumley, J. L., and H. A. Panofsky (1964), The Structure of Atmospheric Turbulence, John Wiley and Sons, New York.
- Monin, A. S., and A. M. Obukhov (1954). Basic regularity in turbulent mixing in the surface layer of the atmosphere. Trudy, Geophys. Inst. ANSSR, Nr. 24.
- Panofsky, H. A. (1963). Determination of stress from wind and temperature measurements. Quart. J. Roy. Met. Soc., 89.
- Panofsky, H. A., A. K. Blackadar, and G. E. McVehil (1960). The diabatic wind profile. Quart. J. Roy. Met. Soc. 86.
- Priestley, C. H. B. (1954). Convection from a large horizontal surface. Australian J. Phys. 7.
- Priestley, C. H. B. (1955). Free and forced convection in the atmosphere near the ground. Quart. J. Roy. Met. Soc. 81.

- Priestley, C. H. B. (1960), A derterminete hypothesis for super-diabatic wind and temperature profile. Quart. J. Roy. Met. Soc., 86.
- Richardson, L. F. (1920), The supply of energy from and to atmospheric eddies. Proc. Roy. Soc. London, A, 97.
- Richardson, L. F. (1925), Turbulence and vertical temperature difference near trees. Phil. Mag., 49, 289.
- Rider, N. E. (1954), Eddy diffusion of momentum, water vapor, and heat near the ground. Phil. Trans. Roy. Soc., A246.
- Senderikhina, I. L. (1961), On the relationships among the coefficients of turbulent transport of momentum, heat, and matter in the surface layer of the atmosphere. Trudy, Glav. Geophys. obs. 121.
- Swinbank, W. C. (1955), An experimental study of eddy transports in the lower atmosphere. C.S.I.R.O. Div. Met. Phys. Tech. paper No. 2, Melbourne.
- Taylor, R. J. (1956), Some measurements of heat flux at large negative Richardson number. Quart. J. Roy. Met. Soc. 82.
- Townsend, A. A. (1962), Natural convection in the earth's boundary layer. Quart. J. Roy. Met. Soc., 88.
- Webb, E. K. (1958), Vanishing potential temperature gradients in strong convection. Quart. J. Roy. Met. Soc., 84.
- Webb, E. K. (1960), Evaporation from Lake Eucumbene. C.S.I.R.O. Div. Met. Phys. Tech paper No. 10, Melbourne.

ATMOSPHERIC SCIENCES RESEARCH PAPERS

1. Webb, W.L., "Development of Droplet Size Distributions in the Atmosphere," June 1954.
2. Hansen, F. V., and H. Rachele, "Wind Structure Analysis and Forecasting Methods for Rockets," June 1954.
3. Webb, W. L., "Net Electrification of Water Droplets at the Earth's Surface," *J. Meteorol.*, December 1954.
4. Mitchell, R., "The Determination of Non-Ballistic Projectile Trajectories," March 1955.
5. Webb, W. L., and A. McPike, "Sound Ranging Technique for Determining the Trajectory of Supersonic Missiles," =1, March 1955.
6. Mitchell, R., and W. L. Webb, "Electromagnetic Radiation through the Atmosphere," =1, April 1955.
7. Webb, W. L., A. McPike, and H. Thompson, "Sound Ranging Technique for Determining the Trajectory of Supersonic Missiles," =2, July 1955.
8. Barichivich, A., "Meteorological Effects on the Refractive Index and Curvature of Microwaves in the Atmosphere," August 1955.
9. Webb, W. L., A. McPike and H. Thompson, "Sound Ranging Technique for Determining the Trajectory of Supersonic Missiles," =3, September 1955.
10. Mitchell, R., "Notes on the Theory of Longitudinal Wave Motion in the Atmosphere," February 1956.
11. Webb, W. L., "Particulate Counts in Natural Clouds," *J. Meteorol.*, April 1956.
12. Webb, W. L., "Wind Effect on the Aerobee," =1, May 1956.
13. Rachele, H., and L. Anderson, "Wind Effect on the Aerobee," =2, August 1956.
14. Beyers, N., "Electromagnetic Radiation through the Atmosphere," =2, January 1957.
15. Hansen, F. V., "Wind Effect on the Aerobee," =3, January 1957.
16. Kershner, J., and H. Bear, "Wind Effect on the Aerobee," =4, January 1957.
17. Hoidale, G., "Electromagnetic Radiation through the Atmosphere," =3, February 1957.
18. Querfeld, C. W., "The Index of Refraction of the Atmosphere for 2.2 Micron Radiation," March 1957.
19. White, Lloyd, "Wind Effect on the Aerobee," =5, March 1957.

20. Kershner, J. G., "Development of a Method for Forecasting Component Ballistic Wind," August 1957.
21. Layton, Ivan, "Atmospheric Particle Size Distribution," December 1957.
22. Rachele, Henry and W. H. Hatch, "Wind Effect on the Aerobee," #6, February 1958.
23. Beyers, N. J., "Electromagnetic Radiation through the Atmosphere," #4, March 1958.
24. Prosser, Shirley J., "Electromagnetic Radiation through the Atmosphere," #5, April 1958.
25. Armendariz, M., and P. H. Taft, "Double Theodolite Ballistic Wind Computations," June 1958.
26. Jenkins, K. R. and W. L. Webb, "Rocket Wind Measurements," June 1958.
27. Jenkins, K. R., "Measurement of High Altitude Winds with Loki," July 1958.
28. Hoidale, G., "Electromagnetic Propagation through the Atmosphere," #6, February 1959.
29. McLardie, M., R. Helvey, and L. Traylor, "Low-Level Wind Profile Prediction Techniques," #1, June 1959.
30. Lamberth, Roy, "Gustiness at White Sands Missile Range," #1, May 1959.
31. Beyers, N. J., B. Hinds, and G. Hoidale, "Electromagnetic Propagation through the Atmosphere," #7, June 1959.
32. Beyers, N. J., "Radar Refraction at Low Elevation Angles (U)," Proceedings of the Army Science Conference, June 1959.
33. White, L., O. W. Thiele and P. H. Taft, "Summary of Ballistic and Meteorological Support During IGY Operations at Fort Churchill, Canada," August 1959.
34. Hainline, D. A., "Drag Cord-Aerovane Equation Analysis for Computer Application," August 1959.
35. Hoidale, G. B., "Slope-Valley Wind at WSMR," October 1959.
36. Webb, W. L., and K. R. Jenkins, "High Altitude Wind Measurements," *J. Meteorol.*, 16, 5, October 1959.
37. Whit, Lloyd, "Wind Effect on the Aerobee," #9, October 1959.
38. Webb, W. L., J. W. Coffman, and G. Q. Clark, "A High Altitude Acoustic Sensing System," December 1959.
39. Webb, W. L., and K. R. Jenkins, "Application of Meteorological Rocket Systems," *J. Geophys. Res.*, 64, 11, November 1959.

40. Duncan, Louis, "Wind Effect on the Aerobee," #10, February 1960.
41. Helvey, R. A., "Low-Level Wind Profile Prediction Techniques," #2, February 1960.
42. Webb, W. L., and K. R. Jenkins, "Rocket Sounding of High-Altitude Parameters," *Proc. GM Rel. Symp.*, Dept. of Defense, February 1960.
43. Armendariz, M., and H. H. Monahan, "A Comparison Between the Double Theodolite and Single-Theodolite Wind Measuring Systems," April 1960.
44. Jenkins, K. R., and P. H. Taft, "Weather Elements in the Tularosa Basin," July 1960.
45. Beyers, N. J., "Preliminary Radar Performance Data on Passive Rocket-Borne Wind Sensors," *IRE TRANS, MIL ELECT, MIL-4*, 2-3, April-July 1960.
46. Webb, W. L., and K. R. Jenkins, "Speed of Sound in the Stratosphere," June 1960.
47. Webb, W. L., K. R. Jenkins, and G. Q. Clark, "Rocket Sounding of High Atmosphere Meteorological Parameters," *IRE Trans. Mil. Elect.*, MIL-4, 2-3, April-July 1960.
48. Helvey, R. A., "Low-Level Wind Profile Prediction Techniques," #3, September 1960.
49. Beyers, N. J., and O. W. Thiele, "Meteorological Wind Sensors," August 1960.
50. Armijo, Larry, "Determination of Trajectories Using Range Data from Three Non-colinear Radar Stations," September 1960.
51. Carnes, Patsy Sue, "Temperature Variations in the First 200 Feet of the Atmosphere in an Arid Region," July 1961.
52. Springer, H. S., and R. O. Olsen, "Launch Noise Distribution of Nike-Zeus Missiles," July 1961.
53. Thiele, O. W., "Density and Pressure Profiles Derived from Meteorological Rocket Measurements," September 1961.
54. Diamond, M. and A. B. Gray, "Accuracy of Missile Sound Ranging," November 1961.
55. Lamberth, R. L. and D. R. Veith, "Variability of Surface Wind in Short Distances," #1, October 1961.
56. Swanson, R. N., "Low-Level Wind Measurements for Ballistic Missile Application," January 1962.
57. Lamberth, R. L. and J. H. Grace, "Gustiness at White Sands Missile Range," #2, January 1962.
58. Swanson, R. N. and M. M. Hoidale, "Low-Level Wind Profile Prediction Techniques," #4, January 1962.

59. Rachele, Henry, "Surface Wind Model for Unguided Rockets Using Spectrum and Cross Spectrum Techniques," January 1962.
60. Rachele, Henry, "Sound Propagation through a Windy Atmosphere," #2, February 1962.
61. Webb, W. L., and K. R. Jenkins, "Sonic Structure of the Mesosphere," *J. Acous. Soc. Amer.*, 34, 2, February 1962.
62. Tourin, M. H. and M. M. Hoidale, "Low-Level Turbulence Characteristics at White Sands Missile Range," April 1962.
63. Miers, Bruce T., "Mesospheric Wind Reversal over White Sands Missile Range," March 1962.
64. Fisher, E., R. Lee and H. Rachele, "Meteorological Effects on an Acoustic Wave within a Sound Ranging Array," May 1962.
65. Walter, E. L., "Six Variable Ballistic Model for a Rocket," June 1962.
66. Webb, W. L., "Detailed Acoustic Structure Above the Tropopause," *J. Applied Meteorol.*, 1, 2, June 1962.
67. Jenkins, K. R., "Empirical Comparisons of Meteorological Rocket Wind Sensors," *J. Appl. Meteor.*, June 1962.
68. Lamberth, Roy, "Wind Variability Estimates as a Function of Sampling Interval," July 1962.
69. Rachele, Henry, "Surface Wind Sampling Periods for Unguided Rocket Impact Prediction," July 1962.
70. Traylor, Larry, "Coriolis Effects on the Aerobee-Hi Sounding Rocket," August 1962.
71. McCoy, J., and G. Q. Clark, "Meteorological Rocket Thermometry," August 1962.
72. Rachele, Henry, "Real-Time Prelaunch Impact Prediction System," August 1962.
73. Beyers, N. J., O. W. Thiele, and N. K. Wagner, "Performance Characteristics of Meteorological Rocket Wind and Temperature Sensors," October 1962.
74. Coffman, J., and R. Price, "Some Errors Associated with Acoustical Wind Measurements through a Layer," October 1962.
75. Armendariz, M., E. Fisher, and J. Serna, "Wind Shear in the Jet Stream at WS-MR," November 1962.
76. Armendariz, M., F. Hansen, and S. Carnes, "Wind Variability and its Effect on Rocket Impact Prediction," January 1963.
77. Querfeld, C., and Wayne Yunker, "Pure Rotational Spectrum of Water Vapor, I: Table of Line Parameters," February 1963.

78. Webb, W. L., "Acoustic Component of Turbulence," *J. Applied Meteorol.*, 2, 2, April 1963.
79. Beyers, N. and L. Engberg, "Seasonal Variability in the Upper Atmosphere," May 1963.
80. Williamson, L. E., "Atmospheric Acoustic Structure of the Sub-polar Fall," May 1963.
81. Lamberth, Roy and D. Veith, "Upper Wind Correlations in Southwestern United States," June 1963.
82. Sandlin, E., "An analysis of Wind Shear Differences as Measured by AN/FPS-16 Radar and AN/GMD-1B Rawinsonde," August 1963.
83. Diamond, M. and R. P. Lee, "Statistical Data on Atmospheric Design Properties Above 30 km," August 1963.
84. Thiele, O. W., "Mesospheric Density Variability Based on Recent Meteorological Rocket Measurements," *J. Applied Meteorol.*, 2, 5, October 1963.
85. Diamond, M., and O. Essenwanger, "Statistical Data on Atmospheric Design Properties to 30 km," *Astro. Aero. Engr.*, December 1963.
86. Hansen, F. V., "Turbulence Characteristics of the First 62 Meters of the Atmosphere," December 1963.
87. Morris, J. E., and B. T. Miers, "Circulation Disturbances Between 25 and 70 kilometers Associated with the Sudden Warming of 1963," *J. of Geophys. Res.*, January 1964.
88. Thiele, O. W., "Some Observed Short Term and Diurnal Variations of Stratospheric Density Above 30 km," January 1964.
89. Sandlin, R. E., Jr. and E. Armijo, "An Analysis of AN/FPS-16 Radar and AN/GMD-1B Rawinsonde Data Differences," January 1964.
90. Miers, B. T., and N. J. Beyers, "Rocketsonde Wind and Temperature Measurements Between 30 and 70 km for Selected Stations," *J. Applied Meteorol.*, February 1964.
91. Webb, W. L., "The Dynamic Stratosphere," *Astronautics and Aerospace Engineering*, March 1964.
92. Low, R. D. H., "Acoustic Measurements of Wind through a Layer," March 1964.
93. Diamond, M., "Cross Wind Effect on Sound Propagation," *J. Applied Meteorol.*, April 1964.
94. Lee, R. P., "Acoustic Ray Tracing," April 1964.
95. Reynolds, R. D., "Investigation of the Effect of Lapse Rate on Balloon Ascent Rate," May 1964.

96. Webb, W. L., "Scale of Stratospheric Detail Structure," *Space Research V*, May 1964.
97. Barber, T. L., "Proposed X-Ray-Infrared Method for Identification of Atmospheric Mineral Dust," June 1964.
98. Thiele, O. W., "Ballistic Procedures for Unguided Rocket Studies of Nuclear Environments (U)," Proceedings of the Army Science Conference, June 1964.
99. Horn, J. D., and E. J. Trawle, "Orographic Effects on Wind Variability," July 1964.
100. Hoidale, G., C. Querfeld, T. Hall, and R. Mireles, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," #1, September 1964.
101. Duncan, L. D., R. Ensey, and B. Engebos, "Athena Launch Angle Determination," September 1964.
102. Thiele, O. W., "Feasibility Experiment for Measuring Atmospheric Density Through the Altitude Range of 60 to 100 KM Over White Sands Missile Range," October 1964.
103. Duncan, L. D., and R. Ensey, "Six-Degree-of-Freedom Digital Simulation Model for Unguided, Fin-Stabilized Rockets," November 1964.
104. Hoidale, G., C. Querfeld, T. Hall, and R. Mireles, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," #2, November 1964.
105. Webb, W. L., "Stratospheric Solar Response," *J. Atmos. Sci.*, November 1964.
106. McCoy, J. and G. Clark, "Rocketsonde Measurement of Stratospheric Temperature," December 1964.
107. Farone, W. A., "Electromagnetic Scattering from Radially Inhomogeneous Spheres as Applied to the Problem of Clear Atmosphere Radar Echoes," December 1964.
108. Farone, W. A., "The Effect of the Solid Angle of Illumination or Observation on the Color Spectra of 'White Light' Scattered by Cylinders," January 1965.
109. Williamson, L. E., "Seasonal and Regional Characteristics of Acoustic Atmospheres," *J. Geophys. Res.*, January 1965.
110. Armendariz, M., "Ballistic Wind Variability at Green River, Utah," January 1965.
111. Low, R. D. H., "Sound Speed Variability Due to Atmospheric Composition," January 1965.
112. Querfeld, C. W., "Mie Atmospheric Optics," *J. Opt. Soc. Amer.*, January 1965.
113. Coffman, J., "A Measurement of the Effect of Atmospheric Turbulence on the Coherent Properties of a Sound Wave," January 1965.

114. Rachele, H., and D. Veith, "Surface Wind Sampling for Unguided Rocket Impact Prediction," January 1965.
115. Ballard, H., and M. Izquierdo, "Reduction of Microphone Wind Noise by the Generation of a Proper Turbulent Flow," February 1965.
116. Mireles, R., "An Algorithm for Computing Half Widths of Overlapping Lines on Experimental Spectra," February 1965.
117. Richart, H., "Inaccuracies of the Single-Theodolite Wind Measuring System in Ballistic Application," February 1965.
118. D'Arcy, M., "Theoretical and Practical Study of Aerobee-150 Ballistics," March 1965.
119. McCoy, J., "Improved Method for the Reduction of Rocketsonde Temperature Data," March 1965.
120. Mireles, R., "Uniqueness Theorem in Inverse Electromagnetic Cylindrical Scattering," April 1965.
121. Coffman, J., "The Focusing of Sound Propagating Vertically in a Horizontally Stratified Medium," April 1965.
122. Farone, W. A., and C. Querfeld, "Electromagnetic Scattering from an Infinite Circular Cylinder at Oblique Incidence," April 1965.
123. Rachele, H., "Sound Propagation through a Windy Atmosphere," April 1965.
124. Miers, B., "Upper Stratospheric Circulation over Ascension Island," April 1965.
125. Rider, L., and M. Armendariz, "A Comparison of Pibal and Tower Wind Measurements," April 1965.
126. Hoidale, G. B., "Meteorological Conditions Allowing a Rare Observation of 24 Micron Solar Radiation Near Sea Level," *Meteorol. Magazine*, May 1965.
127. Beyers, N. J., and B. T. Miers, "Diurnal Temperature Change in the Atmosphere Between 30 and 60 km over White Sands Missile Range," *J. Atmos. Sci.*, May 1965.
128. Querfeld, C., and W. A. Farone, "Tables of the Mie Forward Lobe," May 1965.
129. Farone, W. A., Generalization of Rayleigh-Gans Scattering from Radially Inhomogeneous Spheres," *J. Opt. Soc. Amer.*, June 1965.
130. Diamond, M., "Note on Mesospheric Winds Above White Sands Missile Range," *J. Applied Meteorol.*, June 1965.
131. Clark, G. Q., and J. G. McCoy, "Measurement of Stratospheric Temperature," *J. Applied Meteorol.*, June 1965.
132. Hall, T., G. Hoidale, R. Mireles, and C. Querfeld, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," #3, July 1965.

133. McCoy, J., and C. Tate, "The Delta-T Meteorological Rocket Payload," June 1964.
134. Horn, J. D., "Obstacle Influence in a Wind Tunnel," July 1965.
135. McCoy, J., "An AC Probe for the Measurement of Electron Density and Collision Frequency in the Lower Ionosphere," July 1965.
136. Miers, B. T., M. D. Kays, O. W. Thiele and E. M. Newby, "Investigation of Short Term Variations of Several Atmospheric Parameters Above 30 KM," July 1965.
137. Serna, J., "An Acoustic Ray Tracing Method for Digital Computation," September 1965.
138. Webb, W. L., "Morphology of Nortilucent Clouds," *J. Geophys. Res.*, 70, 18, 4463-4475, September 1965.
139. Kays, M., and R. A. Craig, "On the Order of Magnitude of Large-Scale Vertical Motions in the Upper Stratosphere," *J. Geophys. Res.*, 70, 18, 4453-4462, September 1965.
140. Rider, L., "Low-Level Jet at White Sands Missile Range," September 1965.
141. Lamberth, R. L., R. Reynolds, and Morton Wurtele, "The Mountain Lee Wave at White Sands Missile Range," *Bull. Amer. Meteorol. Soc.*, 46, 10, October 1965.
142. Reynolds, R. and R. L. Lamberth, "Ambient Temperature Measurements from Radiosondes Flown on Constant-Level Balloons," October 1965.
143. McCluney, E., "Theoretical Trajectory Performance of the Five-Inch Gun Probe System," October 1965.
144. Pena, R. and M. Diamond, "Atmospheric Sound Propagation near the Earth's Surface," October 1965.
145. Mason, J. B., "A Study of the Feasibility of Using Radar Chaff For Stratospheric Temperature Measurements," November 1965.
146. Diamond, M., and R. P. Lee, "Long-Range Atmospheric Sound Propagation," *J. Geophys. Res.*, 70, 22, November 1965.
147. Lamberth, R. L., "On the Measurement of Dust Devil Parameters," November 1965.
148. Hansen, F. V., and P. S. Hansen, "Formation of an Internal Boundary over Heterogeneous Terrain," November 1965.
149. Webb, W. L., "Mechanics of Stratospheric Seasonal Reversals," November 1965.
150. U. S. Army Electronics R & D Activity, "U. S. Army Participation in the Meteorological Rocket Network," January 1966.
151. Rider, L. J., and M. Armendariz, "Low-Level Jet Winds at Green River, Utah," February 1966.

152. Webb, W. L., "Diurnal Variations in the Stratospheric Circulation," February 1966.
153. Beyers, N. J., B. T. Miers, and R. J. Reed, "Diurnal Tidal Motions near the Strato-
pause During 48 Hours at WSMR," February 1966.
154. Webb, W. L., "The Stratospheric Tidal Jet," February 1966.
155. Hall, J. T., "Focal Properties of a Plane Grating in a Convergent Beam," February
1966.
156. Duncan, L. D., and Henry Rachele, "Real-Time Meteorological System for Firing of
Unguided Rockets," February 1966.
157. Kays, M. D., "A Note on the Comparison of Rocket and Estimated Geostrophic Winds
at the 10-mb Level," *J. Appl. Meteor.*, February 1966.
158. Rider, L., and M. Armendariz, "A Comparison of Pibal and Tower Wind Measure-
ments," *J. Appl. Meteor.*, 5, February 1966.
159. Duncan, L. D., "Coordinate Tran-formations in Trajectory Simulations," February
1966.
160. Williamson, L. E., "Gun-Launched Vertical Probes at White Sands Missile Range,"
February 1966.
161. Randhawa, J. S., "Ozone Measurements with Rocket-Borne Ozonesondes," March
1966.
162. Armendariz, Manuel, and Laurence J. Rider, "Wind Shear for Small Thickness Lay-
ers," March 1966.
163. Low, R. D. H., "Continuous Determination of the Average Sound Velocity over an
Arbitrary Path," March 1966.
164. Hansen, Frank V., "Richardson Number Tables for the Surface Boundary Layer,"
March 1966.
165. Cochran, V. C., E. M. D'Arcy, and Florencio Ramirez, "Digital Computer Program
for Five-Degree-of-Freedom Trajectory," March 1966.
166. Thiele, O. W., and N. J. Beyers, "Comparison of Rocketsonde and Radiosonde Temp-
eratures and a Verification of Computed Rocketsonde Pressure and Den-
sity," April 1966.
167. Thiele, O. W., "Observed Diurnal Oscillations of Pressure and Density in the Upper
Stratosphere and Lower Mesosphere," April 1966.
168. Kays, M. D., and R. A. Craig, "On the Order of Magnitude of Large-Scale Vertical
Motions in the Upper Stratosphere," *J. Geophy. Res.*, April 1966.
169. Hansen, F. V., "The Richardson Number in the Planetary Boundary Layer," May
1966.
170. Ballard, H. N., "The Measurement of Temperature in the Stratosphere and Meso-
sphere," June 1966.

171. Hansen, Frank V., "The Ratio of the Exchange Coefficients for Heat and Momentum in a Homogeneous, Thermally Stratified Atmosphere." June 1966.

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R&D		
<i>(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)</i>		
1. ORIGINATING ACTIVITY (Corporate method)		2A. REPORT SECURITY CLASSIFICATION
U. S. Army Electronics Command Fort Monmouth, New Jersey		Unclassified
		2B. GROUP
3. REPORT TITLE		
The Ratio of the Exchange Coefficients for Heat and Momentum in a Homogeneous, Thermally Stratified Atmosphere.		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
5. AUTHOR(S) (Last name, first name, initial)		
Hansen, Frank V.		
6. REPORT DATE	7B. TOTAL NO. OF PAGES	7A. NO. OF REFS
June 1966	16	26
8A. CONTRACT OR GRANT NO.	9A. ORIGINATOR'S REPORT NUMBER(S)	
A. PROJECT NO.	ROOM - 5059	
C. DA TASK IV014501B53A-10	9B. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
D.		
10. AVAILABILITY/LIMITATION NOTICES		
Distribution of this report is unlimited.		
11. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY ACTIVITY	
	U.S. Army Electronics Command Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico	
13. ABSTRACT		
A hypothesis concerning the ratio of the exchange coefficients for heat and momentum is formulated. From the basic assumptions of the Monin-Obukhov similarity theory and the theory of free convection, it is shown that the ratio of the coefficients is a two-part function of the nondimensional logarithmic wind shear and the gradient Richardson number. Experimental data tend to corroborate the theoretical values derived in this study within the limits of experimental error.		

DD FORM 1473
1 JAN 64UNCLASSIFIED
Security Classification

26

27

UNCLASSIFIED
Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
1. Boundary Layer. 2. Stability. 3. Richardson Number. 4. Micrometeorology.						
INSTRUCTIONS						
1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report. 2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations. 2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized. 3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parentheses immediately following the title. 4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered. 5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement. 6. REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication. 7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information. 7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report. 8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written. 8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subject number, system numbers, task number, etc. 9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report. 9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s). 10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those imposed by security classification, using standard statements such as: (1) "Qualified requesters may obtain copies of this report from DDC." (2) "Foreign announcement and dissemination of this report by DDC is not authorized." (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____." (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____." (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____." If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known. 11. SUPPLEMENTARY NOTES: Use for additional explanatory notes. 12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address. 13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached. It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U). There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words. 14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.						

UNCLASSIFIED
Security Classification