

AD 694430

FTD-HT-23-1496-68

## FOREIGN TECHNOLOGY DIVISION



ALL UNION CONGRESS ON CHEMISTRY AND THE APPLICATION  
OF ADDITIVES TO LUBRICANTS AND FUELS

(Selected Articles)

462




Distribution of the document is unlimited. It may be released to the Civil Service, Department of Commerce, for sale to the general public.

Reproduced by the  
CLEARINGHOUSE  
for Federal Scientific & Technical  
Information Springfield Va 22151

26

# DISCLAIMER NOTICE



THIS DOCUMENT IS BEST  
QUALITY AVAILABLE. THE COPY  
FURNISHED TO DTIC CONTAINED  
A SIGNIFICANT NUMBER OF  
PAGES WHICH DO NOT  
REPRODUCE LEGIBLY.

REPRODUCED FROM  
BEST AVAILABLE COPY

## EDITED TRANSLATION

ALL UNION CONGRESS ON CHEMISTRY AND THE APPLICATION OF ADDITIVES  
TO LUBRICANTS AND FUELS

(Selected Articles)

English pages: 122

SOURCE: Vsesoyuznoye Soveshchaniye po Khimii i Prikladnoy Yu-  
Prisadok K Maslam i Topliva 2D, 1966, Prasadki K  
Maslam, Trudy (All Union Congress on Chemistry and  
the Application of Additives to Lubricants and Fuels).  
2nd Report, 1966 Additives to Lubricants, Transactions,  
1966, pp. 148-157, 281-324, 336-341, 370-388.

Translated Under: Contract F33657-68-D-0866 F002

THIS TRANSLATION IS A REPRODUCTION OF THE ORIGINAL  
RUSSEAN TEXT WITHOUT ANY ANALYTICAL OR  
EDITORIAL COMMENT. STATEMENTS OR THEORIES  
ADVANCED ARE NOT NECESSARILY REFLECTED THE POSITION  
OR OPINION OF THE FOREIGN TECHNOLOGY DIVISION.

PREPARED BY:  
TRANSLATION DIVISION  
FOREIGN TECHNOLOGY DIVISION  
OF JPL, CALIF.

| DATA HANDLING PAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |                                                                                                         |  |                 |  |                  |  |                 |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------|--|-----------------|--|------------------|--|-----------------|--|
| SI-ACCESSION NO. 90-DOCUMENT LOC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | SI-TOPIC TAGS                                                                                           |  |                 |  |                  |  |                 |  |
| TT9000907                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | lubricant additive, lubricating oil, corrosion inhibitor, antifriction material, mineral oil, nitration |  |                 |  |                  |  |                 |  |
| SI-TITLE CORROSION-INHIBITOR ADDITIVES AND PRESERVATIVE RUNNING OILS BASES ON THEM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |                                                                                                         |  |                 |  |                  |  |                 |  |
| SI-SUBJECT AREA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  | 07, 11                                                                                                  |  |                 |  |                  |  |                 |  |
| SI-AUTHOR CO-AUTHORS KREYN, S. E.; 16-SHEKTER, YU. M.; 16-LEVIN, V. P.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | 16-DATE OF INFO<br>-----66                                                                              |  |                 |  |                  |  |                 |  |
| SI-SOURCE K. K.; 16-VIENKIN, A. V.; 16-KALASHNIKOV, V. P.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | 16-DOCUMENT NO.<br>HT-23-1496-68                                                                        |  |                 |  |                  |  |                 |  |
| SI-SUBJECT VSEVOYUZOYE SOVESHCHANIYE PO KHIMII I PRIMENENIYU PRISADOK K MASLAM I TOPLIVAM 2D, 1966, PRISADKI K MASLAM, TRUDY (RUSSIAN)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | 16-PROJECT NO.<br>75201-78                                                                              |  |                 |  |                  |  |                 |  |
| SI-SECURITY AND DOCUMENTATION INFORMATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | 16-CONTROL MARKINGS                                                                                     |  |                 |  |                  |  |                 |  |
| UNCL. 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  | NONE                                                                                                    |  |                 |  |                  |  |                 |  |
| 16-REEL FRAME NO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | 17-SUPPLEMENT                                                                                           |  | 18-CHANGES      |  | 19-SECURITY AREA |  | 20-DATE OF INFO |  |
| 1889 0532                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                                                                                                         |  |                 |  | UR               |  | 15              |  |
| CONTRACT NO. F3357-68-D-0866 P002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | 18-REF ACC. NO.                                                                                         |  | PUBLISHING DATE |  | TYPE PRODUCT     |  | REVISION FREQ   |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  | 65-AT7021012                                                                                            |  | 94-00           |  | TRANSLATION      |  | NONE            |  |
| STEP NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  | 02-UR/0000/66/000/000/0148/0157                                                                         |  | ACCESSION NO.   |  |                  |  |                 |  |
| ABSTRACT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |                                                                                                         |  |                 |  |                  |  |                 |  |
| <p>(U) The purpose of this investigation was to improve the antifriction and corrosion inhibiting properties of automotive lubricating oils. The experiments involved nitration of mineral oils. On the basis of these experiments an oil additive AKOR-1, and technical production methods for this additive were developed. AKOR-1 improves the corrosion inhibiting properties of motor and transmission oils with respect to cast iron and nonferrous metals. AKOR-1 improves only the anticorrosive and cleaning properties of oils, while the other properties of the oils remain the same. AKOR-1 added in 10 percent concentration to motor and lubricating oils successfully passed practical field tests in the internal combustion engines OD-9, 2Ch-8, 5/11, GAZ-69, and YaAZ-238 and in trucks GAZ-51, ZIL157, and KRAZ-214. Orig. art. has: 2 formulas, 2 figures, and 6 tables.</p> |  |                                                                                                         |  |                 |  |                  |  |                 |  |

| DATA HANDLING PAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |                                                                        |  |                 |  |                  |  |                 |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------|--|-----------------|--|------------------|--|-----------------|--|
| SI-ACCESSION NO. 90-DOCUMENT LOC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | SI-TOPIC TAGS                                                          |  |                 |  |                  |  |                 |  |
| TT9000908                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | lubricant, lubricant property, lubricant additive, lubricant component |  |                 |  |                  |  |                 |  |
| SI-TITLE OPERATING EXPERIENCE WITH ZIL-130 ENGINES USING AS-8 OIL WITH VNII MP-360 ADDITIVE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |                                                                        |  |                 |  |                  |  |                 |  |
| SI-SUBJECT AREA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | 11, 13                                                                 |  |                 |  |                  |  |                 |  |
| SI-AUTHOR CO-AUTHORS OBLEUKHOVA, O. S.; 16-FRANSON, V. V.; 16-KISELEVA, T. T.; 16-BURTSOVA, G. V.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  | 16-DATE OF INFO<br>-----66                                             |  |                 |  |                  |  |                 |  |
| SI-SOURCE VSEVOYUZOYE SOVESHCHANIYE PO KHIMII I PRIMENENIYU PRISADOK K MASLAM I TOPLIVAM 2D, 1966, PRISADKI K MASLAM, TRUDY (RUSSIAN)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  | 16-DOCUMENT NO.<br>HT-23-1496-68                                       |  |                 |  |                  |  |                 |  |
| SI-SUBJECT VSEVOYUZOYE SOVESHCHANIYE PO KHIMII I PRIMENENIYU PRISADOK K MASLAM, TRUDY (RUSSIAN)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | 16-PROJECT NO.<br>75201-78                                             |  |                 |  |                  |  |                 |  |
| SI-SECURITY AND DOCUMENTATION INFORMATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | 16-CONTROL MARKINGS                                                    |  |                 |  |                  |  |                 |  |
| UNCL. 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | NONE                                                                   |  |                 |  |                  |  |                 |  |
| 16-REEL FRAME NO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | 17-SUPPLEMENT                                                          |  | 18-CHANGES      |  | 19-SECURITY AREA |  | 20-DATE OF INFO |  |
| 1889 0533                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |                                                                        |  |                 |  | UR               |  | 7               |  |
| CONTRACT NO. F3357-68-D-0866 P002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  | 18-REF ACC. NO.                                                        |  | PUBLISHING DATE |  | TYPE PRODUCT     |  | REVISION FREQ   |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | 65-AT7021032                                                           |  | 94-00           |  | TRANSLATION      |  | NONE            |  |
| STEP NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  | 02-UR/0000/66/000/000/0281/0286                                        |  | ACCESSION NO.   |  |                  |  |                 |  |
| ABSTRACT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |                                                                        |  |                 |  |                  |  |                 |  |
| <p>(U) The performance of the 1474 rpm ZIL-130 engine, running on AS-8 lubricating oil with VNII MP-360 additive was tested in a fleet of 70 motor vehicles operating under various climatic conditions. The purpose of the study was to examine the lubricating properties of an oil prepared according to standard 10541-63. The study involved visual examination of the various engine parts in order to assess the detergent, antifriction, anticorrosion, and low temperature properties of the lubricating oil. In addition, microscopic measurements were made to determine the oil's anti-wear property and the chemical analysis of the used oil was employed for determining the oil's lubrication. The tests (200,000 kilometers) revealed that the oil with VNII MP-360 additive increases the wear resistance of the parts of the ZIL-130 engine. Orig. art. has: 2 figures, 3 tables.</p> |  |                                                                        |  |                 |  |                  |  |                 |  |

| DATA HANDLING PAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |                                                                                                                            |  |                    |  |                  |  |                 |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------|--|--------------------|--|------------------|--|-----------------|--|
| 1-ACCESSION NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | 2-DOCUMENT LOC                                                                                                             |  | 3-TOPIC TAGS       |  |                  |  |                 |  |
| IT00000909                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  | lubricant additive, lubricant property, lubricating oil, diesel engine                                                     |  |                    |  |                  |  |                 |  |
| 4-TITLE TEST RESULTS FOR OILS WITH ADDITIVES USED IN THE YAMZ-238NB ENGINE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |                                                                                                                            |  |                    |  |                  |  |                 |  |
| 5-SUBJECT AREA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |                                                                                                                            |  |                    |  |                  |  |                 |  |
| 11, 13                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |                                                                                                                            |  |                    |  |                  |  |                 |  |
| 6-AUTHOR CO-AUTHORS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | V. N. 16-JLAROY, YE. P. 16-VEFREMOV, G. P. 16-BELYANCHIKOV, G. P.                                                          |  | 7-DATE OF INFO     |  | 8-DOCUMENT NO.   |  |                 |  |
| 9-SOURCE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | VSESOUZNOYE SOVESHCHANIE PO KHIMII I PRIMENENIYU PRISADOK K MASLAM I TOPLIVAM 2D, 1966, PRISADKI K MASLAM. TRUDY (RUSSIAN) |  | FTD-ET-23-1496-68  |  | 9-PROJECT NO.    |  |                 |  |
| 10-SECURITY AND DOWNGRADING INFORMATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | 64-CONTROL MARKING                                                                                                         |  | 67-HEADER CLAIM    |  | 68-PROJECT NO.   |  |                 |  |
| UNCL. 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | NONE                                                                                                                       |  | UNCL               |  | 7201-78          |  |                 |  |
| 11-REEL FRAME NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | 17-SUPERSEDES                                                                                                              |  | 18-CHANGES         |  | 19-ORIGINAL AREA |  | 20-NO OF PAGES  |  |
| 1889 0534                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |                                                                                                                            |  |                    |  | UR               |  | 7               |  |
| 21-CONTRACT NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | 22-REF ACC. NO.                                                                                                            |  | 23-PUBLISHING DATE |  | 24-TYPE PRODUCT  |  | 25-REVISION REC |  |
| F33657-68-D-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | 65-AT7021033                                                                                                               |  | 94-00              |  | TRANSLATION      |  | NONE            |  |
| 26-STEP NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  | 02-UR/0000/66/000/000/0286/0290                                                                                            |  | 27-ABSTRACT        |  |                  |  |                 |  |
| <p>(U) The performance of several batches of lubricating oil with various additives were tested in a new four-stroke diesel engine (YAMZ-238NB) developed by the Yaroslavl Engine Plant (Yaroslavskiy motornyy zavod). The oils were evaluated on a standardized stationary engine run at different rpm's (1300-1700) for various periods (10-20 minutes) under different loads. The results of the tests were found to be very inconclusive because of the variation in the properties of the base oil in various batches. However, the best performance in the YAMZ-238NB engine was exhibited by Series 1 oil supplemented with 5 percent VMII NP-370, 2 percent PMS-200A additives. Orig. art. has: 6 figures, 3 tables.</p> |  |                                                                                                                            |  |                    |  |                  |  |                 |  |

APSC FORM 4 (FTD SUPPLEMENT, DEC 68)

| DATA HANDLING PAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |                                                                                                                            |  |                    |  |                  |  |                 |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------|--|--------------------|--|------------------|--|-----------------|--|
| 1-ACCESSION NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  | 2-DOCUMENT LOC                                                                                                             |  | 3-TOPIC TAGS       |  |                  |  |                 |  |
| IT00000910                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  | lubricant oil, lubricant property, lubricant additive, antinear additive                                                   |  |                    |  |                  |  |                 |  |
| 4-TITLE EFFECTIVENESS OF USING ADDITIVES IN HYDRAULIC-COMPLETING OILS FOR PASSENGER AUTOMOBILES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |                                                                                                                            |  |                    |  |                  |  |                 |  |
| 5-SUBJECT AREA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |                                                                                                                            |  |                    |  |                  |  |                 |  |
| 11, 13                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |                                                                                                                            |  |                    |  |                  |  |                 |  |
| 6-AUTHOR CO-AUTHORS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  | OBELEKHOVA, O. S. 16-KRYVCHESHIKOVA, K. N.                                                                                 |  | 7-DATE OF INFO     |  | 8-DOCUMENT NO.   |  |                 |  |
| 9-SOURCE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | VSESOUZNOYE SOVESHCHANIE PO KHIMII I PRIMENENIYU PRISADOK K MASLAM I TOPLIVAM 2D, 1966, PRISADKI K MASLAM. TRUDY (RUSSIAN) |  | FTD-ET-23-1496-68  |  | 9-PROJECT NO.    |  |                 |  |
| 10-SECURITY AND DOWNGRADING INFORMATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  | 64-CONTROL MARKING                                                                                                         |  | 67-HEADER CLAIM    |  | 68-PROJECT NO.   |  |                 |  |
| UNCL. 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  | NONE                                                                                                                       |  | UNCL               |  | 7201-78          |  |                 |  |
| 11-REEL FRAME NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | 17-SUPERSEDES                                                                                                              |  | 18-CHANGES         |  | 19-ORIGINAL AREA |  | 20-NO OF PAGES  |  |
| 1889 0535                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |                                                                                                                            |  |                    |  | UR               |  | 10              |  |
| 21-CONTRACT NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  | 22-REF ACC. NO.                                                                                                            |  | 23-PUBLISHING DATE |  | 24-TYPE PRODUCT  |  | 25-REVISION REC |  |
| F33657-68-D-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | 65-AT7021034                                                                                                               |  | 94-00              |  | TRANSLATION      |  | NONE            |  |
| 26-STEP NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | 02-UR/0000/66/000/000/0291/0291                                                                                            |  | 27-ABSTRACT        |  |                  |  |                 |  |
| <p>(U) Several additives (LASK, DF-11, PMS-200A) were examined for improvement of the characteristics of VMII NP-1 transmission oil for passenger cars. The tests were based on visual examination of the different parts of automobiles operating for various distances (up to 100,000 kilometers) under various local conditions and ambient temperatures (minus 60 degrees Celsius plus 130 degrees Celsius). The best oil performance (longer service) resulted from supplementing the VMII NP-1 transmission oil base with 4 percent of PMS-200A additives. DF-11, and 0.005 percent of PMS-200A additives. The presently marketed transmission oil (VMII NP-1) contains DF-1 additive (phenyl-alpha-naphthyl amine) and its antiseize, antirust, and anticorrosive properties are considered unsatisfactory. Orig. art. has: 4 figures, 1 table.</p> |  |                                                                                                                            |  |                    |  |                  |  |                 |  |

APSC FORM 4 (FTD SUPPLEMENT, DEC 68)



| DATA HANDLING PAGE                                    |                                                       | DATA HANDLING PAGE                                    |                                                       |
|-------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------|
| 91-ACCESSION NO.                                      | 91-DOCUMENT LOC                                       | 91-ACCESSION NO.                                      | 91-DOCUMENT LOC                                       |
| TR0000913                                             | lubricant property, lubricating oil, test method      | TR0000914                                             | lubricant additive, lubricating oil, test method      |
| 92-SUBJECT AREA                                       |                                                       | 92-SUBJECT AREA                                       |                                                       |
| 11, 13                                                |                                                       | 11, 21                                                |                                                       |
| 93-AUTHOR CO-AUTHORS                                  | 93-AUTHOR CO-AUTHORS                                  | 93-AUTHOR CO-AUTHORS                                  | 93-AUTHOR CO-AUTHORS                                  |
| DAVULOV, I. N.; 16-KHARABOV, T.; 16-KHOLOMONOV, I. A. | DAVULOV, I. N.; 16-KHARABOV, T.; 16-KHOLOMONOV, I. A. | DAVULOV, I. N.; 16-KHARABOV, T.; 16-KHOLOMONOV, I. A. | DAVULOV, I. N.; 16-KHARABOV, T.; 16-KHOLOMONOV, I. A. |
| 94-DATE OF INFO                                       | 94-DATE OF INFO                                       | 94-DATE OF INFO                                       | 94-DATE OF INFO                                       |
| -----66                                               | -----66                                               | -----66                                               | -----66                                               |
| 95-DOCUMENT NO.                                       | 95-DOCUMENT NO.                                       | 95-DOCUMENT NO.                                       | 95-DOCUMENT NO.                                       |
| FTD-ET-23-1496-68                                     | FTD-ET-23-1496-68                                     | FTD-ET-23-1496-68                                     | FTD-ET-23-1496-68                                     |
| 96-PROJECT NO.                                        | 96-PROJECT NO.                                        | 96-PROJECT NO.                                        | 96-PROJECT NO.                                        |
| 72301-78                                              | 72301-78                                              | 72301-78                                              | 72301-78                                              |
| 97-SECURITY AND DECLASSIFICATION INFORMATION          |                                                       | 97-SECURITY AND DECLASSIFICATION INFORMATION          |                                                       |
| UNCL. 0                                               | UNCL. 0                                               | UNCL. 0                                               | UNCL. 0                                               |
| 98-CONTROL MARKINGS                                   |                                                       | 98-CONTROL MARKINGS                                   |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 99-REEL FRAME NO.                                     |                                                       | 99-REEL FRAME NO.                                     |                                                       |
| 1089 0538                                             | 1089 0538                                             | 1089 0539                                             | 1089 0539                                             |
| 100-REEL FRAME NO.                                    |                                                       | 100-REEL FRAME NO.                                    |                                                       |
| 13                                                    | 13                                                    | 10                                                    | 10                                                    |
| 101-REEL FRAME NO.                                    |                                                       | 101-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 102-REEL FRAME NO.                                    |                                                       | 102-REEL FRAME NO.                                    |                                                       |
| 0866 P002                                             | 0866 P002                                             | 0866 P002                                             | 0866 P002                                             |
| 103-REEL FRAME NO.                                    |                                                       | 103-REEL FRAME NO.                                    |                                                       |
| 65-AT021037                                           | 65-AT021037                                           | 65-AT021038                                           | 65-AT021038                                           |
| 104-REEL FRAME NO.                                    |                                                       | 104-REEL FRAME NO.                                    |                                                       |
| 04-00                                                 | 04-00                                                 | 04-00                                                 | 04-00                                                 |
| 105-REEL FRAME NO.                                    |                                                       | 105-REEL FRAME NO.                                    |                                                       |
| 02-UR/0000/66/000/000/0310/0319                       | 02-UR/0000/66/000/000/0310/0319                       | 02-UR/0000/66/000/000/0319/0324                       | 02-UR/0000/66/000/000/0319/0324                       |
| 106-REEL FRAME NO.                                    |                                                       | 106-REEL FRAME NO.                                    |                                                       |
| 0319                                                  | 0319                                                  | 0324                                                  | 0324                                                  |
| 107-REEL FRAME NO.                                    |                                                       | 107-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 108-REEL FRAME NO.                                    |                                                       | 108-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 109-REEL FRAME NO.                                    |                                                       | 109-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 110-REEL FRAME NO.                                    |                                                       | 110-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 111-REEL FRAME NO.                                    |                                                       | 111-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 112-REEL FRAME NO.                                    |                                                       | 112-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 113-REEL FRAME NO.                                    |                                                       | 113-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 114-REEL FRAME NO.                                    |                                                       | 114-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 115-REEL FRAME NO.                                    |                                                       | 115-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 116-REEL FRAME NO.                                    |                                                       | 116-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 117-REEL FRAME NO.                                    |                                                       | 117-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 118-REEL FRAME NO.                                    |                                                       | 118-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 119-REEL FRAME NO.                                    |                                                       | 119-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 120-REEL FRAME NO.                                    |                                                       | 120-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 121-REEL FRAME NO.                                    |                                                       | 121-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 122-REEL FRAME NO.                                    |                                                       | 122-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 123-REEL FRAME NO.                                    |                                                       | 123-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 124-REEL FRAME NO.                                    |                                                       | 124-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 125-REEL FRAME NO.                                    |                                                       | 125-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 126-REEL FRAME NO.                                    |                                                       | 126-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 127-REEL FRAME NO.                                    |                                                       | 127-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 128-REEL FRAME NO.                                    |                                                       | 128-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 129-REEL FRAME NO.                                    |                                                       | 129-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 130-REEL FRAME NO.                                    |                                                       | 130-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 131-REEL FRAME NO.                                    |                                                       | 131-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 132-REEL FRAME NO.                                    |                                                       | 132-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 133-REEL FRAME NO.                                    |                                                       | 133-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 134-REEL FRAME NO.                                    |                                                       | 134-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 135-REEL FRAME NO.                                    |                                                       | 135-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 136-REEL FRAME NO.                                    |                                                       | 136-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 137-REEL FRAME NO.                                    |                                                       | 137-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 138-REEL FRAME NO.                                    |                                                       | 138-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 139-REEL FRAME NO.                                    |                                                       | 139-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 140-REEL FRAME NO.                                    |                                                       | 140-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 141-REEL FRAME NO.                                    |                                                       | 141-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 142-REEL FRAME NO.                                    |                                                       | 142-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 143-REEL FRAME NO.                                    |                                                       | 143-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 144-REEL FRAME NO.                                    |                                                       | 144-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 145-REEL FRAME NO.                                    |                                                       | 145-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 146-REEL FRAME NO.                                    |                                                       | 146-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 147-REEL FRAME NO.                                    |                                                       | 147-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 148-REEL FRAME NO.                                    |                                                       | 148-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 149-REEL FRAME NO.                                    |                                                       | 149-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 150-REEL FRAME NO.                                    |                                                       | 150-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 151-REEL FRAME NO.                                    |                                                       | 151-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 152-REEL FRAME NO.                                    |                                                       | 152-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 153-REEL FRAME NO.                                    |                                                       | 153-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 154-REEL FRAME NO.                                    |                                                       | 154-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 155-REEL FRAME NO.                                    |                                                       | 155-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 156-REEL FRAME NO.                                    |                                                       | 156-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 157-REEL FRAME NO.                                    |                                                       | 157-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 158-REEL FRAME NO.                                    |                                                       | 158-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 159-REEL FRAME NO.                                    |                                                       | 159-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 160-REEL FRAME NO.                                    |                                                       | 160-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 161-REEL FRAME NO.                                    |                                                       | 161-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 162-REEL FRAME NO.                                    |                                                       | 162-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 163-REEL FRAME NO.                                    |                                                       | 163-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 164-REEL FRAME NO.                                    |                                                       | 164-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 165-REEL FRAME NO.                                    |                                                       | 165-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 166-REEL FRAME NO.                                    |                                                       | 166-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 167-REEL FRAME NO.                                    |                                                       | 167-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 168-REEL FRAME NO.                                    |                                                       | 168-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 169-REEL FRAME NO.                                    |                                                       | 169-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 170-REEL FRAME NO.                                    |                                                       | 170-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 171-REEL FRAME NO.                                    |                                                       | 171-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 172-REEL FRAME NO.                                    |                                                       | 172-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 173-REEL FRAME NO.                                    |                                                       | 173-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 174-REEL FRAME NO.                                    |                                                       | 174-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 175-REEL FRAME NO.                                    |                                                       | 175-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 176-REEL FRAME NO.                                    |                                                       | 176-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 177-REEL FRAME NO.                                    |                                                       | 177-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 178-REEL FRAME NO.                                    |                                                       | 178-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 179-REEL FRAME NO.                                    |                                                       | 179-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 180-REEL FRAME NO.                                    |                                                       | 180-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 181-REEL FRAME NO.                                    |                                                       | 181-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 182-REEL FRAME NO.                                    |                                                       | 182-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 183-REEL FRAME NO.                                    |                                                       | 183-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 184-REEL FRAME NO.                                    |                                                       | 184-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 185-REEL FRAME NO.                                    |                                                       | 185-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 186-REEL FRAME NO.                                    |                                                       | 186-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 187-REEL FRAME NO.                                    |                                                       | 187-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 188-REEL FRAME NO.                                    |                                                       | 188-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 189-REEL FRAME NO.                                    |                                                       | 189-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 190-REEL FRAME NO.                                    |                                                       | 190-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 191-REEL FRAME NO.                                    |                                                       | 191-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 192-REEL FRAME NO.                                    |                                                       | 192-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 193-REEL FRAME NO.                                    |                                                       | 193-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 194-REEL FRAME NO.                                    |                                                       | 194-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 195-REEL FRAME NO.                                    |                                                       | 195-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 196-REEL FRAME NO.                                    |                                                       | 196-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 197-REEL FRAME NO.                                    |                                                       | 197-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 198-REEL FRAME NO.                                    |                                                       | 198-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 199-REEL FRAME NO.                                    |                                                       | 199-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 200-REEL FRAME NO.                                    |                                                       | 200-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |

(U) A mineral lubricating oil testing unit (the UIM-6-NATI) based on a one-cylinder engine and a modification of it (the UIM-6N-NATI) are described in detail. A reliable, short (120 hr) testing procedure is described for rapid differentiation among the oils: heavy duty, Series 1, and Series 2. A large number of domestic and foreign oils of various quality were examined on these units and the results of these examinations were found to agree well with the actual quality of the oils as well as with the results of the old-style 500-800 hr tests. Orig. art. has: 1 figure, 7 tables.

| DATA HANDLING PAGE                                    |                                                       | DATA HANDLING PAGE                                    |                                                       |
|-------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------|
| 91-ACCESSION NO.                                      | 91-DOCUMENT LOC                                       | 91-ACCESSION NO.                                      | 91-DOCUMENT LOC                                       |
| TR0000914                                             | lubricant additive, lubricating oil, test method      | TR0000914                                             | lubricant additive, lubricating oil, test method      |
| 92-SUBJECT AREA                                       |                                                       | 92-SUBJECT AREA                                       |                                                       |
| 11, 21                                                |                                                       | 11, 21                                                |                                                       |
| 93-AUTHOR CO-AUTHORS                                  | 93-AUTHOR CO-AUTHORS                                  | 93-AUTHOR CO-AUTHORS                                  | 93-AUTHOR CO-AUTHORS                                  |
| DAVULOV, I. N.; 16-KHARABOV, T.; 16-KHOLOMONOV, I. A. | DAVULOV, I. N.; 16-KHARABOV, T.; 16-KHOLOMONOV, I. A. | DAVULOV, I. N.; 16-KHARABOV, T.; 16-KHOLOMONOV, I. A. | DAVULOV, I. N.; 16-KHARABOV, T.; 16-KHOLOMONOV, I. A. |
| 94-DATE OF INFO                                       | 94-DATE OF INFO                                       | 94-DATE OF INFO                                       | 94-DATE OF INFO                                       |
| -----66                                               | -----66                                               | -----66                                               | -----66                                               |
| 95-DOCUMENT NO.                                       | 95-DOCUMENT NO.                                       | 95-DOCUMENT NO.                                       | 95-DOCUMENT NO.                                       |
| FTD-ET-23-1496-68                                     | FTD-ET-23-1496-68                                     | FTD-ET-23-1496-68                                     | FTD-ET-23-1496-68                                     |
| 96-PROJECT NO.                                        | 96-PROJECT NO.                                        | 96-PROJECT NO.                                        | 96-PROJECT NO.                                        |
| 72301-78                                              | 72301-78                                              | 72301-78                                              | 72301-78                                              |
| 97-SECURITY AND DECLASSIFICATION INFORMATION          |                                                       | 97-SECURITY AND DECLASSIFICATION INFORMATION          |                                                       |
| UNCL. 0                                               | UNCL. 0                                               | UNCL. 0                                               | UNCL. 0                                               |
| 98-CONTROL MARKINGS                                   |                                                       | 98-CONTROL MARKINGS                                   |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 99-REEL FRAME NO.                                     |                                                       | 99-REEL FRAME NO.                                     |                                                       |
| 1089 0539                                             | 1089 0539                                             | 1089 0539                                             | 1089 0539                                             |
| 100-REEL FRAME NO.                                    |                                                       | 100-REEL FRAME NO.                                    |                                                       |
| 13                                                    | 13                                                    | 10                                                    | 10                                                    |
| 101-REEL FRAME NO.                                    |                                                       | 101-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 102-REEL FRAME NO.                                    |                                                       | 102-REEL FRAME NO.                                    |                                                       |
| 0866 P002                                             | 0866 P002                                             | 0866 P002                                             | 0866 P002                                             |
| 103-REEL FRAME NO.                                    |                                                       | 103-REEL FRAME NO.                                    |                                                       |
| 65-AT021037                                           | 65-AT021037                                           | 65-AT021038                                           | 65-AT021038                                           |
| 104-REEL FRAME NO.                                    |                                                       | 104-REEL FRAME NO.                                    |                                                       |
| 04-00                                                 | 04-00                                                 | 04-00                                                 | 04-00                                                 |
| 105-REEL FRAME NO.                                    |                                                       | 105-REEL FRAME NO.                                    |                                                       |
| 02-UR/0000/66/000/000/0310/0319                       | 02-UR/0000/66/000/000/0310/0319                       | 02-UR/0000/66/000/000/0319/0324                       | 02-UR/0000/66/000/000/0319/0324                       |
| 106-REEL FRAME NO.                                    |                                                       | 106-REEL FRAME NO.                                    |                                                       |
| 0319                                                  | 0319                                                  | 0324                                                  | 0324                                                  |
| 107-REEL FRAME NO.                                    |                                                       | 107-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 108-REEL FRAME NO.                                    |                                                       | 108-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 109-REEL FRAME NO.                                    |                                                       | 109-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 110-REEL FRAME NO.                                    |                                                       | 110-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 111-REEL FRAME NO.                                    |                                                       | 111-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 112-REEL FRAME NO.                                    |                                                       | 112-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 113-REEL FRAME NO.                                    |                                                       | 113-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 114-REEL FRAME NO.                                    |                                                       | 114-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 115-REEL FRAME NO.                                    |                                                       | 115-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 116-REEL FRAME NO.                                    |                                                       | 116-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 117-REEL FRAME NO.                                    |                                                       | 117-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 118-REEL FRAME NO.                                    |                                                       | 118-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 119-REEL FRAME NO.                                    |                                                       | 119-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 120-REEL FRAME NO.                                    |                                                       | 120-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 121-REEL FRAME NO.                                    |                                                       | 121-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 122-REEL FRAME NO.                                    |                                                       | 122-REEL FRAME NO.                                    |                                                       |
| NONE                                                  | NONE                                                  | NONE                                                  | NONE                                                  |
| 123-REEL FRAME NO.                                    |                                                       |                                                       |                                                       |

| DATA HANDLING PAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |                                                                                               |  |                 |  |                       |  |                 |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------|--|-----------------|--|-----------------------|--|-----------------|--|
| 91-ACCESSION NO. 92-DOCUMENT LOC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | 93-TOPIC TAGS                                                                                 |  |                 |  |                       |  |                 |  |
| TT9000915                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  | lubricant additive, lubricant property, antioxidant additive, stabilizer additive, filtration |  |                 |  |                       |  |                 |  |
| 94-TITLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  | CHANGES OF OILS OF VARIOUS CLASSES AND DETERMINATION OF THEIR PURITY                          |  |                 |  |                       |  |                 |  |
| 95-SUBJECT AREA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |                                                                                               |  |                 |  |                       |  |                 |  |
| 11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |                                                                                               |  |                 |  |                       |  |                 |  |
| 96-AUTHOR OR AUTHOR'S                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | PAPK, K. K. ; 16-ZUSEVA, B. S.                                                                |  |                 |  |                       |  |                 |  |
| 97-DATE OF INFO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | -----66                                                                                       |  |                 |  |                       |  |                 |  |
| 98-DOCUMENT NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | FTD-PT-25-1496-68                                                                             |  |                 |  |                       |  |                 |  |
| 99-PROJECT NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  | 72301-78                                                                                      |  |                 |  |                       |  |                 |  |
| 91-SECURITY AND DOWNGRADING INFORMATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  | 94-CONTROL ADDRESS                                                                            |  | 97-HEADS CLASS  |  |                       |  |                 |  |
| UNCL. 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  | NONE                                                                                          |  | UNCL            |  |                       |  |                 |  |
| 91-REEL FRAME NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | 97-SUPPLEMENT                                                                                 |  | 94-CHANGES      |  | 95-DOCS/REF/ACCL AREA |  | 97-NO OF PAGES  |  |
| 1889 0540                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                                                                                               |  |                 |  | UR                    |  | 9               |  |
| 91-REF ACCL NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | 94-REF ACCL NO.                                                                               |  | 94-REF ACCL NO. |  | 94-REF ACCL NO.       |  | 94-REF ACCL NO. |  |
| 0866 F002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  | 65-RC8010962                                                                                  |  | 94-00           |  | TRANSLATION           |  | NONE            |  |
| STEP NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  | 02-UR/0000/66/000/000/0336/0341                                                               |  |                 |  |                       |  |                 |  |
| ABSTRACT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |                                                                                               |  |                 |  |                       |  |                 |  |
| <p>(U) The samples of oils contg. additives made abroad and in the U.S.S.R. were prep'd. in the lab. or in a pilot plant and the changes of their thermal oxidn. stability and of detergent potential during storage were measured. After 31 months, all the samples with foreign additives retained their initial thermal stability and after 45 months, the stability was maintained in 50 percent of the samples. The detergent potential did not change after 45 months except for premium and heavy duty oils with Ca additives where detergent potential was reduced after 31 months. The samples prep'd. in the lab. had better properties than oils prep'd. in the pilot plant. The thermal oxidn. stability of oil contg. Soviet additives did not change in 18 months and after 32 months it was reduced from 65-89 min. to 8-20 min. The detergent potential of heavy duty and Series 1 oils did not change after 32 months, while that of oils of Series 2 and Series 3 was lowered after 18 months to 20-55 units and after 32 months it was zero. The purity of oils and additives was characterized by the following method: 5 g. of oil or 1 g. of additive was diss'd. with 45 or 49 ml. of gasoline and the soln. was filtered through a biol. filter no. 4 of diam. 27 mm. by using a vacuum of 20-30 mm. After every 5 min. of filtration, a new filter was installed.</p> |  |                                                                                               |  |                 |  |                       |  |                 |  |

APPC 4 ( P78 CONTINUED, SEE 4 ) K

| DATA HANDLING PAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |                                                  |  |                 |  |                       |  |                 |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------|--|-----------------|--|-----------------------|--|-----------------|--|
| 91-ACCESSION NO. 92-DOCUMENT LOC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | 93-TOPIC TAGS                                    |  |                 |  |                       |  |                 |  |
| TT9000916                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | antioxidant additive, lubricant, phenyl compound |  |                 |  |                       |  |                 |  |
| 94-TITLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  | USE OF PAIRED ANTIOXIDANTS FOR TURBINE OILS      |  |                 |  |                       |  |                 |  |
| 95-SUBJECT AREA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |                                                  |  |                 |  |                       |  |                 |  |
| 11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |                                                  |  |                 |  |                       |  |                 |  |
| 96-AUTHOR OR AUTHOR'S                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | LIZHETSKIY, A. A. ; 16-VILYANSKAYA, YE. D. ; 16- |  |                 |  |                       |  |                 |  |
| 97-DATE OF INFO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | -----66                                          |  |                 |  |                       |  |                 |  |
| 98-DOCUMENT NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | FTD-PT-25-1496-68                                |  |                 |  |                       |  |                 |  |
| 99-PROJECT NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | 72301-78                                         |  |                 |  |                       |  |                 |  |
| 91-SECURITY AND DOWNGRADING INFORMATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  | 94-CONTROL ADDRESS                               |  | 97-HEADS CLASS  |  |                       |  |                 |  |
| UNCL. 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  | NONE                                             |  | UNCL            |  |                       |  |                 |  |
| 91-REEL FRAME NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | 97-SUPPLEMENT                                    |  | 94-CHANGES      |  | 95-DOCS/REF/ACCL AREA |  | 97-NO OF PAGES  |  |
| 1889 0541                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |                                                  |  |                 |  | UR                    |  | 6               |  |
| 91-REF ACCL NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | 94-REF ACCL NO.                                  |  | 94-REF ACCL NO. |  | 94-REF ACCL NO.       |  | 94-REF ACCL NO. |  |
| 0866 F002                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | 65-AT7021046                                     |  | 94-00           |  | TRANSLATION           |  | NONE            |  |
| STEP NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  | 02-UR/0000/66/000/000/0370/0373                  |  |                 |  |                       |  |                 |  |
| ABSTRACT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                                                  |  |                 |  |                       |  |                 |  |
| <p>(U) A study was made to determine the synergistic antioxidative effectiveness of pairs of compounds from beta-naphthole and phenyl-beta-naphthylamine compounds. The synergistic effect was established in laboratory tests with turbine oils containing pairs of additives (coded) from these two groups of compounds and excellent agreement was found with the results of the actual performance of the oils in turbines. The factors underlying the synergistic effect could not be established in this study. Orig. art. has: 3 figures, 1 table.</p> |  |                                                  |  |                 |  |                       |  |                 |  |

APPC 4 ( P78 CONTINUED, SEE 4 )

| DATA LABELING PAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |                                                                                                                             |  |                  |  |                        |  |                |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------|--|------------------|--|------------------------|--|----------------|--|
| 1A-ACCESSION NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  | 1B-DOCUMENT LOC                                                                                                             |  | 1C-TOPIC TAGS    |  |                        |  |                |  |
| TT9000217                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  | Lubricant passivator, transformer oil, antioxidant additive                                                                 |  |                  |  |                        |  |                |  |
| 1D-TITLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | ADDITIVE MIXES FOR STABILIZATION OF TRANSFORMER OILS                                                                        |  |                  |  |                        |  |                |  |
| 1E-SUBJECT AREA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | 11                                                                                                                          |  |                  |  |                        |  |                |  |
| 1F-AUTHOR CO-AUTHORS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | SHAKHNOVICH, N. I.                                                                                                          |  |                  |  |                        |  |                |  |
| 1G-SOURCE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  | VSESOYUZNOYE SOVESHCHANIYE PO KHEMI I PRIMENENIYU PRISADOK K MASLAM I TOPLIVAM 2D, 1966, PRISADKI K MASLAM. TRUDY (RUSSIAN) |  |                  |  |                        |  |                |  |
| 1H-DATE OF INFO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | -----66                                                                                                                     |  |                  |  |                        |  |                |  |
| 1I-DOCUMENT NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | FTD-HT-23-1496-68                                                                                                           |  |                  |  |                        |  |                |  |
| 1J-PROJECT NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | 72301-78                                                                                                                    |  |                  |  |                        |  |                |  |
| 1K-SECURITY AND DOWNGRADING INFORMATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | 1L-CENTRAL MARKINGS                                                                                                         |  |                  |  |                        |  |                |  |
| UNCL. 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | NONE                                                                                                                        |  | NONE             |  | UNCL                   |  |                |  |
| 1M-REF. FRAM. NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | 17-SUPERSEDES                                                                                                               |  | 1N-CHANGES       |  | 1O-GEOLATITUTICAL AREA |  | 1P-NO OF PAGES |  |
| 1889 0542                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |                                                                                                                             |  |                  |  | UR                     |  | 9              |  |
| 1Q-REF. ACC. NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  | 1R-PUBLISHING DATE                                                                                                          |  | 1S-REVISION PAGE |  | 1T-TRANSLATION         |  | 1U-NONE        |  |
| 65-AT7021047                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | 94-00                                                                                                                       |  |                  |  |                        |  |                |  |
| STEP NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | 02-UR/0000/66/000/000/0374/0378                                                                                             |  |                  |  |                        |  |                |  |
| ABSTRACT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |                                                                                                                             |  |                  |  |                        |  |                |  |
| <p>(U) The effectiveness of dialcylidenethylenediamine (deactivator), anthranilic acid (passivator), and phenyl-beta-naphthylamine and 2,6-di-tertiary-butyl-4-methylphenol (antioxidants) and their combinations in the stabilization of transformer oils was studied under static laboratory conditions (44 hr oxidation with oxygen in the presence of copper and iron at 100 degrees C and 49 kilovolt per centimeter potential difference). Excellent stabilization of the transformer oils was achieved by compositions containing 0.05 wt percent anthranilic acid and 0.05-0.2 wt percent antioxidant additives. Orig. art. has: 3 figures, 1 table.</p> |  |                                                                                                                             |  |                  |  |                        |  |                |  |

FORM 4  
AFSC 4854

( FTD OVERSEAS, DEC 61 )

| DATA LABELING PAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |                                                                                                                             |  |                  |  |                        |  |                |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------|--|------------------|--|------------------------|--|----------------|--|
| 1A-ACCESSION NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  | 1B-DOCUMENT LOC                                                                                                             |  | 1C-TOPIC TAGS    |  |                        |  |                |  |
| TT9000918                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | titrimetry, lubricant addi iv., lubricating oil                                                                             |  |                  |  |                        |  |                |  |
| 1D-TITLE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | INVESTIGATION OF ADDITIVES AND ADDITIVE OILS BY A POTENTIOMETRIC METHOD                                                     |  |                  |  |                        |  |                |  |
| 1E-SUBJECT AREA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  | 11                                                                                                                          |  |                  |  |                        |  |                |  |
| 1F-AUTHOR CO-AUTHORS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | LUNEVA, V. S.; 16-BURENENK, L. N.                                                                                           |  |                  |  |                        |  |                |  |
| 1G-SOURCE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | VSESOYUZNOYE SOVESHCHANIYE PO KHEMI I PRIMENENIYU PRISADOK K MASLAM K TOPLIVAM 2D, 1966, PRISADKI K MASLAM. TRUDY (RUSSIAN) |  |                  |  |                        |  |                |  |
| 1H-DATE OF INFO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  | -----66                                                                                                                     |  |                  |  |                        |  |                |  |
| 1I-DOCUMENT NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  | FTD-HT-23-1496-68                                                                                                           |  |                  |  |                        |  |                |  |
| 1J-PROJECT NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | 72301-78                                                                                                                    |  |                  |  |                        |  |                |  |
| 1K-SECURITY AND DOWNGRADING INFORMATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | 1L-CENTRAL MARKINGS                                                                                                         |  |                  |  |                        |  |                |  |
| UNCL. 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | NONE                                                                                                                        |  | NONE             |  | UNCL                   |  |                |  |
| 1M-REF. FRAM. NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  | 17-SUPERSEDES                                                                                                               |  | 1N-CHANGES       |  | 1O-GEOLATITUTICAL AREA |  | 1P-NO OF PAGES |  |
| 1889 0543                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |                                                                                                                             |  |                  |  | UR                     |  | 13             |  |
| 1Q-REF. ACC. NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  | 1R-PUBLISHING DATE                                                                                                          |  | 1S-REVISION PAGE |  | 1T-TRANSLATION         |  | 1U-NONE        |  |
| 65-AT7021048                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  | 94-00                                                                                                                       |  |                  |  |                        |  |                |  |
| STEP NO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | 02-UR/0000/66/000/000/0379/0388                                                                                             |  |                  |  |                        |  |                |  |
| ABSTRACT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |                                                                                                                             |  |                  |  |                        |  |                |  |
| <p>(U) The applicability of the potentiometric titration method (up to 520 mv at pH equals 10) for determining the deterioration (alkalinity, metal content, ash content) of additives in oils and additive oils was investigated. It was found that all oil and oil additive deterioration indices could be determined by the potentiometric titration technique with an accuracy as high as 0.02-0.25 percent. The study revealed that imported oils with additives have higher phosphorus and zinc content than the corresponding domestic oils. In general, the potentiometric method was rated very useful and reliable. Orig. art. has: 7 figures, 5 tables.</p> |  |                                                                                                                             |  |                  |  |                        |  |                |  |

FORM 4  
AFSC 4854

( FTD OVERSEAS, DEC 61 )



# TABLE OF CONTENTS

|                                                                                                                                                                                                                                            |    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| S.E. Kravyn, Yu.M. Steichter, N.K. Levitin, A.V. Vilenkin, V.P. Kalashnikov, A.I. Dol'berts, V.I. Goryacheva, L.D. Khreshchilova, and K.I. Essmertnyy, Corrosion-Inhibitor Additives and Preservative Running Oils Based on Them . . . . . | 1  |
| O.S. Obieukhova, V.V. Protasov, T.T. Kiseleva, and G.V. Burtseva, Operating Experience with ZIL-130 Engines Using AS-8 Oil with VNII NP-360 Additive. . . . .                                                                              | 16 |
| N.I. Sigal, Ye.P. Slabov, V.N. Yefremov, G.M. Gusev, G.P. Belyanchikov, I.A. Traktovenko, I.A. Kholomonov and N.V. Yershov, Test Results for Oils with Additives Used in the YaMZ-238NE Engine . . . . .                                   | 23 |
| O.S. Obieukhova and N.N. Kryucheshnikova, Effectiveness of Using Additives in Hydraulic-Coupling Oils for Passenger Automobiles. . . . .                                                                                                   | 30 |
| Ye.G. Semenko, I.A. Traktovenko, N.V. Shchegolev, M.A. Senichkin, A.S. Lozar, and V.I. Sharapov, Combination of Ash-Forming and Polymeric Ash-Free Additives in Motor Oils as a Way to Further Quality Improvement. . . . .                | 40 |
| V.P. Filippov and S.M. Gukarev, Selection of Optimum Additive Combinations for Motor Oils on a Bench with a Single-Cylinder Air-Cooled Engine . . . . .                                                                                    | 47 |
| S.G. Aratyan, G.P. Belyanchikov, I.M. Pankov, T. Khania-rov, I.A. Kholomonov, O.M. Shevina, Ye.M. Firsanova, Tests of Soviet and Foreign Motor Oils in the VM-6-NATI and VM-6N-NATI Single-Cylinder Bench Installations . . . . .          | 62 |
| V.P. Filippov, V.M. Bukolov and V.V. Davnyukin, Oil and Additive Selection and Property Motor Rating for Two-Stroke Gasoline Engines . . . . .                                                                                             | 76 |
| A.B. Izak and E.S. Guseva, In-Storage Property Changes of Oils of Various Grades and Determination of Their Purity. . . . .                                                                                                                | 86 |
| K.I. Ivanov, Ye.I. Vilyanskaya, A.A. Luznetskiy and A.K. Aleksandrov, Use of Paired Antioxidants for Motor Oils. . . . .                                                                                                                   |    |
| M.I. Shakhmurov, Additive Mixes for Stabilization of Transformer Oils. . . . .                                                                                                                                                             |    |
| V.S. Luneva and L.M. Burdenyuk, Investigation of Additive and Additive Oils by a Potentiometric Method. . . . .                                                                                                                            |    |

inhibitors that effective inhibiting additives can be obtained from nitrated oils that have been subjected to special treatment. In developing a technology for production of these additives, it was first necessary to solve such problems as selection of the raw material for nitration and the nitration agent, as well as finding the optimum conditions for nitration and final treatment of the product. The basic reactions take place when mineral oils are nitrated:

nitration proper

oxidation



where RAr are the alkylaromatic and naphthenoaromatic hydrocarbons of the oil.

# CORROSION-INHIBITOR ADDITIVES AND PRESERVATIVE RUNNING OILS BASED ON THEM

S.E. Kreyg, Yu.N. Shekter, M.M. Levitin, A.V. Vilenkin, V.P. Kalashnikov, A.I. Dolitskiy, V.I. Goryacheva, L.D. Khoroshilova, and K.I. Bessmertnyy

Tractor-operating experience has shown that engine and transmission parts are subject to rusting during operation and storage under the influence of moisture and acid products that have entered the lubricating oil or been formed in it. Since the commercially available motor and transmission oils have unsatisfactory protective (antirust) properties [1], and liquid preservative oils of types K-17, MG-203 etc. have unsatisfactory operational properties [2, 3], there is a need for development of preservative running oils that combine high protective and antirust properties. For this purpose, special additives that act as corrosion inhibitors must be added to the existing commercial oils in addition to the additives that improve operational properties. Use of preservative running-lubricating oils will lengthen the service lives of motor-tractor equipment and ultimately save a substantial amount of money.

The recommended protective additives are oil-soluble corrosion inhibitors: the reaction product of thiophosphoric acids with quaternary compounds and other phosphorus-containing substances [4], various derivatives of amines [4], organic acids, their esters and salts [5], inhibitors of sulfuric acid, nitrated products [6], etc.

It has been established by laboratory studies of the protective and use properties of oils with various corrosion

Fig. 1-2-14-0-6

Table 1. Physicochemical Properties of Nitrated Oils (Nitration with 60% Nitric Acid at 15-55°C for 4 h)

| a  | b                                        |                                         |                                         |                                    |                       |                         |                             |                               |                             |                               |
|----|------------------------------------------|-----------------------------------------|-----------------------------------------|------------------------------------|-----------------------|-------------------------|-----------------------------|-------------------------------|-----------------------------|-------------------------------|
|    | viscosity at 100°C, mm <sup>2</sup> /sec | viscosity at 50°C, mm <sup>2</sup> /sec | viscosity at 25°C, mm <sup>2</sup> /sec | density at 20°C, g/cm <sup>3</sup> | acid number, mg KOH/g | alkali number, mg KOH/g | total acid number, mg KOH/g | total alkali number, mg KOH/g | total acid number, mg KOH/g | total alkali number, mg KOH/g |
| 1  | 1.0                                      | 0.3                                     | 0.1                                     | 0.85                               | 1.5                   | 1.5                     | 3.0                         | 3.0                           | 0.4                         | 0.4                           |
| 2  | 1.0                                      | 0.3                                     | 0.1                                     | 0.85                               | 1.5                   | 1.5                     | 3.0                         | 3.0                           | 0.4                         | 0.4                           |
| 3  | 1.0                                      | 0.3                                     | 0.1                                     | 0.85                               | 1.5                   | 1.5                     | 3.0                         | 3.0                           | 0.4                         | 0.4                           |
| 4  | 1.0                                      | 0.3                                     | 0.1                                     | 0.85                               | 1.5                   | 1.5                     | 3.0                         | 3.0                           | 0.4                         | 0.4                           |
| 5  | 1.0                                      | 0.3                                     | 0.1                                     | 0.85                               | 1.5                   | 1.5                     | 3.0                         | 3.0                           | 0.4                         | 0.4                           |
| 6  | 1.0                                      | 0.3                                     | 0.1                                     | 0.85                               | 1.5                   | 1.5                     | 3.0                         | 3.0                           | 0.4                         | 0.4                           |
| 7  | 1.0                                      | 0.3                                     | 0.1                                     | 0.85                               | 1.5                   | 1.5                     | 3.0                         | 3.0                           | 0.4                         | 0.4                           |
| 8  | 1.0                                      | 0.3                                     | 0.1                                     | 0.85                               | 1.5                   | 1.5                     | 3.0                         | 3.0                           | 0.4                         | 0.4                           |
| 9  | 1.0                                      | 0.3                                     | 0.1                                     | 0.85                               | 1.5                   | 1.5                     | 3.0                         | 3.0                           | 0.4                         | 0.4                           |
| 10 | 1.0                                      | 0.3                                     | 0.1                                     | 0.85                               | 1.5                   | 1.5                     | 3.0                         | 3.0                           | 0.4                         | 0.4                           |

KEY: (a) indicators; (b) nitrated oils; (c) spin; (d) (1) AS-...; (2) AS-...; (3) AS-...; (4) amount of ash; (5) amount of ash; (6) amount of ash; (7) amount of ash; (8) amount of ash; (9) amount of ash; (10) amount of ash.

Various oxygen-containing compounds are obtained as a result of the oxidation reaction: acids, hydrocarbons, lactones, esters, etc., and they are capable of the following secondary reactions: a) condensation (polymerization), extending to the formation of asphalt-like residues;

Fig. 1-2-14-0-6

b) nitration, since the oxygen-containing compounds of the oil nitrate considerably more readily than the initial oils (the latter are subject to nitration of previously oxidized oils).

The brown nitrogen-oxide  $\text{NO}_2$ ,  $\text{N}_2\text{O}_4$ ,  $\text{NO}$  vapors evolved during the oxidation reaction in turn promote oxidation of the hydrocarbons. Thus the oxidation process of the oil may become autocatalytic if substantial amounts of nitrogen-oxide vapors are liberated.

It is known that polycyclic aromatic hydrocarbons with short side chains and tarry substances are oxidized preferentially in mineral oils, undergoing secondary condensation reactions with formation of asphalt-like products. For nitration, therefore, we selected oils from which these compounds had been removed by selective refining. Oils AS-9.5, DS-8 and DS-11 obtained from eastern petroleum gave the best results (Table 1).

The direction of the nitrating process and its degree of conversion can be regulated by applying various nitration methods to the mineral oils.

The following oil-nitrating processes were examined.

1. Nitration with nitric acid at various concentrations (from 10 to 98%), with various acid-to-oil proportions. The optimum nitrating formulas were found in each case: addition and standing times for the acid, nitrating temperature, etc. As the nitric acid concentration increases, the content of nitro compounds in the nitrated oil increases without any marked increase in the content of oxidized products. Nitration with weak acids intensifies the oxidation reaction.

2. Nitration with nitrating mixtures or sodium nitrate or nitrite in the presence of sulfuric acid. These methods enable us to nitrate oils with formation of mononitro compounds, minimizing the oil-oxidation reaction.

3. Nitration with catalysts. By the use of various catalysts, the process can be controlled either in the direction of nitration (sodium nitrite, acetic acid, zinc stearate) or in the direction of oxidation (mercury salts).

First, the combined nitration and oxidation products were extracted from the nitrated oils and then separated by a secondary gasoline extraction.

It was shown that the nitro compounds are those principally responsible for the high protective, detergent and other properties of the nitrated oils. The amounts of nitrogen in them, determined by a specially developed method (a modified Kjeldahl method) [8], indicate that mononitro compounds (nitrogen content 3.7-3.9%) are formed during nitration under normal conditions.

The nitro group is found attached to the benzol ring (or, more rarely, to the naphthenic nucleus), for the most part at the para-position with respect to the alkyl radical.

Although they are less effective than the nitro compounds, oxygen-containing products accompanying them in certain proportions - approximately 0.5:1 - form synergistic mixtures that exhibit the highest protective properties. In nitration, therefore, it is not desirable to produce only nitro compounds, for example, by nitration with anhydrous nitrating mixtures.

AS-9.5 oil nitrated with 40% nitric acid at 60% concentration was chosen as the base for the oil and fuel corrosion-inhibiting additives. This oil contains 6-7% of nitro compounds and 4-5% of oxidation products.

After carrying out nitration and eliminating the spent nitric acid, the acidic nitrated oil (acid number 20 mg of KOH/g) must be rendered slightly alkaline with some sort of neutralizing agent. Salts of sodium, calcium, and magnesium, and especially those of lead and aluminum, showed good protective, detergent, and dispersing properties [9].

Alkalinized nitrated oils show high ash contents and excessive alkalinity, which indicates not only the presence of salts of the type  $(\text{HRCOO})_2\text{Ca}$  in the nitrated oil, but also that they contain a finely dispersed colloidal suspension of  $\text{CaO-Ca}(\text{OH})_2$  and perhaps also  $\text{CaCO}_3$ , stabilized by surface-active compounds.

Work was done to study the mechanism of action of the nitrated oils and the products based on them (MG-204 and MI-2044 liquid lubricants and AKOR-1 corrosion-inhibiting additive). It was established that nitrated oils and products based on them sharply reduce the permeability of the oil films to moisture and vapor [9] and reduce (at a certain concentration, to zero) the surface tension at the oil-water and water-adsorbed oil film interfaces.

They increase the wetting angle of an oil drop on water and reduce the wetting angle of a water drop on the oil's surface. This is particularly conspicuous with the AKOR-1 additive, and for lead and aluminum salts of the nitrated oil, i.e., in the most effective corrosion inhibitors. The ability to displace water from the surface of the metal and block its passage through the hydrophobic adsorption films that form is of great practical importance, since it permits the use of nitrated oils to preserve wet surfaces, as well as in varnishes, primers, paints, watered fuels, etc.

Studies conducted in a special chamber by using electric current for external polarization of plates [1] indicated that sodium and calcium salts of nitrated oils showed distinctly the properties of oil-soluble anodic atmospheric-corrosion inhibitors, while the lead and aluminum salts are adsorbed on both the anodic and cathodic areas of the metal exposed to corrosion, and

the protection given these areas is of the screening type.

Two problems were faced in developing corrosion-inhibitor additives for the motor and transmission oils.

1. Development of a corrosion-inhibitor additive which, in addition to the base oils or oils containing a combination of additives, will endow these oils with high protective properties without any deterioration of their motor properties.

2. Creation of a multifunctional corrosion-inhibiting additive that would, on addition to the base oils, endow them with high protective properties and simultaneously improve their wetting and anticorrosion properties.

The nitrated oils themselves or their salts (sodium, calcium, or aluminum) may be used as additives of the first type. Nitrated oil will also be taken as a base for creation of multifunctional additives of the second type. However, acidic nitrated oils are alkalinized in the presence of special promoter additives to improve the detergent and dispersing properties of the additives.

Like the use of special technological devices (single fast evaporation of water, passage of carbon dioxide, etc.), the presence of promoters during alkalinizing results in a sharp increase in the ash figure and alkalinity of the oil solution of the additive and, as a consequence, improvement of its wetting properties.

Promoters that have been tested and are recommended by the authors include alkylphenols, arylamines, alcohols, synthetic fatty acids, hydroxyethylated products, and many other compounds.

After appropriate refinement, therefore, the following technology was adopted for production of AKOR-1 additive: selectively refined DS-8 or DS-11 oils are treated with 30% of 60% nitric acid, followed by addition of 10% stearic acid; the mixture is neutralized with 20% calcium oxide, heated to 120°C to eliminate water, and centrifuged. Two industrial batches of the additive were prepared by the above technology at a pilot plant at the "Neftegaz" refinery. The material balance of this process is given below.

| Taken, %                          | Yield, % |
|-----------------------------------|----------|
| Mineral oil DS-8.....             | 100      |
| Production of nitrated oil        |          |
| Nitrated oil.....                 | 103      |
| Volatiles products.....           | 3        |
| 60% nitric acid.....              | 20       |
| Spent nitric acid (30%).....      | 4        |
| Calcium oxide hydrate (100%)..... | 3        |
| Mechanical impurities.....        | 3        |
| Losses.....                       | 133      |
| TOTAL.....                        | 133      |

| Production of AKOR-1 Additive |     |
|-------------------------------|-----|
| Nitrated oil.....             | 100 |
| AKOR-1 Additive.....          | 132 |
| Stearic acid.....             | 10  |
| Waste.....                    | 28  |
| Calcium oxide.....            | 20  |
| TOTAL.....                    | 130 |

Several laboratory batches of the AKOR-1 additive were prepared substituting synthetic fatty acids for the stearic acid. It was established that the synthetic fatty acids combine well with the nitrated oil (Table 2) and that the resulting additives are highly effective (Table 3).

The configuration of the apparatus and the flow chart "or AKOR-1 production at the "Neftegaz" refinery are examined below.

Mineral oil (Fig. 1) and nitric acid are fed continuously into reactor 1. Heat is liberated as a result of the nitration reaction and removed by cold water. The reaction mixture enters reactor 2, where the nitration reaction continues for another 3 h at 55°C. Then the mixture is directed into settling tanks 3 and 4. The spent acid drains by gravity into apparatus 5 and is reused for nitration. The acid nitrated oil goes into apparatus 6, where it is mixed with melted stearin (or synthetic fatty acids [SPA] (GHE) and neutralized with calcium oxide hydrate. The product is then dehydrated in the system composed of heat exchanger 9 and column 10. The product flows from the bottom of column 10 into centrifuge 12, is heated in tank 14, and further purified on the ultracentrifuge 15, from which the final additive is run into the shipping containers.

Table 2. Physicochemical Properties of AKOR-1 Additive Obtained using Synthetic Fatty Acids

| a. Description | b. Characteristics of oil before additive addition |                        |                        |                        |
|----------------|----------------------------------------------------|------------------------|------------------------|------------------------|
|                | Viscosity at 100°C, cSt                            | Viscosity at 50°C, cSt | Viscosity at 25°C, cSt | Viscosity at 10°C, cSt |
| Sample 1:      | 55                                                 | 39                     | 33                     | 45                     |
| Sample 2:      | 123                                                | 40.0                   | 40.2                   | 75                     |
| Sample 3:      | 413                                                | 167                    | 279                    | 104                    |
| Sample 4:      | 418                                                | 167                    | 281                    | 104                    |
| Sample 5:      | 418                                                | 167                    | 281                    | 104                    |

KEY: (a) indicator; (b) synthetic fatty acids used; (c) broad fraction from Mendeleev plant; (d) C<sub>18</sub>-C<sub>20</sub> fraction from Lubbeckhach combine; (e) C<sub>18</sub>-C<sub>20</sub> fraction from Volgograd refinery; (f) C<sub>18</sub>-C<sub>20</sub> fraction; (g) ash; (h) total; (i) sulfate; (j) indicator alkalinity, ml of KOH/g; (k) phenolphthalein; (l) bromphenol blue; (m) viscosity at 100°C, cSt.

### Table 3. Production of AKOR-1 Additive by Various Recipes

| a                                                             | b                                             | c                   | d                   | e                   |
|---------------------------------------------------------------|-----------------------------------------------|---------------------|---------------------|---------------------|
| Метод, применяемый для определения содержания азота в образце | Метод (ИР) по определению азота               | Идентификация азота | Идентификация азота | Идентификация азота |
| AC-85                                                         | Сборочная модель                              | Газовый анализатор  | 1                   | 25.2                |
| AC-85                                                         | u                                             | Газовый анализатор  | 2                   | 3.7                 |
| AC-85                                                         | СЖН, фракция C <sub>12</sub> -C <sub>20</sub> | Газовый анализатор  | 3                   | 3.5                 |
| AC-85                                                         | u                                             | Газовый анализатор  | 4                   | 25.9                |
| AC-85                                                         | СЖН, фракция C <sub>12</sub> -C <sub>20</sub> | Газовый анализатор  | 5                   | 5.0                 |
| AC-85                                                         | u                                             | Газовый анализатор  | 6                   | 25.2                |
| AC-11                                                         | Сборочная модель                              | Газовый анализатор  | 7                   | 4.9                 |
| AC-11                                                         | u                                             | Газовый анализатор  | 8                   | 84.2                |
| AC-11                                                         | СЖН, фракция C <sub>12</sub> -C <sub>20</sub> | Газовый анализатор  | 9                   | —                   |
| AC-11                                                         | u                                             | Газовый анализатор  | 10                  | 4.7                 |
| AC-11                                                         | СЖН, фракция C <sub>12</sub> -C <sub>20</sub> | Газовый анализатор  | 11                  | —                   |
| AC-11                                                         | u                                             | Газовый анализатор  | 12                  | —                   |
| AC-11                                                         | СЖН, фракция C <sub>12</sub> -C <sub>20</sub> | Газовый анализатор  | 13                  | —                   |
| AC-11                                                         | u                                             | Газовый анализатор  | 14                  | —                   |
| AC-11                                                         | СЖН, фракция C <sub>12</sub> -C <sub>20</sub> | Газовый анализатор  | 15                  | —                   |

(e) amount of deposits from purification, 3 on nitrated oil.

(f) properties of specimens of AKOR-1 additive obtained by the various

(c) ash, %

(h) indicator alkalinity,

mg of KOH/g

(1) phenolphthalein  
(1) bromophenol blue

(a) Oil nitrated with 60% nitric acid (30% on material)

(b) additive (10% on nitrated oil)

(c) neutralizing agent

(d) amount of neutralizing agent, % on nitrated oil




**Fig. 1.** AKOR-1 additive production flow. 1, 2) reactors; 3, 4) settling tanks; 5) apparatus for concentrating used nitric acid; 6) neutralizing mixer; 7) pump for delivery of product into heat exchanger; 8) circulating pump; 9) heat exchanger; 10) water-vaporizing column; 11) drop chamber; 12) centrifuge; 13) pump delivering product for final centrifuging; 14) intermediate pressure tank; 15) final centrifuge; 16) nitric-acid metering system. Lines: I) mineral oil; II) 60% nitric acid; III) oxygen-oil emulsion; IV) spent acid; V) 98% nitric acid; VI) nitro oil to neutralizing mixer; VII) molten stearin or SFA; VIII) milk of lime; IX) watery product; X) dried product for centrifuging; XI, XII) product to final centrifuging; XIII) AKOR-1 additive; XIV) cold water; XIV) hot water; XV) vapor; XVI, XVII) dried circulating product; XVII) final product; XX) 60% nitric acid separation; XXII) spent acid; XXI) nitric-acid drainage.

The AKOR-1 protective additive produced by the described method has a comparatively high ash content (5-10%). We succeeded in reducing the ash content in the additive by lowering the calcium oxide hydrate concentration from 20 to 5%. Use of the various structures of calcium and sodium oxide hydrates in various proportions, or sodium oxide hydrate alone, to neutralize the acidic intricated oil gave similar results. As Table 3 shows, AKOR-1 additive produced with SFA and sodium oxide hydrate shows lower ash content and 100°C viscosity level while retaining effective anticorrosion properties.

The laboratory studies also made it possible to establish that the viscosity of ABR-1 additive can be lowered markedly and its purity increased in the final stage of purification in production is carried out in a gasoline solution. This complicates the technology slightly, since it is necessary to have

| Г. Свойства образцов сплава АКOR-1, модифицированного ингибитором |                        |              |             |                        |
|-------------------------------------------------------------------|------------------------|--------------|-------------|------------------------|
| В. Масса, %                                                       | И. Составляющие АКOR-1 |              | К. Масса, г | Л. Параметры в масле   |
|                                                                   | 1. Вещь                | 2. Ингибитор |             |                        |
| 3.8                                                               | 2.3                    | 46.7         | 36.1        | 16 циклов (без окисл.) |
| 0.6                                                               | -2.9                   | 6.9          | 19.9        | 26 циклов (без окисл.) |
| 3.4                                                               | 6.6                    | 55.0         | 39.3        | 50 циклов (без окисл.) |
| 1.8                                                               | 2.5                    | 16.3         | 53.0        | 50 циклов (без окисл.) |
| 1.0                                                               | -5.3                   | 18.4         | 14.4        | 50 циклов (без окисл.) |
| 3.0                                                               | -1.2                   | 46.9         | 31.8        | 40 циклов (без окисл.) |
| 4.0                                                               | 0.9                    | 49.9         | 41.1        | 14 циклов (без окисл.) |
| 1.0                                                               | -5.2                   | 5.3          | 25.0        | 23 циклов (без окисл.) |
| 3.75                                                              | 2.5                    | 52.7         | 58.5        | 26 циклов (без окисл.) |
| 1.7                                                               | 4.1                    | 11.7         | 28.0        | 23 циклов (без окисл.) |
| 4.5                                                               | 1.7                    | 54.3         | 122.3       | 16 циклов (без окисл.) |
| 3.7                                                               | 2.5                    | 44.8         | 53.1        | 28 циклов (без окисл.) |

- (k) viscosity at 100°C, cst  
 (l) solubility in oils  
 (m) 10% in MT-16  
 (n) 10% in transformer oil  
 (o) AS-9.5  
 (p) stearic acid  
 (q) calcium oxide hydrate  
 (r) ...days (without deposit)  
 (s) sodium oxide hydrate  
 (t) one day (deposit)

- (u) SPA, ...fraction  
 (v) ...days (small amount of deposit)  
 (w) same day (deposit)  
 (x) 1S-11  
 (y) 7S days (small amount of white deposit)




Fig. 2. Curves of time increase of corrosion damage to steel-plate surface (0-4 heat and humidity chamber, 7 h at 50°C, 17 h at 20°C; humidity 100%, plate material St. 3).  
 1) Commercial oils; 2) commercial oils + 10% AKOR-1.  
 KEY: (a) area of plate damaged by corrosion, %; (b) holding time in heat-and-humidity chamber, days.

an explosionproof apparatus and an additional installation for driving off the gasoline. However, the cost of building this apparatus is fully covered by the high quality of the resulting product, which is superior in a number of indicators to foreign additives used for similar purposes.

The protective properties of motor and transmission oils containing AKOR-1 additive in various concentrations were studied under laboratory conditions. For this purpose, metal plates - steel, cast iron, bronze, brass, copper, lead and other non-ferrous metals - were coated with thin films of oil containing the additive and placed in water, in humidity chambers, or in chambers containing corrosive environments. In all cases, corrosion appeared on the plates much later than when the plates were protected with oils not containing additives [3, 10]. By way of example, Fig. 2 shows generalized time curves of the corrosion damage to steel plates in a heat-and-humidity chamber. When they were protected with commercial oils, the damage curve rises sharply, and plates coated with oils having better protective properties are completely corroded in no more than 30 days. The difference in the protective properties of the oils before and after addition of the various functional additives is illustrated by the width of the shaded region in Fig. 2. The increase in the area of the corrosion centers after addition of 10% of AKOR-1 additive to the oils is much slower, and no more than 20% of the plate area has been corroded after storage for two months in the chamber.



[Key to Table 5, cont'd.] compressor, valves; (g) 90% DS-8 + 10% AKOR-1; (h) 21 months (no corrosion); (i) thin unbroken oil film; (j) transmission; (k) surfaces of gear teeth and shaft splines; (l) 90% MT-16p + 10% AKOR-1; (m) same; (n) YAZ-206-A engine; (o) highly finished surfaces of engine cylinders, timing gear, compressor; (p) 19 months (no corrosion); (q) YAZ transmission; (r) surfaces of gear teeth, shafts, guide rollers, shifting yokes and detents; (s) GAZ-51 engine; (t) honed cylinder surfaces; (u) 90% ASP-0.5 + 10% AKOR-1; (v) GAZ-51 transmission; (w) 90% nigrol + 10% AKOR-1; (x) GAZ-69 engine cylinder blocks; (y) honed surfaces, parting planes; (z) 90% DS-8 + 10% AKOR-1; (aa) 20 months (no corrosion); (bb) 90% AS-9.5 + 10% AKOR-1; (cc) unbroken oil film; streaks of oil on honed surfaces; (dd) 22 months (no corrosion); (ee) unbroken oil film; (ff) GAZ-69 transmission; (gg) 90% TAP-15 + 10% AKOR-1.

Table 6. Physicochemical and Operational Properties of DSP-II Oil with 10% of AKOR-1 Additive

| a | b | c | d |  |  |  |  | e |  |  |  |  | f |  |  |  |  | g |  |  |  |  | h |  |  |  |  | i |  |  |  |  | j |  |  |  |  | k |  |  |  |  | l |  |  |  |  | m |  |  |  |  | n |  |  |  |  | o |  |  |  |  | p |  |  |  |  | q |  |  |  |  | r |  |  |  |  | s |  |  |  |  | t |  |  |  |  | u |  |  |  |  | v |  |  |  |  | w |  |  |  |  | x |  |  |  |  | y |  |  |  |  | z |  |  |  |  | aa |  |  |  |  | bb |  |  |  |  | cc |  |  |  |  | dd |  |  |  |  | ee |  |  |  |  | ff |  |  |  |  | gg |  |  |  |  | hh |  |  |  |  | ii |  |  |  |  | jj |  |  |  |  | kk |  |  |  |  | ll |  |  |  |  | mm |  |  |  |  | nn |  |  |  |  | oo |  |  |  |  | pp |  |  |  |  | qq |  |  |  |  | rr |  |  |  |  | ss |  |  |  |  | tt |  |  |  |  | uu |  |  |  |  | vv |  |  |  |  | ww |  |  |  |  | xx |  |  |  |  | yy |  |  |  |  | zz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  | lll |  |  |  |  | mmm |  |  |  |  | nnn |  |  |  |  | ooo |  |  |  |  | ppp |  |  |  |  | qqq |  |  |  |  | rrr |  |  |  |  | sss |  |  |  |  | ttt |  |  |  |  | uuu |  |  |  |  | vvv |  |  |  |  | www |  |  |  |  | xxx |  |  |  |  | yyy |  |  |  |  | zzz |  |  |  |  | aaa |  |  |  |  | bbb |  |  |  |  | ccc |  |  |  |  | ddd |  |  |  |  | eee |  |  |  |  | fff |  |  |  |  | ggg |  |  |  |  | hhh |  |  |  |  | iii |  |  |  |  | jjj |  |  |  |  | kkk |  |  |  |  |
|---|---|---|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|
|---|---|---|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|---|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|-----|--|--|--|--|

2. Bezborod'ko, M.D., Solomenko, I.I., and Talizin, M.I.  
Khimiya i tekhnologiya topliv i masel, No. 12 (1963).

3. U.S. Patents 3,076,008, 1963; 3,000,822, 1961; 3,006,850,  
1961; 2,944,971, 1960; Japanese Patent 8625, 1957.

4. U.S. Patents 3,040,860, 1962; 3,025,313, 1962; 2,977,309,  
1961; 3,005,847, 1961; 2,971,909, 1961; 3,000,916, 1961; 2,939,842,  
1960; 3,025,239, 1962; French Patents 1,301,804, 1962; 1,311,943,  
1962; Swiss Patent 357,130, 1961.

5. U.S. Patents 2,976,245, 1961; 2,943,053, 1960; Soviet  
Patent 150,962, 1962; British Patent 790,472, 1958; Japanese  
Patent 6256, 1962.

6. U.S. Patents 3,025,240, 1962; 3,001,940, 1961.

7. U.S. Patents 2,934,487, 1960; 2,959,551, 1960.

8. Dol'berg, A.L. and Grishaveva, A.S., Khimiya i tekhnologiya topliv i masel, No. 1 (1964).

9. Shekhter, Yu.N., Zashchita metallov ot korrozii (Protection of metals from corrosion), Izd. "Khimiya", 1964.

10. Kreyt, S.E., Shekhter, Yu.N. et al. In book "Zashchitnyye smazki i masla dlya konservatsii mashin i oborudovaniya" (Protective lubricants and oils for preservation of machines and equipment), Collection I, Dom NTF, 1964, pp. 68-89.

#### OPERATING EXPERIENCE WITH ZIL-130 ENGINES USING AS-8 OIL WITH VMII MP-360 ADDITIVE

O.S. Obleskhova, V.V. Protasov,  
T.T. Kiseleva, and G.V. Burtseva

DS-8 oil with VMII MP-360 additive [VMII MP: All-Union Scientific Research Institute of Oil and Gas Refining and Production of Synthetic Liquid Fuels], which had been recommended after long-term (600-hour) bench tests for V-type carbureted truck engines, was taken for extended road-use tests. Since 1964, this oil has been produced according to GOST 10541-63 under the type designation AS-8.

The tests were conducted with 70 vehicles in various climatic zones of the country (Crimea, Stavropol', Ore', Pskov) on a year-round basis, on hard-paved mountain and flatlands highways. Vehicles of the Crimea fleet were tested under routine operating conditions on the Yalta-Simferopol' and Yalta-Sevastopol' routes. The vehicles of the other fleets were run under routine operating conditions for 10-30% of the total mileage, and used for the remaining time in tire tests. The conditions of use are given in Table 1. A-76 gasoline was used in all fleets during the tests.

Plans called for replacing piston rings during the tests when oil burnoff had reached 0.8 liter/100 km and the bearing inserts when the oil pressure in the system had dropped to 1.9 kg/cm<sup>2</sup> at 1000 rev/min.

At the end of the tests, when the vehicles had accumulated 108-213 thousand km, these oil-consumption and -pressure limits

Table 1. Vehicle Operating Conditions

| a                                            | b  | c. Характеристики двигателя |                |                  |                                  | h  | d. Расход топлива                                   |                              | i  | j  | k       | l |
|----------------------------------------------|----|-----------------------------|----------------|------------------|----------------------------------|----|-----------------------------------------------------|------------------------------|----|----|---------|---|
|                                              |    | Мощность, кВт               | Скорость, км/ч | Эффективность, % | Удельный расход топлива, г/кВт·ч |    | Специфический расход топлива, г/кВт·ч               | Объемный расход топлива, л/ч |    |    |         |   |
| Автомобиль № 1202,<br>г. Ставрополь. . . . . | 22 | 350                         | 50             | 41               | 50                               | 50 | 55-65 (на асфальте),<br>40-55 (на грунте)<br>(макс) | 10-12                        | 50 | 50 | 700-750 |   |
| Автомобиль № 1120,<br>г. Иркутск . . . . .   | 21 | 350                         | 78             | 22               | 40                               | 40 | 55 (на асфальте),<br>40 (на грунте)                 | 10-12                        | 50 | 50 | 700-750 |   |
| Автомобиль № 1111,<br>г. Орел . . . . .      | 21 | 350                         | 52             | —                | 55                               | 55 | 55-65 (на асфальте)                                 | 10-12                        | 50 | 50 | 700-750 |   |

Note: Servicing intervals: TO-1 every 1600-2000 km; TO-2 every 6000-8000 km [TO: Technical maintenance].  
 KEY: (a) fleet; (b) number of vehicles; (c) road characteristics; (d) length, km; (e) concrete, %; (f) asphalt, %; (g) traprock and gravel, %; (h) load, tons; (i) speed, km/h; (j) technical average; (k) top; (l) average daily mileage, km; (m) convoy No. 1202, Stavropol'; (n) 55-65 (on asphalt), 40-55 (on mountain and traprock roads); (o) convoy No. 1120, Fskov; (p) 51 (on asphalt), 40 (on gravel); (q) convoy number 1141, Orel; (r) 57-65 (on asphalt).

had not been reached. However, the bearing inserts of almost all vehicles were replaced after 100-150 thousand km in order to prolong crankshaft life.

Piston rings were replaced at mileages of less than 150 thousand km on only 13 engines of the Stavropol' fleet, in order to ensure full performance for the tire tests.

The following work was done at the end of the tests to rate the use properties of the oil:

- visual inspection of engine parts to determine the detergent, antioxidant, anticorrosion and low-temperature properties of the oil;
- micrometer measurements on engine parts to determine antiwear properties;
- analysis of the used oils, to permit determination of quality changes during use and adjustment of the recommended

oil-change intervals.

# TEST RESULTS

**Condition of engines.** It was established on visual inspection to determine engine condition that AS-8 oil with VNI NP-360 additive has satisfactory detergent properties. Varnish on the cooled areas of the pistons came to 5-6 points on the PZV scale. The rest of the piston-skirt surface was coated with varnish ranging in color from yellow to dark reddish brown. No burning of the rings was observed on any of the engines inspected, and the combustion-chamber carbon deposits were insignificant. The anticorrosion properties of the oil were evaluated from the surface condition of the bearing-insert anti-friction layer. There were no traces of corrosion damage on any of the inserts inspected, which indicates that the oil has satisfactory anticorrosion properties.




Fig. 1. Average value of maximum wear for four ZIL-130 engines after 135 thousand kilometers.

KEY: (a) distance from top plane of block, mm; (b) wear, mm; (c) wear, mm; (d) wear, mm.

The small amounts of gum on the engine parts and the insignificant amounts of low-temperature deposits (sludge) that were formed indicate that AS-8 oil has fully satisfactory antioxidant and low-temperature properties.

A highly important advantage of the VNI NP-360 additive established during the tests is that it shows little tendency to form barium-salt deposits on the engine's exhaust valves.

**Engine wear.** The antiwear properties of AS-8 oil with VNI NP-360 additive were determined by micrometer measurements on parts of 24 engines after 57-213 thousand kilometers.

Cylinder-sleeve wear after accumulation of up to 200 thousand km did not exceed 4.1 mm for most of the engines; here the average was considerably lower than in the ZIL-120 engine, which has a chromium-plated upper compression ring and whose cylinder sleeves wear at 4.5 mm/1000 km.

During the tests, the cylinder sleeves of the ZIL-130 engines showed comparatively uniform wear over their entire height (Fig. 1), an observation that can be explained by the favorable running conditions (long distances without stopping, high speeds, good roads), by the use of a NI-Resist insert in the top of the sleeve, and by the good antiwear properties of the oil.

The effectiveness of using engine oils with high-quality multifunctional additives has also been affirmed by foreign investigators.

Thus, K. English [1] reports that when an engine was run on HD oil (which corresponds to AS-8 oil with the VWII WP-360 additive) at a coolant temperature of 80°C, sleeve and piston-ring wear is reduced by a factor of approximately 5 by comparison with the wear observed when the engine is run on plain oil (without additives).

Piston-ring-wear data for 11 engines are given below.

| Engine mileage, thousands of km | Wear $\mu$ (per 10 thousand km) |
|---------------------------------|---------------------------------|
| 57-89.....                      | 0.0029-0.020                    |
| 108-147.....                    | 0.5-2.5                         |
| 150-213.....                    | 1.3-9.8                         |
|                                 | 1.4-4.7                         |

Crankshaft wear was determined on the connecting-rod journals for 24 engines and on the main-bearing journals for 12 engines. The connecting-rod journals were measured with the engines partly and completely dismantled, and the main bearings only after full disassembly. The results of the micrometer measurements are given in Table 2.

Table 2. Main- and Connecting-Rod Journal Wear in ZIL-130 Engine

| Type of engine | Basic parts, mm |       |                |       |              |       |
|----------------|-----------------|-------|----------------|-------|--------------|-------|
|                | Crankshaft      |       | Connecting-rod |       | Main-bearing |       |
|                | d               | f     | d              | f     | d            | f     |
| 1. No 103      | 0.010           | 0.030 | 0.010          | 0.030 | 0.007        | 0.007 |
| 2. No 104      | 0.010           | 0.030 | 0.010          | 0.030 | 0.007        | 0.007 |
| 3. No 20       | 0.010           | 0.030 | 0.010          | 0.030 | 0.011        | 0.011 |

KEY: (a) mileage, km; (b) journal wear, mm; (c) main bearing; (d) minimum; (e) maximum; (f) average; (h) connecting-rod bearing; (i) less than.

The wear of the connecting-rod bearing inserts at a vehicle mileage of 135 thousand km averaged 0.0065 mm, and the main-bearing insert wear 0.008 mm.

Over the indicated vehicle mileage, the average clearance between the crankshaft connecting-rod journal and the inserts with the connecting-rod assembled came to 0.073 mm, and 0.075 mm for the main bearings (the acceptable clearances for new engines are 0.026-0.065 mm).

The wear of other engine parts (connecting rod upper end, camshaft, valves, rockers, lifters, etc.) was insignificant, and it was unnecessary to replace these parts before 200 thousand km.

**Oil consumption.** As we know, oil consumption depends on a number of factors. K. Dzhorzhii [Georgi] [2] notes the following basic causes of increased oil consumption:

- mechanical trouble - wear of piston-ring grooves and damage to the piston skirt; ring wear, loss of ring resiliency, seating of rings in grooves too tight or too loose; burning of the compression rings or plugging of slots in oil-control rings; wear, scoring or scratching of the honed cylinder surface, etc.;
- operating conditions - high oil level, dilution of oil with fuel due to carburetor misadjustment or low temperature in the engine's cooling system; driving speed;
- oil quality - volatility, viscosity index, etc.

The above indicates how difficult it is to establish operating oil-consumption norms.

In these tests, oil consumption was recorded on the basis of the amounts drained at changes and the amounts added to replace burnoff during use.

The oil-burning rate changed insignificantly as a function of engine mileage. Thus, the average oil-burning rate was 0.3 liter/100 km up to 50 thousand km and 0.45 liter/100 km to 100 thousand km. For mileages up to 150 thousand km, oil consumption came to 0.35 liter/100 km, which is probably to be explained by piston-ring changes on some of the engines. The average consumption rate rose again to 0.4 liter/100 km as the vehicles accumulated 200 thousand km.

Control trips were taken periodically in all fleets to verify and adjust the specific oil-burnoff figures. Figure 2 shows average oil-burnoff values from control trips with nine vehicles that had accumulated 150-180 thousand kilometers. It follows from these data that as vehicle speed is increased from 45 to 75 km/h, the oil burnoff rate increases by a factor of 2, and by a factor of 4 when the speed is increased from 45 to 95 km/h.

The average oil-consumption figures indicated above are confirmed quite accurately by the data obtained in the control trips.

Table 3 presents over-all operating fuel- and oil-consumption figures. On the basis of these results, taking into consideration that normal vehicle operating conditions are different (short-haul runs, city traffic, extended or full-time trailer hauling, less highly qualified servicing), and the




Fig. 2. Influence of vehicle speed on oil consumption.  
KEY: (a) oil consumption, liters/100 km; (b) speed, km/h.

While the fresh oil contains no organic acids, its acid number rises to 0.44 mg of KOH/g.

The total mechanical-impurity content rises to 0.55%. This comparatively low figure indicates effectiveness of oil cleaning

consequent higher consumption, we would recommend lowering the oil-consumption norms for the ZIL-130 engine to 2.5% of the amount of gasoline from 3.5%, which is the value presently in force for carburetor engines.

**Change in quality of oil and the oil-change interval.** To establish rational oil-change intervals, oil specimens were taken for analysis during the tests. The analytical results showed that when the oil is changed at less than 8000 km, its 50°C viscosity has increased to 47 cst (vs. 42 for fresh oil). In some cases, fuel leakage into the crankcase during winter lowers the viscosity to 35 cst.

by the centrifugal final filter. The inorganic part of total impurities does not exceed 0.2%.

Analysis to determine the additive content in the oil indicated that the barium content had dropped by 35-40% and the zinc content by an average of 50%.

Thus, AS-8 oil with VNI NP-360 additive exhibits adequate antiwear, antioxidant and other operational properties and ensures dependable operation of ZIL-130 engines with the specified oil-change interval (every 4-8 thousand km) depending on operating conditions.

The results obtained on aging of the oil in the engines at long (up to 200 thousand km) mileages confirm the correctness of the recommended oil-change interval.

### Conclusions

1. AS-8 oil with VNI NP-360 additive, produced according to GOST 10541-63, has operational indicators that meet the requirements of a heavily loaded high-speed ZIL-130 engine.

2. In operation on AS-8 oil with additives, the parts of ZIL-130 engines show satisfactory wearability after up to 200 thousand km.

3. The oil-consumption [norm] for ZIL-130 engines can be lowered to 2.5% (on the fuel).

### References

1. Englin, K., *Porshnevyye kol'tsa* (Piston rings), Vol. 2, Mashgiz, 1963.
2. Ezhardzhi, K., *Motornyye masla i smazka dvigatelya* (Motor oils and engine lubrication), Gostoptekhizdat, 1959.

Table 3. Over-All Operational Fuel- and Oil-Consumption Figures

| A<br>Automobiles    | B<br>Fuel consumption, l/100 km |      | C<br>Oil consumption, l/100 km |      | D<br>Actual average fuel consumption, l/100 km |      | E<br>Actual average oil consumption, l/100 km |      | F<br>Actual average fuel consumption, l/100 km |     | G<br>Actual average oil consumption, l/100 km |     |
|---------------------|---------------------------------|------|--------------------------------|------|------------------------------------------------|------|-----------------------------------------------|------|------------------------------------------------|-----|-----------------------------------------------|-----|
|                     | (a)                             | (b)  | (c)                            | (d)  | (e)                                            | (f)  | (g)                                           | (h)  | (i)                                            | (j) | (k)                                           | (l) |
| 1. Avtomobil № 1202 | 45.2                            | 0.13 | 0.44                           | 0.52 | 0.57                                           | 0.65 | 1.25                                          | 1.4  |                                                |     |                                               |     |
| 2. Avtomobil № 1120 | 36.8                            | 0.13 | 0.48                           | 0.54 | 0.61                                           | 0.67 | 1.06                                          | 1.32 |                                                |     |                                               |     |
| 3. Avtomobil № 1144 | 35.4                            | 0.13 | 0.39                           | 0.45 | 0.52                                           | 0.58 | 1.47                                          | 1.61 |                                                |     |                                               |     |
| 4. Avtomobil № 1120 | 45.4                            | 0.13 | 0.56                           | 0.65 | 0.69                                           | 0.73 | 1.52                                          | 1.72 |                                                |     |                                               |     |

KEY: (a) fleet; (b) actual average fuel consumption, liters/100 km; (c) oil consumption with 6000-km changes, liters/100 km; (d) change; (e) added; (f) average; (g) maximum; (h) oil consumption, liters/100 km; (i) oil consumption, % on fuel; (j) convoy No. 1202; (k) convoy No. 1120; (l) convoy No. 1141, Orei; (m) "Livadiya" fleet, Crimea.

with consideration of the distinctive operating conditions of tractor diesels and the application of supercharging. The technical data of the engine are given below.

|                                                             |             |
|-------------------------------------------------------------|-------------|
| GOST designation.....                                       | 884tt       |
| Effective power $P_e$ , hp.....                             | 210         |
| Crankshaft speed $n$ , rev/min.....                         | 1700        |
| Cylinder bore, $D$ , mm.....                                | 130         |
| Stroke $S$ , mm.....                                        | 140         |
| Number of cylinders $i$ .....                               | 8           |
| Average effective pressure $P_e$ , kg/cm <sup>2</sup> ..... | 7.5         |
| Average piston speed $C_p$ , m/s.....                       | 7.95        |
| Displacement $V_h$ , liters.....                            | 14.86       |
| Fuel consumption $G_e$ , g/(ehph).....                      | 170         |
| Oil capacity $V$ , liters.....                              | 32          |
| Oil consumption, % on fuel.....                             | not above 2 |

The bench tests of the oils consisted of two stages: - 240-hour short tests without changing the oil for preliminary evaluation and 800-hour extended tests with an oil change after 120 h.

The conditions of each test according to GOST 491-75 are given below.

|                      |      |      |      |      |
|----------------------|------|------|------|------|
| Shaft speed, rev/min | 1700 | 1300 | 1700 | 1700 |
| Load, hp             | none | 180  | 210  | none |
| Time, min            | 10   | 10   | 210  | 10   |

The indicators taken for evaluation were: quantity of deposits on piston-group parts, freedom of piston rings, piston-ring wear (based on weight loss), state of exhaust-valve seating surfaces, extent of clogging of centrifuge rotor chamber (RW's reaction-type oil centrifuge), and the changes in the physico-chemical properties of the oil, especially alkalinity. The degree of piston-group fouling was also determined by the point system.

Diesel fuel containing 1% sulfur was used in all tests. The base oil was DS-11. A list of the oils given short-term tests and the principal results are given in Table 1.

We may conclude from the data of Table 1 that all of the experimental additive oils ensure good piston-ring mobility, but differ substantially as regards their detergent and dispersing properties.

The poorest results as regards piston-group and centrifuge-rotor deposits were obtained in the tests of oil with 6 and 8% of VMII NP-360 additive.

Series 1 oils with the domestic additives ensure satisfactory cleanliness of the engine parts and appear to be substantially superior to VMII NP-360 additive.

#### TEST RESULTS FOR OILS WITH ADDITIVES USED IN THE YAPZ-238NB ENGINE

N.I. Sigal, Ye.P. Slabov, V.N. Yefremov, G.M. Gusev,  
G.P. Belyanchikov, I.A. Traktovenko, I.A. Kholomonov  
and N.V. Yershov

The Yaroslavl Engine Works has developed and put into production a new series of V-type, four-stroke diesels with outputs ranging from 180 to 520 hp, including supercharged versions. Use of the four-stroke cycle with compression ignition has made it possible to produce inexpensive engines with high wear resistance of their parts and good starting. The V-type cylinder arrangement is used as the basis for the small, compact powerplants. The engine designs provide for maximum interchangeability of parts and subassemblies. It was noted in elaboration of the designs and testing of the new engines on diesel oil with TSIAPIIM-339 [TSIAPIIM: Central Scientific Research Institute of Aviation Fuels and Lubricants] that this oil does not meet their requirements. It was therefore necessary to find oils for the four-stroke diesels, and especially for the supercharged models used in the K-700 tractors. Although satisfactory results had been obtained in preliminary tests of oil with the VMII NP-360 additive in the YAMZ-236 engine [YAMZ: Yaroslavl Engine Works], further experience in the operation of K-700 tractors with YAMZ-238NB engines showed that this oil does not ensure stable operation of the piston group.

An extensive battery of tests was carried out with the YAMZ-238NB engine (a four-stroke V-type eight-cylinder diesel with direct fuel injection) in order to establish quality requirements for the oils and select additives for the YAMZ engines

Table 1. Results of Short-Term Oil Tests

| а. Нагрузки                                        | Условия<br>испытания       | Вязкость,<br>сПз | Средняя<br>температура,<br>градусов<br>Сельсия | Средняя<br>температура,<br>градусов<br>Фаренгейта | Средняя<br>температура,<br>градусов<br>Ранкина | Средняя<br>температура,<br>градусов<br>Ранкина | Средняя<br>температура,<br>градусов<br>Ранкина | Средняя<br>температура,<br>градусов<br>Ранкина | Средняя<br>температура,<br>градусов<br>Ранкина |
|----------------------------------------------------|----------------------------|------------------|------------------------------------------------|---------------------------------------------------|------------------------------------------------|------------------------------------------------|------------------------------------------------|------------------------------------------------|------------------------------------------------|
| 1. ДС-11 + 0.25% Сантолуб-493 +<br>+ 4% Монто 913  | Серия 1<br>к               | 0.20             | 24.5                                           | 9.8                                               | 0.14                                           | 1250                                           |                                                |                                                |                                                |
| 2. ДС-11 + 0.25% Сантолуб-493 +<br>+ 4% Монто 913  | 6% ВНИИ НП-360             | 0.35             | 39.0                                           | 44.2                                              | 0.04*                                          | 2000                                           |                                                |                                                |                                                |
| 3. ДС-11 + 0.25% Сантолуб-493 +<br>+ 4% Монто 913  | 8% ВНИИ НП-360             | 1.25             | 37.5                                           | 16.2                                              | 0.06*                                          | 2100                                           |                                                |                                                |                                                |
| 4. ДС-11 + 0.25% Сантолуб-493 +<br>+ 4% Монто 913  | 5% ВНИИ НП-370             | 0.70             | 22.5                                           | 6.4                                               | 0.27                                           | 1035                                           |                                                |                                                |                                                |
| 5. ДС-11 + 0.25% Сантолуб-493 +<br>+ 4% Монто 913  | ЦНАТИН-339 +<br>+ ПМС-200А | 0.70             | 18.0                                           | 4.1                                               | 0.22                                           | 760                                            |                                                |                                                |                                                |
| 6. ДС-11 + 0.25% Сантолуб-493 +<br>+ 4% Монто 913  | 3% БашНИИ-2                | 1.05             | 21.0                                           | 7.66                                              | 0.215                                          | 1000                                           |                                                |                                                |                                                |
| 7. ДС-11 + 0.25% Сантолуб-493 +<br>+ 4% Монто 913  | 5% БФК                     | 0.47             | 23.0                                           | 7.9                                               | 0.18                                           | 2700                                           |                                                |                                                |                                                |
| 8. ДС-11 + 0.25% Сантолуб-493 +<br>+ 4% Монто 913  | 1. Серия 2<br>к            | 1.50             | 21.5                                           | 9.0                                               | 0.22                                           | 1500                                           |                                                |                                                |                                                |
| 9. ДС-11 + 0.25% Сантолуб-493 +<br>+ 4% Монто 913  | 11% ВНИИ НП-370            | 1.50             | 24.0                                           | 9.4                                               | 0.23                                           | 1500                                           |                                                |                                                |                                                |
| 10. ДС-11 + 0.25% Сантолуб-493 +<br>+ 4% Монто 913 | АСК + МАСК                 | 0.85             | 13.5                                           | 3.5                                               | 0.32                                           | 570                                            |                                                |                                                |                                                |
| 11. ДС-11 + 0.25% Сантолуб-493 +<br>+ 4% Монто 913 | у Рундза                   | 1.0              | 4.9                                            | 4.1                                               | 0.25                                           | 600                                            |                                                |                                                |                                                |

\*Chromium-plated rings.

KEY: (a) products; (b) type designation of oil; (c) ash content of oil, %; (d) over-all sealing on piston, points; (e) amount of scale on piston and rings, g; (f) wear of top ring, g; (g) deposits in RWIS over test period, g; (h) DS-11 + 0.25% Santolube 493 + 4% Монто 613; (i) series 1; (j) DS-11 + 5% ВНИИ НП-360 + 0.003% ПМС-200А; (k) 6% ВНИИ НП-360; (l) DS-11 + 8% ВНИИ НП-360 + 0.003% ПМС-200А; (m) DS-11 + 5% ВНИИ НП-370 + 2% ПМС-200А; (n) DS-11 + 5% ВНИИ НП-370 + 3% ТСАТИН-339 + 2% ПМС-200А; (o) ТСАТИН-339 + ПМС-200А; (p) ДА-11 + 3% БашНИИ-3 + 1% ПМС-200А; (q) 3% БашНИИ-2; (r) Д-11 + 5% БФК + 2% БФ-3 + 0.005% ПМС-200А; (s) 5% БФК; (t) DS-11 + 0.7% Сантолуб 493 + 9% Монто 613; (u) Series 2; (v) DS-11 + 11% ВНИИ НП-370 + 4% ПМС-200А; (w) ДА-11 + 3% АСК + 3% МАСК + 1.2% ПМС-200А; (x) АСК + МАСК; (y) Рундза.

Series 2 oils with Monsanto additives, 11% ВНИИ НП-370, and other additives are no better than the Series 1 oils as regards formation of scale and varnish on the piston group and the amounts of ash deposits in the combustion chamber (exhaust valves, piston heads). The smallest amounts of deposits were observed for

Table 2. Fouling of Pistons after Long-Term Tests

| а. Условия<br>испытания | б. Вязкость,<br>сПз | в. Средняя<br>температура,<br>градусов<br>Сельсия | г. Средняя<br>температура,<br>градусов<br>Фаренгейта | д. Средняя<br>температура,<br>градусов<br>Ранкина | е. Средняя<br>температура,<br>градусов<br>Ранкина | ж. Средняя<br>температура,<br>градусов<br>Ранкина | з. Средняя<br>температура,<br>градусов<br>Ранкина | и. Средняя<br>температура,<br>градусов<br>Ранкина | к. Средняя<br>температура,<br>градусов<br>Ранкина |
|-------------------------|---------------------|---------------------------------------------------|------------------------------------------------------|---------------------------------------------------|---------------------------------------------------|---------------------------------------------------|---------------------------------------------------|---------------------------------------------------|---------------------------------------------------|
| 6% ВНИИ НП-360          | 800                 | 59                                                | 31.5                                                 | 6.6                                               | 11.2                                              | 47.8                                              | 1000                                              |                                                   |                                                   |
| 8% ВНИИ НП-360          | 800                 | 57                                                | 28                                                   | 5.7                                               | 13.5                                              | 21.2                                              | 790                                               |                                                   |                                                   |
| 5% ВНИИ НП-370          | 800                 | 24                                                | 15                                                   | 5.4                                               | 6.1                                               | 4.8                                               | 370                                               |                                                   |                                                   |
| 5% ВНИИ НП-370          | 1200                | 33                                                | 21                                                   | 4.7                                               | 6                                                 | 9.17                                              | 410                                               |                                                   |                                                   |
| 5% ВНИИ НП-370          | 1000                | 35.0                                              | 24.5                                                 | 4.8                                               | 1.9                                               | 11.8                                              | 470                                               |                                                   |                                                   |
| 5% ВНИИ НП-370          | 800*                | 39                                                | 23                                                   | 5.1                                               | 2.5                                               | 12.54                                             | 1190                                              |                                                   |                                                   |
| 1 ЦНАТИН-339 + ПМС-200А | 800                 | 25.5                                              | 16.1                                                 | 4.3                                               | 6                                                 | 7.9                                               | 330                                               |                                                   |                                                   |

\*Oil-change interval 240 hours, elsewhere 120 hours.

KEY: (a) type designation of oil; (b) test time, hours; (c) piston scaling, points; (d) total; (e) including; (f) on groove; (g) on skirt; (h) on drainage holes and in slots of oil-control rings; (i) amount of scale on piston and rings, g; (j) deposits in RWIS during test period, g; (k) 6% ВНИИ НП-360; (l) ТСАТИН-339 + ПМС-200А.

operation on low-ash series 2 oils with АСК and МАСК additives and with the imported Rimula oil, and the piston-group components were cleaner by factors of 1.5-2 than after running on Series 1 oils. Ring wear was slight during the test period and practically the same for the various samples, except for the oils with АСК and МАСК additives, which permitted increased wear of the first compression ring.

Oils that had produced encouraging results in the short-term tests were given long-term tests, along with oils containing 6 and 8% of the ВНИИ НП-360 additive, which are currently recommended for K-700 tractors.

Table 2 presents piston-group fouling ratings from the 800-hour tests; they confirmed the data of the short tests in indicating unsatisfactory detergent properties for oils with 5 and 8% of ВНИИ НП-360 additive.

As we see from Table 2, increasing the additive concentration from 6 to 8% does not reduce the amount of scale formed, as indicated by the approximately identical over-all scaling ratings - 59 and 57 points, respectively, in the long-term tests and 39 and 37.5 points for the short tests. It was also noted that the top oil-control rings were less mobile and that the amount of deposits in the ring grooves and on the piston skirts was larger.

It was established in 800-hour tests on oils with ВНИИ НП-360 additive that the drainage holes in the pistons and the

blots of the oil-control rings were 60-70% filled with carbon deposits, which might interfere with normal operation of the piston group if the engines were run any further. Also noted in operation on these oils was considerable fouling of the engine crankcase, clogging of the centrifuge roller and the sections of the coarse filter. Table 3 gives the results of the long-term tests.

### Table 3. Wear of Parts After Long-Term Tests

| Условные обозначения изделий | b<br>Длина<br>изделия,<br>мм | c Период в секунды       |                           |                           |                           | f<br>Число, мм | I<br>Глубина<br>изделия,<br>мм |
|------------------------------|------------------------------|--------------------------|---------------------------|---------------------------|---------------------------|----------------|--------------------------------|
|                              |                              | d<br>сечение<br>по длине | e<br>сечение<br>по ширине | g<br>сечение<br>по высоте | h<br>сечение<br>по ширине |                |                                |
| 5% ВНИИ НИ-360               | 800                          | 0,205                    | 0,31                      | 11                        | 38                        | 12             |                                |
| 8% ВНИИ НИ-360               | 800                          | 0,172                    | 0,29                      | 14                        | 43                        | 10             |                                |
| 5% ВНИИ НИ-370               | 800                          | 0,46                     | 0,73                      | 35                        | 25                        | 11             |                                |
| 5% ВНИИ НИ-370               | 1200                         | 0,68                     | 1,1                       | 56                        | 38                        | 5              |                                |
| 5% ВНИИ НИ-340               | 1000                         | 0,57                     | 0,965                     | 49                        | 38                        | 8              |                                |
| 5% ВНИИ НИ-300               | 800*                         | 0,42                     | 0,64                      | 39                        | 38                        | 11             |                                |
| 5% ВНИИ НИ-300               | 800                          | 0,72                     | 1,02                      | 60                        | 44                        | 11             |                                |


\*Oil change interval 240 hours.

KEY: (a) type designation of oil; (b) test time, hours; (c) weight loss; (g) first ring; (e) set of rings; (d) first ring, height dimensions; (h) first piston groove; (i) sieve; (j) 6% VNI NP-360; (k) TSATIN-330 + PMS-VA.

Satisfactory results were obtained from tests of Series 1 oils with 5% of VNII NP-370 and with the TSIATIM-339 and PMSiya additives.

In 800-hour tests, oils with 5% VNI NP-370 preserved full piston-ring mobility and moderate piston-group point ratings; the drainage holes were practically clean and there were only small deposits in the centrifuge. The test time for this oil was increased to 2000 and then to 3000 h for the same engine, with the parts checked for cleanliness and then cleaned after each test stage. With increasing engine running time, we note an increase in the fouling of parts as the piston group wears. Then 800-hour tests were conducted with a 240-h oil-change interval, with the result that sealing on the piston group increased to 39 points, while the amount of sludge increased from 8.6 to 12.9 g. Even in this case, however, the parts were cleaner than after operation on oil with VNI NP-360 additive.

Oil with 6 and 8% of the VNI NP-360 additive indicated superior antiwear properties in the long-term tests. Some increase in the wear figures was noted after operation on oil with the additive TsIATM-139 + PMS-Ya (see Table 3).



### Change in alkalinity of oil:

- 1) ASK + MASK; 2) 5% VNII NP-373;  
3) Series 1; 4) TsIATIM-339 + PMS-Ya;  
5) BashNII-2; 6) BPK + SB-3; 7)  
8% VNII NP-360; 8) 6% VNII NP-360.

KEY: (a) alkalinity, mg of KOH/l.  
(at pH = 4); (b) acidity, mg of KOH/g  
(at pH = 4).

Oil quality (apart from detergent and antiwear properties) was also evaluated from the chamfer-surface condition of the exhaust valves, which were made from EI-69 steel (both without facing of the chamfer and with a VZK-alloy facing). It was found after the tests that the built-up valve chamfers were in a better condition than the unfaced chamfers for all of the oils.

It should be noted that formation of a glasslike film on the unvalves (both faced and unfaced types) had been noted previously in a number of cases. The gases are usually pulled into cracks and pits in this film, occasionally burning valves.

This glasslike film on the valves was not observed in our tests of oil with VNII NP-360 additive.

The problem of glass-film formation on the exhaust-valve chamfers in operation on oils with certain additives requires special study.

Particular attention was devoted to the change in the oil's neutralizing properties in analyzing the oils during these tests.

For this purpose, the alkalinity of the crankcase oil was determined during the testing process. The figure shows the analytical results. Alkalinity drops off most sharply in the oil with 6% of VNI NP-360. With this specimen, strong acids were detected even after 60 hours of operation, and their content subsequently increased. Increasing the additive concentration to 8% had little influence on the neutralizing-property change.

Oil with 5% of the additive VNI NP-370 has the largest alkalinity reserve. Oil with the combined additives TSATIM-339 + PMS'Ya has almost the same alkalinity. The alkaline properties are retained in these oils until they are drained; in other oils of Series 1, high acidity is found after as little as 120 hours of operation. Series 2 oils retained their alkaline properties to the end of the test.

The figure shows that the alkalinity of the oil drops most rapidly during the first few hours of operation, and that this drop is more abrupt in the oils with the VNI NP-360 and BPA + SE-3 additives. Oil alkalinity then stabilizes as a result of addition of fresh oil and filtering out of the oxidation products. The data plotted in the figure are in good agreement with the results of engine-parts inspection after the tests.

#### Conclusions

1. It was established by the tests that the best oil for the YaMZ-238NB engine is the Series 1 oil with 5% VNI NP-370, 2% PMS'Ya, 0.5% LZ-23k and 0.005% PMS-200A. This oil was recommended for field testing.
2. Oil with the TSATIM-339 + PMS'Ya additive, whose properties resemble those of the Series 1 oils, is also recommended for use testing.
3. Rather heavy deposits are formed on the piston group, in the centrifuge rotor, and in the engine crankcase when the engine is run on oil with the VNI NP-360 additive; this additive does not meet the requirements for dependable operation of the engine on sulfur-containing fuels.
4. Operating experience and the data obtained show that different batches of oil with the VNI NP-360 additive differ in quality. The physicochemical indices stated in the report do not give a complete picture of the motor properties of the oil. It is therefore necessary to formulate and introduce into the GOST quick oil-property motor-rating methods, so that the refineries will be able to indicate their results on the tags accompanying the oil.

#### EFFECTIVENESS OF USING ADDITIVES IN HYDRAULIC-COUPLING OILS FOR PASSENGER AUTOMOBILES

O.S. Obieukhova and M.M. Kryucheshnikova

The operating conditions of the oil used in motor-vehicle hydraulic transmissions - automatic transmissions and torque converters, power-steering gear, etc. - are characterized by: a broad temperature range (from -60°C for vehicles used in the northern regions to +130°C); high specific pressures; small clearances (especially in automatic transmission controls); by the presence of parts containing substantial amounts of copper (up to 60% in sintered brakebands); by contact with rubber gaskets and hoses.

None of the mineral oils can guarantee dependable long-term service from these units, since these oils cause increased wear and formation of deposits that interfere with operation of the automatic controls and other assemblies.

VNI NP-1 oil, which is made by using polyisobutylene to thicken a light deep-refined and deparaffinated oil with DP-1, phenyl-n-naphthylamine, and VNI-SK additives, is produced at the present time for passenger-car automatic transmissions. These additives are used to improve the viscosity, antiwear, anticorrosion, antifouling and antioxidant properties. The quality indicators of this oil are given in Table 1.

User experience with VNI NP-1 oil has indicated that its quality must be improved, since the test consignments of the oil had a pour point of minus 40°C, while the standard specifies minus 35°C and commercial consignments pour at minus 32°C. Use

(Motors) oils developed abroad for the same application were tested in it at various temperatures:-

It was established that sediment forms after 21 hours of 160°C oxidation of VMIL NP-1 oil, and that it amounts to 1.46% after 50 hours, while sediment forms in the imported oils only after 177-182 hours.

A copper plate with the same dimensions as the lead plate was used in determining the corrosive aggressiveness of oils in the VMAMI DK-2 machine was used as a catalyst. This made it possible to shorten the testing time significantly (by 30-40%) and to assess the influence of the oil on the copper plate. The following method of evaluating the stability of oils used in hydraulic systems was selected on the basis of a series of tests: after oxidation in the VMAMI DK-2 device for 60 hours at 160°C in the presence of the copper plate, the oil may not form sediment even on subsequent solution in ten times the amount of isooctane (or petroleum ether) and storage of the solution for 24 hours. Formation of a black film that cannot be rubbed off the copper plate is unacceptable.

| температура 72 °C и выше 130 °C, % . . . | $\pm 2.0$ | $\pm 0.5$ |
|------------------------------------------|-----------|-----------|
| 1                                        | 1         | 1         |

thickened base of oil VNI NP-1 + MASK + DP-11; (d) MAU spindle oil + MASK + DP-11; (e) viscosity, est; (f) pour point, °C; (h) copper-plate corrosion in 3 hours at 100°C; (i) temper color; (j) none; (k) thermal oxidation stability in DK-2 machine; (l) sediment, %; (m) acid number, mg of KOH/g of oil; (n) reaction; (o) weakly alkaline; (p) neutral; (q) tests on ChShM-3; (r) seizing load, kg; (s) welding load, kg; (t) OPI [generalized wear index]; (u) swelling of type 78 rubber in 72 hours at 130°C, %.

of the oil is limited by its high viscosity at low temperatures.

The oil has excessive corrosive aggressiveness toward copper. Copper-plate tests at the operating temperatures of the oil (110-130°C) indicate the formation of a black, loosely attached film that accelerates part wear. The oil has inadequate antioxidant stability, and this makes it necessary to change it at least every 26 thousand kilometers.

The method employed by GOST 10660-63 for rating the stability of oil in the VTI [All-Union Heat Institute] machine does not characterize the behavior of the oil in use; neither does holding the oil at 140°C for 24 hours, in both cases because of the mild oxidation conditions.

-31-

Use of the test oil without changes for 55 and 100 thousand km kept the transmissions running normally. When the units were disassembled, no oil-oxidation products could be detected in the form of gummy deposits, varnishes, etc., either in the automatic control unit (control panel, reduction-valve panel, housing of centrifugal spool) or on other hydraulic-transmission or torque-converter parts. There was 5-6 g of sludge in the bottom of the case after 50 thousand km, and it consisted basically of inorganic impurities.




Fig. 1. Changes in additive-component contents, acid number and total impurities in oil as a function of engine mileage. 1) test oil; 2) VNII NP-1 oil. KEY: (a) total impurities, %; (b) acid number, mg of KOH/g of oil; (c) barium, calcium and zinc contents in oil, %; (d) milled oil, thousands of km.

When the transmissions were run with VNII NP-1 oil, there were ~20 g of sludge deposits at 25 thousand km. Sludging was also observed in the passages of the panel case and in the reduction valves, in some cases causing them to stick.

No parts of the hydraulic transmissions run on the test oil showed deep scoring or temper colors. For the most part, the parts had worn by 0.01-0.015 mm after 93 thousand km; only on one part did the wear amount to 0.08 mm (as against a maximum acceptable wear of 0.2-0.3 mm).

The clutch is the basic element in determining the dependability and service life of a hydraulic transmission. In operation on the test oil, the wear of the sintered-metal clutch disks was practically nil, and no dark films formed on their surfaces. The test results indicated that the test oil is on a par as regards antiwear properties with the imported Shell Donax T-6. When VNII NP-1 oil was used, the sintered parts showed more rapid wear. Analysis of oil samples taken during the tests showed that the viscosity level dropped somewhat in both the commercial VNII NP-1 oil and in the test oil (by 3-4 cst at 50°C) as a result of destruction of the viscosity additive.

The oxidation-product content of the test oil (the organic part of the total impurities) was insignificant, and did not exceed 0.02-0.03% over the entire useful life of the oil (93 thousand km), while it was 0.54%, including 0.32% of asphaltene in the VNII NP-1 oil and the

inorganic part of the impurities (0.21%) contain a considerable amount of spent DF-1 additive. For this reason, the acid number of the oil decreased considerably (Fig. 1).

The concentration change of the MASK and DF-11 additives in the test oil during operation was insignificant (see Fig. 1).

The following conclusions may be drawn from the test results.

Introduction of the MASK, DF-11 and PMS-200A additives into the thickened VNII NP-1 oil base produces passenger-car automatic-transmission oils with good antiwear, anticorrosion, and antioxidant properties. The depressor properties of the oil can be improved by introducing 0.3-0.5% of polymethacrylate D.

The high stability of this oil makes it possible to increase the change interval substantially and reduce operating consumption. Even with changes at 50 thousand km, oil consumption is reduced by 40-45% by comparison with the commercial VNII NP-1 oil.

**Power-steering oil.** The oil used in automatic transmissions and torque converters is usually also used in power-steering systems. Good viscosity-temperature properties in this oil are especially important during starting of the engine and steering-booster pump. VNII NP-1 oil is fully adequate for passenger automobiles, but its viscosity-temperature properties have been found unsatisfactory for trucks and buses, which are generally parked outdoors.

It was established by special tests run on 21L-130 vehicles that at air and pump-oil temperatures of minus 5°C, the oil temperature is raised to minus 40°C during the prestart warmup of the engine, and then reaches 0°C within 1-2 min after the pump has started. Under these conditions, normal operation of the pump can be ensured by use of an oil with a minus 4°C viscosity not above 15-18 thousand cst and a pour point below minus 45°C.

It should be noted that use of AGM and AWG-40 light commercial oils, which have good viscosity-temperature properties, results in increased wear of parts.

The viscosity of the oil is lowered when VNII NP-1 oil is used in the steering hydraulic booster; after 4 thousand km, the 50°C viscosity has fallen from 26 to 16-18 cst. This substantial viscosity drop is explained by destruction of the viscosity additive, which results both from the high running temperature of the oil (up to 130°C) and the incessant throttling (since the pump delivers 10 liters/min at 600 rev/min and the excess of oil is directed through the transfer valve when crankshaft speed changes).

Thus, acquisition of an oil with good operational properties requires: a base with good viscosity-temperature properties; a viscosity additive with high thermal and mechanical stability; an antiwear additive that ensures long service life and dependable operation of the power-steering gear in all of the country's climate zones; an antioxidant to provide a long oil-service life, and an antifoaming additive.

It is also necessary to consider the effect of the oil on rubber gaskets.

In developing the oil, we took as the base AMG-10 oil with various viscosity additives (Vinipol, polyisobutylene, polymethacrylate) and type AU spindle oil from Zhirnovsk petroleum.

The antiwear and antioxidant additives for these oils were first tested in various combinations on a friction machine and then checked on the DK-2 machine in order to obtain test specimens whose antiwear properties and stability would meet the specifications for automatic-transmission oils.

The following additive combinations were chosen: MASK (4%) and DP-11 (2.3%); chlorinated paraffin (5%) and MB-1 (1%).

Experimental specimens of the oils were given bench tests in steering-gear hydraulic booster pumps under the following forced conditions.

Running in: pump load 125 cycles in 1 min; oil pressure drop across system under various loads:  $P_1 = 10-20 \text{ kg/cm}^2$  for 10 hours, oil temperature  $115-125^\circ\text{C}$ ;  $P_2 = 10-45 \text{ kg/cm}^2$  for 10 hours, oil temperature  $115-125^\circ\text{C}$ . Pump shaft speed 3000 rev/min.

The normal operating regime of the pump differs only in having a higher pressure ( $10-55 \text{ kg/cm}^2$ ).

The tests lasted 150-200 hours. Each oil specimen was tested in four or five pumps.

The quality of the oils was evaluated from the change in their physicochemical constants and from the wear of the pump stator, characterized by the increase in its smallest diameter and its loss of weight (readings taken every 50 hours).

The oils were comparison-tested with commercial oils - spindle AU, AMG-10, VNII NP-1, and the imported Shell Donax T-6 oil.

#### TEST RESULTS

##### Antiwear Properties

The results of the pump stator wear readings are plotted in Figs. 2 and 3, from which we see that:

See page 39 for footnote.

stator wear reaches its limit (1.25 mm) after 100 hours of running on AMG-10 commercial oil;

on introduction of the chlorinated-paraffin and MB-1 additives into the thickened AMG-10 and spindle AU oil bases, no substantial decrease in stator wear is observed;




Fig. 2. Pump stator wear on various oils: 1) commercial AMG-10; 2) AMG-10 with poly-methacrylate, chlorinated paraffin, and MB-1; 3) AMG-10 with polyisobutylene, chlorinated paraffin and MB-1; 4) AU spindle oil; 5) AU spindle oil with chlorinated paraffin and MB-1.  
KEY: (a) wear, mm; (b) test time, hours.




Fig. 3. Pump stator wear on various oils: 1) AMG-10 with polyisobutylene, MASK and DP-11; 2) VNII NP-1; 3) AU spindle oil with MASK and DP-11.  
KEY: (a) wear, mm; (b) test time, hours.

on introduction of the MASK and DP-11 additives into these oils, wear is reduced substantially, especially in the case of spindle AU, where the wear ranges from 0.001 to 0.005 mm after 170 hours of testing;

after 160 hours, the wear of a stator run on VNII NP-1 commercial oil is 0.005-0.025 mm, while the same oil with the MASK and DP-11 additives gives 0-0.005 mm after 200 hours.

There is practically no stator wear when the imported Shell Donax T-6 oil is used. The best results as regards antiwear properties were obtained with the domestic MASK and DP-11 additives.

##### Viscosity Properties

The bench tests showed that the viscosity additives undergo considerable destruction. Figure 4 shows the changes in oil

viscosity during the tests.




Fig. 4. Change of oil viscosity as a function of test time. 1) commercial VNIIP-1; 2) VNIIP-1 with polyisobutylene, MASK and DP-11; 3) import type A; 4) spindle AU; 5) spindle AU with MASK and DP-11; 6) AMG-10 with Vinipol; 7) AMG-10 with polyisobutylene, chlorinated paraffin and MB-1; 8) AMG-10 with polyisobutylene, chlorinated paraffin and MB-1; 9) AMG-10 with polyisobutylene, chlorinated paraffin and MB-1.

KEY: (a) 50°C viscosity, cat; (b) test time, hours.

The total-impurity content is insignificant in all oils, ranging from 0.01 to 0.02%, with asphaltene completely absent from the filtered oil. The acid number of AU spindle oil rises from 0.04 to 0.15 mg of KOH/g, but in oils containing the MASK and DP-11 additives, it declines as the additives are depleted, from 1.26 to 1.11 mg of KOH/g. However, the color of the test oil did not change during the tests, indicating that it has good stability to oxidation.

The bench tests made it possible to recommend spindle oil AU with the MASK, DP-11, and PMS-200A additives for road testing in the country's various climate zones.

## Conclusions

1. Introduction of the MASK (~4%), DP-11 (~2.2%) and PMS-200A (0.005%) additives into oil improves their antiwear, antioxidant, anticorrosion, and antifoaming properties considerably, with the result that the dependability and service lives of automotive automatic transmissions and power-steering pumps are substantially improved.
2. The high antioxidant stability of oil with these additives makes it possible to use it 2-3 times longer and reduces operational oil consumption.

The greatest viscosity loss is observed when polymethacrylate (51.6%) and polyisobutylene (32.40%) are used; the viscosity decrease is smaller with Vinipol (19.4%). The viscosity level of the imported oil also falls by 30%.

Characteristically, the viscosity drops during the first few hours of operation, with some stabilization observed after 50 hours.

The viscosity of AU spindle oil rises slightly (by 0.39 cat at 50°C) as a result of formation of asphalt tars. The stability of the oil is raised by introduction of additives, so that its viscosity remains practically constant (0.09-0.2 cat at 50°C after 150 hours of testing).

These tests showed that commercial viscosity additives with molecular weights not below 10,000 should not be used in power-steering oils. Distillate oils such as spindle AU, which have lower viscosity levels at the working temperatures, lubricate the rubbing surfaces satisfactorily in the presence of antiwear additives.

The antioxidant stabilities of the oils cannot be determined conclusively from the results of bench tests because of their short duration (150-200 hours).

Footnote

<sup>1</sup>WP-1 additive (4,4-methylene-bis-2,6-tert-isobutyl-phenol).

COMBINATION OF ASH-FORMING AND POLYMERIC ASH-FREE ADDITIVES  
IN MOTOR OILS AS A WAY TO FURTHER QUALITY IMPROVEMENT

Ye.G. Semenko, I.A. Traktovenko, N.V. Shebegoletskaya,  
M.A. Senichkin, A.S. Lozar' and V.I. Sharapov

As we know, only metal-containing organic compounds (ashing additives), and especially calcium and barium alkylphenolates and their sulfur- and phosphorus-containing derivatives, are used as detergent, dispersing, anticorrosion and antioxidant additives to motor oils produced by the domestic petroleum industry. Sulfonates of alkaline-earth metals and zinc dialkyl-dithiophosphates are also used.

Depending on application, motor oils may contain 6-10% and more of these ashing additives. However, when engines are run on oils containing large amounts of ashing additives, their rubbing parts, and especially their cylinder-piston groups, wear rapidly. This wear is a consequence of carbonization of the oils in hot areas of the engines, with formation of the oxides of the metals.

The "hotter" and more powerful the engine, the more rapid is the depletion of the ashing additives in its motor oil. To compensate for depletion, larger amounts of the additives are introduced into the oils. Depletion of the ashing additives is also influenced by cold engine operation under city traffic conditions, when the hydrophilic properties of the ashing additive (salts of alkaline-earth metals) are manifested most strongly, i.e., formation of low-temperature deposits is intensified.

Thus, together with their good detergent and dispersing properties, ashing additives have important disadvantages that make it necessary to reduce the content of these additives in engine oils.

The necessary detergent, dispersing, and antiwear properties can be obtained in motor oils with minimum contents of washing additives if nitrogen-containing polymer (nonashing) additives are introduced into the oils.

The nonashing additives belong to the class of polar polymers and are copolymers of methacrylic acid alkyl esters with certain nitrogen-containing monomers, such as methylvinylpyridine, diethylaminoethylmethacrylate, etc.

In the research whose results are reported below, we used VNM nonashing additives prepared by V.G. Telegin and Ye.V. Lazareva [1].

To determine the effectiveness of the nonashing additives in combination with ashing types, a motor oil containing these additives was tested on a Yam2-236 diesel engine. The test results were compared with the results of tests made with the same engine under similar conditions using motor oils with only the ashing additives. Each sample was tested for 150 hours.

The detergent, dispersing and antiwear properties of the additives are evaluated on the basis of:

the quantity and type of deposits on the engine parts and  
oil filters;

**piston-ring freedom;**

the wear of engine parts and their condition;

all.  
the change in the physicochemical properties of the drained

It has been established by previous studies and tests [2] that 5% of ashing additives (3% SE-3 2% DF-11) can be used in motor oils for type YamZ-236 diesels and type ZIL-130 V-type carburetor engines. In motor oils made from eastern petroleum and used in diesels, this additive content gives only satisfactory results.

To ascertain the possibility of obtaining a sharp increase in the quality of oil containing the acceptable amount of ashing additive by adding the VM nonashing additive to it, we tested oil A, which was type AS2p-10 containing 3% SB-3, 2% DP-11 and 5% VN-16 (Table 1).

The results were compared with the results of tests made with oils having high ashing-additive contents: oil B, which was

**Table 1. Results of Analysis for Physicochemical Properties**

| B<br>Series | D<br>Density<br>mg./cm. <sup>3</sup> | C<br>Osmotic<br>Pressure | d<br>Density<br>g./ml. | e<br>Density<br>g./cm. <sup>3</sup> | f<br>Molecular<br>wt. $\times 10^{-3}$ | B Transmittance, % |    |
|-------------|--------------------------------------|--------------------------|------------------------|-------------------------------------|----------------------------------------|--------------------|----|
|             |                                      |                          |                        |                                     |                                        | 1                  | 2  |
| A           | 3.6                                  | 3.0                      | 1.39                   | 0.41                                | 0.654                                  | 99                 | 99 |
| 1           | 10.8                                 | 4.2                      | 1.39                   | 0.38                                | 1.79                                   | 19                 | 19 |
| 2           | 10.8                                 | 4.5                      | 1.41                   | 0.37                                | 2.01                                   | 25                 | 25 |
| 3           | 10.1                                 | 3.7                      | 0.85                   | 1.04                                | 0.621                                  | 92                 | 92 |

KEY: (a) oil; (b) viscosity at 100°C, cst; (c) ratio;  
(d) ash content, %; (e) coking capacity, %; (f) acid  
number, mg of KOH/g; (g) temperature, °C; (h) flash  
point; (i) pour point; (j) B; (k) V; (l) E.

Table 2. Deposits on Engine Parts

| a | b              |                |                |                | c              |                |                |                |
|---|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
|   | интервалы<br>C | интервалы<br>D | интервалы<br>E | интервалы<br>F | интервалы<br>G | интервалы<br>H | интервалы<br>I | интервалы<br>J |
| 4 | 10-15          | 16-20          | 21-25          | 26-30          | 31-35          | 36-40          | 41-45          | 46-50          |
| 5 | 15-20          | 21-25          | 26-30          | 31-35          | 36-40          | 41-45          | 46-50          | 51-55          |
| 6 | 20-25          | 26-30          | 31-35          | 36-40          | 41-45          | 46-50          | 51-55          | 56-60          |
| 7 | 25-30          | 31-35          | 36-40          | 41-45          | 46-50          | 51-55          | 56-60          | 61-65          |

KEY: (a) oil; (b) condition of pistons; (c) % of piston-head area covered by varnish; (d) % of piston head area covered by scale; (e) PZV result; (f) deposits on parts; (g) total amount of scale; (h) deposits in centrifugal filter; (i) deposits in coarse filter; (j) P: (k) V: (l) E.

type ASp-16 with 9% of ash-forming additives (7% SK-11 and 2% DV-11), and 11 V, which was type DSp-11 with 6% of VIII NF-360, as well as a standard (E) oil of type DSp-11 with 4% Kinto 613 and 0.25% Santolube 493, the latter corresponding to Series I.

It is known that the serviceability of an engine is largely determined by the deposits on its parts. They are responsible for most cases of engine trouble. Table 2 presents data on the deposit-forming properties of the oils.

**Piston-ring freedom** is judged from the number of rings that can be shifted with little effort (there were no stuck rings in any of the tests); there were two such rings in the tests of oil A and three each in the tests of oils B, V and E.

Table 3. Test Results

| a       | b Engine wear and condition |                 |                        |               |               |               |               |               |               |               |
|---------|-----------------------------|-----------------|------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
|         | c Tests                     |                 |                        |               |               | d Results     |               |               |               |               |
| Machine | Engine speed, rpm           | Engine load, kg | Engine temperature, °C | Engine oil, % | Engine oil, % | Engine oil, % | Engine oil, % | Engine oil, % | Engine oil, % | Engine oil, % |
| A       | 800                         | 7.0             | 7.5                    | 0.10          | 0.05          | 0.03          | 0.01          | 0.01          | 0.01          | 0.01          |
| B       | 800                         | 7.5             | 8.0                    | 0.13          | 0.06          | 0.04          | 0.02          | 0.01          | 0.01          | 0.01          |
| C       | 800                         | 8.5             | 8.5                    | 0.15          | 0.08          | 0.05          | 0.03          | 0.02          | 0.01          | 0.01          |
| D       | 800                         | 9.5             | 9.5                    | 0.18          | 0.10          | 0.06          | 0.04          | 0.03          | 0.02          | 0.01          |

KEY: (a) oil; (b) engine-part wear; (c) cylinder liners; (d) in plane perpendicular to crankshaft axis; (e) in plane parallel to crankshaft axis; (f) average; (g) piston rings; (h) first compression ring; (i) second compression ring; (j) third compression ring; (k) first oil-control ring; (l) second oil-control ring; (m) connecting-rod inserts; (n) top; (o) bottom; (p) B; (q) V; (r) E.




Fig. 1. Change in viscosities of oils during running in YaMZ-236 engine.  
KEY: (a) 100°C viscosity; (b) oil service time, hours.




Fig. 2. Change in ash content of oil during running in YaMZ-236 engine.  
KEY: (a) ash, %; (b) oil service time, hours.

The wear and condition of the engine parts were approximately the same after tests with each of the above oils. There were minor differences in piston-ring and connecting-rod-insert wear (Table 3). The surface of the oil pan was clean after the tests of oils A and E, but it was covered with gummy deposits in the other cases.

Changes in the physicochemical properties of the used oils indicate high stability for oils A (with the nonashing additive)





Fig. 3. Change in metal content of ash additives in oils during running in YaMZ-236 engine.  
KEY: (a) contents of barium (A, V, E) and calcium (B, C); (b) oil service time, hours.



and E (the reference oil) by comparison with oils V, which contained 6% of VNI NP-360 (Figs. 1-3). But even at increased concentration (6%) in ordinary oil, VNI NP-360 additive does not fully guarantee Series 1 quality.

Table 4. Results of Tests on GAZ-51 Engine

| a | b General engine data |                 |                        |               | c General engine data |                 |                        |               | d Results of tests |                 |                        |               |
|---|-----------------------|-----------------|------------------------|---------------|-----------------------|-----------------|------------------------|---------------|--------------------|-----------------|------------------------|---------------|
|   | Engine speed, rpm     | Engine load, kg | Engine temperature, °C | Engine oil, % | Engine speed, rpm     | Engine load, kg | Engine temperature, °C | Engine oil, % | Engine speed, rpm  | Engine load, kg | Engine temperature, °C | Engine oil, % |
| A | 800                   | 7.0             | 7.5                    | 0.10          | 800                   | 7.0             | 7.5                    | 0.10          | 800                | 7.0             | 7.5                    | 0.10          |
| B | 800                   | 7.5             | 8.0                    | 0.13          | 800                   | 7.5             | 8.0                    | 0.13          | 800                | 7.5             | 8.0                    | 0.13          |
| C | 800                   | 8.5             | 8.5                    | 0.15          | 800                   | 8.5             | 8.5                    | 0.15          | 800                | 8.5             | 8.5                    | 0.15          |
| D | 800                   | 9.5             | 9.5                    | 0.18          | 800                   | 9.5             | 9.5                    | 0.18          | 800                | 9.5             | 9.5                    | 0.18          |

\*Oil specimen with 3-5% VNI NP-360 additive tested.  
\*\*The denominator gives the result for oil with 6% VNI NP-360.

KEY: (a) oil; (b) average diametral cylinder wear, μ; (c) average piston-ring wear, μ; (d) compression rings; (e) oil-control rings; (f) average insert wear, μ; (g) top; (h) bottom; (i) amount of deposits; (j) in crank-case; (k) in valve cover; (l) total; (m) V; (n) E.

The detergent and especially the dispersing properties of this additive are clearly inadequate to ensure normal diesel performance. Thus, Fig. 4 and Table 2 indicate that oil V with the VNI NP-360 additive contained 1.8% of mechanical impurities by the end of the tests, there were 820 g of sludge in the centrifugal filter, while the corresponding figures for oil E (Series 1) were 0.7% and 365 g, for oil A (with the nonashing additive) 1.4% and 190 g, and for oil B 1.1% and 510 g.

The piston-wear rating after the tests was 3-3.5 points for oil V and 2-2.5 and 1-1.5 points, respectively, for oils E and A.

A consequence of the inadequate dispersing properties of VNI NP-360 additive is a relatively sharp increase in oil viscosity during work (see Fig. 1). The fast depletion of this additive (see Figs. 2 and 3) is also partly responsible for its decreased effectiveness.

Comparative 28-hour cold tests run on the GAZ-51 engine with oils having ashing additives and a mixture of ashing and non-ashing types indicated superiority of oils with the additive mixture (Table 4). Running on these oils, the engine forms smaller amounts of low-temperature deposits. Also less conspicuous is the influence of acid products in the oil, high contents of which are characteristic for cold engine operation, on the wear of rubbing parts.

Inspecting the above data, we may conclude that combining ashing and nonashing additives in a motor oil endows it with high operational properties, while the ashing additives taken alone improve one indicator at the expense of others.

A nonashing additive in the combination of additives introduced into a motor oil improves its viscosity-temperature properties (VI, viscosity at 0°C, etc.).

The quality margin of oil A indicates the possibility of reducing the proportion of ashing additives in the oil when they are used in combination with the nonashing additive. This is also confirmed by the good results of the 100-hour test run in the YAMZ-236 engine on a thickened oil containing the type VN nonashing additive, 2.5% of SB-3, and 1% of LANI-317.

In the production of ordinary motor oils containing ashing and ash-free additives (in various combinations), it is necessary, in view of the thickening tendency of the latter, to take initial distillate or residual oils with somewhat lower viscosity levels than when the ashing additives are used alone.

#### References

1. Soviet Patent 160,252, 8 February 1963. Byull. Izobr. No. 3 (1964).

2. Semerido, Ye.G., Milyutikov, Yu.D. Shchegolev, N.V., Rurenkov, A.V., Shcherent, M.I., and Sarontov, Iu.P., Avtomobilnyy transport, No. 4, 19-22 (1965).

flowed into the cylinder, and the pressure in the cylinder was maintained at a constant level.

The pressure in the cylinder was maintained at a constant level by means of a pressure-regulating valve which was connected to the cylinder and to a pressure source.

The pressure in the cylinder was maintained at a constant level by means of a pressure-regulating valve which was connected to the cylinder and to a pressure source.

The pressure in the cylinder was maintained at a constant level by means of a pressure-regulating valve which was connected to the cylinder and to a pressure source.

The pressure in the cylinder was maintained at a constant level by means of a pressure-regulating valve which was connected to the cylinder and to a pressure source.

The pressure in the cylinder was maintained at a constant level by means of a pressure-regulating valve which was connected to the cylinder and to a pressure source.

The pressure in the cylinder was maintained at a constant level by means of a pressure-regulating valve which was connected to the cylinder and to a pressure source.

The pressure in the cylinder was maintained at a constant level by means of a pressure-regulating valve which was connected to the cylinder and to a pressure source.

The pressure in the cylinder was maintained at a constant level by means of a pressure-regulating valve which was connected to the cylinder and to a pressure source.

The pressure in the cylinder was maintained at a constant level by means of a pressure-regulating valve which was connected to the cylinder and to a pressure source.

# SELECTION OF OPTIMUM ADDITIVE COMPOSITION FOR MOTOR OILS ON A BASIS OF A SINGLE-CYLINDER AIR-COOLED ENGINE

1. Introduction

The purpose of this work was to determine the optimum composition of motor oils on a basis of a single-cylinder air-cooled engine. The work was carried out in the laboratory of the Institute of Internal Combustion Engines, Academy of Sciences of the USSR.

The work was carried out in the laboratory of the Institute of Internal Combustion Engines, Academy of Sciences of the USSR.

The work was carried out in the laboratory of the Institute of Internal Combustion Engines, Academy of Sciences of the USSR.

The work was carried out in the laboratory of the Institute of Internal Combustion Engines, Academy of Sciences of the USSR.

The work was carried out in the laboratory of the Institute of Internal Combustion Engines, Academy of Sciences of the USSR.

The work was carried out in the laboratory of the Institute of Internal Combustion Engines, Academy of Sciences of the USSR.




Fig. 1. Diagram of lubricating, cooling and ventilating system of crankcase in IMK-1 installation. 1) pressure gauge (0-1 kg/cm<sup>2</sup>); 2) device for regulating rate of flow into engine crankcase; 3, 9) chronometer-thermocouples; 4) type GK gas meter; 5) oil-filler pipe; 6) warm manometer; 7) 1-9 condenser; 8) cooling coil; 10) holes for lubrication of connecting-rod bearing; 11) oil filter; 12) drain hole; 13) IFC heaters (N = 1 kW; T = 127 V); 14) regulating baffles; 15) flywheel fan; 16) contact thermometer; 17) temperature controller; 18) oil pump; 19) drain plug; 20) oil pickup; 21) reduction valve; 22) oil pan; 23) crankcase oil sump; 24) glycerine (ethylene glycol); 25) calibrated orifices; 26) test oil; 27) supplementary lower-type baffles; 28) KSH-2A gear pump; 29) ABL 32-4 electric motor (N = 1 kW). Lines: I) motion of oil under pressure; II) circulation of ethylene glycol or glycerine; III) removal of gases blown into engine crankcase; IV) motion of cooling air. KEY: (a) to atmosphere; (b) to sewerage; (c) tap water.

The quantity of blown-by gases is measured with the type GK gas meter.

6. The temperature state of the engine is monitored by the use of thermocouples and a type EFP-09 recording electronic potentiometer.

An electric brake is provided by a type EL 1/4 induction motor (power 5.8 kW, n = 1450 rev/min).

The oil-testing unit thus devised with its single-cylinder carburetor engine was given the designation IMK-1.

The following test conditions were adopted as a result of preliminary results.

|                                      |          |
|--------------------------------------|----------|
| Test time, hours.....                | 10       |
| Effective speed, ft/min.....         | 1300.1   |
| Crankshaft speed, rev/min.....       | 1000.25  |
| Per-hour fuel consumption, kg/h..... | 0.070.01 |
| Crank advance, degrees.....          | 110.5    |
| Temperature, deg:                    |          |
| cylinder.....                        | 104.2    |
| oil in crankcase.....                | 61       |
| Per-hour oil consumption, g/h.....   | 10.1     |
| Amount of oil tested, kg.....        | 2.5      |

To determine the depletion of the oils and additives, we conducted tests lasting up to 40 hours with evolution of indicators after 10, 20, 30 and 40 hours without oil changing, but with 120 g added every 10 hours.

Oil quality was rated on the basis of the following indicators:

- the motor index  $I_m$  in points, reproducibility  $\pm 10\%$ ;
- the deposit index  $I_d$  in points, reproducibility  $\pm 10\%$ ;
- piston-ring freedom,  $P_k$  in points, reproducibility  $\pm 30\%$ .

The scale against which ring mobility was evaluated is given in Table 1.

Table 1. Scale of Ring-Mobility Rating

| Condition name           | Points | Condition name                  | Points |
|--------------------------|--------|---------------------------------|--------|
| Motor speed fluctuations | 0      | Oil condition:                  |        |
| Oil condition            | 1      | clean                           | 5      |
| Crank advance            | 2      | drop freely with metallic sound | 6      |
| Crankcase temperature    | 3      | drop freely with dull sound     | 7      |
| Crankcase pressure       | 4      | inert                           | 8      |
| low                      |        | stuck                           | 9      |
| high                     |        | partially                       | 10     |
| completely               |        | turned                          |        |

KEY: (a) condition of rings; (b) rating, points; (c) clean, before testing; (d) drop freely with metallic sound; (e) drop freely; (f) drop freely with dull sound; (g) inert; (h) stuck; (i) slightly; (j) partially; (k) completely; (l) turned.

The arithmetic mean value was used in the calculation to determine the mobility rating for each ring.

The color of the deposits in the piston-ring zone ( $T_{sk}$ ) and on the piston skirt ( $T_{sy}$ ) was determined from the VML-1 scale of the Scientific Research Institute of Oil and Gas Processing.

and Production of Artificial Liquid Fuels] color scale. The scale for rating varnish deposits on aluminum pistons consists of 11 color standards, ranging from light gray, which corresponds to the color of the clean piston and is rated zero, to black, which is represented by 10 points. The colors of the varnish deposits on the piston skirt and in the ring zone were rated separately.

To evaluate the deposits, the ring zone is broken up into nine belts (two belts for the crown and one each for the lands and grooves). Circumferentially, each belt is divided into ten segments. The result is determined as the arithmetic mean value. The rating is given in points and is reproducible to within  $\pm 10\%$ .

The color Tsyu of the deposits on the piston skirt is determined in the same way as the above index and is reproducible to within  $\pm 20\%$ . The piston skirt is divided into five belts.

In addition, the quality of the oil was evaluated on the basis of the following indices:

the amount of deposits  $K_0$  on the piston in g, reproducibility  $\pm 30\%$ ;

clogging of holes in oil-control rings and piston drainage holes  $Z_{mk}$  in points - from 0 (clean) to 10 (completely blocked), reproducibility  $\pm 30\%$ ;

wear index  $I_1$  in points, reproducibility  $\pm 30\%$ ;

wear of top ring  $C_{CK}$  in g, reproducibility  $\pm 40\%$ ;

corrosion index  $I_k$  in points, reproducibility  $\pm 10\%$ ;

the corrosive aggressiveness of the oil, determined visually and by weighing plates of type S-1 lead ( $K_{S-1}$ ), SOS 6-6 lead babbitt ( $K_{SOS 6-6}$ ), SB-30 lead bronze ( $K_{SB-30}$ ), and ASM aluminum alloy ( $K_{ASM}$ ), in g/m<sup>2</sup>, reproducibility  $\pm 30\%$ ;

the stability index  $I_{sm}$  of the oil in points, reproducibility  $\pm 20\%$ ;

the increase  $U_v$  in oil viscosity, determined as a percentage at 50°C, reproducibility  $\pm 15\%$ .

The indicators listed above are determined by the formulas

$$M_0 = K_0 \cdot I_1 + K_2 \cdot Z_{mk} + K_3 \cdot K_{S-1} + K_4 \cdot K_{SOS 6-6} + K_5 \cdot K_{SB-30} + K_6 \cdot K_{ASM} + K_7 \cdot I_{sm} + K_8 \cdot U_v$$

Table 2. Results of Tests of AS-6 Oil with Control, Standard Method

| 3. Copy data |                | C |           | D |           | E |           | F |           | G |           | H |           | I |           | J |           | K |           | L |           | M |           | N |           | O |           | P |           | Q |           | R |           | S |           | T |           | U |           | V |           | W |           | X |           | Y |           | Z |           | AA |           | AB |           | AC |           | AD |           | AE |           | AF |           | AG |           | AH |           | AI |           | AJ |           | AK |           | AL |           | AM |           | AN |           | AO |           | AP |           | AQ |           | AR |           | AS |           | AT |           | AU |           | AV |           | AW |           | AX |           | AY |           | AZ |           | BA |           | BB |           | BC |           | BD |           | BE |           | BF |           | BG |           | BH |           | BI |           | BJ |           | BK |           | BL |           | BM |           | BN |           | BO |           | BP |           | BQ |           | BR |           | BS |           | BT |           | BU |           | BV |           | BW |           | BX |           | BY |           | BZ |           | CA |           | CB |           | CC |           | CD |           | CE |           | CF |           | CG |           | CH |           | CI |           | CJ |           | CK |           | CL |           | CM |           | CN |           | CO |           | CP |           | CQ |           | CR |           | CS |           | CT |           | CU |           | CV |           | CW |           | CX |           | CY |           | CZ |           | DA |           | DB |           | DC |           | DD |           | DE |           | DF |           | DG |           | DH |           | DI |           | DJ |           | DK |           | DL |           | DM |           | DN |           | DO |           | DP |           | DQ |           | DR |           | DS |           | DT |           | DU |           | DV |           | DW |           | DX |           | DY |           | DZ |           | EA |           | EB |           | EC |           | ED |           | EE |           | EF |           | EG |           | EH |           | EI |           | EJ |           | EK |           | EL |           | EM |           | EN |           | EO |           | EP |           | EQ |           | ER |           | ES |           | ET |           | EU |           | EV |           | EW |           | EX |           | EY |           | EZ |           | FA |           | FB |           | FC |           | FD |           | FE |           | FF |           | FG |           | FH |  | FI |  | FJ |  | FK |  | FL |  | FM |  | FN |  | FO |  | FP |  | FQ |  | FR |  | FS |  | FT |  | FU |  | FV |  | FW |  | FX |  | FY |  | FZ |  | GA |  | GB |  | GC |  | GD |  | GE |  | GF |  | GG |  | GH |  | GI |  | GJ |  | GK |  | GL |  | GM |  | GN |  | GO |  | GP |  | GQ |  | GR |  | GS |  | GT |  | GU |  | GV |  | GW |  | GX |  | GY |  | GZ |  | HA |  | HB |  | HC |  | HD |  | HE |  | HF |  | HG |  | HH |  | HI |  | HJ |  | HK |  | HL |  | HM |  | HN |  | HO |  | HP |  | HQ |  | HR |  | HS |  | HT |  | HU |  | HV |  | HW |  | HX |  | HY |  | HZ |  | IA |  | IB |  | IC |  | ID |  | IE |  | IF |  | IG |  | IH |  | II |  | IJ |  | IK |  | IL |  | IM |  | IN |  | IO |  | IP |  | IQ |  | IR |  | IS |  | IT |  | IU |  | IV |  | IW |  | IX |  | IY |  | IZ |  | JA |  | JB |  | JC |  | JD |  | JE |  | JF |  | JG |  | JH |  | JI |  | JJ |  | JK |  | JL |  | JM |  | JN |  | JO |  | JP |  | JQ |  | JR |  | JS |  | JT |  | JU |  | JV |  | JW |  | JX |  | JY |  | JZ |  | KA |  | KB |  | KC |  | KD |  | KE |  | KF |  | KG |  | KH |  | KI |  | KJ |  | KL |  | KM |  | KN |  | KO |  | KP |  | KQ |  | KR |  | KS |  | KT |  | KU |  | KV |  | KW |  | KX |  | KY |  | KZ |  | LA |  | LB |  | LC |  | LD |  | LE |  | LF |  | LG |  | LH |  | LI |  | LJ |  | LK |  | LM |  | LN |  | LO |  | LP |  | LQ |  | LR |  | LS |  | LT |  | LU |  | LV |  | LW |  | LX |  | LY |  | LZ |  | MA |  | MB |  | MC |  | MD |  | ME |  | MF |  | MG |  | MH |  | MI |  | MJ |  | MK |  | ML |  | MM |  | MN |  | MO |  | MP |  | MQ |  | MR |  | MS |  | MT |  | MU |  | MV |  | MW |  | MX |  | MY |  | MZ |  | NA |  | NB |  | NC |  | ND |  | NE |  | NF |  | NG |  | NH |  | NI |  | NJ |  | NK |  | NL |  | NM |  | NN |  | NO |  | NP |  | NQ |  | NR |  | NS |  | NT |  | NU |  | NV |  | NW |  | NX |  | NY |  | NZ |  | OA |  | OB |  | OC |  | OD |  | OE |  | OF |  | OG |  | OH |  | OI |  | OJ |  | OK |  | OL |  | OM |  | ON |  | OO |  | OP |  | OQ |  | OR |  | OS |  | OT |  | OU |  | OV |  | OW |  | OX |  | OY |  | OZ |  | PA |  | PB |  | PC |  | PD |  | PE |  | PF |  | PG |  | PH |  | PI |  | PJ |  | PK |  | PL |  | PM |  | PN |  | PO |  | PP |  | PQ |  | PR |  | PS |  | PT |  | PU |  | PV |  | PW |  | PX |  | PY |  | PZ |  | QA |  | QB |  | QC |  | QD |  | QE |  | QF |  | QG |  | QH |  | QI |  | QJ |  | QK |  | QL |  | QM |  | QN |  | QO |  | QP |  | QQ |  | QR |  | QS |  | QT |  | QU |  | QV |  | QW |  | QX |  | QY |  | QZ |  | RA |  | RB |  | RC |  | RD |  | RE |  | RF |  | RG |  | RH |  | RI |  | RJ |  | RK |  | RL |  | RM |  | RN |  | RO |  | RP |  | RQ |  | RR |  | RS |  | RT |  | RU |  | RV |  | RW |  | RX |  | RY |  | RZ |  | SA |  | SB |  | SC |  | SD |  | SE |  | SF |  | SG |  | SH |  | SI |  | SJ |  | SK |  | SL |  | SM |  | SN |  | SO |  | SP |  | SQ |  | SR |  | SS |  | ST |  | SU |  | SV |  | SW |  | SX |  | SY |  | SZ |  | TA |  | TB |  | TC |  | TD |  | TE |  | TF |  | TG |  | TH |  | TI |  | TJ |  | TK |  | TL |  | TM |  | TN |  | TO |  | TP |  | TQ |  | TR |  | TS |  | TT |  | TU |  | TV |  | TW |  | TX |  | TY |  | TZ |  | UA |  | UB |  | UC |  | UD |  | UE |  | UF |  | UG |  | UH |  | UI |  | UJ |  | UK |  | UL |  | UM |  | UN |  | UO |  | UP |  | UQ |  | UR |  | US |  | UT |  | UU |  | UV |  | UW |  | UX |  | UY |  | UZ |  | VA |  | VB |  | VC |  | VD |  | VE |  | VF |  | VG |  | VH |  | VI |  | VJ |  | VK |  | VL |  | VM |  | VN |  | VO |  | VP |  | VQ |  | VR |  | VS |  | VT |  | VU |  | VV |  | VW |  | VX |  | VY |  | VZ |  | WA |  | WB |  | WC |  | WD |  | WE |  | WF |  | WG |  | WH |  | WI |  | WJ |  | WK |  | WL |  | WM |  | WN |  | WO |  | WP |  | WQ |  | WR |  | WS |  | WT |  | WU |  | WV |  | WW |  | WX |  | WY |  | WZ |  | XA |  | XB |  | XC |  | XD |  | XE |  | XF |  | XG |  | XH |  | XI |  | XJ |  | XK |  | XL |  | XM |  | XN |  | XO |  | XP |  | XQ |  | XR |  | XS |  | XT |  | XU |  | XV |  | XW |  | XX |  | XY |  | XZ |  | YA |  | YB |  | YC |  | YD |  | YE |  | YF |  | YG |  | YH |  | YI |  | YJ |  | YK |  | YL |  | YM |  | YN |  | YO |  | YP |  | YQ |  | YR |  | YS |  | YT |  | YU |  | YV |  | YW |  | YX |  | YY |  | YZ |  | ZA |  | ZB |  | ZC |  | ZD |  | ZE |  | ZF |  | ZG |  | ZH |  | ZI |  | ZJ |  | ZK |  | ZL |  | ZM |  | ZN |  | ZO |  | ZP |  | ZQ |  | ZR |  | ZS |  | ZT |  | ZU |  | ZV |  | ZW |  | ZX |  | ZY |  | ZZ |  |
|--------------|----------------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|---|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|----|--|
| В            | Регулировочная | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 | У  | Микро-613 |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |    |  |

# and Recommended Additive Compositions on IEN-1 Machine by IEN-10PG

| Composition of recommended additives |      |                  |      |                  |      |                  |      |                  |       |
|--------------------------------------|------|------------------|------|------------------|------|------------------|------|------------------|-------|
| Additive                             |      | Concentration, % |      | Concentration, % |      | Concentration, % |      | Concentration, % |       |
| 1                                    | 2    | 3                | 4    | 5                | 6    | 7                | 8    | 9                | 10    |
| 1.1                                  | 1.2  | 1.3              | 1.4  | 1.5              | 1.6  | 1.7              | 1.8  | 1.9              | 2.0   |
| 2.1                                  | 2.2  | 2.3              | 2.4  | 2.5              | 2.6  | 2.7              | 2.8  | 2.9              | 3.0   |
| 3.1                                  | 3.2  | 3.3              | 3.4  | 3.5              | 3.6  | 3.7              | 3.8  | 3.9              | 4.0   |
| 4.1                                  | 4.2  | 4.3              | 4.4  | 4.5              | 4.6  | 4.7              | 4.8  | 4.9              | 5.0   |
| 5.1                                  | 5.2  | 5.3              | 5.4  | 5.5              | 5.6  | 5.7              | 5.8  | 5.9              | 6.0   |
| 6.1                                  | 6.2  | 6.3              | 6.4  | 6.5              | 6.6  | 6.7              | 6.8  | 6.9              | 7.0   |
| 7.1                                  | 7.2  | 7.3              | 7.4  | 7.5              | 7.6  | 7.7              | 7.8  | 7.9              | 8.0   |
| 8.1                                  | 8.2  | 8.3              | 8.4  | 8.5              | 8.6  | 8.7              | 8.8  | 8.9              | 9.0   |
| 9.1                                  | 9.2  | 9.3              | 9.4  | 9.5              | 9.6  | 9.7              | 9.8  | 9.9              | 10.0  |
| 10.1                                 | 10.2 | 10.3             | 10.4 | 10.5             | 10.6 | 10.7             | 10.8 | 10.9             | 11.0  |
| 11.1                                 | 11.2 | 11.3             | 11.4 | 11.5             | 11.6 | 11.7             | 11.8 | 11.9             | 12.0  |
| 12.1                                 | 12.2 | 12.3             | 12.4 | 12.5             | 12.6 | 12.7             | 12.8 | 12.9             | 13.0  |
| 13.1                                 | 13.2 | 13.3             | 13.4 | 13.5             | 13.6 | 13.7             | 13.8 | 13.9             | 14.0  |
| 14.1                                 | 14.2 | 14.3             | 14.4 | 14.5             | 14.6 | 14.7             | 14.8 | 14.9             | 15.0  |
| 15.1                                 | 15.2 | 15.3             | 15.4 | 15.5             | 15.6 | 15.7             | 15.8 | 15.9             | 16.0  |
| 16.1                                 | 16.2 | 16.3             | 16.4 | 16.5             | 16.6 | 16.7             | 16.8 | 16.9             | 17.0  |
| 17.1                                 | 17.2 | 17.3             | 17.4 | 17.5             | 17.6 | 17.7             | 17.8 | 17.9             | 18.0  |
| 18.1                                 | 18.2 | 18.3             | 18.4 | 18.5             | 18.6 | 18.7             | 18.8 | 18.9             | 19.0  |
| 19.1                                 | 19.2 | 19.3             | 19.4 | 19.5             | 19.6 | 19.7             | 19.8 | 19.9             | 20.0  |
| 20.1                                 | 20.2 | 20.3             | 20.4 | 20.5             | 20.6 | 20.7             | 20.8 | 20.9             | 21.0  |
| 21.1                                 | 21.2 | 21.3             | 21.4 | 21.5             | 21.6 | 21.7             | 21.8 | 21.9             | 22.0  |
| 22.1                                 | 22.2 | 22.3             | 22.4 | 22.5             | 22.6 | 22.7             | 22.8 | 22.9             | 23.0  |
| 23.1                                 | 23.2 | 23.3             | 23.4 | 23.5             | 23.6 | 23.7             | 23.8 | 23.9             | 24.0  |
| 24.1                                 | 24.2 | 24.3             | 24.4 | 24.5             | 24.6 | 24.7             | 24.8 | 24.9             | 25.0  |
| 25.1                                 | 25.2 | 25.3             | 25.4 | 25.5             | 25.6 | 25.7             | 25.8 | 25.9             | 26.0  |
| 26.1                                 | 26.2 | 26.3             | 26.4 | 26.5             | 26.6 | 26.7             | 26.8 | 26.9             | 27.0  |
| 27.1                                 | 27.2 | 27.3             | 27.4 | 27.5             | 27.6 | 27.7             | 27.8 | 27.9             | 28.0  |
| 28.1                                 | 28.2 | 28.3             | 28.4 | 28.5             | 28.6 | 28.7             | 28.8 | 28.9             | 29.0  |
| 29.1                                 | 29.2 | 29.3             | 29.4 | 29.5             | 29.6 | 29.7             | 29.8 | 29.9             | 30.0  |
| 30.1                                 | 30.2 | 30.3             | 30.4 | 30.5             | 30.6 | 30.7             | 30.8 | 30.9             | 31.0  |
| 31.1                                 | 31.2 | 31.3             | 31.4 | 31.5             | 31.6 | 31.7             | 31.8 | 31.9             | 32.0  |
| 32.1                                 | 32.2 | 32.3             | 32.4 | 32.5             | 32.6 | 32.7             | 32.8 | 32.9             | 33.0  |
| 33.1                                 | 33.2 | 33.3             | 33.4 | 33.5             | 33.6 | 33.7             | 33.8 | 33.9             | 34.0  |
| 34.1                                 | 34.2 | 34.3             | 34.4 | 34.5             | 34.6 | 34.7             | 34.8 | 34.9             | 35.0  |
| 35.1                                 | 35.2 | 35.3             | 35.4 | 35.5             | 35.6 | 35.7             | 35.8 | 35.9             | 36.0  |
| 36.1                                 | 36.2 | 36.3             | 36.4 | 36.5             | 36.6 | 36.7             | 36.8 | 36.9             | 37.0  |
| 37.1                                 | 37.2 | 37.3             | 37.4 | 37.5             | 37.6 | 37.7             | 37.8 | 37.9             | 38.0  |
| 38.1                                 | 38.2 | 38.3             | 38.4 | 38.5             | 38.6 | 38.7             | 38.8 | 38.9             | 39.0  |
| 39.1                                 | 39.2 | 39.3             | 39.4 | 39.5             | 39.6 | 39.7             | 39.8 | 39.9             | 40.0  |
| 40.1                                 | 40.2 | 40.3             | 40.4 | 40.5             | 40.6 | 40.7             | 40.8 | 40.9             | 41.0  |
| 41.1                                 | 41.2 | 41.3             | 41.4 | 41.5             | 41.6 | 41.7             | 41.8 | 41.9             | 42.0  |
| 42.1                                 | 42.2 | 42.3             | 42.4 | 42.5             | 42.6 | 42.7             | 42.8 | 42.9             | 43.0  |
| 43.1                                 | 43.2 | 43.3             | 43.4 | 43.5             | 43.6 | 43.7             | 43.8 | 43.9             | 44.0  |
| 44.1                                 | 44.2 | 44.3             | 44.4 | 44.5             | 44.6 | 44.7             | 44.8 | 44.9             | 45.0  |
| 45.1                                 | 45.2 | 45.3             | 45.4 | 45.5             | 45.6 | 45.7             | 45.8 | 45.9             | 46.0  |
| 46.1                                 | 46.2 | 46.3             | 46.4 | 46.5             | 46.6 | 46.7             | 46.8 | 46.9             | 47.0  |
| 47.1                                 | 47.2 | 47.3             | 47.4 | 47.5             | 47.6 | 47.7             | 47.8 | 47.9             | 48.0  |
| 48.1                                 | 48.2 | 48.3             | 48.4 | 48.5             | 48.6 | 48.7             | 48.8 | 48.9             | 49.0  |
| 49.1                                 | 49.2 | 49.3             | 49.4 | 49.5             | 49.6 | 49.7             | 49.8 | 49.9             | 50.0  |
| 50.1                                 | 50.2 | 50.3             | 50.4 | 50.5             | 50.6 | 50.7             | 50.8 | 50.9             | 51.0  |
| 51.1                                 | 51.2 | 51.3             | 51.4 | 51.5             | 51.6 | 51.7             | 51.8 | 51.9             | 52.0  |
| 52.1                                 | 52.2 | 52.3             | 52.4 | 52.5             | 52.6 | 52.7             | 52.8 | 52.9             | 53.0  |
| 53.1                                 | 53.2 | 53.3             | 53.4 | 53.5             | 53.6 | 53.7             | 53.8 | 53.9             | 54.0  |
| 54.1                                 | 54.2 | 54.3             | 54.4 | 54.5             | 54.6 | 54.7             | 54.8 | 54.9             | 55.0  |
| 55.1                                 | 55.2 | 55.3             | 55.4 | 55.5             | 55.6 | 55.7             | 55.8 | 55.9             | 56.0  |
| 56.1                                 | 56.2 | 56.3             | 56.4 | 56.5             | 56.6 | 56.7             | 56.8 | 56.9             | 57.0  |
| 57.1                                 | 57.2 | 57.3             | 57.4 | 57.5             | 57.6 | 57.7             | 57.8 | 57.9             | 58.0  |
| 58.1                                 | 58.2 | 58.3             | 58.4 | 58.5             | 58.6 | 58.7             | 58.8 | 58.9             | 59.0  |
| 59.1                                 | 59.2 | 59.3             | 59.4 | 59.5             | 59.6 | 59.7             | 59.8 | 59.9             | 60.0  |
| 60.1                                 | 60.2 | 60.3             | 60.4 | 60.5             | 60.6 | 60.7             | 60.8 | 60.9             | 61.0  |
| 61.1                                 | 61.2 | 61.3             | 61.4 | 61.5             | 61.6 | 61.7             | 61.8 | 61.9             | 62.0  |
| 62.1                                 | 62.2 | 62.3             | 62.4 | 62.5             | 62.6 | 62.7             | 62.8 | 62.9             | 63.0  |
| 63.1                                 | 63.2 | 63.3             | 63.4 | 63.5             | 63.6 | 63.7             | 63.8 | 63.9             | 64.0  |
| 64.1                                 | 64.2 | 64.3             | 64.4 | 64.5             | 64.6 | 64.7             | 64.8 | 64.9             | 65.0  |
| 65.1                                 | 65.2 | 65.3             | 65.4 | 65.5             | 65.6 | 65.7             | 65.8 | 65.9             | 66.0  |
| 66.1                                 | 66.2 | 66.3             | 66.4 | 66.5             | 66.6 | 66.7             | 66.8 | 66.9             | 67.0  |
| 67.1                                 | 67.2 | 67.3             | 67.4 | 67.5             | 67.6 | 67.7             | 67.8 | 67.9             | 68.0  |
| 68.1                                 | 68.2 | 68.3             | 68.4 | 68.5             | 68.6 | 68.7             | 68.8 | 68.9             | 69.0  |
| 69.1                                 | 69.2 | 69.3             | 69.4 | 69.5             | 69.6 | 69.7             | 69.8 | 69.9             | 70.0  |
| 70.1                                 | 70.2 | 70.3             | 70.4 | 70.5             | 70.6 | 70.7             | 70.8 | 70.9             | 71.0  |
| 71.1                                 | 71.2 | 71.3             | 71.4 | 71.5             | 71.6 | 71.7             | 71.8 | 71.9             | 72.0  |
| 72.1                                 | 72.2 | 72.3             | 72.4 | 72.5             | 72.6 | 72.7             | 72.8 | 72.9             | 73.0  |
| 73.1                                 | 73.2 | 73.3             | 73.4 | 73.5             | 73.6 | 73.7             | 73.8 | 73.9             | 74.0  |
| 74.1                                 | 74.2 | 74.3             | 74.4 | 74.5             | 74.6 | 74.7             | 74.8 | 74.9             | 75.0  |
| 75.1                                 | 75.2 | 75.3             | 75.4 | 75.5             | 75.6 | 75.7             | 75.8 | 75.9             | 76.0  |
| 76.1                                 | 76.2 | 76.3             | 76.4 | 76.5             | 76.6 | 76.7             | 76.8 | 76.9             | 77.0  |
| 77.1                                 | 77.2 | 77.3             | 77.4 | 77.5             | 77.6 | 77.7             | 77.8 | 77.9             | 78.0  |
| 78.1                                 | 78.2 | 78.3             | 78.4 | 78.5             | 78.6 | 78.7             | 78.8 | 78.9             | 79.0  |
| 79.1                                 | 79.2 | 79.3             | 79.4 | 79.5             | 79.6 | 79.7             | 79.8 | 79.9             | 80.0  |
| 80.1                                 | 80.2 | 80.3             | 80.4 | 80.5             | 80.6 | 80.7             | 80.8 | 80.9             | 81.0  |
| 81.1                                 | 81.2 | 81.3             | 81.4 | 81.5             | 81.6 | 81.7             | 81.8 | 81.9             | 82.0  |
| 82.1                                 | 82.2 | 82.3             | 82.4 | 82.5             | 82.6 | 82.7             | 82.8 | 82.9             | 83.0  |
| 83.1                                 | 83.2 | 83.3             | 83.4 | 83.5             | 83.6 | 83.7             | 83.8 | 83.9             | 84.0  |
| 84.1                                 | 84.2 | 84.3             | 84.4 | 84.5             | 84.6 | 84.7             | 84.8 | 84.9             | 85.0  |
| 85.1                                 | 85.2 | 85.3             | 85.4 | 85.5             | 85.6 | 85.7             | 85.8 | 85.9             | 86.0  |
| 86.1                                 | 86.2 | 86.3             | 86.4 | 86.5             | 86.6 | 86.7             | 86.8 | 86.9             | 87.0  |
| 87.1                                 | 87.2 | 87.3             | 87.4 | 87.5             | 87.6 | 87.7             | 87.8 | 87.9             | 88.0  |
| 88.1                                 | 88.2 | 88.3             | 88.4 | 88.5             | 88.6 | 88.7             | 88.8 | 88.9             | 89.0  |
| 89.1                                 | 89.2 | 89.3             | 89.4 | 89.5             | 89.6 | 89.7             | 89.8 | 89.9             | 90.0  |
| 90.1                                 | 90.2 | 90.3             | 90.4 | 90.5             | 90.6 | 90.7             | 90.8 | 90.9             | 91.0  |
| 91.1                                 | 91.2 | 91.3             | 91.4 | 91.5             | 91.6 | 91.7             | 91.8 | 91.9             | 92.0  |
| 92.1                                 | 92.2 | 92.3             | 92.4 | 92.5             | 92.6 | 92.7             | 92.8 | 92.9             | 93.0  |
| 93.1                                 | 93.2 | 93.3             | 93.4 | 93.5             | 93.6 | 93.7             | 93.8 | 93.9             | 94.0  |
| 94.1                                 | 94.2 | 94.3             | 94.4 | 94.5             | 94.6 | 94.7             | 94.8 | 94.9             | 95.0  |
| 95.1                                 | 95.2 | 95.3             | 95.4 | 95.5             | 95.6 | 95.7             | 95.8 | 95.9             | 96.0  |
| 96.1                                 | 96.2 | 96.3             | 96.4 | 96.5             | 96.6 | 96.7             | 96.8 | 96.9             | 97.0  |
| 97.1                                 | 97.2 | 97.3             | 97.4 | 97.5             | 97.6 | 97.7             | 97.8 | 97.9             | 98.0  |
| 98.1                                 | 98.2 | 98.3             | 98.4 | 98.5             | 98.6 | 98.7             | 98.8 | 98.9             | 99.0  |
| 99.1                                 | 99.2 | 99.3             | 99.4 | 99.5             | 99.6 | 99.7             | 99.8 | 99.9             | 100.0 |

- (u) base
- (v) regular
- (w) MA
- (x) premium
- (y) Pronto 613
- (z) control
- (aa) Santolube 493
- (bb) MB
- (cc) Heavy Duty
- (dd) MV
- (ee) series 1
- (ff) VMI NP-360
- (gg) according to GOST
- (hh) 10541-63
- (ii) AZNII-TsIATIM-1
- (jj) SK-11
- (kk) MAMI, Report No. 7068
- (ll) TsIATIM-339
- (mm) PMS'Ya
- (nn) PMS-D
- (oo) PMS-200A
- (pp) optimum recommended composition
- (qq) same
- (rr) ASK
- (ss) NP-11

$$W_{\text{res}} = W_1 (W_2 + W_{\text{OCS}} + W_{\text{CSO}} + W_{\text{CSO}})$$

$$W_{\text{res}} = W_1 \cdot W_2$$

In these formulas, the conversion factors  $W$  have the values

$W_1 = 0.25$   $W_2 = 0.25$   $W_3 = 0.2$   $W_4 = 0.04$   
 $W_5 = 1$   $W_6 = 3$   $W_7 = 25$   $W_8 = 0.05$

The test method developed, which is known as the IEN-10PG method, is intended for use in determining the operational properties of Premium, Heavy Duty, and Series 1 oils and obtaining differential ratings of oils in these groups.

The results of tests run with AS-6 oil containing control, standard and other additive compositions on the IEN-1 apparatus using the IEN-10PG method (Table 2) were compared with the results of tests of the same oils with Monasote additives (used as controls in this case) by the UR 176/607 method on a Filter M-1 engine (Table 3).

The result of this comparison was full agreement of the data, with sharper differentiation of oils in the above groups (series) by the IEN-10PG method.

Good agreement was also observed when we compared our results with those of studies carried out in other organizations (The Automobile and Automotive Engine Scientific Research Institute (NAMI), the Moscow Small-Displacement Automobile Plant (MZMA), and VMI NP).

All of the above justifies the conclusion that oil tests by the IEN-10PG method on the IEN-1 bench conform to the level of the international standards.

Work was also done to study the functional properties of certain additives and adjust their compositions on the basis of commercial additives. Using the IEN-1 machine, for example, we studied the influence of organosilicon compounds: an alkyldipolysiloxane fluid of the PMS-200A additive type, TsIATIM-339, PMS'Ya, ASK, and DP-11 additives, and combinations thereof. The following additive compositions were tested: AS-6 + 1% TsIATIM-339 + 0.5% PMS'Ya + PMS-200A; AS-6 + 3.5% VMI NP-360 + 1% AZNII-TsIATIM-1 + PMS-200A.

The test results (Fig. 2) show that the addition of very small amounts (0.003-0.005%) of the organosilicon compounds to the oils improves their use properties conspicuously.

Tests on a DK-2 machine established that when PMS-200A additive is used in the oil in combination with VMI NP-370 and PMS'Ya additives, the amount of condensation products formed by oxidation of the oils is reduced substantially.

Table 3. Results\* of Tests of Soviet Oils from Eastern Petroleum

| a. Наименование | b. Тесты (по ГОСТ 176/60T) |      |      |      |      |                   |      |      |      |      |
|-----------------|----------------------------|------|------|------|------|-------------------|------|------|------|------|
|                 | c. Группа (серия)          |      |      |      |      | d. Состав (серия) |      |      |      |      |
|                 | 1                          | 2    | 3    | 4    | 5    | 1                 | 2    | 3    | 4    | 5    |
| Олефин, базис   | 6.8                        | 7.2  | 7.2  | 7.2  | 7.2  | 9.5               | 9.5  | 9.5  | 9.5  | 9.5  |
| 1. Моторная     | 3.8                        | 4.0  | 4.0  | 4.0  | 4.0  | 8.2               | 8.2  | 8.2  | 8.2  | 8.2  |
| 2. Промышленная | 4.2                        | 4.8  | 4.8  | 4.8  | 4.8  | 6                 | 3    | 13   | 4    | 4    |
| 3. Смазочная    | 57.7                       | 57.5 | 57.5 | 57.5 | 57.5 | 47.5              | 40.1 | 47.1 | 44.1 | 44.1 |

\*Obtained by Monsanto by JP 176/60T method on Filter W-1 engine.

KEY: (a) indicator; (b) group (series) of oil and additive composition; (c) base (regular); (d) specimen... (e) MA (premium) + 0.7% Monto 613 + 0.7% Santolube 493; (f) MB (Heavy Duty) + 1.5% Monto 613 + 0.7% Santolube 493; (g) MV (series 1) + 4% Monto 613 + 0.25% Santolube 493; (h) rating, points; (i) piston skirt; (j) piston crown; (k) mass loss of lead-bronze bearing, mg; (l) viscosity increase at 37.8°C, %.

The color of the deposits in the piston-ring zone was 6.9 points on the VNII NP scale in a test of AS-6 oil with 1% of TsIATIM-339 additive and 0.5% PMS-Ya, but when 0.005% of PMS-200A was added to the same mix, it was lowered to 4.6 points. The same result was obtained on introduction of 0.005% of PMS-200A into the additive mix consisting of 3.5% VNII NP-360 and 1% AzNII-TsIATIM-1 in AS-6 oil. In this case, the color of the deposits in the piston-ring zone is lowered from 8 to 5.8 points. This makes it possible to bring GOST 10541-63 group MB oils up to the level of group MV, improves piston-ring working conditions, and reduces piston deposits.

The thermal stability of oil with these additive mixes was also improved, as is clearly indicated by the decrease in the rate of viscosity change in tests of the oil on the IKM-1 machine. For example, while the additive mix consisting of 1% TsIATIM-339 and 0.5% PMS-Ya caused a 13.9% viscosity increase in AS-6 oil, this increase was only 5.6% when 0.005% of PMS-200A was added.

On introduction of the additive mix consisting of 3.5% VNII NP-360 and 1% AzNII-TsIATIM-1 into AS-6 oil, viscosity increases by 18.1%; with simultaneous addition of PMS-200A, the viscosity increases by only 5.4%.

This improvement of the use properties of the oil on introduction of the chain-stopping additive into a mix containing




Fig. 2. Influence of content of PMS-200A additive on motor properties of AS-6 oil with the following additive compositions: 1) AS-6 + 1% TsIATIM-339 + 0.5% PMS-Ya + PMS-200A; 2) AS-6 + 3.5% VNII NP-360 + 1% AzNII-TsIATIM-1 + PMS-200A. 1) Level of group MA control oil; (II) same, group MB; (III) same, group MV. KEY: (a) motor index, points; (b) deposits index, points; (c) ring mobility, points; (d) color of deposits in ring zone, points; (e) quantity of deposits on piston, g; (f) increase in viscosity at 50°C, %; (g) concentration of PMS-200A additive, % by weight.

Fig. 3. Influence of content of PMS-Ya additive on motor properties of AS-6 oil with the following additive compositions: 1) AS-6 + 1% TsIATIM-339 + PMS-Ya + 0.005% PMS-200A; 2) AS-6 + 1.5% TsIATIM-339 + PMS-Ya + 0.005% PMS-200A; 3) AS-6 + 2.5% TsIATIM-339 + PMS-Ya + 0.005% PMS-200A. 1) Level of group MA control oil; (II) same, group MB; (III) same, group MV. KEY: (a) motor index, points; (b) deposits index, points; (c) ring mobility, points; (d) color of deposits in ring zone, points; (e) quantity of deposits on piston, g; (f) increase in viscosity at 50°C, %; (g) concentration of PMS-Ya additive, % by weight.

detergent and antioxidant components can be explained by the decreased aeration of the oil, which has a strong influence on quality changes of oil in the engine.

A test of TSiATIM-339 additive in concentrations of 1.0, 1.5, and 2.5% in a mix with 0.005% PMS-200A indicated (Fig. 3) that the amount of piston deposits decreases from 0.65 to 0.32 g, ring mobility from 1.5 to 1 point, and the color of the deposits in the piston-ring zone from 7.2 to 4.5 points as the concentration of the TSiATIM-339 additive is increased to 2.5%. In this case, the motor index drops from 11 points (the level of the group MA control oil) to 7.5 points, which corresponds to the level of MB control oil. As the test results showed, the tested concentrations of TSiATIM-339 additive do not provide adequate detergent properties in the oil, and for this reason they were supplemented with PMS'Ya detergent-dispersing additive in concentrations of 0.25, 0.5, 0.75, 1, 1.25, and 1.5% by weight.

On introduction of small amounts of the new additive mixes, ring mobility drops to 1 point, the color of deposits in the piston-ring zone to 4.2-4.5 points, the amount of piston deposits to 0.16-0.2 g, and the rate of oil viscosity increase after the test to 5-8%. In this case, the motor index declines to 5.5-6 points, which corresponds to the level of the group MV control oil (Series 1). However, it must be noted that the optimum values can be obtained only at definite proportions of the TSiATIM-339 and PMS'Ya additives, in the 2:1 range. This ratio also applies for diesels operated on low-sulfur fuels (Fig. 4). Departure from it results in a rise of the motor index, indicating deteriorating oil quality.

Adjustment of the mix on the basis of the TSiATIM-339, PMS'Ya, polymethacrylate D (for winter-grade oils), and PMS-200A additives, which was carried out on the IKM-1 machine by the IKM-10PG method, resulted in tentative recommendations of oils conforming to the Premium, Heavy-Duty, and Series 1 groups. The results of tests on these oils were compared with those for oils with the imported control additives Monto 613 and Santolube 493.

The above additive mixes were also tested on a machine with a full-scale Moskvich 407 automobile engine, and the correctness of the results obtained was confirmed.

Thus, the additive mix given in Table 4 can be recommended on the basis of the tests for oils for carburetor-type automobile engines.

Tests of another additive mix, consisting of ASK, DF-11, polymethacrylate D (for winter oils) and PMS-200A in AS-6 oil were run by the IKM-10PG method on the IKM-1 installation. The content of the ASK additive in the mix was varied from 1.5 to 3.5%. As the tests showed (Fig. 5), as little as 1.5% of ASK produces an oil conforming to group MB (Heavy Duty); when the ASK concentration is increased to 2.5%, group MV (Series 1) oils




Fig. 4. Influence of content of PMS'Ya additive on motor properties of oil with additive mix consisting of 3% TSiATIM-339, PMS'Ya, and 0.005% PMS-200A. KEY: (a) motor index; (b) weight of deposits on piston, g; (c) weight of deposits on piston head, g; (d) PMS'Ya additive concentration, % by weight.




Fig. 5. Influence of ASK additive content on motor properties of AS-6 oil with additive composition consisting of ASK, 1.2% DF-11, 0.3% PMS-D, and 0.003% PMS-200A. I) level of group MB control oil; II) same, group MV. KEY: (a) motor index, points; (b) deposits index, points; (c) ring mobility, points; (d) color of deposits in ring zone, points; (e) amount of deposits on piston, g; (f) viscosity increase at 50°C, %; (g) ASK additive concentration, % by weight.

are obtained. Here the color of the piston deposits drops from 5.7 to 3.7 points on the VNII NP scale, the amount of deposits on the piston is reduced from 0.43 to 0.1-0.2 g, and the degree of viscosity increase also drops from 12.9 to 6.4%. The decrease in the motor index from 7.8 to 5 points also indicates an improvement of the operational properties of oil with these additives.

### Table 4. Regression Analysis

| Примечания | Таблица 1      |                |                |
|------------|----------------|----------------|----------------|
|            | Вязкость, Па·с | Вязкость, Па·с | Вязкость, Па·с |
| ИПАТОН-329 | 0,1-0,4        | 1-1,5          | 1,5-2          |
| ИПАТОН-330 | 0,2-0,5        | 0,7-1          | 1-1,5          |
| ИПАТОН-331 | 0,3            | 0,7            | 0,3            |
| ИПАТОН-332 | 0,4            | 0,8            | 0,4            |
| ИПАТОН-333 | 0,5            | 0,9            | 0,5            |
| ИПАТОН-334 | 0,6            | 1,0            | 0,6            |
| ИПАТОН-335 | 0,7            | 1,1            | 0,7            |
| ИПАТОН-336 | 0,8            | 1,2            | 0,8            |
| ИПАТОН-337 | 0,9            | 1,3            | 0,9            |
| ИПАТОН-338 | 1,0            | 1,4            | 1,0            |
| ИПАТОН-339 | 1,1            | 1,5            | 1,1            |
| ИПАТОН-340 | 1,2            | 1,6            | 1,2            |
| ИПАТОН-341 | 1,3            | 1,7            | 1,3            |
| ИПАТОН-342 | 1,4            | 1,8            | 1,4            |
| ИПАТОН-343 | 1,5            | 1,9            | 1,5            |
| ИПАТОН-344 | 1,6            | 2,0            | 1,6            |
| ИПАТОН-345 | 1,7            | 2,1            | 1,7            |
| ИПАТОН-346 | 1,8            | 2,2            | 1,8            |
| ИПАТОН-347 | 1,9            | 2,3            | 1,9            |
| ИПАТОН-348 | 2,0            | 2,4            | 2,0            |
| ИПАТОН-349 | 2,1            | 2,5            | 2,1            |
| ИПАТОН-350 | 2,2            | 2,6            | 2,2            |
| ИПАТОН-351 | 2,3            | 2,7            | 2,3            |
| ИПАТОН-352 | 2,4            | 2,8            | 2,4            |
| ИПАТОН-353 | 2,5            | 2,9            | 2,5            |
| ИПАТОН-354 | 2,6            | 3,0            | 2,6            |
| ИПАТОН-355 | 2,7            | 3,1            | 2,7            |
| ИПАТОН-356 | 2,8            | 3,2            | 2,8            |
| ИПАТОН-357 | 2,9            | 3,3            | 2,9            |
| ИПАТОН-358 | 3,0            | 3,4            | 3,0            |
| ИПАТОН-359 | 3,1            | 3,5            | 3,1            |
| ИПАТОН-360 | 3,2            | 3,6            | 3,2            |
| ИПАТОН-361 | 3,3            | 3,7            | 3,3            |
| ИПАТОН-362 | 3,4            | 3,8            | 3,4            |
| ИПАТОН-363 | 3,5            | 3,9            | 3,5            |
| ИПАТОН-364 | 3,6            | 4,0            | 3,6            |
| ИПАТОН-365 | 3,7            | 4,1            | 3,7            |
| ИПАТОН-366 | 3,8            | 4,2            | 3,8            |
| ИПАТОН-367 | 3,9            | 4,3            | 3,9            |
| ИПАТОН-368 | 4,0            | 4,4            | 4,0            |
| ИПАТОН-369 | 4,1            | 4,5            | 4,1            |
| ИПАТОН-370 | 4,2            | 4,6            | 4,2            |
| ИПАТОН-371 | 4,3            | 4,7            | 4,3            |
| ИПАТОН-372 | 4,4            | 4,8            | 4,4            |
| ИПАТОН-373 | 4,5            | 4,9            | 4,5            |
| ИПАТОН-374 | 4,6            | 5,0            | 4,6            |
| ИПАТОН-375 | 4,7            | 5,1            | 4,7            |
| ИПАТОН-376 | 4,8            | 5,2            | 4,8            |
| ИПАТОН-377 | 4,9            | 5,3            | 4,9            |
| ИПАТОН-378 | 5,0            | 5,4            | 5,0            |
| ИПАТОН-379 | 5,1            | 5,5            | 5,1            |
| ИПАТОН-380 | 5,2            | 5,6            | 5,2            |
| ИПАТОН-381 | 5,3            | 5,7            | 5,3            |
| ИПАТОН-382 | 5,4            | 5,8            | 5,4            |
| ИПАТОН-383 | 5,5            | 5,9            | 5,5            |
| ИПАТОН-384 | 5,6            | 6,0            | 5,6            |
| ИПАТОН-385 | 5,7            | 6,1            | 5,7            |
| ИПАТОН-386 | 5,8            | 6,2            | 5,8            |
| ИПАТОН-387 | 5,9            | 6,3            | 5,9            |
| ИПАТОН-388 | 6,0            | 6,4            | 6,0            |
| ИПАТОН-389 | 6,1            | 6,5            | 6,1            |
| ИПАТОН-390 | 6,2            | 6,6            | 6,2            |
| ИПАТОН-391 | 6,3            | 6,7            | 6,3            |
| ИПАТОН-392 | 6,4            | 6,8            | 6,4            |
| ИПАТОН-393 | 6,5            | 6,9            | 6,5            |
| ИПАТОН-394 | 6,6            | 7,0            | 6,6            |
| ИПАТОН-395 | 6,7            | 7,1            | 6,7            |
| ИПАТОН-396 | 6,8            | 7,2            | 6,8            |
| ИПАТОН-397 | 6,9            | 7,3            | 6,9            |
| ИПАТОН-398 | 7,0            | 7,4            | 7,0            |
| ИПАТОН-399 | 7,1            | 7,5            | 7,1            |
| ИПАТОН-400 | 7,2            | 7,6            | 7,2            |
| ИПАТОН-401 | 7,3            | 7,7            | 7,3            |
| ИПАТОН-402 | 7,4            | 7,8            | 7,4            |
| ИПАТОН-403 | 7,5            | 7,9            | 7,5            |
| ИПАТОН-404 | 7,6            | 8,0            | 7,6            |
| ИПАТОН-405 | 7,7            | 8,1            | 7,7            |
| ИПАТОН-406 | 7,8            | 8,2            | 7,8            |
| ИПАТОН-407 | 7,9            | 8,3            | 7,9            |
| ИПАТОН-408 | 8,0            | 8,4            | 8,0            |
| ИПАТОН-409 | 8,1            | 8,5            | 8,1            |
| ИПАТОН-410 | 8,2            | 8,6            | 8,2            |
| ИПАТОН-411 | 8,3            | 8,7            | 8,3            |

[illegible]

Table 5. Estimated values of  $\beta_1$  and  $\beta_2$  for the two models.

| Примечания                                                               | 1. #          | 2. Дата выдачи | 3. #                         |
|--------------------------------------------------------------------------|---------------|----------------|------------------------------|
| АСБ<br>001 км ВПП №34<br>Планирование Д (задание не<br>есть)<br>ВМС-2000 | 1-15<br>06-12 |                | 15-25<br>06-12<br>13<br>0403 |

KEY: (a) additive; (b) additive content, % by weight; (c) oil group; (d) NF; (e) JV; (f) ASK; (g) DP-II or VNI NF-154; (h) polytetraacrylate; (i) winter-grade oils; (j) 20W-90.

Increasing the concentration of wax additive to 3.5% in this mix is quite detrimental to the properties of the oil (see Fig. 4). The Brookfield index rises from 4.1 to 5.6 points and the motor index from 5 to 6.2 points.

Oil with these additive mixes were bench-tested in a full-sized Mackwith 407 automobile engine. The test results showed that the quality of the recommended mix is somewhat higher than that of the group 40 (Heavy Duty) and 40 (Series 1) controls.

The test results are a basis for recommending one more additive mix (in % by weight) for oils used in carburetor-type automobile engines (Table 5).

CONCLUSIONS

1. A method designated KM-LOFC was developed for motor rating of the use properties of base oils and additive oils of Groups MA (Premium), MB (Heavy Duty), and MV (Series II) by short-term, 10-hour, tests on a special motor designated KM-1.

# Symbol List

| Symbol | English Equivalent |
|--------|--------------------|
| W      | motor              |
| D      | deposit            |
| K      | ring               |
| Ta     | color              |
| Pa     | ring zone          |
| Pa     | skirt              |
| 3      | elongation         |
| Pa     | oil control        |
| 3      | index              |
| 3      | wear               |
| Pa     | top ring           |
| 3      | corrosion          |
| Pa     | oil stability      |
| 3      | increase           |
| Pa     | viscosity          |

## TESTS OF SOVIET AND FOREIGN MOTOR OILS IN THE UIM-6-NATI AND UIM-6N-NATI SINGLE-CYLINDER BENCH INSTALLATIONS

S.G. Arabyan, G.P. Belyanorikov, I.M. Danilov, T. Khaniyarov,  
I.A. Kholomonov, O.M. Sheynina, Ye.M. Pismenova

The object of the study reported in this paper was to design a single-cylinder bench installation based on a series-produced supercharged tractor diesel, develop a test method, and have various types of motor oils.

The properties of oils intended for work under relatively light-duty conditions (premium type) have been rated on the UIM-3 single-cylinder bench built at the Automobile and Automotive Engine Scientific Research Institute (NATI) on the basis of the D-5 tractor diesel. Later, the UIM-6-NATI machine was developed on the basis of the D-75 tractor diesel, which is a supercharged modification of the D-54, for testing Heavy Duty and Series 1 oils.

For rating Series 2 oils, the apparatus was fitted with a supercharging unit that delivered a substantial increase in horsepower per liter; this installation was designated UIM-6N-NATI (see figure).

Below we list the technical data of the UIM-6-NATI and UIM-6N-NATI installations.

|                                                            |                                                        |
|------------------------------------------------------------|--------------------------------------------------------|
| Power, hp.....                                             | 30                                                     |
| Crankshaft speed, rev/min.....                             | 1500                                                   |
| Mean effective pressure, kg/cm <sup>2</sup> .....          | 9.7                                                    |
| Work per liter.....                                        | 16.1                                                   |
| Compression ratio.....                                     | 16                                                     |
| Stroke, mm.....                                            | 135                                                    |
| Crank, mm.....                                             | 153                                                    |
| Oil pressure, kg/cm <sup>2</sup> .....                     | 0.5                                                    |
| Oil consumption, kg/hour.....                              | 5                                                      |
| Lubrication system capacity, kg.....                       | 0.17                                                   |
| Specific lubricating system capacity, kg/hp.....           | 71                                                     |
| Conventional heat-load index of cylinder-piston group..... | 426                                                    |
| Conventional oil-duty index.....                           | 426                                                    |
| Lubricating system.....                                    | Double-circuit wet sump                                |
| Cooling system.....                                        | Water for cylinder head, glycerine for cylinder sleeve |
| Coolants.....                                              |                                                        |

The basic data of the UIM-6-NATI bench make a close approach to those of the SMD-14, AM-01 and other modern tractor diesels, and those of the UIM-6N-NATI simulate those of the supercharged SMD-14 and YAMZ-238NE tractor diesel.

In developing the method for rating the motor properties of crankcase oils from their tendency to form carbon deposits, we chose engine operating conditions under which the type and degree of parts fouling by deposits formed in full-scale engines during long-term use could be duplicated during a relatively short test time.

#### TEMPERATURE MEASUREMENTS ON THE ENGINE

The temperature condition of the components of the cylinder-piston group has a strong influence on the process of deposit formation in an engine; for this reason, temperature readings were taken at the sleeve and piston of the UIM-6-NATI installation under various engine operating conditions.

It was established that the highest piston-head temperature (at the center of the combustion chamber) in operation without supercharging and at an effective pressure of  $P_e = 6.8$  kg/cm<sup>2</sup> is 150°C, while that on the side of the piston head is 20°C lower. The temperatures in the areas of the first and second grooves are 110°C and 142°C, respectively. Fouling caused no substantial




Fig. 1. Diagram of UIM-6N-NATI bench installation for water-oil testing. 1) fuel tank; 2) instrument for measuring fuel flow rate (PMD-2M-NATI); 3) fuel tank; 4, 5, 8) lagometers (sic); 6) engine; 9) heat exchanger; 10) mixing tank; 11, 13) water pumps; 12, 18, 24) electric motors; 14) oil filter; 15) reduction valve; 16) oil pump; 17) oil radiator; 20) gas meter; 21) fuel filter; 22) oil sump; 23) LAIR (lab autotransformer); 24) piezometer; 26) scales; 27) thermometer; 28) supercharger. KEY: (a) UIM-6-NATI.

change in the temperature distribution on the piston and cylinder sleeve; at  $P_e = 9.5$  kg/cm<sup>2</sup>, the temperature rises by only 10-12°C.

Similar results, which are presented on page 65, were obtained on the SMD-14, AM-01, SMD-18, and YAMZ-238NE (sic) engines. When glycerine was used as a coolant instead of water, the temperatures of the engine parts rise sharply. For the first and second piston grooves, this temperature increase is 55°C.

Piston temperature increases by 0.5°C on a 1°C increase in the glycerine temperature.

#### INFLUENCE OF ENGINE TEMPERATURE CONDITIONS ON RATE OF CARBON-SCALE FORMATION

It has been established [1] that the rate of fouling of engine parts is determined in many respects by engine-temperature conditions and test time; the test time can be shortened by increasing the heat load on the engine part. However,

Table 1. Influence of Coolant Temperature on Rate of Piston Fouling

| a                                                | b |   |    |    |    |    |
|--------------------------------------------------|---|---|----|----|----|----|
|                                                  | 0 | 5 | 10 | 15 | 20 | 25 |
| 1. Rate of piston fouling, g/m <sup>2</sup> ·h   | 0 | 0 | 0  | 0  | 0  | 0  |
| 2. Rate of piston fouling, g/m <sup>2</sup> ·h   | 0 | 0 | 0  | 0  | 0  | 0  |
| 3. Rate of piston fouling, g/m <sup>2</sup> ·h   | 0 | 0 | 0  | 0  | 0  | 0  |
| 4. Rate of piston fouling, g/m <sup>2</sup> ·h   | 0 | 0 | 0  | 0  | 0  | 0  |
| 5. Rate of piston fouling, g/m <sup>2</sup> ·h   | 0 | 0 | 0  | 0  | 0  | 0  |
| 6. Rate of piston fouling, g/m <sup>2</sup> ·h   | 0 | 0 | 0  | 0  | 0  | 0  |
| 7. Rate of piston fouling, g/m <sup>2</sup> ·h   | 0 | 0 | 0  | 0  | 0  | 0  |
| 8. Rate of piston fouling, g/m <sup>2</sup> ·h   | 0 | 0 | 0  | 0  | 0  | 0  |
| 9. Rate of piston fouling, g/m <sup>2</sup> ·h   | 0 | 0 | 0  | 0  | 0  | 0  |
| 10. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 11. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 12. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 13. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 14. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 15. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 16. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 17. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 18. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 19. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 20. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 21. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 22. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 23. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 24. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 25. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 26. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 27. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 28. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 29. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 30. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 31. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 32. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 33. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 34. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 35. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 36. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 37. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 38. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 39. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 40. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 41. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 42. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 43. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 44. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 45. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 46. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 47. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 48. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 49. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 50. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 51. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 52. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 53. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 54. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 55. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 56. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 57. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 58. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 59. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 60. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 61. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 62. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 63. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 64. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 65. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 66. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 67. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 68. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 69. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 70. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 71. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 72. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 73. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 74. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 75. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 76. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 77. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 78. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 79. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 80. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 81. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 82. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 83. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 84. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 85. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 86. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 87. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 88. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 89. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 90. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 91. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 92. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 93. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 94. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 95. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 96. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 97. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 98. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 99. Rate of piston fouling, g/m <sup>2</sup> ·h  | 0 | 0 | 0  | 0  | 0  | 0  |
| 100. Rate of piston fouling, g/m <sup>2</sup> ·h | 0 | 0 | 0  | 0  | 0  | 0  |

By UIM-6-NATI method.  
 \*\*Rated in points as a function of the degree of mobility of each piston ring. Here the condition of a ring that can be moved freely in the groove is given a point rating of 0; the condition of a ring that is cocked around its entire circumference is given a rating of 10.  
 \*\*\*Rated in points as a function of the amount and type of deposits (semifluid, hard, etc.) in the groove. A perfectly clean groove is given a rating of 0; a groove completely filled with solid deposits is rated 10.  
 \*\*\*\*The point ratings characterizing the fouling of all piston zones are totaled. In this table and in Tables 3, 5, and 6, the indicators (in points) characterizing the presence of deposits on the piston skirt, on the inside surface of the piston, etc., are not listed, although they are included in the overall rating.  
 KEY: (a) indicators; (b) Heavy Duty (UIM-6-NATI); (c) water; (d) glycerine; (e) Series 1 (UIM-6N-NATI); (f) Series 2 (UIM-6N-NATI); (g) at; (h) loss of piston-ring mobility, points; (i) carbon sealing in piston grooves, points; (j) over-all carbon sealing rating for piston, points; (k) amount of deposits in grooves and on piston, g.

Similar results were obtained in tests of Series 1 and Series 2 oils on the UIM-6N-NATI benches at various coolant temperatures. In the tests of Series 2 oil, fouling from 115 to 135°C is detrimental to the mobility of the first compression ring and reduces piston fouling slightly, probably because of turning-out of the deposits in the ring grooves.

| УПРАВЛЕНИЕ        |      | АВТОМАТИЧЕСКОЕ УПРАВЛЕНИЕ |      | РУЧНОЕ УПРАВЛЕНИЕ |      |
|-------------------|------|---------------------------|------|-------------------|------|
| 21                | 75   | 110                       | 20   | 92                | 210  |
| 1200              | 1500 | 1600                      | 1200 | 1200              | 1500 |
| 63                | 63   | 5.6                       | 9.7  | 7.5               | 7.5  |
| 11.5              | 11.5 | 9.9                       | 16.1 | 15                | 15   |
| —                 | —    | —                         | 0.5  | 0.35              | 0.35 |
| 0.25              | 0.25 | 0.22                      | 0.17 | 0.21              | 0.13 |
| 53.2              | 68.2 | 40.5                      | 71   | 69.5              | 55.5 |
| 212               | 192  | 192                       | 426  | 292               | 430  |
| ПРОЦЕНКА КАЧЕСТВА |      |                           |      |                   |      |
| 218               | 198  | —                         | 277  | 215               | 250  |
| 272               | —    | —                         | 282  | —                 | —    |
| ПРОЦЕНКА КАЧЕСТВА |      |                           |      |                   |      |
| 180               | 157  | —                         | 193  | 177               | 205  |
| 244               | —    | —                         | 253  | —                 | —    |
| ПРОЦЕНКА КАЧЕСТВА |      |                           |      |                   |      |
| 190               | 157  | —                         | 193  | 177               | 205  |
| 244               | —    | —                         | 253  | —                 | —    |

УПРАВЛЕНИЕ: (a) УП-6-NATI; (b) SMC-14; (c) УП-6-NATI; (d) УП-6-NATI; (e) horsepower; (f) crankshaft speed, rev/min; (g) mean effective pressure, kg/cm<sup>2</sup>; (h) hp/liter; (i) test pressure, kg/cm<sup>2</sup>; (j) specific lubrication-oil consumption, kg/hp; (k) conventional test-load index of cylinder-piston group; (l) conventional oil lube oil; (m) piston temperature, °C; (n) first groove; (o) second groove.

On the basis of the results obtained on piston fouling and the physicochemical properties of the used oils, the coolant (glycerine) temperature was set at 115°C. At this temperature, Heavy Duty and Series 1 oils are differentiated quite sharply on the UIM-6-NATI machine (16.2 and 9.8 points, respectively); at the same temperature, the over-all piston-scaling figures obtained on the UIM-6N-NATI bench for Series 1 and Series 2 oils differ even more widely (29.5 and 12 points, respectively); also, the first compression ring was coked after 60-80 hours of the test on Series 1 oil.

Thus, the test conditions arrived at made it possible to classify Heavy Duty, Series 1, and Series 2 oils clearly and reliably.

#### REPRODUCIBILITY OF TEST RESULTS

One of the important stages in developing an oil-test method is to check the reproducibility of the results of parallel experiments.

Table 2. Results of Parallel Tests on Heavy Duty and Series 1 Control Oils

| a<br>Indicators (in points)    | b Heavy Duty |     | c Series 1 |      |
|--------------------------------|--------------|-----|------------|------|
|                                | 1            | 2   | 1          | 2    |
| (a) Indicator (in points):     | 0            | 0   | 0          | 0    |
| (b) Sulfur content in fuel, %: | 1.4          | 4.7 | 10         | 9.3  |
| (c) Sulfur content in fuel, %: | 1.1          | 0.3 | 3.1        | 2.9  |
| (d) Sulfur content in fuel, %: | 4.5          | 5.5 | 15.4       | 15.3 |
| (e) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (f) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (g) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (h) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (i) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (j) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (k) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (l) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (m) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (n) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (o) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (p) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (q) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (r) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (s) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (t) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (u) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (v) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (w) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (x) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (y) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |
| (z) Sulfur content in fuel, %: | 0            | 0   | 0          | 0    |

KEY: (a) indicator (in points); (b) Heavy Duty; (c) Series 1; (d) sulfur content in fuel, %; (e) piston ring mobility loss; (f) scaling in first ring groove; (g) scaling in other grooves; (h) over-all piston-scale rating.

For this purpose, repeated tests were made with Heavy Duty, Series 1, and Series 2 oils both on the same installation and on several installations at the NATI, the All-Union Scientific Research Institute of Oil and Gas Processing and Production of Artificial Liquid Fuel (VNII NP), the Bashkir Scientific Research Institute of Petroleum Refining (BashNII NP), and the Institute of Petrochemical Processes (INKh AN) of the Azerbaydzhani SSR.

The test results, which appear in Tables 2 and 3, indicate satisfactory agreement between the results of the tests on all oil types.

Table 3. Results of Parallel Tests of Series 2 Control Oil

| a Indicators (in points)       | b Heavy Duty |      | c Series 1 |      | d Series 2 |      | e Series 3 |      |
|--------------------------------|--------------|------|------------|------|------------|------|------------|------|
|                                | 1            | 2    | 1          | 2    | 1          | 2    | 1          | 2    |
| (a) Indicator (in points):     | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (b) Sulfur content in fuel, %: | 6.7          | 7.0  | 5.5        | 5.8  | 5.4        | 5.9  | 5.3        | 5.9  |
| (c) Sulfur content in fuel, %: | 1.6          | 3.0  | 3.2        | 0.9  | 0.7        | 0.5  | 2.1        | 2.3  |
| (d) Sulfur content in fuel, %: | 10.5         | 14.4 | 11.2       | 12.1 | 10.9       | 11.2 | 11.2       | 11.9 |
| (e) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (f) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (g) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (h) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (i) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (j) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (k) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (l) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (m) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (n) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (o) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (p) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (q) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (r) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (s) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (t) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (u) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (v) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (w) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (x) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (y) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |
| (z) Sulfur content in fuel, %: | 0            | 0    | 0          | 0    | 0          | 0    | 0          | 0    |

KEY: (a) indicators (in points); (b) NATI; (c) VNII NP; (d) BashNII NP; (e) INKh AN Azerb. SSR; (f) loss of piston-ring mobility; (g) scaling in first ring groove; (h) scaling in other grooves; (i) over-all piston-scale rating.

#### COMPARISON OF OIL-TEST RESULTS OBTAINED ON SINGLE-CYLINDER BENCH AND ON TRACTOR DIESELS

In many cases, the results of oil tests on certain laboratory and motor machines do not agree with results obtained on full-sized production engines. This is chiefly because the operating and test conditions set up on the laboratory and motor installations do not match the design features and operating conditions of the production engines.

To one degree or another, almost all of the methods that have been developed permit classification of oils, but many of them have not been used extensively because tests of the same oils in engines give inconsistent results. Hence the basic criteria for establishing the reliability of the results should be the results obtained in long-term tests of the same oil specimens on the most common types of engines.

Tests were run on Heavy Duty (with low-sulfur and sulfur-containing fuels) and Series 1 control oils on the UIM-6-NATI bench and in SMD-14 and D-28 tractor diesels in order to determine the reproducibility of the results.

The indicators listed in Table 4 indicate that the high-temperature test regime selected for the UIM-6-NATI bench, which made it possible to reduce the test time to 120 hours, enabled us to obtain the same results as with production engines operating under normal temperature conditions for 500 hours. The UIM-6-NATI installation occupies an intermediate position between the SMD-14 and D-28 engines as regards almost all indicators of piston and ring fouling by carbon deposits.

Table 4. Results of Tests on Control Oils in UIM-6-NATI Bench and D-28 and SMD-14 Engines

| a | b    |      |      |      |      |      |      |      |      |      |
|---|------|------|------|------|------|------|------|------|------|------|
|   | c    |      |      |      |      | d    |      |      |      |      |
|   | e    |      |      |      |      | f    |      |      |      |      |
| g | h    |      |      |      |      | i    |      |      |      |      |
|   | j    | k    | l    | m    | n    | o    | p    | q    | r    | s    |
| 1 | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
| 2 | 2.6  | 2.6  | 1.0  | 9.2  | 2.4  | 4.4  | 0.8  | 1.8  | 1.3  | 1.3  |
| 3 | 1.3  | 1.7  | 1.1  | 2.4  | 2.4  | 4.4  | 0.8  | 1.8  | 1.3  | 1.3  |
| 4 | 1.4  | 2.0  | 1.7  | 2.0  | 5.6  | 3.6  | 1.6  | 2.7  | 1.3  | 1.3  |
| 5 | 0.7  | 0.2  | 0.9  | 1.1  | 0.9  | 2.5  | 0.8  | 0.3  | 0.3  | 0.3  |
| 6 | 0.3  | 0.3  | 0.3  | 0.7  | 1.0  | 0.5  | 0.5  | 0.5  | 0.3  | 0.3  |
| 7 | 6.3  | 8.3  | 6.0  | 16.4 | 21.3 | 10.6 | 9.5  | 11.5 | 4.8  | 4.8  |
| 8 | 0.43 | 1.15 | 0.22 | 1.96 | 2.13 | 1.35 | 0.97 | 0.49 | 0.43 | 0.43 |
| 9 | 0.55 | 1.67 | 0.68 | 2.30 | 3.18 | 2.03 | 1.20 | 1.61 | 0.41 | 0.41 |

KEY: (a) indicator; (b) Heavy Duty; (c) Series 1; (d) sulfur content in fuel; (e) UIM-6-NATI; (f) D-28; (g) SMD-14; (h) loss of piston-ring mobility, points; (i) scaling; (j) in first ring groove; (k) in other ring grooves; (l) on lands; (m) on piston skirt; (n) in slots of oil-control rings and drainage holes in head of piston; (o) over-oil rating, points; (p) amount of deposits in first ring groove and on ring; (q) amount of deposits in oil grooves and on oil rings; (r) amount of deposits in oil grooves and on oil rings; (s) amount of deposits in oil grooves and on oil rings.

The results of the quick (120-hour) tests run on various samples of domestic oils with the UIM-6-NATI installation, also give closely with the results obtained in long-term (800-hour) tests on the turbocharged SMD-14 and YAMZ-238E tractor engines (Table 5).

Table 5. Results of Oil Tests on UIM-6-NATI [sic] Installation and SMD-18 and YAMZ-238E Engines

| a | b    |      |      |      |      |      |      |      |      |      |
|---|------|------|------|------|------|------|------|------|------|------|
|   | c    |      |      |      |      | d    |      |      |      |      |
|   | e    |      |      |      |      | f    |      |      |      |      |
| g | h    |      |      |      |      | i    |      |      |      |      |
|   | j    | k    | l    | m    | n    | o    | p    | q    | r    | s    |
| 1 | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
| 2 | 2.6  | 2.6  | 1.0  | 9.2  | 2.4  | 4.4  | 0.8  | 1.8  | 1.3  | 1.3  |
| 3 | 1.3  | 1.7  | 1.1  | 2.4  | 2.4  | 4.4  | 0.8  | 1.8  | 1.3  | 1.3  |
| 4 | 1.4  | 2.0  | 1.7  | 2.0  | 5.6  | 3.6  | 1.6  | 2.7  | 1.3  | 1.3  |
| 5 | 0.7  | 0.2  | 0.9  | 1.1  | 0.9  | 2.5  | 0.8  | 0.3  | 0.3  | 0.3  |
| 6 | 0.3  | 0.3  | 0.3  | 0.7  | 1.0  | 0.5  | 0.5  | 0.5  | 0.3  | 0.3  |
| 7 | 6.3  | 8.3  | 6.0  | 16.4 | 21.3 | 10.6 | 9.5  | 11.5 | 4.8  | 4.8  |
| 8 | 0.43 | 1.15 | 0.22 | 1.96 | 2.13 | 1.35 | 0.97 | 0.49 | 0.43 | 0.43 |
| 9 | 0.55 | 1.67 | 0.68 | 2.30 | 3.18 | 2.03 | 1.20 | 1.61 | 0.41 | 0.41 |

KEY: (a) indicator; (b) DS-11 oil with additives; (c) 5% VNI NP-370 + 2% PMS-Va + 0.5% LZ-23K + 0.005% PMS-200A; (d) 3% TSIAIM-339 + 2% PMS-Va + 0.005% PMS-200A; (e) 11% VNI NP + 4% PMS-Va + 0.5% LZ-23K + 0.005% PMS-200A; (f) UIM-6-NATI; (g) SMD-18; (h) YAMZ-238E; (i) over-oil rating, points; (j) amount of deposits in grooves and on rings; (k) sleeve wear, points.

Thus, the conditions adopted for quick oil testing on the single-cylinder bench both with and without the pressure test permit objective evaluation of Heavy Duty, Series 1, and Series 2 oils and make it possible to reduce substantially the amount of expensive long-term testing done on production engines.

#### TESTS OF OIL SAMPLES

Various samples of oils developed by the VNI NP, the PMS-200A, and the IMKHP AN of the Azerbaydzhan SSR were tested on the UIM-6-NATI and UIM-6-NATI installations under the conditions stated above.

The object of the tests was to establish conformity of the motor qualities of the tested oils to the qualities of the Heavy Duty, Series 1, and Series 2 control oils.

| a | b    |      |      |      |      | c    |      |      |      |      |
|---|------|------|------|------|------|------|------|------|------|------|
|   | d    |      |      |      |      | e    |      |      |      |      |
| f | g    |      |      |      |      | h    |      |      |      |      |
|   | i    | j    | k    | l    | m    | n    | o    | p    | q    | r    |
| 1 | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    | 0    |
| 2 | 2.6  | 2.6  | 1.0  | 9.2  | 2.4  | 4.4  | 0.8  | 1.8  | 1.3  | 1.3  |
| 3 | 1.3  | 1.7  | 1.1  | 2.4  | 2.4  | 4.4  | 0.8  | 1.8  | 1.3  | 1.3  |
| 4 | 1.4  | 2.0  | 1.7  | 2.0  | 5.6  | 3.6  | 1.6  | 2.7  | 1.3  | 1.3  |
| 5 | 0.7  | 0.2  | 0.9  | 1.1  | 0.9  | 2.5  | 0.8  | 0.3  | 0.3  | 0.3  |
| 6 | 0.3  | 0.3  | 0.3  | 0.7  | 1.0  | 0.5  | 0.5  | 0.5  | 0.3  | 0.3  |
| 7 | 6.3  | 8.3  | 6.0  | 16.4 | 21.3 | 10.6 | 9.5  | 11.5 | 4.8  | 4.8  |
| 8 | 0.43 | 1.15 | 0.22 | 1.96 | 2.13 | 1.35 | 0.97 | 0.49 | 0.43 | 0.43 |
| 9 | 0.55 | 1.67 | 0.68 | 2.30 | 3.18 | 2.03 | 1.20 | 1.61 | 0.41 | 0.41 |

Table 6. Results of Tests of Oils with Domestic Additives

| a. Description                                     | b. Results, %         |   |                  |   |                  |   |                           |   |                                             |   |
|----------------------------------------------------|-----------------------|---|------------------|---|------------------|---|---------------------------|---|---------------------------------------------|---|
|                                                    | c. Control (Series 1) |   | d. 6% VNI NP-360 |   | e. 3% TSITIM-339 |   | f. 3% TSITIM-339 + 2% AFB |   | g. 3% TSITIM-339 + 2% AFB + 0.005% PMS-200A |   |
|                                                    | 1                     | 2 | 1                | 2 | 1                | 2 | 1                         | 2 | 1                                           | 2 |
| 1. Hardness of deposits on pistons, mm             | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 2. Hardness of deposits on valves, mm              | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 3. Hardness of deposits on cylinder walls, mm      | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 4. Hardness of deposits on crankshaft, mm          | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 5. Hardness of deposits on connecting rods, mm     | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 6. Hardness of deposits on oil pump, mm            | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 7. Hardness of deposits on oil filter, mm          | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 8. Hardness of deposits on oil sump, mm            | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 9. Hardness of deposits on oil pan, mm             | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 10. Hardness of deposits on oil cooler, mm         | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 11. Hardness of deposits on oil separator, mm      | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 12. Hardness of deposits on oil filter housing, mm | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 13. Hardness of deposits on oil pump housing, mm   | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 14. Hardness of deposits on oil filter housing, mm | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 15. Hardness of deposits on oil pump housing, mm   | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 16. Hardness of deposits on oil filter housing, mm | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 17. Hardness of deposits on oil pump housing, mm   | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 18. Hardness of deposits on oil filter housing, mm | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 19. Hardness of deposits on oil pump housing, mm   | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |
| 20. Hardness of deposits on oil filter housing, mm | 0                     | 0 | 0                | 0 | 0                | 0 | 0                         | 0 | 0                                           | 0 |

1) Indicator  
 2) DS-11 oil with additive  
 3) 0.7% Santolube 492 + 1.5% Konto 613 (Heavy Duty)  
 4) 0.7% VNI NP-360;  
 5) 3% TSITIM-339  
 6) 3% TSITIM-339 + 2% AFB  
 7) 3% TSITIM-339 + 2% AFB + 0.005% PMS-200A  
 8) 2.5% Santolube 492 + 4% Konto 613 (Series 1)

Glycerine in cylinder jacket 115 115  
 oil in crankcase 95 95

We see from the results obtained (Table 6) that DS-11 oil with 6% VNI NP-360 has properties similar to those of the Heavy Duty control oil.

DS-11 oil with 3% TSITIM-339 and oil with 3% TSITIM-339 + 2% AFB have motor properties considerably below those of the Heavy Duty control oil. The same oil with the following additive mixes:

- 5% VNI NP-370 + 2% PMS-200A + 0.005% PMS-200A;
- 2% TSITIM-339 + 2% PMS-200A + 0.005% PMS-200A;
- 7.5% BFK + 2% SB-3 + 0.005% PMS-200A;
- 5% BFK + 2% SB-3 + 0.005% PMS-200A;
- 3% Bashnii-2 + 1% PMS-200A + 0.005% PMS-200A

has use properties approaching those of the Series 1 control oil, while DS-11 oil with an additive mix consisting of 3% TSITIM-339 + 2% PMS-200A and 0.005% PMS-200A has anticorrosive properties slightly superior to those of the control oil.

The test results obtained on the single-cylinder bench unit were in full agreement with the results of long-term tests run on full-scale D-50 and SM-14 tractor engines (see Table 6).

Tests run on the VNI-6N-MNI machine with DS-11 oil having the following additive mixes:

- 11% VNI NP-370 + 4% PMS-200A + 0.005% PMS-200A;
- 11% BFK + 4% SB-3 + 0.005% PMS-200A;
- 4% Bashnii-2 + 4% PMS-200A + 0.005% PMS-200A

indicated (Table 7) that the properties of these oils can be equated to those of the Series 1 control oil; note should be taken of the high use properties of the oil with 4% Bashnii-2 + 4% PMS-200A + 0.005% PMS-200A, which was given an over-all rating of 7 points as against 11.5 points for the control oil.

# CONCLUSIONS

1. A general-purpose single-cylinder bench engine designed VNI-6-MNI and a supercharged modification, VNI-6N-MNI, were designed and built for evaluation of the use properties of various types of oils made for use in existing and projected tractor diesels.
2. A battery of tests was run to adjust test conditions and develop a technique for quick (10-hour) tests of Heavy Duty, Series 1, and Series 2 motor oils.
3. The tests showed that the conditions selected permit sharp differentiation of the oils and produce satisfactory

on UIM-6-NATI Bench and U-50 and SMD-10 Engines

[illegible]

(1) % PASHATI-2 + 1% PMS-16 + (v) carbon scaling in other  
+ 0.005% PMS-203A grooves, points;  
(m) UIM-6-BAL-1 (s) cover-all paintings, points  
(n) SMD-16-BAL-1 (t) amount of scale on rings  
-3 and "E" Groover, g  
(c) "C" (u) sleeve wear, points  
(f) piston-ring mobility loss, points  
(g) piston-ring wear, points  
(h) carbon scaling in first (v) first ring wear, points  
(i) oil groove, points (w) wear of set of rings, %

Table 7. Results of Testing Series 2 Oils with Domes:1c Additives on UIM-6N-NATI Machine

[illegible]

KEY: (a) indicator; (b) DS-11 oil with additives; (c) with imported additives; (d) 1% VNI WP-370 + 4% PMSyA + 0.5% LZ-23k + 0.005% PMS-2004; (e) 1% BFK + 4% SN-3 + 0.005% PMS-2004; (f) 4% BarNII-2 + 4% PMSyA + 0.005% PMS-2004; (g) piston-ring wear; (h) oil loss; (i) carbon scaling; (j) in first groove; (k) in other grooves; (l) on piston skirt; (m) on inside piston surface; (n) in drainage holes and slots of oil-control rings; (o) over-all rating; (p) amount of scale in grooves and on rings; (q) sleeve wear,  $\mu$  (r) wear of set of rings,  $\text{g}$ .

agreement and reproducibility between parallel experiments either on a single bench unit or a number of such units.

4. Test results obtained for various foreign and Soviet tractors on the UIM-6-NATI and UIM-6N-NATI machines agree with data obtained in long-term (500-800-hour) tests of the same oil sampled in the D-50, D-28, SYE-18 and YAWZ-238NB tractor diesel.

5. Production and test samples of Sovlet motor oils with additive compositions developed at the VNI NP, INKhP AN Azer. SSR and BashNI NP were classified.

6. The quick test methods developed for Heavy Duty and Commercial oils were standardized, and that devised for Series 1 is recommended for standardization and general use.

# References

1. Arabyan, S.G., *Issledeniya kachestvennykh svoystv dizel'nykh masel na odnoshimolnykh i dvukhsimolnykh usloviyakh* (Study of the tribological properties of diesel oils on the VM-NATI single-cylinder universal engine), VM-NATI, No. 57, 1959.
2. Arabyan, S.G., *Issledeniya kachestvennykh svoystv masel i mazutov na odnoshimolnykh i dvukhsimolnykh usloviyakh* (Study of the tribological properties of diesel oils and mazut on the VM-NATI single-cylinder universal engine), VM-NATI, No. 58, 1959.

## OIL AND OIL-ADDITIVE SELECTION AND USE-PROPERTY MOTOR RATING FOR TWO-STROKE GASOLINE ENGINES

V.M. Filippov, V.M. Rukolov and V.M. Gavryukhin

As we know, the oil that lubricates two-stroke gasoline engines is introduced through the carburetor together with the fuel.

Depending on the design, physical condition, and operating conditions of the engines and on the properties of the oil, and fuel used, the oil-to-fuel ratio varies from 1:15 to 1:40.

Thus, for lubrication of two-stroke gasoline engines must meet the following main requirements:

1. The oil must burn with formation of the smallest possible amount of deposits, while ensuring minimal wear of engine rubbing parts under all engine operating conditions;

2. The oil must contain particles capable of plugging the air-fuel supply system;

3. The oil must ensure normal lubrication of the engine at minimum fuel consumption;

4. The oil must protect the parts of the engine and its fuel-supply system from corrosion;

5. Availability of use properties during storage is required when the oil is mixed with additives and gasoline;

In the event that the gasoline becomes watered, the oil and additives may not settle out of the mixture.

Oils with varying viscosities, chemical compositions, and additive contents are used in various countries to lubricate two-stroke gasoline engines.

It has been established that light type A-6 oils with medium viscosity indices produce the smallest amounts of deposits on the piston, in the combustion chamber, in the scavenging and exhaust ports, and on spark-plug electrodes, while a heavier oil of type MS-100 with a high viscosity index eliminates rubbing and scoring of the pistons.

Use of mixed light and heavy oils that have been matched with consideration of chemical composition, the specific use conditions, and the engine design gives good results.

The use properties of the oils are improved considerably by introduction of special additives. Use of commercial and tractor oils with ashing additive is not recommended, since the additives increase wear and the amount of deposits in the scavenging and exhaust ports, in the combustion chamber, and on the plug electrode.

It should be noted that factory recommendations on oils to be used in two-stroke gasoline engines are frequently given without adequate technical justification.

At the All-Union Scientific Research Institute of Oil and Gas Processing and Production of Artificial Liquid Fuel (VNIIMF), development of special additive oils was begun with elaboration of a spot-testing method using the SD-60B engine. Here it was necessary that:

the test method require little time and no more than 0.5 kg of the experimental oil, and that it provide reproducible experimental results corresponding to the results of long-term bench and test results of oils in two-stroke gasoline engines of various designs;

the engine permit heat-load simulation of existing and projected two-stroke gasoline engines and provide sharp differentiation of oils on the basis of the main use indicators; further, that the engine be simple to operate and that it perform smoothly and reliably under various thermal loads, with adequate service life given replacement of the main components - the piston and cylinder.

Among the two-stroke gasoline engines that we have at the present time, the SD-60B meets these specifications, and was used as a basis for development of the bench installation and the oil spot testing method.

See page 45 for footnote.

Unlike motor-vehicle and traction engines, it does not require an outside blower when operated under bench conditions. Its adequate cooling fan makes it possible to vary the thermal stressing of the engine over a broad range by throttling the air flow and, if necessary, to simulate use conditions.

Below we give the technical data of the SD-60B engine.

|                                                   |                                              |
|---------------------------------------------------|----------------------------------------------|
| Available power, hp <sup>1</sup> .....            | 2.3                                          |
| Crankshaft speed, rev/min.....                    | 4000                                         |
| Cooling.....                                      | air                                          |
| Fuel.....                                         | A-66 or B-70 gasoline; mixed with oil (25:1) |
| Fuel consumption, g/hp-h, not above.....          | 550                                          |
| Weight of engine (without muffler), kg.....       | 7                                            |
| Guaranteed service life, h.....                   | 600                                          |
| After climatic, altitude and amortization losses. |                                              |

In designing the oil-testing installation, certain auxiliary equipment was provided to allow for changes in application of the engine; they make it possible to control and monitor its operating conditions.

Essentially, the method consisted in a short test of the oil in the engine at high temperature. The motor qualities of the oils were rated on the basis of the amount of deposits on a piston, in the cylinder head, and in the cylinder exhaust port, and from the degree of piston-ring mobility.

The use properties of the oil were determined by comparing the results of tests run on the same installation with the test oil and a control oil, in terms of the rating indicators adopted.

The control oils were base oils made according to the appropriate GOST (All-Union State Standard) and additive oils for two-stroke gasoline engines, which were prepared in accordance with the appropriate technical specifications [1] (7) or [2] (8).

The control oil was tested after every 4-5 tests run with experimental samples. This made it possible to check the technical condition of the bench, its capability for differentiation, and the identity of the experimental conditions.

The following test conditions were adopted as a result of the studies (320 h of oil are required for 1 experiment):

|                                |         |
|--------------------------------|---------|
| Test time, h.....              | 10      |
| Crankshaft speed, rev/min..... | 4000±10 |
| Compression ratio.....         | 7.1     |
| Geometrical actual.....        | 5.23    |

|                                                    |                |
|----------------------------------------------------|----------------|
| Spark timing before top dead center,               |                |
| deg.....                                           | 27-28          |
| Fuel.....                                          | B-70 gasoline, |
|                                                    | QOST 1012-54   |
| Fuel consumption, kg/h.....                        | 0.65           |
| Composition of mixture (oil to<br>fuel ratio)..... | 1:25           |
| Temperatures, °C                                   |                |
| ambient and intake-air.....                        | 40±2           |
| crankcase.....                                     | 100±2          |
| cylinder head.....                                 | 220±2          |
| cylinder, on generator side.....                   | 170±2          |
| cylinder, on starter side.....                     | 195±5          |
| exhaust gases.....                                 | 250±5          |
| Exhaust back pressure, mm of water,                | 70±10          |

The oils were rated on the basis of a number of indicators that characterize their use properties (Table 1).

Table 1. Results of Tests of Additives with AS-9.5 Oil  
by IM2TD-10EG Method

[illegible]

var: (a) additive; (b) additive content; (c) deposits on glass plates; (d) plasticity; (e) color of deposits; (f) amount of deposits; (g) amount on plate; (h) on plate near; (i) on cylinder head; (j) on piston ring; (k) AS-0.5 (base); (l) in exhaust gas; (m) AS-1; (n) AS-2; (o) all free; (p) E20ZHK (EUK = fatty acids); (q) SAK [synthetic fatty acids]; (r) same; (s) TME [triethyl phosphate]; (t) MS-200A.

One of the indicators - the deposits index - is a conventional dimensionless overall indicator of oil quality attaining satisfactorily on the following basis:

|                                                                                                                                    |              |
|------------------------------------------------------------------------------------------------------------------------------------|--------------|
| Total amount of deposits on piston<br>with rings, on piston head, in<br>cylinder head and in exhaust port,<br>arbitrary units..... | 10 (1 g)     |
| Wearish on piston, arbitrary units.....                                                                                            | 2 (2 points) |
| Piston-ring mobility, arbitrary units:<br>free.....                                                                                | 0            |
| tigh.....                                                                                                                          | 0.25         |
| burned:                                                                                                                            |              |
| on 360°.....                                                                                                                       | 4            |
| on 180°.....                                                                                                                       | 3            |

Table 2. Results of IM2TD-10PG-Method Tests of Oil Specimens with Domestic and Foreign Additives

| 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 | 196 | 197 | 198 | 199 | 200 | 201 | 202 | 203 | 204 | 205 | 206 | 207 | 208 | 209 | 210 | 211 | 212 | 213 | 214 | 215 | 216 | 217 | 218 | 219 | 220 | 221 | 222 | 223 | 224 | 225 | 226 | 227 | 228 | 229 | 230 | 231 | 232 | 233 | 234 | 235 | 236 | 237 | 238 | 239 | 240 | 241 | 242 | 243 | 244 | 245 | 246 | 247 | 248 | 249 | 250 | 251 | 252 | 253 | 254 | 255 | 256 | 257 | 258 | 259 | 260 | 261 | 262 | 263 | 264 | 265 | 266 | 267 | 268 | 269 | 270 | 271 | 272 | 273 | 274 | 275 | 276 | 277 | 278 | 279 | 280 | 281 | 282 | 283 | 284 | 285 | 286 | 287 | 288 | 289 | 290 | 291 | 292 | 293 | 294 | 295 | 296 | 297 | 298 | 299 | 300 | 301 | 302 | 303 | 304 | 305 | 306 | 307 | 308 | 309 | 310 | 311 | 312 | 313 | 314 | 315 | 316 | 317 | 318 | 319 | 320 | 321 | 322 | 323 | 324 | 325 | 326 | 327 | 328 | 329 | 330 | 331 | 332 | 333 | 334 | 335 | 336 | 337 | 338 | 339 | 340 | 341 | 342 | 343 | 344 | 345 | 346 | 347 | 348 | 349 | 350 | 351 | 352 | 353 | 354 | 355 | 356 | 357 | 358 | 359 | 360 | 361 | 362 | 363 | 364 | 365 | 366 | 367 | 368 | 369 | 370 | 371 | 372 | 373 | 374 | 375 | 376 | 377 | 378 | 379 | 380 | 381 | 382 | 383 | 384 | 385 | 386 | 387 | 388 | 389 | 390 | 391 | 392 | 393 | 394 | 395 | 396 | 397 | 398 | 399 | 400 | 401 | 402 | 403 | 404 | 405 | 406 | 407 | 408 | 409 | 410 | 411 | 412 | 413 | 414 | 415 | 416 | 417 | 418 | 419 | 420 | 421 | 422 | 423 | 424 | 425 | 426 | 427 | 428 | 429 | 430 | 431 | 432 | 433 | 434 | 435 | 436 | 437 | 438 | 439 | 440 | 441 | 442 | 443 | 444 | 445 | 446 | 447 | 448 | 449 | 450 | 451 | 452 | 453 | 454 | 455 | 456 | 457 | 458 | 459 | 460 | 461 | 462 | 463 | 464 | 465 | 466 | 467 | 468 | 469 | 470 | 471 | 472 | 473 | 474 | 475 | 476 | 477 | 478 | 479 | 480 | 481 | 482 | 483 | 484 | 485 | 486 | 487 | 488 | 489 | 490 | 491 | 492 | 493 | 494 | 495 | 496 | 497 | 498 | 499 | 500 | 501 | 502 | 503 | 504 | 505 | 506 | 507 | 508 | 509 | 510 | 511 | 512 | 513 | 514 | 515 | 516 | 517 | 518 | 519 | 520 | 521 | 522 | 523 | 524 | 525 | 526 | 527 | 528 | 529 | 530 | 531 | 532 | 533 | 534 | 535 | 536 | 537 | 538 | 539 | 540 | 541 | 542 | 543 | 544 | 545 | 546 | 547 | 548 | 549 | 550 | 551 | 552 | 553 | 554 | 555 | 556 | 557 | 558 | 559 | 560 | 561 | 562 | 563 | 564 | 565 | 566 | 567 | 568 | 569 | 570 | 571 | 572 | 573 | 574 | 575 | 576 | 577 | 578 | 579 | 580 | 581 | 582 | 583 | 584 | 585 | 586 | 587 | 588 | 589 | 590 | 591 | 592 | 593 | 594 | 595 | 596 | 597 | 598 | 599 | 600 | 601 | 602 | 603 | 604 | 605 | 606 | 607 | 608 | 609 | 610 | 611 | 612 | 613 | 614 | 615 | 616 | 617 | 618 | 619 | 620 | 621 | 622 | 623 | 624 | 625 | 626 | 627 | 628 | 629 | 630 | 631 | 632 | 633 | 634 | 635 | 636 | 637 | 638 | 639 | 640 | 641 | 642 | 643 | 644 | 645 | 646 | 647 | 648 | 649 | 650 | 651 | 652 | 653 | 654 | 655 | 656 | 657 | 658 | 659 | 660 | 661 | 662 | 663 | 664 | 665 | 666 | 667 | 668 | 669 | 670 | 671 | 672 | 673 | 674 | 675 | 676 | 677 | 678 | 679 | 680 | 681 | 682 | 683 | 684 | 685 | 686 | 687 | 688 | 689 | 690 | 691 | 692 | 693 | 694 | 695 | 696 | 697 | 698 | 699 | 700 | 701 | 702 | 703 | 704 | 705 | 706 | 707 | 708 | 709 | 710 | 711 | 712 | 713 | 714 | 715 | 716 | 717 | 718 | 719 | 720 | 721 | 722 | 723 | 724 | 725 | 726 | 727 | 728 | 729 | 730 | 731 | 732 | 733 | 734 | 735 | 736 | 737 | 738 | 739 | 740 | 741 | 742 | 743 | 744 | 745 | 746 | 747 | 748 | 749 | 750 | 751 | 752 | 753 | 754 | 755 | 756 | 757 | 758 | 759 | 760 | 761 | 762 | 763 | 764 | 765 | 766 | 767 | 768 | 769 | 770 | 771 | 772 | 773 | 774 | 775 | 776 | 777 | 778 | 779 | 780 | 781 | 782 | 783 | 784 | 785 | 786 | 787 | 788 | 789 | 790 | 791 | 792 | 793 | 794 | 795 | 796 | 797 | 798 | 799 | 800 | 801 | 802 | 803 | 804 | 805 | 806 | 807 | 808 | 809 | 810 | 811 | 812 | 813 | 814 | 815 | 816 | 817 | 818 | 819 | 820 | 821 | 822 | 823 | 824 | 825 | 826 | 827 | 828 | 829 | 830 | 831 | 832 | 833 | 834 | 835 | 836 | 837 | 838 | 839 | 840 | 841 | 842 | 843 | 844 | 845 | 846 | 847 | 848 | 849 | 850 | 851 | 852 | 853 | 854 | 855 | 856 | 857 | 858 | 859 | 860 | 861 | 862 | 863 | 864 | 865 | 866 | 867 | 868 | 869 | 870 | 871 | 872 | 873 | 874 | 875 | 876 | 877 | 878 | 879 | 880 | 881 | 882 | 883 | 884 | 885 | 886 | 887 | 888 | 889 | 890 | 891 | 892 | 893 | 894 | 895 | 896 | 897 | 898 | 899 | 900 | 901 | 902 | 903 | 904 | 905 | 906 | 907 | 908 | 909 | 910 | 911 | 912 | 913 | 914 | 915 | 916 | 917 | 918 | 919 | 920 | 921 | 922 | 923 | 924 | 925 | 926 | 927 | 928 | 929 | 930 | 931 | 932 | 933 | 934 | 935 | 936 | 937 | 938 | 939 | 940 | 941 | 942 | 943 | 944 | 945 | 946 | 947 | 948 | 949 | 950 | 951 | 952 | 953 | 954 | 955 | 956 | 957 | 958 | 959 | 960 | 961 | 962 | 963 | 964 | 965 | 966 | 967 | 968 | 969 | 970 | 971 | 972 | 973 | 974 | 975 | 976 | 977 | 978 | 979 | 980 | 981 | 982 | 983 | 984 | 985 | 986 | 987 | 988 | 989 | 990 | 991 | 992 | 993 | 994 | 995 | 996 | 997 | 998 | 999 | 1000 | 1001 | 1002 | 1003 | 1004 | 1005 | 1006 | 1007 | 1008 | 1009 | 1010 | 1011 | 1012 | 1013 | 1014 | 1015 | 1016 | 1017 | 1018 | 1019 | 1020 | 1021 | 1022 | 1023 | 1024 | 1025 | 1026 | 1027 | 1028 | 1029 | 1030 | 1031 | 1032 | 1033 | 1034 | 1035 | 1036 | 1037 | 1038 | 1039 | 1040 | 1041 | 1042 | 1043 | 1044 | 1045 | 1046 | 1047 | 1048 | 1049 | 1050 | 1051 | 1052 | 1053 | 1054 | 1055 | 1056 | 1057 | 1058 | 1059 | 1060 | 1061 | 1062 | 1063 | 1064 | 1065 | 1066 | 1067 | 1068 | 1069 | 1070 | 1071 | 1072 | 1073 | 1074 | 1075 | 1076 | 1077 | 1078 | 1079 | 1080 | 1081 | 1082 | 1083 | 1084 | 1085 | 1086 | 1087 | 1088 | 1089 | 1090 | 1091 | 1092 | 1093 | 1094 | 1095 | 1096 | 1097 | 1098 | 1099 | 1100 | 1101 | 1102 | 1103 | 1104 | 1105 | 1106 | 1107 | 1108 | 1109 | 1110 | 1111 | 1112 | 1113 | 1114 | 1115 | 1116 | 1117 | 1118 | 1119 | 1120 | 1121 | 1122 | 1123 | 1124 | 1125 |  |
|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|

KEY: (a) products; (b) composition of fuel mixture; (c) deposits index; points; (d) piston-ring mobility; (e) number of deposits on piston; points; (f) amount of deposits; g; (g) on piston; (h) on piston head; (i) on piston; (j) in exhaust port; (k) total; (l) AS-9; (m) under-head; (n) first ring burned on 360°; second without additive; (o) first ring burned on 360°; second without additive; (p) AS-9 + 3% VMI NP-370 + 1% PMS-1a + 0.5% AS-9; (q) all ratings free; they could not pass 81.

|                                                    |                |
|----------------------------------------------------|----------------|
| Spark timing before top dead center,               |                |
| deg.....                                           | 27-28          |
| Fuel.....                                          | B-70 gasoline, |
|                                                    | QOST 1012-54   |
| Fuel consumption, kg/h.....                        | 0.65           |
| Composition of mixture (oil to<br>fuel ratio)..... | 1:25           |
| Temperatures, °C                                   |                |
| ambient and intake-air.....                        | 40±2           |
| crankcase.....                                     | 100±2          |
| cylinder head.....                                 | 220±2          |
| cylinder, on generator side.....                   | 170±2          |
| cylinder, on starter side.....                     | 195±5          |
| exhaust gases.....                                 | 250±5          |
| Exhaust back pressure, mm of water,                | 70±10          |

The oils were rated on the basis of a number of indicators that characterize their use properties (Table 1).

Table 1. Results of Tests of Additives with AS-9.5 Oil  
by IM2TD-10EG Method

[illegible]

var: (a) additive; (b) additive content; (c) deposits on glass plates; (d) plasticity; (e) color of deposits; (f) amount of deposits; (g) amount on plate; (h) on plate near; (i) on cylinder head; (j) on piston ring; (k) AS-0.5 (base); (l) in exhaust gas; (m) AS-1; (n) AS-2; (o) all free; (p) ESHK (EHK = fatty acid); (q) SHK [synthetic fatty acids]; (r) SWS; (s) TWE [trisyl phosphate]; (t) MS-200A.

One of the indicators - the deposits index - is a conventional dimensionless overall indicator of oil quality attaining satisfactorily on the following basis:

[Key to Table 2, cont'd.] (p) AS-9.5 + 3.5% VNII NP-360 + 1% AzNII-TsIATW-1; (q) first ring burned on 180° second ring free; (r) AS-9.5 + 3% GDR [East Germany] additive for two-stroke gasoline engines; (s) AS-9.5 + 2% Anoco 661 additive (USA); (t) same; (u) AS-9.5 + 3% Ecolume 120 additive (USA); (v) AS-9.5 + 1.5% ASK + 1% SZhK (C<sub>18</sub>-C<sub>18</sub>) + 0.001% PMS-200A; (w) AS-9.5 + 1.5% ASK + 1.5% EEZhK + 0.5% TEA (disubstituted) + 0.001% PMS-200A; (x) AS-9.5 + 1.5% T-1 + 1.5% ASK + 1% SZhK (C<sub>18</sub>-C<sub>18</sub>) + 0.25% VNII NP-354 + 0.001% PMS-200A; (y) AS-9.5 + 1.5% T-1 + 1.5% ASK + 1.5% EEZhK + 0.25% VNII NP-354 + 0.001% PMS-200A.

Each specimen was tested at least twice; here the disagreement between the results should not exceed 10% for the wear and total-deposits indices, or 0.5 point for the deposit color. The amount of scale is determined to within 0.001 g.

The work of selecting oil additives was begun with study of the functional properties of the individual additives on the bench engine.

It was established that the smallest amount of deposits in the combustion chamber and exhaust ports results from use of the low-ash alkylalicylate additive ASK, 1.5% by weight of which eliminates piston-ring burning, reduces piston varnishing from 5 to 1 point, and simultaneously increases the amount of deposits on the piston head, in the cylinder head, and in the exhaust port (see Table 1).

Fatty acid ethyl ester (EEZhK) and synthetic fatty acids (SZhK) reduce the amount of deposits substantially but do not eliminate burning-on of the piston rings and do not reduce varnishing of the piston. More than 1% of SZhK in the oil causes deterioration of all motor-property indicators. Combined with ASK and SZhK, PMS-200A additive improves all indicators.

The studies established that each of the additives tested does not, taken alone, improve the properties of the base oil in all of the rating indicators. Subsequent development work on oils for two-stroke gasoline engines was directed toward adjustment of the additive combination.

Table 2 presents test results for mixes developed on the basis of ASK additive in combination with EEZhK, SZhK, and PMS-200A, for comparison with AS-9.5 base oil and with foreign additives. Mixes based on ASK are more effective. Additive mixes containing synthetic fatty acids (C<sub>18</sub>-C<sub>18</sub> fraction), which were used for 850-1000 hours in Druzhba-4 gasoline-powered saws, produced somewhat better results than mixes of the same additives containing EEZhK. When AS-9.5 oil was used with an additive mix consisting of 1.5% ASK, 1% SZhK, and 0.001% PMS-200A, the service life of the Druzhba-4 engine was increased by a factor of 2. for This oil is recommended by the interdepartmental commission for experimental use. The good use properties of AS-10 oil with




Fig. 1. Reproducibility of test results and comparison of various oils on the basis of the "deposits index" indicator. 1) scattering region of control-oil test results; 2) AS-9.5 (without additive); 3) AS-15 (without additive); 4) VNII NP mix; 5) AS-9.5 + 3% Ecolume 120; 6) AS-9.5 + 3% GDR additive; 7) AS-9.5 + 2.5% Anoco 661.

KEY: (a) deposits index; (b) control oil with additives; (c) oil.

17.5% of T-1 fuel, 1.5% ASK, 1% SZhK, 0.25% VNII NP-354, and 0.001% PMS-200A and a similar mix with 1.5% EEZhK were confirmed by the results of use tests extending over the entire lifetime of SD-60B engines. In tests of engine performance on AS-9.5 oil without additives (mixture composition 1:25), it was necessary to replace the piston pin and the connecting-rod top-end insert after 460 hours because of wear. Engines ran for more than 700 hours on AS-9.5 oil with the additive composition developed (mixture composition 1:33) without replacement of parts or removal of deposits.

The method developed makes it possible to obtain a reproducibility of the results that is adequate for motor tests, along with sharp enough differentiation between different oil qualities (Fig. 1).

The installation developed performs reliably over a broad cylinder-temperature range. Oils can be rated in research studies at cylinder temperatures from 170 to 230°C. The maximum cylinder temperature for tests of various oils and additives is limited by the onset of ring burning and piston scoring. For effective special-additive mixes, it ranges up to and above

## CONCLUSIONS

1. A method was developed for motor rating of the use properties of oils made for two-stroke gasoline engines.
2. The method can be used to rate oils with and without additives, to determine the functional properties of specific additives, and to adjust optimum additive mixes.
3. The method yields satisfactory reproducibility in the test results. The divergence of two parallel tests is  $\pm 10\%$  for the deposits index and the total amount of deposits.
4. The bench installation and the method elaborated for it have enabled the VNIIP to level off special two-stroke gasoline engine oils whose operational properties are considerably better than those of the commercial oils currently being produced.
5. The motor-rating method can be recommended for State Standards and Departmental Technical Specifications; it can be used in scientific-research organizations, at petroleum refineries, and by consumers to check oil quality.




Fig. 2. Influence of thermal load of IW-10-10P9 bench engine on test results for various oils: 1) 1.5% ASK; 2) 1% CSHK; 3) 0.001% PMS-200A; 4) control.

KEY: (a) ring wear,  $\mu\text{m}$ ; (b) piston vanishing, points; (c) total amount of deposits,  $\text{g}$ ; (d) deposits index; (e) cylinder temperature,  $^{\circ}\text{C}$ .

For oils not having additives, it is usually 180-200°C. Results of ten-hour tests at various cylinder temperatures make it possible to plot characteristic curves for oils with different temperature and the rating indicator as coordinates (Fig. 3). Comparison of these characteristics for various oils may be a basis for predicting their range of application.

In ten-hour sequential tests of the oil, its antiwear properties can be rated quite reliably within 40-50 hours. When full oil was used without additives in 40 hours of operation with cylinder temperatures between 180 and 210°C, the total piston-ring wear was 0.027 g, but only 0.017 g with 1.5% ASK, 1% CSHK (G1-C16), and 0.001% PMS-200A over the same running time at cylinder temperatures of 200-230°C.

A full-scale bench installation has now been built around a 60-h engine and can be used to test oils for two-stroke gasoline engines.

Footnote

<sup>1</sup>A stationary single-cylinder two-stroke engine with two-channel return-counterflow scavenging.

IN-STORAGE PROPERTY CHANGES OF OILS OF VARIOUS  
CLASSES AND DETERMINATION OF THEIR PURITY

K.K. Papok and B.S. Zuseva

CHANGE IN THERMAL-OXIDATION STABILITY AND DETERGENT POTENTIAL OF  
ADDITIVE OILS DURING STORAGE

With the object of determining how the thermal-oxidation stabilities and detergent potentials of additive oils change during storage, oils of various classes (from Premium to Series 3) were prepared with DS-11 oil as a base and with various combinations of foreign and domestic additives and placed in long-term storage.

A consignment of oils with foreign additives was prepared under laboratory conditions in August 1961. Each specimen had a volume of 0.5 liter. The oil samples were stored in glass bottles in diffuse light in a closed unheated warehouse. Control analyses were made in February 1964 and April 1965.

The analyses (Table 1) showed that after 2 years and 7 months of storage, all oils with mixes of foreign barium and calcium additives retained thermal-oxidation stability (except for the calcium-additive Series 3 oil), while after 3 years and 9 months of storage, thermal-oxidation stability had declined by 10-25 minutes in 50% of the specimens, namely, in oils of the Heavy Duty, Series 1 and Series 3 classes with barium additives and in Premium, Series 1 and Series 3 oils with the calcium additives.

**Table 1. Change in Properties of Various Classes of Oils During Storage in Glass Bottles**

[illegible]

**KEY:** (a) oil; (b) content of additives in DS-II oil; (c) thermal-oxidation stability, minutes; (d) original specimen; (e) after 2 years 7 months of storage; (f) after 3 years 9 months of storage; (g) detergent potash; (h) calcium; (i) 0.2% antioxidant + 2.4% barium; (j) Heavy Duty; (k) Series... (l) 18% barium; (m) 0.2% antioxidant; (n) 0.2% antioxidant + 2.4% calcium; (o) 0.2% antioxidant + 2.4% calcium emulsifier.

petroleum potential remained unchanged in all six areas. The three years and nine months of oil use, except for the Persian Gulf, were the same as in the previous period. The Persian Gulf duty oil with no oil reserves, which showed a sharp increase in the previous period, was reduced to 19.3 million barrels. The detergent potential level was 1.3 million barrels and 7.0 million barrels.

In August 1962, a consignment of oil with various additives, prepared under special industrial conditions and packaged in steel drums, was obtained from the "MIL" No. 0.5-liter samples of the oils were drawn from these drums into glass bottles and placed in a closed unheated warehouse for storage. The drums were then stored on an outdoor platform.

Control analyses, the results of which appear in Table 2, were made in February 1964 and April 1965.

As we see, even after 1.5 years of storage, whether in the glass bottles or in the steel drums, the thermal-oxidation stability of all the oils except the Series 1 and Series 2 oils containing calcium additives had dropped by 12-10 mt. and after 2

Table 2. Change in Properties of Oils of Various Classes During Storage\*

[illegible]

The additive contents of the various oils are the same as in Table I.

(a) oil; (b) storage conditions; (c) thermal-oxidative stability; (d) original specimen; (e) after 8 months of storage; (f) after 8 years 8 months of storage; (g) detergent potential; (h) with barium additives; (i) premium; (j) in glass bottles; (k) in plastic bottles; (l) Series...; (n) with heavy-duty additives.

years and 6 months of storage, a further decrease in thermal oxidation stability was noted in the oil stored in glass. No further observations were made on the oil in the drums after 1 year.

Except for Premium oil with barium additives, the detergent potentials of all oils had undergone no change after 1.5 years of storage, while after 2 years and 8 months, all oils with calcium additives showed a 20-60-unit loss of detergent potential.

It is interesting to note that the oils prepared in the laboratory (August 1961) were more stable during storage in glass than oils prepared under semiindustrial conditions (see Tables 1 and 2). This provides a basis for the assumption that the conditions of mixing of the oils with the additives influence storage stability.

The results of analyses of the oils with Soviet additives appear in Table 3.

**Table 3. In-Storage Property Changes of Oils of Various Classes with Soviet Additives**

[illegible]

**\*Filtered specimens.**

KEY: (a) oil; (b) additive content in DS-11 oil; (c) storage conditions; (d) thermal-oxidation stability, minutes; (e) original specimen; (f) after 1.5 years of storage; (g) after 2 years 8 months of storage; (h) detergent potential, %; (i) Heavy Duty; (j) 3% VNI NP-370 + 1% PMS-Ya + 0.5% LZ-23K + 0.005% PMS-200A; (k) in glass bottles; (l) in steel drums; (m) Series 1; (n) 5% VNI; NP-370 + 2% PMS-Ya + 0.5% LZ-23K + 0.005% PMS-200A; (o) 1% VNI NP-370 + 4% PMS-Ya + 0.5% LZ-23K + 0.005% PMS-200A; (p) 15% VNI NP-370 + 6% PMS-Ya + 0.5% LZ-23K + 0.005% PMS-200A.

After 1.5 years of storage, the thermal-oxidation stabilities of all oils (except for two specimens) remained practically unchanged, but after 2 years and 8 months of storage in glass, they fell by 8-20 min. The detergent potentials of the Heavy Duty and Series 1 oils had not changed after 2 years and 8 months of storage; for the Series 2 and Series 3 oils, they had fallen by 20-55 units after 1.5 years of storage, and to zero after 2 years and 8 months.

## INVESTIGATION OF PURITY OF MOTOR OILS AND ADDITIVES

The following method was worked out for determination of the purity of the oils and additives. The oil or additive specimen to be studied was dissolved in Galosha gasoline at room temperature and passed under vacuum (residual pressure 20–30 mm Hg) through a No. 4 biological filter 27 mm in diameter, which was placed in a two-part metal funnel (GOST [All-Union State Standard] 10734-64). To determine the purity of the oils, 5-gram weighed specimens were taken and dissolved in 45 ml of Galosha gasoline; to determine additive purity, 1-gram weighed samples were dissolved in 49 ml of Galosha gasoline.

The purity of an oil or additive is determined from the filtration number and the amount of dirt in the oil. The filtration number is determined from the number of filters needed for complete filtering of the entire oil or additive solution with filter change mandatory at 5-minute intervals.

The amount of dirt is determined from the difference in the weights of the biological filter before and after filtration of the oil solution (bringing it to constant weight at 100°C). When it is necessary to change filters several times, as when the products being tested contain large amounts of contamination, the total amount of deposits on all of the filters is taken as the fouling index of the oil. The amount of dirt is expressed in mg/100g of the oil or additive being tested.

The disagreement between parallel experiments may not exceed 20 mg/100g for dirt contents up to 200 mg/100g, or 10% of the smallest result for dirt contents above 200 mg/100g. The fouling of the oil can also be rated tentatively by visual inspection on the basis of filter color.

It was found on checking the purity of the motor oils without additives that in general, all of the commercial oils show high purity: the number of filtrations was 1, i.e., they were thoroughly filtered by a single filter, and the amount of dirt did not exceed 30 mg/100g.

The purity of motor oils containing various additive; fluctuates in a very broad range: as many as 6 filters were required to clear some specimens, and the amount of dirt ranged up to 300 mg/100g (Table 4).

Oils with the Monto, Santolube, and Oro's additives showed high purity: the filtration number was 1, and the amount of dirt ranged from 26 to 40 mg/100g. On the other hand, oils with the VNI NP-370, BF-1, SE-3, and other additives were very dirty: they required up to 6 filtrations and contained up to 308 mg/100g of dirt.

The purity change of mineral oils under the influence of additives is accounted for by inadequate purity of the additives themselves (Table 5). We see from the table that the filtration

#### Table 4. Purities of Various Classes of Oil

| а | Виды | б | Средняя температура в сутки, °С-ч | в             |                               | г | Примечания |
|---|------|---|-----------------------------------|---------------|-------------------------------|---|------------|
|   |      |   |                                   | д             | е                             |   |            |
|   |      |   |                                   | число замеров | средняя температура, °С/100 ч |   |            |
| а | Виды | б | Средняя температура в сутки, °С-ч | д             | е                             | г | Примечания |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
| б | Виды | б | Средняя температура в сутки, °С-ч | д             | е                             | г | Примечания |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
| в | Виды | б | Средняя температура в сутки, °С-ч | д             | е                             | г | Примечания |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
| г | Виды | б | Средняя температура в сутки, °С-ч | д             | е                             | г | Примечания |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
|   |      |   |                                   |               |                               |   |            |
| д | Виды | б |                                   |               |                               |   |            |

lav; (a) cil; (b) additive solvent in DS-II oil; (c)  
 purity; (d) filtration number; (e) dirt, mg/100G;  
 (f) Premium; (g) 0.7% Santolure 493 + 0.7% Monto 613;  
 (h) 0.5% Orbis-265; (i) 5% SK-I + 1.2% DP-11; (j)  
 5% C-5 + 1.2% UP-11; (k) 0.7% LANI-317 + 0.7% BFK-1;  
 (l) Heavy Duty; (m) 0.6% Orbis-267 + 2.6% Orbis-2054;  
 (n) 3% VMI NP-370 + 1% PMS-Ya + 0.5% LZ-23K + 0.005%  
 PMS-200A; (o) 3% Era-1 + 3% SP-3 + 0.005% PMS-200H;  
 (p) 0.7% LANI-317 + 1.5% FFK-1; (q) Series...; (r)  
 0.5% Santolure 493 + 4% Monto 613; (s) 0.5% Orbis-  
 265 + 4.5% Orbis 2054; (t) 5% VMI NP-370 + 2% PMS-Ya +  
 0.5% LZ-23K + 0.005% PMS-200A; (u) 5% BFK-1 + 3%  
 LANI-317 + 4% EPI-1; (v) 0.005% PMS-200A; (w) 0.25% LANI-  
 317 + 4% EPI-1; (x) 11% VMI NP-370 + 4% PMS-Ya +  
 0.5% LZ-23K + 0.005% PMS-200A; (z) 11% BFK-1 + 4%  
 LANI-317 + 0.5% LZ-23K + 0.005% PMS-200A; (aa) 0.5% LANI-  
 317 + 6.5% BFK-1 + 0.005% PMS-200A; (ab) 18% Monto-703;  
 (ac) 17% Orbis-2112A; (ad) 15% VMI NP-370 + 6%  
 PMS-Ya + 0.5% LZ-23K + 0.005% PMS-200A; (ae) 15% BFK-1  
 + 6% SB-3 + 0.5% LI-1-K + 0.1% PMS-200A; (ff) 1%  
 LANI-317 + 10% BFK-1 + 0.005% PMS-200A.

1

number was 1 for the LANI-317, Santolube-493, Monto-613 and 702 and Orodin-267, 2054, and 2112A additives, while they contained no more than 80 mg/100g of dirt.

Table 5. Purities of Various Additives

| a            | Direction | C-130, 40, 4000 ft       |                          |
|--------------|-----------|--------------------------|--------------------------|
|              |           | c<br>Wavelength<br>in ft | d<br>Wavelength<br>in ft |
| Carroll-6-53 |           | 1                        | 75                       |
| Moore-613    |           | 1                        | 75                       |
| Moore-614    | SW, 212A  | 1                        | 75                       |
| Moore-615    |           | 1                        | 75                       |
| Moore-616    |           | 1                        | 75                       |
| Moore-617    |           | 1                        | 100                      |
| Moore-618    |           | 1                        | 100                      |
| Moore-619    |           | 1                        | 100                      |
| Moore-620    |           | 1                        | 200                      |
| Moore-621    |           | 1                        | 200                      |
| Moore-622    |           | 1                        | 200                      |
| Moore-623    |           | 1                        | 200                      |
| Moore-624    |           | 1                        | 200                      |
| Moore-625    |           | 1                        | 200                      |
| Moore-626    |           | 1                        | 200                      |
| Moore-627    |           | 1                        | 200                      |
| Moore-628    |           | 1                        | 200                      |
| Moore-629    |           | 1                        | 200                      |
| Moore-630    |           | 1                        | 200                      |
| Moore-631    |           | 1                        | 200                      |
| Moore-632    |           | 1                        | 200                      |
| Moore-633    |           | 1                        | 200                      |
| Moore-634    |           | 1                        | 200                      |
| Moore-635    |           | 1                        | 200                      |
| Moore-636    |           | 1                        | 200                      |
| Moore-637    |           | 1                        | 200                      |
| Moore-638    |           | 1                        | 200                      |
| Moore-639    |           | 1                        | 200                      |
| Moore-640    |           | 1                        | 200                      |
| Moore-641    |           | 1                        | 200                      |
| Moore-642    |           | 1                        | 200                      |
| Moore-643    |           | 1                        | 200                      |
| Moore-644    |           | 1                        | 200                      |
| Moore-645    |           | 1                        | 200                      |
| Moore-646    |           | 1                        | 200                      |
| Moore-647    |           | 1                        | 200                      |
| Moore-648    |           | 1                        | 200                      |
| Moore-649    |           | 1                        | 200                      |
| Moore-650    |           | 1                        | 200                      |
| Moore-651    |           | 1                        | 200                      |
| Moore-652    |           | 1                        | 200                      |
| Moore-653    |           | 1                        | 200                      |
| Moore-654    |           | 1                        | 200                      |
| Moore-655    |           | 1                        | 200                      |
| Moore-656    |           | 1                        | 200                      |
| Moore-657    |           | 1                        | 200                      |
| Moore-658    |           | 1                        | 200                      |
| Moore-659    |           | 1                        | 200                      |
| Moore-660    |           | 1                        | 200                      |
| Moore-661    |           | 1                        | 200                      |
| Moore-662    |           | 1                        | 200                      |
| Moore-663    |           | 1                        | 200                      |
| Moore-664    |           | 1                        | 200                      |
| Moore-665    |           | 1                        | 200                      |
| Moore-666    |           | 1                        | 200                      |
| Moore-667    |           | 1                        | 200                      |
| Moore-668    |           | 1                        | 200                      |
| Moore-669    |           | 1                        | 200                      |
| Moore-670    |           | 1                        | 200                      |
| Moore-671    |           | 1                        | 200                      |
| Moore-672    |           | 1                        | 200                      |
| Moore-673    |           | 1                        | 200                      |
| Moore-674    |           | 1                        | 200                      |
| Moore-675    |           | 1                        | 200                      |
| Moore-676    |           | 1                        | 200                      |
| Moore-677    |           | 1                        | 200                      |
| Moore-678    |           | 1                        | 200                      |
| Moore-679    |           | 1                        | 200                      |
| Moore-680    |           | 1                        | 200                      |
| Moore-681    |           | 1                        | 200                      |
| Moore-682    |           | 1                        | 200                      |
| Moore-683    |           | 1                        | 200                      |
| Moore-684    |           | 1                        | 200                      |
| Moore-685    |           | 1                        | 200                      |
| Moore-686    |           | 1                        | 200                      |
| Moore-687    |           | 1                        | 200                      |
| Moore-688    |           | 1                        | 200                      |
| Moore-689    |           | 1                        | 200                      |
| Moore-690    |           | 1                        | 200                      |
| Moore-691    |           | 1                        | 200                      |
| Moore-692    |           | 1                        | 200                      |
| Moore-693    |           | 1                        | 200                      |
| Moore-694    |           | 1                        | 200                      |
| Moore-695    |           | 1                        | 200                      |
| Moore-696    |           | 1                        | 200                      |
| Moore-697    |           | 1                        | 200                      |
| Moore-698    |           | 1                        | 200                      |
| Moore-699    |           | 1                        | 200                      |
| Moore-700    |           | 1                        | 200                      |
| Moore-701    |           | 1                        | 200                      |
| Moore-702    |           | 1                        | 200                      |
| Moore-703    |           | 1                        | 200                      |
| Moore-704    |           | 1                        | 200                      |
| Moore-705    |           | 1                        | 200                      |
| Moore-706    |           | 1                        | 200                      |
| Moore-707    |           | 1                        | 200                      |
| Moore-708    |           | 1                        | 200                      |
| Moore-709    |           | 1                        | 200                      |
| Moore-710    |           | 1                        | 200                      |
| Moore-711    |           | 1                        | 200                      |
| Moore-712    |           | 1                        | 200                      |
| Moore-713    |           | 1                        | 200                      |
| Moore-714    |           | 1                        | 200                      |
| Moore-715    |           | 1                        | 200                      |
| Moore-716    |           | 1                        | 200                      |
| Moore-717    |           | 1                        | 200                      |
| Moore-718    |           | 1                        | 200                      |
| Moore-719    |           | 1                        | 200                      |
| Moore-720    |           | 1                        | 200                      |
| Moore-721    |           | 1                        | 200                      |
| Moore-722    |           | 1                        | 200                      |
| Moore-723    |           | 1                        | 200                      |
| Moore-724    |           | 1                        | 200                      |
| Moore-725    |           | 1                        | 200                      |
| Moore-726    |           | 1                        | 200                      |
| Moore-727    |           | 1                        | 200                      |
| Moore-728    |           | 1                        | 200                      |
| Moore-729    |           | 1                        | 200                      |
| Moore-730    |           | 1                        | 200                      |
| Moore-731    |           | 1                        | 200                      |
| Moore-732    |           | 1                        | 200                      |
| Moore-733    |           | 1                        | 200                      |
| Moore-734    |           | 1                        | 200                      |
| Moore-735    |           | 1                        | 200                      |
| Moore-736    |           | 1                        | 200                      |
| Moore-737    |           | 1                        | 200                      |
| Moore-738    |           | 1                        | 200                      |
| Moore-739    |           | 1                        | 200                      |
| Moore-740    |           | 1                        | 200                      |
| Moore-741    |           | 1                        | 200                      |
| Moore-742    |           | 1                        | 200                      |
| Moore-743    |           | 1                        | 200                      |
| Moore-744    |           | 1                        | 200                      |
| Moore-745    |           | 1                        | 200                      |
| Moore-746    |           | 1                        | 200                      |
| Moore-747    |           | 1                        | 200                      |
| Moore-748    |           | 1                        | 200                      |
| Moore-749    |           | 1                        | 200                      |
| Moore-750    |           | 1                        | 200                      |
| Moore-751    |           | 1                        | 200                      |
| Moore-752    |           | 1                        | 200                      |
| Moore-753    |           | 1                        | 200                      |
| Moore-754    |           | 1                        | 200                      |
| Moore-755    |           | 1                        | 200                      |
| Moore-756    |           | 1                        | 200                      |
| Moore-757    |           | 1                        | 200                      |
| Moore-758    |           | 1                        | 200                      |
| Moore-759    |           | 1                        | 200                      |
| Moore-760    |           | 1                        | 200                      |
| Moore-761    |           | 1                        | 200                      |
| Moore-762    |           | 1                        | 200                      |
| Moore-763    |           | 1                        | 200                      |
| Moore-764    |           | 1                        | 200                      |
| Moore-765    |           | 1                        | 200                      |
| Moore-766    |           | 1                        | 200                      |
| Moore-767    |           | 1                        | 200                      |
| Moore-768    |           | 1                        | 200                      |
| Moore-769    |           | 1                        | 200                      |
| Moore-770    |           | 1                        | 200                      |
| Moore-771    |           | 1                        | 200                      |
| Moore-772    |           | 1                        | 200                      |
| Moore-773    |           | 1                        | 200                      |
| Moore-774    |           | 1                        | 200                      |
| Moore-775    |           | 1                        | 200                      |
| Moore-776    |           | 1                        | 200                      |
| Moore-777    |           | 1                        | 200                      |
| Moore-778    |           | 1                        | 200                      |
| Moore-779    |           | 1                        | 200                      |
| Moore-780    |           | 1                        | 200                      |
| Moore-781    |           | 1                        | 200                      |
| Moore-782    |           | 1                        | 200                      |
| Moore-783    |           | 1                        | 200                      |
| Moore-784    |           | 1                        | 200                      |
| Moore-785    |           | 1                        | 200                      |
| Moore-786    |           | 1                        | 200                      |
| Moore-787    |           | 1                        | 200                      |
| Moore-788    |           | 1                        | 200                      |
| Moore-789    |           | 1                        | 200                      |
| Moore-790    |           | 1                        | 200                      |
| Moore-791    |           | 1                        | 200                      |
| Moore-792    |           | 1                        | 200                      |
| Moore-793    |           | 1                        | 200                      |
| Moore-794    |           | 1                        | 200                      |
| Moore-795    |           | 1                        | 200                      |
| Moore-796    |           | 1                        | 200                      |
| Moore-797    |           | 1                        | 200                      |
| Moore-798    |           | 1                        | 200                      |
| Moore-799    |           | 1                        | 200                      |
| Moore-800    |           | 1                        | 200                      |

KEY: (a) additive; (b) purity; (c) number of filtrations; (d) dirt, mg/100g; (e) Santo Labe-493; (f) Monto-613; (g) Orobis-2054, 267, 2112A; (h) Monto-702; (i) LANI-317; (j) TSIATIM-139; (k) BPK-1; (l) LZ-23k; (m) VNII NP-371; (n) VNII NP-360; (o) AZNIX-TSIATIM-1; (p) AZN1-7; (q) IL-22; (r) VNII NP-370; (s) VNII NP-167; (t) SB-3; (u) PMSiya.

However, most of the additives have indicators inferior to those named above, and additives such as PMS19A, SE-3, and VNI-370 were very dirty (from 850 to 2070 mg/100g) and had filtration numbers from 4 to 9. However, any of the additives may be prepared in different purities.

The purities of laboratory-mixed (August 1961) and semi-industrial (April 1964) oils with foreign additives and domestic semindustrially-mixed oils were checked. As we see from Table 6, the semindustrially mixed oils are considerably lighter than the lab-mixed oils, and this is apparently the explanation for the stability differences during storage.

It is recommended that the purity-rating method be used to monitor the purity of oils and additives, using the norms given in Table 7 as a guide.

Table 6. Purities of Oils of Various Classes Mixed in the Laboratory and Under Semiindustrial Conditions

| a                     | b. Chemical analysis      |                       |                    |                                  |
|-----------------------|---------------------------|-----------------------|--------------------|----------------------------------|
|                       | c. Viscosity (centipoise) | d. Sulfur content (%) | e. Ash content (%) | f. Oxidation stability (mg/100g) |
| g. Sample description |                           |                       |                    |                                  |
| 1. Premium            | 1                         | 1                     | 1                  | 45                               |
| 2. Premium            | 1                         | 1                     | 1                  | 45                               |
| 3. Premium            | 1                         | 1                     | 1                  | 45                               |
| 4. Premium            | 1                         | 1                     | 1                  | 45                               |
| 5. Premium            | 1                         | 1                     | 1                  | 45                               |
| 6. Premium            | 1                         | 1                     | 1                  | 45                               |
| 7. Premium            | 1                         | 1                     | 1                  | 45                               |
| 8. Premium            | 1                         | 1                     | 1                  | 45                               |
| 9. Premium            | 1                         | 1                     | 1                  | 45                               |
| 10. Premium           | 1                         | 1                     | 1                  | 45                               |
| 11. Premium           | 1                         | 1                     | 1                  | 45                               |
| 12. Premium           | 1                         | 1                     | 1                  | 45                               |
| 13. Premium           | 1                         | 1                     | 1                  | 45                               |
| 14. Premium           | 1                         | 1                     | 1                  | 45                               |
| 15. Premium           | 1                         | 1                     | 1                  | 45                               |
| 16. Premium           | 1                         | 1                     | 1                  | 45                               |
| 17. Premium           | 1                         | 1                     | 1                  | 45                               |
| 18. Premium           | 1                         | 1                     | 1                  | 45                               |
| 19. Premium           | 1                         | 1                     | 1                  | 45                               |
| 20. Premium           | 1                         | 1                     | 1                  | 45                               |
| 21. Premium           | 1                         | 1                     | 1                  | 45                               |
| 22. Premium           | 1                         | 1                     | 1                  | 45                               |
| 23. Premium           | 1                         | 1                     | 1                  | 45                               |
| 24. Premium           | 1                         | 1                     | 1                  | 45                               |
| 25. Premium           | 1                         | 1                     | 1                  | 45                               |
| 26. Premium           | 1                         | 1                     | 1                  | 45                               |
| 27. Premium           | 1                         | 1                     | 1                  | 45                               |
| 28. Premium           | 1                         | 1                     | 1                  | 45                               |
| 29. Premium           | 1                         | 1                     | 1                  | 45                               |
| 30. Premium           | 1                         | 1                     | 1                  | 45                               |
| 31. Premium           | 1                         | 1                     | 1                  | 45                               |
| 32. Premium           | 1                         | 1                     | 1                  | 45                               |
| 33. Premium           | 1                         | 1                     | 1                  | 45                               |
| 34. Premium           | 1                         | 1                     | 1                  | 45                               |
| 35. Premium           | 1                         | 1                     | 1                  | 45                               |
| 36. Premium           | 1                         | 1                     | 1                  | 45                               |
| 37. Premium           | 1                         | 1                     | 1                  | 45                               |
| 38. Premium           | 1                         | 1                     | 1                  | 45                               |
| 39. Premium           | 1                         | 1                     | 1                  | 45                               |
| 40. Premium           | 1                         | 1                     | 1                  | 45                               |
| 41. Premium           | 1                         | 1                     | 1                  | 45                               |
| 42. Premium           | 1                         | 1                     | 1                  | 45                               |
| 43. Premium           | 1                         | 1                     | 1                  | 45                               |
| 44. Premium           | 1                         | 1                     | 1                  | 45                               |
| 45. Premium           | 1                         | 1                     | 1                  | 45                               |
| 46. Premium           | 1                         | 1                     | 1                  | 45                               |
| 47. Premium           | 1                         | 1                     | 1                  | 45                               |
| 48. Premium           | 1                         | 1                     | 1                  | 45                               |
| 49. Premium           | 1                         | 1                     | 1                  | 45                               |
| 50. Premium           | 1                         | 1                     | 1                  | 45                               |
| 51. Premium           | 1                         | 1                     | 1                  | 45                               |
| 52. Premium           | 1                         | 1                     | 1                  | 45                               |
| 53. Premium           | 1                         | 1                     | 1                  | 45                               |
| 54. Premium           | 1                         | 1                     | 1                  | 45                               |
| 55. Premium           | 1                         | 1                     | 1                  | 45                               |
| 56. Premium           | 1                         | 1                     | 1                  | 45                               |
| 57. Premium           | 1                         | 1                     | 1                  | 45                               |
| 58. Premium           | 1                         | 1                     | 1                  | 45                               |
| 59. Premium           | 1                         | 1                     | 1                  | 45                               |
| 60. Premium           | 1                         | 1                     | 1                  | 45                               |
| 61. Premium           | 1                         | 1                     | 1                  | 45                               |
| 62. Premium           | 1                         | 1                     | 1                  | 45                               |
| 63. Premium           | 1                         | 1                     | 1                  | 45                               |
| 64. Premium           | 1                         | 1                     | 1                  | 45                               |
| 65. Premium           | 1                         | 1                     | 1                  | 45                               |
| 66. Premium           | 1                         | 1                     | 1                  | 45                               |
| 67. Premium           | 1                         | 1                     | 1                  | 45                               |
| 68. Premium           | 1                         | 1                     | 1                  | 45                               |
| 69. Premium           | 1                         | 1                     | 1                  | 45                               |
| 70. Premium           | 1                         | 1                     | 1                  | 45                               |
| 71. Premium           | 1                         | 1                     | 1                  | 45                               |
| 72. Premium           | 1                         | 1                     | 1                  | 45                               |
| 73. Premium           | 1                         | 1                     | 1                  | 45                               |
| 74. Premium           | 1                         | 1                     | 1                  | 45                               |
| 75. Premium           | 1                         | 1                     | 1                  | 45                               |
| 76. Premium           | 1                         | 1                     | 1                  | 45                               |
| 77. Premium           | 1                         | 1                     | 1                  | 45                               |
| 78. Premium           | 1                         | 1                     | 1                  | 45                               |
| 79. Premium           | 1                         | 1                     | 1                  | 45                               |
| 80. Premium           | 1                         | 1                     | 1                  | 45                               |
| 81. Premium           | 1                         | 1                     | 1                  | 45                               |
| 82. Premium           | 1                         | 1                     | 1                  | 45                               |
| 83. Premium           | 1                         | 1                     | 1                  | 45                               |
| 84. Premium           | 1                         | 1                     | 1                  | 45                               |
| 85. Premium           | 1                         | 1                     | 1                  | 45                               |
| 86. Premium           | 1                         | 1                     | 1                  | 45                               |
| 87. Premium           | 1                         | 1                     | 1                  | 45                               |
| 88. Premium           | 1                         | 1                     | 1                  | 45                               |
| 89. Premium           | 1                         | 1                     | 1                  | 45                               |
| 90. Premium           | 1                         | 1                     | 1                  | 45                               |
| 91. Premium           | 1                         | 1                     | 1                  | 45                               |
| 92. Premium           | 1                         | 1                     | 1                  | 45                               |
| 93. Premium           | 1                         | 1                     | 1                  | 45                               |
| 94. Premium           | 1                         | 1                     | 1                  | 45                               |
| 95. Premium           | 1                         | 1                     | 1                  | 45                               |
| 96. Premium           | 1                         | 1                     | 1                  | 45                               |
| 97. Premium           | 1                         | 1                     | 1                  | 45                               |
| 98. Premium           | 1                         | 1                     | 1                  | 45                               |
| 99. Premium           | 1                         | 1                     | 1                  | 45                               |
| 100. Premium          | 1                         | 1                     | 1                  | 45                               |

KEY: (a) oil; (b) purity; (c) number of filtrations; (d) laboratory mixing; (e) semiindustrial mixing; (f) dirt, mg/100g; (g) with imported barium additives; (h) Premium; (i) Heavy Duty; (j) Series ...; (l) with imported calcium additives; (m) with domestic VMI NP additives.

Table 7. Acceptable Purity Standards

| a. Product | b. Chemical analysis      |                       |
|------------|---------------------------|-----------------------|
|            | c. Viscosity (centipoise) | d. Sulfur content (%) |
| e. Premium | 1                         | 1                     |
| f. Premium | 1                         | 1                     |
| g. Premium | 1                         | 1                     |

KEY: (a) product; (b) purity; (c) number of filtrations; (d) dirt, mg/100g (not above); (e) oil without additives; (f) oil with additives; (g) additives.

# CONCLUSIONS

1. During prolonged storage, thermal-oxidation stability and detergent potential decline in oils of various classes (from Premium to Series 3, inclusive) with both foreign and domestic additives.

2. Oils with calcium additives are less stable than oils with barium additives as regards changes in detergent potential during storage.

3. In oils of unsatisfactory purity, thermal-oxidation stability and detergent potential change at a considerably earlier date during storage than in the cleaner oils.

4. A laboratory method was worked out for rating oil and additive purity, and purity norms were recommended for oils with and without additives and for the additives themselves.

inhibitors that terminate chains without consumption (in the case of the NH<sub>2</sub> group, but with participation of the phenol OH group [2]).

According to the second view of the synergistic effect, inhibitors are classified into three kinetic groups that differ in chemical structure and are capable of deactivating various intermediate products on which initiation and development of the chain oxidation reaction depend [3-5]. It has been established by research at the All-Union Institute of Heat Engineering (VNIIT) that group I retarders interact only with free hydrocarbon radicals R<sup>•</sup>, and not with hydroperoxides ROOH or free peroxide radicals RO<sub>2</sub><sup>•</sup>; group II retarders react vigorously with hydroperoxides and with RO<sub>2</sub><sup>•</sup>, and do not react with hydrocarbon radicals R<sup>•</sup>; group III retarders react with R<sup>•</sup> and RO<sub>2</sub><sup>•</sup>, and interact either sluggishly or not at all with hydroperoxides [5].

In this context, we may assume that in the simultaneous presence of antioxidants of various groups (I and II, II and III, I and III), their effects tend to strengthen one another (synergistic effect), with the result that inhibition of the oxidation process is maximized.

For example, we might assume that in the combined presence of group I and II retarders, the group I antioxidant deactivates most of the R<sup>•</sup> radicals formed during the initiation phase, while those that still exist and have time to convert to RO<sub>2</sub><sup>•</sup> are handled by the group II antioxidant.

Inhibitors of groups II and III to a certain degree, III may, moreover, produce a synergistic effect by interacting with accumulating hydroperoxides, thus preventing branching of the reaction chain.

The first hypothesis is consistent with the fact that antioxidants are capable in many cases of forming complexes with hydrocarbon-containing compounds, thus forming a complex bond forms in the chain, it has been demonstrated on the example of primary radicals and chain hydroperoxides. These complexes have a stabilizing effect on the radicals. However, this theory does not take into account the fact that the action of oxidation inhibitors does not appear to vary with the nature of the radicals R<sup>•</sup>, but also with the nature of the hydroperoxides ROOH, RO<sub>2</sub><sup>•</sup>, and also with the nature of the antioxidants. Moreover, the experimental estimates of differences between the activities of different inhibitors, based on their structure, to react with different intermediate products of the oxidation process.


The second theory takes these factors into account. It provides a purposeful selection of a broad range of inhibitor mixtures that practice the synergistic effect. The possibility of such a selection has been confirmed experimentally under laboratory and industrial conditions.

#### USE OF PAIRED ANTIOXIDANTS FOR TURBINE OILS


K.I. Ivanov, Ye.F. Vil'yankova, A.A. Luzhetskiy  
and A.M. Alexandrov

There is as yet no generally accepted theory that explains the phenomenon of synergism observed when mixtures of hydrocarbon-oxidation inhibitors (antioxidants, retarders) are used, i.e., the actual enhancement of their action that is observed in many cases.

At the present time, there are two main views as to the nature of the synergism. According to one of them (in the case of mixtures of amines and hydrocarbons), one molecule of amine in the mixture is capable of deactivating two molecules of hydrocarbon radicals, while one molecule of hydrocarbon radical is capable of deactivating only one molecule of amine. This theory does not take into account the fact that the action of oxidation inhibitors does not appear to vary with the nature of the radicals R<sup>•</sup>, but also with the nature of the hydroperoxides ROOH, RO<sub>2</sub><sup>•</sup>, and also with the nature of the antioxidants.



According to the second view, the synergism is observed as a result of the formation of complexes between the amine and the hydrocarbon radicals, thus forming a complex bond forms in the chain, it has been demonstrated on the example of primary radicals and chain hydroperoxides. These complexes have a stabilizing effect on the radicals. However, this theory does not take into account the fact that the action of oxidation inhibitors does not appear to vary with the nature of the radicals R<sup>•</sup>, but also with the nature of the hydroperoxides ROOH, RO<sub>2</sub><sup>•</sup>, and also with the nature of the antioxidants.



Laboratory and use tests have shown that given proper selection, the stabilizing action of two additives on turbine oils exceeds that of either of them taken alone at twice the concentration. This proves that we are dealing not with simple addition of the effects of two antioxidants, but with mutual enhancement of their activities. It has also been proven that a mixture of antioxidants of the same kinetic group does not, as a rule, produce the synergistic effect [6].

#### Effectiveness of Paired Antioxidants Under Laboratory Conditions

| a | Epoxyresin                       | b                                  |                               | c                                  | d                             | e                                  |
|---|----------------------------------|------------------------------------|-------------------------------|------------------------------------|-------------------------------|------------------------------------|
|   |                                  | Change in acid number, mg of KOH/g | Change in sediment content, % | Change in acid number, mg of KOH/g | Change in sediment content, % | Change in acid number, mg of KOH/g |
| 1 | Macrolite 1                      | 0.61                               | 0.00                          | 0.61                               | 0.00                          | 0.61                               |
| 2 | Macrolite 1 + 0.02% component A  | 0.15                               | 0.00                          | 0.15                               | 0.00                          | 0.15                               |
| 3 | Macrolite 1 + 0.01% component A  | 0.17                               | 0.00                          | 0.17                               | 0.00                          | 0.17                               |
| 4 | Macrolite 1 + 0.005% component A | 0.05                               | 0.00                          | 0.05                               | 0.00                          | 0.05                               |
| 5 | Macrolite 1 + 0.002% component A | 0.06                               | 0.00                          | 0.06                               | 0.00                          | 0.06                               |
| 6 | Macrolite 1 + 0.001% component A | 0.14                               | 0.00                          | 0.14                               | 0.00                          | 0.14                               |
| 7 | Macrolite 1 + 0.005% component B | 0.25                               | 0.04                          | 0.25                               | 0.04                          | 0.25                               |
| 8 | Macrolite 1 + 0.01% component B  | 0.97                               | 0.01                          | 0.97                               | 0.01                          | 0.97                               |

KEY: (a) product; (b) over-all stability according to GOST 981-55; (c) acid number, mg of KOH/g; (d) sediment content, %; (e) turbine oil I; (f) same + ...% of component A; (g) same + ...% of component B; (h) traces; (i) turbine oil II.




Fig. 1. Change in acid number of oil after introduction of paired antioxidant. 1) total acid number; 2) acid number due to water-soluble acids; 3) introduction of paired antioxidant. KEY: (a) acid number, mg of KOH/g; (b) test time.




Fig. 2. Change in stability of oil after introduction of paired antioxidant. 1) acid number; 2) content of nonvolatile acids; 3) content of volatile acids; 4) sediment content; 5) introduction of paired antioxidant. KEY: (a) acid number, mg of KOH/g; (b) test time.

Of special practical interest for inhibiting oxidative aging of lubricating and insulating oils as a result of synergistic effects is the use of mixtures of antioxidant additives in which, in addition to the true inhibitors (i.e., substances that terminate reaction chains), there are retarders; with other mechanisms of action - primarily deactivators and passivators for metals (chiefly copper and iron) that come into contact with turbine and transformer oils under use conditions and catalytically accelerate their aging.

It must be remembered in testing various antioxidant pairs that they must dissolve well in oils and ensure stability without detriment to other use properties.

A paired antioxidant consisting of 0.1% Benaphthylol belongs to Group III of the classification proposed earlier, and 0.03% phenyl-β-naphthylamine, a Group I antioxidant, was tested after laboratory study in the oil system of a 1000-kVA turbo-generator. The oil with this antioxidant pair stood up for 1.5 years without the use of adsorbents. After 1.5 years the acid number of the stabilized oil was considerably below those of unstabilized oils previously used in this turbine. With adsorbents for the same period of time.

Tests were run on one more mixture, which consisted of a Group III antioxidant (component A) that has similar properties of a metal deactivator and a Group I antioxidant (component B). The effectiveness of this mixture as an antioxidant




Fig. 3. Change in acid number of oil after introduction of paired antioxidant. 1) total acid number; 2) acid number due to water-soluble acids; 3) introduction of paired antioxidant. KEY: (a) acid number, mg of KOH/g; (b) test time.

It was established by the tests that after 3.5 years of use, the oil had an acid number of 0.03 mg of KOH/g, i.e., it was practically the same as the norm for fresh oil (0.02 mg of KOH/g). It should be noted that no additive was introduced into the fresh oil over the 3.5 years. It was established on inspection of the turbine (after 2 years of operation), that its oil system did not require cleaning. Operating experience from previous years shows that without the paired antioxidant, oil lasted 2 years in this turbine only with continuous adsorbent regeneration.

The adsorbent had to be changed repeatedly, with the resulting higher labor cost and a considerable increase in use of the expensive adsorbent.

The same paired antioxidant was tested in another turbine. Figure 3 shows the changes of the oil's indicators in this turbine. The tests are being continued successfully. The use tests show that the proposed paired antioxidant inhibits the turbine-oil aging process more actively than other antioxidant additives and does not require special checking by servicing personnel. At this writing, use tests are being run with the paired antioxidant in four turbogenerators.

## CONCLUSIONS

1. Mixtures of antioxidants for turbine oils, adjusted on the basis of theoretical notions developed by the authors, give a pronounced synergistic effect when tested under laboratory conditions.

2. The results of the laboratory tests are confirmed by data from use testing of the paired antioxidant, in the presence of which the original properties of the oil are retained fully over a long operating interval.

## References

1. Karpukhina, G.V., Mayzus, Z.K., and Ermanel', N.V., Izv. AN SSSR, 1963, No. 1, 110 (1963).
2. Denisov, Ye. T., Kharitonov, V.V., Izv. AN SSSR, 1963, 2222.
3. Ivanov, K.I., and Vilyanskaya, Ye.D., Collection of papers of the Khimicheskoy Kinetiki, Katalizatsii i Reaktsionnoy Mekhaniki (Problems of chemical kinetics, catalysis and reactivity), AN SSSR, 1955.
4. Ivanov, K.I., and Vilyanskaya, Ye.D., Khimiya i Tekhnologiya topliv i masel, No. 4 (1957).
5. Ivanov, K.I., and Vilyanskaya, Ye.D., Dokl. Akad. Nauk, 1 (1958).
6. Ivanov, K.I., Vilyanskaya, Ye.D., and Luchetskaya, A.M., Novoye v teorii i praktike primeneniya antioksidantov dlya stabilizatsii energeticheskikh masel (Innovations in the theory and practical use of antioxidants to stabilize insulating oils), Teploenergetika, No. 11 (1963).

# Basic Physicochemical Indicators of Transformer Oils

| a | b                                                                                             | c      | d      | e    | f   | g                      |                         |                         |                         |
|---|-----------------------------------------------------------------------------------------------|--------|--------|------|-----|------------------------|-------------------------|-------------------------|-------------------------|
|   |                                                                                               |        |        |      |     | h                      | i                       | j                       | k                       |
|   |                                                                                               |        |        |      |     | viscosity at 50°C, Stk | viscosity at 100°C, Stk | viscosity at 150°C, Stk | viscosity at 200°C, Stk |
| h | Исходная базовая нефть                                                                        | 0.8837 | 1.6575 | 27.2 | 1.1 | 11.3                   | 42.7                    | 0.35                    | 1.72                    |
| j | Исходная базовая нефть + Аморфинная окись меди                                                | 0.8838 | 1.6583 | 28.9 | 0.6 | 11.2                   | 38.3                    | 0.44                    | 1.55                    |
| l | Исходная базовая нефть + Аммонийная окись меди                                                | 0.8837 | 1.6577 | 27.1 | 2.5 | 10.3                   | 42.1                    | 0.48                    | 1.70                    |
| m | Исходная базовая нефть + Аммонийная окись меди + Те же                                        | 0.8907 | 1.6975 | 19.6 | 2.5 | 22.7                   | 38.0                    | 0.56                    | 1.48                    |
| n | Исходная базовая нефть + Аммонийная окись меди + Те же + Окислитель                           | 0.8610 | 0.6729 | 25.7 | 0.3 | 5.8                    | 31.6                    | 0.14                    | 1.85                    |
| o | Исходная базовая нефть + Аммонийная окись меди + Те же + Окислитель + Окислитель              | 0.8876 | 1.6964 | 25.3 | 0.2 | 21.6                   | 29.5                    | 0.62                    | 1.13                    |
| p | Исходная базовая нефть + Аммонийная окись меди + Те же + Окислитель + Окислитель + Окислитель | 0.8944 | 1.6934 | 25.9 | 0.7 | 15.3                   | 41.8                    | 0.12                    | 1.63                    |

5. Hydroperoxide (DIP)

KEY: (a) oil; (b) refining; (c) density; (d) refractive index; (e) viscosity at 50°C, Stk; (f) tan δ at 20°C; (g) structural-group analysis; (h) from mixed base; (i) acid-base; (j) from Petrovinsk crude; (k) adsorption; (l) from mixed base; (m) acid-base; (n) from endogenous crude; (o) same; (p) from primary crude; (q) phenol; (r) hydroperoxide; (s) fast refining; (t) improved.

Passivators act by a somewhat different mechanism than with the copper, they form a catalytically inactive film on the surface. It is assumed that the passivator is a derivative of the process.

The passivating additives include certain amino acids. Quite often, the same compound acts as both a deactivator and a passivator [1].

Reference [3] describes experiments in which additives of this type were used separately and in combinations, but it would be interesting to study the manner in which these additives increase the stability of domestic commercial transformer oils from various origins (Table).

The additives dialcylidenethylenediamine (a deactivator) and antranilic acid (a passivator) were studied, along with combinations of these additives with one another and with antioxidants: phenyl-8-naphthylamine and 2,6-di-tert-butyl-4-methylphenol (Ionom).

The effectiveness of these additives was rated by laboratory methods, which simulate the most important conditions to which the oil is subjected in transformers. One of the methods consists in oxidizing the oil for 44 hours with oxygen under static

## ADDITIVE MIXES FOR STABILIZATION OF TRANSFORMER OILS

M. I. Shukrovich

Use of oil-stabilizing additives prolongs the useful lives of transformers, improves their reliability, and permits improvement to their design. Among the insulating and structural materials used in the transformer, copper is the most active catalyst of the oxidation of mineral insulating oil.

Under use conditions, copper structures come into contact with the oil, and dissolved copper is found in the oil itself in the form of salts of organic acids.

Used transformer oil contains up to 0.0001% of copper [1]. It has been shown [2] that the amounts of antioxidant additives consumed in inhibiting hydrocarbon oxidation in the presence of copper are considerably larger than under the same conditions without the catalyst. With the large amount of copper present when oil is oxidized in transformers, it is necessary to use very large amounts of antioxidants (0.3-0.5% by weight).

The stability of transformer oils can be increased much more effectively by using deactivating and passivating additives. Deactivators produce their effect by interacting chemically with salts of metals dissolved in the oil. This leads to formation of chelate complexes in which the metal is screened and cannot act as a catalyst. The complexes formed may settle out or remain dissolved in the oil.

Salicylidenes - Schiff bases obtained by condensing amines with aromatic aldehydes - are used as deactivators.




Fig. 1. Kinetic oxygen absorption curves of transformer oils with additives during oxidation in an electric field (a-f): 1) imported oil (GDR) without additive; 2) same oil with 0.05% anthranilic acid; 3) oil from Baku crudes without additive; 4) same oil with 0.05% anthranilic acid; 5) oxidation without copper; 6) oil from Tuymazy crude, hydrofined and contact-refined without additive; 7) same oil with 0.05% anthranilic acid; 8) oil from Tuymazy crude, phenol refining, without additive; 9) same oil with 0.05% anthranilic acid and 0.3% Ionol; 10) same oil with 0.05% thialcylideneethylenediamine and 0.3% Ionol; 11) oil from Anastas'ev crude without additive; 12) same oil with 0.5% anthranilic acid; 13) oil from Buzovinsk crude, adsorption refining, [key cont'd. on page 104]

[key to Fig. 1, cont'd.] without additive; 14) same oil with 0.05% anthranilic acid. The tan  $\delta$  values of the oils (at 70°C. in 2) after oxidation are given in parentheses. KEY: (a) amount of oxygen absorbed, ml/100g. of oil; (b) test time, hours.

conditions in the presence of catalysts (copper and iron), the electric field of 49 kV/cm at 100°C. The oxidizability of the oil is evaluated from the rate of oxygen absorption and from the change in the properties of the oil. In another method, the oil is oxidized without an electric field for 1000 hours at 100°C. in the presence of a copper catalyst with air given free access. The change in oxidation rate is observed through the quality indicators of the oil after 240, 480 and 720 hours. Taken together, these laboratory methods yield a preliminary rating of the performance properties of transformer oils with and without additives.

As is now customary in evaluating the quality of transformer oils, the data from the laboratory experiments were compared with results from tests of oil specimens with additive mixes in small bench transformers [5].

It was established by the preliminary experiments that when 0.2% by weight of the antioxidant additive Ionol is introduced into transformer oils (see Table 1), stability is not always improved, especially in the case of the [sic] electrophysical indicators (the tangent of dielectric loss angle  $\tan \delta$ ).

The results obtained when deactivating and passivating additives are used are different.

Tests in an electric field indicate (Fig. 1) that on addition of 0.05% of anthranilic acid to the various oils, the oxidation process is retarded appreciably. The kinetic curves of oxygen absorption by the oil with the anthranilic acid additive are smooth and coincide almost perfectly with the oxidation curves of the corresponding oil without the additive or catalyst. The oxidation curves of oils with anthranilic acid characteristic of the slow absorption of oxygen at the beginning of oxidation without the extended induction period that is usually observed in oxidation of oils with inhibiting additives.

Stability of the indicator  $\tan \delta$ , which characterizes the insulating properties of the oils, is highly important for the performance of transformer oils. During oxidation, the  $\tan \delta$  of oils with anthranilic acid increases much more slowly than for oils without this additive.

In analyzing the results of 1000-hour oil-oxidation tests (Fig. 2), we note that the stabilizing action of anthranilic acid manifests in the oxidation of oils from various origins and containing various amounts of carbon in aromatic rings [2].

the oil together with the passivator. Then, to the extent that copper does not manifest its catalytic activity, inhibitor consumption decreases and the oil becomes more stable.




Fig. 2. Kinetic curves of indicator changes during oxidation (1000 h) of transformer oils with 0.05% anthranilic acid (for legend see Fig. 1).  
KEY: (a) acid number, mg of KOH/g; (b) sediment content, %; (c)  $\tan \delta$  at 70°C, %; (d) test time, hours.

Oils with anthranilic acid show a typical slow increase in  $\tan \delta$  during oxidation. The sediment-accumulation curves have small slopes, the original color of the oil changes insignificantly, and in most cases the corrosive aggressiveness of the oil with respect to copper and the contact resistance of the copper plates are reduced substantially. In contrast to inhibited oxidation, the kinetic curves reflecting the change in quantity of acids are smooth in the case of oils with anthranilic acid, with the amount of acids decreasing during oxidation. The latter is associated with depletion of the additive, which is acidic in nature.

During long-term aging of the oils, the passivating film formed on the copper surface disintegrates as the passivator is used up and oxidation products act, and further oxidation of the oil proceeds as though there were no additive present in it. This effect is particularly distinct in oxidation of oils with relatively small natural-inhibitor contents. To protect the adsorbed layer from attack by oxidation products and preserve it for a long time, an antioxidant additive is introduced into




Fig. 3. Kinetic curves of indicator change during oxidation (1000 h) of transformer oils with additive mixes: 15) oil from Emba crudes without additives; 16) same with 0.02 [sic] anthranilic acid and 0.05% disalicylidene-ethylenediamine (see Fig. 1 for other identifications).  
KEY: (a) acid number, mg of KOH/g; (b) sediment content, %; (c)  $\tan \delta$  at 70°C, %; (d) test time, hours.

It was shown for the example of oils made from Anzhan and Buznovinsk crudes (Fig. 3) that oxidation of the oils is inhibited sharply by use of a mixture consisting of 0.005% anthranilic acid and 0.05% phenyl-naphthylamine.

It was established by the foregoing experiments that this effect is not observed when each of these additives is used alone. When the two additives are used, the tangent of dielectric angle is stable even when separate introduction of 0.7% by weight of Ioniol or 0.05% by weight of anthranilic acid does not produce the required effect.

Thus, when oil from Tuzmazy crude is oxidized with each of the above additives, tan  $\delta$  has already increased by 100% after 240-480 hours. On the other hand, when a mix consisting of 0.02% disalicylideneethylenediamine and 0.2% Ionol is introduced into the oil, its tan  $\delta$  has increased only 4% after 1000 h of oxidation.

The stability of oil made from Emba crudes is improved substantially on addition of 0.05% disalicylideneethylenediamine and 0.02% anthranilic acid - something that could not be accomplished by use of a single additive. In this case, the action of the deactivator on the homogeneous catalyst - the dissolved copper - and that of the passivator on the heterogeneous catalyst - the metallic copper - are manifested simultaneously. Since there is an amino group in the anthranilic acid molecule, this passivator also has a weak inhibiting effect.

It should be noted that when the oil contains relatively large amounts of natural inhibitors, stability is improved only insignificantly by introducing an inhibiting additive together with the passivator (anthranilic acid).

Earlier experiments conducted with a hydrofined oil made from Tuzmazy crude confirm this. The results of laboratory tests to evaluate the effectiveness of additive combinations were confirmed in the bench tests with small transformers.

Additive mixes consisting of 0.05% anthranilic acid with 0.2% phenyl-naphthylamine and 0.02% anthranilic acid with 0.05% disalicylideneethylenediamine improve the stability of oils made from Anastas'yev and Emba crudes. In particular, corrosion of copper is reduced substantially and destruction of specimens of solid insulating materials placed in the oil is retarded by a factor of 2-3.

A mix consisting of 0.05% anthranilic acid and 0.2% Ionol improves the stability of phenol-refined Tuzmazy oil more effectively than a composition consisting of 0.05% disalicylideneethylenediamine and 0.2% Ionol. The difference in the effects of the two mixes is most noticeable in the relative amount of solid-insulation wear.

#### CONCLUSIONS

It has been shown that use of a passivating additive, anthranilic acid (0.05% by weight), in pure form and especially in mixes with antioxidant additives (Ionol, phenyl-naphthylamine) ensures better stability (especially electrophysical) of commercial transformer oils of various origins and chemical compositions than when only the inhibiting additive is used.

#### References

1. Lipatyn, R.A. and Shakhnovich, M.I., Transformatornoye maslo (Transformer oil), Izd. "Energiya", 1964.

2. Pederson, C.J., Ind. and Eng. Chem., 41, No. 5, 924-26 (1949).
3. Wood-Mallok, J.C., Steiner, H., and Wood, L.S., J. Inst. Petrol., 44, No. 418, 320-332 (1958).
4. Shakhnovich, M.I., Bessorova, Ye.I. and Kurilina, A.I., Elektrotekhnicheskaya promyshlennost', No. 4 (1961).
5. Shakhnovich, M.I., Danilova, A.I. and Gorchakova, L.O., Elektrotekhnika, No. 12 (1963).

# INVESTIGATION OF ADDITIVES AND ADDITIVE OILS BY A POTENTIOMETRIC METHOD

V.S. Luneva and L.N. Burdenyuk

The advantages of using a potentiometric method to evaluate the acid-base properties of additives and oils containing additives and their wearability under the operating conditions of various types of engines have been confirmed by a number of research studies [1, 2].

## ALKALINITY OF ADDITIVES

The alkalinity of an additive is governed by the presence of free and bound alkaline components [3, 4]. Additive alkalities were determined by potentiometric titration using antimony and calomel electrodes; 1 g of additive dissolved in 40 ml of an alcohol-benzol mixture (1:2) was decomposed by a 0.1n alcoholic solution of HCl. The titration curves appear in Figs. 1-6. As we see, the nature of the curves changes in accordance with the type of the salts decomposed: alkylsalicylate (ASK, MASK), alkylphenol (VNI NP-370, TsIAM-339, VNI NP-370p), sulfonate (PMS'Ya), thiophosphate (DF-11, Santolube 493), etc. The length of the horizontal segment on the titration curve is proportional to the concentration of the salts decomposed during titration of equal weights. Additives containing the cations Ca, Ba, and Mg have an alkaline reaction (pE = 8-13 or pH = 1-6).

Alkylsalicylate (ASK, MASK) and sulfonate (PMS'Ya) additives are characterized by free alkalinity (see initial segments of curves in Figs. 1-6). The alkylphenol additives (TsIAM-339, VNI NP-370p, etc.) do not contain free alkalies.

| Manu-<br>script<br>page | Symbol | English Equivalent |
|-------------------------|--------|--------------------|
| 102                     | A      | aromatics          |
| 102                     | H N    | naphthenics        |

## Symbol List

The titration curves indicate that most of the additives are totally decomposed at electromotive forces [emf] (30C) of about 100-120 mV (pH = 2).

It is known that the total alkalinity [T.A.] (O.M.) of most additives is equivalent to the content of metal present in them. This is confirmed by the data given in Table 1.




Fig. 1. Potentiometric titration curves of MASK additive. 1-5) various batches. KEY: (a) emf, mV; (b) volume of 0.1N HCl used in titration, ml.

However, this equivalence is not observed in the PMS'Ya and VNII NP-370 additives, so that alkalinity should generally be used to determine the effective content of metal, i.e., the content equivalent to that part of the additive that participates in neutralization of fuel combustion products. In introducing additive mixtures into the oil, it must be remembered that the sulfate ash content of PMS'Ya additive exceeds its total alkalinity by a factor of almost 1.5. PMS'Ya additives have different alkalinities at a given ash content (see Table 1). The increase in the ash content of the oil as the additives are depleted is one of the causes of increased wear, while inadequate alkalinity is among the causes of increased sludging. Hence it is necessary to check alkalinity and ash content in both the original additive oils and oils in use in engines.

#### INVESTIGATION OF ADDITIVES OF THE ZINC DITHIOPHOSPHATE TYPE

Owing to the amphoteric properties of zinc, its salts are decomposed by both acids and alkalis. Figure 4 presents potentiometric titration curves of zinc dialkyl- and diaryldithiophosphates, showing that the potential jump in acid titration




Fig. 2. Potentiometric titration curves of alkylphenol additives. 1, 2) TSIATIM-319; 3, 4) VNII NP-370; 5, 6) VNII NP-370p; 7) VNII NP-380; 8) AFB. KEY: (a) emf, mV; (b) volume of 0.1N HCl used in titration, ml.





Fig. 3. Potentiometric titration curves of PMS'Ya additive. 1-6) various batches. KEY: (a) emf, mV; (b) volume of 0.1N HCl used in titration, ml.

[illegible]

\*\*\*Sodium.  
\*\*\*Magnesium.  
KEY: (a) additive; (t) reaction, +pH; (c) alkalinity, pH; (g) content, %; (e) calcium, (f) magnesium of KOH/g; (d) content, %; (h) calcium, (i) magnesium of KOH/g; (j) sulfate ash, %; (k) % of KOH/g; (l) difference A - B; (j) ASK-6v; (k) ASK-7v; (i) M&K; (m) VMI NP-370p; (n) VMI NP-370; (p) VMI NP-339; (q) APB; (r) MSZNF.

$$\left[ \begin{array}{c} \text{R-O} \\ | \\ \text{P} \\ | \\ \text{R-O} \end{array} \right]_n + 2\text{HCl} \longrightarrow 2 \begin{array}{c} \text{R-O} \\ | \\ \text{S} \end{array} + \text{ZnS} + \text{ZnCl}_2$$
$$\begin{array}{c} \text{R-O} \\ | \\ \text{P} \\ | \\ \text{S-Zn-S} \\ | \quad | \\ \text{O-R} \quad \text{O-R} \end{array} + 4\text{KOH} \longrightarrow \begin{array}{c} \text{R-O} \\ | \\ \text{P} \\ | \\ \text{S} \\ | \\ \text{S} \end{array} + 5\text{K} + 3\text{ZnO}_2 + 2\text{H}_2\text{O}.$$

三



on IT9-2 bench installation.  
1) sulfate ash content; 2) total acid number; 3) total alkalinity; 4) reaction. KEY: (a) acid number, alkalinity, and ash content, mg of KOH/g; (b) time, hours.




Fig. 6. Wearability of M14-V oil (DS-14 with 3% TSIAFM-339, 2% PMS-Ya, and 0.003% PMS-200A) in SMD-14 engine during cycles I and IV. 1) total acid number; 2) total alkalinity; 3) reaction. KEY: (a) acid number and alkalinity, mg of KOH/g; (b) cycle I, hours; (c) cycle IV, hours.

Total decomposition of zinc dithiophosphates by alkali is accompanied by a potential jump in the 450-500 mV range (pH = 9-12). The total acid number [T.A.N.] (O.K.V.) of the additive is determined from the amount of alkali used in titrating to 520 mV (pH = 10).

The total acid number is converted by the formulas given below to the zinc and phosphorus contents.

$$O.K.V. = \frac{V_1 - V_2}{1} \text{ mg of KOH/g}$$

where  $V_1$  is the amount of 0.1N alcoholic KOH solution used in titrating the additive solution to pH = 10 (520 mV), in ml;  $V_2$  is the amount of the same solution used in titrating the solvent (blank experiment) to pH = 10 (520 mV), in ml;  $T$  is the titer of the 0.1N KOH solution, in g/ml; 1 is the weight of the additive sample, g.

The zinc content is

$$Z_1 = \frac{O.K.V. \cdot 0.583}{10} \%$$

The phosphorus content is

$$Z_2 = \frac{O.K.V. \cdot 0.55}{10} \%$$

where 0.583 is a coefficient obtained by dividing the atomic weight of zinc by the molecular weight of KOH; 0.55 is a coefficient obtained by dividing the atomic weight of phosphorus by the molecular weight of KOH; 10 is the coefficient for conversion to percent.

Example. For the Santolube 493 additive:

$$O.K.V. = \frac{(293 - 0.1) \cdot 10}{1} = 151.5 \text{ mg of KOH/g}$$

$$Z_1 = \frac{151.5 \cdot 0.583}{56.1 \cdot 10} = \frac{151.5 \cdot 0.583}{10} = 8.88\%$$

$$Z_2 = \frac{151.5 \cdot 0.55}{56.1 \cdot 10} = \frac{151.5 \cdot 0.55}{10} = 8.33\%$$

The advantages of the potentiometric method of determining zinc and phosphorus in the additives over the spectral, gravimetric, and calorimetric methods [7, 8] include the simplicity and speed of the analysis and the absence of burning or oxidation and precipitation losses; the time for a determination (1.5-2 hours) is smaller by a factor of more than 20 than in other presently known methods [7, 8, 9].

In Table 2, the results of potentiometric determination of zinc and phosphorus in the additives are compared with the

Table 2. Results of Quantitative Determination of Phosphorus and Zinc in Additives by Various Methods

| a | b | c | d | e | f | g | h | i | j | k | l | m | n | o | p | q | r | s | t | u | v | w | x | y | z | aa | ab | ac | ad | ae | af | ag | ah | ai | aj | ak | al | am | an | ao | ap | aq | ar | as | at | au | av | aw | ax | ay | az | ba | bb | bc | bd | be | bf | bg | bh | bi | bj | bk | bl | bm | bn | bo | bp | bq | br | bs | bt | bu | bv | bw | bx | by | bz | ca | cb | cc | cd | ce | cf | cg | ch | ci | cj | ck | cl | cm | cn | co | cp | cq | cr | cs | ct | cu | cv | cw | cx | cy | cz | da | db | dc | dd | de | df | dg | dh | di | dj | dk | dl | dm | dn | do | dp | dq | dr | ds | dt | du | dv | dw | dx | dy | dz | ea | eb | ec | ed | ee | ef | eg | eh | ei | ej | ek | el | em | en | eo | ep | eq | er | es | et | eu | ev | ew | ex | ey | ez | fa | fb | fc | fd | fe | ff | fg | fh | fi | fj | fk | fl | fm | fn | fo | fp | fq | fr | fs | ft | fu | fv | fw | fx | fy | fz | ga | gb | gc | gd | ge | gf | gg | gh | gi | gj | gk | gl | gm | gn | go | gp | gq | gr | gs | gt | gu | gv | gw | gx | gy | gz | ha | hb | hc | hd | he | hf | hg | hh | hi | hj | hk | hl | hm | hn | ho | hp | hq | hr | hs | ht | hu | hv | hw | hx | hy | hz | ia | ib | ic | id | ie | if | ig | ih | ii | ij | ik | il | im | in | io | ip | iq | ir | is | it | iu | iv | iw | ix | iy | iz | ja | jb | jc | jd | je | jf | jj | jk | jl | jm | jn | jo | jp | jq | jr | js | jt | ju | jv | jw | jx | jy | jz | ka | kb | kc | kd | ke | kf | kg | kh | ki | kj | kl | km | kn | ko | kp | kq | kr | ks | kt | ku | kv | kw | kx | ky | kz | la | lb | lc | ld | le | lf | lg | lh | li | lj | lk | ll | lm | ln | lo | lp | lq | lr | ls | lt | lu | lv | lw | lx | ly | lz | ma | mb | mc | md | me | mf | mg | mh | mi | mj | mk | ml | mm | mn | mo | mp | mq | mr | ms | mt | mu | mv | mw | mx | my | mz | na | nb | nc | nd | ne | nf | ng | nh | ni | nj | nk | nl | nm | nn | no | np | nq | nr | ns | nt | nu | nv | nw | nx | ny | nz | oa | ob | oc | od | oe | of | og | oh | oi | oj | ok | ol | om | on | oo | op | oq | or | os | ot | ou | ov | ow | ox | oy | oz | pa | pb | pc | pd | pe | pf | pg | ph | pi | pj | pk | pl | pm | pn | po | pp | pq | pr | ps | pt | pu | pv | pw | px | py | pz | qa | qb | qc | qd | qe | qf | qg | qh | qi | qj | qk | ql | qm | qn | qo | qp | qq | qr | qs | qt | qu | qv | qw | qx | qy | qz | ra | rb | rc | rd | re | rf | rg | rh | ri | rj | rk | rl | rm | rn | ro | rp | rq | rr | rs | rt | ru | rv | rw | rx | ry | rz | sa | sb | sc | sd | se | sf | sg | sh | si | sj | sk | sl | sm | sn | so | sp | sq | sr | ss | st | su | sv | sw | sx | sy | sz | ta | tb | tc | td | te | tf | tg | th | ti | tj | tk | tl | tm | tn | to | tp | tq | tr | ts | tt | tu | tv | tw | tx | ty | tz | ua | ub | uc | ud | ue | uf | ug | uh | ui | uj | uk | ul | um | un | uo | up | uq | ur | us | ut | uu | uv | uw | ux | uy | uz | va | vb | vc | vd | ve | vf | vg | vh | vi | vj | vk | vl | vm | vn | vo | vp | vq | vr | vs | vt | vu | vv | vw | vx | vy | vz | wa | wb | wc | wd | we | wf | wg | wh | wi | wj | wk | wl | wm | wn | wo | wp | wq | wr | ws | wt | wu | wv | ww | wx | wy | wz | xa | xb | xc | xd | xe | xf | xg | xh | xi | xj | xk | xl | xm | xn | xo | xp | xq | xr | xs | xt | xu | xv | xw | xx | xy | xz | ya | yb | yc | yd | ye | yf | yg | yh | yi | yj | yk | yl | ym | yn | yo | yp | yq | yr | ys | yt | yu | yv | yw | yx | yy | yz | za | zb | zc | zd | ze | zf | zg | zh | zi | zj | zk | zl | zm | zn | zo | zp | zq | zr | zs | zt | zu | zv | zw | zx | zy | zz |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | </ |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |

Table 3. Results of Determination of Reaction, Total Acid Number, and Phosphorus and Zinc Contents in Metal-Dithiophosphate-Type Additives by Potentiometric Method

| a. Specimen      | b. Reaction | c. Phosphorus, % | d. Zinc, % | e. Conversion, % | f. Zn |
|------------------|-------------|------------------|------------|------------------|-------|
| f. Carbolub-408  | 1.0         | 15.5             | 15.5       | 100              | 100   |
| g. Orolub-267    | 1.0         | 15.5             | 15.5       | 100              | 100   |
| h. Ecolube-190   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| i. Santolube-493 | 1.0         | 15.5             | 15.5       | 100              | 100   |
| j. Ecolube-856   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| k. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| l. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| m. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| n. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| o. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| p. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| q. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| r. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| s. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| t. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| u. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| v. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| w. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| x. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| y. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |
| z. Ecolube-332   | 1.0         | 15.5             | 15.5       | 100              | 100   |

KEY: (a) specimen; (b) weight taken, g; (c) reaction; (d) total acid number, mg of KOH/g; (e) content, %; (f) Santolube 493; (g) Orolub-267; (h) Lubrisol 1360; (i) Ecolube 95; (j) LANI; (k) DP-11; (l) specimen ...; (m) VNII NP-354; (n) oil containing experimental specimen of zinc dithiophosphate.

Table 4. Conversion Factors K

| a. Specimen     | b. Reaction | c. Phosphorus, % | d. Zinc, % | e. Conversion, % | f. Zn |
|-----------------|-------------|------------------|------------|------------------|-------|
| 1. Ecolube-332  | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 2. Ecolube-332  | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 3. Ecolube-332  | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 4. Ecolube-332  | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 5. Ecolube-332  | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 6. Ecolube-332  | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 7. Ecolube-332  | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 8. Ecolube-332  | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 9. Ecolube-332  | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 10. Ecolube-332 | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 11. Ecolube-332 | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 12. Ecolube-332 | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 13. Ecolube-332 | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 14. Ecolube-332 | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 15. Ecolube-332 | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 16. Ecolube-332 | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 17. Ecolube-332 | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 18. Ecolube-332 | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 19. Ecolube-332 | 1.0         | 15.5             | 15.5       | 100              | 100   |
| 20. Ecolube-332 | 1.0         | 15.5             | 15.5       | 100              | 100   |

Working formula:  $\text{Me}(\text{MeSO}_4) = \text{T.A.} \cdot \text{K} \cdot 10$ , % (here Me is the metal content and  $\text{MeSO}_4$  is the sulfate-ash content).  
Working formula:  $\text{T.A.} = \text{Me}(\text{MeSO}_4) \cdot \text{K} \cdot 10$ , mg of KOH/g.  
Working formula:  $\text{Zn}(\text{P}) = (\text{T.A.N.} \cdot \text{K}) \cdot 10$ , %.  
KEY: (a) additive; (b) element determined; (c) from total alkalinity to content, %; (cont'd on page 118)

[Key to Table 4, cont'd.] (t) of metal; (e) of sulfate ash; (f) from metal content (t) and sulfate ash (2) to total alkalinity; (g) from ash content to metal content (t) and back (2); (h) from total acidity to content of, %; (i) ASK, MASK, PMS-Ya, VNII NP-376, VNII NP-370p; (j) calcium; (k) VNII NP-450, TSATIN-332, 476; (l) barium; (m) Ecolube 856, MZSK (synthetic fatty acid magnesium salt); (n) magnesium; (o) Santolube 493, Orolub-267, DP-11; (p) zinc; (q) phosphorus.

well as for conversion from total acidity of the zinc dithiophosphates to their contents of zinc and phosphorus (Table 4).

#### ON THE QUESTION OF OIL SERVICE LIFE IN ENGINES

The wearability of oils with additives is the basic question to be resolved in establishing oil-change intervals for engines, and many investigators are working on it [20-23].

At one time [1], the question was raised as to the use of the potentiometric method to rate the acid-base properties of additive oils and their wearability in various types of engines.

The additive consumption computed from the change in oil ash content does not agree with the actual consumption, as shown in Figs. 5 and 7 and in Table 5.

As we see, alkalinity does not vary in proportion to ash content during depletion in engines. Acidity varies as a function of additive type, and, as a rule, the reaction (pH) changes from alkaline to acid or almost neutral (see Figs. 5-7).

Then, as we know, the viscosity of the oil and its coking capacity increase (Fig. 7b).

When the engines are operated under the same conditions (for example, the GAZ-51), equal quantities of the alkaline components are depleted, despite the difference in compositions (see Table 5). The amounts of sludge and wear are somewhat smaller at higher oil alkalinity.

Without additives, DS-14 oil services the YaZ-204 engine for no more than 20 hours, and with additives for 85 hours; the sludging appears at alkalinities of 0.1 mg of KOH/g or less.

DS-14 oil with 3% TSATIN-339, 2% PMS-Ya and 0.005% PMS-200A provides for normal operation of the SMD-14 engine for 800 hours (see Fig. 5). Sludge appears after 500 hours in the Kolona plant's D-2 engine, with alkalinity not exceeding 0.4 mg of KOH/g. The alkalinities of the original oils were not the same (the oil used in the SMD-14 engine was more alkaline).

211 M-20F (WS-20 with 2.5% TSATIN-339, 1.5% PMS-Ya and 0.005% PMS-200A) works for 1300 hours in the M-7 engine [24]

**Table 5. Physicochemical and Motor Properties of Additive Oil Before and After Use in GAZ-51 Engine**

[illegible]

KEY: (a) oil with additives; (b) acid-base properties; (c) total alkalinity, mg of KOH/g; (d) total acid number, mg of KOH/g; (e) wearability; (f) motor rating; (g) amount of carbon on rings and piston, g; (h) cylinder wear (by method of lunes),  $\mu$ ; (i) weight loss of first piston ring, g; (j) oil burnoff, g/h; (k) viscosity at 100°C, cst; (l) content, %; (m) coke; (n) ash; (o) W-10B (AS-9.5 + 1.5) Monto 613 + 0.7% Sauto-lune 493; (p) original; (q) after 600 hours of use; (r) W-10B (AS-9.5 + 3.5% ASK + 1.2% DP-1 + 0.003% PMS-200A); (s) W-10A (AS-0.5 + 1.5% ASK + 1.2% DP-1 + 0.003% PMS-200A).

stages, each lasting 50 hours) instead of the specified 100 hours. The engine was in satisfactory condition.

We see from the data obtained (Fig. 5-7) that the alkalinity decrease depends not only on the duration of engine running, but also on running conditions.




Fig. 7. Wearability of M-20V oil (MS-20 with 2.5% ISLATING-339, 15% PMS-7A and 0.005% PMS-200A) in M-7 engine. 1) total acid number; 2) total alkalinity; 3) reaction; 4) ash; 5) coking capacity; 6) viscosity. KBr: (a) acid number and alkalinity, mg of KOH/g; (b) number of stages; (c) ash, %; (d) coking capacity, %; (e) viscosity at 100°C, cst.

## CONCLUSIONS

1. The possibility and expediency of direct titration of additives to 120-100 mV (pH = 2) to determine total alkalinity and their effective metal and sulfate-ash contents (the latter for those additives in which alkalinity is equivalent to ash) were demonstrated.
2. The sulfonate additives (PMS'Va) differ sharply from one another as regards total alkalinity, and hence in effective calcium content; they have varying contents of nondecomposable

compounds, ranging up to 9% (converted to calcium sulfate).

3. The zinc thiophosphates that were analyzed had an acid reaction; their acid numbers were proportional to phosphorus and zinc content; the imported additives contained substantially more phosphorus and zinc than the Soviet ones. A fundamentally new method was proposed for quantitative determination of phosphorus and zinc by titrating zinc dithiophosphate to the potential jump or, in the general case, to 520 mV (pH = 10). The error of the method is 0.02 to 0.25%, its reproducibility from +2.4 to +9%, and the time required for the determinations 1.5-2 hours.

4. A study of the acid-base properties of additive oils in various types of engines brought out a disproportionality between the depletion of the alkaline component and the accumulation of acidic compounds; alkalinity does not vary in proportion to ash content. It was established that in engines operated under uniform conditions (GAZ-51) but on oils with different additive mixes, the alkalinity reserve varies in about the same way. A relation was detected between alkalinity change and the cleanliness and wear of certain engines.

5. The expediency of using the potentiometric method of wearability rating for additive oils to arrive at change intervals for these oils in various types of engines was demonstrated.

#### References

1. Luneva, V.S. and Druzhinina, A.V., Neftepererabotka i neftekhimiya, No. 12, 11 (1963).
2. Luneva, V.S., Khimiya i tekhnologiya topliv i masel, No. 12, 56 (1964).
3. Druzhinina, A.V., Tarmanyan, G.S., Morozova, M.S. and Myachina, M.S., Prisadki k maslam i toplivam (Oil and fuel additives), Gostoptekhzdat, 1961, p. 20.
4. Monastyrskiy, V.N., and Avaliani, T.K., Prisadki k maslam i toplivam, Gostoptekhzdat, 1961, p. 145.
5. Savin, N.I., Shor, V.V., Vinner, A.B., Glukhoded, N.S. and Nikitskaya, Ye.A., Prisadki k maslam i toplivam, Gostoptekhzdat, 1961, p. 26.
6. Larson, R., Scient. Lubricat., 10, No. 2, 12 (1959).
7. GOST [All-Union State Standard] 9436-63.
8. GOST 9827-61
9. GOST 9899-61.

10. Puchkov, H.G., and Reznikov, V.D., Khimiya i tekhnologiya topliv i masel, No. 5, 57 (1964).

11. Papok, K.K., Khimiya i tekhnologiya topliv i masel, No. 6, 1 (1964).

12. Taurret, R.V., Mezhdunarodnaya konferentsiya po spazke i iznosu mashin (International Conference on lubrication and wear of machines), GONTI, 1962, p. 480.

13. Dyson, A., Richards, L.J. and Williams, K.B., Proc. Inst. mech. Eng., 171, 23 (1957).