

AD 709060

United States Naval Postgraduate School



THESIS


CLIMATOLOGICAL WAVE DATA
FOR COLOMBO, CEYLON

by

Edward M. A. Perera

April 1970

This document has been approved for public release and sale; its distribution is unlimited.



Climatological Wave Data for Colombo, Ceylon

by

Edward M. A. Perera
Lieutenant Commander, Royal Ceylon Navy
B.Sc., University of London, 1957

Submitted in partial fulfillment of the
requirements for the degree of

MASTER OF SCIENCE IN OCEANOGRAPHY

from the

NAVAL POSTGRADUATE SCHOOL
April 1970

Author

Edward M. A. Perera

Approved by:

Warren C. Thompson

Thesis Advisor

Edward B. Thornton

Second Reader

Dale L. Leppen

Chairman, Department of Oceanography

R. F. Rinehart

Academic Dean

ABSTRACT

Deep-water wave statistics for Colombo on the west coast of Ceylon have been compiled using the Sverdrup-Munk-Bretschneider wave-hindcast method applied to 12-hourly weather maps of the West Indian and South Atlantic Oceans for the one-year period from June 1968 through May 1969.

Results of the wave-hindcast analysis are presented in the form of monthly and annual height-period-direction frequency distributions. The predominant waves are in the one to three foot height range, have periods centered about 13-14 seconds, and arrive from westerly to south-south-westerly directions. Wave action is most frequent in May through September and least in December.

The wind waves and local swell on the west coast of Ceylon strongly reflect the seasonal Monsoons. The principal source of distant swell for this coast is the prevailing westerly wind belt of the Southern Hemisphere between Argentina and the longitude of Ceylon (80°E). The subtropical anticyclone in the central Indian Ocean is a relatively quiet source region for swell compared to the Monsoon belt and the prevailing westerlies.

TABLE OF CONTENTS

I.	INTRODUCTION	7
II.	METHOD OF OBTAINING CLIMATOLOGICAL WAVE DATA	8
	A. AVAILABLE METHODS	8
	B. CHOICE OF SMB METHOD	10
III.	SELECTION OF WEATHER MAPS	13
	A. REGION COVERED	13
	B. PERIOD COVERED	16
	C. SETS OF WAVE ANALYSES DERIVED	16
IV.	HINDCAST PROCEDURE	18
	A. HINDCAST OF DISTANT SWELL	18
	1. The Wind Field	18
	2. Fetch and Duration	22
	3. Minimum Swell Height	23
	4. Summary of Hindcast Procedure	24
	B. HINDCAST OF LOCAL SWELL	25
	C. HINDCAST OF SEA	25
V.	STATISTICAL WAVE DATA	27
	A. METHOD OF COMPILATION	27
	1. Monthly Frequency Distributions of Sea, Local Swell, and Distant Swell	27
	2. Monthly Frequency Distributions of Combined Waves	29
	3. Annual Distributions	31
	B. WAVE STATISTICS GRAPHS	32
	1. General Properties	32

2. Characteristics of Sea, Local Swell, and Distant Swell	33
3. Peak Values	33
VI. WAVE CLIMATOLOGY OF WESTERN CEYLON	41
A. REGIONS OF WAVE GENERATION	41
B. TRADE WIND BELT	41
C. SUBTROPICAL HIGH PRESSURE BELT	47
VII. UTILITY OF THE WAVE STATISTICS	51
APPENDIX A - Notes on the Use of the Statistical Tables	53
APPENDIX B - Monthly Frequency Distribution of Sea, Local Swell, Distant Swell	55
Annual Distribution of Sea	65
APPENDIX C - Monthly and Annual Frequency Distributions of all Waves	66
APPENDIX D - Wave Hindcasting Curves	80
REFERENCES	84
INITIAL DISTRIBUTION LIST	85
FORM DD 1473	87

LIST OF ILLUSTRATIONS

<u>Figure</u>		<u>Page</u>
1	Geographical Location of Ceylon	9
2	Possible Wave Generating Areas for Colombo	12
3	Example of Rota Weather Map	14
4	Example of NWC Weather Map	15
5	Air Mass Stability and Isobar Curvature Factors	21
6	Annual Distribution of Wave Height	34
7	Monthly Distribution of Wave Height	35
8	Annual Distribution of Wave Period	36
9	Monthly Distribution of Wave Period	37
10	Annual Distribution of Wave Direction	38
11	Monthly Distribution of Wave Direction	39
12	General Pattern of Atmospheric Circulation	43
13	Generalized Pattern of Prevailing Winds in January and February	44
14	Generalized Pattern of Prevailing Winds in July and August	45
15	Average Positions of the Intertropical Convergence Zone in the Indian Ocean Area	46
16	Monthly Occurrence of Sea	48
17	Monthly Occurrence of Local Swell	48
18	Percentage Composition of Distant Swell	49
19	Monthly Occurrence of Distant Swell Arriving from the Westerly Wind Belt	49

ACKNOWLEDGMENTS

The author wishes to thank the Captain of the Royal Ceylon Navy and the Oceanographer of the United States Navy for providing the opportunity for him to pursue the Oceanography program at the Naval Postgraduate School in Monterey, California.

Professor Warren C. Thompson, under whose able direction this study was both planned and fulfilled, deserves special recognition. The author is greatly indebted to him for his counsel, encouragement, and patience shown. It was indeed a pleasure and a rewarding experience to work under him.

The author also wishes to thank Assistant Professor Edward B. Thornton, the Second Reader, for his helpful suggestions on the draft thesis.

The support of Captain W. S. Houston, USN, formerly Commanding Officer, Fleet Weather Central, Rota, Spain and of Lieutenant Commander J. W. King, Head of the Naval Detachment at the National Weather Records Center, Asheville, North Carolina, in providing the two sets of weather maps used is acknowledged.

I. INTRODUCTION

Ceylon is an island country situated in the South Indian Ocean. Figure 1 shows its geographical location. Colombo (7°N , 80°E) is her capital and principal harbor. Lacking major natural resources, the island's economy is turning more and more to dependence on the sea. Plans are currently afoot for the construction of several small harbors for Ceylon's infant fishing industry which is concentrated mainly on the west coast. In the design of harbors, wave statistics are needed for determining breakwater orientations, heights, and construction materials, and for anticipating sanding problems caused by the effect of the harbor on littoral drift. It is believed that climatological wave data will also have other practical military and civil applications in Ceylon in connection with coastal patrol, shoreline erosion, beach preservation, and related coastal engineering activities.

Statistical wave data for Ceylon are not available and therefore this study was undertaken in part to compile climatological wave data for deep water off Colombo. It will be seen that the statistics presented herein are applicable to most of the west coast of Ceylon.

In carrying out this study various problems were met and some innovations were introduced in the application of the wave hindcasting technique used and in the compilation of the wave statistics. These are described in the following pages. In addition, the seasonal wave regime on the west coast of Ceylon is examined in relation to the synoptic and seasonal weather character of the West Indian and South Atlantic Oceans.

II. METHOD OF OBTAINING CLIMATOLOGICAL WAVE DATA

A. AVAILABLE METHODS

Climatological wave data can be defined as a statistical compilation of the frequency of occurrence of waves of various height, period, and direction by months, seasons, or averaged over a year for a given location at sea or along a coast. The method chosen in this study for compiling wave statistics is the wave-hindcast method, in which a series of historical synoptic weather maps are analyzed for their wind-field characteristics and a conventional technique is applied to forecasting the waves produced which arrive at Ceylon.

There are several wave-forecasting methods in existence and a comparative description of each has been given by Timmie [1969]. In a broad sense they can be classified into two main groups, the spectral methods and the non-spectral empirical methods.

Among the spectral approaches, the Pierson-Neumann-James [1953] or PNJ method is probably the most widely used. The PNJ method describes the sea state and the swell characteristics in the form of an energy spectrum, and enables the forecaster to obtain various height and period parameters of the waves generated. This method, or variants of it, is the one most frequently used by scientists interested in the mechanism of energy transfer and propagation as it gives more information on the energy distribution in the waves. However, it has a lesser degree of acceptance in engineering applications where the dominant wave heights and periods are mainly used.




Figure 1: GEOGRAPHICAL LOCATION OF CEYLON
The continental margin is shown by the broken line.

There is also the French spectro-angular densities method by Gelci, Cazale, and Vassal [1958] which is in common use by European scientists and engineers, particularly the French and the Dutch. It is not suited for manual synoptic work as it is extremely time consuming, but it has been claimed by these authors to give very good results using numerical analysis.

The most widely used of the non-spectral methods is the Bretschneider modification of the Sverdrup-Munk [1947] wave-forecasting technique and referred to as the Sverdrup-Munk-Bretschneider or SMB method [Bretschneider, 1952]. This method provides a forecast in terms of a significant wave height and a significant wave period. The significant wave height is the average height of the highest one-third of the waves. The significant wave period is the period associated with the significant wave height, and closely approximates the period of maximum energy concentration.

Evaluations of the PNJ and SMB methods have been made by Timmie [1969], Rattray and Burt [1956], and Wiegel [1966]. According to Wiegel (p. 239), "One thing is apparent from the few comparisons of forecasts with observed waves: no major procedure is appreciably better than the others in use today."

B. CHOICE OF SMB METHOD

For this study the SMB wave-forecasting technique was adopted mainly for the following reasons:

- (1) The method is simpler and quicker than other methods and appears to give forecast results that are equally as good.

(2) The applications of this study in Ceylon will involve mostly coastal engineering problems in which data on the dominant height and period are ordinarily adequate.

(3) Even though the PNJ method provides a more complete description of the sea, its format of wave-hindcast presentation in several studies in which it has been applied (National Marine Consultants - California Coast [1960], Oregon-Washington Coast [1961]) is identical with that using the SMB method; i.e., the wave statistics are presented in the form of frequency of occurrence of various combinations of significant height, dominant period, and wave direction. A more detailed or complete presentation would be extremely cumbersome and the time required to compile and prepare the additional data would be significant.

(4) This investigator anticipates that additional wave studies will be made in Ceylon under his direction. Therefore, it was desirable to gain experience in a technique that is both easy to teach and simple to use.




Figure 2: POSSIBLE WAVE GENERATING AREAS FOR COLOMBO

III. SELECTION OF WEATHER MAPS

A. REGION COVERED

Prior to the selection of the weather maps to be used in hindcasting it was necessary to determine the regions of origin of ocean waves that would arrive at Colombo. Figure 2 shows the possible wave-generating areas based upon great-circle propagation of swell. It may be noted that swell can be generated as distant as the coast of Argentina, 7500 nautical miles from Ceylon, and that it may transit the entire South Atlantic Ocean. The potential wave-generating region with respect to Colombo is bounded directionally on the northwest by the Indian Peninsula, and on the south by wave refraction across the continental shelf along the west coast of Ceylon.

A study of weather-map sources indicated that to obtain complete coverage of the possible wave-generating areas affecting Colombo, two separate sets of surface weather maps were necessary. The following two sets were chosen:

1. 12-hourly weather maps (at 0000 and 1200 G.M.T) of the northern Indian Ocean down to 40°S . These maps are in Mercator projection and were obtained from the Fleet Weather Central at Rota, Spain.

2. 12-hourly weather maps (at 0000 and 1200 GMT) of the two quadrants of the Southern Hemisphere from 90°W through 0° to 90°E . These maps are in polar stereographic projection and were obtained from the National Weather Center (NWC) in Washington, D. C. Both sets were analyzed by the originating agencies. Examples of these maps are shown in Figures 3 and 4.




Figure 3: EXAMPLE OF ROTA WEATHER MAP




Figure 4: EXAMPLE OF NWC WEATHER MAP

B. PERIOD COVERED

Past work on the preparation of wave statistics (National Marine Consultants, [1960 and 1961]; Roper, [1960]) indicates that a coverage of three full years or more would be desirable in order to minimize the effect of yearly variations in wave occurrence and thereby produce better wave statistics. In this study, however, because of practical time limitations and the difficulty of obtaining two sets of weather maps preferably covering the same interval of time, weather maps covering the period of one complete year from June 1968 through May 1969 were analyzed.

C. SETS OF WAVE ANALYSES DERIVED

It was clear at the beginning of the study that two different sets of wave information would have to be derived from the maps for Colombo-- locally generated wind waves, and swell arriving from distant wind areas. It was further convenient and useful to separate the swell hindcasted from both sets of weather maps at 20°S because of (a) basically different synoptic wave-generating conditions prevailing on the equatorial side of the subtropical high-pressure cell in the Indian Ocean compared with the higher latitudes, and (b) frequent lack of data in the lower latitudes of the Indian Ocean on the Rota maps.

Therefore the analysis was done and is presented as three separate sets of wave statistics:

- (1) Wind Waves (Sea) at Colombo (from the Rota maps).
- (2) Local Swell from the equatorial and tropical zones (25°N to 20°S) in the northern Indian Ocean (from the Rota maps).

(3) Distant Swell from beyond 20°S in the South Indian and South Atlantic Oceans (from the NWC maps).

The statistics compiled on all three sets of waves are presented in the form of monthly and annual height-period-direction frequency distributions in the tables of Appendices B and C. All heights and periods presented in these tables are the significant height and significant period. All of the wave statistics derived apply to deep water directly off Colombo.

IV. HINDCAST PROCEDURE

A. HINDCAST OF DISTANT SWELL

1. The Wind Field

The fundamental parameter needed for wave hindcasting is the surface wind. The NWC maps contain relatively few weather reports in the oceans and it was necessary to derive the surface wind field from the surface pressure analysis. Surface wind reports were used wherever they were available. Ship reports are also uncommon on the Rota maps, but weather reports at land stations around the northern Indian Ocean are comparatively numerous.

In delineating wind areas in the Southern Hemisphere from the sea-level pressure field, it was assumed that the surface wind blows 10° to 15° to the right of the isobar direction. A wind direction was considered to be capable of producing swell if the wind had a bearing of 30° or less from the great-circle route to Colombo in the case of straight and parallel isobars, and 45° or less in the case of curved isobars.

To facilitate the acceptance or rejection of a possible wind area (the fetch), a transparent overlay, similar to Figure 2, was prepared for use with the weather maps under analysis. The overlay contained great circles drawn from Colombo defining the direction sectors south (180° - $191\frac{1}{4}^{\circ}$), south-southwest ($191\frac{1}{4}^{\circ}$ - $213\frac{3}{4}^{\circ}$), and southwest ($213\frac{3}{4}^{\circ}$ - $236\frac{1}{4}^{\circ}$). Superimposed on the great-circle curves was a family of orthogonal lines of distance from Colombo spaced at a 200 nautical-mile interval. The overlay was used to determine the

direction of the surface wind with respect to the great-circle route to Colombo, the direction sector from which the waves from the wind area would arrive at Colombo, and also to measure the fetch and the decay distance. It may be noted in Figure 2 that Distant Swell arrives at Colombo only in the narrow direction range of south to southwest.

The geostrophic wind speed was estimated from the isobar spacing using a conventional geostrophic wind scale. The surface wind speed was then computed using the relationship: $V_s = V_g \times S \times C$

where V_s = Surface wind speed in knots

V_g = Geostrophic wind speed in knots

S = Air-mass stability factor

C = Isobar-curvature factor.

The quantity S was evaluated in the following manner by interpolation of the set of stability factors presented by Sverdrup and Munk [1951], which is reproduced below:

$T_w - T_a$ ($^{\circ}\text{F}$)	Stability	S
< - 7	Stable	0.55
-7 to 0	Indifferent	0.60
1 to 4	Indifferent	0.65
5 to 10	Unstable	0.70
11 to 15	Unstable	0.75
> 15	Unstable	0.85

where T_w = Water temperature

T_a = Air temperature.

Because of the sparsity of wind observations in the Southern Ocean, observations of the air and sea temperature were seldom available for use in obtaining the stability factor. The factor was estimated,

however, by making the following assumptions. It was reasoned that, if the air trajectory prior to entering the fetch lay along a latitude line or approximately so (i.e., the winds were westerly), the air-sea temperature difference would be negligible and the air mass would be of indifferent or neutral stability ($S = 0.65$); similarly, if the wind trajectory before entering the fetch was directly from the south, so that the air-mass moved over relatively warmer water as it flowed into lower, warmer latitudes, the air-mass would be highly unstable ($S = 0.80$). A trajectory directly from the southwest was assumed to produce a condition of intermediate stability ($S = 0.75$). A trajectory directly from the northwest, in which warm air would be expected to pass over cooler water, was considered to produce a stable air mass ($S = 0.60$). In synoptic situations in which the air flow prior to entering the fetch curved cyclonically or anticyclonically, the air-mass stability was estimated in the same manner. The stability factors associated with wind trajectories in the Southern Ocean that can produce swell which would arrive in Ceylon are shown diagrammatically in Figure 5.

Figure 5 also shows the isobar-curvature factor C for the different wind trajectories. The values have been taken from the set of curvature factors presented by Sverdrup and Munk [1951], which is reproduced below:

<u>Air-mass Stability</u>	<u>Great Cyclonic</u>	<u>Moderate or Straight</u>	<u>Great Anticyclonic</u>
Stable	0.85	1.00	1.05
Indifferent	0.90	1.00	1.10
Unstable	0.95	1.00	1.15

The isobar curvature, defined by Bretschneider [1952], was estimated visually in practice.




Figure 5: AIR MASS STABILITY AND ISOBAR CURVATURE FACTORS
 The solid arrow represents the mean wind direction in the fetch.
 The broken lines represent possible air-flow trajectories prior to entry into the fetch.

2. Fetch and Duration

On each weather map the pertinent fetches were delineated and measured using the overlay described above. As there could be more than one fetch on a given map, the individual fetches were labelled and each fetch was followed on the subsequent weather maps until its ultimate disappearance due to dying winds.

A fetch was treated as stationary if the fetch front did not move by more than 3° latitude from one map to the next. In these cases the wind waves at the forward edge of the fetch were hindcasted in the usual manner by taking both the fetch and the duration into account.

In some cases the fetch advanced toward Ceylon with the westerly wind flow of the higher latitudes, and if the rate of advance of the fetch front exceeded 3° latitude between 12-hourly maps, the fetch was assumed to be a moving fetch. A 3° latitude advance of the fetch front between maps represents a mean velocity of 15 knots, which is the group velocity of 10-second period waves. In these cases, only the wind duration was assumed to control the wave dimensions, and the fetch length had no significance. This procedure greatly reduced the time to make the hindcasts and was considered to be reasonably accurate for the purpose of this study.

Initially, each new wind field generating wave trains was considered to have been in existence six hours prior to its first appearance on a weather map (i.e. the wind at the first map time had already been blowing for six hours). The wind duration as of the time of the next and subsequent weather maps was derived using the equivalent-duration method of Bretschneider [1952] applied to the intervening 12-hour interval between maps.

3. Minimum Swell Height

With practical applications in mind, it was decided that waves arriving at Colombo having a height less than one foot would be of minor importance. Accordingly, wind waves in any fetch found to have a height of one foot or less were discarded immediately. It was realized, in the case of Distant Swell, that it was possible for waves which were greater than one foot in the fetch to be lower than one foot upon arrival at Colombo.

In order to recognize and discard these cases and thereby save the time of going through the swell-hindcast procedure, the following table was constructed which gives the decay distance for various combinations of wave height in the fetch, H_F , and minimum fetch, F_{min} , that will yield a swell height at Colombo of one foot:

Height in Fetch	Minimum Fetch, F_{min} (nautical miles)						
H_F (feet)	<u>50</u>	<u>100</u>	<u>200</u>	<u>300</u>	<u>400</u>	<u>600</u>	<u>800</u>
5	525	850	1600	2000	2200	3200	4000
10	1800	3000	5000	6000	7000		
15	3100	5000					
20	4500	8000					
25	6000						
30	8000						

The minimum fetch, F_{min} , as used in the SMB method, is defined as the smaller of the two fetches, namely, the actual fetch and the fetch equivalent to the wind duration (the fetch that would permit a wind with a particular speed to put into the sea the same energy and

hence generate same size waves as would be generated by the same wind speed blowing for the given duration).

An example of the use of the table is as follows. If H_F is 10 feet and F_{min} equals 100 NM, then the swell height will be reduced to one foot after travelling over a decay distance of 3000 NM. All decay distances greater than 3000 NM would produce waves that are less than one foot high at Colombo. Therefore, only if the decay distance is equal to or less than 3000 NM would these waves be considered for swell computation.

4. Summary of Hindcast Procedure

The steps used in performing a wave hindcast are shown sequentially in the following table. The table is essentially a reproduction of the wave-hindcasting data sheet prepared for this study.

<u>Step</u>	<u>Obtained from</u>	<u>Purpose</u>
Wave train	Weather map	Identify fetch
Date-time	Weather map	
Isobar spacing	Weather map	Calculate geo. wind
Mean latitude	Weather map	Calculate geo. wind
Geostrophic wind, V_g	Geostrophic wind scale	Calculate surface wind
Stability correction, S	Figure 5 & weather map	Calculate surface wind
Curvature correction, C	Figure 5 & weather map	Calculate surface wind
Surface wind, V_s	$V_s = V_g \times S \times C$	Determine H_F, T_F
Fetch, F	Overlay on weather map	Determine H_F, T_F
Wind duration	Weather map	Determine H_F, T_F
Wave direction at Colombo	Overlay on weather map	Final result
Height in fetch, H_F	Plate D-1	Determine H_D
Period in fetch, T_F	Plate D-1	Determine T_D
Decay distance, D	Overlay on weather map	Calculate H_D, T_D & Δt
Minimum fetch, F_{min}	Plate D-1	Determine $H_D/H_F, T_D/T_F$
H_D/H_F	Plate D-2	Calculate H_D
T_D/T_F	Plate D-2	Calculate T_D
Height at end of decay, H_D		Final result
Period at end of decay, T_D		Final result
Travel time, Δt	Plate D-3	Estimate arrival time
Expected time of arrival	Weather map time + Δt	

B. HINDCAST OF LOCAL SWELL

The tropical and equatorial zones of the western Indian Ocean shown on the Rota weather maps were analyzed for Local Swell. The potential swell-generating region is bounded by the south and west-northwest directions (Figures 1 and 2). Due to the sheltering effect of the Indian Subcontinent, no swell of any significance arrives at Colombo from directions to the north of west-northwest. For the purpose of facilitating the analysis, an overlay similar to that described earlier was prepared for the Rota weather maps showing direction sectors and lines of equal distance (every 150 NM) from Colombo.

In low latitudes the calculation of the geostrophic wind velocity from the isobaric spacing is unreliable. Hence, the surface wind was obtained only from reported winds, and, in some cases when wind observations were lacking, by objectively comparing the isobaric spacing with adjacent maps in which the pressure field could be related to reported winds. Except for the manner of obtaining the wind speed, the analysis was the same as that described for Distant Swell.

C. HINDCAST OF SEA

As in the case of Local Swell, only observed surface winds were used in hindcasting wind waves at Colombo. The wind speed on most weather maps was fairly low, averaging about 10 knots, and usually gave rise to the condition of the fully arisen sea. When the seas were not fully arisen, which was sometimes the case with strong winds, the wind duration ordinarily controlled the wave dimensions.

The deep-water location for which the wave hindcasts were prepared lies off the continental shelf some 15 NM seaward of Colombo; however,

the wind-wave hindcasts effectively apply over the shelf as well and do not have to be decayed to a selected coastal site. Of course, both wind waves and swell must be modified for the effects of shoaling and refraction in order to obtain their characteristics at Colombo or at any other selected site in shallow water.

V. STATISTICAL WAVE DATA

A. METHOD OF COMPILATION

1. Monthly Frequency Distributions of Sea, Local Swell, and Distant Swell

Separate sets of wave data were compiled for Sea, Local Swell, and Distant Swell. This was considered necessary and convenient, as discussed earlier, due to the necessity of using two sets of weather maps and to the relative lack of data on the Rota maps, particularly with regard to hindcasting Local Swell. The statistics were compiled so as to show the frequency of occurrence of waves by significant height, significant period, and direction (H, T, and ψ). Tables B-1 to B-12 in Appendix B present these statistics as monthly distributions, and Table B-13 shows, in a similar format, the annual distribution of waves due to Sea alone.

For the most accurate computation of wave statistics, the time distributions of H and T for each wave train arriving at Colombo should be plotted, and notations made of the direction of arrival. From such graphs, the duration of occurrence of waves within different increments of H, T, and ψ could be measured. This exceedingly time-consuming process was circumvented by the procedures described in the following paragraphs.

A given fetch, for as long as it existed, yielded one hind-casted set of waves (H, T, and ψ) arriving at Colombo for each 12-hourly weather map. Thus, for the life of the fetch, two sets of wave data per day were produced. In preparing the table of Sea (wind wave) statistics, each set of waves hindcasted was considered to have a

duration of 12 hours. Accordingly, for a 31-day (744-hour) month with complete weather coverage, one wave set would have a frequency of occurrence of $\frac{12}{744} \times 100 = 1.6\%$ of the month. In the case of months with some missing weather data, the percentage was arrived at by a slight modification. For example, the Sea statistics for September (Table B-9) were based on 44 12-hourly weather maps, whereas there are actually 60 12-hourly intervals in the month. This means that in September, 16 weather maps had no data. In computing the frequencies of occurrence, it was assumed that the percentage frequencies for the entire month are the same as those for the 44-interval month. Therefore each wind-wave set would have a frequency of occurrence of $\frac{12}{12 \times 44} \times 100 = 2.3\%$ of the month. The table in Appendix A shows the number of 12-hourly weather maps containing wind data on which the compilation of the wave statistics for Sea, Local Swell, and Distant Swell was based.

In the case of swell, particularly the Distant Swell, the two sets of waves generated each day (one per weather map) arrived at Colombo some days later with arrival times that were sometimes chronologically reversed from their order of generation, were occasionally nearly simultaneous, or followed one another by several days. Each swell set was tabulated by its date of arrival at Colombo. The number of swell sets arriving on any given day varied from none to 7, and this number equated to 24 hours was considered to determine the duration of each set on that day.

It was assumed that when there were two or more arrivals of wave sets of one foot or greater on a given day (from one or more wind areas) there would not be a "calm" period on that day; if there was only one occurrence of waves of one foot or greater, then there would also be

one occurrence of waves under one foot during that day, or one "calm" interval of 12-hours duration; finally, if there were no occurrences of waves of one foot or more, then that entire day was considered "calm". By "calm" is meant the occurrence of waves under one foot in height.

The method used to calculate the swell frequency for a given month is best illustrated by an example. In February (see Table B-2) Distant Swell was based on 52 12-hourly weather maps, of which 10 intervals were found to be "calm". During the remaining 42 intervals there were 59 swell trains from various fetches of height one foot or greater. Knowing that the 59 swell sets occurred in 42 12-hour intervals, the effective duration of each swell set was $\frac{42 \times 12}{59} = 8.54$ hours, and the frequency of occurrence in percentage of the month was $\frac{8.54 \times 100}{52 \times 12} = 1.4\%$. In February there was one Distant Swell set that arrived at Colombo with the combination $H = 5-6$ feet, $T = 17-18$ seconds, and $\psi = \text{SSW}$; hence, the frequency of occurrence of these waves is 1.4% of the month, as shown in Table B-2 for this combination. The frequency figure of 1.4% means that during February (56 12-hourly intervals), waves having these specifications can be expected to occur 1.4% of the time, or nearly 9.4 hours (1.4% of 56×12).

2. Monthly Frequency Distributions of Combined Waves

The Sea, Local Swell, and Distant Swell sets for each month (Tables B-1 to B-12) have been combined in Tables C-1 to C-12 to give the probable monthly occurrence for all waves in deep water off Colombo. As each of the three sets did not contain an equal number of days of data (see Appendix A), it was necessary to standardize the three wave sets before combining them. Thus, in cases where the wave information was

based on a fewer number of days than are contained in a month, the frequency of occurrence of all available data within that particular wave set were proportionately increased by a factor equal to the ratio of the number of 12-hourly intervals in the month to the number of 12-hourly intervals of observed data. This procedure implies that the wave statistics obtained from a partial month of weather maps are representative of the entire month.

The method used to combine the tables can again be illustrated by an example. The derivation of Table C-2 from the three wave-data sets in Table B-2 will be reviewed for the combination $H = 5-6$ feet, $T = 17-18$ seconds, and $\psi = SSW$. When all of the wave data were compiled chronologically through the month according to their arrival time at Colombo by the method described in the previous section, the number of intervals of "calm" (i.e., waves under one foot) was again found to be 10 (this was a coincidence because in most months the combined wave arrivals reduced the number of "calm" intervals). Thus the number of 12-hourly intervals of waves in February is 46 (i.e., $56-10$).

Pertinent hindcast information for the three wave categories is as follows:

Sea: 29 12-hourly weather maps contained data which yielded 3 wave sets.

Local Swell: 22 12-hourly weather maps contained data which yielded 13 wave sets.

Distant Swell: 52 12-hourly weather maps contained data which yielded 59 wave sets.

The standardizing factors required to equate the number of wave sets to a month of complete weather data (56 12-hourly intervals) are $\frac{56}{29} = 1.93$, $\frac{56}{22} = 2.55$, $\frac{56}{52} = 1.08$, respectively. Accordingly, the number of wave sets

that would be expected if there were no missing weather data are
 $3 \times 1.93 = 5.79$ Sea sets, $13 \times 2.55 = 33.15$ Local Swell sets, and
 $59 \times 1.08 = 63.72$ Distant Swell sets, giving a total of 102.66 wave
sets in February. Therefore, each of the 102.66 wave sets had a
duration of $\frac{46 \times 12}{102.66} = 5.38$ hours, or occurred with a frequency of
 $\frac{5.38 \times 100}{56 \times 12} = 0.80\%$ of the month. The frequencies of occurrence of
each wave set was obtained using the standardizing factors as follows:

Sea: $1.93 \times 0.8\% = 1.5\%$ of the month,

Local Swell: $2.55 \times 0.8\% = 2.0\%$ of the month,

Distant Swell: $1.08 \times 0.8\% = 0.9\%$ of the month.

The entry in Table B-2 for the combination $H = 5-6$ feet, $T = 17-18$
seconds, and $\psi = \text{SSW}$ is 2.9% , which was obtained by combining the
single Local Swell occurrence of this combination (frequency = 2.0%)
with the only Distant Swell occurrence of this same combination in
February (frequency = 0.9%). The frequency value of 2.9% , of course,
means that during February waves with the given specifications can be
expected to occur 2.9% of the time during the month, or for a cumulative
period of nearly 19.5 hours.

3. Annual Distributions

Table B-13 shows the frequency of occurrence of Sea compiled
for the entire year. Each value in the table was derived by summing
the frequencies of occurrence shown in a given $H-T-\psi$ combination for
all 12 months of Sea and dividing by 12. In a similar manner, the
monthly frequency distributions of the combined waves (Tables C-1 to
C-12) have been averaged to produce Table C-13, which presents the
probable frequency distribution of all waves that can be expected to
occur in a given year.

B. WAVE STATISTICS GRAPHS

1. General Properties

From the statistical wave tables in the Appendices, summary graphs of the monthly and annual frequency distributions of height, period, and direction have been plotted (Figures 6-11). Figure 6 presents a histogram of the annual distribution of wave heights. The most frequently occurring waves at Colombo are in the 1-2 foot height range. This pattern is prevalent most of the year. In July, August, and November, however, the most frequently occurring waves are in the 2-3 foot height range (Figure 7) and are due to local seas at Colombo. Figure 6 also shows a cumulative frequency distribution, from which may be read directly the percentage of the year when waves greater than a specified height will be exceeded. As an example, it may be seen that waves in excess of 3 feet occurred 20% of the time. The monthly wave-height distribution graphs in Figure 7 indicate that the highest incidence of the most frequently occurring waves (1-2 foot height range) is in May and June, and that the least wave action at Colombo is experienced in December. The largest waves hindcasted were in the 13-14 foot range, and occurred in April, May, and July.

Figure 8 presents the annual distribution of wave periods. The histogram may be seen to approximate a normal frequency distribution and to be peaked in the 13-14 second period band, represented by swell waves. The 4-5 second peak at the short period end of the distribution is due to wind waves at Colombo. This unequal bimodal distribution of periods may also be seen in some of the monthly histograms of Figure 9. It may also be noted in Figure 9 that short-period wind waves are negligible in December. The longest periods hindcasted were in the 23-24 second range and occurred in July.

Figure 10 shows the direction of wave arrival at Colombo to be largely limited to the south-southwest and southwest. The westerly direction is due mainly to wind waves at Colombo. The monthly graphs (Figure 11) show that waves from the west occur most frequently from May through September. The figure also shows wind waves, dominantly from the west, are negligible in December.

2. Characteristics of Sea, Local Swell, and Distant Swell

Examination of Tables B-1 to B-12 shows that Sea at Colombo is characterized by 2-3 foot high waves with periods of 4-5 seconds arriving mostly from the west. Seas are most frequent during the months of May through September.

Local Swell arrives at Colombo mainly as 1-2 foot waves from the southwest to west-northwest with periods ranging from 8-14 seconds. It occurs most frequently during the months of May through August.

Distant Swell is restricted to the three directions south, south-southwest, and southwest. The waves are very often in the 1-2 foot range. The periods range from 9-24 seconds, but a high percentage of the energy is contained in the 14-16 second period band. The occurrence of Distant Swell generally increases from December to May and decreases thereafter.

3. Peak Values

The highest wave set hindcasted for the year occurred in a May sea generated by a westerly wind with a speed of 25 knots. The significant height and period in deep water off Colombo were 13.8 feet and 10.0 seconds, respectively. The wave height also exceeded 13 feet in April and July.




Figure 6: ANNUAL DISTRIBUTION OF WAVE HEIGHT




Figure 7: MONTHLY DISTRIBUTION OF WAVE HEIGHT




Figure 8: ANNUAL DISTRIBUTION OF WAVE PERIOD




Figure 9: MONTHLY DISTRIBUTION OF WAVE PERIOD





Figure 10: ANNUAL DISTRIBUTION OF WAVE DIRECTION



The longest period was one of 23.7 seconds in July which originated in a 56-knot wind field off the Weddell Sea, 6500 nautical miles from Colombo. Those swell arrived from the south-southwest and had a significant height of 5.4 feet.

The furthest distance from Colombo at which any significant wave train originated was 7500 nautical miles. A train generated in this area by a 25-knot wind arrived from the south-southwest in deep water off Colombo 15-1/2 days later with a significant height of a little over one foot and a period of 13.4 seconds.

The most frequently occurring wave set was $H = 1-2$ feet, $T = 12-13$ seconds, and $\psi = \text{SSW}$. It arrived at Colombo for a cumulative duration of 3.3% of the year, or 12 days.

VI. WAVE CLIMATOLOGY OF WESTERN CEYLON

A. REGIONS OF WAVE GENERATION

The spatial window for waves arriving at Colombo includes the western Indian Ocean and extends completely across the South Atlantic in the zone of westerly winds (Figure 2). Wave generation throughout this window occurs in three main atmospheric circulation belts:

- (1) Trade Wind (Monsoon) Belt (20°N - 20°S),
- (2) Subtropical High Pressure Belt (20°S - 40°S),
- (3) Westerly Wind Belt (40°S - 65°S).

These wind belts are shown diagrammatically in Figure 12, and their seasonal variations are illustrated in Figures 13 and 14. Together they determine the annual wave regime at Colombo and along the west coast of Ceylon.

B. TRADE WIND BELT

The most distinctive feature of the Trade Wind Belt over the Indian Ocean is its pronounced Monsoon circulation system, which is characterized by a seasonal reversal in the prevailing wind directions caused by differential heating between the Asian land mass and the northern Indian Ocean. The phenomenon of the Monsoon is brought about in the following manner.

The trade winds of both hemispheres meet in the equatorial low-pressure belt at a zone of convergence known as the Intertropical Convergence Zone (ICZ) or the Doldrums (Figure 12). In the Indian Ocean area this zone migrates over a wide range of latitudes in the year, as may be seen in Figure 15. It reaches its most southerly

position (near the Equator at the longitude of Ceylon) in February and its most northerly position ($\sim 30^{\circ}\text{N}$) over the Himalayas in August. During the months of December through March the ICZ lies to the south of Ceylon, and the Northeast Trade Winds, referred to as the Northeast Monsoon, blows over Ceylon from the Bay of Bengal. At this season of the year the winds blow dominantly offshore along the west coast of Ceylon, and away from Ceylon over the northwestern Indian Ocean. During the months of June through September the ICZ lies to the north of Ceylon. The Southeast Trades at this time of the year cross the Equator and move well into southern Asia, and in doing so are deflected by the coriolis effect so as to become a southwesterly wind, the Southwest Monsoon, over the north Indian Ocean, Ceylon, India, and Southeast Asia. The ICZ passes over Ceylon on its northward migration in May and southward again in October-November. These months will be referred to here as the transition months.

As may be expected, the wave statistics for Sea and Local Swell at Ceylon, both of which originate in the equatorial and tropical Indian Ocean, reflect the seasonal change in wind direction associated with the Monsoons. In Figures 16 and 17 are shown the frequency of occurrence of waves of one foot or greater due to Sea and Local Swell, respectively. The figures clearly reveal the influence of the onshore winds of the Southwest Monsoon during June through September, and the dominantly offshore winds of the Northwest Monsoon, as well as the irregular wind directions of the transition months, during the remainder of the year. The isolated peaks in the Local Swell in February and November may be attributed to the fact that the wave statistics compiled are based on insufficient data for these months (see Appendix A). The dominant wave direction of Sea during the Southwest Monsoon is from the west, as may be seen in Figure 11.




Figure 12: GENERAL PATTERN OF ATMOSPHERIC CIRCULATION
(From NAVAER 00-80U-24, 1952)






Figure 14: GENERALIZED PATTERN OF PREVAILING
WINDS IN JULY AND AUGUST

(From NAVAER 00-80U-24, 1952)




Figure 15: AVERAGE POSITIONS OF THE INTERTROPICAL CONVERGENCE ZONE IN THE INDIAN OCEAN AREA

(From NAVAER 00-80U-24, 1952)

C. SUBTROPICAL HIGH PRESSURE BELT

The Subtropical High Pressure Belt (20°S to 40°S) is the nearest source region for Distant Swell arriving at Colombo. This belt is represented in the central Indian Ocean by a quasi-permanent high-pressure cell centered at a mean latitude of 30°S around which the wind circulation is anticyclonic (counter-clockwise). The air flow around the north side of the anticyclone is the Southeast Trade Wind, and on the south side becomes a part of the Westerly Wind Belt. The exposure of the west coast of Ceylon to the wind direction in this circulation is such that waves are not generated on its north or west sides. In addition, the winds in the central part of the high cell are normally weak and variable, so that this region is likewise not a source region for any significant amount of swell arriving at Colombo.

The general lack of suitable swell-generating conditions in this weather belt in contrast to the Westerly Wind Belt of the more southerly latitudes, is reflected in the Distant Swell statistics for these two regions. Figure 18 shows the percentage of Distant Swell arriving at Colombo that originated in the latitude belts of 20°S - 40°S and 40°S - 65°S . As may be seen, only about 7% of the swell originated within the Subtropical High Pressure Belt. It may thus be seen that, with regard to waves arriving on the west coast of Ceylon, the Subtropical High Pressure Belt is a comparatively quiet zone lying between two zones of significant wave noise.

D. WESTERLY WIND BELT

The Westerly Wind Belt (40° - 65°S) is the major source region for Distant Swell arriving on the west coast of Ceylon, and is essentially




Figure 16: MONTHLY OCCURRENCE OF SEA
Waves of one foot height or greater.




Figure 17: MONTHLY OCCURRENCE OF LOCAL SWELL
Waves of one foot height or greater.




Figure 18: PERCENTAGE COMPOSITION OF DISTANT SWELL
Waves of one foot height or greater.




Figure 19: MONTHLY OCCURRENCE OF DISTANT SWELL
ARRIVING FROM THE WESTERLY WIND BELT
Waves of one foot height or greater.

an unbroken belt extending some 8500 km from Argentina (60° W) to the longitude of Ceylon (80° E). It is a region of intense cyclonic storm systems which are advected eastward with the mean air flow across the Southern Ocean, and which are the principal source of swell emanating from this region.

Figure 18 shows that approximately 93% of the Distant Swell arriving at Colombo is produced in this region. This high incidence of Distant Swell from these southerly latitudes indicates the importance of the Westerly Wind Belt as a source of waves arriving on all of the northern and eastern coasts of the Indian Ocean. From Figure 19 it may be seen that there is a seasonal variation at Colombo of the occurrence of swell greater than one foot propagated from the Westerly Wind Belt, which reaches a maxima during December to May.

The hindcast results revealed that a predominance of the Distant Swell originated in the eastern South Atlantic to the south and west of Africa. Possible reasons for this are that this region has shorter decay distances to Colombo than the western South Atlantic, and also that the Indian Ocean to the south of Ceylon produces less swell in the direction of Colombo because the swell are generated by south winds on the west side of the eastward-moving cyclonic storm systems.

VII. UTILITY OF THE WAVE STATISTICS

This study is the only detailed climatological wave investigation on Ceylon that is known to the author. Although prepared for Colombo, the wave statistics presented in the appendices may be applied to deep-water locations with reasonable judgement along most of the west coast of Ceylon. The wave data for directions of arrival from south through west can be applied without modification to any deep-water location along the coast. Wave statistics for directions from west to north are affected by the shelter of the Indian Peninsula. Along the coastal area to the north of Colombo, the frequency of occurrence of waves from the west-northwest must be reduced, whereas along the coast to the south of Colombo these frequencies should be increased. There will also be additional wave energy arriving from the northwest at stations along the southern half of the coast that does not reach Colombo, and which is not contained in the statistical tables.

In order to apply these statistics to a shallow-water site, shoaling and refraction modifications must be made. These procedures are given in "Shore Protection, Planning and Design" [Technical Report No. 4, U. S. Army Coastal Engineering Research Center, 1966] and in other standard references on shallow-water wave transformation.

In applying the wave statistics to coastal sites in the vicinity of Colombo, or elsewhere along the west coast of Ceylon, the user should be aware of the following limitations related to their preparation:

1. Adequate weather data for use in hindcasting the Local Swell, in particular, were lacking in most months except during the period May

through August (see Appendix A). In September through January and in April the wave statistics are based on less than six days of available weather data per month.

2. Simultaneously arriving wave trains were not combined using energy addition to provide a resultant wave of higher significant height. However, in the case of small waves, as is the usual situation off Colombo, this would not appear to constitute a source of appreciable error.

3. The representativeness of the particular 12-month period selected for the study is not known. One or more additional years of wave data would be desirable to give more reliable long-term wave statistics.

APPENDIX A

NOTES ON THE USE OF THE STATISTICAL TABLES

Frequency Values

The values entered in the statistical wave tables indicate the percentage of the month (or year in the case of an annual table) that the particular wave combination is likely to occur. For example, the frequency figure of 1.4 for the wave set H = 1-2 feet, T = 9-10 seconds, and ψ = SSW listed under Distant Swell for January (Table B-1, Appendix B) means that these particular waves can be expected to occur 1.4% of the time in January, or nearly 10.4 hours (1.4% of 24 x 31).

Wave Height and Period

The height and period ranges listed in the table are abbreviated to conserve space, and actually extend from the lower class mark of a height or period interval up to but not including the upper class mark. Thus, a wave height range of 9-10 feet means 9.0 - 9.9 feet. All heights are significant heights and all periods are significant periods.

Data Coverage

Although 365 days of weather maps were available, weather data were missing on some maps; accordingly, the wave statistics were determined only from the maps with data available. In preparing the statistical tables, it was assumed that the frequencies of occurrence of waves of each H-T- ψ combination that were hindcasted for a partial month are representative of the full month, so that the percentage

frequencies of occurrence are identical. The number of 12-hourly weather maps each month from which the wave hindcasts were made are listed in the following table.

	<u>Full Month</u>	<u>Sea</u>	<u>Local Swell</u>	<u>Distant Swell</u>
January	62	18	5	57
February	56	29	22	52
March	62	37	23	59
April	60	40	10	58
May	62	54	33	61
June	60	57	29	60
July	62	59	43	50
August	62	62	31	45
September	60	44	5	45
October	62	56	1	50
November	60	30	11	55
December	62	22	4	56

APPENDIX B -

MONTHLY FREQUENCY DISTRIBUTION OF SEA, LOCAL SWELL, DISTANT SWELL
ANNUAL DISTRIBUTION OF SEA

Table B-2. Wave Statistics (percentage occurrence) - February

		LOCAL SWELL										DISTANT SWELL																				
		W		NW		S		SSW		AS		SSW		S		SSW		AS														
T	H	4	5	4	5	15	16	17	18	8	9	10	11	12	13	14	15	16	17	18	19	20	11	12	13	14	15	16	17	18	19	20
1-2	1																															
2-3	2									4.2	16.8																					
3-4	3									4.2																						
4-5	4											6.2	4.2																			
5-6	5													4.2																		
6-7	6																															
												</																				

Table B-3. Wave Statistics (percentage occurrence) - March

[illegible]

Table B-4. Wave Statistics (percentage occurrence) - April

		SEA					LOCAL SWELL		DISTANT SWELL																						
		WSW					Σ	Σ	S	SSW					SW												Σ				
		4	3	4	5	10				11	12	13	14	15	16	17	18	12	13	14	15	16	17	18	19	20					
$\frac{H_s}{T_s}$		4	5	4	3	4	Σ	Σ	11	10	11	12	13	14	15	16	17	18	19	18	19	13	14	15	16	17	18	19	20	Σ	
< 1							92.5	100.0																						32.8	
1 - 2				2.5			2.5		1.2	1.2	7.0	3.5	2.3																	39.5	
2 - 3		2.5					5.0						1.2	1.2	1.2			1.2	1.2	4.6	1.2									11.8	
3 - 4													2.3										3.5		1.2	2.3				9.3	
4 - 5																									1.2					1.2	
5 - 6																	1.2								1.2	1.2				3.6	
7 - 8																											1.2			1.2	
13-14											1.2																			1.2	
							100.0	100.0																							100.6

Table 1-5. Wave Statistics (percentage occurrence) - May

SEA													LOCAL SWELL												DISTANT SWELL											
SSW		SW		WSW		W		WNW		WNW		W		SSW		S		SSW		SW		S														
H	T	4	5	4	5	4	5	3	4	9	10	11	12	13	14	8	9	10	11	12	13	14	15	16	17	18										
1-2	1.2						1.9																													
2-3	2.3	1.8	5.6	5.6			3.7																													
3-4																																				
4-5																																				
5-6																																				
6-7																																				
9-10																																				
13-14																																				
													100.4												100.3											

Table 1-6. Wave Statistics (percentage occurrence) - June

[illegible]

[illegible][illegible]

Table B-9. Wave Statistics (percentage occurrence) - September

SEA															LOCAL SWELL		DISTANT SWELL																		Σ	
SW			WSW			W			WNW			NW		Σ	W	Σ	S	SSW									SW									
T _s H _s	4	6	4	4	6	3	4	3	3	4	4	5	3					4	12	10	11	12	13	14	15	16	17	21	11	12	13	14	15			
	5	7	5	5	7	4	5	4	4	5	5	4	5					4		12	11	12	13	14	15	16	17	18	22	12	13	14	15			
< 1															63.6	80.0																		35.6		
1-2						2.3			2.3				2.3		6.9	20.0	20.0	2.2	2.2	4.3	15.1	6.5	2.2			2.2	2.2	4.3					41.2			
2-3	6.8		11.4				4.5						2.3		25.0						2.2	4.3	2.2								2.2		10.9			
3-4																							6.5	4.3									10.8			
4-5																																				
5-6		2.3			2.3										4.6														2.2					2.2		
															100.1		100.0																100.7			

Table E-10. Wave Statistics (percentage occurrence) - October

SEA										LOCAL SWELL		DISTANT SWELL																		Σ
CSW		SW		W		N	Σ	Σ	SSW									SW												
									11	12	13	14	15	16	17	18	19	20	21	22	12	13	14	15	16	17	18			
T _s	H _s	4	5	4	6	3	4	4	Σ	Σ	11	12	13	14	15	16	17	18	19	20	21	22	23	12	13	14	15	16	17	18
< 1									87.5	100.0																				38.0
1-2						1.8			1.8		5.3	3.5	7.1	5.3	1.8						1.8					5.3				30.1
2-3	1.8	1.8					3.6	1.8	9.0		1.8				3.5	3.5	1.8	1.8						1.8						14.2
3-4															1.8	1.8	5.3	1.8		1.8										10.7
4-5																											1.8	3.5		5.3
5-6																					1.8									1.8
									100.1	100.0																				100.1

Table B-13. Annual Sea Statistics

H s	T s	S		SSW			SW			WSW			W			WNW			NW			NNW			N	Σ
		4	5	4	5	6	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20			
< 1																								77.5		
1-2					.6					.3			.7		.4		.8							2.8		
2-3	.3	.9			2.9					3.2			4.2		1.1		1.1				.3		1.2	15.2		
3-4										.2			.2	.3										.7		
4-5			.2							.2														.4		
5-6								.5				1.0		.9							.5		.5	3.5		
6-7																										
7-8																						.2		.2		
8-9																										
9-10									.1															.4		
10-11																										
11-12																										
12-13																										
13-14																								.2		
		.3	1				4.2		4.9		6.8	1.5	2.4	1.0	1.2	100.9										

APPENDIX C

MONTHLY AND ANNUAL
FREQUENCY DISTRIBUTIONS OF ALL WAVES

Table C-1. Combined Wave Statistics (percentage occurrence) - January

[illegible]

Table C-3. Combined Wave Statistics (percentage occurrence) - March

T ₈ H ₈	S										MSS										MS										MSH					W					MSH		Σ																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	11 12	12 13	13 14	14 15	15 16	16 17	17 18	18 19	19 20	20 21	21 22	22 23	23 24	24 25	25 26	26 27	27 28	28 29	29 30	30 31	31 32	32 33	33 34	34 35	35 36	36 37	37 38	38 39	39 40	40 41	41 42	42 43	43 44	44 45	45 46	46 47	47 48	48 49	49 50	50 51	51 52	52 53		53 54	54 55	55 56	56 57	57 58	58 59	59 60	60 61	61 62	62 63	63 64	64 65	65 66	66 67	67 68	68 69	69 70	70 71	71 72	72 73	73 74	74 75	75 76	76 77	77 78	78 79	79 80	80 81	81 82	82 83	83 84	84 85	85 86	86 87	87 88	88 89	89 90	90 91	91 92	92 93	93 94	94 95	95 96	96 97	97 98	98 99	99 100	100 101	101 102	102 103	103 104	104 105	105 106	106 107	107 108	108 109	109 110	110 111	111 112	112 113	113 114	114 115	115 116	116 117	117 118	118 119	119 120	120 121	121 122	122 123	123 124	124 125	125 126	126 127	127 128	128 129	129 130	130 131	131 132	132 133	133 134	134 135	135 136	136 137	137 138	138 139	139 140	140 141	141 142	142 143	143 144	144 145	145 146	146 147	147 148	148 149	149 150	150 151	151 152	152 153	153 154	154 155	155 156	156 157	157 158	158 159	159 160	160 161	161 162	162 163	163 164	164 165	165 166	166 167	167 168	168 169	169 170	170 171	171 172	172 173	173 174	174 175	175 176	176 177	177 178	178 179	179 180	180 181	181 182	182 183	183 184	184 185	185 186	186 187	187 188	188 189	189 190	190 191	191 192	192 193	193 194	194 195	195 196	196 197	197 198	198 199	199 200	200 201	201 202	202 203	203 204	204 205	205 206	206 207	207 208	208 209	209 210	210 211	211 212	212 213	213 214	214 215	215 216	216 217	217 218	218 219	219 220	220 221	221 222	222 223	223 224	224 225	225 226	226 227	227 228	228 229	229 230	230 231	231 232	232 233	233 234	234 235	235 236	236 237	237 238	238 239	239 240	240 241	241 242	242 243	243 244	244 245	245 246	246 247	247 248	248 249	249 250	250 251	251 252	252 253	253 254	254 255	255 256	256 257	257 258	258 259	259 260	260 261	261 262	262 263	263 264	264 265	265 266	266 267	267 268	268 269	269 270	270 271	271 272	272 273	273 274	274 275	275 276	276 277	277 278	278 279	279 280	280 281	281 282	282 283	283 284	284 285	285 286	286 287	287 288	288 289	289 290	290 291	291 292	292 293	293 294	294 295	295 296	296 297	297 298	298 299	299 300	300 301	301 302	302 303	303 304	304 305	305 306	306 307	307 308	308 309	309 310	310 311	311 312	312 313	313 314	314 315	315 316	316 317	317 318	318 319	319 320	320 321	321 322	322 323	323 324	324 325	325 326	326 327	327 328	328 329	329 330	330 331	331 332	332 333	333 334	334 335	335 336	336 337	337 338	338 339	339 340	340 341	341 342	342 343	343 344	344 345	345 346	346 347	347 348	348 349	349 350	350 351	351 352	352 353	353 354	354 355	355 356	356 357	357 358	358 359	359 360	360 361	361 362	362 363	363 364	364 365	365 366	366 367	367 368	368 369	369 370	370 371	371 372	372 373	373 374	374 375	375 376	376 377	377 378	378 379	379 380	380 381	381 382	382 383	383 384	384 385	385 386	386 387	387 388	388 389	389 390	390 391	391 392	392 393	393 394	394 395	395 396	396 397	397 398	398 399	399 400	400 401	401 402	402 403	403 404	404 405	405 406	406 407	407 408	408 409	409 410	410 411	411 412	412 413	413 414	414 415	415 416	416 417	417 418	418 419	419 420	420 421	421 422	422 423	423 424	424 425	425 426	426 427	427 428	428 429	429 430	430 431	431 432	432 433	433 434	434 435	435 436	436 437	437 438	438 439	439 440	440 441	441 442	442 443	443 444	444 445	445 446	446 447	447 448	448 449	449 450	450 451	451 452	452 453	453 454	454 455	455 456	456 457	457 458	458 459	459 460	460 461	461 462	462 463	463 464	464 465	465 466	466 467	467 468	468 469	469 470	470 471	471 472	472 473	473 474	474 475	475 476	476 477	477 478	478 479	479 480	480 481	481 482	482 483	483 484	484 485	485 486	486 487	487 488	488 489	489 490	490 491	491 492	492 493	493 494	494 495	495 496	496 497	497 498	498 499	499 500	500 501	501 502	502 503	503 504	504 505	505 506	506 507	507 508	508 509	509 510	510 511	511 512	512 513	513 514	514 515	515 516	516 517	517 518	518 519	519 520	520 521	521 522	522 523	523 524	524 525	525 526	526 527	527 528	528 529	529 530	530 531	531 532	532 533	533 534	534 535	535 536	536 537	537 538	538 539	539 540	540 541	541 542	542 543	543 544	544 545	545 546	546 547	547 548	548 549	549 550	550 551	551 552	552 553	553 554	554 555	555 556	556 557	557 558	558 559	559 560	560 561	561 562	562 563	563 564	564 565	565 566	566 567	567 568	568 569	569 570	570 571	571 572	572 573	573 574	574 575	575 576	576 577	577 578	578 579	579 580	580 581	581 582	582 583	583 584	584 585	585 586	586 587	587 588	588 589	589 590	590 591	591 592	592 593	593 594	594 595	595 596	596 597	597 598	598 599	599 600	600 601	601 602	602 603	603 604	604 605	605 606	606 607	607 608	608 609	609 610	610 611	611 612	612 613	613 614	614 615	615 616	616 617	617 618	618 619	619 620	620 621	621 622	622 623	623 624	624 625	625 626	626 627	627 628	628 629	629 630	630 631	631 632	632 633	633 634	634 635	635 636	636 637	637 638	638 639	639 640	640 641	641 642	642 643	643 644	644 645	645 646	646 647	647 648	648 649	649 650	650 651	651 652	652 653	653 654	654 655	655 656	656 657	657 658	658 659	659 660	660 661	661 662	662 663	663 664	664 665	665 666	666 667	667 668	668 669	669 670	670 671	671 672	672 673	673 674	674 675	675 676	676 677	677 678	678 679	679 680	680 681	681 682	682 683	683 684	684 685	685 686	686 687	687 688	688 689	689 690	690 691	691 692	692 693	693 694	694 695	695 696	696 697	697 698	698 699	699 700	700 701	701 702	702 703	703 704	704 705	705 706	706 707	707 708	708 709	709 710	710 711	711 712	712 713	713 714	714 715	715 716	716 717	717 718	718 719	719 720	720 721	721 722	722 723	723 724	724 725	725 726	726 727	727 728	728 729	729 730	730 731	731 732	732 733	733 734	734 735	735 736	736 737	737 738	738 739	739 740	740 741	741 742	742 743	743 744	744 745	745 746	746 747	747 748	748 749	749 750	750 751	751 752	752 753	753 754	754 755	755 756	756 757	757 758	758 759	759 760	760 761	761 762	762 763	763 764	764 765	765 766	766 767	767 768	768 769	769 770	770 771	771 772	772 773	773 774	774 775	775 776	776 777	777 778	778 779	779 780	780 781	781 782	782 783	783 784	784 785	785 786	786 787	787 788	788 789	789 790	790 791	791 792	792 793	793 794	794 795	795 796	796 797	797 798	798 799	799 800	800 801	801 802	802 803	803 804	804 805	805 806	806 807	807 808	808 809	809 810	810 811	811 812	812 813	813 814	814 815	815 816	816 817	817 818	818 819	819 820	820 821	821 822	822 823	823 824	824 825	825 826	826 827	827 828	828 829	829 830	830 831	831 832	832 833	833 834	834 835	835 836	836 837	837 838	838 839	839 840	840 841	841 842	842 843	843 844	844 845	845 846	846 847	847 848	848 849	849 850	850 851	851 852	852 853	853 854	854 855	855 856	856 857	857 858	858 859	859 860	860 861	861 862	862 863	863 864	864 865	865 866	866 867	867 868	868 869	869 870	870 871	871 872	872 873	873 874	874 875	875 876	876 877	877 878	878 879	879 880	880 881	881 882	882 883	883 884	884 885	885 886	886 887	887 888	888 889	889 890	890 891	891 892	892 893	893 894	894 895	895 896	896 897	897 898	898 899	899 900	900 901	901 902	902 903	903 904	904 905	905 906	906 907	907 908	908 909	909 910	910 911	911 912	912 913	913 914	914 915	915 916	916 917	917 918	918 919	919 920	920 921	921 922	922 923	923 924	924 925	925 926	926 927	927 928	928 929	929 930	930 931	931 932	932 933	933 934	934 935	935 936	936 937	937 938	938 939	939 940	940 941	941 942	942 943	943 944	944 945	945 946	946 947	947 948	948 949	949 950	950 951	951 952	952 953	953 954	954 955	955 956	956 957	957 958	958 959	959 960	960 961	961 962	962 963	963 964	964 965	965 966	966 967	967 968

Table C-4. Combined Wave Statistics (percentage occurrence) - April

H _s \ T _s	S		SSW										SW										WSW		W			Σ
	11 12	10 11	11 12	11 12	12 13	12 13	13 14	14 15	15 16	16 17	17 18	18 19	18 19	12 13	13 14	14 15	15 16	16 17	17 18	18 19	19 20	4 5	3 4	4 5				
< 1																										33.3		
1-2	1.1	1.1	6.4	3.2	2.1									8.6	4.3	5.4	4.3						1.6			38.1		
2-3							1.1	1.1	1.1	1.1		1.1	1.1	4.3	1.1							1.6		1.6		14.1		
3-4							2.1								3.2				1.1	2.1						8.5		
4-5																			1.1							1.1		
5-6											1.1								1.1	1.1						3.3		
7-8																				1.1						1.1		
13-14						1.1																				1.1		
	1.1																					1.6	3.2		100.6			

Table C-5. Combined Wave Statistics (percentage occurrence) - May

S		MS												MS												MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS						MS											
---	--	----	--	--	--	--	--	--	--	--	--	--	--	----	--	--	--	--	--	--	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	----	--	--	--	--	--	--	--	--	--	--	--

Table C-7. Combined Wave Statistics (percentage occurrence) - July

H _s	SSW																								SS																								WSW																								W																								Σ																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
< 1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												</

Table C-8. Combined Wave Statistics (percentage occurrence) - August

[illegible]

Table C-9. Combined Wave Statistics (percentage occurrence) - September

[illegible]

Table C-11. Combined Wave Statistics (percentage occurrence) - November

T H _s	S										SSW										SW										WNW		N	Σ
	9 10	11 12	12 13	13 14	14 15	15 16	4	9 10	10 11	11 12	12 13	13 14	14 15	15 16	16 17	17 18	18 19	19 20	20 21	21	10	11 12	12 13	13 14	14 15	15 16	16 17	4	5					
1																															21.7			
1-2	1.7	.9						.9	.9	1.7		4.3	2.6	.9							4.2	3.4	.9	1.7	.9	.9				26.8				
2-3							1.6			.9	1.7	.9	2.6	.9	.9						4.2	4.2		5.9	.9	1.7	.9	1.6	3.1	31.1				
3-4		4.2	.9	.9	.9							.9			.9										4.2	.9				13.8				
4-5			.9																											.9				
5-6																	.9								4.2					5.1				
7-8																	.9													.9				
8-9																		.9												.9				
11.3							24.4													39.1							1.6	3.1	101.2					

Table C-12. Combined Wave Statistics (percentage occurrence) - December

$\begin{matrix} T_s \\ H_s \end{matrix}$		SSW										SW								Σ
		11 12	12 13	13 14	14 15	15 16	16	10 11	11 12	12 13	13 14	14 15	15 16	16 17	17 18					
< 1																		43.6		
1-2		3.0	3.0	4.4				3.0	1.5	7.4	7.4	1.5	1.5					32.7		
2-3				1.5	1.5	3.0					4.4	3.0	1.5					14.9		
3-4					1.5							1.5		3.0				6.0		
4-5														1.5	1.5			3.0		
		17.9										38.7								100.2

Table C-13. Annual Combined Wave Statistics

[illegible]

Table C-13, continued

[illegible]

APPENDIX D

WAVE HINDCASTING CURVES




Plate D-1: SMB SEA FORECASTING GRAPH
 (From Bretschneider, 1952)




Plate D-2: SMB SWELL FORECASTING GRAPH
(From Bretschneider, 1952)




Plate D-3: SMB SWELL TRAVEL TIME GRAPH
 (From Bretschneider, 1952)

REFERENCES

- Bretschneider, C. L., 1952. Revised Wave Forecasting Relationships. Proc. Conf. on Coastal Engineering, Council on Wave Research, University of California, p. 1-5.
- Bretschneider, C. L., 1952. The Generation and Decay of Wind Waves in Deep Water. Trans. Amer. Geophys. Un., V. 33, No. 3, p. 381-389.
- Gelci, R., H. Cazale, and J. Vassal, 1958. The Spectro Angular Method of Forecasting Ocean Waves. Translation by Fleet Numerical Weather Central, Monterey, from Min. de Trav. Publ. et des Trans.
- National Marine Consultants, 1960. Wave Statistics for Seven Deep Water Stations Along the California Coast. Prepared for the Los Angeles and San Francisco Districts, U. S. Army, Corps of Engineers, 20 pp.
- National Marine Consultants, 1961. Wave Statistics for Three Deep Water Stations Along the Oregon-Washington Coast. Prepared for the Portland and Seattle Districts, U. S. Army, Corps of Engineers, 17 pp.
- Office of the Chief of Naval Operations, 1958. Meteorology for Naval Aviators. U. S. Government Printing Office, Washington, D. C., NAVAER 00-80U-24, 300 pp.
- Pierson, W. J., G. Neumann, and R. W. James, 1955. Practical Methods for Observing and Forecasting Ocean Waves by Means of Wave Spectra and Statistics. H. O. Pub. 603, 284 pp.
- Rattray, M., and W. V. Burt, 1956. A Comparison of Methods for Forecasting Wave Generation, Deep Sea Res., V. 3, No. 2, pp. 140-144.
- Roper, W., 1960. A Study of the Wave Climatology of the Gulf of Siam. Naval Postgraduate School, MS Thesis, 73 pp.
- Sverdrup, H. U., and W. H. Munk, 1947. Wind, Sea and Swell: Theory of Relations for Forecasting. H. O. Pub. 601, 44 pp.
- Sverdrup, H. U., and W. H. Munk, 1951. Techniques for Forecasting Wind Waves and Swell. H. O. Pub. 604, 38 pp.
- Timmie, R., 1969. The Adequacy of Forecasting, Hindcasting, and the Use of Ocean Surface Wave Information. National Security Industrial Assoc., Tech. Rept., 152 pp.
- U. S. Army, Corps of Engineers, 1966. Shore Protection, Planning and Design. Coastal Engineering Research Center, Tech. Rept. No. 4, U. S. Government Printing Office, Washington, D. C., 401 pp.
- Wiegel, R. L., 1966. Oceanographical Engineering. Prentice-Hall Inc., 532 pp.

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION	
Naval Postgraduate School Monterey, California 93940		Unclassified	
		2b. GROUP	
3. REPORT TITLE			
Climatological Wave Data for Colombo, Ceylon			
4. DESCRIPTIVE NOTES (Type of report and, inclusive dates)			
Master's Thesis; April 1970			
5. AUTHOR(S) (First name, middle initial, last name)			
Edward M. A. Perera			
6. REPORT DATE		7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
April 1970		88	13
8a. CONTRACT OR GRANT NO.		8a. ORIGINATOR'S REPORT NUMBER(S)	
b. PROJECT NO.			
c.		8b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.			
10. DISTRIBUTION STATEMENT			
This document has been approved for public release and sale; its distribution is unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY	
		Naval Postgraduate School Monterey, California 93940	
13. ABSTRACT			
Deep-water wave statistics for Colombo on the west coast of Ceylon have been compiled using the Sverdrup-Munk-Bretschneider wave-hindcast method applied to 12-hourly weather maps of the West Indian and South Atlantic Oceans for the one-year period from June 1968 through May 1969. Results of the wave-hindcast analysis are presented in the form of monthly and annual height-period-direction frequency distributions. The predominant waves are in the one to three foot height range, have periods centered about 13-14 seconds, and arrive from westerly to south-southwesterly directions. Wave action is most frequent in May through September and least in December. The wind waves and local swell on the west coast of Ceylon strongly reflect the seasonal Monsoons. The principal source of distant swell for this coast is the prevailing westerly wind belt of the Southern Hemisphere between Argentina and the longitude of Ceylon (80°E). The subtropical anticyclone in the central Indian Ocean is a relatively quiet source region for swell compared to the Monsoon belt and the prevailing westerlies.			

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Climatological wave data						
Ocean wave statistics for Ceylon						
Wave statistics for Ceylon						
Wave climatology of Ceylon						