

AD 777 535

TECHNICAL REPORT
74-33-FL

**SUBSTITUTION of
DOMESTIC FAT for COCONUT (lauric) FAT in
COATING of MILITARY CHOCOLATE CANDIES**

by

Normon E. Horris

and

Donold E. Westcott

Project reference: 728012.12

February 1974

Approved for public release;
distribution unlimited.

UNITED STATES ARMY
NATICK LABORATORIES
Natick, Massachusetts 01760



Food Laboratory
FL-186

Approved for public release; distribution unlimited.

Citation of trade names in this report does not constitute an official indorsement or approval of the use of such items.

Destroy this report when no longer needed. Do not return it to the originator.

Unclassified

Security Classification

AD 777535

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) US Army Natick Laboratories Natick, Massachusetts 01760		2a. REPORT SECURITY CLASSIFICATION Unclassified	
		2b. GROUP	
3. REPORT TITLE Substitution of domestic fat for coconut (lauric) fat in coating of Military chocolate candies.			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (First name, middle initial, last name) Norman E. Harris & Donald E. Westcott			
6. REPORT DATE February 1974		7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
8a. CONTRACT OR GRANT NO.		8b. ORIGINATOR'S REPORT NUMBER(S)	
b. PROJECT NO. PE 728012.12			
c.		9a. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.		Series: FL 186	
10. DISTRIBUTION STATEMENT This document has been approved for public release; distribution unlimited			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY US Army Natick Laboratories Natick, Massachusetts 01760	
13. ABSTRACT Domestic hard butter is a satisfactory substitute for hydrogenated coconut fat in formulating candy centers where hydrolytic rancidity can be more of a problem but not in the coating of candies where oxidative rancidity is more likely to occur.			

DD FORM 1 NOV 66 1473

REPLACES GO FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

Unclassified

Security Classification

Unclassified

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Substitutes	8					
Fats	8				6	
Butter	8					
Coconut	9					
Coconut (Fat)	9				6	
Coconut (Lauric)	9				6	
Coating	4		10		6	
Candies	4		4		7	
Military	4		4			
Tests			8			
Rancidity (Hydrolytic)			9		7	
Soapiness			9			
Fats (Domestic)			10			
Storage					6	
Rancidity (Oxidative)					7	

1a

Security Classification

Approved for public release;
distribution unlimited

AD _____

TECHNICAL REPORT

SUBSTITUTION OF DOMESTIC FAT FOR COCONUT (LAURIC)
FAT IN COATING OF MILITARY CHOCOLATE CANDIES

by

Norman E. Harris
Donald E. Westcott

February 1974

Project reference:
728012.12

Series: FL 186

Food Laboratory
U.S. ARMY NATICK LABORATORIES
Natick, Massachusetts 01760



ic

FOREWORD

Military candies (Type 1 chocolate coated fudges) were studied to determine whether hydrolytic rancidity problems (soapiness) encountered on long term storage of candies in the rations could be corrected by using all hydrogenated domestic fat in the center and the coating. Domestic fat was substituted for hydrogenated coconut fat in the fudge portion of the candy in early 1970. It was found, however, that it was better to formulate the coating of candies with coconut fat since it had better mouth melt and was more resistant to oxidative rancidity.

This study was completed under production engineering project reference 728012.12.

TABLE OF CONTENTS

	Page
Foreword	ii
Abstract	iv
Results & Discussion	1
Table 1	3
Table 2	4
References	5

ABSTRACT

Domestic hard butter is a satisfactory substitute for hydrogenated coconut fat in formulating candy centers where hydrolytic rancidity can be more of a problem but not in the coating of candies where oxidative rancidity is more likely to occur.

RESULTS & DISCUSSION

Domestic fats in the form of hard butters are more readily available in the U. S. than coconut (lauric) fats and reportedly less prone to hydrolytic rancidity or development of "soapy" flavors (Deck, 1969; The Wecobee Handbook, 1969). Therefore, the effect of substituting them for coconut fat in the enrobing chocolate used in military ration candies was studied. Chocolate fudge, coconut cream and vanilla fudge centers were enrobed with chocolate coating containing either a domestic or a coconut fat in accordance with military specification "Candy and Chocolate Confections" MIL-C-10928E. The candies were procured as part of a large purchase from a commercial candy producer. The chocolate fudge contained not less than 8% domestic hard butter while the vanilla fudge contained not less than 11%. The coconut cream center candy did not have any added domestic hard butter since it contained about 8% fat from the shredded tenderized coconut. The chocolate type coating contained not less than 30% added fat as either hydrogenated coconut or domestic hard butter with a Wiley melting point of $45^{\circ}\text{C} \pm 1^{\circ}\text{C}$. and in all other respects complying with MIL-C-10928. These were then evaluated during storage intervals for acceptance by a consumer panel and by a technical panel specifically for color, odor, flavor, texture and appearance. It was found that the candies produced with 100 hour A.O.M. coconut fat in the coating were more acceptable to the consumer panel than their 100 hour A.O.M. domestic fat-containing counterparts (Table 1). A technical panel found that the main reason for these higher consumer panel hedonic ratings was apparently due to texture.

The texture of the candies containing coconut fat in the coating stored for 0, 3 and 6 months at 37.8°C . was judged significantly better than those containing domestic fats in the coating. This effect was noticeable at 0-time for the enrobed chocolate and vanilla fudges and at 3 and 6 months for all candies. The lower texture rating was apparently due to a high degree of "waxiness" in the domestic hard butter coating which affected "mouth melt." Flavor differences in the candies were not apparent until the withdrawal at 3 months at 37.8°C . At that time the flavor of the candies made with 100 hour A.O.M. coconut fat in the coating was judged to be significantly better for the coconut cream and vanilla fudge candies. After 6 months at 37.8°C . the flavor of vanilla fudge was judged to be significantly better than its domestic fat coated counterpart. Several of the panelists stated that it tasted "stale" or oxidized. In the vanilla fudge the odor of the coconut fat containing candy was judged to be significantly better than those containing domestic hard butter in the coating at 3 and 6 months, as well as the

color and appearance of the vanilla fudge candy at the 6 month withdrawal. All of the other treatments were judged not significantly different at any withdrawal period for any of the three (3) types of candies.

In conclusion, the domestic hard butter is a satisfactory substitute for hydrogenated coconut fat in formulating candy centers where hydrolytic rancidity can be more of a problem but not in the coating of candies where oxidative rancidity is more likely to occur.

TABLE 1

Mean Hedonic Rating (N:32)^a of Military Chocolate-Coated Candies
Containing Either Coconut Fat or Domestic Hard Butter in the Coating

Candy	Coconut Fat	Domestic Hard Butter	L.S.D. ^b
Chocolate Fudge	7.3	6.7	0.4
Coconut	7.5	6.6	0.5
Vanilla Fudge	7.1	6.2	0.5

^aHedonic rating ranges from "dislike extremely" (1) to "like extremely" (9); Peryam and Pilgrim 1957).

^bLeast significant difference.

TABLE 2

Sensory Technical Panel (Mean of 12 scores) for Military Ration
Chocolate-Coated Candies Containing Either Coconut Fat or Domestic
Hard Butter in the Coating Stored at 37.8°C for 0, 3, or 6 Mos.

Storage Time (months)	Attribute	Enrobed Choco- late Fudge		Enrobed Coconut		Enrobed Va- nilla Fudge	
		Coconut	Domestic	Coconut	Domestic	Coconut	Domestic
0	Color	6.8	6.8 ^a	7.1	6.9	6.6	6.6
	Odor	6.6	6.3	6.7	6.8	6.6	6.6
	Flavor	6.5	6.1	6.9	6.6	6.6	6.5
	Texture	6.5**	5.3	6.7	6.2	6.5**	5.0
	Appearance	6.7	6.6	7.0	7.0	6.6	6.5
3	Color	6.8	6.4	6.4	6.6	6.6	6.5
	Odor	6.8	6.3	6.2	6.0	6.8*	5.4
	Flavor	5.9	5.6	6.4**	5.1	6.3**	4.6
	Texture	6.4**	4.9	6.4*	5.6	6.4**	4.8
	Appearance	6.9	6.6	6.8	6.8	6.7	6.6
6	Color	7.1	6.5	5.7	5.8	5.6*	4.8
	Odor	6.8	6.1	5.9	5.3	5.7**	4.8
	Flavor	5.3	4.5	5.2	4.4	4.6**	3.8
	Texture	5.8*	4.6	6.0**	4.9	5.1**	3.2
	Appearance	7.0	6.6	6.0	5.8	5.9*	5.3

^aA line under mean scores indicates no significant difference.

*Significant difference at 5% level.

**Significant difference at 1% level.

5 = Fair

6 = Below good above fair

7 = Good

REFERENCES

1. Anonymous 1969. The WECO8EE Handook Chapter 6 Rancidity 14.
2. Deck, E M 1969 Domestic Food Markets for Soybean Oil. Soybean Digest 30 (1) 20 - 21
3. MIL C-10928E. 1972 Military Specification Candy and Chocolate Confections. U. S. Government Printing Office Washington, D.C
4. Peryam, D R. and Pilgrim, F. J 1947 Hedonic scale method of measuring food preferences. Food Technol. 11(9): 9
5. Pilgrim, F. J. and Peryam, D R 1948 "Sensory Testing Methods - A manual." T. R. 25-58, Om. F. & C I, Chicago, Illinois.