


UNCLASSIFIED

AD NUMBER
AD851358
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution: Further dissemination only as directed by U.S. Naval Oceanographic Office, Attn: Code: 4420, Washington, DC 20390, MAR 1969, or higher DoD authority.
AUTHORITY
USNOO Notice, 25 Jan 1972

THIS PAGE IS UNCLASSIFIED

INFORMAL REPORT

PROJECT FLOOD DATA REPORT
TYRRHENIAN SEA
OCTOBER 1966

LIBRARY

MARCH 1969

JUL 27 1971

This document has been approved for public
release and sale; its distribution is unlimited.

U. S. NAVAL ACADEMY

NAVAL OCEANOGRAPHIC OFFICE
WASHINGTON, D. C. 20390

Best Available Copy

20070119124

INFORMAL REPORT

The Informal Report (IR) as produced at the Naval Oceanographic Office is a means for personnel to issue timely scientific and technical preliminary reports of their investigations. These are primarily informal documents used to report preliminary findings or useful byproducts of investigations and work to members of the scientific and industrial communities.

Informal Reports are assigned sequential numbers for each calendar year; the digits preceding the dash indicate the year.

The distribution made of this report is determined primarily by the author. Information concerning obtaining additional copies or being placed on a distribution list for all future Informal Reports in a given area of interest or specialty field, should be obtained from:

Distribution Control Department
Code 4420
Naval Oceanographic Office
Washington, D. C. 20390

ABSTRACT

Mine Division 81 collected oceanographic data in the Tyrrhenian Sea from 18 to 21 October 1966 in support of Project FLOOD. The data included serial-depth temperatures and salinities at 36 stations, 31 bottom sediment samples, 10 water transparency and color observations, and 300 miles of bathymetric soundings.

An evaluation of the data showed that a substantial amount of good quality data was obtained by Mine Division 81. These data are a useful contribution to the knowledge of the marine environment of the Tyrrhenian Sea and will be available to agencies and institutions through the National Oceanographic Data Center.

ATWOOD S. BARWICK
Nearshore Surveys Division
Oceanographic Surveys Department

This report has been reviewed and is approved for release as an UNCLASSIFIED Informal Report.



L. B. BERTHOLF
Director, Nearshore Surveys Division

Best Available Copy

CONTENTS		Page
I.	INTRODUCTION.....	1
A.	Purpose.....	1
B.	Background.....	1
C.	Data Acquisition Plan.....	1
II.	RESULTS.....	2
A.	Data Inventory.....	2
B.	Quality Control.....	3
1.	Water Sample Data.....	3
2.	Temperature Data.....	3
3.	Bottom Grab Samples.....	4
4.	Water Transparency and Color Data.....	4
III.	REVIEW.....	4
IV.	SUMMARY.....	5
V.	BIBLIOGRAPHY.....	6

FIGURES

1.	Project FLOOD Survey Regions - Mediterranean Sea.....	7
2.	Oceanographic Station Locations.....	8
3.	Bottom Sediment Sample Locations.....	9
4.	Water Transparency and Color Observation Locations.....	10

APPENDIXES

A.	Oceanographic Station Data.....	11
B.	Bottom Sediment Size and Composition Analyses.....	29
C.	Water Transparency and Color Data.....	51

I. INTRODUCTION

A. Purpose.

This report presents Project FLOOD oceanographic data collected by Mine Division 81 in October 1966 (Operation Number 927013). Survey operations were conducted along the coast of Italy in the Tyrrhenian Sea. Mine Division 81 consisted of USS VALOR (MSO 472), USS VIGOR (MSO 473), USS VITAL (MSO 474), and USS ASSURANCE (MSO 521). ASSURANCE did not participate in the FLOOD operations. This FLOOD report is one of a continuing series that began with IMR 0-30-63 (Underwood, 1963) which contained the oceanographic data collected by several mine divisions between May 1961 and July 1962.

The FLOOD reports serve the following purposes: 1) As a vehicle for communicating FLOOD data to prospective users, 2) as an evaluation of the data and collecting methods, and 3) to focus the attention of future participating ships on common errors made in collecting and recording oceanographic data.

B. Background.

Project FLOOD (Fleet Observation of Oceanographic Data) was established in 1960 as a means of developing the latent oceanographic survey potential of the U.S. Navy. To date, the Project FLOOD effort has been confined to the Mine Forces. Through the cooperation of Commander Mine Forces, U.S. Atlantic Fleet, and Commander Mine Forces, U.S. Pacific Fleet, all minesweepers deploying to foreign areas are equipped with oceanographic instruments, and the ship's crews are trained in their use. In the Mediterranean Sea, Commander, Sixth Fleet, frequently schedules survey operational periods for Mine Divisions, such as MINEDIV 81, while they are under his control. Whenever possible, technical advisors are made available by NAVOCEANO to assist the mine divisions during these scheduled survey periods. The ships are encouraged, however, to collect data whenever the opportunity arises. Two oceanographers, one each on VALOR and VIGOR, accompanied MINEDIV 81 during the October 1966 survey.

C. Data Acquisition Plan.

The procedures employed by MINEDIV 81 for developing the survey plan were set forth in a preliminary draft of "Technical Specifications and Guidelines, Project FLOOD" (NAVOCEANO, rev. 1967). In the specifications, the Mediterranean Sea is divided into nine regions as shown in Figure 1. MINEDIV 81 operated in Regions 5 and 6 during October 1966. VALOR, VIGOR, and VITAL were assigned particular station locations so that the ships could operate independently of each other.

The ships departed Naples, Italy, on 18 October, and ocean stations and bottom grab samples were taken at approximately 6-mile intervals

along the Italian coast from Naples to Isola di Grannuti. These operations were completed on 19 October and were followed by a brief bathymetric survey in the northeastern part of the Tyrrhenian Sea. Additional ocean stations and bottom grab samples subsequently were taken between 42°N latitude and Elba Island. The ocean stations included serial-depth temperature measurements from reversing thermometers and/or bathythermographs (BT's), serial-depth water samples for salinity analysis, and, on selected stations, visibility observations. Operations were completed on 21 October, and the ships proceeded to San Remo, Italy. A total of 36 ocean stations was occupied, 14 by VALOR, 15 by VIGOR, and 7 by VITAL. VITAL also took 14 BT's prior to the survey in transit to Naples.

The locations of the ocean stations, bottom grab samples, and visibility observations are shown in Figures 2 through 4, respectively. The oceanographic equipment on the ships consisted of mechanical BT's, Nansen bottles (lowered from the BT winch), Dietz-LaFond or Orange Peel bucket samplers, Secchi discs, Forel scales, and (on VALOR and VIGOR) reversing thermometers.

II. RESULTS

A. Data Inventory.

The oceanographic data reported taken by MINEDIV 81 consisted of the following:

- 62 Bathythermograms
- 122 Reversing thermometer temperatures
- 146 Water samples for salinity analysis
- 31 Bottom grab samples
- 10 Secchi disc/Forel scale observations
- 130 Miles bathymetric data

Of these data, the following were received in acceptable condition:

	<u>Percent Accepted</u>
50 Bathythermograms	81
118 Reversing thermometer temperatures	97
142 Water samples	97
31 Bottom grab samples	100
10 Secchi disc/Forel scale observations	100
130 Miles bathymetric data	100

The serial-depth temperature and salinity values were computer processed at NAVOCEANO. Machine listings provided electrical conductivity, density (σ_t), and sound velocity determinations for each depth. The computer-processed station data sheets are presented in Appendix A.

The bottom grab samples were analyzed at NAVOCEANO for sediment size and composition. Computer-processed data sheets of these analyses are presented in Appendix B.

The Secchi disc and Forel scale visibility observations are presented in Appendix C.

The BT data were processed at the National Oceanographic Data Center (NODC) and are on file at NODC under the following reference numbers: 08342 and 08343 (VITAL), 08477 (VIGOR), and 08478 (VALOR).

The bathymetric data are on file at NAVOCEANO, and the data will be used to update existing bathymetric charts of the Tyrrhenian Sea.

B. Quality Control.

During the processing and analyzing of FLOOD data, the precision of the data is determined, and erroneous values are rejected.

1. Water Sample Data. Water samples were carefully analyzed for salinity at NAVOCEANO. With good laboratory technique, present salinity analysis methods give accuracies of ± 0.01 parts per thousand (o/oo) or better. The greatest potential sources of error result from the contamination of the water sample by residual salt in an improperly rinsed bottle and by salinity increase through water evaporation. These errors are difficult to detect unless they are large. However, as a check for salinity errors, the salinity values were plotted against the corresponding temperature values at the same depth. An ocean area usually has a well-defined Temperature-Salinity relationship, and anomalous values can be easily identified and checked. Additional checks were made with the computer calculated sigma-t values, and any density inversions were examined. The anomalous salinities from the October 1966 FLOOD cruise which could not be explained are identified in Appendix A with question marks.

2. Temperature Data. The reversing thermometer data from VIGOR and VALOR were the most accurate and were helpful in assigning accuracy values to the BT temperatures from all three ships. Three reversing thermometers were used on each Nansen bottle, and the resulting temperatures were averaged to obtain an accepted value, except in cases of obvious malfunctions. The deviation of the individual value from the accepted value did not exceed 0.02°C for 92 percent of the cases.

BT data from VALOR were corrected to the reversing thermometer data, and comparisons in isothermal layers above and below the thermocline showed good repeatability with the BT's. BT data from VIGOR differed from the reversing thermometer data only near the sea surface and by a fairly constant amount. The BT's on VIGOR and VITAL, therefore, were checked against the corrected VALOR BT by grouping the data from all three BT's in a temporal/geographical order, i.e., as the

ships alternately made BT lowerings, and by obtaining the differences between successive BT observations at 50 and 300 feet (isolayers). Because the differences between each pair of BT's showed distinct trends, the VIGOR and VITAL data were corrected to agree with the VALOR BT data and were assigned accepted accuracies. These accepted accuracies were based on a comparison with the VALOR BT data plus the accepted accuracy limits of the VALOR BT data.

3. Bottom Grab Samples. The bottom grab samples were analyzed for sediment size and composition at NAVOCEANO in accordance with the techniques given by Richards (1962).

4. Water Transparency and Color Data. The only quality control applied to the Secchi disc and Forel scale data was to check the recorded positions of the readings against other data logs for the same station locations. Heavers (1967) observed that, on the average, water color may differ by ± 1 unit when estimated by different observers.

III. REVIEW

On the whole, the quality of the data collected by MINEDIV 81 was very good. VITAL and VALOR each made one error in entering latitude on a Secchi disc observation. Although precise position data is only critical for bottom sediment data, care should be exercised in picking coordinates from charts to avoid data being rejected because of faulty position information.

A 1° shift in the calibration of the BT on VALOR in the middle of the survey suggests that the stylus may have been bent accidentally during removal of a slide or from the BT being exposed to direct sunlight which can cause a BT to overheat and "peg" its stylus.

BT slides from VALOR and VIGOR were scratched but not too seriously. Care always should be exercised in handling the slides because the staballoy coatings on the slides can be easily scratched or smudged.

VIGOR and VITAL provided BT calibration slides; VALOR did not. However, the calibration data taken by VIGOR and VITAL before and after the survey period differed in both instances and could not be used to correct the BT's. During future deployments, ships are urged to make as many bucket calibrations as possible so that enough data are available to determine whether the BT calibration actually changed or whether an error was made in making the calibration.

In some instances, differences occurred between the water depths and positions recorded with the BT data from those recorded with the water sample data. These differences, however, may have been due to ship drift between the times when the different observations were made.

By discussing the errors that occurred in the collection and reporting of the data, future observers can be made aware of previous mistakes and, therefore, can avoid making the same errors.

IV. SUMMARY

The amount of useful environmental data collected by MINEDIV 81 was impressive and will make a useful contribution to knowledge of the ocean environment of the Tyrrhenian Sea. Project FLOOD environmental data are used in the preparation of various data sheets, pilots, atlases, sailing directions, and other publications and instructions. The data will be available to agencies and institutions through the National Oceanographic Data Center.

The data in the Appendixes have been checked for errors, and, where possible, an evaluation of accuracy was made.

The real and potential sources of error in data collection are discussed for the benefit of future participating ships.

V. BIBLIOGRAPHY

- Heavers, Richard M., 1967. Measurements of Underwater Reflectance and Attenuation of Diffuse Light Near Kamchatka, USSR, During August-September 1966. IR No. 67-65. UNPUBLISHED MANUSCRIPT. U.S. Naval Oceanographic Office, Washington, D.C.
- Richards, Adrian F., 1962. Investigations of Deep-Sea Sediment Cores, II. Mass Physical Properties. Technical Report 106. U.S. Naval Oceanographic Office, Washington, D.C.
- Underwood, James W., 1963. Project FLOOD, Data Report of Mediterranean Sea, May 1961 to July 1962. IMR 0-30-63. UNPUBLISHED MANUSCRIPT. U.S. Naval Oceanographic Office, Washington, D.C.
- U.S. Naval Oceanographic Office, 1967 (revised). Technical Specifications and Guidelines, Project FLOOD. U.S. Naval Oceanographic Office, Washington, D.C.




Figure 1. Project FLOOD Survey Regions - Mediterranean Sea




Figure 2. Oceanographic Station Locations




Figure 3. Bottom Sediment Sample Locations




Figure 4. Water Transparency and Color Observations locations

APPENDIX A
Oceanographic Station Data

EXPLANATION OF COMPUTER DATA SHEET
OCEANOGRAPHIC STATION DATA

1. CRUISE. A number assigned to each cruise for identification purposes. The first two digits are the mine division number, the next three digits are the ship's hull number, and the last digit is the end digit of the year.
2. STATION. The station identification consists of an area abbreviation (MED= Mediterranean Sea), a region number (in the Mediterranean Sea as given in Project FLOOD specifications manual), and a consecutive station number for the cruise (different for each ship).
3. LATITUDE. Expressed in degrees, minutes, and tenths of minutes.
4. LONGITUDE. Expressed in degrees, minutes, and tenths of minutes.
5. MARSDEN SQUARE. A 10-degree geographical square used for cataloging data.
6. DATE. Day, month, and year when data were taken.
7. TIME. Time of day when data were taken in local time.
8. ZONE. Time zone for converting local time to GMT.
9. DEPTH. Depth of water in meters where station was taken.
10. AIR TEMP. Temperature of the air in °F when station was taken.
11. TEMP INSTR. Type of temperature recording instrument used for collecting the water temperatures (RTH= reversing oceanographic thermometer, MBT= mechanical bathythermograph).
12. SAL INSTR. Type of instrument used to obtain salinity samples of water (NAN= Nansen bottle).
13. DEPTH. Depth in meters at which each temperature and salinity sampling was made.
14. DEV. The + range of depth over which actual sampling depth may deviate from given sampling depth.
15. TEMP. Water temperature in °C at each sampling depth.
16. DEV. The + range of temperature over which actual temperature may deviate from given temperature value.
17. SALINITY. Water salinity in parts per thousand at each sampling depth.

18. DEV. The $\pm$ range of salinity over which actual salinity may deviate from the given value.
19. ELEC. COND. The electrical conductivity of the water in mhos/cm² calculated from the values of temperature and salinity with the empirical equation of Ribe and Howe, "An Empirical Equation Relating Sea Water Salinity, Temperature, Pressure, and Electrical Conductivity."
20. DEV. The $\pm$ range of electrical conductivity over which the actual conductivity may deviate from the given value, computed from the deviations of temperature and salinity.
21. SIGMA-T. An abbreviated expression for density (density = $\text{Sigma-t} / 1000 + 1$) g/cm³ calculated with the equation of Knudsen using the given temperature and salinity values.
22. DEV. The $\pm$ range of Sigma-t over which the actual Sigma-t may deviate from the given value, computed from the deviations of temperature and salinity.
23. SOUND VEL. The velocity of sound in sea water at each depth, in meters per second, calculated from the given values of depth, temperature, and salinity using Wilson's equations of 1960, NAVOCEANO Special Publication 58, "Tables of Sound Speed in Sea Water."
24. DEV. The $\pm$ range of sound velocity over which the actual sound velocity may deviate from the given value, computed from the deviations of depth, temperature, and salinity.

OCEANOGRAPHIC STATION DATA - VALOR

CRUISE 814726 STATION MED 5 1 LATITUDE 40 55.9 N LONGITUDE 13 44.9 E MARSDEN SQUARE 179

DATE 18 OCT 65 TIME 1513 ZONE -1 DEPTH 80 AIR TEMP 72.0 TEMP INSTR RH SAL INSTR NAN

DEPTH DEV.	TEMP DEV.	SALINITY DEV.	ELEC. COND. DEV.	SIGMA-T DEV.	SOUND VEL. DEV.
0. 3.00	22.4 0.02	37.67 0.01	0.0538 0.0000	26.14 0.00	1531.6 0.11
17. 3.00	22.6 0.30	38.02 0.01	0.0544 0.0003	26.37 -0.08	1532.6 0.81
70. 3.00	16.0 0.02	37.81 0.01	0.0470 0.0000	27.93 0.00	1514.6 0.12
70. 3.00	15.0 0.02	37.85 0.01	0.0460 0.0000	28.18 0.00	1512.2 0.12

CRUISE 814726 STATION MED 5 2 LATITUDE 41 3.8 N LONGITUDE 13 24.9 E MARSDEN SQUARE 179

DATE 18 OCT 65 TIME 2104 ZONE -1 DEPTH 240 AIR TEMP 69.0 TEMP INSTR RH SAL INSTR NAN

DEPTH DEV.	TEMP DEV.	SALINITY DEV.	ELEC. COND. DEV.	SIGMA-T DEV.	SOUND VEL. DEV.
0. 3.00	22.5 0.01	38.00 0.01	0.0543 0.0000	26.36 0.00	1532.3 0.09
21. 3.00	22.5 0.01	38.01 0.01	0.0543 0.0000	26.37 0.00	1532.6 0.09
55. 3.00	15.4 0.01	37.87 0.01	0.0464 0.0000	28.12 0.01	1512.9 0.09
216. 3.00	14.3 0.01	38.62 0.01	0.0461 0.0000	28.94 0.01	1513.1 0.09

CRUISE 814726 STATION MED 5 3 LATITUDE 41 4.6 N LONGITUDE 13 0.8 E MARSDEN SQUARE 179

DATE 19 OCT 65 TIME 0020 ZONE -1 DEPTH 150 AIR TEMP 69.0 TEMP INSTR RH SAL INSTR NAN

DEPTH DEV.	TEMP DEV.	SALINITY DEV.	ELEC. COND. DEV.	SIGMA-T DEV.	SOUND VEL. DEV.
0. 3.00	22.2 0.01	37.91 0.01	0.0538 0.0000	26.40 0.00	1531.2 0.09
30. 3.00	20.5 0.01	37.89 0.01	0.0519 0.0000	26.86 0.00	1527.3 0.09
75. 3.00	14.3 0.01	37.94 0.01	0.0454 0.0000	28.41 0.01	1510.1 0.09
135. 3.00	14.1 0.01	38.29 0.01	0.0455 0.0000	28.72 0.01	1510.8 0.09

CRUISE 814726 STATION MED 5 4 LATITUDE 41 12.3 N LONGITUDE 12 38.1 E MARSDEN SQUARE 179
 DATE 19 OCT 66 TIME 0350 ZONE -1 DEPTH 160 AIR TEMP 72.0 TEMP INSTR RIH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	22.1	0.01	37.94	0.01	0.0538	0.0000	0.00	26.44	0.00	1531.1	0.09	
21.	3.00	20.8	0.01	37.90	0.01	0.0523	0.0000	0.00	26.78	0.00	1528.1	0.09	
41.	3.00	16.6	0.01	37.82	0.01	0.0476	0.0000	0.01	27.80	0.01	1516.4	0.09	
145.	3.00	14.1	0.01	38.29	0.01	0.0455	0.0000	0.01	28.73	0.01	1510.9	0.09	

CRUISE 814726 STATION MED 5 5 LATITUDE 41 23.3 N LONGITUDE 12 20.9 E MARSDEN SQUARE 179
 DATE 19 OCT 66 TIME 0705 ZONE -1 DEPTH 155 AIR TEMP 73.0 TEMP INSTR RIH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	22.1	0.02	38.01	0.01	0.0539	0.0000	0.00	26.49	0.00	1531.2	0.11	
21.	3.00	22.1	0.02	37.83	0.01	0.0536	0.0000	0.00	26.37	0.00	1531.2	0.11	
34.	3.00	17.7	0.02	38.69	0.01	0.0498	0.0000	0.00	28.20	0.00	1520.5	0.12	
145.	3.00	14.1	0.02	37.82	0.01	0.0450	0.0000	0.00	28.36	0.00	1510.5	0.13	

CRUISE 814726 STATION MED 5 6 LATITUDE 41 38.5 N LONGITUDE 12 8.7 E MARSDEN SQUARE 179
 DATE 19 OCT 66 TIME 0950 ZONE -1 DEPTH 150 AIR TEMP 72.0 TEMP INSTR RIH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	22.0	0.02	37.90	0.01	0.0536	0.0000	0.00	26.44	0.00	1530.8	0.11	
24.	3.00	19.2	0.02	37.86	0.01	0.0505	0.0000	0.00	27.18	0.00	1523.6	0.12	
52.	3.00	14.5	0.02	37.96	0.01	0.0455	0.0000	0.00	28.39	0.00	1510.2	0.13	
134.	3.00	14.1	0.02	38.34	0.01	0.0456	0.0000	0.00	28.76	0.00	1511.0	0.13	

CRUISE 814726 STATION MED 6 7 LATITUDE 41 49.4 N LONGITUDE 11 52.8 E MARS DEN SQUARE 179
 DATE 19 OCT 66 TIME 1230 ZONE -1 DEPTH 250 AIR TEMP 73.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	21.9	0.02	37.66	0.01	0.0532	0.0000	0.0000	26.28	0.00	1530.3	0.11	
26.	3.00	22.1	0.02	37.84	0.01	0.0536	0.0000	0.0000	26.37	0.00	1531.3	0.11	
47.	3.00	19.7	0.02	37.88	0.01	0.0511	0.0000	0.0000	27.04	0.00	1525.6	0.12	
191.	3.00	14.2	0.02	38.67	0.01	0.0461	0.0000	0.0000	28.99	0.00	1512.6	0.13	

CRUISE 814726 STATION MED 6 8 LATITUDE 42 0.6 N LONGITUDE 11 34.9 E MARS DEN SQUARE 179
 DATE 19 OCT 66 TIME 1621 ZONE -1 DEPTH 205 AIR TEMP 74.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	21.9	0.03	37.68	0.01	0.0532	0.0000	0.0000	26.30	-0.00	1530.3	0.14	
34.	3.00	22.1	0.03	37.96	0.01	0.0538	0.0000	0.0000	26.45	-0.00	1531.7	0.14	
58.	3.00	15.7	0.03	37.90	0.01	0.0468	0.0000	0.0000	28.06	0.00	1514.2	0.15	
112.	3.00	14.0	0.03	38.40	0.01	0.0456	0.0000	0.0000	28.82	0.00	1511.4	0.16	

CRUISE 814726 STATION MED 6 9 LATITUDE 42 13.0 N LONGITUDE 11 26.8 E MARS DEN SQUARE 179
 DATE 20 OCT 66 TIME 1135 ZONE -1 DEPTH 110 AIR TEMP 73.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	22.0	0.02	37.89	0.01	0.0536	0.0000	0.0000	26.42	0.00	1530.9	0.11	
38.	3.00	22.0	0.02	37.88	0.01	0.0535	0.0000	0.0000	26.44	0.00	1531.3	0.11	
99.	3.00	14.1	0.02	38.05	0.01	0.0452	0.0000	0.0000	28.55	0.00	1509.8	0.13	

CRUISE 814726 STATION MED 6 10 LATITUDE 42 10.8 N LONGITUDE 11 20.4 E MARSDEN SQUARE 179
 DATE 20 OCT 66 TIME 1402 ZONE -1 DEPTH 135 AIR TEMP 74.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND VEL.	DEV.
0.	3.00	22.1	0.02	37.86	0.01	0.0537	0.0000	0.0000	26.38	0.00	1531.0	0.11
44.	3.00	22.0	0.02	37.90	0.01	0.0536	0.0000	0.0000	26.43	0.00	1531.6	0.11
59.	3.00	17.0	0.02	37.90	0.01	0.0482	0.0000	0.0000	27.76	0.00	1518.0	0.12
116.	3.00	14.0	0.02	38.17	0.01	0.0453	0.0000	0.0000	28.66	0.00	1509.9	0.13

CRUISE 814726 STATION MED 6 11 LATITUDE 42 5.2 N LONGITUDE 11 13.4 E MARSDEN SQUARE 179
 DATE 20 OCT 66 TIME 1620 ZONE -1 DEPTH 212 AIR TEMP 70.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND VEL.	DEV.
0.	3.00	21.9	0.03	37.86	0.01	0.0535	0.0000	0.0000	26.43	-0.00	1530.5	0.14
34.	3.00	21.9	0.03	37.89	0.01	0.0535	0.0000	0.0000	26.45	-0.00	1531.1	0.14
90.	3.00	14.2	0.03	37.99	0.01	0.0454	0.0000	0.0000	28.46	0.00	1510.2	0.16
207.	3.00	14.2	0.03	38.60	0.01	0.0459	0.0000	0.0000	28.95	0.00	1512.6	0.16

CRUISE 814726 STATION MED 6 12 LATITUDE 42 6.2 N LONGITUDE 11 4.8 E MARSDEN SQUARE 179
 DATE 20 OCT 66 TIME 1810 ZONE -1 DEPTH 220 AIR TEMP 73.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND VEL.	DEV.
0.	3.00	22.0	0.03	37.90	0.01	0.0536	0.0000	0.0000	26.45	-0.00	1530.7	0.14
28.	3.00	22.0	0.03	37.86	0.01	0.0535	0.0000	0.0000	26.42	-0.00	1531.1	0.14
56.	3.00	14.9	0.03	37.91	0.01	0.0460	0.0000	0.0000	28.26	0.00	1511.6	0.16
190.	3.00	14.1	0.03	38.54	0.01	0.0458	0.0000	0.0000	28.91	0.00	1512.2	0.16

CRUISE 814726 STATION MED 6 13 LATITUDE 42 8.6 N LONGITUDE 10 56.9 E MARSDEN SQUARE 179

DATE 20 OCT 66 TIME 2013 ZONE -1 DEPTH 290 AIR TEMP 72.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC. COND.	DEV.	SIGMA-T	DEV.	SOUND VEL.	DEV.
0.	3.00	21.8	0.03	37.87	0.01	0.0533	0.0000	26.48	-0.00	1530.2	0.14
33.	3.00	18.0	0.03	37.86	0.01	0.0492	0.0000	27.47	0.00	1520.6	0.15
108.	3.00	14.0	0.03	38.44	0.01	0.0455	0.0000	28.87	0.00	1510.1	0.16
259.	3.00	14.1	0.03	38.90	0.01	0.0462	0.0000	29.19	0.00	1513.7	0.16

CRUISE 814726 STATION MED 6 14 LATITUDE 42 8.8 N LONGITUDE 10 8.5 E MARSDEN SQUARE 179

DATE 21 OCT 66 TIME 0044 ZONE -1 DEPTH 240 AIR TEMP 68.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC. COND.	DEV.	SIGMA-T	DEV.	SOUND VEL.	DEV.
0.	3.00	20.4	0.03	37.94	0.01	0.0519	0.0000	26.91	-0.00	1526.7	0.14
17.	3.00	19.4	0.03	37.92	0.01	0.0508	0.0000	27.17	-0.00	1524.2	0.14
31.	3.00	15.7	0.03	37.86	0.01	0.0467	0.0000	28.04	0.00	1513.5	0.15
223.	3.00	14.1	0.03	38.54	0.01	0.0457	0.0000	28.93	0.00	1512.5	0.16

OCEANOGRAPHIC STATION DATA - VIGOR

CRUISE 814736 STATION MED 5 1 LATITUDE 40 33.7 N LONGITUDE 14 1.0 E MARSDEN SQUARE 179
 DATE 18 OCT 65 TIME 1402 ZONE -1 DEPTH 155 AIR TEMP 75.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH DEV. TEMP DEV. SALINITY DEV. ELEC. COND. DEV. SIGMA-T DEV. SOUND VEL. DEV.
 0. 3.00 22.7 0.03 37.92 0.01 0.0544 0.0000 6.26 -0.00 1532.5 0.14

CRUISE 814736 STATION MED 5 2 LATITUDE 40 52.8 N LONGITUDE 13 51.5 E MARSDEN SQUARE 179
 DATE 18 OCT 65 TIME 1658 ZONE -1 DEPTH 120 AIR TEMP 72.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH DEV. TEMP DEV. SALINITY DEV. ELEC. COND. DEV. SIGMA-T DEV. SOUND VEL. DEV.
 0. 3.00 22.6 0.02 37.92 0.01 0.0542 0.0000 6.30 0.00 1532.2 0.11
 23. 3.00 15.2 0.02 37.79 0.01 0.0494 0.0000 7.37 0.00 1521.1 0.12
 43. 3.00 17.4 0.02 37.79 0.01 0.0484 0.0000 7.58 0.00 1518.7 0.12
 61. 3.00 15.4 0.02 37.82 0.01 0.0464 0.0000 8.07 0.00 1513.2 0.12
 107. 3.00 14.2 0.02 38.13 0.01 0.0454 0.0000 8.59 0.00 1510.3 0.13

CRUISE 814736 STATION MED 5 3 LATITUDE 41 12.0 N LONGITUDE 13 32.6 E MARSDEN SQUARE 179
 DATE 18 OCT 65 TIME 1940 ZONE -1 DEPTH 238 AIR TEMP 70.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH DEV. TEMP DEV. SALINITY DEV. ELEC. COND. DEV. SIGMA-T DEV. SOUND VEL. DEV.
 0. 3.00 22.6 0.03 38.06 0.01 0.0545 0.0000 6.39 -0.00 1532.5 0.14
 30. 3.00 22.6 0.03 38.00 0.01 0.0544 0.0000 6.35 -0.00 1532.8 0.14
 45. 3.00 17.1 0.03 37.78 0.01 0.0482 0.0000 7.63 0.00 1518.1 0.15
 111. 3.00 14.5 0.03 37.94 0.01 0.0455 0.0000 8.37 0.00 1510.6 0.16

CRUISE 814736 STATION MED 5 4 LATITUDE 41 2.5 N LONGITUDE 13 8.5 E MARS DEN SQUARE 179
 DATE 19 OCT 66 TIME 2310 ZONE -1 DEPTH 130 AIR TEMP 68.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
30.	3.00	18.7	0.03	37.96	0.01	0.0501	0.0000	0.0000	27.37	-0.00	1522.6	0.15	
46.	3.00	15.0	0.03	37.89	0.01	0.0461	0.0000	0.0000	28.21	0.00	1511.7	0.16	
76.	3.00	14.2	0.03	37.98	0.01	0.0453	0.0000	0.0000	28.47	0.00	1509.8	0.16	

CRUISE 814736 STATION MED 5 5 LATITUDE 41 10.1 N LONGITUDE 12 40.6 E MARS DEN SQUARE 179
 DATE 19 OCT 66 TIME 0250 ZONE -1 DEPTH 365 AIR TEMP 67.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	22.1	0.02	37.78	0.01	0.0535	0.0000	0.0000	26.33	0.00	1530.9	0.11	
28.	3.00	22.2	0.02	37.90	0.01	0.0538	0.0000	0.0000	26.39	0.00	1531.7	0.11	
40.	3.00	17.2	0.02	37.86	0.01	0.0484	0.0000	0.0000	27.67	0.00	1518.3	0.12	
79.	3.00	14.6	0.02	37.99	0.01	0.0458	0.0000	0.0000	28.38	0.00	1511.2	0.13	
264.	3.00	14.2	0.02	38.66	0.01	0.0461	0.0000	0.0000	28.98	0.00	1513.9	0.13	

CRUISE 814736 STATION MED 5 6 LATITUDE 41 19.3 N LONGITUDE 12 26.2 E MARS DEN SQUARE 179
 DATE 19 OCT 66 TIME 0620 ZONE -1 DEPTH 201 AIR TEMP 67.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	21.9	0.04	37.83	0.01	0.0534	0.0001	0.0001	26.41	-0.00	1530.5	0.16	
24.	3.00	20.6	0.04	37.89	0.01	0.0520	0.0001	0.0001	26.83	-0.00	1527.5	0.17	
30.	3.00	18.6	0.04	37.90	0.01	0.0499	0.0001	0.0001	27.37	-0.00	1522.1	0.17	
57.	3.00	14.5	0.04	37.90	0.01	0.0455	0.0001	0.0001	28.34	-0.00	1510.3	0.19	

CRUISE 814736 STATION MED 5 7 LATITUDE 41 33.5 N LONGITUDE 12 8.5 E MARSDEN SQUARE 179
 DATE 19 OCT 65 TIME 0925 ZONE -1 DEPTH 229 AIR TEMP 72.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	21.9	0.02	37.76	0.02	0.0533	0.0000	0.0000	26.38	0.01	1530.2	0.12	
16.	3.00	21.8	0.02	37.77	0.02	0.0533	0.0000	0.0000	26.39	0.01	1530.5	0.12	
30.	3.00	17.3	0.02	37.90	0.02	0.0485	0.0000	0.0000	27.69	0.01	1518.4	0.13	
74.	3.00	14.0	0.02	38.14	0.02	0.0455	0.0000	0.0000	28.62	0.01	1509.4	0.14	

CRUISE 814736 STATION MED 6 8 LATITUDE 41 40.8 N LONGITUDE 11 50.9 E MARSDEN SQUARE 179
 DATE 19 OCT 65 TIME 1223 ZONE -1 DEPTH 228 AIR TEMP 70.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	24.0	0.02	37.54	0.02	0.0531	0.0000	0.0000	26.17	0.01	1530.3	0.12	
15.	3.00	22.0	0.02	37.65	0.02	0.0533	0.0000	0.0000	26.26	0.01	1530.7	0.12	
40.	3.00	22.2	0.02	37.89	0.02	0.0558	0.0000	0.0000	26.38	0.01	1531.7	0.12	
59.	3.00	15.7	0.02	37.79	0.02	0.0467	0.0000	0.0000	27.98	0.01	1513.9	0.14	
191.	3.00	14.0	0.02	38.35	0.02	0.0455	0.0000	0.0000	28.78	0.01	1511.6	0.14	

CRUISE 814736 STATION MED 6 9 LATITUDE 41 57.2 N LONGITUDE 11 41.0 E MARSDEN SQUARE 179
 DATE 20 OCT 65 TIME 0320 ZONE -1 DEPTH 201 AIR TEMP 72.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	21.8	0.02	37.55	0.02	0.0530	0.0000	0.0000	26.22	0.01	1529.9	0.12	
37.	3.00	22.1	0.02	37.79	0.02	0.0535	0.0000	0.0000	26.34	0.01	1531.4	0.12	
57.	3.00	15.7	0.02	37.84	0.02	0.0467	0.0000	0.0000	28.02	0.01	1514.0	0.14	
86.	3.00	14.4	0.02	37.96	0.02	0.0455	0.0000	0.0000	28.41	0.01	1510.5	0.14	
172.	3.00	14.0	0.02	38.28	0.02	0.0454	0.0000	0.0000	28.74	0.01	1511.1	0.14	

CRUISE 814736 STATION MED 6 10 LATITUDE 42 20.3 N LONGITUDE 10 43.5 E MARS DEN SQUARE 179
 DATE 20 OCT 65 TIME 1152 ZONE -1 DEPTH 256 AIR TEMP 71.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	21.7	0.02	37.88	0.02	0.0533	0.0000	0.0000	26.50	0.01	1530.0	0.12	
35.	3.00	21.3	0.02	37.95	0.02	0.0529	0.0000	0.0000	26.67	0.01	1529.7	0.12	
44.	3.00	17.2	0.02	38.08?	0.02	0.0486	0.0000	0.0000	27.84	0.01	1518.7	0.13	
81.	3.00	14.4	0.02	37.92	0.02	0.0454	0.0000	0.0000	28.38	0.01	1510.3	0.14	
218.	3.00	14.0	0.02	38.49	0.02	0.0457	0.0000	0.0000	28.89	0.01	1512.2	0.14	

CRUISE 814736 STATION MED 6 11 LATITUDE 42 30.1 N LONGITUDE 10 50.5 E MARS DEN SQUARE 179
 DATE 20 OCT 65 TIME 1340 ZONE -1 DEPTH 128 AIR TEMP 73.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	21.8	0.03	37.84	0.01	0.0533	0.0000	0.0000	26.44	-0.00	1530.3	0.14	
46.	3.00	21.6	0.03	37.93	0.01	0.0532	0.0000	0.0000	26.57	-0.00	1530.6	0.14	
64.	3.00	15.7	0.03	37.86	0.01	0.0468	0.0000	0.0000	28.03	0.00	1514.1	0.15	
91.	3.00	14.2	0.03	37.99	0.01	0.0453	0.0000	0.0000	28.46	0.00	1510.1	0.16	
122.	3.00	13.9	0.03	38.17	0.01	0.0452	0.0000	0.0000	28.68	0.00	1509.8	0.16	

CRUISE 814736 STATION MED 6 12 LATITUDE 42 44.0 N LONGITUDE 10 36.0 E MARS DEN SQUARE 179
 DATE 20 OCT 66 TIME 1555 ZONE -1 DEPTH 101 AIR TEMP 73.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	21.8	0.03	37.69	0.01	0.0531	0.0000	0.0000	26.35	-0.00	1529.9	0.14	
42.	3.00	21.0	0.03	38.01	0.01	0.0527	0.0000	0.0000	26.79	-0.00	1529.1	0.14	
51.	3.00	17.8	0.03	37.85	0.01	0.0490	0.0000	0.0000	27.51	0.00	1520.3	0.15	
54.	3.00	16.9	0.03	37.88	0.01	0.0480	0.0000	0.0000	27.77	0.00	1517.5	0.15	
90.	3.00	14.3	0.03	37.97	0.01	0.0454	0.0000	0.0000	28.43	0.00	1510.3	0.16	

CRUISE 814736 STATION MED 6 13 LATITUDE 42 35.6 N LONGITUDE 10 17.5 E MARSDEN SQUARE 179
 DATE 20 OCT 65 TIME 1806 ZONE -1 DEPTH 116 AIR TEMP 68.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	FLEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND VEL.	DEV.
0.	3.00	21.2	0.03	38.02	0.01	0.0524	0.0000	0.0000	16.76	-0.00	1528.8	0.14
33.	3.00	21.1	0.03	38.087	0.01	0.0528	0.0000	0.0000	26.84	-0.00	1529.1	0.14
36.	3.00	18.6	0.03	37.89	0.01	0.0499	0.0000	0.0000	27.36	-0.00	1522.2	0.15
51.	3.00	15.4	0.03	37.85	0.01	0.0455	0.0000	0.0000	28.09	0.00	1513.1	0.15
104.	3.00	13.9	0.03	38.06	0.01	0.0451	0.0000	0.0000	28.59	0.00	1509.4	0.16

CRUISE 814736 STATION MED 6 14 LATITUDE 42 28.5 N LONGITUDE 10 15.1 E MARSDEN SQUARE 179
 DATE 20 OCT 65 TIME 1938 ZONE -1 DEPTH 146 AIR TEMP 68.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	FLEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND VEL.	DEV.
0.	3.00	20.6	0.02	37.97	0.01	0.0522	0.0000	0.0000	16.88	0.00	1527.3	0.11
27.	3.00	16.5	0.02	37.86	0.01	0.0476	0.0000	0.0000	27.84	0.00	1516.0	0.12
45.	3.00	15.1	0.02	37.93	0.01	0.0462	0.0000	0.0000	28.22	0.00	1512.2	0.12
72.	3.00	14.0	0.02	38.04	0.01	0.0452	0.0000	0.0000	28.54	0.00	1509.3	0.13
124.	3.00	13.3	0.02	38.21	0.01	0.0451	0.0000	0.0000	28.73	0.00	1509.5	0.13

CRUISE 814736 STATION MED 6 15 LATITUDE 42 25.0 N LONGITUDE 10 7.5 E MARSDEN SQUARE 179
 DATE 20 OCT 65 TIME 2104 ZONE -1 DEPTH 80 AIR TEMP 68.0 TEMP INSTR RTH SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	FLEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND VEL.	DEV.
0.	3.00	20.9	0.02	37.97	0.01	0.0524	0.0000	0.0000	16.81	0.00	1527.9	0.11
54.	3.00	14.4	0.02	37.97	0.01	0.0454	0.0000	0.0000	28.42	0.00	1509.9	0.13

OCEANOGRAPHIC STATION DATA - VITAL

CRUISE 814746 STATION MED 5 1 LATITUDE 41 1.0 N LONGITUDE 13 39.0 E MARS DEN SQUARE 179
 DATE 18 OCT 66 TIME 1512 ZONE -1 DEPTH 128 AIR TEMP 77.0 TEMP INSTR MBT SAL INSTR NAN

DEPTH DEV.	TEMP DEV.	SALINITY DEV.	ELEC. COND. DEV.	SIGMA-T DEV.	SOUND VEL. DEV.
0. 3.00	22.8 0.50	37.98 0.01	0.0546 0.0006	26.26 -0.14	1533.0 1.29
30. 3.00	22.6 0.50	37.99 0.01	0.0544 0.0006	26.31 -0.14	1532.9 1.30
37. 3.00	20.6 0.50	37.82 0.01	0.0519 0.0006	26.78 -0.13	1527.6 1.38
125. 3.00	13.0 0.50	38.15 0.01	0.0452 0.0005	28.65 -0.10	1510.0 1.67

CRUISE 814746 STATION MED 5 2 LATITUDE 41 1.0 N LONGITUDE 13 16.0 E MARS DEN SQUARE 179
 DATE 18 OCT 66 TIME 2015 ZONE -1 DEPTH 155 AIR TEMP 69.0 TEMP INSTR MBT SAL INSTR NAN

DEPTH DEV.	TEMP DEV.	SALINITY DEV.	ELEC. COND. DEV.	SIGMA-T DEV.	SOUND VEL. DEV.
0. 3.00	22.4 0.50	37.94 0.01	0.0541 0.0006	26.34 -0.14	1531.9 1.31
24. 3.00	22.3 0.50	37.94 0.01	0.0540 0.0006	26.39 -0.14	1531.9 1.31
30. 3.00	18.6 0.50	37.62 0.01	0.0495 0.0005	27.15 -0.12	1521.7 1.46
79. 3.00	14.2 0.50	37.97 0.01	0.0453 0.0005	28.46 -0.10	1503.7 1.66

CRUISE 814746 STATION MED 5 3 LATITUDE 41 7.0 N LONGITUDE 12 53.0 E MARS DEN SQUARE 179
 DATE 19 OCT 66 TIME 0005 ZONE -1 DEPTH 165 AIR TEMP 69.0 TEMP INSTR MBT SAL INSTR NAN

DEPTH DEV.	TEMP DEV.	SALINITY DEV.	ELEC. COND. DEV.	SIGMA-T DEV.	SOUND VEL. DEV.
0. 3.00	22.1 0.50	38.05? 0.01	0.0539 0.0006	26.52 -0.14	1531.2 1.32
30. 3.00	22.1 0.50	38.10? 0.01	0.0539 0.0006	26.57 -0.14	1531.7 1.32
91. 3.00	14.0 0.50	37.82 0.01	0.0449 0.0005	28.38 -0.10	1509.2 1.66

CRUISE 814746 STATION MED 5 4 LATITUDE 41 16.0 N LONGITUDE 12 32.0 E MARSDEN SQUARE 179
 DATE 19 OCT 64 TIME 0307 ZONE -1 DEPTH 144 AIR TEMP 69.0 TEMP INSTR MBT SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	22.0	0.50	37.92	0.01	0.0536	0.0006	0.0006	26.45	-0.14	1530.8	1.32	
21.	3.00	21.8	0.50	37.93	0.01	0.0535	0.0006	0.0006	26.51	-0.13	1530.7	1.33	
48.	3.00	14.0	0.50	38.00	0.01	0.0451	0.0005	0.0005	28.52	-0.10	1509.4	1.66	

CRUISE 814746 STATION MED 5 5 LATITUDE 41 26.0 N LONGITUDE 12 15.0 E MARSDEN SQUARE 179
 DATE 19 OCT 64 TIME 0630 ZONE -1 DEPTH 159 AIR TEMP 69.0 TEMP INSTR MBT SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	21.8	0.50	37.76	0.01	0.0532	0.0006	0.0006	26.40	-0.13	1530.1	1.33	
13.	3.00	21.7	0.50	37.73	0.01	0.0531	0.0006	0.0006	26.39	-0.13	1530.2	1.33	
104.	3.00	13.8	0.50	38.20	0.01	0.0451	0.0005	0.0005	28.71	-0.10	1509.3	1.67	

CRUISE 814746 STATION MED 6 6 LATITUDE 41 41.0 N LONGITUDE 12 4.0 E MARSDEN SQUARE 179
 DATE 19 OCT 64 TIME 1110 ZONE -1 DEPTH 165 AIR TEMP 76.0 TEMP INSTR MBT SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND	VEL.	DEV.
0.	3.00	22.0	0.50	37.67	0.01	0.0533	0.0006	0.0006	26.26	-0.14	1530.5	1.32	
21.	3.00	22.1	0.50	37.65	0.01	0.0534	0.0006	0.0006	26.23	-0.14	1531.0	1.32	
47.	3.00	19.9	0.50	37.65?	0.01	0.0468	0.0005	0.0005	27.82	-0.11	1514.2	1.58	
128.	3.00	13.8	0.50	37.92	0.01	0.0443	0.0005	0.0005	28.51	-0.10	1509.2	1.67	

CRUISE H14746 STATION MED 6 7 LATITUDE 41 52.0 N LONGITUDE 11 46.0 E MARSDEN SQUARE 179
 DATE 19 OCT 66 TIME 1410 ZONE -1 DEPTH 165 AIR TEMP 77.0 TEMP INSTR MBT SAL INSTR NAN

DEPTH	DEV.	TEMP	DEV.	SALINITY	DEV.	ELEC.	COND.	DEV.	SIGMA-T	DEV.	SOUND VEL.	DEV.
0.	3.00	22.0	0.50	37.86	0.01	0.0536	0.0006	0.0006	26.41	-0.14	1530.7	1.32
34.	3.00	22.0	0.50	37.77	0.01	0.0534	0.0006	0.0006	26.34	-0.14	1531.2	1.32
124.	3.00	13.8	0.50	38.12	0.01	0.0451	0.0005	0.0005	28.65	-0.10	1509.6	1.67

APPENDIX B

Bottom Sediment Size and Composition Analyses

EXPLANATION OF COMPUTER DATA SHEET SEDIMENT SIZE AND COMPOSITION

Results of sediment-size and -composition core analysis performed by the U. S. Naval Oceanographic Office Geological Laboratory are tabulated on Computer Data Sheet Sediment Size and Composition.

The following is an explanation of the terms employed on the Computer Data Sheet:

1. CRUISE. A number assigned to each cruise for identification purposes.
2. SAMPLE. A consecutive number applied to each core taken successively throughout the cruise.
3. LATITUDE. Expressed in degrees, minutes, and tenths of minutes.
4. LONGITUDE. Expressed in degrees, minutes, and tenths of minutes.
5. TAKEN. Date in month, day, and year that core was taken.
6. CORER TYPE. Number corresponding to sampling device code below.

1. Hydroplastic piston	6. Orange Peel
2. Hydroplastic gravity	7. Ewing
3. Kullenberg piston	8. Vibrocorer
4. Kullenberg gravity	9. Dredge
5. Phleger gravity	0. Other
7. LENGTH. Length of core recorded in centimeters as observed in the laboratory.
8. PENETRATION. Penetration of coring device recorded in centimeters as observed in the field.
9. DEPTH. The uncorrected sonic sounding recorded in meters.
10. ANALYZED. Date in month, day, and year that core was analyzed in the laboratory.
11. ID. NO. Three digit laboratory project number followed by consecutive number assigned to each subsample analyzed.
12. INTERVAL. Interval of subsample as measured in centimeters from the top of the core.

13. MM. Particle diameter size intervals based on Wentworth size grades in millimeters.

14. PER. Percent of total sample weight within the given size interval.

15. GRAVEL, SAND, SILT, CLAY. Percent of total sample weight within the four size classes.

Class ranges are: Gravel - coarser than 2 mm
Sand - 2 to 0.0625 mm
Silt - 0.0625 to 0.0039 mm
Clay - finer than 0.0039 mm

16. MEAN (MM). The geometric mean of the distribution expressed in millimeters.

17. MEAN (PHI). The logarithmic mean of the distribution expressed in phi units (-log₂ of the diameter in millimeters).

18. STAN DEV. Standard deviation. A measure of the degree of spread or dispersion of the distribution about the mean expressed in phi units.

$$\sigma = \sqrt{\sum f (X_i - \bar{X})^2 / 100}$$

19. SKEWNESS. A measure of the asymmetry of the distribution. Positive values denote skewness of the distribution toward the fine particles, negative values denote skewness toward the coarse particles. A normal distribution has a skewness of 0.

$$\alpha_3 = \frac{1}{100} \sigma^{-3} \sum f (X_i - \bar{X})^3$$

20. KURTOSIS. A measure of the peakedness of the distribution. Positive values denote a "leptokurtic" distribution, or a distribution more "peaked" than normal. Negative values denote a "platykurtic" distribution, or a distribution more "flat" than normal. A normal curve has a kurtosis of 0.

$$\alpha_4 = \frac{1}{100} \sigma^{-4} \sum f (X_i - \bar{X})^4 - 3$$

21. CACO₃. Percent calcium carbonate of the total sample weight as determined by the insoluble residue method.

22. ORG CARBON. Percent organic carbon of the total sample weight as determined by the Allison method.

23. COLOR. Wet sediment color, based on the Geological Society of America Rock-Color Chart, as determined in the laboratory.

24. DOM MINERAL. Dominant mineral (s) comprising the sample assemblage.

25. SEC MINERAL. Secondary mineral (s) comprising the sample assemblage.

VALOR

Cruise 814726
 Corer Type 6
 Sample 106
 Latitude 41°3.8'N
 Longitude 13°24.9
 Length 0.0
 Penetration 0.0
 Depth 220.0
 Taken 18/10/66
 Analyzed 06/03/67

Cruise 814726
 Corer Type 6
 Sample 114
 Latitude 42°6.2'N
 Longitude 11°4.8'E
 Length 0.0
 Penetration 0.0
 Depth 220.0
 Taken 20/10/66
 Analyzed 06/03/67

ID. NO. 306 13
 INTERVAL 0.0- 0.0

MM	PER
4.0000	0.000
2.0000	0.000
1.0000	0.000
0.5000	0.000
0.2500	0.408
0.1250	0.408
0.0625	0.000
0.0312	16.735
0.0156	0.000
0.0078	2.857
0.0039	12.245
0.0020	8.163
0.0010	14.694
0.0005	0.000
0.0000-	44.490

GRAVEL	0.000
SAND	0.816
SILT	31.837
CLAY	67.347

MEAN (MM)	0.0018
MEAN (PHI)	9.0796
STAN DEV	2.6601
SKEWNESS	-0.3634
KURTOSIS	-0.7627

CACOB	0.000
ORG CARBON	0.000
COLOR	10YR5/2
DOM MINERAL	
SEC MINERAL	

ID. NO. 306 1
 INTERVAL 0.0- 0.0

MM	PER
4.0000	0.000
2.0000	0.249
1.0000	0.746
0.5000	3.731
0.2500	12.438
0.1250	12.935
0.0625	11.194
0.0312	19.652
0.0156	0.995
0.0078	2.239
0.0039	6.468
0.0020	9.453
0.0010	9.453
0.0005	0.000
0.0000-	10.448

GRAVEL	0.249
SAND	41.045
SILT	29.353
CLAY	29.353

MEAN (MM)	0.0239
MEAN (PHI)	5.3856
STAN DEV	3.2933
SKEWNESS	0.2049
KURTOSIS	-1.0570

CACOB	50.000
ORG CARBON	0.000
COLOR	10YR5/2
DOM MINERAL	
SEC MINERAL	

Cruise 814726
 Corer Type 6
 Sample 115
 Latitude 42°0.6'N
 Longitude 11°34.9'E
 Length 0.0
 Penetration 0.0
 Depth 220.0
 Taken 19/10/66
 Analyzed 06/03/67

Cruise 814726
 Corer Type 6
 Sample 117
 Latitude 42°8.6'N
 Longitude 10°56.9'E
 Length 0.0
 Penetration 0.0
 Depth 305.0
 Taken 20/10/66
 Analyzed 06/03/67

ID. NO.	306	2
INTERVAL	0.0-	0.0
MM	PER	
4.0000	0.000	
2.0000	0.000	
1.0000	0.000	
0.5000	0.000	
0.2500	0.260	
0.1250	0.260	
0.0625	0.260	
0.0312	19.271	
0.0156	1.042	
0.0078	3.906	
0.0039	7.552	
0.0020	9.375	
0.0010	13.281	
0.0005	0.000	
0.0000-	44.792	
GRAVEL	0.000	
SAND	0.781	
SILT	31.771	
CLAY	67.448	
MEAN (MM)	0.0020	
MEAN (PHI)	8.9740	
STAN DEV	2.7631	
SKEWNESS	-0.3204	
KURTOSIS	-1.0471	
CACE3	30.000	
ORG CARBON	0.000	
COLOR	10YR5/2	
DOM MINERAL		
SEC MINERAL		

ID. NO.	306	3
INTERVAL	0.0-	0.0
MM	PER	
4.0000	0.000	
2.0000	0.000	
1.0000	0.000	
0.5000	0.240	
0.2500	1.202	
0.1250	1.683	
0.0625	1.923	
0.0312	18.750	
0.0156	2.163	
0.0078	4.567	
0.0039	7.212	
0.0020	11.538	
0.0010	11.058	
0.0005	0.000	
0.0000-	39.662	
GRAVEL	0.000	
SAND	5.048	
SILT	32.692	
CLAY	62.260	
MEAN (MM)	0.0027	
MEAN (PHI)	8.5216	
STAN DEV	2.9931	
SKEWNESS	-0.2643	
KURTOSIS	-1.0498	
CACE3	37.000	
ORG CARBON	0.000	
COLOR	10YR5/2	
DOM MINERAL		
SEC MINERAL		

Cruise 814726
 Corer Type 6
 Sample 130
 Latitude 41°4.6'N
 Longitude 13°0.8'E
 Length 0.0
 Penetration 0.0
 Depth 150.0
 Taken 18/10/66
 Analyzed 06/03/67

Cruise 814726
 Corer Type 6
 Sample 131
 Latitude 41°38.5'N
 Longitude 12°8.7'E
 Length 0.0
 Penetration 0.0
 Depth 140.0
 Taken 19/10/66
 Analyzed 06/03/67

ID. NO.	306	4
INTERVAL	0.0-	0.0
MM	PER	
4.0000	0.000	
2.0000	3.059	
1.0000	5.587	
0.5000	14.682	
0.2500	26.917	
0.1250	7.545	
0.0625	4.690	
0.0312	7.545	
0.0156	1.020	
0.0078	0.816	
0.0039	2.447	
0.0020	3.874	
0.0010	5.098	
0.0005	0.000	
0.0000-	16.721	
GRAVEL	3.059	
SAND	59.421	
SILT	11.827	
CLAY	25.693	
MEAN (MM)	0.0573	
MEAN (PHI)	4.1248	
STAN DEV	4.2223	
SKEWNESS	0.3745	
KURTOSIS	-0.9571	
CAC03	62.000	
ORG CARBON	0.000	
COLOR	10YR5/2	
DOM MINERAL		
SEC MINERAL		

ID. NO.	306	5
INTERVAL	0.0-	0.0
MM	PER	
4.0000	0.000	
2.0000	0.000	
1.0000	0.000	
0.5000	0.000	
0.2500	0.274	
0.1250	0.274	
0.0625	0.274	
0.0312	14.567	
0.0156	0.821	
0.0078	3.286	
0.0039	10.679	
0.0020	14.239	
0.0010	13.965	
0.0005	0.000	
0.0000-	41.621	
GRAVEL	0.000	
SAND	0.821	
SILT	29.354	
CLAY	69.825	
MEAN (MM)	0.0019	
MEAN (PHI)	9.0591	
STAN DEV	2.5528	
SKEWNESS	-0.2461	
KURTOSIS	-0.6993	
CAC03	30.000	
ORG CARBON	0.000	
COLOR	10YR5/2	
DOM MINERAL		
SEC MINERAL		

Cruise 814726
 Corer Type 6
 Sample 134
 Latitude 40°55.9'N
 Longitude 13°44.9'E
 Length 0.0
 Penetration 0.0
 Depth 219.0
 Taken 18/10/66
 Analyzed 06/03/67

Cruise 814726
 Corer Type 6
 Sample 146
 Latitude 42°13.0'N
 Longitude 11°28.6'E
 Length 0.0
 Penetration 0.0
 Depth 135.0
 Taken 20/10/66
 Analyzed 06/03/67

ID. NO.	306 6
INTERVAL	0.0- 0.0
MM	PER
4.0000	0.000
2.0000	0.000
1.0000	0.000
0.5000	0.000
0.2500	0.000
0.1250	0.000
0.0625	0.000
0.0312	9.819
0.0156	2.089
0.0078	2.089
0.0039	4.875
0.0020	13.579
0.0010	15.320
0.0005	0.000
0.0000-	52.228
GRAVEL	0.000
SAND	0.000
SILT	18.872
CLAY	81.128
MEAN (MM)	0.0012
MEAN (PHI)	9.6741
STAN DEV	2.3166
SKEWNESS	-0.5361
KURTOSIS	-0.0145
CACCB	22.000
ORG CARBON	0.000
COLOR	10YR5/2
DOM MINERAL	
SEC MINERAL	

ID. NO.	306 7
INTERVAL	0.0- 0.0
MM	PER
4.0000	0.000
2.0000	0.000
1.0000	0.000
0.5000	0.000
0.2500	0.000
0.1250	0.000
0.0625	0.000
0.0312	23.023
0.0156	0.574
0.0078	2.872
0.0039	7.180
0.0020	11.200
0.0010	14.072
0.0005	0.000
0.0000-	41.068
GRAVEL	0.000
SAND	0.000
SILT	33.659
CLAY	66.341
MEAN (MM)	0.0022
MEAN (PHI)	8.8050
STAN DEV	2.7690
SKEWNESS	-0.2592
KURTOSIS	-1.2564
CACCB	26.000
ORG CARBON	0.000
COLOR	10YR5/2
DOM MINERAL	
SEC MINERAL	

Cruise 814726
 Corer Type 6
 Sample 147
 Latitude 42°10.8'N
 Longitude 11°20.4'E
 Length 0.0
 Penetration 0.0
 Depth 215.0
 Taken 20/10/66
 Analyzed 06/03/67

Cruise 814726
 Corer Type 6
 Sample 153
 Latitude 41°12.3'N
 Longitude 12°38.1'E
 Length 0.0
 Penetration 0.0
 Depth 200.0
 Taken 19/10/66
 Analyzed 06/03/67

ID. NO.	306	8
INTERVAL	0.0-	0.0

MM	PER
4.0000	0.000
2.0000	0.000
1.0000	0.000
0.5000	0.000
0.2500	0.473
0.1250	0.473
0.0625	0.473
0.0312	3.409
0.0156	0.473
0.0078	1.420
0.0039	9.943
0.0020	14.678
0.0010	17.045
0.0005	0.000
0.0000-	51.610

GRAVEL	0.000
SAND	1.420
SILT	15.246
CLAY	83.333

MEAN (MM)	0.0011
MEAN (PHI)	9.8551
STAN DEV	2.0601
SKEWNESS	-0.8518
KURTOSIS	1.6365

CAC03	30.000
ORG CARBON	0.000
COLOR	10YR5/2
DOM MINERAL	
SEC MINERAL	

ID. NO.	306	9
INTERVAL	0.0-	0.0

MM	PER
4.0000	0.000
2.0000	0.000
1.0000	0.000
0.5000	0.000
0.2500	1.619
0.1250	2.860
0.0625	2.428
0.0312	28.602
0.0156	3.238
0.0078	1.619
0.0039	4.047
0.0020	9.984
0.0010	10.793
0.0005	0.000
0.0000-	34.808

GRAVEL	0.000
SAND	6.908
SILT	37.507
CLAY	55.586

MEAN (MM)	0.0041
MEAN (PHI)	7.9317
STAN DEV	3.2126
SKEWNESS	-0.1030
KURTOSIS	-1.4986

CAC03	37.000
ORG CARBON	0.000
COLOR	10YR5/2
DOM MINERAL	
SEC MINERAL	

Cruise
Cruise 814726
Corer Type 6
Sample 172
Latitude 41°23.3'N
Longitude 12°20.9'E
Length 0.0
Penetration 0.0
Depth 155.0
Taken 19/10/66
Analyzed 06/03/67

Cruise 814726
Corer Type 6
Sample 179
Latitude 42°8.8'N
Longitude 10°8.5'E
Length 0.0
Penetration 0.0
Depth 240.0
Taken 20/10/66
Analyzed 06/03/67

ID. NO.	306	10
INTERVAL	0.0-	0.0
MM	PER	
4.0000	0.000	
2.0000	0.000	
1.0000	0.000	
0.5000	0.413	
0.2500	2.064	
0.1250	3.303	
0.0625	4.129	
0.0312	12.882	
0.0156	0.826	
0.0078	2.477	
0.0039	6.606	
0.0020	10.322	
0.0010	14.451	
0.0005	0.000	
0.0000-	42.527	
GRAVEL	0.000	
SAND	9.909	
SILT	22.791	
CLAY	67.300	
MEAN (MM)	0.0024	
MEAN (PHI)	8.6825	
STAN DEV	3.1203	
SKEWNESS	-0.3939	
KURTOSIS	-0.6865	
CAC03	38.000	
ORG CARBON	0.000	
COLOR	10YR5/2	
DOM MINERAL		
SEC MINERAL		

ID. NO.	306	11
INTERVAL	0.0-	0.0
MM	PER	
4.0000	0.000	
2.0000	0.389	
1.0000	0.389	
0.5000	2.140	
0.2500	8.366	
0.1250	11.673	
0.0625	10.311	
0.0312	14.981	
0.0156	0.973	
0.0078	1.751	
0.0039	4.669	
0.0020	7.198	
0.0010	9.144	
0.0005	0.000	
0.0000-	28.016	
GRAVEL	0.389	
SAND	32.879	
SILT	22.374	
CLAY	44.358	
MEAN (MM)	0.0098	
MEAN (PHI)	6.6751	
STAN DEV	3.8519	
SKEWNESS	0.0041	
KURTOSIS	-1.5197	
CACC3	54.000	
ORG CARBON	0.000	
COLOR	10YR5/2	
DOM MINERAL		
SEC MINERAL		

Cruise 814726
 Corer Type 6
 Sample 182
 Latitude 41°49.4'N
 Longitude 11°52.8'E
 Length 0.0
 Penetration 0.0
 Depth 275.0
 Taken 19/10/66
 Analyzed 06/03/67

FD. NO.	306	12
INTERVAL	0.0-	0.0
MM	PER	
4.0000	0.000	
2.0000	0.000	
1.0000	0.000	
0.5000	0.000	
0.2500	0.000	
0.1250	0.000	
0.0625	0.000	
0.0312	24.191	
0.0156	1.136	
0.0078	4.259	
0.0039	6.530	
0.0020	10.505	
0.0010	12.493	
0.0005	0.000	
0.0000-	40.886	
GRAVEL	0.000	
SAND	0.000	
SILT	36.116	
CLAY	63.884	
MEAN (MM)	0.0024	
MEAN (PHI)	8.6993	
STAN DBV	2.8237	
SKEWNESS	-0.2178	
KURTOSIS	-1.3838	
CACC3	28.000	
ORG CARBON	0.000	
COLOR	10YR5/2	
DOM MINERAL		
SEC MINERAL		

VIGOR

Cruise 814736
 Corer Type 0
 Sample 102
 Latitude 41°40.8'N
 Longitude 11°50.9'E
 Length 0.0
 Penetration 0.0
 Depth 228.0
 Taken 19/10/66
 Analyzed 03/03/67

Cruise 814736
 Corer Type 0
 Sample 110
 Latitude 40°52.8'N
 Longitude 13°51.5'E
 Length 0.0
 Penetration 0.0
 Depth 120.0
 Taken 18/10/66
 Analyzed 03/03/67

ID. NO.	305	1
INTERVAL	0.0-	0.0
MM	PER	
4.0000	0.000	
2.0000	0.000	
1.0000	0.000	
0.5000	0.000	
0.2500	0.000	
0.1250	0.000	
0.0625	0.000	
0.0312	13.492	
0.0156	4.060	
0.0078	6.246	
0.0039	12.804	
0.0020	10.306	
0.0010	11.868	
0.0005	0.000	
0.0000-	41.224	
GRAVEL	0.000	
SAND	0.000	
SILT	36.602	
CLAY	63.398	
MEAN (MM)	0.0020	
MEAN (PHI)	8.9410	
STAN DEV	2.5566	
SKEWNESS	-0.2346	
KURTOSIS	-1.1596	
CACCB	29.000	
ORG CARBON	0.000	
COLOR	10YR6/2	
DOM MINERAL		
SEC MINERAL		

ID. NO.	305	2
INTERVAL	0.0-	0.0
MM	PER	
4.0000	0.000	
2.0000	0.000	
1.0000	0.000	
0.5000	0.000	
0.2500	0.000	
0.1250	0.000	
0.0625	0.000	
0.0312	18.399	
0.0156	2.445	
0.0078	6.112	
0.0039	11.308	
0.0020	9.169	
0.0010	12.225	
0.0005	0.000	
0.0000-	40.342	
GRAVEL	0.000	
SAND	0.000	
SILT	38.264	
CLAY	61.736	
MEAN (MM)	0.0023	
MEAN (PHI)	8.7879	
STAN DEV	2.6817	
SKEWNESS	-0.2141	
KURTOSIS	-1.2813	
CACCB	24.000	
ORG CARBON	0.000	
COLOR	10YR6/2	
DOM MINERAL		
SEC MINERAL		

Cruise 814736
 Corer Type 0
 Sample 127
 Latitude 42°25.0'N
 Longitude 10°7.5'E
 Length 0.0
 Penetration 0.0
 Depth 88.0
 Taken 20/10/66
 Analyzed 03/03/67

Cruise 814736
 Corer Type 0
 Sample 128
 Latitude 42°28.5'N
 Longitude 10°15.1'E
 Length 0.0
 Penetration 0.0
 Depth 146.0
 Taken 20/10/66
 Analyzed 03/03/67

ID. NO.	305	3
INTERVAL	0.0-	0.0
MM	PER	
4.0000	0.000	
2.0000	2.923	
1.0000	21.086	
0.5000	29.019	
0.2500	18.789	
0.1250	10.647	
0.0625	5.010	
0.0312	2.714	
0.0156	0.418	
0.0078	1.461	
0.0039	0.626	
0.0020	1.253	
0.0010	1.461	
0.0005	0.600	
0.0000-	4.593	
GRAVEL	2.923	
SAND	84.551	
SILT	5.219	
CLAY	7.307	
MEAN (MM)	0.2912	
MEAN (PHI)	1.7797	
STAN DEV	2.9443	
SKEWNESS	1.0300	
KURTOSIS	3.8162	
CACC3	88.000	
ORG CARBON	0.000	
COLOR	10YR6/2	
DOM MINERAL		
SEC MINERAL		

ID. NO.	305	4
INTERVAL	0.0-	0.0
MM	PER	
4.0000	0.000	
2.0000	0.000	
1.0000	0.000	
0.5000	0.221	
0.2500	0.442	
0.1250	0.664	
0.0625	0.442	
0.0312	13.053	
0.0156	0.664	
0.0078	4.867	
0.0039	6.858	
0.0020	11.504	
0.0010	11.726	
0.0005	0.000	
0.0000-	49.558	
GRAVEL	0.000	
SAND	1.770	
SILT	25.442	
CLAY	72.788	
MEAN (MM)	0.0016	
MEAN (PHI)	9.2854	
STAN DEV	2.6608	
SKEWNESS	-0.4590	
KURTOSIS	-0.3295	
CACC3	28.000	
ORG CARBON	0.000	
COLOR	10YR6/2	
DOM MINERAL		
SEC MINERAL		

Cruise 814736
 Corer Type 0
 Sample 138
 Latitude 41°2.5'N
 Longitude 13°8.5'E
 Length 0.0
 Penetration 0.0
 Depth 130.0
 Taken 18/10/66
 Analyzed 03/03/67

Cruise 814736
 Corer Type 0
 Sample 157
 Latitude 41°32.2'N
 Longitude 12°11.7'E
 Length 0.0
 Penetration 0.0
 Depth 229.0
 Taken 19/10/66
 Analyzed 03/03/67

ID. NO. 305 5
 INTERVAL 0.0- 0.0

MM	PER
4.0000	2.077
2.0000	3.834
1.0000	8.307
0.5000	16.773
0.2500	13.738
0.1250	10.064
0.0625	6.709
0.0312	9.307
0.0156	2.556
0.0078	1.278
0.0039	3.355
0.0020	2.236
0.0010	4.473
0.0005	0.000
0.0000-	16.294

GRAVEL	5.911
SAND	55.591
SILT	15.495
CLAY	23.002

MEAN (MM)	0.0642
MEAN (PHI)	3.9633
STAN DEV	4.2912
SKEWNESS	0.3390
KURTOSIS	-0.9215

CACCB	65.000
ORG CARBON	0.000
COLOR	10YR6/2
DOM MINERAL	
SEC MINERAL	

ID. NO. 305 6
 INTERVAL 0.0- 0.0

MM	PER
4.0000	0.000
2.0000	0.000
1.0000	0.000
0.5000	0.000
0.2500	0.259
0.1250	0.518
0.0625	0.518
0.0312	0.052
0.0156	2.330
0.0078	19.938
0.0039	9.322
0.0020	9.581
0.0010	11.652
0.0005	0.000
0.0000-	45.831

GRAVEL	0.000
SAND	1.295
SILT	31.642
CLAY	67.064

MEAN (MM)	0.0015
MEAN (PHI)	9.3524
STAN DEV	3.2508
SKEWNESS	-0.2669
KURTOSIS	-0.7850

CACCB	62.000
ORG CARBON	0.000
COLOR	10YR6/2
DOM MINERAL	
SEC MINERAL	

Cruise 814736
 Corer Type 0
 Sample 158
 Latitude 41°57.2'N
 Longitude 11°41.0'E
 Length 0.0
 Penetration 0.0
 Depth 201.0
 Taken 19/10/66
 Analyzed 03/03/67

Cruise 814736
 Corer Type 0
 Sample 175
 Latitude 41°10.1'N
 Longitude 12°46.0'E
 Length 0.0
 Penetration 0.0
 Depth 365.0
 Taken 19/10/66
 Analyzed 03/03/67

ID. NO.	305	7
INTERVAL	0.0-	0.0

MM	PER
4.0000	0.000
2.0000	0.000
1.0000	0.000
0.5000	0.000
0.2500	0.000
0.1250	0.000
0.0625	0.000
0.0312	25.373
0.0156	1.131
0.0078	6.332
0.0039	8.820
0.0020	6.784
0.0010	12.890
0.0005	0.000
0.0000-	38.670

GRAVEL	0.000
SAND	0.000
SILT	41.655
CLAY	58.345

MEAN (MM)	0.0027
MEAN (PHI)	8.5253
STAN DEV	2.8481
SKEWNESS	-0.1555
KURTOSIS	-1.4937

CACC3	28.000
ORG CARBON	0.000
COLOR	10YR6/2
DCM MINERAL	
SEC MINERAL	

ID. NO.	305	8
INTERVAL	0.0-	0.0

MM	PER
4.0000	0.000
2.0000	0.000
1.0000	0.000
0.5000	0.000
0.2500	0.283
0.1250	0.283
0.0625	0.000
0.0312	16.997
0.0156	2.266
0.0078	5.382
0.0039	6.516
0.0020	8.215
0.0010	13.598
0.0005	0.000
0.0000-	46.459

GRAVEL	0.000
SAND	0.567
SILT	31.161
CLAY	68.272

MEAN (MM)	0.0019
MEAN (PHI)	9.0722
STAN DEV	2.7266
SKEWNESS	-0.3413
KURTOSIS	-0.9833

CACC3	32.000
ORG CARBON	0.000
COLOR	10YR6/2
DCM MINERAL	
SEC MINERAL	

Cruise 814736
 Corer Type 0
 Sample 180
 Latitude 41°19.3'N
 Longitude 12°26.2'E
 Length 0.0
 Penetration 0.0
 Depth 201.0
 Taken 19/10/66
 Analyzed 03/03/67

Cruise 814736
 Corer Type 0
 Sample 184
 Latitude 42°20.3'N
 Longitude 10°43.5'E
 Length 0.0
 Penetration 0.0
 Depth 256.0
 Taken 20/10/66
 Analyzed 03/03/67

ID. NO.	305	9	ID. NO.	305	10
INTERVAL	0.0-	0.0	INTERVAL	0.0-	0.0
MM	PER		MM	PER	
4.0000	0.000		4.0000	0.000	
2.0000	0.000		2.0000	0.000	
1.0000	0.242		1.0000	0.000	
0.5000	0.483		0.5000	0.000	
0.2500	2.415		0.2500	1.296	
0.1250	2.899		0.1250	2.592	
0.0625	2.657		0.0625	3.888	
0.0312	14.251		0.0312	11.447	
0.0156	8.696		0.0156	5.832	
0.0078	2.899		0.0078	4.536	
0.0039	6.763		0.0039	8.639	
0.0020	7.246		0.0020	7.991	
0.0010	11.594		0.0010	10.367	
0.0005	0.000		0.0005	0.000	
0.0000-	39.855		0.0000-	43.413	
GRAVEL	0.000		GRAVEL	0.000	
SAND	8.696		SAND	7.775	
SILT	32.609		SILT	30.454	
CLAY	58.696		CLAY	61.771	
MEAN (MM)	0.0031		MEAN (MM)	0.0025	
MEAN (PHI)	8.3188		MEAN (PHI)	8.6555	
STAN DEV	3.2113		STAN DEV	3.0250	
SKEWNESS	-0.2624		SKEWNESS	-0.3017	
KURTOSIS	-1.0291		KURTOSIS	-0.9917	
CACCS	39.000		CACCS	58.000	
ORG CARBON	0.000		ORG CARBON	0.000	
COLOR	10YR6/2		COLOR	10YR6/2	
DOM MINERAL			DOM MINERAL		
SEC MINERAL			SEC MINERAL		

Cruise 814736
 Corer Type 0
 Sample 191
 Latitude 42°30.1'N
 Longitude 10°50.5'E
 Length 0.0
 Penetration 0.0
 Depth 128.0
 Taken 20/10/66
 Analyzed 03/03/67

Cruise 814736
 Corer Type 0
 Sample 192
 Latitude 42°44.0'N
 Longitude 10°36.0'E
 Length 0.0
 Penetration 0.0
 Depth 101.0
 Taken 20/10/66
 Analyzed 03/03/67

ID. NO. 305 11
 INTERVAL 0.0- 0.0

MM	PER
4.0000	0.000
2.0000	0.000
1.0000	0.000
0.5000	0.000
0.2500	0.000
0.1250	0.149
0.0625	0.000
0.0312	0.448
0.0156	4.484
0.0078	11.510
0.0039	14.649
0.0020	15.546
0.0010	12.706
0.0005	0.000
0.0000-	40.508

GRAVEL	0.000
SAND	0.149
SILT	31.091
CLAY	68.759

MEAN (MM)	0.0016
MEAN (PHI)	9.2042
STAN DEV	2.0645
SKEWNESS	-0.1492
KURTOSIS	-1.1759

CACC3	24.000
ORG CARBON	0.000
COLOR	10YR6/2
DOM MINERAL	
SEC MINERAL	

ID. NO. 305 12
 INTERVAL 0.0- 0.0

MM	PER
4.0000	0.000
2.0000	0.000
1.0000	0.000
0.5000	0.000
0.2500	0.000
0.1250	0.000
0.0625	0.000
0.0312	7.536
0.0156	4.806
0.0078	6.151
0.0039	11.918
0.0020	13.649
0.0010	13.649
0.0005	0.000
0.0000-	42.291

GRAVEL	0.000
SAND	0.000
SILT	30.411
CLAY	69.589

MEAN (MM)	0.0017
MEAN (PHI)	9.2174
STAN DEV	2.3305
SKEWNESS	-0.2858
KURTOSIS	-0.8849

CACC3	23.000
ORG CARBON	0.000
COLOR	10YR6/2
DOM MINERAL	
SEC MINERAL	

Cruise 814736
 Corer Type 0
 Sample 195
 Latitude 41°2.0'N
 Longitude 13°32.6'E
 Length 0.0
 Penetration 0.0
 Depth 238.0
 Taken 18/10/66
 Analyzed 03/03/67

Cruise 814736
 Corer Type 0
 Sample 198
 Latitude 42°35.6'N
 Longitude 10°17.5'E
 Length 0.0
 Penetration 0.0
 Depth 116.0
 Taken 20/10/66
 Analyzed 03/03/67

ID. NO. 305 13
 INTERVAL 0.0- 0.0

MM	PER
4.0000	0.000
2.0000	0.000
1.0000	0.000
0.5000	0.000
0.2500	0.214
0.1250	0.214
0.0625	0.000
0.0312	16.702
0.0156	2.570
0.0078	5.353
0.0039	5.996
0.0020	10.921
0.0010	11.777
0.0005	0.000
0.0000-	46.253

GRAVEL	0.000
SAND	0.428
SILT	30.621
CLAY	68.951

MEAN (MM)	0.0019
MEAN (PHI)	9.0653
STAN DEV	2.7057
SKEWNESS	-0.2296
KURTOSIS	-1.0102

CACCS	26.000
ORG CARBON	0.000
COLOR	10YR6/2
DCM MINERAL	
SEC MINERAL	

ID. NO. 305 14
 INTERVAL 0.0- 0.0

MM	PER
4.0000	0.000
2.0000	0.641
1.0000	0.000
0.5000	0.641
0.2500	0.641
0.1250	0.641
0.0625	0.000
0.0312	7.692
0.0156	6.410
0.0078	1.923
0.0039	9.615
0.0020	7.692
0.0010	17.308
0.0005	0.000
0.0000-	46.795

GRAVEL	0.641
SAND	1.923
SILT	25.641
CLAY	71.795

MEAN (MM)	0.0016
MEAN (PHI)	9.2436
STAN DEV	2.7219
SKEWNESS	-0.6017
KURTOSIS	1.0673

CACCS	28.000
ORG CARBON	0.000
COLOR	10YR6/2
DCM MINERAL	
SEC MINERAL	

VITAL

Cruise 814746
 Corer Type 6
 Sample 107
 Latitude 41°16.0'N
 Longitude 12°32.0'E
 Length 0.0
 Penetration 0.0
 Depth 143.3
 Taken 19/10/66
 Analyzed 06/03/67

Cruise 814746
 Corer Type 6
 Sample 136
 Latitude 41°52.0'N
 Longitude 11°46.0'E
 Length 0.0
 Penetration 0.0
 Depth 164.6
 Taken 19/10/66
 Analyzed 06/03/67

ID. NO.	307	1
INTERVAL	0.0-	0.0

MM	PER
----	-----

4.0000	0.000
2.0000	0.191
1.0000	0.573
0.5000	1.336
0.2500	2.901
0.1250	1.718
0.0625	1.107
0.0312	10.687
0.0156	6.489
0.0078	8.779
0.0039	8.969
0.0020	9.733
0.0010	11.450
0.0005	0.000
0.0000-	36.069

GRAVEL	0.191
SAND	7.634
SILT	34.924
CLAY	57.252

MEAN (MM)	0.0032
MEAN (PHI)	8.2702
STAN DEV	3.1414
SKEWNESS	-0.3333
KURTOSIS	-0.4226

CAC03	36.000
ORG CARBON	0.000
COLOR	10YR5/2
DOM MINERAL	
SEC MINERAL	

ID. NO.	307	2
INTERVAL	0.0-	0.0

MM	PER
----	-----

4.0000	0.000
2.0000	1.161
1.0000	0.581
0.5000	0.000
0.2500	0.581
0.1250	0.581
0.0625	0.581
0.0312	19.861
0.0156	1.161
0.0078	5.226
0.0039	5.807
0.0020	8.130
0.0010	13.937
0.0005	0.000
0.0000-	42.393

GRAVEL	1.161
SAND	2.323
SILT	32.056
CLAY	64.460

MEAN (MM)	0.0025
MEAN (PHI)	8.6463
STAN DEV	3.1230
SKEWNESS	-0.4258
KURTOSIS	-0.0806

CAC03	0.000
ORG CARBON	0.000
COLOR	10YR5/2
DOM MINERAL	
SEC MINERAL	

Cruise 814746
 Corer Type 6
 Sample 159
 Latitude 41°7.0'N
 Longitude 12°53.0'E
 Length 0.0
 Penetration 0.0
 Depth 164.6
 Taken 18/10/66
 Analyzed 06/03/67

Cruise 814746
 Corer Type 6
 Sample 161
 Latitude 41°0.0
 Longitude 13°39.0'E
 Length 0.0
 Penetration 0.0
 Depth 137.2
 Taken 18/10/66
 Analyzed 06/03/67

ID. NO.	307 3
INTERVAL	0.0- 0.0
MM	PER
4.0000	0.600
2.0000	3.206
1.0000	3.006
0.5000	7.615
0.2500	13.627
0.1250	12.024
0.0625	7.816
0.0312	15.431
0.0156	0.601
0.0078	1.804
0.0039	4.609
0.0020	1.202
0.0010	6.613
0.0005	0.000
0.0000-	22.445
GRAVEL	3.206
SAND	44.688
SILT	22.445
CLAY	30.261
MEAN (MM)	0.0262
MEAN (PHI)	5.2555
STAN DEV	4.2042
SKEWNESS	0.1808
KURTOSIS	-1.2904
CACC3	56.000
ORG CARBON	0.000
COLOR	10YR5/2
DOM MINERAL	
SEC MINERAL	

ID. NO.	307 4
INTERVAL	0.0- 0.0
MM	PER
4.0000	0.000
2.0000	0.000
1.0000	0.000
0.5000	0.256
0.2500	0.513
0.1250	1.026
0.0625	2.308
0.0312	24.359
0.0156	0.513
0.0078	2.564
0.0039	2.821
0.0020	6.667
0.0010	11.026
0.0005	0.000
0.0000-	47.949
GRAVEL	0.000
SAND	4.103
SILT	30.256
CLAY	65.641
MEAN (MM)	0.0023
MEAN (PHI)	8.7462
STAN DEV	3.1206
SKEWNESS	-0.2987
KURTOSIS	-1.2597
CACC3	25.000
ORG CARBON	0.000
COLOR	10YR5/2
DCM MINERAL	
SEC MINERAL	

APPENDIX C

Water Transparency and Color Data

LATITUDE	LONGITUDE	LOCAL TIME	DATE	SECCHI DISC *		FOREL COLOR
				WHITE	BLACK	
USS VALOR (MSO 472)						
41°38.5'N	12°08.1'E	1015	19 Oct	23	10	3
41°49.4'N	11°52.8'E	1321	19 Oct	6	4.5	4
42°13.0'N	11°26.8'E	1135	20 Oct	18	8	3
42°10.8'N	11°20.4'E	1400	20 Oct	17	8	4
USS VIGOR (MSO 473)						
40°33.7'N	14°01.0'E	1235	18 Oct	14.5	5.5	4
41°40.8'N	11°50.9'E	1230	19 Oct	8.5	3.5	4
42°20.3'N	10°43.5'E	1130	20 Oct	16	8	3
42°30.1'N	10°50.5'E	1320	20 Oct	15	10	3
USS VITAL (MSO 474)						
41°01'N	13°39'E	1410	18 Oct	13	9	4
41°41'N	12°04'E	1100	19 Oct	14	7	5

* Depth in Meters

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION	
U.S. NAVAL OCEANOGRAPHIC OFFICE		Unclassified	
3. REPORT TITLE		2b. GROUP	
PROJECT FLOOD DATA REPORT, TYRRHENIAN SEA, OCTOBER 1968			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
Informal Report 18 to 21 October 1966			
5. AUTHOR(S) (First name, middle initial, last name)			
ATWOOD S. BARWICK			
6. REPORT DATE		7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
March 1969		53	4
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S)	
b. PROJECT NO. 104-01		IR No. 69-18	
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.			
10. DISTRIBUTION STATEMENT			
This document has been approved for public release and sale; its distribution is unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY	
		U.S. Naval Oceanographic Office	
13. ABSTRACT			
Mine Division 81 collected oceanographic data in the Tyrrhenian Sea from 18 to 21 October 1966 in support of Project FLOOD. The data included serial-depth temperatures and salinities at 36 stations, 31 bottom sediment samples, 10 water transparency and color observations, and 300 miles of bathymetric soundings. An evaluation of the data showed that a substantial amount of good quality data was obtained by Mine Division 81. These data are a useful contribution to the knowledge of the marine environment of the Tyrrhenian Sea and will be available to agencies and institutions through the National Oceanographic Data Center.			

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
PROJECT FLOOD OCEANOGRAPHIC DATA TYRRHENIAN SEA USS VALOR (MSO 472) USS VIGOR (MSO 473) USS VITAL (MSO 474)						