



ARL-TR-7573 • JAN 2016



Prediction of Wind Energy Resources (PoWER) User's Guide

by David P Sauter

Approved for public release; distribution is unlimited.

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.



Prediction of Wind Energy Resources (PoWER) User's Guide

by David P Sauter

Computational and Information Sciences Directorate, ARL

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) January 2016		2. REPORT TYPE Final		3. DATES COVERED (From - To) 09/2015–11/2015	
4. TITLE AND SUBTITLE Prediction of Wind Energy Resources (PoWER) User's Guide				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) David P Sauter				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) US Army Research Laboratory Computational and Information Sciences Directorate Battlefield Environment Division (ATTN: RDRL-CIE-D) White Sands Missile Range, NM 88002-5501				8. PERFORMING ORGANIZATION REPORT NUMBER ARL-TR-7573	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Electric power generation from portable-type wind generators can be used in a tactical military environment to provide and/or augment power requirements. This technical report describes an easy to use mobile application that determines how much energy can be generated on a daily basis.					
15. SUBJECT TERMS wind power					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 14	19a. NAME OF RESPONSIBLE PERSON David P Sauter
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (Include area code) 575-678-2078

Contents

List of Figures	iv
1. Introduction	1
2. PoWER Inputs	1
3. PoWER Output	4
4. Summary	6
Distribution List	7

List of Figures

Fig. 1	Launch PoWER	2
Fig. 2	MET view	3
Fig. 3	GEN view.....	4
Fig. 4	RESULTS view	5
Fig. 5	INFO view	6

1. Introduction

The Prediction of Wind Energy Resources (PoWER) application (henceforth referred to as the “app”) provides information on the instantaneous electrical power and energy that can be generated by a wind generator. The amount of power produced is a function of the wind speed, temperature, pressure, generator rotor diameter, and overall generator efficiency. PoWER is intended to support tactical power generation and augmentation via the use of primarily portable-type wind generators (although it can also be used for fixed-site generators). PoWER is hosted on Apple iOS and Android (mobile device operating systems) based smartphones and tablets (referred to from here on as the “device”). The functionality is identical between the iOS and Android device and the screen displays are similar between the 2 operating systems. The most significant difference between the 2 is the tabbed window titles are shown at the top of the Android device, and at the bottom of the iOS device. Figures 1–5 are screen captures from an iOS emulator.

2. PoWER Inputs

To launch the PoWER application, tap the PoWER icon on the mobile device (Fig. 1). The initial input tab is then displayed for the user to enter the meteorological (MET) information (Fig. 2). The atmospheric density is computed on the device from the pressure and temperature values as input by the user. The lower the density the lower the power output of the generator. Inputs for the MET and generator (GEN) parameters are range-checked by the app to ensure valid entries.




Fig. 1 Launch PoWER

Carrier 3:26 PM

Windspeed 8 mph

Pressure 1000 mb

Temperature 75 deg F

MET GEN RESULTS INFO

Fig. 2 MET view

Figure 3 displays a screen capture of the GEN tab that allows user entry of the generator's rotor diameter in meters, and the power efficiency that represents the overall efficiency of the generator in converting wind energy into electrical energy. The screen capture in Fig. 3 is displayed by tapping the GEN tab at the bottom of the app display.




Fig. 3 GEN view

3. PoWER Output

Tapping the RESULTS tab calculates and displays (Fig. 4) the total electrical energy generated within a 24-h period, and tapping “RESULTS” also calculates and displays the instantaneous power output. It is assumed that all of the input parameters are constant during the 24-h period. If multiple generators of the same size are deployed, the total energy generated can be obtained by simply multiplying the result by that number of generators.

The final tab shown (Fig. 5) provides point of contact information as well as the version of the installed app.

Upon exiting the app, current values for all of the user inputs are stored internally and they will be the default values displayed when the app is launched again.




Fig. 4 RESULTS view




Fig. 5 INFO view

4. Summary

PoWER provides an easy to use capability to estimate available electrical energy and power generation given simple readily available inputs. Hosting on a mobile device makes it accessible virtually anywhere in a tactical environment.

1 DEFENSE TECHNICAL
(PDF) INFORMATION CTR
DTIC OCA

2 DIRECTOR
(PDF) US ARMY RESEARCH LAB
RDRL CIO LL
IMAL HRA MAIL & RECORDS
MGMT

1 GOVT PRINTG OFC
(PDF) A MALHOTRA

1 US ARMY RESEARCH LAB
(PDF) RDRL CIE D
D SAUTER

INTENTIONALLY LEFT BLANK.