

AE9/AP9/SPM: NEW MODELS FOR RADIATION BELT AND SPACE PLASMA SPECIFICATION

W. Robert Johnston, et al.

05 May 2014

Briefing Charts

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.



**AIR FORCE RESEARCH LABORATORY
Space Vehicles Directorate
3550 Aberdeen Ave SE
AIR FORCE MATERIEL COMMAND
KIRTLAND AIR FORCE BASE, NM 87117-5776**

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) 05-05-2014		2. REPORT TYPE Briefing Charts		3. DATES COVERED (From - To) 01 Oct 2007 – 30 Sep 2015	
4. TITLE AND SUBTITLE AE9/AP9/SMP: New Models for Radiation Belt And Space Plasma Specification				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER 62601F	
6. AUTHOR(S) W. Robert Johnston, T. Paul O'Brien, Gregory P. Ginet, Stuart L. Huston, Timothy B. Guild, and Judy A. Fennelly				5d. PROJECT NUMBER 1010	
				5e. TASK NUMBER PPM00004262	
				5f. WORK UNIT NUMBER EF004375	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Air Force Research Laboratory Space Vehicles Directorate 3550 Aberdeen Avenue SE Kirtland AFB, NM 87117-5776				8. PERFORMING ORGANIZATION REPORT NUMBER AFRL-RV-PS-TP-2016-0003	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S) AFRL/RVBXR	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) NA	
12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution is unlimited. (377ABW-2014-6084 dtd 16 Apr 2014)					
13. SUPPLEMENTARY NOTES Presented at SPIE Defense Security & Sensing (DSS) Conference, Baltimore, MD, 05-09 May 2014. Government purpose rights.					
14. ABSTRACT A new set of models for the flux of particles in the Earth's inner magnetosphere has been developed for use in space system design and other applications requiring a climatological specification. Denoted AE9, AP9, and SPM for energetic electrons, energetic protons and space plasma, respectively, the models are derived from 33 data sets measured by satellite on-board sensors. These data sets have been processed in a manner to create maps of the particle fluxes together with estimates of uncertainties due to both imperfect measurements and space weather variability. Furthermore, the model architecture permits the Monte-Carlo estimation of the time evolution of fluxes and derived quantities, e.g. the median and 95 th percentile, along an arbitrary orbit. An overview of the model will be presented, addressing in particular the latest AE9/AP9 version release.					
15. SUBJECT TERMS Energetic electrons, energetic protons, space plasma, Radiation Model, AE9, AP9, SPM, space craft design					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Unlimited	18. NUMBER OF PAGES 30	19a. NAME OF RESPONSIBLE PERSON Adrian Wheelock
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (include area code)



Air Force Research Laboratory



AE9/AP9/SPM: New Models for Radiation Belt and Space Plasma Specification

05 May 2014

Presented by:

Judy A. Fennelly, PhD

Chief Engineer

Battlespace Environment Division

Air Force Research Laboratory

Integrity ★ Service ★ Excellence

Approved for public release;
distribution is unlimited.





Authors



•Bob Johnston



Air Force Research Lab (Principal Investigator)

•Paul O'Brien



Aerospace Corp. (Principal Investigator)

•Gregory Ginnet



MIT Lincoln Lab (Principal Investigator)

•Stuart Huston



Atmospheric & Environment Research Inc.

•Timothy Guild



Atmospheric & Environment Research Inc.

•Judy Fennelly



Air Force Research Lab



Outline



- **Introduction**
- **Overview of AE9/AP9/SPM**
- **Model Application**
- **Validation and Comparisons**
- **Current & Future Releases**
- **Summary**



Introduction to AE9/AP9/SPM




AE9/AP9/SPM is a suite of empirical models describing the trapped electron, proton, and plasma in the near earth space environment

- **AE9/AP9/SPM meets the satellite and space instrumentation design community's need for radiation environment specification model**
 - Responsive tool with expanded range of features not available with legacy models
 - Uses the most up-to-date data available
 - Introduces quantitative statistics for use in design efforts




Near-Earth Radiation Environment






Need for Accurate Near-Earth Radiation Environment Estimations



Energetic protons,
electrons and plasma
pose a wide range of
hazards to spacecraft
and components

These hazards are
dynamic and sometimes
not accurately captured
in legacy models



For MEO orbit ($L=2.2$), #years to reach 100 kRad:

- Quiet conditions (NASA AP8, AE8) : 88 yrs
- Active conditions (CRRES active) : 1.1 yrs

AE8 & AP8 **under estimate the dose** for 0.23" shielding



Legacy Space Environmental Electron and Proton Models



AE8 & AP8 electron and proton empirical models are the most widely used of the various legacy models

- These are capable models, but do not meet emerging needs of the design community

- AE8/AP8 lacked the ability to trade actual environmental risks like other system risks
 - AE8/AP8 could never answer questions such as “how much risk can be avoided by doubling the shielding mass?”
- Inaccuracies and lack of indications of uncertainty
 - Creates the necessity of excessive margin in designs
- No plasma specification
 - Unknown surface dose effects
- No natural dynamics
 - Not present are environments for internal charging or worst case proton effects, such as single event effects (SEEs)





AE9/AP9/SPM Empirical Radiation Belt and Space Plasma Model Suite



**AE9/AE9/SPM suite
provides advanced
capabilities for
estimating the natural
trapped radiation
environment in
near-Earth Space
for satellite design**

- Unprecedented coverage in energies and particle types addressing major space environmental hazards
- Includes uncertainties and dynamics that have never been available for use in design
 - Data-based statistics quantifying uncertainties from both measurements and space weather variability
 - Estimate design margins (95th percentile rather than arbitrary factors)
- Dynamic scenarios allow users to create worst cases for internal charging, single event effects, and impacts on mission life



AE9/AP9/SPM Suite Coverage





MODEL	AE9	AP9	SPM
Species	e^-	H^+	e^- , H^+ , He^+ , O^+
L Range	$0.98 < L^* < 12.4$	$0.98 < L^* < 12.4$	$2 < L_m < 10$
Energy Range	40 keV – 10 MeV	100 keV – 400MeV (V1.0-V1.05) 100keV – 2 GeV (V1.20)	e^- : 1 -40 keV H^+ , He^+ , O^+ : 1.15 – 164 keV

- AE9/AP9 covers trapped radiation over full range of orbit regimes
- SPM introduces coverage of plasma energies and species
- AP9 V1.20 will extend energy range up to 2 GeV, based on Van Allen Probe observations



Range of Near-Earth Particle Hazards



AE9/AP9/SPM Suite
Energy Range Coverage
(trapped particles only)



AE9/AP9/SPM Incorporates High-Quality Data Sets




The AE9/AP9/SPM suite is based on data sets mostly acquired after development of AE8 and AP8 and covers greater spatial and energy ranges than the prior models

- Maps of the particle fluxes are created from these data sets
- Estimates of uncertainties include both measurements uncertainties and space weather variability


- AE9/AP9/SPM incorporates 33 data sets measured by space-based sensors
- Data sets were selected for accuracy in inner magnetosphere
- Data during solar proton events were eliminated
 - resulting maps describe trapped radiation only
- Cross-calibration was done to a single standard sensor, both eliminating relative biases and providing estimates of measurement uncertainty



Data Sets Used for AE9/AP9/SPM




Most data sets used cover min+max solar cycle conditions





Examples of Future AE9/AP9/SPM Data Sets



Approved for public release; distribution is unlimited.






AE9/AP9/SPM Architecture Overview




AE9/AP9/SPM Creates Flux Maps based on Satellite Data



Creates maps for median and 95th percentile of distribution function

- Maps characterizes both nominal and extreme environments
- Includes error maps with instrument uncertainty


Satellite data & theory



Statistical Monte-Carlo Model

- Compute spatial and temporal correlation as spatiotemporal covariance matrices
- Set up Nth-order autoregressive system to evolve perturbed maps in time

User's orbit



User application

- Runs statistical model N times with different random seeds to get N flux profiles
- Computes dose rate, dose or other desired quantity derivable from flux for each scenario
- Aggregates N scenarios to get median, 75th and 90th confidence levels on computed quantities








How to Use AE9/AP9



- Model provided with GUI and CmdLine access
- Specify input and options:
 - orbital elements or ephemeris
 - coordinate system
 - model(s) to use—AE9/AP9/SPM, legacy models
 - mode—e.g. mean or Monte Carlo scenarios
- Model provides requested quantities
 - fluxes, fluences, doses
- Results for appropriate modes include statistics (e.g. median and 95th percentile) for risk assessment






Model Comparison and Validation



Model comparisons and validations conducted:

- AE9/AP9/SPM results compared to legacy models including AE8/AP8
- AE9/AP9 results validated against independent LEO, HEO, GEO data sets
- Implementations of AE8/AP8 and SHIELDOSE within AE9/AP9 tool validated against results from SPENVIS and IRBEM







AE9/AP9 Compared to AE8/AP8



protons (30 MeV)



electrons (2 MeV)







AP9 Validation—POES 15 (LEO)



**POES 15 observations,
>36 MeV protons**




**AP9 median results,
>36 MeV protons**






AP9 Validation—POES 15 (LEO)







AE9 Validation—GOES 10 (GEO)






AE9/AP9 Fluence and Dose Estimates, LEO (800 km)






AE9/AP9/SPM Fluence Estimates, GEO





AE9/AP9 Dose Estimates, GTO





AE9/AP9/SPM



Current Version and Future Plans

- V1.0 released in 2012, current version V1.05 released in 2013
- AE9/AP9 proposed as an ISO standard trapped radiation model
- V1.2 features
 - New data: TacSat-4 protons, THEMIS plasma
 - New features: more orbit element/coordinate options, pitch angle tool
- V1.5 features
 - Parallelization capability for runs on clusters—needed to speed up long runs
 - New kernel-based effects calculation
 - New data: Van Allen Probe & Azur protons, Van Allen Probe & DEMETER electrons, SCATHA & AMPTE plasma
 - International collaborators contributions of data and models
 - Future name IRENE — International Radiation Environment Near Earth

- V2.0 and later features

- Sample solar cycle flythrough option
- New modules
- New data: PAMELA, DSX/SWx, ERG






Kernel-Based Effects Calculation



- V1.5 will include AE9/AP9 capability to use independently-calculated radiation effects for faster effects results in the AE9/AP9 environment:
 - User precomputes desired effect vs. depth/particle/energy for a particular material/geometry/component, using independent particle simulation code
 - Results are formatted as a “kernel” for import into AE9/AP9/SPM
 - AE9/AP9/SPM environment plus effects kernel yields rapid calculations of specific effects
- Sample kernel for single event effects is in development
- Provides ability to rapidly obtain AE9/AP9 environment effects for specific components



O'Brien and Kwan, 2013, Aerospace Report TOR-2013-00529 A





Summary



- **AE9/AP9/SPM meets the design community's need for state-of-the-art radiation environment specification**
 - More coverage in energy and location
 - Introduces statistics describing uncertainties and environment variability
- **Plans are in place for future updates in both data and features**
 - Architecture supports updates with new data
 - Future features will expanded capabilities, addressing additional hazards and more options for applying model results to design



Contact Information



- Comments, questions, etc. are welcome and encouraged!
- Please send feedback to (copy all):
 - Bob Johnston, Air Force Research Laboratory, AFRL.RVBXR.AE9.AP9.Org.Mbx@kirtland.af.mil
 - Paul O'Brien, Aerospace Corporation, paul.obrien@aero.org
 - Gregory Ginet, MIT Lincoln Laboratory, gregory.ginet@ll.mit.edu
- Information and discussion forum available on NASA SET website:
 - http://lws-set.gsfc.nasa.gov/radiation_model_user_forum.html
- The model will eventually be available for web download
 - In the meantime contact Gregory Ginet, MIT Lincoln Laboratory, gregory.ginet@ll.mit.edu

DISTRIBUTION LIST

DTIC/OCP 8725 John J. Kingman Rd, Suite 0944 Ft Belvoir, VA 22060-6218	1 cy
AFRL/RVIL Kirtland AFB, NM 87117-5776	2 cys
Official Record Copy AFRL/RVBXR/Adrian Wheelock	1 cy