

AD/A-004 472

INTEGRATED GEOPHYSICAL AND GEOLOGICAL STUDY
OF EARTHQUAKES IN NORMALLY ASEISMIC AREAS

Jack E. Oliver, et al

Cornell University

Prepared for:

Air Force Office of Scientific Research
Advanced Research Projects Agency

September 1974

DISTRIBUTED BY:

NTIS

National Technical Information Service
U. S. DEPARTMENT OF COMMERCE

044112
AFOSR - TR - 75 - 0084

Form Approved
Budget Bureau No. 22-R0293

DEPARTMENT OF GEOLOGICAL SCIENCES
210 KIMBALL HALL
CORNELL UNIVERSITY
ITHACA, NEW YORK 14853

SEMI-ANNUAL TECHNICAL REPORT
FOR PERIOD 1 MARCH 1974 - 30 SEPTEMBER 1974

to

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH

from

CORNELL UNIVERSITY

DEPARTMENT OF GEOLOGICAL SCIENCES

Title of Proposal: Integrated Geophysical and Geological
Study of Earthquakes in Normally
Aseismic Areas

Sponsored by: Advanced Research Projects Agency
ARPA Order No. 1827

Program Code: 4F10


Effective Date of Contract: 1 March 1973

Contract Expiration Date: 31 May 1975

Amount of Contract Dollars: \$210,218

Contract Number: AFOSR 73-2494

Principal Investigators: Jack E. Oliver Bryan L. Isacks
(607) 256-2377 (607) 256-2307



Peter F. Mather
Peter F. Mather, Assistant
Director, Academic Funding

Jack E. Oliver
Jack E. Oliver, Principal Investigator

Bryan L. Isacks
Bryan L. Isacks, Principal Investigator

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFOSR)
NOTICE OF TRANSMITTAL TO DDC

This technical report is being released and is
approved for public release under AR 150-12 (7b).
Distribution is unlimited.

Approved for public release;
distribution unlimited.

D. W. TAYLOR
Technical Information Officer

Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
U S Department of Commerce
Springfield VA 22151

46

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFOSR - TR - 75 - 0084	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) INTEGRATED GEOPHYSICAL AND GEOLOGICAL STUDY OF EARTHQUAKES IN NORMALLY ASEISMIC AREAS		5. TYPE OF REPORT & PERIOD COVERED Semi-Annual Technical Report 1 March 74 - 30 September 74
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Jack E. Oliver and Bryan L. Isacks		8. CONTRACT OR GRANT NUMBER(s) AFOSR 73-2494
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Geological Sciences, Cornell University, Ithaca, New York 14853		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Program Element Code 62701E Project-Task A01827-5
11. CONTROLLING OFFICE NAME AND ADDRESS Advanced Research Projects Agency 1400 Wilson Boulevard Arlington, VA 22209		12. REPORT DATE Sep 1974
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Air Force Office of Scientific Research / NP 1400 Wilson Boulevard Arlington, VA 22209		13. NUMBER OF PAGES 44
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Intraplate Earthquakes, Releveling Measurements, Cenozoic Faulting, Unloading stresses.		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The integration of information from seismology, precise leveling, sea level variations, geomorphology, photogeology, the sedimentary record, igneous activity, and faulting is resulting in the formulation of a better dynamic framework for understanding earthquakes in normally aseismic regions in order to provide better criteria for discrimination of such events. Analysis of geodetic leveling and sea level data has revealed a complex system of vertical crustal movements that can be correlated with the structure		

20, and seismicity of the eastern United States. Uplift of the Appalachians relative to the coast is presently occurring at rates 2-3 orders of magnitude larger than the Post-Jurassic average. Correlation of vertical movements with topography indicates that the factors responsible for creating topographic relief are presently active at an accelerated rate. A study of Cenozoic faulting in the eastern United States indicates that tectonic activity in this region cannot be accounted for by a simple stress pattern. Some of these faults appear to be reactivated Paleozoic faults while others may have moved only during the Cenozoic era. New seismicity maps for the eastern United States and China are being used to examine spatial and temporal patterns in the seismicity of these normally aseismic regions. Research into the seismicity and tectonics of China has produced a bibliography of material related to this little known region.

//

Unclassified

TECHNICAL REPORT SUMMARY

Technical Problem

The basic problem to which this study is addressed is to understand why and how earthquakes occur in normally aseismic regions so as to improve capability for identification of these events. We understand in some depth why earthquakes occur in active tectonic regions, i.e., near the boundaries of the lithospheric plates of plate tectonic theory. However, our understanding of earthquakes far away from these boundaries (intraplate earthquakes) is very limited and consists mainly of speculation.

These intraplate earthquakes are important for a number of reasons. Although they do occur less frequently than in active tectonic regions, they sometimes reach large magnitudes. Also, the propagation of seismic energy is more efficient in at least some intraplate regions. These facts are important in determining seismic hazard ratings for intraplate areas as well as in distinguishing between these earthquakes and nuclear explosions.

General Method

Since intraplate earthquakes occur infrequently, seismic data on them are limited and data from other sources besides seismology must be brought to bear on the problem. We are continuing to gather and synthesize evidence from precise leveling, theoretical geophysics, sea level changes, geomorphology, photogeology, the sedimentary record, igneous activity, and faulting. Thorough literature reviews of several of these areas have been conducted and are being continued in those

areas for which they are incomplete. Enormous volumes of data have been obtained from, and with the cooperation of, the National Geodetic Survey. This data is presently being reduced and analysed at Cornell. The first complete map of vertical crustal movements in the eastern United States is presently being prepared jointly by Cornell and the National Geodetic Survey. Original theoretical investigations are being initiated in order to relate empirical results with physically describable mechanisms for generating earthquake-producing stresses. The program in photogeology is active in obtaining and analysing ERTS and SKYLAB photographs of Eurasia and the United States, as well as scheduling special U-2 missions to obtain needed coverage in the eastern United States. Completed mosaics constructed from ERTS band 7 images of the Mississippi embayment of the United States, and the Tarim Basin, Tibetan platform and Central Area of China are being correlated with geostructure. Ground control in China is limited to Chinese publications and the results of the Sino-Swedish Expeditions. Integration of mapping of photo features with fault plane solutions and statistics of earthquakes, as well as in situ stress measurements, is being carried out to obtain a better picture of intraplate stress systems. Field work is being undertaken to verify and identify features discriminated in the photos of the eastern United States, as well as to investigate areas of particular interest as indicated by leveling and seismic studies.

Particular attention is being directed toward the very seismically active areas in China. Ongoing literature searches and translations of heretofore little used references on Chinese geology, seismicity, and tectonics are providing a unique data bank for study of the area of

China. A working relationship is being developed with U.S. Geological Survey geologists specializing in China, as well as with the Geophysical and Geological Institute of China. One graduate student is preparing to engage in field research in Taiwan with partial support by NSF. Although Taiwan is not strictly an intraplate region, this study should be very valuable in obtaining more information about mainland China.

Although most of the effort in this study has been applied to the eastern United States, where field checking is possible and data is more readily available, efforts are continuing to integrate and expand on data dealing with both eastern and western Europe, as well as less studied foreign regions.

Technical Results

The main results obtained during the period covered by this report come from studies of precise leveling, faulting, seismicity and literature compilations. Each of these topics is covered in more detail in other sections of the technical report.

The analysis of precise leveling data basically entails determining the change in elevation of a reference point (bench mark) by comparing elevation determinations of that point by surveys carried out several years apart (typically 25 years). The difference between the two determinations divided by the time interval between levelings yields the apparent average relative velocity of that point for that time interval. It has been found that the eastern United States is undergoing vertical crustal movements with higher rates than implied by the

sedimentary record. Moreover, it appears that these movements can be correlated with both geologic structure and seismicity, thus becoming the first directly measured parameter to be associated with seismicity in the eastern United States, a normally aseismic region.

A compilation of known occurrences of post-Cretaceous faulting in eastern North America has been compiled in order to provide a record of recent tectonic activity in this region. The fault movements have been dated as younger than offset Cretaceous, Tertiary, or Quaternary sediments, Cretaceous kimberlites, or Pleistocene glacial striations. Both reverse and normal faults of this type have been documented. Some of these faults indicate reactivation of pre-existing weaknesses. The stresses inferred from these faults are not consistent with a dominant horizontal compression in the North American plate.

In order to facilitate research on problems of Chinese tectonics and seismicity, a bibliography of papers related to the geology, seismicity, tectonics and recent crustal movements of China has been prepared from various international journals. Two very useful maps of the seismicity of eastern North America have been compiled. One shows all known historic and instrumental seismicity from 1534 to present while the other is limited to earthquakes that have happened between 1928 and the present time. These maps have been used to delineate and identify prominent trends in eastern North American seismicity.

Bibliography of the Seismic, Tectonic, and Geologic Literature of
China

This bibliography includes papers related to the geology, seismicity, tectonics and recent crustal movements of China, selected from various international journals. The papers are arranged in alphabetical order by author. Most of the papers were written by Chinese researchers in Chinese. Translations of these important papers are rare, a few appearing in the International Geology Review.

China

- Báth, Markus. 1967, An earthquake with exceptionally strong higher-mode surface waves: Pure and Applied Geophysics, v. 66, p. 16-24.
- Biq, Ching-Chang. 1960, The gliding-structure pattern of an area east of Chuchow, Central Hunan: Geol. Soc. China, no. 3 (1959), p. 97-103.
- Bush, V.A., Dmitriyeva, V.K., and Filatova, N.I., 1968, Structural position, history, and structure of the Dzhungarian fault. Geotectonics, no. 3 (1968), p. 180-184.
- Chan, Kuota. 1940, Geology of the Sinkan-Hsiachiang area. Kiangsi, Bull. Geol. Surv., no. 5, p. 1-56 (Chinese, Engl. Summ.).
- Chan, Kuota, 1939, The Lingshan earthquake of April 1, 1936: Kwangtung and Kwangsi, Geol. Surv., Spec. Pub. no. 17, p. 1-100 (Chinese), 101-112 (Engl. Summ.).
- Chandhury, H.M. 1970, Earthquakes in and near about India: Indian J. Meteorol. Geophys., v. 21, no. 4, p. 665-666.
- Chang, Bo-sheng. 1964, (English Abstract, Chinese article): The bearing of Block Faulting to stream development on both sides of Chinling Range. Acta geologica Sinica, v. 44, #4 p. 417, p. 405-406.
- Chang, C.F. 1965, Framework of the tectonic development of Tsinghai-Tibet Plateau (in Chinese), Problems in structure Geology, Science Publishers, Peiking, 81 p.
- 1948, Extinct Volcanoes of Uengchung, Western Yunnan. Nat'l. Tsing Hua Univ., Sci. Repts., S.C.v. 1. no. 4, p. 291-304.
- Chiang, Ta. 1963, The Geology of China. Washington. Office of Technical Services and Joint Publ. Research Service, 623 leaves.
- Chang, Wen-Yu. 1963, The x-shaped fault systems in China and their relationship to neotectonic movements, in Works of the First Conference on Neotectonics in China (Peking, 1956; Translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 134-141.
- Chang, Wen-Yu. 1961, On the mechanism of block-faulting of the Chinese Craton: Scientia Sinica, v. 10, no. 3, p. 361-376.
- Chien, Kuo-Ta. 1958, "Manchuria-Mongolia Block" and its geotectonic characteristics. Geological Review, China. v. 18, no. 3, p.190.
- Ch'en, Meng-Hsung. 1963, Some data on neotectonics in the regions of Paot'ou, Hsian and Peking, in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 241-246.
- Ch'eng, Yu-Ch'i. 1963, Certain data on the neotectonic movements in the western portion of Ssuch'uan Province (the eastern portion of former Hsik'ang Province), in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 202-208.

Science Press, 1956, Earthquake statistics from 1556 to 1956, China. (In Chinese) 2 volumes.

Denisqv, Ye. P. O vulkane Baytoushan' (Pektusan) 1963, (on the Pait' ou-shan Volcano (Paektusan) in Geologicheskkiye i geofizicheskiye issledovaniya v vulkanicheskikh oblastyakh: Moscow, Akad. Nauk SSSR Sibirskoye Otdeleniye Inst. Vulkanologii, p. 70-74.

Feng, Ching-Lan. 1963, On neotectonic movements on the territory of China according to the data of geomorphology, hydrography and sedimentation, in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian); U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 113-120.

Fitch, T.J., 1970, Earthquake mechanisms in the Himalayan, Burmese, and Andaman regions and continental tectonics in Central Asia, J. Geophys. Res. 75 p. 2699.

Florensov, N.A. and Solonenko, V.P. (editors). 1963, The Gobi-Altai Earthquake, Acord. of Sciences of the U.S.S.R., Siberian Department (1963), (English translation) 424, U.S. Dept. of Commerce, NOAA, Washington, D.C. (1965).

Golenetskiy, S.I. Medvedeva, G. Ya. 1965, O granitsakh peruago o voda v verkhney mantii Zemli (on first-order discontinuities in the earth's upper mantle): Akad. Nauk SSSR Izv. Fizika Zemti, no. 5, p. 57-62.

Gorshkov, G.P. 1963, Concluding speech, in Works on the First Conference on neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 266-268.

1963, The method of studying neotectonic movements and their relationship to seismicity in Works on the First Conference on Neotectonics in China (Peking, 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 7-12.

Gutenberg, B. and Richter, C. 1954, Seismicity of the Earth and Associated Phenomena, Princeton University Press.

1934 Earthquake Region of Taofu, G.S.A. Bull. v. 45, p. 1035-1050.

Heim, A. 1936, Tectonic observations in China (Yangtse-Red basin-Tibet) (abs.): Geol. Soc. London, Abs. Pr. no. 1306, p. 49-53.

Hsieh Yu-show. 1958, The seismicity and surface faulting of central eastern Yunna, Acta Geophysica Sinica, v. 7, no. 1, p. 31-40.

Hsu, Yu-Chien. 1963, Certain geological and geomorphological phenomena in the Huanghe River basin and their relationship with seismicity, in Works of the First Conference on Neotectonics in China (Peking, 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 253-265.

- Hu Bing. 1964, (Russian Abstract, Chinese), Some problems of geotectonics of the Sinkiang District. Acta Geologica Sinica, v. 44, no. 2. p. 156-169.
- Hu Ping, Wang Chin-p.m., Kao Chen-Chia, et. al., 1964, Nekotoryye voprosy geotektoniki sin'tszyana; Acta Geol. Sinica, v. 44, no. 2, p. 156-170.
- Huang, Chi-ching. 1945, On major tectonic forms of China: National geological survey of China under the ministry of economic affairs.
- Huang, Chi-Ts'in. 1963, Certain types of juvenile tectonic movements in China in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 13-76.
- Hulin, Carlton D. 1946, Basin-range structure in southwestern China: Geol. Sci. Am. B. v. 57, no. 12, pt. 2, p. 1253-1254.
- Inouye, Win. 1971, Earthquakes in Manchuria: In Geology and mineral resources of the Far East, Univ. Tokyo Press, Tokyo, p. 70-84.
- Keimatsu, Mitsuo. 1964, On the frequent small earthquakes in Nanching (118° 48' E. 32° 03' N.) from 1425 to 1430 and the chronological table of those there in Ming period (1368-1644) (Pt. 1) (in Japanese with English abstract): Zisin, ser. 2, v. 16, no. 4, p. 188-196, 1963; Pt. 2, ibid, v. 17, no. 1, p. 1-13.
- Kuo, Tseng-Chien, and Chang, Cheng. 1963, Preliminary report on seismic activity in eastern Min-Chin (in Chinese), Acta Geophysic. Sinica, v. 12, no. 1. p. 118-120.
- Kuo, Tseng-Chien, Ch'in, Pao-Yen. 1966, Earthquake Migration phenomena in Kansu Province (in Chinese with English abs.): Acta Geophys. Sinica, v. 15, p. 142-147.
- Lebedev, V.G. O. 1961, Veotektonicheskikh Dvizheniyakh v Severnom Kitaye (Recent tectonic movement in northern China): L'vov Geol. Obshch., Geol. Sbornik, no. 7-8, p. 335-353.
- Lee, J.S. 1935, Structure pattern of China and its dynamic interpretation Geol. Soc. London, Q.J. no. 363, v. 91, pt. 3, p. cvi-cix, S 30135, Abs. Pr. no. 1298, p. 103-106.
- Lee, S.P.
1934, The noticeable earthquake in 1933 (Jan-June): China Geol. Surv., Seism. B. v. 3, no. 1, p. 1-38.
1938, Some deep focus earthquakes recently occurred in Central Asia. China, Geol. Surv., Seism. B., v. 3, no. 2-3, p. 107-117.
and others. 1938, Summary of noticeable earthquakes as registered at Chiufeng: China, Geol. Surv., Seism. B., v. 3, no. 2-3, p. 1-106.
1948, Tectonic relation of seismic activity near Kangting, east Sikang: Chinese Geophys. Soc., J. v. 1, no. 1, p. 43-50.
1948, Seismological works in China. Chinese Geophys. Soc., J. v.1, no. 1, p. 88-91.

- 1957, Seismological maps of China: Sci. Rec. (China), v. 1, no. 5, p. 351-356.
- Li Chin-tsu, Wang Tze-Kao, Chia Yun-Nian, Chin Ya-Min 1973, Stress Field Obtained for two Regions from weak Earthquake Data Recorded at a single seismic station. Acta Geophysica Sinica, v. 16, p. 49-61.
- Li, Liang-Tse. 1963, Recent tectonic movements and their applied significance, in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS:63-31099, p. 162-170.
- Li, P'u. 1967, Certain data on neotectonic movements in Tibet, in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS:63-31099, p. 209-213.
- Li, Shan-Pang (Shan-Pan), 1963, A word of introduction in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 5-6.
- Li Shan-pan, and G.P. Gorshkov. 1957, A map of the seismic regions of China. Acta Geophys. Sinica, v.6 no. 2.
- Li, Ssu-Kuang. 1939, The geology of China, London, T. Murby & Co.
- Liu, Tung-Shen, Huang, Wan-Po, and Wang, T'ing-Mei. 1963, Neotectonic movements appearing in the Sahmen Suite, in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 233-240.
- Lo, Laihsing and Yang, I-Ch'ou. 1963, A study of the Physiographical formation of western szechuan and western Yunnan, Ti-Li Chi-K'ian, Geographical Monographs, Peiping no. 5, Sept. 1963, pp. 1-57.
- Ma, Hsin-Yuan. 1963, Neotectonic movements in the Wut'aishan and Chungt'iaoshan Mountains, in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 142-161.
- Ma, Hsing-Yuan, Yu, Chen-Tung, T'an, Ying-Ch'ia; Yang, Wei-Jan, Li, Tung-Hsu, and Nu, Cheng-Wen. 1961, Some fundamental problems of the geotectonics of China (in Chinese with Russian summary): Acta Geol. Sinica, v. 41, no. 1, p. 30-44.
- Matsuzawa, Isao. 1953, The crustal movement in north China: Nagoya Univ. J. Earth Science, v. 1, no. 1, p. 62-84.
- Mei, Shi-yun. 1960, The seismic activity of China: Bull. (Izv.) Academy of Science, U.S.S.R., Geophys. Series, no. 3, p. 254-264. also Acta Geophys. Sinica, v. 9, no. 1, p. 1-19.

- Meng, Hsien-Min. 1963, Quaternary movements in the northeast and southeast portions of Yunnan Province, in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS:63-31099, p. 198-201.
- Molnar, Peter, Fitch, T.J., Wu, F.T. 1973, Fault Plane Solutions of shallow earthquakes and contemporary tectonic in Asia: Earth and Planetary Science Letters, v. 19, p. 101-112.
- Pavlinov, V.N. 1963, On certain manifestations of neotectonic movements in China in Works of the First Conference on Neotectonics in China (Peking, 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63:31099, p. 77-112.
- Petrushevskiy, B.A. 1959, Concerning the geologic circumstances of the Kansu earthquake of 1920 (in Chinese with Russian summary) Acta Geophys. Sinica, v. 8, no. 2, p. 105-108.
- Reysner, G.I. 1971, The tectonics and seismicity of the Altay Mountain Region Izvestiya, Aca. of Sci. U.S.S.R., (Physics of the Solid Earth), no. 5, p. 310-319.
- Richter, C. 1958, Elementary Seismology: W.H. Freeman and Company, Inc. San Francisco and London.
- Roman, Constantin. 1973, Buffer Plates-where continents collide. New Scientist, v. 25, p. 180-181.
- Rothe, J.P. 1969, The Seismicity of the earth-1953-1965: Unesco.
- Rozova, Ye. A. 1963, o zemletryaseniyakh, proissledshikh na territorii Kitaya v aprele 1961 g. (On earthquakes occurring in Chinese territory in April 1961): Akad. Nauk. Kirgiz. SSR Izv. Ser. Yestest i Tekh. Nauk. v. 5, no. 6. p. 5-12.
- Shen, Yu-Ch'ang. 1963, Certain neotectonic phenomena in the Hanshui River basin, in Works of the First Conference on Neotectonics in China (Peking 1956; Translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS 63-31099, p. 247-252.
- Sinit'syu, Vasily Mikhailovich. 1957, Turfan-Khamiiskaya upadina; Gashunskaya Gobi: geologicheskie rekonstruktsii 1952 goda, 108pp. Akad. Nauk SSSR, Geol. Inst., Moscow.
- Sinit'syn, V.M. 1948, K istorii Tarimskogo stabilnogo massiva: Akad. Nauk SSSR, Izv. Ser. Geol. no. 1, p. 27-40.
- Sinit'syn, V.M. 1955, Osnovnye cherty tektoniki kitaya: Voprosy Geol. Azii (Akad. Nauk SSSR) v. 2, p. 81-101.
- Suess, Edward. The Face of the Earth.
- Sun chien-ch'u. 1934, Geology of Suiyuan and southwest Cha bar. Peiping, Natl. Geological Survey of China.

- Tan', Go'Tsuan' (Tsyuan). 1961, Seysmicheskiye usloviya-niye Zapadnoy zony provintsii Gan'su KNR (Seismic conditions and the regionization of the western zone of Kansu province, Chinese Peoples Republic): Akad. Nauk SSSR. Inst. Fiziki Zemli Trudy, No. 17 (184), p. 74-86.
- T'ien, Ch'i-Tsuan. 1963, The relationship between the earthquake zones and the geological structures in southern China, in Works of the First Conference on Neotectonics in China (Peking, 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS:63-31099, p. 214-215.
- Tupitsyn, N.V., ed. 1962, Osnovy tektoniki Kitaya (Principles of the tectonics of China): Moscow, Gostoptekhizdat, 527 p.
- Uifalussy, Antal. 1960, Kiertekelo problemak a Kinai-magyar szeizmikus mereseke'l (Interpretation problems in the Chinese-Hungarian seismic surveys) Magyar Geofizika, v. 1, no. 2, p. 62-69.
- Wang, Chu-Ts'uan. 1963, Experience in Neotectonic and seismic zoning in China (Separating neotectonic and seismic zones), in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 216-227.
- Wang, Yueh-Lun. 1963, Certain data on neotectonics movements in China, in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 171-182.
- We-Ching, Pei. 1939, The recent progress of Quaternary study in China: Quartar, Berlin, Bd. 2, p. 120-134.
- Weller, J. Marvin. 1944, Outline of Chinese geology: Amer. Assoc. Petrol. Geol. B. v. 28, no. 10, p. 1417-1429.
- Wilson, J. Tuzo. 1972, Mao's Almanac-3000 years of killer earthquakes, Saturday Review, v. 55, no. 8, p. 60-64.
- Wilson, J. Tuzo. 1961, Geophysics, in sciences in Communist China Am. Assoc. Adv. Sci. Pub. no. 68, p. 483-496, Washington, D.C.
- 1972, Seismicity of China (abstr.): EOS (Am. Geophys. Union, Trans.) v. 53, no 4, p. 519-520.
- Wong, Wen-Lao. 1922, L'Influence seismogenique de certaines structures geologiques de la Chine Cong. Geol. Intern., C.R., XIII sers, Belgique p. 1161-1197 (viz) also in Bull. Geol. Soc. China, v. 2, p. 5.
- Wu, Lei-Po. 1966, A brief note on geomechanics: Freibeger Forschungshefte, C210, p. 213-217.
- Yang, Chung-Chen. 1963, Questions of Neotectonics in the northern foothills of the Ch'inling, in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 121-129.

- Yeh, Liang-Fu. 1920, The geology of Msi-shan of the western hills of Peking: The Geological Survey of China.
- Yien, L.T. 1963, Chief Geotectonic features of Eastern Tsinling and its adjoining region. Acta Geologica sinica, v. 43, no. 2, p. 156-170.
- Yin, T.H. 1933, Les volcans quaternaires de Tatung, shansi: Geol. Soc. China. B. v. 12, no. 3, p. 355-374.
- Yu, Po-Liang. 1963, Certain ideas on the particular features of young tectonic movements in the Kansu Corridor, in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no. OTS: 63-31099, p. 183-187.
- Yuan, Fu-Li. 1963, Neotectonic movements in the region to the north of the the Ch'inling mountains, in Works of the First Conference on Neotectonics in China (Peking 1956; translated from the Russian): U.S. Joint Pubs. Research Service, no.OTS: 63-31099, p. 130-133.

Post-Cretaceous Faulting in eastern North America

Exposed post-Cretaceous faults in eastern North America provide evidence of tectonic activity during prehistoric time. This activity may have been similar to minor-to-moderate historic seismic activity. Fault movements are dated as younger than offset Cretaceous, Tertiary, or Quaternary sediments, Cretaceous kimberlites, or Pleistocene glacial striations. Both reverse and normal faults occur. They are found in the central Mississippi River and the southeast United States, both areas of moderate historic seismicity. They also occur in the glaciated northeast United States and eastern Canada, but not always in areas of historic seismicity. In all of the above regions at least some of the faults occur along pre-existing weaknesses. Surface faulting probably occurred on most of the faults.

The reverse faults in the unglaciated areas are the faults most clearly associated with earthquakes. The amounts of near-surface displacement on these reverse faults imply that some faults have moved several times and that moderate-to large-magnitude earthquakes could have occurred on some of them. The reverse faults in glaciated areas have small displacements and may be related to compression caused by glacial unloading. The faults which offset kimberlites could be associated with stresses active only during intrusion.

Table 1 and Figure 1 summarize the known occurrences of post-Cretaceous faulting in the eastern United States. Their recognition depends on an number of factors besides tectonics. The distribution of Cretaceous and younger sediments suggests that less than one in ten

faults would offset such sediments. Possibly one in a thousand post-Cretaceous faults would be exposed somewhere along its length. Perhaps one in ten exposed faults datable as post-Cretaceous have been seen and reported by geologists. The faults in Table 1 represent the displacement equivalent of about 100 magnitude 6 earthquakes over a period of approximately 100 million years. These approximations then imply the occurrence of a magnitude 6 earthquake once every ten years, which is in rough agreement with historical seismicity.

If the reverse faults in the unglaciated areas were caused by tectonic stresses which are still active at present, then these data suggest that moderate-to large-magnitude earthquakes and surface faulting might occur at localities which have had only minor earthquakes historically. These faults suggest that no simple dominant stress pattern is responsible for seismicity in eastern North America. This result contradicts the hypothesis of Sbar and Sykes (1973) that the eastern portion of the North American plate is dominated by an east-west compression.

TABLE 1. DESCRIPTIONS OF FAULTS

Location	Type	Strike	Dip	Displacement (meters)	Youngest faulted rocks	Observed 1974	Literature reference
Benton, Kentucky	V	N45E	90	0.3	Pliocene(?) terrace gravels	-	Shoode and Mielter (1941)
Benton, Missouri	S	-	-	>15	Cretaceous sediments ¹	-	Graham (1955)
Sloomfield, Missouri	-	N55W to N30W to NS	-	3-8	Tertiary sediments	-	Graham (1955)
Sloomfield, Missouri	-	N50W to NS to N30E	-	3-6	Tertiary sediments	-	Graham (1955)
Buckhorn Crossroads, North Carolina ²	S	N51E	48 NW	0.3	Cretaceous sediments ¹	-	White (1952)
Burlington, Vermont	-	-	-	0.9	Cretaceous kimberlite ¹	-	Thompson (1953, p. 51)
Clifton Forge, Virginia	V	N25W	90 (E side down)	5-6	Tertiary gravels ¹	X	White (1952)
Commerce, Missouri	-	-	-	-	Pliocene(?) gravels	-	Graham (1955)
Cryстал River, Florida ³	-	N45W	-	-	Eocene limestone	-	Vernon (1951)
Deep River, North Carolina	H	-	-	>6.5	Pliocene(?) sediments	-	Saunders (1955)
Drearys Bluff, Virginia ⁴	S	-	>50	<0.5	Cretaceous sediments	-	Cedatrom (1945)
Drearys Bluff, Virginia	S	N45E	45 S	0.8	Cretaceous sediments	S	
Grand Rivers, Kentucky	V	N18E	90 (E side down)	-	Cretaceous sediments	-	Shoode and Mielter (1941)
Greenwood, Virginia ⁵	S	N70E	57 E	1.5	Platocene terrace gravels ¹	S	Nelson (1962)
Salisbury, Virginia	-	-	>45	0.9	Tertiary gravels	-	White (1952)
Sydra, North Carolina ²	S	N40E	50 NW	5	Tertiary gravels ¹	X	White (1952)
Idalia, Missouri	-	N45W	-(NE side down)	20	Tertiary sediments	-	Perry and McNamary (1937)
Idalia, Missouri	-	N55E	-	>15	Pliocene(?) gravels	-	Graham (1955)
Bentley Dam, Kentucky	V	N60E	90	>30	Cretaceous sediments	-	Shoode and Mielter (1941)
Ludlowville, New York	S	-	-	0.8	Cretaceous kimberlite ¹	-	Mason (1905)
Pumpkin Hollow, New York ⁶	S	N40E	85 SE	.05	Platocene glacial striations ¹	S	Oliver and others (1970)
Quettico, Virginia ²	S	N75W	50 S	0.25	Cretaceous sediments	X	Cedatrom (1945)
Saluda, North Carolina	S	N80E	11 S	>0.5	Quaternary(?) terrace gravels ¹	-	Conley and Drummond (1965)
Saluda, North Carolina	S	N8E	87 S	>5	Quaternary(?) colluvium ¹	-	Conley and Drummond (1965)
Saluda, North Carolina	R	N40W	20 NE	>4	Quaternary(?) colluvium	X	
Toughneck Falls, New York	H	-	-	0.5	Cretaceous kimberlite ¹	-	Mason (1905)
Upper Marlboro, Maryland	R	-	-	>0.3	Platocene sediments	-	Oryden (1942)
Valcour Island, New York	-	N8	-	-	Cretaceous kimberlite ¹	-	Hudson and Cushing (1931)
Valcour Island, New York	-	N50E	-	-	Cretaceous kimberlite ¹	-	Hudson and Cushing (1931)
Washington, D.C.	-	-	-(E side down)	>2	Cretaceous sediments ¹	-	Carr (1950)
Washington, D.C. ⁷	R	-	>60	-1	Platocene terrace gravels ¹	-	Dartoo (1939)
Washington, D.C.	R	N5W	80 W	>2	Cretaceous sediments ¹	X	Carr (1950)

* R (reverse), N (normal), V (vertical), H (horizontal)

¹ Photograph of fault is published in the literature reference.

² Paleozoic or Precambrian bedrock is also exposed and offset by the fault.

³ This locality is representative of many postglacial faults listed in the literature reference.




Figure 1. Post-Cretaceous faults in eastern North America. Data from Table 1 and three more representative postglacial fault locations (Ontario, Quebec, and Nova Scotia) from Oliver et al, 1970. Line segments show strikes of faults, short cross segment indicates a vertical fault, D on downthrown side; circles show faults with unreported strikes; R indicates reverse fault; N indicates normal fault; pointed barbs indicate reverse faults; straight hatchures indicate normal faults; barbs and hatchures are on the downdip side of fault; hour-glass symbols show fault zones where fault strikes vary within limits shown; small square between four short line segments indicates a horizontal fault.

Implications for Further Research

Studies thus far indicate that no single stress field can be invoked to explain intra-plate seismicity. The studies of post-Cenozoic faulting suggest that reactivation of previous tectonic features may explain some but not all seismic events in the eastern United States. Although several prominent seismic trends can be identified in intra-plate areas, a coherent and comprehensive explanation of their occurrence is still lacking. Results of leveling studies to date indicate that this method may reveal enough of the dynamic mechanism at work presently to allow solid inferences about the nature of the stresses acting to produce earthquakes in normally aseismic areas. Continued analysis of leveling data, integration of geophysical and geological parameters in all aseismic areas, and expanded theoretical work on possible mechanisms should provide even more clues as to the nature of intra-plate seismicity. Such an understanding is a vital first step toward discrimination of seismic from nuclear events.

Seismicity of Eastern North America

Over a thousand earthquakes have occurred in eastern North America during the past few hundred years. However, destructive earthquakes in this intraplate region are not numerous compared with shocks along active plate margins. Earthquakes with intensity X and above have occurred in several heavily populated areas. Examples of these destructive and large intraplate earthquakes include: Charleston, South Carolina, 1886; New Madrid, Missouri, 1811-1812; Cape Ann, Massachusetts, 1755; St. Lawrence River Region, 1633. Compared with shocks of similar magnitudes and energies along the plate boundaries, these events are equally hazardous. Thus, although they do not occur frequently, large intraplate shocks are an environmental risk and must be taken into account in the design and location of large, man-made facilities such as nuclear power plants, dams, and other large structures.

In order to examine certain characteristics of the spatial relationships and the intensities of reported earthquakes, two seismicity maps of Northeastern America were made. Map 1 contains all known historic and instrumental seismicity from 1534 to present. Map 2 includes all earthquakes that occurred between 1928 and the present. Earthquakes of the Panama Zone, Puerto Rico and the Virgin Islands are not included on these maps because they lie outside the normally aseismic zone.


Sources of information used in developing these maps are W. E. T. Smith's 1534-1959 map and 1928-1959 map from Earthquakes of Eastern Canada and Adjacent Areas, Dominion Observatory Reports, Seismicity


of the Southeastern United States by G. A. Bollinger, Earthquakes of the Stable Interior with Emphasis on the Midcontinent, by J. Docekal, U. S. Earthquakes Reports from NOAA, and United States Earthquakes by the United States Department of Commerce.

The tectonic map of North America with scale of 1:5,000 is adopted as the Base Map, with the intention of overlay comparison with tectonic regime. Four group intensities are used: I-IV; V-VI; VII-IX; and X-XII. For multiple earthquakes at any specific location only the largest intensity recorded during that period is plotted. Minor aftershocks of large earthquakes are not shown on these maps.

Based on spatial patterns reflected in these maps, earthquake activity is interpreted as occurring in the following seismic zones:

- 1) The Appalachian seismic zone, which extends from Maryland to central Alabama in the Valley and Ridge and Blue Ridge Provinces.
- 2) The St. Lawrence seismic zone, which extends along the St. Lawrence Seaway from northern New York to the mouth of the St. Lawrence River.
- 3) The Boston-Montreal seismic zone, which extends from Boston to northern Quebec, transverse to regional structures.
- 4) The South Carolina-Georgia seismic zone, which spans across the Piedmont and Coastal Plain provinces, cutting across regional structures.
- 5) The New Madrid seismic zone, which trends along the Mississippi River in the Mississippi embayment.





BIBLIOGRAPHY

- Bollinger, G.A., 1973, Seismicity and crustal uplift in the southeastern United States: *Am. Jour. Sci.*, v. 273-A, p. 396-408.
- Bonilla, M.G., and Buchanan, J.M., 1970, Interim report on worldwide historic surface faulting: U.S. Geol. Survey Open File Report, 32 p.
- Carr, M.S., 1950, The District of Columbia: its rocks and their geologic history: U.S. Geol. Survey Bull. 967, 59 p.
- Cederstrom, D.J., 1945, Geology and groundwater resources of the Coastal Plain in southeastern Virginia: Virginia Geol. Survey Bull. 63, 384 p.
- Coffman, J.L., and von Hake, C.A., editors, 1973, Earthquake history of the United States: Environmental Data Service, National Oceanic and Atmospheric Administration, U. S. Dept. of Commerce, Publication 41-1 (revised edition, through 1970), 208 p.
- Conley, J.F., and Drummond, K.M., 1965, Faulted alluvial and colluvial deposits along the Blue Ridge Front near Saluda, North Carolina: *Southeastern Geology*, v. 7, p. 35-39.
- Darton, N.H., 1939, Gravel and sand deposits of eastern Maryland: U.S. Geol. Survey Bull. 906-A, 42 p.
- Dryden, A.L., Jr., 1932, Faults and joints in the Coastal Plain of Maryland: *Jour. of the Washington Academy of Sciences*, v. 22, p. 469-472.
- Dutton, C.E., 1889, The Charleston earthquake of August 31, 1886: U.S. Geol. Survey Ann. Rept. 1887-1888, p. 203-528.
- Farrar, W., and McManamy, L., 1937, The geology of Stoddard County, Missouri: Missouri Geol. Survey and Water Resources Biennial Report 59, Appendix 6, 92 p.

- Fenneman, N.M., 1946, Physical Divisions of the United States [map]: U.S. Geol. Survey.
- Fisk, H.N., 1944, Geological investigation of the alluvial valley of the lower Mississippi River: Vicksburg, Mississippi, Mississippi River Commission, 78 p.
- Fletcher, J.P., Sbar, M.L., and Sykes, L.R., 1974, Seismic zones and travel time anomalies in eastern North America related to fracture zones active in the early opening of the Atlantic [abs.]: Trans. Am. Geophys. Union, v. 55, p. 447.
- Fox, F.L., 1970, Seismic geology of the eastern United States: Assoc. Eng. Geologists Bull., v. 7, p. 21-43.
- Fuller, M.L., 1912, The New Madrid earthquake: U.S. Geol. Survey Bull. 494, 119 p.
- Grohskopf, J.G., 1955, Subsurface geology of the Mississippi Embayment of southeast Missouri: Missouri Geol. Survey and Water Resources, v. 37, series 2, 133 p.
- Heyl, A.V., Brock, M.R., Jolly, J.L., and Wells, C.E., 1965, Regional structure of the southeast Missouri and Illinois-Kentucky mineral districts: U.S. Geol. Survey Bull. 1202-B, 20 p.
- Hudson, G.H., and Cushing, H.P., 1931, The dike invasions of the Champlain Valley, New York: New York State Museum Bull. 286, p. 81-117.
- Kehle, R.O., 1970, Earth movements: an increasing problem in the cities, in American Geological Institute Short Course Lecture Notes on Environmental Geology: Falls Church, Virginia, American Geological Institute, 78 p.
- Koch, L., 1929, Stratigraphy of Greenland: Meddeleser om Grønland, v. 73, pt. 2, p. 205-320.
- Lawson, A.C., 1911, On some postglacial faults near Banning, Ontario: Bull. Seism. Soc. Am., v. 1, p. 159-166.
- Le Pinchon, X., 1968, Sea-floor spreading and continental drift: J. Geophys. Res., v. 73, p. 3661-3697.
- Mateker, E.J., Jr., Tikrity, S., and Phelan, M., 1968, Earthquake epicenters and subsurface geology in the Mississippi Valley [abs.]: Trans. Am. Geophys. Union, v. 49, p. 290.
- Matson, G.C., 1905, Peridotite dikes near Ithaca, New York: Jour. Geology, v. 13, p. 264-275.
- Nelson, W.A., 1962, Geology and mineral resources of Albemarle County: Virginia Geol. Survey Bull. 77, 92 p.
- Oliver, J., Johnson, T., and Dorman, J., 1970, Postglacial faulting and seismicity in New York and Quebec: Canadian Jour. of Earth Sciences, v. 7, p. 579-590.

- Page, R.A., Molnar, P.H., and Oliver, J., 1968, Seismicity in the vicinity of the Ramapo fault, New Jersey - New York: Bull. Seism. Soc. Am., v. 58, p. 681-687.
- Pitman, W.C., III, and Talwani, M., 1972, Sea-floor spreading in the North Atlantic: Geol. Soc. America Bull., v. 83, p. 619-649.
- Reinemund, J.A., 1955, Geology of the Deep River Coal Field, North Carolina: U.S. Geol. Survey Prof. Paper 246, 159 p.
- Rhoades, R., and Mistler, A.J., 1941, Post-Appalachian faulting in western Kentucky: Am. Assoc. Petroleum Geologists Bull., v. 25, p. 2046-2056.
- Ries, H., Kummel, H.B., and Knapp, G.N., 1904, The clays and clay industry of New Jersey: New Jersey Geol. Survey, State Geologist's Final Report Series, v. 6, 548 p.
- Salisbury, R.D., and Knapp, G.N., 1917, The Quaternary formations of southern New Jersey: New Jersey Geol. Survey, State Geologist's Final Report Series, v. 8, 218 p.
- Sbar, M.L., Rynn, J.M.W., Gumper, F.J., and Lahr, J.C., 1970, An earthquake sequence and focal mechanism solution, Lake Hopatcong, northern New Jersey: Bull. Seism. Soc. Am., v. 60, p. 1231-1243.
- Sbar, M.L., and Sykes, L.R., 1973, Contemporary compressive stress and seismicity in eastern North America: an example of intra-plate tectonics: Geol. Soc. America Bull., v. 84, p. 1861-1882.
- Smith, W.E.T., 1962, Earthquakes of eastern Canada and adjacent areas, 1534-1927: Dominion Observatory Publications, v. 26, p. 271-301.
- Smith, W.E.T., 1966, Earthquakes of eastern Canada and adjacent areas, 1928-1959: Dominion Observatory Publications, v. 32, p. 87-121.
- Street, R.L., Herrman, R.B., and Nuttli, O.W., 1974, Earthquake mechanisms in central United States: Science, in press.
- Sykes, L.R., and Sbar, M.L., 1973, Intraplate earthquakes, lithospheric stresses, and the driving mechanism of plate tectonics: Nature, v. 245, p. 298-302.
- Thompson, Z., 1853, Appendix to Thompson's History of Vermont: Burlington, Vermont, Z. Thompson, 64 p.
- Vernon, R.O., 1951, Geology of Citrus and Levy Counties, Florida: Florida Geological Survey Bull. 33, 256 p.
- White, W.A., 1952, Post-Cretaceous faults in Virginia and North Carolina: Geol. Soc. America Bull., v. 63, p. 745-748.
- Wollard, G.P., 1958, Areas of tectonic activity in the United States as indicated by earthquakes epicenters: Transactions, American Geophysical Union, v. 39, p. 1135-1150.

Wollard, G.P., 1969, Tectonic activity in North America as indicated by earthquakes, in The earth's crust and upper mantle: Am. Geophys. Union Mon. 13, p. 125-133.

Zartman, R.E., Brock, M.R., Heyl, A.V., and Thomas, H.H., 1967, K-Ar and Rb-Sr ages of some alkalic intrusive rocks from central and eastern United States: Am. Jour. Sci., v. 265, p. 848-870.

Recent Vertical Crustal Movements in the Eastern United States as
Determined by Precise Leveling

Results of releveled in the eastern United States obtained from the National Geodetic Survey have been analyzed in order to define contemporary movements of the earth's crust and determine whether or not such movements are related to the intra-plate seismicity of this region. It is found that the differing physiographic regions can be distinguished on the basis of releveled-determined movements and that these differences may be reflected in the seismicity of these areas.

Figure 2 is an index map of the routes of leveling for which continuous relative velocity profiles have been derived, superimposed on the Tectonic Map of North America. The data for these lines are plotted in Figures 3a,b,c,d,e,f. The left ordinate of these plots represents the vertical velocity of apparent crustal movement relative to some reference velocity, here arbitrarily chosen for plotting convenience. It is the shape of the plot rather than the absolute velocities involved which is of consequence here. The right ordinate represents the absolute elevation with respect to present-day sea level at the point of velocity measurement. The abscissa represents distance along the leveling route from the first bench mark. The profiles in Figures 3a,b, and e (ref. Figure 2) which traverse the Coastal Plain province indicate a consistent oceanward tilt. The magnitude of this secular tilting (up to $5 \times 10^{-8} \text{ yr}^{-1}$) is 2 to 3 orders of magnitude larger than rates derived from sedimentation studies (Menard, 1961). Extrapolation of these rates over the past million

years would imply the existence of an Appalachian Highlands region several kilometers above sea level. It seems clear therefore, that these movements must be oscillatory with some period less than about 100,000 years. Routes which have been leveled more than twice suggest that the period of these oscillations may be on the order of tens of years.

A comparison of the EW profiles in Figures 3a and b, which transversely cross the Appalachian Highlands, with the EW profile in Figure 3c, which is entirely within the Coastal Plain, demonstrates clearly the relative uplift of the Appalachian Highlands with respect to its bounding provinces. As mentioned previously, these rates are several orders of magnitude larger than the average post-Jurassic rates. The pattern of vertical movement across the Appalachian Highlands defined in Figures 3a,b, and e appears to be one of alternate maxima and minima in the relative velocity (note vertical arrows). The similarity of movements in each profile invites correlation of these trends from profile to profile, thus implying a sequence of linear crests and troughs of relative velocity subparallel to the Appalachian orogenic trend. Such a pattern tends to parallel the Appalachian drainage divide and implies a present day tectonic system operating independently of the structural grain of the Appalachian orogenic trend (Figure 4). Such an interpretation is not unique, however, in that one may postulate an east-west shift in correlation of peaks to obtain the pattern shown in Figure 5, where relative velocity troughs are denoted by the short dotted lines and peaks by the solid lines. Such a correlation reflects the structural trend of the Appalachians. Also shown on Figure 5 is the seismicity of

the eastern United States (unpublished map, Isacks and Oliver, by permission). A strong correlation of vertical movements and seismicity is suggested, especially along the Appalachian trend and in eastern Ohio. The lack of seismicity between the regions may reflect the complex smaller magnitude movements indicated by leveling in these areas.

The interior lowlands region appears to be dominated in the north by an areally large eastward tilt of about $1-4 \times 10^{-8} \text{ yr}^{-1}$. To the south this pattern loses much of its consistency, indicating a more complex tectonic regime. The New Madrid seismic zone may be a correlated feature of such complexity.

Examination of the possible sources of error inherent in leveling has failed to reveal an error of sufficient magnitude to account for all of the apparent movements. The inconsistencies found between leveling results and water level data may reflect non-tectonic influences of water levels that have not been accounted for. It thus appears that leveling can provide a significant tool with which to develop a contemporary tectonic model for the eastern United States as well as other normally aseismic areas.




Figure 2. Index map of leveling routes for which data is plotted in Figures 3a-f. Base map is the Tectonic Map of North America.




Figure 3. Profiles of relative velocity. Error bars give estimates of the error of the velocity of the end point relative to the initial point. Relative errors for values in between are correspondingly smaller. Vertical arrows represent velocity peaks and troughs used for correlation purposes. Solid triangles mark the positions of the cities indicated in figure 2. Solid line represents absolute elevations along leveling route.

a) Davis Junction, Illinois to Atlantic City, New Jersey.




Figure 3b. Morristown, Tennessee to New Bern, North Carolina




Figure 3c. Shreveport, Louisiana to Savannah, Georgia.




Figure 3d. Davis Junction, Illinois to north of Memphis, Tennessee.

Reproduced from
best available copy.




Figure 3e. Willard, Ohio to north of Tallahassee, Florida.




Figure 3f. Norfolk, Virginia to Savannah Beach, Georgia.




Figure 4 Leveling defined features in eastern North America. Straight solid lines with squares represent offsets in leveling. Crossed arrows represent domal features. Dotted lines represent crests and troughs in relative velocities.




Figure 5. Velocity patterns defined by leveling superimposed upon seismicity map for eastern United States. Solid lines represent crests, dotted lines represent troughs.

BIBLIOGRAPHY

- Ahnert, Frank, 1970, Functional relationships between denudation, relief, and uplift in large mid-latitude drainage basins: *Am. Jour. Sci.*, v. 268, p. 243-263.
- Balazs, E. I., 1974, Vertical crustal movements on the middle Atlantic Coastal Plain as indicated by precise leveling: Paper presented at the 9th annual meeting of the Geol. Soc. America, 19 p.
- Beloussov, V. V., Reimer, G. I., Rudich, E. M., and Sholpo, V. M., 1974, Vertical movements of the earth's crust on the continents: *Geophys. Surveys*, v. 1, p. 245-273.
- Bendefy, L., 1966, A method for the elimination of the reference point and of the two different network-adjustments in investigations of recent crustal movements: *Annales Academiae Scientiarum Fennicae, Series A*, v. 90, p. 47-55.
- Berry, E. W., 1951, North Carolina, in Ball, M. W., Possible future petroleum provinces of North America: *Am. Assoc. Petrol. Geol.*, v. 35, p. 412-415.
- Bollinger, G. A., 1972, Historical and recent seismic activity in South Carolina: *Bull. Seism. Soc. Am.*, v. 62, p. 851-864.
- Bollinger, G. A., 1973, Seismicity and crustal uplift in the southeastern United States: *Am. Jour. Sci.*, v. 273-A, p. 395-408.
- Bomford, G., 1971, *Geodesy*, 3rd ed.: Clarendon Press, Oxford, 732 p.
- Castle, R. O., Alt, J. N., Savage, J. C., and Balazs, E. I., 1974, Elevation changes preceding the San Fernando earthquake of Feb. 9, 1973: *Geology*, v. 2, p. 61-66.
- Clark, R. H., and Persoage, N. P., 1970, Some implications of crustal movement in engineering planning: *Canadian Jour. of Earth Sciences*, v. 7, p. 628-623.
- Coffman, J. L., and von Hake, C. A., editors, 1973, *Earthquake history of the United States: Environmental Data Service, National Oceanic and Atmospheric Administration, U. S. Dept. of Commerce, Publication 41-1 (revised edition, through 1970)*, 208 p.
- Crittenden, M. Jr., 1963, New data on the isostatic deformation of Lake Bonneville: *U. S. Geol. Survey Prof. Paper 454-E*, 31p.

- Dutton, C. E., 1889, The Charleston earthquake of August 31, 1886: U.S. Geol. Survey Ann. Rept. 1887-88, p. 203-508.
- Fenneman, N. M., 1946, Physical divisions of the United States [map]: U. S. Geol. Survey.
- Fox, F. L., 1970, Seismic geology of the eastern United States: Assoc. Eng. Geologists Bull., v. 7, p. 21-43.
- Frost, N. H., and Lilly, J. E., 1966, Crustal movement in the Lake St. John Area, Quebec: Canadian Surveyor, v. 20, p. 292-299.
- Fuller, M. L., 1912, The New Madrid earthquake: U. S. Geol. Survey Bull. 494, 119p.
- Gabrysch, R. K., 1969, Land-surface subsidence in the Houston-Galveston region, Texas, in Subsidence: Proceedings of the Tokyo Symposium, September, 1969, IASH/AIHS-UNESCO, p. 43-54..
- Gale, L. A., 1970., Geodetic observations for the detection of vertical movement: Canadian Jour. Earth Sciences, v. 7, p. 602-606.
- Gutenberg, B., 1941, Changes in sea level, postglacial uplift, and mobility of the earth's interior: Geol. Soc. America Bull., v. 52, p. 721-772.
- Heinrich, R. R., 1941, A contribution to the seismic history of Missouri: Bull. Seism. Soc. Am., v.31, p. 187-224.
- Hicks, S. D., 1972a, On the classification and trends of long period sea level series: Shore and Beach, p. 20-23.
- Hicks, S. D., 1972b, Vertical crustal movements from sea level measurements along the east coast of the United States: J. Geophys. Res., v. 77, p. 5930-5934.
- Hicks, S. D., 1973, Trends and variability of yearly mean sea level, 1893-1971: NOAA Technical Memorandum NOS 12, 13 p.
- Higgins, C. G., 1965, Causes of relative sea-level changes: Am. Scientist, v. 53, p. 464-476.
- Holdahl, S. R., 1969, Geodetic evaluation of land subsidence in the central San Joaquin Valley of California: Paper presented at the Fall meeting of the American Geophysical Union, 1969, 21 p.

- Holdahl, S. R., 1973a, Vertical crustal movements- status of NGS investigations: Paper presented at GEOP-3 Research Conference, Vertical Crustal Movements and their Causes, 1973, 12p.
- Holdahl, S. R., 1973b, Elevation change along the Gulf coast as indicated by precise leveling and mareograph data: Preliminary report presented at the National Fall Meeting of the American Congress of Surveying and Mapping, Oct. 3, 1973, 23 p.
- Holdahl, S. R., 1974, Times and heights: Paper presented to the International Symposium on problems related to the redefinition of North American geodetic networks, Fredericton, New Brunswick, May 20-25, 1974, 19 p.
- Holdahl, S.F., & Morrison, N.L., 1973. Regional investigation of vertical crustal movements in the U.S. using precise relevelings and mareograph data: Paper presented at the Symposium on recent crustal movements and associated seismic and Volcanic activity, Bandung, Indonesia, 1973, 24 p.
- Hytonen, E., 1967, Measuring of the refraction in the second levelling of Finland: Suomen Geodeettisen Laitoksen julkaisu no. 63, 22 p.
- Kaariainen, E., 1953, On the recent uplift of the earth's crust in Finland: Suomen Geodeettisen Laitoksen julkaisu no.42, 106 p.
- Kaariainen, E., 1966, The second levelling of Finland in 1935-1955: Suomen Geodeettisen Laitoksen julkaisu no. 62, 313 p.
- Karcz, I., and Kafri, U., 1971, Brief report: Geodetic evidence of possible recent crustal movements in the Negev, southern Israel: J. Geophys. Res., v. 76, p. 8056-8065.
- Karcz, I., Kafri, U., 1973, Recent vertical crustal movements between the Dead Sea rift and the Mediterranean: Nature, v. 242, p. 42-44.
- Kasahara, K., 1973, Earthquake fault studies in Japan: Phil Trans. R. Soc. Lond., v. 274, p. 287-296.
- Kaye, C. A. and Stuckey, G. W., 1973, Nodal tidal curves of the east coast of the United States and its value in explaining long-term sea-level changes: Geology, v. 1, p. 141-144.

- Kehle, R. O., 1970, Earth movements: an increasing problem in the cities, in Environmental Geology: Am. Geol. Institute Short Course Lecture Notes, 78 p.
- King, P. B., 1969, Tectonic map of North America: U. S. Geol. Survey.
- Kukkamaki, T. J., 1938, Über die nivellitische refraction: Suomen Geodeettisen Laitoksen julkaisu no. 25, 48 p.
- Kukkamaki, T. J., 1939, Formeln und tabellen zur berechnung der nivellitischen refraction: Suomen Geodeettisen Laitoksen julkaisu no. 27, 18 p.
- Kukkamaki, T. J., 1955, The land uplift in Finland determined with two levelings as well as with water level observations: Bull. Geodesique, no. 36, p. 18-20.
- Lilienberg, D. A., and Setunskaya, L. E., 1969, Methods and some results of geological-geomorphological inspections of signs of repeated levelling, in Problems of recent crustal movements: 3rd International Symposium, Leningrad, 1968,
- Longwell, C. R., 1960, Interpretation of the leveling data: U. S. Geol. Survey Prof. Paper 295, p. 33-38.
- Louisiana Geological Survey, 1973, Oil and gas map of Louisiana.
- McGinnis, L. D., 1963, Earthquakes and crustal movement as related to the water load in the Mississippi Valley region: Illinois State Geol. Survey Cir. 344, 20 p.
- Meade, B. K., 1971, Report of the Sub-Commission on Recent Crustal Movements in North America: Presented at the XV General Assemble of IUGG, International Assoc. of Geodesy, Moscow, USSR, 1971., 19 p.
- Menard, H. W., 1961, Some rates of regional erosion: Jour. Geol., v. 69, p. 154-161.
- Meyerhoff, H. A., 1972, Postorogenic development of the Appalachians, Geol. Soc. Am. Bull., v. 83, p. 1709-1728.
- Moore, S., 1948, Crustal movement in the Great Lakes area: Geol. Soc. Am. Bull., v. 50, p. 697-710.

- Murray, G. E., 1961, Geology of the Atlantic and Gulf Coastal province of North America: Harper and Brothers, New York, 692 p.
- Myers, W.B., and Hamilton, W., 1964, Deformation accompanying the Hegben Lake earthquake of August 17, 1959, U.S. Geol. Survey Prof. Paper 435, p. 55-98.
- Owens, J. P., 1970, Post-Triassic movements in the central and southern Appalachians as recorded in the sediments of the Atlantic Coastal Plain, in Fisher, G. W., Pettijohn, F. J., Reed, J. C., Jr., and Weaver, K. N., editors, Studies of Appalachian geology: central and southern: Interscience, New York, p. 417-427.
- Prouty, W. F., 1946, Atlantic Coastal Plain and continental slope: Am. Assoc. Petroleum Geologists, v. 30, p. 1917-1920.
- Rappleye, H. S., 1948, Manual of geodetic leveling: U. S. Coast and Geodetic Survey special publ. 239, 94 p.
- Savage, J. C., and Church, J. P., 1974, Evidence for post-earthquake slip in the Fairview Peak, Dixie Valley, and Rainbow Mountain fault areas of Nevada: Bull. Seism. Soc. Am., v. 64, p. 687-698.
- Sbar, M. L., and Sykes, L. R., 1973, Contemporary compressive stress and seismicity in eastern North America: an example of intra-plate tectonics: Geol. Soc. Am. Bull., v. 84, p. 1861-1882.
- Schumm, S. A., 1963, The disparity between present rates of denudation and orogeny: U. S. Geol. Survey Prof. Paper 454-H, 13 p.
- Simonsen, O., 1966, Is the leveling datum for a continental leveling network so stable that it would permit the determination of secular movements as accurate as modern precise levelings may be observed: Bull. Geodesique, no. 79, p. 39-68.
- Sleigh, R. W., Worrall, C.C. and Shaw, G. H. L., 1969, Crustal deformation resulting from the imposition of a large mass of water: Bull. Geodesique, no. 93, p. 245-254.
- Small, J. B., and Wharton, L. C., 1969, Vertical displacements determined by surveys after the Alaskan earthquake of March 1964, in The Prince William Sound, Alaska, earthquake of 1964 and aftershocks: U. S. Coast and Geodetic Survey Publ. 10-3, v. 3, p. 21-33.

Thornbury, W. D., 1965, Regional geomorphology of the United States: John Wiley and Sons, New York, 609 p.

Thurm, H., 1971, Some systematic errors of precision levelling: Jena Review, v. 3, p. 172-176.

U. S. Coast and Geodetic Survey, 1961, Control leveling: U.S. Department of Commerce Special Publ. 226, 20 p.

Uspenskij, M. S., 1961, An investigation into the stability of marks: Bull. Geodesique, no. 67, p. 311-314.

Vanicek, P. and Hamilton, A. C., 1972, Further analysis of vertical crustal movement observations in the Lac St. Jean area, Quebec: Canadian Jour. Earth Sciences, v. 9, p. 1139-1147.

Walcott, R. I., 1972, Late Quaternary vertical movements in eastern North America: quantitative evidence of glacio-isostatic rebound: Reviews Geophys. Space Physics, v. 10, p. 849-884.

Werner, A. P. H., 1970, The measurement of settlement of structures by precise leveling: Fourth South African National Survey Conference Proceedings. 42 p.