

AD-A009 890

AVERAGE P AND PKP CODAS FOR EARTHQUAKES
(103 DEGREES - 118 DEGREES)

E. I. Sweetser, et al

Teledyne Geotech

Prepared for:

Air Force Technical Applications Center
Advanced Research Projects Agency

10 June 1974

DISTRIBUTED BY:

NTIS

National Technical Information Service
U. S. DEPARTMENT OF COMMERCE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1 REPORT NUMBER SDAC-TR-73-10	2 GOVT ACCESSION NO	3 RECIPIENT'S CATALOG NUMBER AD-4009 890
4 TITLE (and Subtitle) AVERAGE P AND PKP CODAS FOR EARTHQUAKES (103° - 118°)		5 TYPE OF REPORT & PERIOD COVERED Technical
7 AUTHOR(s) Sweetser, E. I. and Cohen, T. J.		6 PERFORMING ORG REPORT NUMBER
9 PERFORMING ORGANIZATION NAME AND ADDRESS Teledyne Geotech 314 Montgomery Street Alexandria, Virginia 22314		8 CONTRACT OR GRANT NUMBER(s) F08606-74-C-0006
11 CONTROLLING OFFICE NAME AND ADDRESS Defense Advanced Research Projects Agency Nuclear Monitoring Research Office 1400 Wilson Blvd.-Arlington, Va. 22209		10 PROGRAM ELEMENT PROJECT TASK AREA & WORK UNIT NUMBERS
14 MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) VELA Seismological Center 312 Montgomery Street Alexandria, Virginia		12 REPORT DATE 10 June 1974
		13 NUMBER OF PAGES 46
		15 SECURITY CLASS. (of this report) Unclassified
		15a DECLASSIFICATION DOWNGRADING SCHEDULE
16 DISTRIBUTION STATEMENT (of this Report) APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.		
17 DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18 SUPPLEMENTARY NOTES		
19 KEY WORDS (Continue on reverse side if necessary and identify by block number) Earthquake Coda Coda Decay Characteristics P-Coda Coda Prediction PKP-Coda		
20 ABSTRACT (Continue on reverse side if necessary and identify by block number) An analysis of seismograms of 26 small events ($m_b \leq 5.8$) recorded at a world-wide network of 10 stations, and of 26 large events (m_b , M_s , or secondary $m_b \geq 7.0$) recorded at a world-wide network of 16 stations, yielded an estimate of the coda decay characteristics for events in the distance interval 103-118°. For times greater than the arrival time for the PP phase, large event codas are about 0.11 m_b units greater than small event codas at corresponding times into the codas. This supports the hypothesis that large events are multiple		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
US Department of Commerce
Springfield, VA 22151

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

PRICES SUBJECT TO CHANGE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

events, and the period of source activity is estimated to be 1 to 2 minutes. Two sets of average coda decay curves, one each for large and small events, are given for the following distance intervals: 103-105°, 105-110°, 110-115°, and 115-118°.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

1a

AVERAGE P AND PKP CODAS FOR EARTHQUAKES (103° - 118°)

SEISMIC DATA ANALYSIS CENTER REPORT NO.: SDAC-TR-73-10

AFTAC Project No.: VELA VT/4709
Project Title: Seismic Data Analysis Center
ARPA Order No.: 1620
ARPA Program Code No.: 3F10

Name of Contractor: TELEDYNE GEOTECH

Contract No.: F08606-74-C-0006
Date of Contract: 01 July 1973
Amount of Contract: \$2,152,172
Contract Expiration Date: 30 June 1974
Project Manager: Royal A. Hartenberger
(703) 836-3882

P. O. Box 334, Alexandria, Virginia 22314

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

ABSTRACT

An analysis of seismograms of 26 small events ($m_b \leq 5.8$) recorded at a world-wide network of 10 stations, and of 26 large events (m_b , M_s , or secondary $m_b \geq 7.0$) recorded at a world-wide network of 16 stations, yielded an estimate of the coda decay characteristics for events in the distance interval $103-118^\circ$. For times greater than the arrival time for the PP phase, large event codas are about $0.11 m_b$ units greater than small event codas at corresponding times into the codas. This supports the hypothesis that large events are multiple events, and the period of source activity is estimated to be 1 to 2 minutes. Two sets of average coda decay curves, one each for large and small events, are given for the following distance intervals: $103-105^\circ$, $105-110^\circ$, $110-115^\circ$, and $115-118^\circ$.

TABLE OF CONTENTS

	Page
ABSTRACT	
INTRODUCTION	1
ANALYSIS TECHNIQUES	2
RESULTS	5
Coda Characteristics as a Function of Magnitude	5
Average Coda Determinations	16
CONCLUSIONS	22
REFERENCES	23
APPENDICES	

LIST OF FIGURES

Figure No.	Title	Page
1	"B" Factor versus distance curves from ISC event data (90°-180°) after Sweetser and Blandford, 1973.	18
2	Comparison of large-event and small-event codas, 103°-105° distance, with the large-event coda shifted 1 minute earlier relative to the small-event coda.	19
3	Comparison of large-event and small-event codas, 105°-110° distance, with the large-event coda shifted 1 minute earlier relative to the small-event coda.	20
4	Comparison of large-event and small-event codas, 115°-118° distance, with the large-event coda shifted 2 minutes earlier relative to the small-event coda.	21

LIST OF TABLES

Table No.	Title	Page
I	P-Coda Distance Intervals	3
II	PKP-Coda Distance Intervals	4
III	Large Event Information, 103-118° Distance (Listed by Event)	6
IV	Large Event Information, 103-118° Distance (Listed by Distance Interval)	7
V	Station Information - Large Events	8
VI	Small Event Information, 103-118° Distance (Listed by Event)	9
VII	Small Event Information, 103-118° Distance (Listed by Distance Interval)	10
VIII	Station Information - Small Events	11
IX	Coda Difference Analysis	14
X	Coda Difference Analysis	15
XI	Coda Difference Analysis (Observations for PP and later phases)	17

INTRODUCTION

The coda analyses presented in this report complement our previous studies of P and PKP codas for earthquakes (Cohen et al., 1972; Sweetser et al., 1973), and specifically detail coda characteristics in the distance interval 103 to 118°. Earlier studies performed using seismograms recorded at a network of Worldwide Standard Seismograph Stations (WWSSS) did not adequately define coda characteristics in this interval, especially for small events ($M_b \leq 5.8$) recorded at distances where P_{diff} is the first arrival. Because coda determinations are often used to determine how often signals from one event are masked in the coda of another event, it is necessary to have a complete set of coda observations with which to predict coda for a specified event. The purpose of this report, then, is to augment our present coda observations (Sweetser et al., 1973) with information on large- and small-event coda characteristics in the distance interval 103 to 118°.

ANALYSIS TECHNIQUES

The methods used to determine coda decay characteristics, and to determine quantitatively the difference in coda levels for large and small events, are described by Sweetser et al. (1973). Because coda characteristics are determined primarily by the arrival times and relative amplitudes of significant secondary phases, events are grouped by the distance intervals given in Tables I and II.

TABLE I
P-Coda Distance Intervals

1.	0	-	5°	
2.	5	-	10°	
3.	10	-	14°	
4.	14	-	16°	
5.	16	-	21°	
6.	21	-	22°	
7.	22	-	24°	
8.	24	-	26°	
9.	26	-	29°	
10.	29	-	31°	
11.	31	-	42°	
12.	42	-	53°	
13.	53	-	56°	
14.	56	-	59°	
15.	59	-	63°	
16.	63	-	67°	
17.	67	-	72°	
18.	72	-	79°	
19.	79	-	84°	
20.	84	-	98°	
21.	98	-	103°	
22.	103	-	105°	] This Report
23.	105	-	110°	

TABLE II

PKP-Coda Distance Intervals

1.	110 - 115°	} This Report
2.	115 - 118°	
3.	118 - 127°	
4.	127 - 136°	
5.	136 - 140°	
6.	140 - 145°	
7.	145 - 155°	
8.	155 - 166°	
9.	166 - 180°	

RESULTS

Coda Characteristics as a Function of Magnitude

Using data in the distance interval $103-118^\circ$, we first determine if any difference exists between the relative coda amplitudes for large and small events. That is, we seek the dependence of coda characteristics on event magnitude. In earlier work (Sweetser et al., 1973) we divided the earthquake population into two sets based on event magnitude. We defined a "large event" as one having an NOS m_b , NOS M_s , or secondary m_b (at an observatory such as Pasadena or Berkeley) of 7.0 or larger. On the other hand a "small event" was defined as having $m_b \leq 5.8$. The same definitions are used here, and thus the events shown in Tables III and IV constitute the large event population while the events shown in Tables VI and VII constitute the small event population. Note that the data consists of seismograms for events recorded at Worldwide Standard Seismograph Stations (WWSSS) and observatory station TFO (Cohen et al., 1972; Sweetser et al., 1973), in addition to seismograms for events recorded at observatory stations CPO, LAO, TFO, UBO and WMO, the Large Aperture Seismic Array (LASA) and the Long-Range Seismic Measurement (LRSM) station KN-UT. To avoid biasing our results with path effects, the record for only one North American station is used for any given event in any given distance interval. Station information for both large and small events is given in Tables V and VIII. We assume that noise and station effects are of secondary importance in controlling coda characteristics, and as such, that it is not necessary to use a common set of station in our analyses. Station effects will be the subject of future investigations.

Grouping the data by distance interval, the large- and small-event codas were analyzed to yield average coda determinations and 95% confidence intervals for the average coda determinations (Appendix I). The codas analyzed were each required to have 8 or more coda observations.

To determine quantitatively the difference in coda levels for the two sets of determinations, the average difference for each distance interval and an associated t-statistic for this difference were computed as follows:

TABLE III
Large Event Information 103-118° Distance
(Listed by Event)

DATE	ORIGIN TIME (UTC)	LATITUDE (degrees)	LONGITUDE (degrees)	DEPTH (km)	MOS S	MOS S	SEC S	SEC S	AREA LOCATION	AGE	CRC	COL	COP	CPO	ISI	ROM	LAO	MAL	MAT	PAL	PAR	SAT	TLO	UBO	WBO
09 Jul 64	07:22:11.7	10.34	100.40	100	6.3			(7.25-7.5 PAS) (7.25-7.5 PAS) (6.75-7.5 PAS)	Mexico						104.9°										
17 Nov 64	20:15:30.3	5.75	150.71	65	6.7			(7.5-7.75 PAS) (7.5-7.5 PAS)	New Britain Mindanao						117.3°										
14 Mar 65	15:53:04.6	36.36	70.71	219	6.4			(7.5-7.75 PAS) (7.5-7.5 PAS)	Mexico						104.9°										
28 Mar 65	16:53:14.6	32.65	71.20	61	6.4			(7.25-7.5 PAS) (7.25-7.5 PAS)	Near Coast Central Chile	10.2°	103.5°				117.6°	113.3°									
29 Apr 65	15:20:43.3	47.46	122.40	57	6.5			(6.5-7.0 PAS) (6.5-7.0 PAS)	Washington, U. S.																
23 Aug 65	19:40:02.9	16.36	95.80	28	6.7			(7.5-7.75 PAS) (7.25-7.5 PAS)	Mexico																
21 Dec 67	02:25:21.6	21.85	70.38	31	6.3			(7.0-7.5 PAS) (7.0-7.5 PAS)	Near Coast of Northern Chile	117.2°					110.4°	103.5°									
28 Mar 68	13:27:18.7	2.95	139.38	65	6.1			(7.0-7.5 PAS) (7.0-7.5 PAS)	New G.																
01 Aug 68	20:17:31.9	16.36	121.22	37	5.9	7.3		(7.5-7.5 PAS)	Lucan, Philippines																
14 Aug 68	22:14:19.4	9.28	179.41	25	6.0	7.4		(7.5-7.5 PAS)	Yamun, China																
4 Jan 70	17:00:40.2	24.38	02.38	31	5.9	7.5		(7.5-7.5 PAS)	South of Bermuda Islands																
8 Jan 70	17:12:19.1	34.75	170.65	179	6.1			(7.5-7.5 PAS)	Mindanao, Philippines																
10 Jan 70	12:07:00.6	6.40	126.78	73	6.1			(7.5-7.5 PAS)	Turkey																
28 Mar 70	21:02:23.4	39.28	29.58	29	6.0	7.1		(7.5-7.5 PAS)	Lucan, Philippines																
12 Apr 70	05:34:03.8	15.80	121.76	37	6.4	7.5		(7.5-7.5 PAS)	Lucan, Philippines																
12 Apr 70	05:34:03.8	15.80	121.76	37	6.4	7.5		(7.5-7.5 PAS)	Lucan, Philippines																
29 May 70	14:01:52.8	14.58	142.12	14	5.9	7.0		(7.5-7.5 PAS)	Near Coast of Chiapas Mexico																
11 Aug 70	10:22:20.0	14.15	166.51	33	6.3	7.0		(7.5-7.5 PAS)	New Hebrides																
31 Oct 70	17:53:09.3	4.85	145.58	42	6.3	7.0		(7.5-7.5 PAS)	New Guinea																
02 Dec 70	15:58:19.9	11.93	163.51	33	5.8	7.0		(7.5-7.5 PAS)	Solomon Islands																
10 Jan 71	07:17:03.7	3.15	139.71	33	7.1	8.1		(7.5-7.5 PAS)	New Guinea																
08 Feb 71	21:04:21.8	63.55	61.48	33	6.3	7.0		(7.5-7.5 PAS)	South of Central Chile																
09 Jul 71	05:03:18.7	32.55	71.20	38	6.6			(7.5-7.5 PAS)	South of Central Chile																
14 Jul 71	08:11:29.1	5.55	153.98	47	5.8	7.1		(7.5-7.5 PAS)	New Ireland																
19 Jul 71	00:14:45.5	5.75	153.81	42	5.8	7.1		(7.5-7.5 PAS)	New Ireland																
21 Nov 71	05:57:11.9	11.85	166.58	115	6.4			(7.5-7.5 PAS)	Santa Cruz Islands																

ATH: Athens, Greece
BND: Bonn, Germany
PAL: Palmdale, California
PAS: Pasadena, California

TABLE IV
Large Event Formation, 103-118° Distance
(Listed by Distance Interval)

DATE	ORIGIN TIME Hr Min Sec	LATITUDE (Degrees)	LONGITUDE (Degrees)	DEPTH (km)	NOS	STATION	DISTANCE	SOURCE REGION
103-105°								
** 6 Jul 64	07:22:11.7	18.3N	100.4W	100	6.3	IST	104.5°	Mexico
14 Mar 65	15:53:06.6	36.3N	70.7E	219	6.6	CPO	104.9°	Hindu Kush
**29 Apr 65	15:28:43.3	47.4N	122.4W	57	6.5	SHI	103.0°	Washington, U. S.
**21 Dec 67	02:25:21.6	21.8S	70.0W	33	6.3	KON	103.5°	Near Coast of Northern Chile
1 Aug 68	20:19:21.9	16.5N	122.2E	37	5.9	LAO	103.4°	Luzon, Philippines
* 8 Jan 70	17:12:39.1	34.7S	178.6E	179	6.1	COL	103.0°	South of Kermadec Islands
* 31 Oct 70	17:53:09.3	4.9S	145.5E	42	6.0	TFO	103.7°	New Guinea
* 14 Jul 71	00:11:29.1	5.5S	153.9E	47	-	SHI	103.0°	New Ireland
* 19 Jul 71	00:14:45.3	5.7S	153.8E	42	5.8	SHI	103.0°	New Ireland
105-110°								
**28 Mar 65	16:33:14.6	32.4S	71.2W	61	6.4	ADE	107.2°	Near Coast of Central Chile
**28 Mar 65	16:33:14.6	32.4S	71.2W	61	6.4	CMC	105.3°	Near Coast of Central Chile
**23 Aug 65	19:46:02.9	16.3N	95.8W	28	6.7	MAT	106.7°	Mexico
28 May 68	13:27:18.7	2.9S	139.3E	65	6.1	TFO	107.6°	New Guinea
1 Aug 68	20:19:21.9	16.5N	122.2E	37	5.9	UBO	105.7°	Luzon, Philippines
* 7 Apr 70	05:34:05.6	15.8N	121.7E	37	6.4	TFO	109.2°	Luzon, Philippines
* 12 Apr 70	04:01:44.0	15.1N	122.1E	24	5.9	TFO	109.3°	Luzon, Philippines
* 10 Jan 71	07:17:03.7	3.1S	139.7E	33	7.3	TFO	107.4°	New Guinea
* 8 Feb 71	21:04:21.8	63.5S	61.2W	33	6.3	TFO	105.4°	South Shetland Islands
110-115°								
**28 Mar 65	16:33:14.6	32.4S	71.2W	61	6.4	KON	113.1°	Near Coast of Central Chile
**21 Dec 67	02:25:21.6	21.8S	70.0W	33	6.3	IST	110.6°	Near Coast of Northern Chile
* 4 Jan 70	17:00:40.2	24.1N	102.5E	31	5.9	TFO	113.5°	Yunan, China
* 8 Jan 70	17:12:39.1	34.7S	178.6E	179	6.1	PRE	113.5°	South of Kermadec Islands
* 10 Jan 70	12:07:08.6	6.8N	126.7E	73	6.1	TFO	111.7°	Mindanao, Philippines
* 29 Apr 70	14:01:32.8	14.5N	92.6W	33	5.8	MAT	110.1°	Near Coast of Chiapas, Mexico
* 2 Dec 70	15:54:19.9	11.0S	163.3E	37	5.8	SHI	113.3°	Solomon Islands
* 10 Jan 71	07:17:03.7	3.1S	139.7E	33	7.3	COP	112.7°	New Guinea
* 9 Jul 71	03:03:18.7	32.5S	71.2W	54	6.6	COP	112.9°	Near Coast of Central Chile
115-118°								
**17 Nov 64	08:15:39.3	5.7S	150.7E	45	6.7	IST	117.3°	New Britain
**28 Mar 65	16:33:14.6	32.4S	71.2W	61	6.4	IST	117.6°	Near Coast of Central Chile
**21 Dec 67	02:25:21.6	21.8S	70.0W	33	6.3	ADE	117.2°	Near Coast of Northern Chile
28 May 68	13:27:18.7	2.9S	139.3E	65	6.1	WMO	117.7°	New Guinea
1 Aug 68	20:19:21.9	16.5N	122.2E	37	5.9	WMO	115.8°	Luzon, Philippines
**14 Aug 68	22:14:19.4	0.2N	119.8E	23	6.0	MAL	116.7°	Celebes
* 28 Mar 70	21:02:23.4	39.2N	29.5E	20	6.0	PEL	117.3°	Turkey
* 11 Aug 70	10:22:20.0	14.1S	166.7E	33	6.2	SHI	117.7°	New Hebrides
* 21 Nov 71	05:57:11.9	11.8S	166.6E	115	6.4	SHI	116.5°	Santa Cruz Islands

* Arrivals from Sweetser et al. (1973)

** Arrivals from Cohen et al. (1972)

TABLE V

Station Information - Large Events

STATION	LOCATION	LATITUDE		LONGITUDE		ELEVATION Meters
		(Deg	Min Sec)	(Deg	Min Sec)	
ADE	Adelaide, Australia	34	58 01S	138	42 32E	655
CMC	Copper Mine, N.W.T., Canada	67	50 00N	115	05 00W	51
COL	College Outpost, Alaska	64	54 00N	147	47 30W	520
COP	Copenhagen, Denmark	55	41 00N	12	26 00E	13
CPO	Cumberland Plateau, Tennessee	35	35 41N	85	34 14W	574
IST	Istanbul, Turkey	41	02 44N	28	59 45E	50
KON	Kongsberg, Norway	59	38 57N	9	37 55E	200
LAO	LASA Array Center, Montana	46	41 19N	106	13 20W	744
MAL	Malaga, Spain	36	43 39N	4	24 40W	60
MAT	Matsushiro, Honshu, Japan	36	32 30N	138	12 32E	440
PEL	Peldehue, Chile	33	08 37S	70	41 07W	690
PRE	Pretoria, South Africa	25	45 12S	28	11 24E	1333
SHI	Shiraz, Iran	29	38 18N	52	31 12E	1596
TFO	Tonto Forest, Arizona	34	16 04N	111	16 13W	1609
UBO	Uinta Basin, Utah	40	19 18N	109	34 07W	1596
WMO	Wichita Mountain, Oklahoma	34	43 05N	98	35 21W	505

TABLE VI
Small Event Information, 103-118° Distance
(Listed by Event)

DATE	ORIGIN TIME hr min sec	LATITUDE (Degrees)	LONGITUDE (Degrees)	DEPTH (km)	NOS N	NOS S	SEC M	SEC S	SEC SOURCE	AREA LOCATION	AUE	CPD	ABL	EN-UT	LAO	LEZ	NDI	TPO	UBO	END
17 Mar 63	06:09:18.2	15.7N	120.1E	80	5.5					Luzon, Philippines										
20 Mar 64	06:01:14.6	2.7S	139.3E	61	5.8					New Guinea									107.5°	107.0°
10 Aug 66	05:01:09.4	20.1S	175.30	96	5.8					Fiji Islands							114.3°		107.0°	117.6°
28 Aug 66	07:29:14.7	35.8S	178.5E	94	5.8					Off Northern New Zealand		114.0°				106.0°				
11 Jan 67	11:20:45.7	36.1N	45.7E	34	5.6					Iran-Iraq Border	110.8°									104.4°
25 Feb 67	11:20:50.1	0.1S	123.9E	92	5.8					Celebes					116.1°					
25 Feb 67	11:38:44.4	0.2S	123.9E	86	5.6					Celebes					116.2°					
20 Apr 67	00:01:26.8	5.5S	129.7E	181	5.7					Banda Sea								116.3°		
1 Nov 67	18:50:54.4	4.8S	135.7E	14	5.8			5.8 - 6.2 BKA		New Guinea					112.5°					
13 Feb 68	02:12:31.5	5.3S	131.1E	67	5.8					Banda Sea			112.1°		116.0°					
26 Jan 68	15:40:31.1	22.2S	171.4E	90	5.6					Loyalty Islands				109.7°						
24 Oct 68	15:51:18.5	5.9N	127.0E	70	5.4					Halmahera									103.3°	111.1°
7 Dec 68	04:57:49.0	3.4S	145.9E	15	5.3	6.5	6.20	PAS		New Guinea										
31 Jan 69	00:44:13.5	4.2N	128.1E	33	5.7	6.5	6.80	PAS		Halmahera										
17 Feb 69	00:42:59.2	3.4S	128.4E	14	5.6	6.5	6.50	PAS		Halmahera										
20 Feb 69	09:55:35.8	3.5N	128.2E	33	5.7	6.4	6.50	PAS		Halmahera					110.7°					
24 Feb 69	00:08:45.6	6.2S	131.0E	38	5.8	5.9				Tanibar Island					116.5°					
15 Apr 70	13:14:21.4	15.1N	122.7E	12	5.7	6.0	6.80	PAS		Luzon, Philippines									109.0°	
12 Jun 70	08:06:16.6	2.9S	139.1E	32	5.7	6.1	6.40	PAS		Luzon, Philippines									107.8°	
30 Jul 70	00:52:13.5	17.8N	55.9E	19	5.7	6.6	6.7N	BKA		Iran-USSR Border									107.1°	
23 Mar 71	09:32:12.5	41.5N	78.3E	33	5.7		6.80	IPP		Kirgiz-Soviet Border									102.8°	
1 Jul 71	01:16:16.8	6.4S	130.1E	133	5.8					Banda Sea						111.9°				
26 Sep 71	16:35:04.7	0.1S	124.9E	71	5.8					Solucca Sea									117.4°	
18 Jan 72	21:15:15.5	4.8S	145.0E	33	5.7	6.6	6.70	BKA		New Guinea					106.3°				104.0°	
19 Jan 72	15:00:54.2	4.7S	145.0E	33	5.8	6.4	6.50	PAS		New Guinea									104.0°	
22 May 72	06:54:00.1	16.4N	122.1E	34	5.7	6.9	6.70	PAS		Luzon, Philippines					103.3°				108.1°	

TABLE VII

Small-Event Information, 103-118° Distance
(Listed by Distance Interval)

DATE	ORIGIN TIME Hr Min Sec	LATITUDE (Degrees)	LONGITUDE (Degrees)	DEPTH (km)	NOS m_b	STATION	DISTANCE	SOURCE REGION
103-105°								
28 Aug 66	07:29:34.7	35.8S	178.5E	94	5.8	MMO	104.4°	Off Northern New Zealand
7 Dec 68	04:57:49.0	3.4S	145.9E	15	5.3	UBO	103.3°	New Guinea
23 Mar 71	09:52:12.3	41.5N	79.3E	33	5.7	TFO	103.8°	Kirgiz-Sinkiana Border
18 Jan 72	21:45:15.5	4.8S	145.0E	33	5.7	TFO	104.0°	New Guinea
19 Jan 72	15:00:54.2	4.7S	145.0E	33	5.9	TFO	104.0°	New Guinea
22 May 72	06:04:00.1	16.6N	122.3E	34	5.7	LAO	103.3°	Luzon, Philippines
105-110°								
17 May 63	05:09:18.2	15.7N	120.1E	80	5.5	UBO	107.5°	Luzon, Philippines
20 May 64	06:01:14.8	2.7S	139.3E	61	5.8	UBO	107.8°	New Guinea
24 Oct 68	15:51:18.5	5.9N	127.0E	70	5.4	KN-UT	109.7°	Halmahera
15 Apr 70	13:14:21.4	15.1N	122.7E	12	5.7	TFO	109.5°	Luzon, Philippines
12 Jun 70	08:06:16.6	2.9S	139.1E	32	5.7	TFO	107.8°	Luzon, Philippines
30 Jul 70	00:52:19.5	37.8N	55.9E	19	5.7	TFO	107.1°	Iran-USSR Border
18 Jan 72	21:15:15.5	4.8S	145.0E	33	5.7	LAO	106.3°	New Guinea
22 May 72	06:04:00.1	16.6N	122.3E	34	5.7	TFO	108.1°	Luzon, Philippines
110-113°								
10 Aug 66	05:01:09.4	20.1S	175.3W	96	5.8	NDI	114.3°	Fiji Islands
28 Aug 66	07:29:34.7	35.8S	178.5E	94	5.8	CPO	114.0°	Off Northern New Zealand
11 Jan 67	11:20:45.7	34.1N	45.7E	34	5.6	ADE	110.8°	Iran-Iraq Border
1 Nov 67	18:56:54.8	4.8S	135.7E	14	5.8	LAO	112.5°	New Guinea
26 Jun 68	15:40:31.1	22.2S	171.4E	90	5.6	KBE	112.1°	Loyalty Islands
31 Jan 69	00:44:13.3	4.2N	128.1E	33	5.7	UBO	111.1°	Halmahera
17 Feb 69	00:42:59.2	3.8N	128.4E	14	5.6	TFO	112.0°	Halmahera
20 Feb 69	09:55:33.8	3.5N	128.2E	33	5.7	LAO	110.7°	Halmahera
115-118°								
20 May 64	06:01:14.8	2.7S	139.3E	61	5.8	MMO	117.6°	New Guinea
25 Feb 67	11:20:50.1	0.1S	123.9E	92	5.8	LAO	116.1°	Celebes
25 Feb 67	11:33:44.4	0.2S	123.9E	86	5.6	LAO	116.2°	Celebes
20 Apr 67	00:01:26.8	5.5S	129.7E	181	5.7	TFO	116.9°	Banda Sea
13 Feb 68	02:12:31.5	5.5S	131.1E	67	5.8	LAO	116.0°	Banda Sea
24 Feb 69	00:08:45.6	6.2S	131.0E	38	5.8	LAO	116.5°	Taninbar Island
1 Jul 71	01:16:16.8	6.4S	130.3E	133	5.8	EF2	117.9°	Banda Sea
26 Sep 71	16:33:04.7	0.1S	124.9E	71	5.8	TFO	117.4°	Molucca Sea

• Arrivals from Sweetser et al. (1973)

TABLE VIII

Station Information - Small Events

STATION	LOCATION	LATITUDE			LONGITUDE			ELEVATION Meters
		(Deg)	Min	Sec)	(Deg	Min	Sec)	
ADE	Adelaide, Australia	34	58	01S	138	42	32E	655
CPO	Cumberland Plateau, Tennessee	35	35	41N	85	34	14W	574
KBL	Kabul, Afghanistan	34	34	00N	69	06	24E	1980
KN-UT	Kanab, Utah	37	01	22N	112	49	39W	1737
LAO	LASA Array Center, Montana	46	41	19N	106	13	20W	744
LF2	LASA Array F-Ring (2), Montana	45	54	34N	105	29	08W	754
NDI	New Delhi, India	28	41	00N	77	13	00E	230
TFO	Tonto Forest, Arizona	34	16	04N	111	16	13W	1609
UBO	Uinta Basin, Utah	40	19	18N	109	34	07W	1596
WMO	Wichita Mountain, Oklahoma	34	43	05N	98	35	21W	505

Let $\bar{X}_i$ be the average small-event coda amplitude at the i'th time point;
 m_i be the number of individual coda values at the i'th time point which went into the determination of $\bar{X}_i$;
 s_{x_i} be the standard deviation of the individual small-event coda determinations at the i'th time point;
 $\bar{Y}_i$ be the average large-event coda amplitude at the i'th time point;
 n_i be the number of individual coda values at the i'th time point which went into the determination of $\bar{Y}_i$;
 s_{y_i} be the standard deviation of the individual large-event coda determination at the i'th time point.

Then:

$$\delta_i = \bar{Y}_i - \bar{X}_i$$

and

$$\bar{\delta} = P^{-1} \sum_{i=1}^P \delta_i$$

where P is the number of time points for which corresponding large event and small event average coda determinations are available.

To compute the associated t-statistic, we must first determine the standard deviation of the mean difference, $s_{\bar{\delta}}$:

$$s_{\bar{\delta}} = \frac{s}{P} \left[\sum_{i=1}^P \frac{1}{m_i} + \sum_{i=1}^P \frac{1}{n_i} \right]^{1/2}$$

where

$$s^2 = \frac{\sum_{i=1}^P (m_i - 1) s_{x_i}^2 + \sum_{i=1}^P (n_i - 1) s_{y_i}^2}{\sum_{i=1}^P (m_i - 1) + \sum_{i=1}^P (n_i - 1)}$$

Then:

$$t = \frac{\bar{\delta}}{s_{\bar{\delta}}}$$

It should be noted that the standard deviations of the mean differences σ_{δ} shown by Sweetser et al. (1973, page 42) are incorrect; the correct values for their work are shown in Table IX.

Sweetser et al. (1973), using average coda determinations, found that the greater the event magnitude, the higher is the relative amplitude level at any given time for elapsed times greater than 10-20 seconds into the coda. Specifically, large-event codas were, on the average, about $0.14 m_b$ units higher in relative amplitude than corresponding relative amplitudes in small event codas. This suggested that large events are multiple events, and the corresponding period of source activity for a large event sequence was estimated visually to be on the order of 1 to 2 minutes.

An analysis of the differences in the large- and small-event codas for the codas shown in Appendix I is given in Table X. Statistically, of the four data sets examined, three show the large-event codas to be significantly larger than the small-event codas at the 95% confidence level (one-sided t-test). Only the $0.17 m_b$ units difference found in the distance interval $115-118^\circ$, however, is in close agreement with the $0.14 m_b$ units average difference found in our earlier work. That the difference is due probably to the low signal-to-noise ratios observed on the seismograms rather than a real difference in coda behavior. Small events especially in the shadow zone, which are generally recorded with low signal-to-noise ratios, tend to yield high coda determinations throughout the coda relative to the maximum. This biases the average coda determinations for small events upwards, thereby lessening and apparently eliminating, in some cases, the $0.1-0.2 m_b$ units difference in large- and small-event codas which was observed in our earlier work. A thorough explanation of this effect is given by Sweetser et al. (1973). The signal-to-noise problem is particularly bad in the distance interval $105-110^\circ$, where the first arrival is a weak emergent, diffracted P phase (P_{diff}). As shown by Sweetser and Blandford (1973), the amplitude of the P_{diff} in this interval is reduced on the order of $0.7 m_b$ units over the amplitude of the P phase at distances of about 100° (Figure 1); thus unless an event had a magnitude $m_b \gtrsim 5.6-5.8$, we found it difficult to

TABLE IX

Coda Difference Analysis
(Modified after Sweetser et al., 1973)
(Observations at 0 and 10 Seconds Eliminated)

DISTANCE INTERVAL	AVERAGE DIFFERENCE** IN MEAN CODA, $\bar{\delta}$ (m _b)	STANDARD DEVIATION, $s_{\bar{\delta}}$ ** (m _b)	t-VALUE	OBSERVATIONAL PAIRS DEG. FREEDOM
42-53°	0.16	0.03	5.90*	460
53-56°	0.02	0.05	0.37	90
56-59°	0.09	0.05	1.88*	87
59-63°	0.25	0.04	6.87*	234
63-67°	0.09	0.03	3.32*	173
67-72°	0.11	0.02	4.82*	312
72-79°	0.13	0.02	6.11*	385
79-84°	0.17	0.03	6.06*	220
84-93°	0.13	0.02	8.25*	682
98-103°	0.03	0.02	1.09	116
110-115°	0.05	0.03	1.87*	69
118-127°	0.08	0.02	3.64*	199
127-136°	-0.11	0.01	-13.72*	165
136-140°	0.19	0.04	4.39*	46
140-145°	-0.11	0.04	-3.00*	47
145-155°	0.28	0.03	8.73*	65
155-166°	0.14	0.02	6.72*	49

*Significant at the 95% confidence level for a one-sided t-test; critical test value is 1.64.

**Values rounded to the nearest hundredth.

TABLE X
Coda Difference Analysis
(Observations at 0 and 10 Seconds Eliminated)

DISTANCE INTERVAL	AVERAGE DIFFERENCE IN MEAN CODA, $\bar{\delta}^{**}$ (m_b)	STANDARD DEVIATION, $s_{\bar{\delta}}^{**}$ (m_b)	t-VALUE*	OBSERVATIONAL PAIRS DEG. FREEDOM
103-105°	0.04	0.01	8.00	240
105-110°	0.04	0.01	7.87	294
110-115°	-0.02	0.01	-3.33	226
115-118°	0.17	0.01	28.92	251

*Significant at the 95% confidence level for a one-sided t-test; critical test value is 1.64.

**Values rounded to the nearest hundredth.

obtain accurate determinations of P_{diff} coda decay characteristics. Similar problems are encountered for the P arrivals for events at distances between $103-105^\circ$, and for the PKIKP arrivals for events at distances between 110° and 112° .

The problem of low signal-to-noise ratios in the range $103-118^\circ$ is much less pronounced for PP arrivals than for P_{diff} or PKIKP arrivals (Figure 1). We expect, therefore, that a comparison of codas for PP and later phases would better exhibit coda differences between large and small events. That this is true is shown by the results of Table XI. Here all coda determinations prior to the arrival of the PP phase have been omitted, and coda differences computed from the remaining determinations. With one exception (for the interval $110-115^\circ$), coda differences of from 0.07 to 0.18 m_b units are now observed. We therefore conclude that a statistically significant difference is observed between large- and small-event codas, and that large-event codas are on the average 0.11 m_b units greater than small-event codas (average of positive differences only).

If large events are multiple events, significant secondary phases should be extended in time. As such, coda decay characteristics for large events should be retarded by arrivals from events which may occur following the initial event in a sequence. This effect is shown in Figures 2 through 4, which shows that the large- and small-event codas can be brought into coincidence by shifting the large event codas to earlier relative times. Estimates for the time shift, on the order of 1 to 2 minutes, can only be given to the nearest minute due to the method used to quantify the coda.

Average Coda Determinations

Two sets of coda determinations will be given, one each for "large" and "small" events.

For small events, average P and PKIKP codas (solid line), together with their corresponding standard deviations for the individual coda observations (dashed lines) are given in Appendix II. Average P and PKIKP codas for large events are shown in Appendix III.

TABLE XI
Coda Difference Analysis
(Observations for PP and later phases)

DISTANCE INTERVAL	TIME INTERVAL OF FIRST READING s - seconds m - minutes	AVERAGE DIFFERENCE** IN MEAN CODA, $\bar{\delta}$ (m_b)	STANDARD DEVIATION, $s_{\bar{\delta}}$ ** (m_b)	t-VALUE*	OBSERVATIONAL PAIRS DEG. FREEDOM
105-105°	4-5m	0.08	0.01	13.35	136
105-110°	4-5m	0.07	0.01	11.15	166
110-115°	40-50s	-0.02	0.01	-3.08	181
115-118°	1-2m	0.18	0.01	23.84	176

*Significant at the 95% confidence level for a one-sided t-test;
critical test value is 1.64.

**Values rounded to the nearest hundredth.




Figure 1. "b" Factor versus distance curves from ISC event data (90°-180°) after Sweetser and Blandford, 1973.




Figure 2. Comparison of large-event and small-event codas, 103° - 105° distance, with the large-event coda shifted 1 minute earlier relative to the small-event coda.




Figure 3. Comparison of large-event and small-event codas, 105° - 110° distance, with the large-event coda shifted 1 minute earlier relative to the small-event coda.




Figure 4. Comparison of large-event and small-event codas, 115°-118° distance, with the large-event coda shifted 2 minutes earlier relative to the small-event coda.

CONCLUSIONS

From an analysis of 26 small-event ($m_b \leq 5.8$) seismograms recorded at a world-wide network of 10 stations, and of 26 large-event (m_b , M_s , or secondary $m_b \geq 7.0$) seismograms recorded at a world-wide network of 16 stations, the following conclusions are drawn with respect to coda-decay characteristics for events in the distance interval $103-118^\circ$:

1. The greater the event magnitude, the higher is the relative coda amplitude for times greater than the arrival time for PP. At the 95% confidence level (one-sided t-test), the mean difference is $0.11 m_b$ units.
2. Differences in relative coda levels for large and small events (though they probably exist) are not well observed for P, P_{diff} , and PKKP arrivals in the distance intervals $103-105^\circ$, $105-110^\circ$, $110-115^\circ$, respectively. In the distance range $103-115^\circ$, these phases, especially those which derive from small events, are generally not well recorded; thus it is difficult to obtain accurate determinations of their relative coda levels.
3. The retarded coda-decay characteristics for large events support the hypothesis that these are multiple events. Further, the period of source activity is estimated at 1 to 2 minutes.

REFERENCES

- Cohen, T. J., Sweetser, E. I. and Dutterer, T. J., 1972. P and PKP coda decay characteristics for earthquakes, Seismic Data Laboratory Report No. 301, Teledyne Geotech, Alexandria, Virginia.
- Sweetser, E. I. and Blandford, R. R., 1973. Seismic distance-amplitude relations for short period P, P_{diff} , PP and compressional core phases for $\Delta > 90^\circ$, Seismic Data Analysis Center Report SDAC-TR-73-9, Teledyne Geotech, Alexandria, Virginia.
- Sweetser, E. I., Cohen, T. J. and Tillman, M. F., 1973. Average P and PKP codas for earthquakes, Seismic Data Laboratory Report No. 305, Teledyne Geotech, Alexandria, Virginia.

APPENDIX 1

Comparison of large-event and small-event coda averages; large-event coda average shown in bold black; small-event coda average shown in narrow black; dashed and dashed lines with dots, respectively, indicate 95% confidence level for the coda averages.

1. 103-105°
2. 105-110°
3. 110-115°
4. 115-118°

LARGE-EVENT CODA

TIME	AVG	STD DEV	OBS
0.0S	31.	0.08	9.
10.0S	27.	0.07	9.
20.0S	33.	0.06	9.
30.0S	35.	0.07	9.
40.0S	33.	0.05	9.
50.0S	28.	0.05	9.
1.0M	29.	0.06	9.
1.5M	30.	0.06	9.
2.5M	26.	0.06	9.
3.5M	35.	0.05	9.
4.5M	90.	0.04	9.
5.5M	71.	0.05	9.
6.5M	53.	0.05	9.
7.5M	38.	0.05	8.
8.5M	32.	0.07	7.
9.5M	26.	0.04	7.
10.5M	26.	0.04	7.
11.5M	28.	0.08	7.
12.5M	24.	0.07	7.
13.5M	37.	0.06	7.
14.5M	25.	0.04	7.
15.5M	20.	0.10	7.

SMALL-EVENT CODA

TIME	AVG	STD DEV	OBS
0.0S	27.	0.08	6.
10.0S	35.	0.05	6.
20.0S	47.	0.08	6.
30.0S	37.	0.04	6.
40.0S	32.	0.11	6.
50.0S	32.	0.10	6.
1.0M	24.	0.13	6.
1.5M	25.	0.08	6.
2.5M	23.	0.04	6.
3.5M	41.	0.04	6.
4.5M	95.	0.02	6.
5.5M	59.	0.05	6.
6.5M	40.	0.03	6.
7.5M	34.	0.04	6.
8.5M	28.	0.06	6.
9.5M	22.	0.07	6.
10.5M	18.	0.05	6.
11.5M	19.	0.05	6.
12.5M	16.	0.08	6.
13.5M	24.	0.07	5.
14.5M	22.	0.08	5.
15.5M	30.	0.04	5.




Figure AI-1. Comparison of large-event and small event coda averages, 103-105°.

LARGE-EVENT CODA

TIME	AVG	STD DEV	OBS
0.0S	12.	0.07	9.
10.0S	13.	0.11	9.
20.0S	20.	0.08	9.
30.0S	24.	0.04	9.
40.0S	22.	0.04	9.
50.0S	21.	0.06	9.
1.0M	19.	0.06	9.
1.5M	20.	0.04	9.
2.5M	16.	0.05	9.
3.5M	34.	0.07	9.
4.5M	83.	0.06	9.
5.5M	71.	0.05	9.
6.5M	45.	0.05	9.
7.5M	38.	0.04	9.
8.5M	33.	0.03	8.
9.5M	26.	0.04	7.
10.5M	24.	0.03	6.
11.5M	19.	0.02	5.
12.5M	20.	0.05	5.
13.5M	19.	0.09	5.
14.5M	31.	0.06	5.
15.5M	43.	0.06	5.

SMALL-EVENT CODA

TIME	AVG	STD DEV	OBS
0.0S	20.	0.05	9.
10.0S	21.	0.07	9.
20.0S	23.	0.08	9.
30.0S	26.	0.08	9.
40.0S	23.	0.07	9.
50.0S	22.	0.07	9.
1.0M	17.	0.08	9.
1.5M	19.	0.07	9.
2.5M	16.	0.08	9.
3.5M	30.	0.06	9.
4.5M	79.	0.06	9.
5.5M	53.	0.05	9.
6.5M	35.	0.05	9.
7.5M	28.	0.05	9.
8.5M	25.	0.05	9.
9.5M	19.	0.03	9.
10.5M	21.	0.03	9.
11.5M	20.	0.06	9.
12.5M	19.	0.05	9.
13.5M	18.	0.04	9.
14.5M	20.	0.05	9.
15.5M	53.	0.10	9.




Figure AI-2. Comparison of large-event and small-event coda averages, 105-110°.

LARGE-EVENT CODA

TIME	AVG	STD DEV	OBS
0.0S	41.	0.04	9.
10.0S	43.	0.05	9.
20.0S	39.	0.06	9.
30.0S	47.	0.05	9.
40.0S	46.	0.06	9.
50.0S	57.	0.04	9.
1.0M	73.	0.04	9.
1.5M	98.	0.01	9.
2.5M	62.	0.04	9.
3.5M	50.	0.04	9.
4.5M	40.	0.06	8.
5.5M	39.	0.08	8.
6.5M	33.	0.09	8.
7.5M	28.	0.05	8.
8.5M	29.	0.06	7.
9.5M	26.	0.09	7.
10.5M	30.	0.07	6.
11.5M	43.	0.10	5.
12.5M	32.	0.07	5.
13.5M	31.	0.09	4.
14.5M	19.	0.11	4.
15.5M	26.	0.03	4.

SMALL-EVENT CODA

TIME	AVG	STD DEV	OBS
0.0S	83.	0.05	8.
10.0S	52.	0.06	8.
20.0S	51.	0.05	8.
30.0S	41.	0.06	8.
40.0S	44.	0.07	8.
50.0S	55.	0.08	8.
1.0M	48.	0.08	8.
1.5M	52.	0.09	8.
2.5M	44.	0.08	7.
3.5M	48.	0.06	6.
4.5M	33.	0.07	6.
5.5M	37.	0.06	5.
6.5M	44.	0.04	5.
7.5M	32.	0.07	5.
8.5M	29.	0.07	5.
9.5M	28.	0.06	5.
10.5M	42.	0.06	5.
11.5M	50.	0.13	5.
12.5M	39.	0.07	5.
13.5M	45.	0.11	5.
14.5M	38.	0.13	4.
15.5M	40.	0.15	4.




Figure AI-3. Comparison of large-event and small-event coda averages, 110-115°.

LARGE-EVENT CODA

TIME	AVG	STD DEV	OBS
0.0S	35.	0.11	9.
10.0S	40.	0.07	9.
20.0S	46.	0.06	9.
30.0S	46.	0.07	9.
40.0S	38.	0.06	9.
50.0S	41.	0.04	9.
1.0M	40.	0.02	9.
1.5M	95.	0.02	9.
2.5M	46.	0.06	9.
3.5M	41.	0.05	9.
4.5M	33.	0.05	8.
5.5M	31.	0.05	7.
6.5M	25.	0.07	7.
7.5M	21.	0.10	7.
8.5M	23.	0.12	6.
9.5M	21.	0.13	6.
10.5M	37.	0.10	6.
11.5M	37.	0.08	6.
12.5M	25.	0.12	6.
13.5M	24.	0.14	5.
14.5M	26.	0.16	5.
15.5M	14.	0.10	4.

SMALL-EVENT CODA

TIME	AVG	STD DEV	OBS
0.0S	70.	0.11	8.
10.0S	36.	0.11	8.
20.0S	31.	0.05	8.
30.0S	36.	0.04	8.
40.0S	31.	0.07	8.
50.0S	25.	0.07	8.
1.0M	28.	0.06	8.
1.5M	40.	0.07	8.
2.5M	27.	0.05	8.
3.5M	34.	0.12	8.
4.5M	18.	0.06	8.
5.5M	20.	0.06	7.
6.5M	18.	0.06	7.
7.5M	14.	0.06	7.
8.5M	16.	0.07	7.
9.5M	16.	0.07	7.
10.5M	31.	0.11	7.
11.5M	21.	0.06	7.
12.5M	15.	0.06	7.
13.5M	17.	0.07	6.
14.5M	16.	0.07	6.
15.5M	14.	0.05	6.




Figure AI-4. Comparison of large-event and small-event coda averages, 115-118°.

APPENDIX II

Small-event coda averages; dashed lines with dots indicate $\pm$ one standard of the individual coda observations.

1. 103-105°
2. 105-110°
3. 110-115°
4. 115-118°

TIME	AVG	STD DEV	OBS
0.0S	27.	0.20	6.
10.0S	35.	0.13	6.
20.0S	47.	0.18	6.
30.0S	37.	0.59	6.
40.0S	32.	0.26	6.
50.0S	32.	0.24	6.
1.0M	24.	0.32	6.
1.5M	25.	0.20	6.
2.5M	23.	0.09	6.
3.5M	41.	0.09	6.
4.5M	95.	0.06	6.
5.5M	59.	0.12	6.
6.5M	40.	0.08	6.
7.5M	34.	0.10	6.
8.5M	28.	0.14	6.
9.5M	22.	0.18	6.
10.5M	18.	0.12	6.
11.5M	19.	0.12	6.
12.5M	16.	0.20	6.
13.5M	24.	0.16	5.
14.5M	22.	0.17	5.
15.5M	30.	0.08	5.




Figure AII-1. Small-event coda averages, 103-105°.

TIME	AVG	STD DEV	OBS
0.0S	20.	0.14	9.
10.0S	21.	0.22	9.
20.0S	23.	0.24	9.
30.0S	26.	0.23	9.
40.0S	23.	0.21	9.
50.0S	22.	0.21	9.
1.0M	17.	0.25	9.
1.5M	19.	0.21	9.
2.5M	16.	0.23	9.
3.5M	30.	0.18	9.
4.5M	79.	0.17	9.
5.5M	53.	0.16	9.
6.5M	35.	0.15	9.
7.5M	28.	0.15	9.
8.5M	25.	0.15	9.
9.5M	19.	0.09	9.
10.5M	21.	0.08	9.
11.5M	20.	0.17	9.
12.5M	19.	0.16	9.
13.5M	18.	0.11	9.
14.5M	20.	0.15	9.
15.5M	51.	0.29	9.




Figure AII-2. Small-event coda averages, 105-110°.

TIME	AVG	STD DEV	OBS
0.0S	83.	0.14	8.
10.0S	52.	0.16	8.
20.0S	51.	0.15	8.
30.0S	41.	0.16	8.
40.0S	44.	0.19	8.
50.0S	55.	0.24	8.
1.0M	48.	0.23	8.
1.5M	52.	0.26	8.
2.5M	44.	0.20	7.
3.5M	48.	0.15	6.
4.5M	33.	0.17	6.
5.5M	37.	0.12	5.
6.5M	44.	0.09	5.
7.5M	32.	0.15	5.
8.5M	29.	0.15	5.
9.5M	28.	0.14	5.
10.5M	42.	0.13	5.
11.5M	50.	0.29	5.
12.5M	39.	0.16	5.
13.5M	45.	0.24	5.
14.5M	38.	0.26	4.
15.5M	40.	0.30	4.




Figure AII-3. Small-event coda averages, 110-115°.

TIME	AVG	STD DEV	OBS
0.0S	70.	0.30	8.
10.0S	36.	0.32	8.
20.0S	31.	0.15	8.
30.0S	36.	0.22	8.
40.0S	31.	0.19	8.
50.0S	25.	0.19	8.
1.0M	28.	0.16	8.
1.5M	40.	0.21	8.
2.5M	27.	0.14	8.
3.5M	34.	0.33	8.
4.5M	18.	0.17	8.
5.5M	20.	0.17	7.
6.5M	18.	0.15	7.
7.5M	14.	0.17	7.
8.5M	16.	0.19	7.
9.5M	16.	0.18	7.
10.5M	31.	0.29	7.
11.5M	21.	0.15	7.
12.5M	15.	0.16	7.
13.5M	17.	0.16	6.
14.5M	16.	0.18	6.
15.5M	14.	0.11	6.




Figure AII-4. Small-event coda averages, 115-118°.

APPENDIX III

Large-event coda averages; dashed lines indicate $\pm$ one standard deviation of the individual coda observations.

1. 103-105°
2. 105-110°
3. 110-115°
4. 115-118°

TIME	AVG	STD DEV	OBS
0.0S	31.	0.23	9.
10.0S	27.	0.21	9.
20.0S	33.	0.17	9.
30.0S	35.	0.20	9.
40.0S	33.	0.14	9.
50.0S	28.	0.14	9.
1.0M	29.	0.17	9.
1.5M	30.	0.17	9.
2.5M	26.	0.18	9.
3.5M	35.	0.14	9.
4.5M	90.	0.12	9.
5.5M	71.	0.14	9.
6.5M	53.	0.14	9.
7.5M	38.	0.15	8.
8.5M	32.	0.18	7.
9.5M	26.	0.11	7.
10.5M	26.	0.10	7.
11.5M	28.	0.20	7.
12.5M	24.	0.19	7.
13.5M	37.	0.16	7.
14.5M	25.	0.10	7.
15.5M	20.	0.27	7.




Figure AIII-1. Large-event coda averages, 103-105°.

TIME	AVG	STD DEV	OBS
0.0S	12.	0.20	9.
10.0S	13.	0.34	9.
20.0S	20.	0.24	9.
30.0S	24.	0.12	9.
40.0S	22.	0.12	9.
50.0S	21.	0.18	9.
1.0M	19.	0.18	9.
1.5M	20.	0.12	9.
2.5M	16.	0.15	9.
3.5M	34.	0.22	9.
4.5M	83.	0.17	9.
5.5M	71.	0.15	9.
6.5M	45.	0.16	9.
7.5M	38.	0.13	9.
8.5M	33.	0.09	8.
9.5M	26.	0.10	7.
10.5M	24.	0.07	6.
11.5M	19.	0.04	5.
12.5M	20.	0.12	5.
13.5M	19.	0.19	5.
14.5M	31.	0.13	5.
15.5M	43.	0.14	5.




Figure AIII-2. Large-event coda averages, 105-110°.

TIME	AVG	STD DEV	OBS
0.0S	41.	0.11	9.
10.0S	43.	0.15	9.
20.0S	39.	0.17	9.
30.0S	47.	0.15	9.
40.0S	46.	0.18	9.
50.0S	57.	0.12	9.
1.0M	73.	0.13	9.
1.5M	98.	0.03	9.
2.5M	62.	0.13	9.
3.5M	50.	0.13	9.
4.5M	40.	0.16	8.
5.5M	39.	0.21	8.
6.5M	33.	0.24	8.
7.5M	28.	0.13	8.
8.5M	29.	0.17	7.
9.5M	26.	0.24	7.
10.5M	30.	0.16	6.
11.5M	43.	0.23	5.
12.5M	32.	0.15	5.
13.5M	31.	0.17	4.
14.5M	19.	0.22	4.
15.5M	26.	0.07	4.




Figure AIII-3. Large-event coda averages, 110-115°.

TIME	AVG	STD DEV	OBS
0.0S	35.	0.32	9.
10.0S	40.	0.20	9.
20.0S	46.	0.19	9.
30.0S	46.	0.20	9.
40.0S	38.	0.19	9.
50.0S	41.	0.12	9.
1.0M	40.	0.07	9.
1.5M	95.	0.07	9.
2.5M	46.	0.19	9.
3.5M	41.	0.15	7.
4.5M	33.	0.15	8.
5.5M	31.	0.13	7.
6.5M	25.	0.19	7.
7.5M	21.	0.26	7.
8.5M	23.	0.29	6.
9.5M	21.	0.33	6.
10.5M	37.	0.24	6.
11.5M	37.	0.20	6.
12.5M	25.	0.29	6.
13.5M	24.	0.32	5.
14.5M	26.	0.35	5.
15.5M	14.	0.20	4.




Figure AIII-4. Large-event coda averages, 115-118°.