

AD-A013 784

**ATLAS OF CLOUD-FREE LINE-OF-SIGHT PROBABILITIES.
PART 1. GERMANY**

Iver A. Lund, et al

**Air Force Cambridge Research Laboratories
Hanscom Air Force Base, Massachusetts**

8 May 1975

DISTRIBUTED BY:

NTIS

**National Technical Information Service
U. S. DEPARTMENT OF COMMERCE**

240125

AFCRL-TR-75-0261

AIR FORCE SURVEYS IN GEOPHYSICS, NO. 309



AD A013784

Atlas of Cloud-Free Line-of-Sight Probabilities

Part 1: Germany

IVER A. LUND


DONALD D. GRANTHAM

CLARENCE B. ELAM, Jr.

8 May 1975

Approved for public release; distribution unlimited.

NATIONAL TECHNICAL
INFORMATION SERVICE
Cameron Station
Alexandria, VA 22304



AERONOMY LABORATORY PROJECT 8624

AIR FORCE CAMBRIDGE RESEARCH LABORATORIES

HANSCOM AFB, MASSACHUSETTS 01771

AIR FORCE SYSTEMS COMMAND, USAF



Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFCRL-TR-75-0261	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ATLAS OF CLOUD-FREE LINE-OF-SIGHT PROBABILITIES, PART 1: GERMANY		5. TYPE OF REPORT & PERIOD COVERED Scientific. Interim.
		6. PERFORMING ORG. REPORT NUMBER AFSG No. 309
7. AUTHOR(s) Iver A. Lund Donald D. Grantham Clarence B. Elam, Jr. *		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Air Force Cambridge Research Laboratories (LK) Hanscom AFB Massachusetts 01731		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 86240102 62101F
11. CONTROLLING OFFICE NAME AND ADDRESS Air Force Cambridge Research Laboratories (LK) Hanscom AFB Massachusetts 01731		12. REPORT DATE 8 May 1975
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES x 76
		15. SECURITY CLASS. (of this report) Unclassified
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES * USAF Environmental Technical Applications Center, Scott AFB, Illinois 62225		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Clouds Line-of-sight Climatology Seeing Sky cover		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This is the first part of a planned Northern Hemisphere atlas of prob- abilities of cloud-free lines-of-sight between the earth and space, and the earth and an altitude of 2500 m (8200 ft). The probabilities are for the mid- season months—January, April, July, and October; four times of the day— 0000-0200 LST, 0600-0800 LST, 1200-1400 LST, and 1800-2000 LST; and four elevation angles—10°, 30°, 50°, and 90°.		

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Contents

1. INTRODUCTION	7
2. THE MODEL	8
3. AN EXAMPLE	8
4. CFLOS PROBABILITIES BELOW 8200 ft (2500 m)	9
5. THE STATIONS	10
6. THE MAPS	11
REFERENCES	11

Illustrations

1. Station Locator Map	12
2. CFLOS Probabilities for Jan, 00-02 LST, 90° Elevation	13
3. CFLOS Probabilities for Jan, 00-02 LST, 50° Elevation	14
4. CFLOS Probabilities for Jan, 00-02 LST, 30° Elevation	15
5. CFLOS Probabilities for Jan, 00-02 LST, 10° Elevation	16
6. CFLOS Probabilities for Jan, 06-08 LST, 90° Elevation	17
7. CFLOS Probabilities for Jan, 06-08 LST, 50° Elevation	18
8. CFLOS Probabilities for Jan, 06-08 LST, 30° Elevation	19
9. CFLOS Probabilities for Jan, 06-08 LST, 10° Elevation	20
10. CFLOS Probabilities for Jan, 12-14 LST, 90° Elevation	21

Preceding page blank

Illustrations

11. CFLOS Probabilities for Jan, 12-14 LST, 50° Elevation	22
12. CFLOS Probabilities for Jan, 12-14 LST, 33° Elevation	23
13. CFLOS Probabilities for Jan, 12-14 LST, 10° Elevation	24
14. CFLOS Probabilities for Jan, 18-20 LST, 90° Elevation	25
15. CFLOS Probabilities for Jan, 18-20 LST, 50° Elevation	26
16. CFLOS Probabilities for Jan, 18-20 LST, 30° Elevation	27
17. CFLOS Probabilities for Jan, 18-20 LST, 10° Elevation	28
18. CFLOS Probabilities for Apr, 00-02 LST, 90° Elevation	29
19. CFLOS Probabilities for Apr, 00-02 LST, 50° Elevation	30
20. CFLOS Probabilities for Apr, 00-02 LST, 30° Elevation	31
21. CFLOS Probabilities for Apr, 00-02 LST, 10° Elevation	32
22. CFLOS Probabilities for Apr, 06-08 LST, 90° Elevation	33
23. CFLOS Probabilities for Apr, 06-08 LST, 50° Elevation	34
24. CFLOS Probabilities for Apr, 06-08 LST, 30° Elevation	35
25. CFLOS Probabilities for Apr, 06-08 LST, 10° Elevation	36
26. CFLOS Probabilities for Apr, 12-14 LST, 90° Elevation	37
27. CFLOS Probabilities for Apr, 12-14 LST, 50° Elevation	38
28. CFLOS Probabilities for Apr, 12-14 LST, 30° Elevation	39
29. CFLOS Probabilities for Apr, 12-14 LST, 10° Elevation	40
30. CFLOS Probabilities for Apr, 18-20 LST, 90° Elevation	41
31. CFLOS Probabilities for Apr, 18-20 LST, 50° Elevation	42
32. CFLOS Probabilities for Apr, 18-20 LST, 30° Elevation	43
33. CFLOS Probabilities for Apr, 18-20 LST, 10° Elevation	44
34. CFLOS Probabilities for Jul, 00-02 LST, 90° Elevation	45
35. CFLOS Probabilities for Jul, 00-02 LST, 50° Elevation	46
36. CFLOS Probabilities for Jul, 00-02 LST, 30° Elevation	47
37. CFLOS Probabilities for Jul, 00-02 LST, 10° Elevation	48
38. CFLOS Probabilities for Jul, 06-08 LST, 90° Elevation	49
39. CFLOS Probabilities for Jul, 06-08 LST, 50° Elevation	50
40. CFLOS Probabilities for Jul, 06-08 LST, 30° Elevation	51
41. CFLOS Probabilities for Jul, 06-08 LST, 10° Elevation	52
42. CFLOS Probabilities for Jul, 12-14 LST, 90° Elevation	53
43. CFLOS Probabilities for Jul, 12-14 LST, 50° Elevation	54
44. CFLOS Probabilities for Jul, 12-14 LST, 30° Elevation	55
45. CFLOS Probabilities for Jul, 12-14 LST, 10° Elevation	56
46. CFLOS Probabilities for Jul, 18-20 LST, 90° Elevation	57
47. CFLOS Probabilities for Jul, 18-20 LST, 50° Elevation	58

Illustrations

48. CFLOS Probabilities for Jul, 18-20 LST, 30° Elevation	59
49. CFLOS Probabilities for Jul, 18-20 LST, 10° Elevation	60
50. CFLOS Probabilities for Oct, 00-02 LST, 90° Elevation	61
51. CFLOS Probabilities for Oct, 00-02 LST, 50° Elevation	62
52. CFLOS Probabilities for Oct, 00-02 LST, 30° Elevation	63
53. CFLOS Probabilities for Oct, 00-02 LST, 10° Elevation	64
54. CFLOS Probabilities for Oct, 06-08 LST, 90° Elevation	65
55. CFLOS Probabilities for Oct, 06-08 LST, 50° Elevation	66
56. CFLOS Probabilities for Oct, 06-08 LST, 30° Elevation	67
57. CFLOS Probabilities for Oct, 06-08 LST, 10° Elevation	68
58. CFLOS Probabilities for Oct, 12-14 LST, 90° Elevation	69
59. CFLOS Probabilities for Oct, 12-14 LST, 50° Elevation	70
60. CFLOS Probabilities for Oct, 12-14 LST, 30° Elevation	71
61. CFLOS Probabilities for Oct, 12-14 LST, 10° Elevation	72
62. CFLOS Probabilities for Oct, 18-20 LST, 90° Elevation	73
63. CFLOS Probabilities for Oct, 18-20 LST, 50° Elevation	74
64. CFLOS Probabilities for Oct, 18-20 LST, 30° Elevation	75
65. CFLOS Probabilities for Oct, 18-20 LST, 10° Elevation	76
66. The Extreme Condition	77

Tables

1. Probabilities of Cloud-Free Lines-of-Sight as a Function of Elevation Angle and Observed Total Sky Cover in Tenths	8
2. Probabilities of Cloud-Free Lines-of-Sight as a Function of Elevation Angle and Observed Total Sky Cover, in Octas	9
3. Station Locator Table	10

Atlas of Cloud-Free Line-of-Sight Probabilities

Part 1: Germany

1. INTRODUCTION

The increased use of optical, infrared, and microwave observing and transmitting devices has resulted in a greater demand for information on humidity, haze, clouds, and precipitation. The Air Force Cambridge Research Laboratories (AFCRL) Design Climatology Branch (LKI), Hanscom AFB, MA 01731, and the USAF Environmental Technical Applications Center (ETAC)*, Scott AFB, Illinois 62225 have responded to this demand by collecting special observations, developing models for estimating the desired information in the absence of direct observations, and processing vast quantities of data.

One of the items frequently requested is information on the probability of a cloud-free line-of-sight (CFLOS) between a specific point on the surface of the earth and an aircraft or an object in space. A large volume of data has been processed in response to these requests.

AFCRL and ETAC are endeavoring to prepare a Northern Hemisphere atlas from these data. Because this is a very time-consuming effort, we have decided to prepare this atlas in sections as data become available. This first section, Germany, is a very small part of the entire effort.

(Received for publication 8 May 1975)

*Department of Defense organizations and contractors are encouraged to contact AFCRL or ETAC for further information on line-of-sight probabilities. Probabilities as a function of altitude and persistence, recurrence and joint probabilities are also available.

Preceding page blank

2. THE MODEL

Lund and Shanklin¹ developed models for estimating probabilities of CFLOS through the atmosphere at any desired elevation angle and geographical location. The models require a knowledge of sky-cover climatology for the locations.

The model used to estimate CFLOS probabilities through the entire atmosphere can be expressed as follows:

$${}_{\alpha}\hat{P}_1 = {}_{\alpha}C_s K_1 \quad (1)$$

where ${}_{\alpha}\hat{P}_1$ is a column vector of α rows, one row for each angle considered; ${}_{\alpha}C_s$ is a matrix of α rows and s columns, one column for each sky cover category; and ${}_sK_1$ is a column vector of s rows. The $\hat{P}$ values are estimates of CFLOS probabilities, the C values are CFLOS probabilities at angles α given k tenths of cloudiness, and the K values are probabilities of each k tenths of cloudiness.

The ${}_{\alpha}C_s$ matrix used for this paper is given in Table 1.

Table 1. Probabilities of Cloud-Free Lines-of-Sight as a Function of Elevation Angle and Observed Total Sky Cover in Tenths. This is the ${}_{\alpha}C_s$ Matrix

		Sky Cover (tenths)										
		<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>10</u>
Elevation Angle (degrees)	90	1.00	0.97	0.92	0.87	0.81	0.77	0.70	0.62	0.48	0.31	0.08
	50	0.99	0.96	0.90	0.85	0.78	0.73	0.64	0.58	0.45	0.29	0.08
	30	0.98	0.93	0.86	0.80	0.73	0.66	0.57	0.50	0.38	0.24	0.06
	10	0.97	0.86	0.76	0.65	0.55	0.47	0.39	0.32	0.24	0.16	0.03

3. AN EXAMPLE

The climatic record of sky cover at Rhein-Main Apt, Frankfurt, Germany, shows that 0/10, 1/10, . . . , 9/10, and 10/10 sky cover was reported 6.0, 3.0, 0.7, 2.8, 3.6, 2.5, 4.7, 1.9, 6.5, 18.6, and 49.8 percent of the time, respectively, between 12-14 LST during January 1947 through 1970. Performing the matrix multiplication, we obtain:

1. Lund, I.A., and Shanklin, M.D. (1973) Universal methods for estimating probabilities of cloud-free lines-of-sight through the atmosphere, J. Appl. Meteorol. 12(No. 1):28-35.

$$\alpha \hat{P}_1 = \begin{bmatrix} 1.00 & 0.97 & \dots & 0.31 & 0.08 \\ 0.99 & . & & . & 0.08 \\ 0.98 & . & & . & 0.06 \\ 0.97 & . & & . & 0.03 \end{bmatrix} \begin{bmatrix} 0.060 \\ 0.030 \\ . \\ . \\ 0.186 \\ 0.498 \end{bmatrix} = \begin{bmatrix} 0.340 \\ 0.329 \\ 0.293 \\ 0.224 \end{bmatrix} \quad (2)$$

The computations show that there is about 34.0% probability of a CFLOS at Rhein-Main looking toward the zenith (90°), and a 32.9%, 29.3%, and 22.4% probability of a CFLOS at 50°, 30°, and 10°, respectively.

4. CFLOS PROBABILITIES BELOW 8200 ft (2500 m)

Estimates of CFLOS probabilities between the earth's surface and a height of 8200 ft requires knowledge of the distribution of cloud amount below 8200 ft. The standard synoptic cloud group, $N_h C_L h C_M C_H$, where N_h is the total amount of low clouds (N_h is reported in octas) or, in the absence of low clouds, the amount of middle clouds, and h is the height of the lowest cloud, is used to determine this distribution (h is reported according to WMO Code 1600). Each observation is checked to determine the height of the lowest cloud, h . If h is coded as 8 or less, the amount of cloud reported for N_h is determined. If h is 9, no clouds are present below 8200 ft. The resulting distribution of cloud amounts below the level of 8200 ft is multiplied by the $\alpha C'_s$ matrix to determine $\alpha \hat{P}'_1$, the probability of a CFLOS between the surface and 8200 ft.

$$\alpha \hat{P}'_1 = \alpha C'_s K'_1 \quad (3)$$

where $\alpha C'_s$ is the matrix given in Table 2 and the K'_1 column vector is the sky cover below 8200 ft in octas.

Table 2. Probabilities of Cloud-Free Lines-of-Sight as a Function of Elevation Angle and Observed Total Sky Cover, in Octas. This is the $\alpha C'_s$ Matrix

		Sky Cover (octas)								
		<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>
Elevation Angle (degrees)	90	1.00	0.96	0.89	0.83	0.77	0.68	0.55	0.35	0.08
	50	0.99	0.94	0.87	0.81	0.73	0.63	0.52	0.33	0.08
	30	0.98	0.92	0.83	0.75	0.66	0.55	0.43	0.28	0.06
	10	0.97	0.84	0.72	0.58	0.47	0.38	0.28	0.17	0.03

5. THE STATIONS

Table 3 lists stations from which long records of hourly sky cover observations are available for at least part of the day. CFLOS probabilities were computed for these stations, which are shown in Figure 1.

Table 3. Station Locator Table

Map Number	WMO Number (Call Letters)	Station Name	Lat. (°N)	Long. (°E)	Alt. (m)
1	10035	Schleswig	54-32	09-33	44
2	10202	Emden/Wolthusen	53-22	07-13	0
3	10147	Hamburg/Fuhlsbutte	53-38	10-00	16
4	10170	Warnemunde	54-11	12-05	4
5	10313	Munster	51-58	07-36	64
6	10338	Hannover	52-28	09-42	55
7	10279	Nuesterlitz	53-21	13-05	64
8	10513	Koln/Bonn	50-52	07-09	91
9	10438	Kassel	51-19	09-29	158
10	10453	Brocken	51-48	10-37	1142
11	10361	Magdeburg	52-06	11-34	79
12	10384	Berlin/Tempelhof AB	52-28	13-24	50
13	10610	Bitburg AB	49-57	06-34	374
14	10607	Spangdahlem AB	49-59	06-42	365
15	10616	Hahn AB/Hunsruck	49-57	07-16	502
16	EDEH	Bad Kreuznach AAF	49-52	07-55	105
17	EDOT	Finthen AAF	49-58	08-09	231
18	10633	Weisbaden AB	50-03	08-20	140
19	10636	Rhein-Main APT/Frankfurt	50-02	08-34	112
20	10642	Hanau AAF	50-10	08-57	112
21	EDEX	Fulda AAF	50-32	09-38	305
22	10546	Kaltennordheim	50-38	10-09	487
23	10567	Gera/Leumnitz	50-53	12-08	300
24	10470	Leipzig/Mockau	51-24	12-25	67
25	10488	Dresden	51-08	13-46	230
26	07089	Chambley, France/AB	49-02	05-53	265
27	10619	Baumholder AAF	49-38	07-18	426
28	10714	Zweibrucken RCAF STN	49-13	07-24	343
29	10614	Ramstein AB	49-26	07-35	238
30	10712	Seimbach AB	49-31	07-52	321
31	EDOR	Sandhofen/Coleman AAF	49-34	08-28	108
32	10734	Heidelberg AAF	49-24	08-39	1010
33	10657	Wertheim AAF	49-46	09-29	338
34	10655	Wurzburg	49-48	09-54	259
35	10659	Kitzingen AAF	49-45	10-12	213
36	10752	Illesheim AAF	49-28	10-23	325
37	10755	Katterbach/Ansbach AAF	49-18	10-35	413
38	EDEW	Nurnberg/Furth	49-30	10-57	302
39	10687	Grafenwohr AAF	49-42	11-57	415
40	EDIH	Hohenfels AAF	49-13	11-50	442
41	10738	Stuttgart/Echterdingen APT	48-41	09-13	396
42	10745	Schwaebisch Hall AAF	49-07	09-47	398
43		Gablingen, AAF	48-27	10-52	502
44	10869	Erding Air Station	48-19	11-57	460
45	10866	Munchen	48-08	11-42	528
46	10971	Bad Tolz AAF	47-46	11-36	716
57	10803	Freiburg	48-00	07-51	269

6. THE MAPS

A total of 66 maps are included in this paper: one station locator map, Figure 1; one map for each of the four mid-season months (Jan-Apr-Jul-Oct), four 3-hour periods (00-02 LST, 06-08 LST, 12-14 LST, 18-20 LST), four elevation angles (10°, 30°, 50°, 90°), Figures 2 through 65; and a single map, Figure 66, depicting the extreme condition (the lowest probability for any of the above months and periods). In order to conserve space, the extreme condition is shown for the 30° elevation angle only.

All of the CFLOS probability values plotted on the maps below the station locations were computed as shown in Eq. (2); however, the gK_1 column vector was changed with every station, month, or 3-hour time period change. The values plotted above the station location were computed through the use of Eq. (3). They are estimates of the probabilities of a CFLOS between the earth's surface and an altitude of 8200 ft. CFLOS probabilities were not plotted on the maps unless they were based on at least 300 sky-cover observations. Most of the probabilities are based on more than 900 sky-cover observations.

Because of the small area covered by the map and the few locations considered, an analysis of the CFLOS probabilities was not performed.

References

1. Lund, I.A., and Shanklin, M.D. (1973) Universal methods for estimating probabilities of cloud-free lines-of-sight through the atmosphere, J. Appl. Meteorol. 12(No. 1):28-35.




Figure 1. Station Locator Map




Figure 2. CFLOS Probabilities for Jan, 00-02 LST, 90° Elevation




Figure 3. CFLOS Probabilities for Jan, 00-02 LST, 50° Elevation




Figure 4. CFLOS Probabilities for Jan, 00-02 LST, 30° Elevation




Figure 5. CFLOS Probabilities for Jan, 00-02 LST, 10° Elevation




Figure 6. CFLOS Probabilities for Jan, 06-08 LST, 90° Elevation




Figure 7. CFLOS Probabilities for Jan, 06-08 LST, 50° Elevation




Figure 8. CFLOS Probabilities for Jan. 06-08 LST, 30° Elevation




Figure 9. CFLOS Probabilities for Jan, 06-08 LST, 10° Elevation




Figure 10. CFLOS Probabilities for Jan, 12-14 LST, 90° Elevation




Figure 11. CFLOS Probabilities for Jan, 12-14 LST, 50° Elevation




Figure 12. CFLOS Probabilities for Jan, 12-14 LST, 30° Elevation




Figure 13. CFLOS Probabilities for Jan, 12-14 LST, 10° Elevation





Figure 14. CFLOS Probabilities for Jan, 18-20 LST, 90° Elevation






Figure 16. CFLOS Probabilities for Jan, 18-20 LST, 30° Elevation




Figure 17. CFLOS Probabilities for Jan, 18-20 LST, 10° Elevation




Figure 18. CFLOS Probabilities for Apr, 00-02 LST, 90° Elevation




Figure 19. CFLOS Probabilities for Apr, 00-02 LST, 50° Elevation




Figure 20. CFLOS Probabilities for Apr, 00-02 LST, 30° Elevation




Figure 21. CFLOS Probabilities for Apr, 00-02 LST, 10° Elevation




Figure 22. CFLOS Probabilities for Apr. 06-08 LST, 90° Elevation




Figure 23. CFLOS Probabilities for Apr, 06-08 LST, 50° Elevation




Figure 24. CFLOS Probabilities for Apr, 06-08 LST, 30° Elevation




Figure 25. CFLOS Probabilities for Apr, 06-08 LST, 10° Elevation




Figure 26. CFLOS Probabilities for Apr, 12-14 LST, 90° Elevation




Figure 27. CFLOS Probabilities for Apr, 12-14 LST, 50° Elevation




Figure 28. CFLOS Probabilities for Apr, 12-14 LST, 30° Elevation




Figure 29. CFLOS Probabilities for Apr, 12-14 LST, 10° Elevation




Figure 30. CFLOS Probabilities for Apr, 18-20 LST, 90° Elevation




Figure 31. CFLOS Probabilities for Apr, 18-20 LST, 50° Elevation




Figure 32. CFLOS Probabilities for Apr, 18-20 LST, 30° Elevation




Figure 32, CFLOS Probabilities for Apr. 18-20 LST, 10° Elevation




Figure 34. CFLOS Probabilities for Jul, 00-02 LST, 90° Elevation




Figure 35. CFLOS Probabilities for Jul, 00-02 LST, 50° Elevation




Figure 36. CFLOS Probabilities for Jul, 00-02 LST, 30° Elevation




Figure 37. CFLOS Probabilities for Jul, 00-02 LST, 10° Elevation




Figure 38. CFLOS Probabilities for Jul, 06-08 LST, 90° Elevation




Figure 39. CFLOS Probabilities for Jul, 06-08 LST, 50° Elevation




Figure 40. CFLOS Probabilities for Jul, 06-08 LST, 30° Elevation




Figure 41. CFLOS Probabilities for Jul, 06-08 LST, 10° Elevation




Figure 42. CFLOS Probabilities for Jul, 12-14 LST, 90° Elevation




Figure 43. CFLOS Probabilities for Jul, 12-14 LST, 50° Elevation




Figure 44. CFLOS Probabilities for Jul, 12-14 LST, 30° Elevation




Figure 45. CFLOS Probabilities for Jul, 12-14 LST, 10° Elevation




Figure 47. CFLOS Probabilities for Jul, 18-20 LST, 50° Elevation




Figure 48. CFLOS Probabilities for ul, 18-20 LST, 30° Elevation




Figure 49. CFLOS Probabilities for Jul, 18-20 LST, 10° Elevation




Figure 50. CFLOS Probabilities for Oct, 00-02 LST, 90° Elevation




Figure 51. CFLCS Probabilities for Oct, 00-02 LST, 50° Elevation




Figure 52. CFLOS Probabilities for Oct, 00-02 LST, 30° Elevation




Figure 53. CFLOS Probabilities for Oct, 00-02 LST, 10° Elevation




Figure 54. CFLOS Probabilities for Oct, 00-08 LST, 90° Elevation





Figure 55. CFLOS Probabilities for Oct, 06-08 LST, 50° Elevation






Figure 57. CF LOS Probabilities for Oct, 06-08 LST, 10° Elevation




Figure 58. CFLOS Probabilities for Oct, 12-14 LST, 90° Elevation




Figure 59. CFLOS Probabilities for Oct, 12-14 LST, 50° Elevation




Figure 60. CFLOS Probabilities for Oct, 12-14 LST, 30° Elevation




Figure 61. CFLOS Probabilities for Oct, 12-14 LST, 10° Elevation




Figure 62. CFLOS Probabilities for Oct, 18-20 LST, 90° Elevation




Figure 63. CFLOS Probabilities for Oct, 18-20 LST, 50° Elevation




Figure C4. CFLOS Probabilities for Oct, 18-20 LST, 30° Elevation




Figure 65. CFLOS Probabilities for Oct, 18-20 LST, 10° Elevation

