

AD-A065 089

ARIZONA UNIV TUCSON DEPT OF CHEMISTRY

F/G 7/4

EMPIRICAL FORMULA DETERMINATION WITH AN INDUCTIVELY COUPLED PLA--ETC(U)

FEB 79 D L WINDSOR, M B DENTON

N00014-75-C-0513


UNCLASSIFIED

TR-17

NL

1 OF 1
ADA
065089

FILE



END
DATE
FILMED

4-79
DDC

DDC FILE COPY
ADA 065089

(10)
P.S.

LEVEL

II

(15)
OFFICE OF NAVAL RESEARCH
Contract NO0014-75-C-0513

Task No. NR 051-549

(9) Technical Report, No. 17

(6)
EMPIRICAL FORMULA DETERMINATION WITH
AN INDUCTIVELY COUPLED PLASMA
GAS CHROMATOGRAPHIC DETECTOR.


(10) David L. Windsor M. Bonner/Denton

(11) 1 Feb 79

(14) TR-17

(12) 28p.

Department of Chemistry
University of Arizona
Tucson, Arizona 85721



Prepared for Publication

in

Analytical Chemistry

Reproduction in whole or in part is permitted for any purpose
of the United States Government.

Approved for Public Release: Distribution Unlimited

79 02 21 073
033 860

LB

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 17	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) EMPIRICAL FORMULA DETERMINATION WITH AN INDUCTIVELY COUPLED PLASMA GAS CHROMATOGRAPHIC DETECTOR		5. TYPE OF REPORT & PERIOD COVERED INTERIM
7. AUTHOR(s) D. L. Windsor and M. Bonner Denton		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Chemistry University of Arizona Tucson, AZ 85721		8. CONTRACT OR GRANT NUMBER(s) N00014-75-C-0513
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Arlington, Virginia 22217		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 051-549
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE February 1, 1979
		13. NUMBER OF PAGES 13
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release; Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Empirical Formula Determination Inductively Coupled Plasma Gas Chromatographic Detector		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The ability of the inductively-coupled plasma (ICP) gas chromatographic (GC) detector to determine empirical formulas is evaluated. Elemental compositions and empirical formulas of hydrocarbons and halogens are determined as the compounds are eluted from a chromatograph. The observed accuracy and precision are found to be of sufficient quality to indicate that the technique holds promise for the determination of empirical formulas.		

DD FORM 1473
1 JAN 73EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102 LF 014 6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

ACCESSION for		
NTIS	White Section	☒
DDC	Bull Section	☐
UNANNOUNCED		☐
JUSTIFICATION		
BY		
DISTRIBUTION/AVAILABILITY CODES		
Dist.	AVAIL. and/or	SPECIAL
A		

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

INSTRUCTIONS FOR PREPARATION OF REPORT DOCUMENTATION PAGE

RESPONSIBILITY. The controlling DoD office will be responsible for completion of the Report Documentation Page, DD Form 1473, in all technical reports prepared by or for DoD organizations.

CLASSIFICATION. Since this Report Documentation Page, DD Form 1473, is used in preparing announcements, bibliographies, and data banks, it should be unclassified if possible. If a classification is required, identify the classified items on the page by the appropriate symbol.

COMPLETION GUIDE

General. Make Blocks 1, 4, 5, 6, 7, 11, 13, 15, and 16 agree with the corresponding information on the report cover. Leave Blocks 2 and 3 blank.

Block 1. Report Number. Enter the unique alphanumeric report number shown on the cover.

Block 2. Government Accession No. Leave Blank. This space is for use by the Defense Documentation Center.

Block 3. Recipient's Catalog Number. Leave blank. This space is for the use of the report recipient to assist in future retrieval of the document.

Block 4. Title and Subtitle. Enter the title in all capital letters exactly as it appears on the publication. Titles should be unclassified whenever possible. Write out the English equivalent for Greek letters and mathematical symbols in the title (*see "Abstracting Scientific and Technical Reports of Defense-Sponsored RDT & E," AD-667 000*). If the report has a subtitle, this subtitle should follow the main title, be separated by a comma or semicolon if appropriate, and be initially capitalized. If a publication has a title in a foreign language, translate the title into English and follow the English translation with the title in the original language. Make every effort to simplify the title before publication.

Block 5. Type of Report and Period Covered. Indicate here whether report is interim, final, etc., and, if applicable, inclusive dates of period covered, such as the life of a contract covered in a final contractor report.

Block 6. Performing Organization Report Number. Only numbers other than the official report number shown in Block 1, such as series numbers for in-house reports or a contractor/grantee number assigned by him, will be placed in this space. If no such numbers are used, leave this space blank.

Block 7. Author(s). Include corresponding information from the report cover. Give the name(s) of the author(s) in conventional order (for example, John R. Doe or, if author prefers, J. Robert Doe). In addition, list the affiliation of an author if it differs from that of the performing organization.

Block 8. Contract or Grant Number(s). For a contractor or grantee report, enter the complete contract or grant number(s) under which the work reported was accomplished. Leave blank in in-house reports.

Block 9. Performing Organization Name and Address. For in-house reports enter the name and address, including office symbol, of the performing activity. For contractor or grantee reports enter the name and address of the contractor or grantee who prepared the report and identify the appropriate corporate division, school, laboratory, etc., of the author. List city, state, and ZIP Code.

Block 10. Program Element, Project, Task Area, and Work Unit Numbers. Enter here the number code from the applicable Department of Defense form, such as the DD Form 1498, "Research and Technology Work Unit Summary" or the DD Form 1634, "Research and Development Planning Summary," which identifies the program element, project, task area, and work unit or equivalent order which the work was authorized.

Block 11. Controlling Office Name and Address. Enter the full, official name and address, including office symbol, of the controlling office. (Equates to funding/sponsoring agency. For definition see DoD Directive 5200.20, "Distribution Statements on Technical Documents.")

Block 12. Report Date. Enter here the day, month, and year or month and year as shown on the cover.

Block 13. Number of Pages. Enter the total number of pages.

Block 14. Monitoring Agency Name and Address (if different from Controlling Office). For use when the controlling or funding office does not directly administer a project, contract, or grant, but delegates the administrative responsibility to another organization.

Blocks 15 & 15a. Security Classification of the Report; Declassification/Downgrading Schedule of the Report. Enter in 15 the highest classification of the report. If appropriate, enter in 15a the declassification/downgrading schedule of the report, using the abbreviations for declassification/downgrading schedules listed in paragraph 4-207 of DoD 5200.1-R.

Block 16. Distribution Statement of the Report. Insert here the applicable distribution statement of the report from DoD Directive 5200.20, "Distribution Statements on Technical Documents."

Block 17. Distribution Statement (of the abstract entered in Block 20, if different from the distribution statement of the report). Insert here the applicable distribution statement of the abstract from DoD Directive 5200.20, "Distribution Statements on Technical Documents."

Block 18. Supplementary Notes. Enter information not included elsewhere but useful, such as: Prepared in cooperation with... Translation of... Presented at conference of... To be published in...

Block 19. Key Words. Select terms or short phrases that identify the principal subjects covered in the report, and are sufficiently specific and precise to be used as index entries for cataloging, conforming to standard terminology. The DoD "Thesaurus of Engineering and Scientific Terms" (TEST), AD-672 000, can be helpful.

Block 20. Abstract. The abstract should be a brief (not to exceed 200 words) factual summary of the most significant information contained in the report. If possible, the abstract of a classified report should be unclassified and the abstract to an unclassified report should consist of publicly-releasable information. If the report contains a significant bibliography or literature survey, mention it here. For information on preparing abstracts see "Abstracting Scientific and Technical Reports of Defense-Sponsored RDT&E," AD-667 000.

Empirical Formula Determination with
an Inductively Coupled Plasma
Gas Chromatographic Detector

by

David L. Windsor and M. Bonner Denton*

Department of Chemistry

University of Arizona

Tucson, Arizona 85721

79 02 21 073

Brief

The simultaneous multielement capabilities of inductively-coupled plasma emission spectrometry are used to determine the empirical formula of compounds eluted from from a gas chromatograph.

ACCESSION for		
NTIS	White Section	☒
DDC	Buff Section	☐
UNANNOUNCED		☐
JUSTIFICATION		
BY		
DISTRIBUTION/AVAILABILITY CODES		
Dist.	AVAIL.	and/or SPECIAL
A		

Abstract

The ability of the inductively-coupled plasma (ICP) gas chromatographic (GC) detector to determine empirical formulas is evaluated. Elemental compositions and empirical formulas of hydrocarbons and halogens are determined as the compounds are eluted from a chromatograph. The observed accuracy and precision are found to be of sufficient quality to indicate that the technique holds promise for the determination of empirical formulas.

Introduction


Previous studies have indicated that inductively-coupled plasma atomic emission spectrometry (ICP-AES) can be employed as a simultaneous multielement detector for the determination of a wide variety of elements (1-3). Recent studies have shown that the ICP can be used for the quantitative analysis of carbon, hydrogen, boron, chlorine, sulfur iodine, phosphorous, silicon, etc. contained in organic molecules (4,5).

The data from these studies suggest the possibility of using the ICP-AES technique for the determination of empirical formulas of organic molecules. This manuscript reports initial studies evaluating the ability of the ICP-AES to determine empirical formulas of species eluting from a gas chromatograph. Since empirical formula determination is dependent on measuring the relative ratios of the elemental constituents and not determining absolute quantities, factors limiting quantitative delivery of known amounts of the compound in question, i.e., limitations associated with quantitative injection, peak shapes, etc., are not of major importance. Additionally, through the use of high-speed computer controlled data acquisition, data describing the relative atomic ratios of the elements composing the eluting compound can be acquired as the concentration increases to maximum peak height and subsequently falls. This yields a large number of elemental ratio determinations for a wide range of analyte concentrations at the detector. The computer can subsequently select those ratio determinations falling within the observed linear response range (4) and average these to obtain the best accuracy.

In previous investigations employing ICP-AES for analyzing organic molecules (4), the relative response of a given species in a variety of compounds was found to be much less sensitive to molecular structure than in the argon supported microwave excited plasma detector (MEPD), although some variations were observed. Such variations could seriously limit the ability of the ICP-AES detector to accurately determine empirical formulas if partial degradation results in preferential production of atomic species of certain elements. However, if a percentage of the compound in question is not completely degraded and passes through the plasma without producing any atomic degradation products, the relative atomic ratios will not be affected and empirical formula results will be correct.

Once empirical formulas are determined, the possibility of predicting molecular formulas exists. Under constant chromatographic conditions, the number of carbon atoms for a given class of molecule is proportional to a constant times the log of the component's retention time. The empirical formulas initially obtained can be employed to provide insight into selecting the proper constant value (i.e., the class of molecule).

If initially the assumption is made that when an organic compound of molecular formula $C_p H_q X_r$ enters the plasma it is thermally decomposed completely to atomic species, the thermal reaction can be given as:



If the response versus weight curve for each element, produced by Reaction 1, is linear, then an analytical calibration curve of the form:

$$R_i^O = m_i w_i^O + b_i \quad (2)$$

will describe the emission response of each element. For the i^{th} element: R^O is the response, m the slope of the line, w^O the weight of the element, and b_i the intercept of the response axis.

If b_i can be either made to equal zero or much less than $m_i w_i^O$, equation 2 can be reduced to:

$$R_i^O = m_i w_i^O \quad (3)$$

The total weight of a given element (w_i^O) is the sum of the weight produced by an added compound (w_i) and the weight contributed by impurities in the argon (w_i'). Thus, equation 3 becomes:

$$R_i^O = m_i w_i + m_i w_i' \quad (4)$$

The term $m_i w_i'$ in equation 4 represents the background and emission from impurity elements (R_i'). If this term is actually due to a constant impurity in the argon, it can be subtracted out and the net emission intensity is then given by:

$$R_i = m_i w_i \quad (5)$$

The weight of each element, from an added compound, is given by:

$$w_i = P_i W \quad (6)$$

where P_i is the fraction of element i in the compound and W is the total weight of the compound. Under this condition, equation

5 becomes:

$$R_i = m_i P_i W \quad (7)$$

Assuming the response per unit weight for each element to be independent of the compound containing the elements, the ratios of the slopes of the working curves will be constants:

$$K_1 = \frac{m_c}{m_h} = \frac{R_c P_h}{R_h P_c}; \quad K_2 = \frac{m_c}{m_x} = \frac{R_c P_x}{R_x P_c}; \quad K_3 = \frac{m_h}{m_x} = \frac{R_h P_x}{R_x P_h} \quad (8-10)$$

where the subscripts c, h and x denote carbon, hydrogen and element X respectively. Equations 8-10 contain only two independent equations since, for example, $K_3 = K_2/K_1$. Equation 11 constitutes the third independent equation required to define the system:

$$P_c + P_h + P_x = 1 \quad (11)$$

If one compound is used to determine the constants K_1 and K_2 , then the values of P_c , P_h and P_x for an unknown compound can be determined from the emission responses (R_c , R_h and R_x) for the compound:

$$P_c = \frac{R_c}{R_c + K_1 R_h + K_2 R_x} \quad (12)$$


$$P_h = \frac{K_1 R_h P_c}{R_c} \quad (13)$$

$$P_x = \frac{K_2 R_x P_c}{R_c} \quad (14)$$

For the special case of hydrocarbons, $R_x = P_x = 0$.

However, problems would occur if recombination to form diatomics occurred to an appreciable extent, i.e.:


(8)




Previous studies (5) indicate that recombination is not a major source of interference.

Thermal Degradation

If thermal degradation is not complete, Equations 8-10 may or may not be valid, depending on the resulting decomposition products. Furthermore, the assumption that the response per unit weight for each element is independent of structure may also be invalid. Incomplete thermal decomposition may result from some molecules passing through or around the plasma discharge without any decomposition;



where f is the fraction of molecules not decomposed. In this case, W can be replaced by fW in Equations 6 and 7. Equations 8-10 and 12-14 are not altered by this substitution. The possibility of partial thermal decomposition of individual molecules producing non-stoichiometric atomic concentrations is a more serious consideration.



where f_1 , f_2 and f_3 are the fractions of carbon, hydrogen and element X , respectively, are produced by partial thermal decomposition. In this case, equation 7 becomes:

$$R_1 = m_1 P_1 f_1 W \quad (17)$$

and the fractions f_1 are retained in equations 6-8. If this should

occur to any significant degree, equations 12-14 would no longer be valid.

It is the purpose of this manuscript to investigate which of these assumptions are valid and evaluate the actual performance of the ICP for the determination of empirical formulas.

Experimental

The experimental configuration employed consists of the R. F. supply, computer controlled data acquisition and gas chromatographic sampling system previously described (4,5). The torch is similar to the design of Windsor, et. al. (6), except that the internal diameter of the sample introduction tube has been reduced to 0.1 mm to decrease dead volume (5). All studies were performed with a single set of plasma operating conditions. Forward power of 800 watts at 27.12 MHz was utilized. A region 9 mm above the load coil was viewed. Coolant, plasma and sample argon were operated at 12, 0.5 and 0.9 L/min., respectively.

In addition to the previously described scanning optical system (4), a Jarrell-Ash (Waltham, Massachusetts) model 66-100 1.5 meter Paschen-Runge direct reader (200 μ m entrance and 75 μ m exit slits) equipped with high speed FET electrometers and a National Semiconductor (Santa Clara, California) model LF 13508 analog multiplexer is interfaced through a Burr-Brown (Tucson, Arizona) ADC 80-AG-10 analog to digital converter to a Hewlett-Packard (Palo Alto, California) 2116 C minicomputer equipped with 16 K of memory. The FET electrometers are

operated with a time constant of less than 100 μ sec and sampled sequentially for a given ratio value at a rate of 1.6 KHz providing essentially simultaneous readout. The delay time between high-speed scans of the monitored channels is software selectable based on a crystal controlled real-time-clock. Typical peaks yielded 200 elemental ratio determinations which were subsequently averaged to produce the values shown in Tables I through VI.

The sampling system is a Varian (Walnut Creek, California) model 1520 gas chromatograph equipped with a model D2-1866 Automatic Linear Temperature Programmer. The column employed is a 6 foot, 3.175 mm O.D. column packed with 8 % carbowax 1540 on 80/100 mesh firebrick. The output of the column is connected directly to a 1/57 mm Swagelok "T". One branch of the "T" is the "makeup" argon (0.9 L/min) and the third branch goes to the sample tube of the plasma torch. All reagents were A. R. grade used without further purification.

Results and Discussion

In order to evaluate the accuracy and precision of the method and determine which of the simplifying assumptions were warranted, the hydrogen-carbon and carbon/hydrogen/halogen percentage composition for a series of hydrocarbons and halogenated hydrocarbons were determined. The data given in Tables I and II demonstrate close agreement between theoretical and experimental values. Reproducibility data are given in Tables III and IV.

Empirical Formulas. Empirical formulas are determined from elemental compositions. For hydrocarbons, the experimental H/C ratios are compared to those for hydrocarbons containing 20 or less carbon atoms. Table V lists the empirical formula, for each compound, whose H/C ratio is closest to the experimental value.

To determine the empirical formulas for the halogen compounds studied, the percentage composition of each element found in the compound is first divided by the atomic weight of that element. These ratios are then adjusted so that the halogen ratio was one (Table VI). The empirical formulas are then obtained by rounding off the carbon and hydrogen ratios to the nearest whole number. In all cases, the correct empirical formula is obtained.

Molecular Formulas. Molecular formulas, for hydrocarbons, are deduced from experimental empirical formulas by utilizing the retention time data. Approximate carbon numbers (n) were determined from retention times (T_r) according to the relationship:

$$n \propto k \log T_r \quad (18)$$

where k is an experimental constant. The constant k depends on chromatographic conditions and the class of the compound. In this study, the two classes of compounds are considered to be aromatic and non-aromatic. To characterize the retention properties of the GC column, the ratio of the carbon number to the log of the retention time for a series of aromatic and non-aromatic compounds is determined. For each class of compound, the average of these ratios is taken as the constant in Equation 18. The observed constants are 11.7 and 22.7 for aromatic

and non-aromatic compounds respectively. The decision as to which constant to employ is based on the experimental H/C ratios. Compounds with ratios of 1.5 or less are classed as aromatic and compounds with ratios greater than 1.5 as non-aromatic. The molecular formulas determined by this method are listed in Table VII.

Conclusion

These investigations demonstrate that an inductively-coupled plasma can provide highly accurate relative elemental composition analysis when properly coupled to a gas chromatograph. The observed accuracy and precision for the compounds studied are at a sufficiently high level to allow calculation of reliable empirical formulas. The observed empirical formula can subsequently be used to choose a constant and estimate an approximate carbon number. Only approximate carbon numbers are needed since the molecular formula must be a whole number multiple of the empirical formula. While this technique provides the ability to analyze for a large number of elemental constituents, usable lines for atomic oxygen and atomic nitrogen have not yet been observed (4). Until suitable lines are found for these two elements, care must be exercised when these techniques are applied to mixtures of unknown components. While the relative ratios of measured atomic constituents will remain accurate, the calculated empirical formulas will not reflect elements not observed. Use of retention times for

References

1. R. H. Scott, V. A. Fassel, R. N. Kniseley and D. E. Nixon, Anal. Chem., 46, 75 (1974).
2. P. W. J. M. Boumans and F. J. deBoer, Spectrochim. Acta, 30B, 309 (1975).
3. S. Greenfield, P. B. Smith, A. F. Breeze and N. M. D. Chilton, Anal. Chim. Acta, 41, 385 (1968).
4. D. L. Windsor and M. B. Denton, Appl. Spectrosc., 32, 366 (1978).
5. D. L. Windsor and M. B. Denton, Journal Chromatographic Science, submitted.
6. D. L. Windsor, D. R. Heine and M. B. Denton, Appl. Spectrosc., 33, 0000 (1979).

calculating carbon number under such conditions could also lead to gross error.

Even considering the limitations arising from the inability to measure oxygen and nitrogen, the high degree of quantitative accuracy and large number of elements which can be determined should make the ICP-GC empirical formula determination technique described by this manuscript highly valuable to both analytical and organic chemists.

Credit

This work was partially supported by the Office of Naval Research and by an Alfred P. Sloan Foundation Research Fellowship to M. B. D.

Table I. Elemental analysis of hydrocarbons

	% Carbon		Relative Difference (%)	% Hydrogen		Relative Difference (%)
	Theoretical	Found		Theoretical	Found	
cumene	90.00	89.72	0.31	10.00	10.28	2.80
cyclohexene	87.80	87.94	0.16	12.20	12.06	1.15
ethylbenzene	90.57	90.57	0.00	9.43	9.43	0.00
n-heptane	84.00	83.92	0.10	16.00	16.08	0.50
isooctane	84.21	84.15	0.07	15.79	15.85	0.38
methylcyclohexane	85.71	85.72	0.01	14.29	14.28	0.07
1-pentene	85.71	85.98	0.32	14.29	14.02	1.89
o-xylene	90.67	90.67	0.00	9.43	9.43	0.00
m-xylene	90.57	90.48	0.10	9.43	9.52	0.95

Table II. Elemental analysis of halogens.

	% Carbon		Difference		Average Standard Deviation (parts/thousand)
	Theoretical	Found	Absolute	Relative	
1-iodobutane	26.10	25.86	0.24	0.92	12.3
2-iodobutane	26.10	26.40	0.30	1.15	10.9
iodobenzene	35.32	35.07	0.25	0.71	-
1-chlorobutane	51.90	51.81	0.09	0.17	2.8

	% Hydrogen		Absolute	Relative	Average Standard Deviation (parts/thousand)
	Theoretical	Found			
1-iodobutane	4.89	4.84	0.05	1.02	7.3
2-iodobutane	4.89	4.88	0.01	0.20	9.9
iodobenzene	2.47	2.31	0.16	6.5	-
1-chlorobutane	9.80	9.73	0.07	0.71	8.6

	% Halogen		Absolute	Relative	Average Standard Deviation (parts/thousand)
	Theoretical	Found			
1-iodobutane	69.00	69.31	0.31	0.45	1.4
2-iodobutane	69.00	68.72	0.28	0.41	1.4
iodobenzene	62.21	62.61	0.40	0.64	-
1-chlorobutane	38.30	38.46	0.16	0.42	4.9

Table III. Repetitive analysis of hydrocarbons.

	Cyclohexene		m-Xylene	
	% C	% H	% C	% H
Run 1	88.07	11.93	90.54	9.46
Run 2	87.98	12.02	90.63	9.37
Run 3	88.06	11.94	90.43	9.57
Run 4	87.76	12.24	90.37	9.63
Run 5	87.85	12.15	90.38	9.62

Average	87.94	12.06	90.47	9.52

$\bar{\sigma}$ (ppt)	1.5	11.2	1.2	11.8

Table IV. Precision and accuracy for the elemental analysis of organic compounds.

% of Element in Compound	Average Difference %		Average Standard Deviation (parts/thousand)
	Absolute	Relative	
50	0.14	0.19	1.7
10-50	0.17	1.03	9.8
1-10	0.08	1.21	9.4

Table V. Empirical formulas for a variety of hydrocarbons studied whose hydrogen to carbon atomic ratio is closest to the experimentally determined hydrogen to carbon ratios.

	Empirical Formula	H/C Atomic Ratio		% Difference	
		Theoretical	Found	Absolute	Relative
cumene	C_3H_4	1.333	1.376	0.043	3.23
cyclohexene	C_3H_5	1.667	1.646	0.021	1.26
ethylbenzene	C_4H_5	1.250	1.249	0.001	0.08
n-heptane	C_7H_{16}	2.286	2.299	0.013	0.57
isooctane	C_4H_9	2.250	2.260	0.010	0.44
methylcyclohexane	CH_2	2.000	1.999	0.001	0.05
1-pentene	CH_2	2.000	1.957	0.043	2.15
o-xylene	C_4H_5	1.250	1.249	0.001	0.08
m-xylene	C_4H_5	1.250	1.263	0.013	1.04

Table VI. Experimentally determined Empirical formulas for halogenated compounds.

	Normalized Atomic Ratios			Empirical Formula
	C	H	X	
1-iodobutane	3.94	8.86	1.00	C_4H_9I
2-iodobutane	4.06	9.00	1.00	C_4H_9I
iodobenzene	5.92	4.69	1.00	C_6H_5I
1-chlorobutane	3.98	8.97	1.00	C_4H_9Cl

Table VII. Molecular formulas determined from the experimental empirical formula data and retention times.

Compound	Retention Time (min)	nC	Empirical Formula	Molecular Formula
cumene	6.40	9.4	C_3H_4	C_9H_{12}
cyclohexene	2.10	7.3	C_3H_5	C_6H_{10}
ethylbenzene	5.45	8.6	C_4H_5	C_8H_{10}
n-heptane	1.95	6.6	C_7H_{16}	C_7H_{16}
isooctane	1.98	6.7	C_4H_9	C_8H_{18}
methylcyclohexane	2.00	6.8	CH_2	C_7H_{14}
1-pentane	1.75	5.5	CH_2	C_6H_{12}
o-xylene	6.85	9.8	C_4H_5	C_8H_{10}
m-xylene	5.55	8.7	C_4H_5	C_8H_{10}

TECHNICAL REPORT DISTRIBUTION LIST

	No. Copies		No. Copies
Dr. H. B. Denton University of Arizona Department of Chemistry Tucson, AZ 85721	1	Dr. H. Chernoff Massachusetts Institute of Technology Department of Mathematics Cambridge, MA 02139	1
Dr. G. S. Wilson University of Arizona Department of Chemistry Tucson, AZ 85721	1	Dr. K. Wilson University of California, San Diego Department of Chemistry La Jolla, CA 92037	1
Dr. R. A. Osteryoung Colorado State University Department of Chemistry Fort Collins, CO 80521	1	Dr. A. Zirino Naval Undersea Center San Diego, CA 92132	1
Dr. B. R. Kowalski University of Washington Department of Chemistry Seattle, WA 98105	1	Dr. John Duffin United States Naval Post Graduate School Monterey, CA 93940	1
Dr. I. B. Goldberg North American Rockwell Science Center P.O. Box 1085 1049 Camino Dos Rios Thousand Oaks, CA 91360	1	Dr. G. M. Hieftje Department of Chemistry Indiana University Bloomington, IN 47401	1
Dr. S. P. Perone Purdue University Department of Chemistry Lafayette, In 47907	1	Dr. Victor L. Rehn Naval Weapons Center Code 3813 China Lake, CA 93555	1
Dr. E. E. Wells Naval Research Laboratory Code 6160 Washington, D. C. 20375	1	Dr. Christie G. Enke Michigan State University Department of Chemistry East Lansing, MI 48824	1
Dr. D. L. Venezky Naval Research Laboratory Code 6130 Washington, D. C. 20375	1		
Dr. Henry Freiser University of Arizona Department of Chemistry Tucson, AZ 85721	1		
Dr. Fred Saalfeld Naval Research Laboratory Code 6110 Washington, D. C. 20375	1		

TECHNICAL REPORT DISTRIBUTION

	No. Copies		No. Copies
Office of Naval Research Arlington, VA 22217 ATTN: Code 472	2	Defense Documentation Center Building 5, Cameron Station Alexandria, VA 22314	12
Office of Naval Research Arlington, VA 22217 Attn: Code 102IP 1	6	U. S. Army Research Office P.O. Box 12211 Research Triangle Park, N. C. 20779 Attn: CRD-AA-IP	1
ONR Branch Office 536 S. Clark Street Chicago, IL 60605 Attn: Dr. Jerry Smith	1	Naval Ocean Systems Center San Diego, CA 92152 Attn: Mr. Joe McCartney	1
ONR Branch Office 715 Broadway New York, NY 10005 Attn: Scientific Dept.	1	Naval Weapons Center China Lake, CA 93555 Attn: Head, Chemistry Division	1
ONR Branch Office 1030 East Green Street Pasadena, CA 91106 Attn.: Dr. R. J. Marcus	1	Naval Civil Engineering Laboratory Port Hueneme, Ca. 93041 Attn: Mr. W. S. Haynes	1
ONR Branch Office 760 Market Street, Rm. 447 San Francisco, CA 94102 Attn: Dr. P. A. Miller	1	Professor O. Heinz Department of Physics and Chemistry Naval Postgraduate School Monterey, CA 93940	1
ONR Branch Office 195 Summer Street Boston, MA 02210 Attn: Dr. L. H. Peebles	1	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D. C. 20380	1
Director, Naval Research Laboratory Washington, D. C. 20390 Attn: Code 6100	1	Office of Naval Research Arlington, VA 22217 Attn: Dr. Richard S. Miller	1
The Asst. Secretary of the Navy (R&D) Department of the Navy Room 4E756, Pentagon Washington, D. C. 20350	1		
Commander, Naval Air Systems Command Department of the Navy Washington, D. C. 20360 Attn: Code 310C (H. Rosenwasser)	1		

TECHNICAL REPORT DISTRIBUTION

	No. Copies		No. Copies
Office of Naval Research Arlington, VA 22217 ATTN: Code 472	2	Defense Documentation Center Building 5, Cameron Station Alexandria, VA 22314	12
Office of Naval Research Arlington, VA 22217 Attn: Code 102IP 1	6	U. S. Army Research Office P.O. Box 12211 Research Triangle Park, N. C. 20779 Attn: CRD-AA-IP	1
ONR Branch Office 536 S. Clark Street Chicago, IL 60605 Attn: Dr. Jerry Smith	1	Naval Ocean Systems Center San Diego, CA 92152 Attn: Mr. Joe McCartney	1
ONR Branch Office 715 Broadway New York, NY 10003 Attn: Scientific Dept.	1	Naval Weapons Center China Lake, CA 93555 Attn: Head, Chemistry Division	1
ONR Branch Office 1030 East Green Street Pasadena, CA 91106 Attn.: Dr. R. J. Marcus	1	Naval Civil Engineering Laboratory Port Hueneme, Ca. 93041 Attn: Mr. W. S. Haynes	1
ONR Branch Office 760 Market Street, Rm. 447 San Francisco, CA 94102 Attn: Dr. P. A. Miller	1	Professor O. Heinz Department of Physics and Chemistry Naval Postgraduate School Monterey, CA 93940	1
ONR Branch Office 195 Summer Street Boston, MA 02210 Attn: Dr. L. B. Peebles	1	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D. C. 20380	1
Director, Naval Research Laboratory Washington, D. C. 20390 Attn: Code 6100	1	Office of Naval Research Arlington, VA 22217 Attn: Dr. Richard S. Miller	1
The Asst. Secretary of the Navy (R&D) Department of the Navy Room 4E756, Pentagon Washington, D. C. 20350	1		
Commander, Naval Air Systems Command Department of the Navy Washington, D. C. 20360 Attn: Code 310C (H. Rosenwasser)	1		