


AMRL-TR-79-33



**DESIGN CRITERIA FOR CHARACTERIZING
INDIVIDUALS IN THE EXTREME UPPER
AND LOWER BODY SIZE RANGES**

**KATHLEEN ROBINETTE
THOMAS CHURCHILL
ANTHROPOLOGY RESEARCH PROJECT
503 XENIA AVENUE
YELLOW SPRINGS, OHIO 45387**

June 1979



Approved for public release; distribution unlimited.

**AEROSPACE MEDICAL RESEARCH LABORATORY
AEROSPACE MEDICAL DIVISION
AIR FORCE SYSTEMS COMMAND
WRIGHT-PATTERSON AIR FORCE BASE, OHIO 45433**

79 08 05 004

A 072353

DDC FILE COPY

NOTICES

When US Government drawings, specifications, or other data are used for any purpose other than a definitely related Government procurement operation, the Government thereby incurs no responsibility nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Please do not request copies of this report from Aerospace Medical Research Laboratory. Additional copies may be purchased from:

National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161

Federal Government agencies and their contractors registered with Defense Documentation Center should direct requests for copies of this report to:

Defense Documentation Center
Cameron Station
Alexandria, Virginia 22314


TECHNICAL REVIEW AND APPROVAL

AMRL-TR-79-33

This report has been reviewed by the Information Office (OI) and is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nations.

This technical report has been reviewed and is approved for publication.

FOR THE COMMANDER


CHARLES BATES, JR.
Chief
Human Engineering Division
Aerospace Medical Research Laboratory

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

11 REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AMRL-TR-79-33	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) DESIGN CRITERIA FOR CHARACTERIZING INDIVIDUALS IN THE EXTREME UPPER AND LOWER BODY SIZE RANGES.		5. TYPE OF REPORT & PERIOD COVERED Technical Report
7. AUTHOR(s) Kathleen/Robinette Thomas/Churchill		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Anthropology Research Project 503 Xenia Avenue Yellow Springs, Ohio 45387		8. CONTRACT OR GRANT NUMBER(s) F33615-78-C-0508
11. CONTROLLING OFFICE NAME AND ADDRESS Aerospace Medical Research Laboratory Aerospace Medical Division (AFSC) Wright-Patterson AFB, Ohio 45433		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 62202F, 17184-08-26
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE June 1979
		13. NUMBER OF PAGES 92
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Range of human body sizes Alternative approaches Use of percentile values Subgroup method Limitations to percentile approach Regression method Extreme ends of population Realistic design values		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Designers commonly attempt to represent a range of human body sizes by using human manikins, three-dimensional forms, computer simulations, and various other models. These analogues are developed from a limited number of body size groupings, often utilizing 5th, 50th, or 95th percentile values. There are serious limitations to this percentile approach, exemplified by the fact that at the ends of the distribution, percentile values are not additive. Focusing on the ends of the distribution, where limitations are most intense, this report pinpoints and illustrates problems associated with		

20. ABSTRACT (cont'd)

the use of percentile values, and describes two alternative approaches: subgroup and regression values. Either of these alternatives offers significant improvement over the percentile approach and can be used to characterize any portion of the body size distribution. Regression equations for predicting dimensions from weight and stature and from weight and sitting height are provided to aid designers in computing dimensional body size data needed for cockpit and other work station layouts.

A

PREFACE

This study was conducted under Air Force Contract F33615-78-C-0508 with the Aerospace Medical Research Laboratory, Wright-Patterson Air Force Base, Ohio, in response to requirements of Project 7184, "Man-Machine Integration Technology," Task 71840826, "Anthropometric Data For Pilot Performance/Safety." Mr. C. E. Clauser, Crew Station Integration Branch, Aerospace Medical Research Laboratory acted as contract monitor.

The authors are grateful to Dr. John T. McConville for his guidance and to Ms. Ilse Tebbetts and Ms. Jane Reese for critically reviewing, editing, and preparing the manuscript for publication. Mr. Paul Kikta provided the plots for the illustrations on pages 45 and 46.

TABLE OF CONTENTS

<u>Section</u>		<u>Page</u>
I	INTRODUCTION.	6
II	COMBINATION OF SAMPLES.	9
III	PRESENTATION OF DATA AND GENERAL OBSERVATIONS .	11
IV	COMPARISON OF METHODS	35
V	CONCLUSION.	50
	APPENDIX.	51
	REFERENCES.	88

LIST OF ILLUSTRATIONS

1	1968 WAF stature-weight bivariate distribution	8
2	1967 Air Force stature-weight bivariate distribution.	8
3	Knee circumference frequency distribution curves (female).	10
4	A histogram and normal curve approximation for weight for 1968 USAF women.	48
5	A histogram and normal curve approximation for upper thigh circumference for 1968 USAF women .	49

LIST OF TABLES

1	Comparison of 5th Percentile Values with Small-Short Subgroup Values and Small Size Regression Values--1966 Survey of Army Personnel	13-14
2	Comparison of 95th Percentile Values with Large-Long Subgroup Values and Large Size Regression Values--1966 Survey of Army Personnel	15-16
3	Comparison of 5th Percentile Values with Small-Short Subgroup Values and Small Size Regression Values--1977 Survey of Army Women	17-18

LIST OF TABLES (cont'd)

	<u>Page</u>
4 Comparison of 95th Percentile Values with Large-Long Subgroup Values and Large Size Regression Values--1977 Survey of Army Women.	19-20
5 Comparison of 5th Percentile Values with Small-Short Subgroup Values and Small Size Regression Values--1967 Survey of USAF Flying Personnel . .	21-23
6 Comparison of 95th Percentile Values with Large-Long Subgroup Values and Large Size Regression Values--1967 Survey of USAF Flying Personnel . .	24-26
7 Comparison of 5th Percentile Values with Small-Short Subgroup Values and Small Size Regression Values--1968 Survey of Air Force Women	27-28
8 Comparison of 95th Percentile Values with Large-Long Subgroup Values and Large Size Regression Values--1968 Survey of Air Force Women	29-30
9 Comparison of 5th Percentile Values with Small-Short Subgroup Values and Small Size Regression Values--Combined U.S. Army 1966 and USAF 1967. .	31
10 Comparison of 95th Percentile Values with Large-Long Subgroup Values and Large Size Regression Values--Combined U.S. Army 1966 and USAF 1967. .	32
11 Comparison of 5th Percentile Values with Small-Short Subgroup Values and Small Size Regression Values--Combined U.S. Army 1977 and USAF 1966. .	33
12 Comparison of 95th Percentile Values with Large-Long Subgroup Values and Large Size Regression Values--Combined U.S. Army 1977 and USAF 1968. .	34
13 Additive Height Segments--Combined 1977 Army Women and 1968 Air Force Women	36
14 Additive Circumference Segments--Combined 1977 Army Women and 1968 Air Force Women.	37
15 Height Segment Values as a Percentage of Stature; Curvature Values as a Percentage of Bust Circumference--Combined 1977 Army Women and 1968 Air Force Women.	38
16 Height Segment Values as a Percentage of Their Sum--Combined 1977 Army Women and 1968 Air Force Women.	39

LIST OF TABLES (cont'd)

		<u>Page</u>
17	Frequency Distributions of the Percent Deviations Between the Small-Short Subgroup Values, the 5th Percentile Values, and the Regression Values--WAF 1968.	40
18	Frequency Distributions of the Percent Deviations Between the Small-Short Subgroup Values, the 5th Percentile Values, and the Regression Values--Army Women 1977	41
19	Frequency Distributions of the Percent Deviations Between the Large-Long Subgroup Values, the 95th Percentile Values, and the Regression Values--WAF 1968.	42
20	Frequency Distributions of the Percent Deviations Between the Large-Long Subgroup Values, the 95th Percentile Values, and the Regression Values--Army Women 1977	43
21	Frequency Distribution of the Percent Deviations Between the Small-Short Subgroup Values, the 5th Percentile Values, and the Regression Values--Combined Female Sample.	44
22	Frequency Distributions of the Percent Deviations Between the Large-Long Subgroup Values, the 95th Percentile Values, and the Regression Values--Combined Female Sample.	45
23	Frequency Distributions of the Percent Deviations Between Regression Method Values Predicted from Inputs of Subgroup Stature and Weight, and Subgroup Mean Values	47
	Multiple Regression Equations for Predicting Men's Anthropometric Dimensions from Body Weight and Stature for:	
24	1966 U.S. Army Men	52-53
25	1967 USAF Men.	54-59
26	Combined Men	60-61
	Multiple Regression Equations for Predicting Women's Anthropometric Dimensions from Body Weight and Stature for:	
27	1968 AF Women.	62-65
28	1977 U.S. Army Women	66-67
29	Combined Women	68-69

LIST OF TABLES (cont'd)

		<u>Page</u>
	Multiple Regression Equations for Predicting Men's Anthropometric Dimensions from Body Weight and Sitting Height for:	
30	1966 U.S. Army Men	70-71
31	1967 USAF Men.	72-77
32	Combined Men	78-79
	Multiple Regression Equations for Predicting Women's Anthropometric Dimensions from Body Weight and Sitting Height for:	
33	1968 AF Women.	80-83
34	1977 U.S. Army Women	84-85
35	Combined Women	86-87

Section I

INTRODUCTION

Since World War II, workspaces and equipment have been designed with a view toward accommodating as wide a range of individuals as possible who will ultimately occupy and operate them. As changing times broaden occupational opportunities for women, youth and older persons, they challenge the inventiveness of designers of aircraft, automobiles, weapons, and a vast array of other equipment and clothing, which are increasingly used by more diverse populations.

While there is, as yet, no practical way of insuring accommodation for 100% of a heterogeneous user population, it is common practice to seek a design solution for 90 to 95% of a target group, a task which demands some means of consolidating large quantities of body size data into a reasonable number of manageable groupings. Among the many design aids used in the development of clothing, equipment and work stations are various forms of human analogues ranging from two-dimensional templates to detailed three-dimensional anthropometric dummies. Usually these analogues are developed from three groups of data--5th, 50th and 95th percentile body size data, with the 5th and 95th percentile models designed to represent the smallest and largest segments of the population.

It has been amply demonstrated (Daniels, 1952; McConville and Churchill, 1976) that while the concept of "average" is valuable as an estimate of central tendency, and, in conjunction with some measure of variability such as the standard deviation, useful as a descriptive tool, the 50th percentile or "average" person is a rare bird indeed, based as it is on the erroneous assumption that an "average"-sized individual will be average in all dimensions. Furthermore, McConville and Churchill pointed out that the limitations which apply to the "average" man are, if anything, intensified in dealing with 5th and 95th percentile forms. Not only are the percentile forms unrealized in nature, but they are also statistically impossible since 5th or 95th percentile values are not additive. As will be demonstrated in this study, the sum of related percentile parts creates a total considerably at variance with the actual total. Thus, in order to develop an analogue from these values, many of them must be altered and the resulting models are often both unrealistic and unreliable.

Two alternative approaches were described by McConville and Churchill. The subgroup method and the regression method, they suggested, are preferable for most design purposes. In this report we will expand on their study by demonstrating in some detail that the methods recommended by McConville and Churchill are considerably more reliable in producing realistic design values to characterize persons at the extreme ends of the population distribution than are the more commonly used techniques based on percentile values.

The subgroup method is an approach with which subsets, based on the variables of stature and weight, are drawn from the sample at each end of the distribution. The resulting "small-shorts" consist of all the individuals whose stature and weight fall below the 10th percentile and the "large-longs" consist of all the individuals whose stature and weight are above the 90th percentile. Examples of such groups are identified in the bivariate distribution tables shown in Figures 1 and 2. The use of variable means of these subgroups as the design values will be shown to be a better approach for characterizing persons at the extremities of the body size range than the percentile method, although caution must be exercised since the smaller the sample the more likely it is that an aberrantly proportioned individual will unduly affect a given design value.

The procedure recommended as being most useful for design purposes is the regression method in which multiple regression equations are used to predict each variable from given values of stature and weight. This method results in values on which to base models representing the tails of the distribution which are comparable to percentile values but considerably more realistic and reliable. The advantages of this method over the subgroup method are connected with sample size and with the capability of regression equations to predict an array of variables at any given values of stature and weight, features which are discussed in more detail in the concluding section of this report.

The analysis in the previous study was based on the 1967 and 1968 surveys of U.S. Air Force men and women, respectively (Churchill et al., 1977a and 1978; Clauser et al., 1972). The total male sample contains 2420 individuals and the female sample 1905. The extreme end subsets, of course, contain far fewer persons--61 men and 59 women in the small subset and 90 men and 66 women in the large subset. Therefore, in order to validate the findings of the McConville and Churchill study, we expanded the data base with additional samples.

The source data in this study were from the 1966 Army (White and Churchill, 1971) and the 1967 Air Force male samples, and the 1977 Army (Churchill et al., 1977b) and the 1968 Air Force female samples and are used both individually and in combined forms. The combination of samples increased the number of individuals to 116 female subjects and 320 male subjects in the small subsets and 114 females and 316 males in the large subsets.

		STATURE (cm)																						TOT
		145	147	149	151	153	155	157	159	161	163	165	167	169	171	173	175	177	179	181	183	ALS		
		.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25		
200.00																							2	
190.00																							2	
180.00																							2	
170.00																							7	
160.00																							3	
150.00																							7	
140.00																							14	
130.00	SHORT																						17	
120.00																							30	
110.00																							49	
100.00																							72	
90.00																							122	
80.00																							162	
70.00																							161	
60.00																							231	
50.00																							241	
40.00																							221	
30.00																							209	
20.00																							192	
10.00																							113	
0.00																							81	
TOTALS		2	0	17	60	60	160	190	211	260	241	123	187	125	82	93	13	14	9	1	1	1905		

Figure 1. 1968 WAF stature-weight bivariate distribution.

		STATURE (cm)																												TOT	
		157	160	161	163	164	166	167	169	170	172	173	175	176	178	179	181	182	184	185	187	188	190	191	193	194	196	197	ALS		
		.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25	.25			
WEIGHT (lb)	260.00																												1		
	250.00																												0		
	240.00																												0		
	230.00																												0		
	220.00																												0		
	210.00																												0		
	200.00																												0		
	190.00																												0		
	180.00																												0		
	170.00																												0		
	160.00																												0		
	150.00																												0		
	140.00																												0		
	130.00																												0		
	120.00																												0		
	TOTALS		2	9	8	14	31	39	70	86	127	104	209	190	221	242	234	193	145	106	99	92	92	24	20	10	6	2	1	2420	
																															0
																															0
																															0
																															0
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	
																														0	

Figure 2. 1967 Air Force stature-weight bivariate distribution.

Section II

COMBINATION OF SAMPLES

Before combined samples can be reliably used, it must be determined that the various dimensions were measured in exactly the same way. Obvious discrepancies can be singled out by reading the measurement descriptions and landmark definitions but other measurement differences are not so easily identified. They may be caused by a number of factors, such as the use of unlike measuring instruments or different measurers who may or may not interpret landmarks in the same way.

If the measurement differences are random, such as might be caused by an occasional careless reading of the measuring instruments, they will not affect the distribution of the data and will not cause concern. A measurement difference consistently biased in the same direction, which could occur as the result of using a faulty instrument, will, however, affect the distribution of the data. A hypothetical example of this bias is illustrated in Figure 3. The samples create two distribution curves which may or may not be similar in shape and size but occupy two different sections of the size scale. This reflects the fact that one sample has larger values, as a whole, than the other. When two samples in which variables were measured differently are combined, the combined distribution may have a larger coefficient of variation, $(\frac{SD}{\bar{X}} \times 100)$, than either of the paired samples or the values at the extreme ends of the distribution may be entirely from one of the paired samples at one end and from the other sample at the other end. A third clue to measurement discrepancies is provided by the bimodal distribution of the data, a pattern characterized by two peaks in the curve representing the distribution of values. This configuration is not always easy to identify since a normal distribution curve is never entirely smooth and can exhibit some minor peaks and valleys which do not necessarily denote bimodality. For this reason, a suspected bimodal distribution was treated as supporting evidence for discrepant values but not considered strong enough, alone, to indicate a measurement difference.

We flagged those variables which had a combined sample coefficient of variation which was larger than those of the paired samples by approximately one percent or more.

To detect a lack of integration in the extreme end values of the combined sample, we used the XVAL program (Kikta and Churchill, 1978) which prints out the ten smallest and ten largest values for each variable. We flagged all the variables for which all the ten smallest values were from one of the paired samples and all the ten largest were from the other.

From the female combined sample data the variables which exhibited these characteristics included: head circumference, elbow circumference (flexed), neck circumference, and knee




Figure 3. Knee circumference frequency distribution curves (female).

circumference. From the male combined sample data the variables included: bitracion breadth, hip breadth, and sleeve length. There are only two variables for which a probable cause is known. Head circumference may have a measurement difference because there were a great many more Black persons in the Army sample than the Air Force sample, many of whom had coarse hair which inhibited exact measurement. Neck circumference was discovered to have a different measurement description to begin with; thus this procedure also served to check measurement differences which had escaped notice in the original screening. We were unable to determine the reasons for differences in the other variables but we deemed it best to include only those variables which were not suspect, so we discarded all of the above. This left 44 variables for the female combined sample and 42 variables for the male combined sample.

Section III

PRESENTATION OF DATA AND GENERAL OBSERVATIONS

Following the procedures outlined in the previous study (McConville and Churchill, 1976), we tabulated the total sample 5th and 95th percentile values, the subgroup mean values, and the regression values (Tables 1 - 12). The values in Tables 1 through 8 are derived from the individual Army and Air Force samples. The values in Tables 9 through 12 are derived from the combined Army and Air Force samples. The 5th percentile values represent the point at which only five percent of the subjects in the sample have smaller values. The 95th percentile values represent the point at which only five percent of the subjects in the sample have larger values.

The subgroups are subsets of an entire sample, in this case based upon the variables of stature and weight. The "small-shorts" consist of those subjects below the 10th percentile for both stature and weight and the "large-longs" consist of those individuals above the 90th percentile for both stature and weight. Once the subgroups of subjects were obtained, the averages (means, $\bar{X}$) of their dimensions were computed to arrive at values for design purposes, and for comparison with percentile and regression values in this study.

The regression values are arrived at from multiple regression equations which are used to predict values for each variable from stated values of stature and weight. There is a separate multiple regression equation for each anthropometric variable. After the equations are developed, any given values for stature and weight can be plugged into the equation to predict values for each variable which will represent a best estimate of the variable's size at that stature and weight. The stature and weight values used in these regression equations are from either the 5th or 95th percentiles.

The first column in each table lists the variable names. The percentile values are presented in the second column and the subgroup mean values in the third. These are followed by their deviations and their percent deviations (D and $\%D$) in the fourth and fifth columns. The deviation is simply a difference, one value subtracted from another; in this case, the percentile value from the subgroup value. The deviation in percent form is the deviation expressed as a percent of the value from which it was subtracted. For example, the deviation in percent form of X from Y is expressed by the equation

$$\frac{Y-X}{Y} \times 100 = \frac{D}{Y} \times 100 = \%D$$

The sixth column lists the predicted or multiple regression values for each variable, based on the percentile stature and weight

inputs, followed by the deviations and percent deviations of the percentile values from the regression equation values in columns seven and eight. Columns nine and ten are the deviations and percent deviations of the regression values from the subgroup mean values.

A study of Tables 1 - 8 shows that certain general characteristics consistently occur. First, the "small-short" subgroup's stature and weight mean values are smaller than the 5th percentile values for stature and weight in all samples. At the same time, the "small-short" subgroup mean values for the other variables are, on the average, larger than the 5th percentile values. The complement occurs at the other end of the range. The "large-long" subgroup stature and weight mean values are larger than the 95th percentile values, while the "large-long" subgroup mean values for the other variables are, on the average, smaller than the 95th percentile values.

The deviation from the percentile values is, on the average, greater for the regression values than for the subgroup mean values for all samples. Regression values by their nature tend toward the mean, so in almost all cases the regression values were larger than the 5th percentile and smaller than the 95th percentile.

The combined sample results (Tables 9 - 12) are very similar to the individual sample results. The data display the same characteristics and the differences between the percentile subgroup regression values are of about the same magnitude and sign as they are for the individual samples. This being the case, the combined sample results serve to reinforce the reliability of the individual sample results.

TABLE 1

COMPARISON OF 5TH PERCENTILE VALUES WITH SMALL-SHORT SUBGROUP VALUES AND SMALL SIZE REGRESSION VALUES
1966 SURVEY OF ARMY PERSONNEL *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	5TH PERCENTILE	SMALL SHORT MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 5TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 5TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			D	XD		D	XD	D	XD
WEIGHT	57.00	55.44	-1.56	-2.82	57.00	0.00	0.00	-1.56	-2.82
STATURE	163.76	161.96	-1.80	-1.11	163.76	1.90	0.00	-1.80	-1.11
CERVICAL HEIGHT	139.27	137.79	-1.48	-1.09	139.60	.33	.24	-1.48	-1.32
SHOULDER HEIGHT	133.95	132.30	-1.25	-.95	133.88	.33	.24	-1.25	-1.19
WAIST HEIGHT	97.39	97.96	.57	.58	99.08	1.69	1.70	-1.22	-1.14
FUNCTIONAL REACH	74.84	77.00	2.16	2.80	77.68	2.84	3.66	-.89	-.89
CROTCH HEIGHT	76.23	77.90	1.27	1.64	78.36	2.13	2.72	-.86	-1.11
PATELLA HEIGHT-POP	47.60	48.90	.90	1.85	49.03	1.43	2.92	-.54	-1.10
CALF HEIGHT	31.75	32.27	1.22	3.78	32.84	1.79	5.45	-.57	-1.77
VERTICAL REACH/SIT	128.70	128.95	.25	.19	130.10	1.40	1.08	-1.16	-.90
SITTING HEIGHT	84.45	85.44	.99	1.16	86.26	1.81	2.10	-.82	-.96
EYE HEIGHT/SITTING	72.71	74.02	1.31	1.77	74.81	2.10	2.61	-.80	-1.08
WID-SHOULDER HT/S	57.11	58.12	1.01	1.73	58.81	1.70	2.89	-.89	-1.19
KNEE HEIGHT/SITTING	49.67	49.67	-.00	-.00	50.30	.63	1.24	-.83	-1.26
POPLITEAL HEIGHT	40.56	41.77	1.21	2.90	42.29	1.73	4.09	-.82	-1.24
CHEST DEPTH	20.18	21.01	.83	3.93	21.40	1.22	5.70	-.79	-1.89
CHEST BREADTH/SKIN	27.30	28.01	.71	2.55	28.46	1.16	4.08	-.85	-1.59
HIP BREADTH	30.13	30.23	.10	.34	30.76	.63	2.05	-.51	-1.75
OCCIPUT-EX CANTHUS	15.68	16.78	1.10	6.57	16.86	1.18	6.98	-.87	-.84
OCCIPUT-TRAGION	8.44	10.03	1.57	15.62	10.03	1.57	15.65	-.88	-.84
HEAD HEIGHT	11.90	12.85	.95	7.36	12.88	.98	7.64	-.84	-.30
SHOULDER-ELBOW LTH	33.42	34.09	.27	.78	34.52	.70	2.03	-.84	-1.27
FOREARM-HAND LTH	44.27	44.55	.28	.64	44.97	.70	1.55	-.84	-.93
BUTTOCK-KNEE LTH	54.85	54.40	-.45	-.83	55.25	.40	.73	-.85	-1.57
BUTTOCK-POPLITEAL	45.73	46.13	.40	.87	46.80	1.07	2.28	-.87	-1.45
BIDELTOID DIAMETER	41.42	42.01	.59	1.40	42.65	1.23	2.89	-.84	-1.54
MAX F"ARM-F"ARM BR	39.71	41.78	2.07	4.95	42.46	2.75	6.48	-.88	-1.64
HIP BREADTH/SITTING	30.64	30.75	.11	.37	31.34	.70	2.24	-.89	-1.31
BIZYGOMATIC DIAM	13.08	13.50	.42	3.10	13.62	.54	3.94	-.87	-.93
BITRAGION DIAMETER	12.98	13.02	.44	3.37	13.14	.56	4.29	-.87	-.96
HEAD LENGTH	18.24	18.91	.67	3.55	19.02	.78	4.09	-.81	-.57
OCCIPUT-NASAL ROOT	17.88	18.58	.70	3.77	18.68	.80	4.28	-.80	-.53
OCCIPUT-PRONASALE	20.78	21.60	.82	3.81	21.68	.90	4.14	-.88	-.35
HEAD BREADTH	14.32	14.91	.59	3.98	15.33	.68	4.54	-.80	-.59
INTERPUPILLARY DIS	5.46	5.98	.52	8.75	5.99	.53	8.82	-.80	-.78
MENTON-NASAL ROOT	10.95	11.51	.56	4.89	11.63	.68	5.53	-.81	-.99
HAND LENGTH	17.50	17.84	.34	1.88	17.99	.49	2.77	-.85	-.84
PALM LENGTH	9.58	9.95	.37	2.76	10.04	.46	4.57	-.88	-.45
THUMB CROTCH-FFD	4.13	4.66	.53	11.29	4.68	.55	11.86	-.82	-.82
HAND BREADTH	8.11	8.36	.25	2.98	8.44	.37	4.36	-.87	-1.44
HEEL BREADTH	6.13	6.44	.31	4.81	6.50	.37	5.63	-.86	-.47
FOOT LENGTH	24.64	24.98	.34	1.37	25.17	.53	2.12	-.80	-.77
BALL OF FOOT LTH	17.90	18.29	.39	2.14	18.47	.57	3.87	-.84	-.76
BALL OF FOOT BR	8.97	9.29	.23	2.54	9.34	.37	3.96	-.84	-1.48
HEAD CIRCUMFERENCE	53.50	54.69	1.19	2.17	54.96	1.46	2.56	-.83	-.51
NECK CIRCUMFERENCE	34.17	35.13	.96	2.73	35.54	1.37	3.46	-.84	-1.14
SHOULDER CIRCUMFER	103.30	104.68	1.38	1.32	106.34	1.34	2.45	-1.65	-1.58
CHEST CIRCUMFERENCE	83.95	85.60	1.71	2.00	87.01	3.06	3.52	-1.35	-1.99
WAIST CIRCUMFERENCE	69.53	71.18	1.65	2.32	72.18	2.65	3.67	-1.00	-1.40
HIP CIRCUMFERENCE	84.97	85.27	.27	.32	86.75	1.74	2.25	-1.51	-1.77
ARM SCYE CIRCUMFER	39.60	40.70	1.10	2.70	41.56	1.96	4.71	-.86	-2.11
BICEPS CIRC/EXTEND	25.27	26.50	1.23	4.65	27.17	1.85	6.87	-.87	-2.34
WRIST CIRCUMFERENCE	15.65	15.99	.34	2.12	16.15	.50	3.10	-.87	-1.02
HAND CIRCUMFERENCE	19.82	20.44	.62	3.04	20.63	.81	3.90	-.87	-.90
BICEPS CIRC/FLEXED	28.00	29.20	1.20	4.11	29.88	1.88	6.28	-.87	-2.31
FOREARM CIRC/FLEXED	26.03	27.05	1.02	1.77	27.54	1.51	5.49	-.87	-1.82
WAIST BACK LENGTH	39.50	41.43	1.93	4.05	42.31	2.81	6.55	-.87	-2.14
SHOULDER LENGTH	12.67	15.17	2.48	18.38	15.44	2.77	17.94	-.87	-1.91
INTERSCYE DISTANCE	32.98	36.00	2.42	8.66	36.92	3.04	8.24	-.87	-1.72
INTERSCYE MAXIMUM	46.47	49.00	2.54	5.17	49.55	3.08	6.21	-.87	-1.17

* TOTAL GROUP N = 6642, SMALL SHORT SUBGROUP N = 249

TABLE 1 (cont'd)

COMPARISON OF 5TH PERCENTILE VALUE

SHORT SUBGROUP VALUES AND SMALL SIZE REGRESSION VALUES
OF ARMY PERSONNEL *

WEIGHT IN KILOGRAMS

OR MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	5TH PERCENTILE	SMALL SHORT MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE		DEVIATION BETWEEN SUBGROUP MEAN AND	
			5TH XILE D	XD		AND 5TH XILE D	XD	REGRESSION VALUE D	XD
SLEEVE LENGTH	79.36	79.54	.18	.22	80.61	1.25	1.55	-1.07	-1.35
SLEEVE INSEAM	44.13	44.96	.83	1.85	45.43	1.30	2.86	-.47	-1.94
VERTICAL TRUNK CIR	150.93	151.58	1.05	.69	153.11	2.58	1.49	-1.53	-1.01
UPPER THIGH CIRCUM	47.34	49.72	1.78	3.59	50.70	2.76	5.45	-.98	-1.97
LOWER THIGH CIRCUM	34.37	36.34	1.97	5.41	37.21	2.84	7.63	-.87	-2.40
CALF CIRCUMFERENCE	32.32	33.27	.95	2.85	33.93	1.61	4.75	-.66	-2.00
ANKLE CIRCUMFERENCE	21.46	21.97	.57	2.70	21.26	.80	3.75	-.23	-1.10
HEEL-ANKLE CIRCUMF	31.41	31.73	.32	1.02	32.08	.67	2.10	-.35	-1.11
INSTEP CIRCUMFERENCE	23.92	24.77	.85	3.45	25.10	1.18	4.70	-.32	-1.31
BALL OF FOOT CIRC	22.45	23.30	.85	3.66	23.70	1.25	5.27	-.39	-1.69
AGE	17.99	21.20	3.21	15.15	21.95	3.96	16.54	-.35	-1.66
WEIGHT/ESTIMATED	57.91	56.97	-.96	-1.69	58.41	.48	.82	-1.45	-2.54
STATURE/ESTIMATED	165.92	164.28	-1.64	-1.00	166.55	.63	.38	-2.27	-1.38

* TOTAL GROUP N = 5682; SMALL SHORT SUBGROUP N = 245

TABLE 2

COMPARISON OF 95TH PERCENTILE VALUES WITH LARGE-LONG SUBGROUP VALUES AND LARGE SIZE REGRESSION VALUES
1966 SURVEY OF ARMY PERSONNEL *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	95TH PERCENTILE	LARGE LONG MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 95TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 95TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			0	XD		0	XD	0	XD
HEIGHT	91.54	95.04	3.50	3.68	91.54	0.00	0.00	3.50	3.68
STATURE	185.64	186.98	1.34	.72	185.64	0.00	0.00	1.34	.72
CERVICAL HEIGHT	160.20	161.15	.95	.59	159.99	-.21	-.13	1.16	.72
SHOULDER HEIGHT	154.20	155.17	.97	.62	154.03	-.20	-.13	1.17	.75
WAIST HEIGHT	115.30	114.63	-.67	-.99	113.79	-1.51	-1.33	1.51	.71
FUNCTIONAL REACH	98.91	88.64	-2.23	-2.42	87.89	-3.02	-3.44	2.99	.49
NOTCH HEIGHT	91.75	90.10	-1.65	-1.83	89.37	-2.38	-2.67	2.63	.31
PATELLA HEIGHT-TOP	58.41	57.06	-1.35	-2.37	56.78	-1.63	-2.87	2.77	.48
CALF HEIGHT	40.03	38.36	-1.67	-4.35	38.05	-1.98	-5.21	3.23	.82
VERTICAL REACH/SIT	147.86	147.66	-.20	-.14	146.77	-1.09	-.74	1.09	.66
SITTING HEIGHT	96.70	95.72	-.98	-1.03	95.34	-1.36	-1.43	1.36	.49
EYE HEIGHT/SITTING	84.68	83.35	-1.33	-1.59	82.83	-1.85	-2.23	1.85	.62
NEO-SHOULDER HT/S	67.64	66.45	-1.19	-1.79	66.20	-1.44	-2.17	1.44	.57
KNEE HEIGHT/SITTING	58.77	58.53	-.24	-.42	58.19	-.67	-1.15	.67	.73
POPITEAL HEIGHT	48.84	46.95	-1.89	-4.04	46.83	-2.01	-4.29	2.01	.24
CHEST DEPTH	26.74	25.94	-.80	-3.68	25.60	-1.14	-4.46	1.14	1.32
CHEST BREADTH/SKIN	34.34	33.56	-.78	-2.33	33.37	-.97	-2.90	.97	.55
HIP BREADTH	36.75	36.67	-.08	-.23	36.28	-.47	-1.30	.47	1.06
OCCIPUT-EX CANTHUS	18.91	17.97	-1.04	-5.80	17.71	-1.20	-6.75	1.20	.89
OCCIPUT-TRAGION	12.39	14.75	-1.64	-15.27	10.56	-1.81	-17.11	1.81	1.58
HEAD HEIGHT	14.53	13.69	-.84	-6.15	13.53	-.90	-6.61	.84	.43
SHOULDER-ELBOW LTH	40.00	39.76	-.24	-.61	39.39	-.65	-1.64	.65	1.01
FOREARM-HAND LTH	51.95	51.61	-.34	-.65	51.14	-.81	-1.57	.81	.91
BUTTOCK-KNEE LTH	64.34	64.62	.28	.43	64.12	-.22	-.34	.22	.77
BUTTOCK-POPITEAL	54.93	53.39	-.64	-1.20	53.10	-.93	-1.76	.93	.54
BIDYLOID DIAMETER	49.81	49.15	-.66	-1.75	48.92	-.89	-1.83	.89	.47
MAX F-ARM-F-ARM BR	53.62	51.40	-2.22	-4.33	50.95	-2.67	-5.25	2.67	.43
HIP BREADTH/SITTING	38.44	38.32	-.12	-.30	37.81	-.63	-1.67	.63	1.34
BICYCLIC DIAM	14.95	14.51	-.44	-3.61	14.50	-.45	-3.12	.45	.11
BITRAGION DIAMETER	14.45	14.00	-.45	-3.20	13.96	-.49	-3.50	.49	.29
HEAD LENGTH	20.68	20.13	-.55	-2.72	19.99	-.69	-3.43	.69	.54
OCCIPUT-NASAL ROOT	20.29	19.73	-.56	-2.86	19.60	-.69	-3.52	.69	.64
OCCIPUT-PRONASALE	23.55	22.89	-.66	-2.90	22.77	-.78	-3.41	.78	.49
HEAD BREADTH	16.26	15.65	-.61	-3.48	15.62	-.64	-4.12	.64	.23
INTERPUPILLARY DIS	6.79	6.29	-.50	-7.89	6.30	-.49	-7.78	.49	1.10
MENTON-NASAL ROOT	13.14	12.51	-.63	-5.07	12.48	-.66	-5.25	.66	.17
HAND LENGTH	20.67	20.37	-.30	-1.77	20.16	-.51	-2.54	.51	.79
PALM LENGTH	11.68	11.32	-.36	-3.17	11.29	-.48	-4.31	.48	1.10
THUMB CROTCH-FFB	5.85	5.33	-.52	-9.78	5.29	-.56	-10.53	.56	.68
HAND BREADTH	9.75	9.39	-.36	-3.87	9.39	-.36	-3.87	.36	1.74
HEEL BREADTH	7.69	7.43	-.26	-3.48	7.32	-.37	-4.98	.37	1.43
FOOT LENGTH	28.95	28.79	-.16	-.67	28.53	-.45	-1.59	.45	.91
BALL OF FOOT LTH	21.40	21.22	-.18	-.85	20.94	-.46	-2.21	.46	1.33
BALL OF FOOT BR	10.77	10.47	-.30	-2.88	10.43	-.34	-3.26	.34	.17
HEAD CIRCUMFERENCE	58.84	57.85	-.99	-1.71	57.55	-1.29	-2.24	1.29	.91
NECK CIRCUMFERENCE	41.02	40.14	-.88	-2.20	39.87	-1.15	-2.88	.88	.67
SHOULDER CIRCUMFERENCE	124.44	122.60	-1.84	-1.50	122.28	-2.16	-1.77	2.16	.27
CHEST CIRCUMFERENCE	105.94	103.72	-2.22	-2.14	102.99	-2.95	-2.87	2.95	.73
WAIST CIRCUMFERENCE	96.97	93.79	-3.18	-2.87	91.49	-5.48	-5.01	5.48	2.04
HIP CIRCUMFERENCE	105.98	105.31	-.67	-.26	104.97	-1.01	-1.45	1.01	1.17
ARM SCYE CIRCUMFER	50.34	48.84	-1.50	-3.08	48.51	-1.83	-3.78	1.83	.67
BICEPS CIRC/EXTEND	34.30	33.09	-1.21	-3.65	32.75	-1.55	-4.77	1.55	1.34
WRIST CIRCUMFERENCE	18.54	18.24	-.30	-1.07	18.17	-.41	-2.28	.41	.63
HAND CIRCUMFERENCE	23.58	22.84	-.74	-3.04	22.74	-.84	-3.51	.84	.49
BICEPS CIRC/FLEXED	37.09	35.95	-1.14	-3.18	35.65	-1.44	-4.35	1.44	.54
FOREARM CIRC/FLEXED	33.15	32.11	-1.04	-3.24	31.93	-1.22	-3.87	1.22	.56
WAIST BACK LENGTH	50.80	48.19	-2.61	-5.42	48.02	-2.78	-5.74	2.78	.34
SHOULDER LENGTH	19.26	17.97	-1.29	-12.80	17.99	-2.17	-12.77	2.17	1.67
INTERSCYE DISTANCE	44.26	41.78	-2.48	-5.93	41.98	-2.28	-5.42	2.28	1.64
INTERSCYE MAXIMUM	58.59	56.72	-1.87	-3.82	56.57	-2.12	-4.10	2.12	.27

* TOTAL GROUP N = 6682, LARGE LONG SUBGROUP N = 214

TABLE 2 (cont'd)

COMPARISON OF 95TH PERCENTILE VALUES WITH LARGE-LONG SUBGROUP VALUES AND LARGE SIZE REGRESSION VALUES
1966 SURVEY OF ARMY PERSONNEL *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	95TH PERCENTILE	LARGE LONG MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 95TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 95TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			D	XD		D	XD	D	XD
SLEEVE LENGTH	92.49	92.46	-.03	-.03	91.69	-.84	-.91	.80	.87
SLEEVE INSEAM	93.05	92.32	-.73	-1.39	91.44	-1.21	-2.33	.44	.91
VERTICAL TRUNK CIR	178.71	179.13	.42	.24	177.38	-1.33	-.75	1.75	.98
UPPER THIGH CIRCUM	63.96	62.67	-1.29	-2.07	61.98	-2.00	-3.23	.71	1.13
LOWER THIGH CIRCUM	47.26	44.83	-2.43	-5.42	44.66	-2.60	-5.82	.17	.38
CALF CIRCUMFERENCE	41.18	40.38	-.80	-1.98	40.17	-1.01	-2.51	.21	.51
ANKLE CIRCUMFERENCE	25.24	24.64	-.60	-2.49	24.91	-.73	-2.97	.13	.51
HEEL-ANKLE CIRCUMF	36.34	36.69	-.25	-.88	36.47	-.47	-1.28	.22	.59
INSTEP CIRCUMFERENCE	29.40	28.57	-.83	-3.08	28.32	-1.08	-3.81	.20	.71
BALL OF FOOT CIRC	27.41	26.71	-.70	-2.61	26.61	-.80	-3.01	.10	.39
AGE	34.57	23.30	-9.27	-39.79	23.27	-9.30	-39.95	.03	.11
WEIGHT/ESTIMATED	92.44	95.30	2.86	3.01	92.02	-.42	-.46	3.29	3.45
STATURE/ESTIMATED	188.68	189.57	.89	.47	186.58	-.10	-.85	.98	.52

* TOTAL GROUP N = 6682, LARGE LONG SUBGROUP N = 219

TABLE 3

COMPARISON OF 5TH PERCENTILE VALUES WITH SMALL-SHORT SUBGROUP VALUES AND SMALL SIZE REGRESSION VALUES
1977 SURVEY OF ARMY WOMEN *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	5TH PERCENTILE	SMALL SHORT MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 5TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 5TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			0	X0		0	X0	0	X0
WEIGHT	46.75	45.69	-1.06	-2.33	46.75	0.00	0.00	-1.06	-2.33
STATURE	152.55	151.66	-0.89	-0.59	152.55	0.00	0.00	-0.89	-0.59
SHOULDER HEIGHT	123.90	123.23	-0.67	-0.54	123.95	0.05	0.04	-0.72	-0.59
AXILLA HEIGHT	114.32	114.06	-0.26	-0.23	114.61	0.29	0.25	-0.55	-0.48
BUSTPOINT HEIGHT	109.28	109.47	0.19	0.17	110.09	0.81	0.74	-0.62	-0.57
WAIST HEIGHT	93.20	93.48	0.28	0.30	94.17	0.97	1.03	-0.64	-0.73
CROTCH HEIGHT	69.52	70.37	0.85	1.20	70.61	1.09	1.55	-0.25	-0.35
BUTTOCK HEIGHT	76.37	77.41	1.04	1.35	77.44	1.07	1.38	-0.02	-0.03
KNEECAP HEIGHT	43.80	44.24	0.45	1.02	44.39	0.59	1.33	-0.14	-0.31
CALF HEIGHT	29.00	29.73	0.73	2.45	29.81	0.81	2.77	-0.03	-0.28
SITTING HEIGHT	79.01	79.91	0.90	1.13	80.63	1.62	2.01	-0.77	-0.91
EYE HEIGHT/SIT	67.70	68.85	1.15	1.68	69.53	1.83	2.63	-0.64	-0.98
SHOULDER-ELBOW L	30.84	31.21	0.37	1.17	31.25	0.41	1.31	-0.05	-0.14
ELBOW-FINGERTIP	39.98	40.80	0.82	2.01	40.73	0.75	1.93	0.07	0.18
KNEE HEIGHT/SIT	46.90	46.95	0.05	0.12	47.22	0.32	0.68	-0.27	-0.57
POPLITEAL HEIGHT	37.97	38.51	0.54	1.41	38.63	0.66	1.71	-0.12	-0.30
BUTTOCK-KNEE LGTH	33.04	32.74	-0.34	-0.64	33.23	0.19	0.28	-0.49	-0.92
BUST DEPTH	19.60	20.49	0.89	0.74	20.95	1.35	6.45	-0.46	-2.26
WAIST DEPTH	15.33	16.45	1.12	6.89	16.47	1.14	6.91	-0.07	-0.12
CHEST BREADTH	25.38	26.16	0.78	7.99	26.32	0.94	7.57	-0.16	-0.61
WAIST BREADTH	22.16	23.10	1.00	4.33	23.19	1.09	4.68	-0.09	-0.37
HIP BREADTH	31.54	31.93	0.39	1.23	32.41	0.87	2.69	-0.48	-1.50
SHOULDER BREADTH	38.42	39.89	0.67	1.72	39.41	0.99	2.51	-0.37	-0.91
NECK CIRCUMFERENCE	29.86	30.56	0.70	2.28	30.75	0.89	2.88	-0.19	-0.61
SHOULDER CIRCUMFER	91.88	93.35	1.47	1.57	94.08	2.27	2.33	-0.73	-0.78
CHEST CIRC AT SCYE	77.54	78.62	1.08	1.37	79.84	2.30	2.88	-1.22	-1.35
BUST CIRCUMFERENCE	78.35	80.05	1.70	2.12	81.57	3.22	3.95	-1.52	-1.91
CHEST C BELOW BUST	67.37	68.45	1.08	1.58	69.47	2.10	3.02	-1.01	-1.48
WAIST CIRCUMFERENCE	61.73	63.82	2.09	3.27	64.24	2.51	3.91	-0.47	-0.57
HIP CIRCUMFERENCE	85.50	85.75	0.25	0.29	87.16	1.66	1.90	-1.41	-1.65
VERTICAL TRUNK CIRC	142.16	141.33	-0.83	-0.59	143.08	0.92	0.64	-1.74	-1.23
ARM CIRC AT SCYE	33.81	34.17	0.36	1.15	34.65	0.84	2.41	-0.44	-1.40
BICEPS CIRC, FLXO	23.19	24.03	0.84	3.48	24.57	1.38	5.62	-0.54	-2.27
ELBOW CIRC FLXO	23.47	23.94	0.47	1.96	24.12	0.65	2.71	-0.14	-0.76
FOREARM CIRC, FLXO	22.15	22.71	0.56	2.45	22.93	0.78	3.40	-0.22	-0.38
WRIST CIRCUMFERENCE	13.62	13.85	0.23	1.64	13.93	0.31	2.25	-0.09	-0.62
UPPER THIGH CIRCUM	49.35	50.06	0.71	1.42	51.64	2.29	4.43	-1.57	-3.14
KNEE CIRCUMFERENCE	31.26	31.61	0.35	1.11	32.03	0.77	2.41	-0.42	-1.34
CALF CIRCUMFERENCE	31.04	31.85	0.81	2.53	32.40	1.36	4.20	-0.55	-1.74
ANKLE CIRCUMFERENCE	18.73	19.01	0.28	1.47	19.44	0.71	3.07	-0.44	-2.29
SHOULDER LENGTH	13.29	14.52	1.23	3.49	14.31	1.02	7.11	0.27	1.49
INTERSCYE BACK	33.95	35.80	1.85	5.16	36.05	2.10	5.84	-0.26	-0.72
INTERSCYE FRONT	30.38	31.90	1.52	4.75	31.48	1.10	3.49	0.42	1.31
BACK ARC, BUST	37.04	38.46	1.42	3.69	38.94	1.90	4.89	-0.44	-1.26
BACK ARC, WAIST	30.60	31.68	1.08	3.41	32.01	1.41	4.39	-0.33	-1.03
BACK ARC, HIP	41.82	42.41	0.59	1.44	43.38	1.56	3.59	-0.94	-2.27
WAIST BACK	36.71	38.46	1.75	4.54	38.54	1.83	4.74	-0.08	-0.21
WAIST FRONT	32.79	34.60	1.81	5.23	34.67	1.88	5.41	-0.07	-0.19
NECK-BUSTPOINT LGT	21.94	23.16	1.22	5.27	23.53	1.59	6.75	-0.37	-1.59
AXILLA-WAIST LEVEL	19.32	22.04	2.72	12.54	21.93	2.61	11.88	0.16	0.74
SLEEVE INSEAM	48.96	42.15	1.19	2.82	42.06	1.10	2.61	0.09	0.21
SLEEVE OUTSEAM	49.17	50.15	0.98	1.96	50.07	0.90	1.80	0.08	0.16
CROTCH LENGTH	63.73	64.93	1.20	1.85	67.12	3.39	5.05	-2.19	-3.37
HEAD CIRCUMFERENCE	52.34	53.45	1.11	2.08	57.65	1.31	2.43	-0.20	-0.37
HEAD BREADTH	13.76	14.29	0.53	3.72	14.36	0.60	4.18	-0.07	-0.48
HEAD LENGTH	17.61	18.13	0.57	3.13	18.24	0.63	3.43	-0.06	-0.37
PALM LENGTH	9.85	9.36	0.31	3.35	9.38	0.33	3.56	-0.02	-0.22
HAND BREADTH	7.18	7.31	0.13	1.82	7.45	0.27	3.63	-0.14	-1.89
HAND CIRCUMFERENCE	17.05	17.39	0.34	1.98	17.60	0.55	3.13	-0.21	-1.18
HAND LENGTH	16.06	16.47	0.41	2.51	16.48	0.42	2.56	-0.01	-0.06

* TOTAL GROUP N = 1330, SMALL SHORT SUBGROUP N = 55

TABLE 3 (cont'd)

COMPARISON OF 5TH PERCENTILE VALUES WITH SMALL-SHORT SUBGROUP VALUES AND SMALL SIZE REGRESSION VALUES
1977 SURVEY OF ARMY WOMEN *

HEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	5TH PERCENTILE	SMALL SHORT MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE		DEVIATION BETWEEN SUBGROUP MEAN AND	
			5TH XILE D	XD		AND 5TH XILE D	XD	REGRESSION VALUE D	XD
INSTEP LENGTH	16.26	16.70	.42	2.51	16.71	.43	2.55	-.01	-.04
FOOT LENGTH	22.34	22.69	.35	1.55	22.76	.42	1.86	-.07	-.31
HEEL-ANKLE CIRCUMF	28.48	28.69	.21	.74	28.93	.45	1.58	-.24	-.83
FOOT BREADTH	8.34	8.28	.24	2.88	8.39	.35	4.21	-.11	-1.39
HEEL BREADTH	5.45	5.77	.31	5.42	5.76	.30	5.21	.01	.22
FOOT CIRCUMFERENCE	20.75	21.19	.44	2.06	21.38	.63	2.96	-.19	-.92
INSTEP CIRCUMFERENCE	21.90	22.00	.51	2.27	22.14	.64	2.88	-.14	-.82
ANKLE HEIGHT	9.22	10.33	1.11	10.72	10.14	.92	9.04	.19	1.85
SPHYRION HEIGHT	5.55	5.92	.37	6.28	6.11	.56	9.10	-.18	-3.11

* TOTAL GROUP N = 1330, SMALL SHORT SUBGROUP N = 55

TABLE 4

COMPARISON OF 95TH PERCENTILE VALUES WITH LARGE-LONG SUBGROUP VALUES AND LARGE SIZE REGRESSION VALUES
1977 SURVEY OF ARMY WOMEN *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	95TH PERCENTILE	LARGE LONG MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 95TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 95TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			0	%		0	%	0	%
WEIGHT	74.53	75.58	1.05	1.39	74.53	0.00	0.00	1.05	1.39
STATURE	174.09	174.79	.70	.43	174.09	0.00	0.00	.70	.40
SHOULDER HEIGHT	143.73	144.19	.46	.34	143.71	.01	.00	.48	.34
AXILLA HEIGHT	132.76	132.82	.06	.05	132.50	-.26	-.20	.37	.25
BUSTPOINT HEIGHT	127.78	127.52	-.26	-.20	127.06	-.72	-.57	.47	.37
WAIST HEIGHT	110.32	109.67	-.65	-.59	109.10	-1.22	-1.11	.57	.52
CROTCH HEIGHT	83.92	83.11	-.81	-.97	82.51	-1.41	-1.71	.61	.73
BUTTOCK HEIGHT	91.75	91.44	-.31	-.34	90.61	-1.14	-1.26	.84	.92
KNEECAP HEIGHT	52.51	52.21	-.30	-.58	51.65	-.86	-1.67	.56	1.08
CALF HEIGHT	36.53	36.04	-.54	-1.49	35.48	-1.10	-3.17	.56	1.55
SITTING HEIGHT	90.81	89.71	-1.10	-1.23	89.83	-.98	-1.09	-.13	-.14
EYE HEIGHT/SIT	79.12	77.97	-1.22	-1.57	78.34	-1.08	-1.39	-.14	-.18
SHOULDER-ELBOW L	36.36	36.11	-.45	-1.25	36.04	-.52	-1.43	.07	.18
ELBOW-FINGERTIP	47.51	47.00	-.51	-1.08	46.51	-1.00	-2.15	.50	1.04
KNEE HEIGHT/SIT	55.40	55.43	-.01	-.03	55.04	-.42	-.77	.41	.71
POPITEAL HEIGHT	45.74	45.37	-.37	-.81	44.94	-.80	-1.77	.43	.95
BUTTOCK-KNEE LGTH	63.20	63.19	-.01	-.12	62.84	-.36	-.57	.74	.54
BUST DEPTH	26.79	25.13	-1.66	-6.60	25.10	-1.69	-6.74	.93	.13
WAIST DEPTH	22.23	21.45	-1.78	-8.71	20.31	-1.92	-9.46	.14	.68
CHEST BREADTH	31.40	30.64	-.76	-2.49	30.37	-1.03	-3.41	.27	.58
WAIST BREADTH	29.90	28.61	-1.35	-4.72	28.22	-1.74	-6.18	.39	1.37
HIP BREADTH	39.52	38.63	-.89	-2.29	38.60	-.92	-2.39	.04	.09
SHOULDER BREADTH	45.65	44.85	-.80	-1.78	44.93	-.72	-1.59	-.08	-.14
NECK CIRCUMFERENCE	35.01	34.14	-.87	-2.56	34.12	-.89	-2.59	.01	.03
SHOULDER CIRCUMFER	109.24	107.69	-1.60	-1.49	107.32	-1.97	-1.83	.36	.34
CHEST CIRC AT SCYE	94.28	92.26	-2.02	-2.19	91.83	-2.45	-2.66	.43	.46
BUST CIRCUMFERENCE	96.91	95.49	-1.42	-3.58	95.54	-1.37	-3.53	-.05	-.05
CHEST C BELOW BUST	83.32	80.76	-2.56	-3.17	80.72	-2.60	-3.23	.04	.35
WAIST CIRCUMFERENCE	83.44	79.08	-4.36	-3.51	78.50	-4.94	-6.30	.54	.74
HIP CIRCUMFERENCE	106.90	104.91	-1.99	-1.06	104.68	-1.35	-1.29	.23	.22
VERTICAL TRUNK CIRC	161.70	165.27	-.73	-.44	165.53	-.47	-.28	-.26	-.16
ARM CIRC AT SCYE	41.05	41.92	-.73	-1.79	40.67	-.98	-2.41	.25	.60
BICEPS CIRC, FLXED	30.07	29.66	-1.01	-3.42	29.42	-1.25	-4.24	.23	.79
ELBOW CIRC FLXED	28.78	28.32	-.46	-1.62	28.00	-.78	-2.79	.32	1.13
FOREARM CIRC, FLXED	27.13	26.66	-.47	-1.75	26.50	-.63	-2.39	.17	.63
WRIST CIRCUMFERENCE	15.85	15.56	-.29	-1.85	15.55	-.30	-1.95	.02	.10
UPPER THIGH CIRCUM	54.47	62.70	-1.71	-2.73	62.74	-1.73	-2.76	.02	.03
KNEE CIRCUMFERENCE	38.64	37.76	-.88	-2.13	37.89	-.75	-1.99	-.12	-.37
CALF CIRCUMFERENCE	39.22	37.79	-1.43	-3.77	38.05	-1.17	-3.07	-.26	-.68
ANKLE CIRCUMFERENCE	22.84	22.02	-.82	-3.72	22.14	-.70	-3.16	-.12	-.54
SHOULDER LENGTH	16.30	15.85	-.45	-6.00	15.74	-1.06	-6.72	.11	.68
INTERSCYE BACK	41.68	39.90	-1.78	-4.45	39.83	-1.85	-4.65	.04	.19
INTERSCYE FRONT	36.13	35.49	-.64	-1.81	35.01	-1.12	-3.27	.48	1.35
BACK ARC, BUST	47.31	45.31	-2.00	-4.41	45.31	-2.00	-4.41	.00	.01
BACK ARC, WAIST	41.50	39.34	-2.24	-5.69	38.95	-2.63	-6.75	.10	.99
BACK ARC, HIP	53.92	52.11	-1.81	-3.47	52.04	-1.88	-3.61	.07	.13
WAIST BACK	45.38	43.46	-1.92	-4.42	43.34	-2.04	-4.71	.12	.28
WAIST FRONT	41.32	39.41	-1.92	-4.86	38.99	-2.34	-6.01	.43	1.08
NECK-BUSTPOINT LGT	28.73	27.44	-1.34	-4.69	27.21	-1.57	-5.79	.23	.85
AXILLA-WAIST LEVEL	27.52	24.51	-3.01	-12.28	24.30	-3.16	-12.98	.15	.63
SLEEVE INSCAM	49.50	48.44	-1.12	-2.32	48.25	-1.31	-2.71	.19	.38
SLEEVE OUTSCAM	50.93	53.20	-.73	-1.25	57.79	-1.14	-1.98	.42	.72
CROTCH LENGTH	81.40	78.55	-2.93	-3.73	79.20	-2.22	-2.80	-.71	-.91
HEAD CIRCUMFERENCE	57.74	56.47	-1.27	-2.25	56.31	-1.43	-2.54	.16	.28
HEAD BREADTH	15.54	14.97	-.57	-3.83	14.49	-.65	-4.35	.08	.50
HEAD LENGTH	19.81	19.27	-.54	-2.81	19.22	-.59	-3.09	.05	.27
PALM LENGTH	10.78	10.49	-.29	-2.79	10.42	-.36	-3.48	.07	.67
HAND BREADTH	8.46	8.25	-.21	-2.51	8.22	-.24	-2.94	.03	.42
HAND CIRCUMFERENCE	19.87	19.19	-.68	-2.45	19.37	-.50	-2.60	.07	.14
HAND LENGTH	19.04	18.65	-.39	-2.69	18.67	-.57	-3.77	.18	.95

* TOTAL GROUP N = 1330, LARGE LONG SUBGROUP N = 55

TABLE 4 (cont'd)

COMPARISON OF 95TH PERCENTILE VALUES WITH LARGE-LONG SUBGROUP VALUES AND LARGE SIZE REGRESSION VALUES
1977 SURVEY OF ARMY WOMEN *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	95TH PERCENTILE	LARGE LONG MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 95TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 95TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			D	XD		D	XD	D	XD
INSTEP LENGTH	19.95	19.21	-.34	-1.77	19.89	-.46	-2.42	.12	.63
FOOT LENGTH	26.47	26.21	-.26	-1.01	25.99	-.48	-1.84	.21	.61
HEEL-ANKLE CIRCUMF	33.29	32.85	-.44	-1.33	32.88	-.49	-1.49	.09	.15
FOOT BREADTH	9.73	9.40	-.33	-3.49	9.38	-.35	-3.74	.02	.24
HEEL BREADTH	6.82	6.92	-.30	-4.66	6.45	-.37	-5.78	.07	1.09
FOOT CIRCUMFERENCE	24.92	23.96	-.56	-2.33	23.94	-.58	-2.42	.02	.69
INSTEP CIRCUMFERENCE	25.66	25.02	-.64	-2.56	24.94	-.72	-2.89	.08	.32
ANKLE HEIGHT	12.57	11.79	-.78	-6.66	11.62	-.95	-5.17	.16	1.40
SPHYRION HEIGHT	7.34	6.83	-.51	-7.40	6.85	-.49	-7.22	-.02	-.24

* TOTAL GROUP N = 1338, LARGE LONG SUBGROUP N = 55

TABLE 5

COMPARISON OF 5TH PERCENTILE VALUES WITH SMALL-SHORT SUBGROUP VALUES AND SMALL SIZE REGRESSION VALUES
1967 SURVEY OF USAF FLYING PERSONNEL *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	5TH PERCENTILE	SMALL SHORT MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 5TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 5TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			0	X0		0	X0	0	X0
HEIGHT	67.99	61.91	-2.08	-1.38	63.94	1.05	0.00	-2.08	-1.38
HEIGHT (STATURE)	167.29	169.38	-1.91	-1.16	167.29	0.00	0.00	-1.91	-1.16
AGE	22.19	26.98	6.63	22.07	24.93	7.18	26.12	-1.56	-1.92
GRIP STRENGTH	44.34	51.70	6.60	13.34	50.91	6.97	12.91	.74	.79
CERVICAL HEIGHT	142.93	140.61	-1.92	-1.37	142.67	.14	.10	-2.06	-1.47
ACROMION HEIGHT	135.74	133.65	-2.09	-1.56	135.90	.14	.12	-2.25	-1.65
RADIAL HEIGHT	194.49	193.47	-1.47	-1.37	194.37	.27	.21	-1.64	-1.59
STYLION HEIGHT	80.18	79.64	-.54	-.66	80.69	.71	.68	-1.29	-1.47
DASTYION HEIGHT	61.94	61.25	-.69	-.47	62.49	.95	1.52	-1.24	-2.12
SUPRASTERNAL HEIGHT	136.24	134.50	-1.76	-1.31	136.20	-.06	-.09	-1.77	-1.26
NIPPLE HEIGHT	120.40	114.64	-1.14	-.94	121.21	.41	.34	-1.59	-1.28
WAIST HT-OMPHALION	98.71	98.12	-.59	-.60	99.64	.93	.92	-1.62	-1.55
ILIOCRISTALE HT	101.38	103.24	-1.10	-1.10	101.86	.48	.48	-1.59	-1.59
BUTTOCK HEIGHT	83.04	82.00	-.64	-.51	83.90	.86	1.03	-1.18	-1.54
TRUNCANTERION HEIGHT	96.11	84.44	-.67	-.54	87.44	.93	1.07	-1.40	-1.62
GLUTEAL FURROW HGT	74.67	74.29	-.38	-.41	75.58	.91	1.20	-1.29	-1.71
CROTCH HEIGHT	78.37	78.11	-.26	-.69	79.63	1.26	1.94	-1.39	-1.66
PATELLA TOP HEIGHT	48.96	48.34	-.16	-.33	49.09	.93	1.12	-.71	-1.46
KNEE GIRD HEIGHT	49.60	49.48	-.10	-.39	49.14	.44	1.24	-.56	-1.49
FIBULAR HEIGHT	40.23	43.14	-.89	-.21	40.79	.56	1.37	-.64	-1.60
CALK HEIGHT	31.94	32.35	.37	1.14	32.80	.82	2.91	-.45	-1.40
ANKLE HEIGHT	12.00	12.76	.76	5.96	12.88	.88	6.43	-.12	-.93
SITTING HEIGHT	88.14	88.48	.34	.10	88.96	.42	.92	-.48	-.44
EYE HEIGHT/SITTING	76.19	76.68	.53	.60	77.23	1.08	1.44	-.59	-.72
HIGHSHOULDER HT/SIT	66.23	68.26	.83	.65	61.10	.87	1.47	-.89	-1.15
ACROMION HEIGHT/SIT	56.48	56.75	.27	.47	57.64	1.16	2.02	-.59	-1.57
ELBOW REST HGT/SIT	20.94	23.56	2.50	10.97	23.93	2.99	12.91	-.61	-1.70
KNEE HEIGHT/SITTING	51.73	51.22	-.51	-1.00	51.98	.25	.60	-.77	-1.55
POPULITIAL HGT/SIT	40.34	40.43	.39	.97	40.91	.89	2.12	-.50	-1.74
BUTTOCK-KNEE LENGTH	56.04	55.94	-.51	-.92	56.42	.37	.61	-.64	-1.59
BUTTOCK-POPULITIAL	46.11	46.13	.02	.05	46.97	.86	1.84	-.86	-1.51
ACROMION-NECK CIP LVL	17.91	17.11	-.78	4.49	17.70	1.21	6.91	-.65	-2.74
SHOULDER-ELBOW LTN	13.18	13.28	.12	.37	13.83	.67	1.94	-.56	-1.66
ACROMION-RADIAL L	38.16	33.11	-.19	.41	34.93	.77	2.48	-.61	-2.02
ELBOW-WAIST LENGTH	27.70	27.85	.15	.42	28.26	.56	1.94	-.61	-1.69
RADIAL-STYLION LN	24.57	24.70	.15	.59	25.21	.87	2.51	-.91	-2.37
ELBOW-GRIP LENGTH	32.59	32.74	.15	.47	33.19	.60	1.62	-.49	-1.16
THUMB-TIP REACH	73.67	75.34	1.17	1.60	75.65	1.91	2.30	-.64	-.54
THUMB-TIP HGT/HTO	82.26	83.62	1.16	1.81	84.67	2.41	2.84	-1.04	-1.75
ELBOW-INSEAM	44.41	45.13	.72	1.64	45.70	1.34	3.01	-.66	-1.90
BIACROMIAL BREADTH	37.47	36.95	1.48	3.74	39.04	1.57	4.09	-.19	-.24
BIPALTOID BREADTH	44.11	44.65	.54	1.20	45.17	1.26	2.75	-.72	-1.62
CHEST BREADTH	29.47	29.97	.50	1.67	30.61	1.14	1.71	-.64	-2.12
WAIST BREADTH-OMPHALION	27.14	27.34	.10	.67	28.20	1.22	1.67	-.54	-.74
HIGH STALE BREADTH	24.44	24.15	.71	2.81	25.90	1.46	5.04	-.74	-1.71
HIP BREADTH	32.24	32.30	.01	.74	32.80	.60	1.81	-.59	-1.42
HIP BREADTH SITTING	34.10	34.16	-.01	-.10	34.90	.74	2.11	-.74	-2.14
ELBOW BREADTH BONE/2	6.49	6.77	.28	1.67	6.75	.76	1.84	-.69	-.79
ELBOW BREADTH BONE/2 L	6.42	6.74	.32	1.41	6.76	.24	1.4	-.61	-.21
ELBOW BREADTH BONE/2 R	6.17	6.81	1.64	1.31	6.44	2.69	2.2	-1.57	-2.06
KNEE BREADTH BONE/2	9.24	1.42	.11	1.67	9.67	.22	1.11	-.74	-.64
KNEE BREADTH BONE/2 L	9.74	1.14	.11	1.67	9.44	.22	1.11	-.64	-.64
KNEE BREADTH BONE/2 R	21.14	22.12	.70	1.67	22.67	1.31	5.81	-.74	-2.61
WAIST BREADTH-OMPHALION	10.11	11.04	.77	1.40	11.31	1.47	6.97	-.67	-3.41
BUTTOCK BREADTH	21.71	21.14	-.41	2.74	21.44	1.11	4.2	-.77	-3.71
THIGH CLEARANCE HT	14.29	14.97	.68	4.84	15.97	.93	6.17	-.76	-1.67
NECK CIRC-MAXIMUM	19.14	14.78	-.44	2.84	16.97	1.23	1.14	-.76	-.76
SHOULDER CIRCUMFERENCE	108.40	109.93	.61	.60	110.89	2.49	2.22	-1.46	-1.71
CHEST CIRC AT ACVL	92.46	91.74	1.31	1.41	93.64	1.19	3.11	-1.87	-1.49
CHEST CIRCUMFERENCE	88.27	89.77	1.10	1.30	91.67	1.11	3.19	-1.91	-2.14

* SMALL GROUP N = 2420; SMALL SHORT SUBGROUP N = 91

TABLE 5 (cont'd)

COMPARISON OF 5TH PERCENTILE VALUES WITH SMALL-SHORT SUBGROUP VALUES AND SMALL SIZE REGRESSION VALUES
1967 SURVEY OF USAF FLYING PERSONNEL *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	5TH PERCENTILE	SMALL SHORT MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 5TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 5TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			D	XD		D	XD	D	XD
CALF CIRCUMF/RIGHT	33.51	34.17	.57	1.96	34.35	1.35	3.80	-.67	-1.37
CALF CIRCUMF/LEFT	33.25	33.95	.70	2.15	34.57	1.32	3.81	-.67	-1.42
ANKLE CIRCUMFERENCE	21.42	21.91	.49	2.33	21.09	.67	3.19	-.19	-.90
SCYE CIRCUMFERENCE	43.73	44.77	.32	.73	45.21	1.48	3.27	-1.16	-2.63
BICEPS C-EXTEND/RT	26.36	25.80	1.04	1.71	26.54	1.62	5.05	-.54	-2.74
BICEPS C-EXTEND/LT	26.57	27.86	1.31	4.72	26.16	1.61	5.73	-.33	-1.77
BICEPS C-FLEXED/RT	29.19	29.97	.88	2.95	29.53	1.49	4.02	-.61	-2.73
BICEPS C-FLEXED/LT	28.49	29.62	1.13	3.82	29.93	1.44	4.81	-.31	-1.94
ELBOW CIRC-EXTENDED	25.38	25.69	.31	1.19	26.03	.65	2.49	-.34	-1.33
ELBOW CIRC-FLEXED	28.47	28.93	.46	1.59	29.48	1.91	3.45	-.54	-1.90
LOWER ARM C-EXTEND	25.81	26.27	.46	1.74	26.54	.75	2.81	-.29	-1.10
LOWER ARM C-FLEXED	27.25	27.76	.51	1.83	28.12	.87	3.11	-.17	-1.32
WRIST CIRCUMFERENCE	16.19	16.64	.45	2.69	16.70	.51	3.93	-.16	-.34
SLVE L/SPINE-SCYE	25.49	26.64	1.15	4.33	26.93	1.44	5.34	-.24	-1.97
SLVE L/SPINE-ELBOW	56.42	56.50	.08	.14	57.23	.81	1.41	-.77	-1.29
SLVE L/SPINE-WRIST	85.20	84.64	-.56	-.66	85.82	.62	.72	-1.14	-1.40
ANTERIOR NECK LGTH	5.49	8.18	2.69	32.90	8.19	2.70	32.96	-.07	-.08
POSTERIOR NECK LGTH	10.99	13.97	2.40	18.95	12.91	2.12	18.00	.15	1.15
SHOULDER LENGTH	14.61	15.61	1.00	6.43	15.76	1.17	7.41	-.14	-1.05
DELTOID ARC	13.89	14.75	.86	4.83	14.84	.99	6.64	-.13	-.14
INTERSCYE	32.52	36.48	3.96	17.85	36.76	4.24	11.54	-.28	-.78
INTERSCYE MAXIMUM	56.58	57.22	.64	1.13	58.05	1.47	2.54	-.87	-1.45
WAIST FRONT-OMPH"IN	36.93	37.78	.85	2.25	38.16	1.23	3.23	-.18	-1.01
CROTCH LGTH-OMPH"IN	63.56	64.34	.78	1.21	65.47	1.91	2.92	-1.13	-1.75
WAIST BACK-OMPH"IN	43.10	43.75	.65	1.44	44.33	1.23	2.88	-.67	-1.44
FOOT LENGTH	25.13	25.61	.48	1.89	25.58	.45	1.75	.04	.14
INSTEP LENGTH	18.25	18.75	.50	2.65	18.73	.48	2.57	.02	.19
FOOT BREADTH	8.99	9.22	.23	2.46	9.31	.32	3.41	-.09	-.33
BALL-OF-FOOT CIRC	22.91	23.38	.47	2.00	23.56	.65	2.75	-.14	-.76
INSTEP CIRCUMFERENCE	23.83	24.19	.36	1.50	24.33	.50	2.04	-.13	-.55
HEEL CIRCUMFERENCE	31.66	31.83	.17	.54	32.02	.36	1.13	-.19	-.49
BI-MALLEOLAR BROTH	6.72	6.91	.19	2.70	7.94	.22	3.27	-.04	-.64
LAT'L MALLEOLUS HT	6.16	6.49	.33	5.04	6.59	.43	6.51	-.10	-1.58
MED'L MALLEOLUS HT	7.64	8.07	.43	5.73	8.11	.47	5.84	-.04	-.54
HAND LENGTH	17.79	18.87	.28	1.54	18.20	.41	2.23	-.13	-.73
PALM LENGTH	9.97	10.23	.26	2.47	10.33	.36	3.47	-.10	-.93
HAND BR/METACARPLE	8.24	8.54	.30	3.47	8.53	.29	3.38	.01	.10
HAND BRTH AT THUMB	9.41	9.67	.26	2.66	9.73	.32	3.24	-.06	-.67
HAND C/METACARPALE	20.04	20.59	.54	2.66	20.65	.61	2.95	-.04	-.31
HAND C ROUND THUMB	24.06	24.60	.54	2.21	24.60	.54	2.21	-.00	-.10
HAND THICK/META-3	2.42	2.67	.25	9.32	2.67	.25	9.21	.00	.13
HEAD CIRCUMFERENCE	55.23	56.27	1.04	1.84	56.47	1.24	2.19	-.20	-.16
SAGITTAL ARC/INION	31.87	34.21	2.34	6.85	34.14	2.27	6.66	.07	.21
MINIMUM FRONTAL ARC	12.32	13.35	1.03	7.70	13.38	1.06	7.94	-.03	-.26
BITRAGION-CORONAL	33.68	34.83	1.15	3.31	35.01	1.33	3.79	-.18	-.50
BITRAGN-MIN FRNTAL	29.19	29.96	.77	2.58	30.15	.96	3.19	-.19	-.62
BITRAGN-SUBNASALE	27.62	28.34	.92	3.24	28.57	.95	3.34	-.07	-.10
BITRAGION-MENTON	30.63	31.41	.78	2.48	31.56	.93	2.94	-.15	-.47
BIT-SUBMANDIBULAR	28.40	29.51	1.11	3.77	29.68	1.28	4.30	-.16	-.55
BITRAGN-POSTERIOR	27.21	28.65	1.44	5.02	28.73	1.52	5.27	-.04	-.27
HEAD LENGTH	18.77	19.46	.69	3.54	19.51	.74	3.79	-.05	-.26
HEAD DIAGN/MENTON	24.38	24.89	.51	2.03	24.98	.60	2.41	-.10	-.39
NO DIA/INION-NOSE	20.23	21.48	1.25	5.83	21.46	1.23	5.72	.02	.12
EAR BREADTH	3.32	3.63	.31	8.65	3.69	.37	10.06	-.06	-1.57
EAR LENGTH	5.92	6.25	.33	5.34	6.37	.45	7.95	-.12	-1.94
EAR L ABOVE TRAGION	2.48	2.82	.34	12.10	2.87	.39	13.61	-.05	-1.75
HEAD BREADTH	14.73	15.31	.58	3.82	15.36	.63	4.03	-.04	-.27
MAXIMUM FRONTAL BR	10.87	11.36	.49	4.31	11.37	.50	4.37	-.01	-.06
BITRAGION BREADTH	13.35	13.90	.55	3.98	13.92	.57	4.10	-.02	-.13
BIZYGOMATIC BREADTH	13.39	13.87	.48	5.44	13.89	.50	3.58	-.02	-.14

* TOTAL GROUP N = 2420, SMALL SHORT SUBGROUP N = 61

TABLE 5 (concl'd)

COMPARISON OF 5TH PERCENTILE VALUES WITH SMALL-SHORT SUBGROUP VALUES AND SMALL SIZE REGRESSION VALUES
1967 SURVEY OF USAF FLYING PERSONNEL *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	5TH PERCENTILE	SMALL SHORT MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 5TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 5TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			0	%		0	%	0	%
WAIST CIR-OMPHALMN	75.76	77.23	1.47	1.90	79.56	1.90	4.78	-2.33	-3.02
WAIST CIR-OMPH/SIT	75.36	77.38	2.02	2.61	79.81	4.45	5.57	-2.43	-3.14
BUTTOCK CIRCUMFCE	89.74	89.76	-0.04	-0.05	91.40	1.66	1.82	-1.71	-1.99
BUTTOCK CIRCUM/SIT	91.97	97.26	.29	.30	99.23	2.26	2.28	-1.97	-2.03
VERTICAL TRUNK CIR	156.65	154.19	-2.46	-1.59	157.22	.57	.37	-3.03	-1.97
VERT TRUNK CIR/SIT	151.37	148.69	-1.68	-1.13	151.14	.77	.51	-2.45	-1.65
SCROTAL-ANT WAIST	29.21	26.24	1.04	3.99	26.57	1.37	5.15	-.32	-1.23
SCROTAL-A WAIST/S	22.77	23.81	1.05	4.52	24.01	1.28	5.32	-.20	-.85
SCRTL-SUPRASTERNLL	53.47	53.81	.34	.53	64.61	1.14	1.76	-.89	-1.26
SCRTL-SUPRSTERNLFS	55.73	59.53	.74	1.24	60.06	1.27	2.11	-.53	-.59
SCRTL-ANT SCYE LVL	46.31	49.42	.72	1.05	50.25	1.35	2.69	-.83	-1.59
SCRTL-ANT SCYE L/S	43.76	45.06	1.30	2.38	45.69	1.93	4.23	-.57	-1.41
SCRTL-A MIDSHOULDR	71.41	71.18	-.27	-.32	72.43	1.02	1.41	-1.25	-1.75
SCRTL-A MUSHLD/S	67.94	67.09	-.05	-.07	68.22	1.18	1.74	-1.17	-1.59
SCROTAL-PST WAIST	32.56	32.05	1.47	4.59	32.66	2.08	6.36	-.61	-1.91
SCRTL-WAIST OVR BK	37.76	39.27	1.47	3.76	39.73	1.97	4.96	-.49	-1.25
SCROTAL-P WAIST/S	31.44	33.80	2.36	6.99	34.17	2.73	7.98	-.37	-1.08
SCRTL-WAIST/BUTT/S	36.79	36.93	2.14	5.80	37.14	2.35	6.32	-.20	-.55
SCROTAL-CERVICALE	76.14	76.20	.06	.08	77.48	1.34	1.73	-1.28	-1.69
SCROTAL-CERVICLE/S	77.34	78.28	.44	.56	79.43	1.59	2.01	-1.16	-1.48
SCRTL-PS SCYE LVL	56.27	57.15	.88	1.54	58.16	1.89	3.25	-1.01	-1.76
SCRTL-PST SCYE L/S	56.76	59.79	1.33	1.72	60.68	1.92	3.16	-.89	-1.49
SCRTL-P MIDSHOULDR	78.75	78.62	-.13	-.17	79.94	1.19	1.49	-1.33	-1.69
SCRTL-MUSHLD OVR B	44.74	44.69	-.05	-.05	45.97	1.23	1.44	-1.28	-1.51
SCRTL-P MUSHLD/S	40.44	41.01	.57	.70	41.95	1.51	1.84	-.94	-1.16
SCRTL-MUSHLD O B/S	42.58	42.80	.22	.26	43.91	1.33	1.59	-1.12	-1.35
UPPER THIGH CIRCUM	51.52	52.49	1.37	2.59	53.97	2.45	4.53	-1.08	-2.03
UPPER THIGH C/SIT	50.79	51.77	.98	1.89	53.03	2.21	4.17	-1.23	-2.37
KNEE CIRCUMFERENCE	35.38	35.46	.08	.23	35.97	.59	1.65	-.51	-1.44
KNEE CIRCUMFCE/SIT	35.97	36.06	.09	.24	36.47	.50	1.38	-.42	-1.16
TRIGONIAL BREADTH	11.63	11.27	.60	5.38	11.37	.74	6.49	-.13	-1.19
EAR-TO-EAR BREADTH	17.54	18.40	.86	4.85	18.43	.89	4.82	-.03	-.18
BIOCULAR BREADTH	8.41	9.01	.60	6.67	9.01	.60	6.71	-.00	-.03
INTERPUPILLARY BRD	5.69	6.09	.40	6.62	6.15	.46	7.46	-.05	-.90
INTEROCULAR BREADTH	2.88	3.25	.37	11.32	3.26	.38	11.62	-.01	-.34
NOSE BREADTH	3.13	3.44	.34	9.82	3.47	.37	10.72	-.03	-1.00
LIP LENGTH	4.63	5.12	.52	10.15	5.13	.57	10.31	-.01	-.18
EAR PROTRUSION	1.65	2.10	.45	21.55	2.09	.44	21.17	.01	.48
SUBNASALE-NASAL RT	4.51	4.99	.46	9.62	5.01	.50	9.95	-.02	-.77
PHILTRUM LENGTH	1.12	1.53	.41	26.85	1.51	.39	25.64	.02	1.63
LIP-TO-LIP LENGTH	1.37	1.78	.71	39.79	1.73	.66	38.29	.04	2.43
MENTON-SUBNASALE L	6.75	6.71	.65	9.66	6.71	.66	9.87	-.00	-.01
MENTON-NASAL ROOT	11.04	11.65	.61	5.24	11.71	.67	5.70	-.06	-.49
GLABELLA-TO-VERTEX	7.71	8.97	1.26	14.17	9.15	1.44	15.74	-.18	-2.01
NASAL ROOT-TO-VRTX	9.25	10.33	1.08	15.49	10.51	1.24	11.95	-.17	-1.65
XYRNL CANTHUS-VRTX	10.71	11.52	.81	7.62	11.72	1.01	8.59	-.20	-1.73
PRONASALE-TO-VRTX	13.01	14.23	1.22	8.57	14.45	1.44	9.97	-.22	-1.56
SUBNASALE-TO-VRTX	14.43	15.60	1.17	7.50	15.74	1.31	8.34	-.14	-.91
STOMION-TO-VERTEX	16.74	17.87	1.13	6.32	17.39	1.25	6.96	-.12	-.69
MENTON-TO-VERTEX	21.07	22.09	1.02	4.62	22.28	1.21	5.42	-.19	-.84
TRAGION-TO-VERTEX	12.42	13.11	.69	5.25	13.21	.79	5.98	-.10	-.78
GLABELLA-TO-WALL	19.26	19.88	.62	3.12	19.96	.70	3.53	-.08	-.42
NASAL ROOT-TO-WALL	19.11	19.74	.63	3.17	19.79	.68	3.45	-.06	-.29
XYRNL CANTHUS-WALL	16.77	17.52	.82	4.69	17.51	.81	4.65	.01	.04
PRONASALE-TO-WALL	21.39	22.23	.84	3.78	22.25	.86	3.86	-.02	-.08
SUBNASALE-TO-WALL	19.67	20.65	.98	4.75	20.59	.92	4.47	.06	.29
LIP PROMINENCE-WALL	19.71	20.84	1.13	5.43	20.74	1.03	4.95	.11	.51
CHIN PROMINENCE-WALL	18.77	19.97	1.25	6.26	19.93	1.21	6.06	.04	.21
TRAGION-TO-WALL	9.29	10.30	1.01	9.85	10.19	.90	8.34	.11	1.10

* TOTAL GROUP N = 2420, SMALL SHORT SUBGROUP N = 51

TABLE 6

COMPARISON OF 95TH PERCENTILE VALUES WITH LARGE-LONG SUBGROUP VALUES AND LARGE SIZE REGRESSION VALUES
1967 SURVEY OF USAF FLYING PERSONNEL *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	95TH PERCENTILE	LARGE LONG MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 95TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 95TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			D	XD		D	XD	D	XD
WEIGHT	95.70	95.27	2.57	2.61	95.70	3.00	0.00	2.57	2.61
HEIGHT (STATURE)	187.69	189.98	.89	.67	187.69	0.00	0.00	.89	.67
AGE	42.58	30.02	-12.46	-41.83	30.70	-11.88	-38.68	-.68	-2.27
GRIP STRENGTH	89.46	69.37	-7.19	-11.53	62.73	-7.23	-11.59	.03	.5
CERVICAL HEIGHT	161.75	162.52	.77	.47	161.77	.02	.01	.75	.46
ACROMION HEIGHT	154.77	155.69	.92	.55	154.86	.09	.06	.83	.53
RADIAL HEIGHT	120.92	120.55	.47	.44	119.81	-.21	-.18	.74	.52
STYLION HEIGHT	93.22	93.22	-.00	-.00	92.43	-.74	-.80	.73	.79
DACTYLION HEIGHT	73.20	72.73	-.47	-.65	72.06	-1.14	-1.66	.67	.92
SUPRACORACAL HEIGHT	154.45	155.39	.94	.60	154.52	.07	.04	.87	.56
HIPPLE HEIGHT	138.37	138.51	.14	.21	137.52	-.85	-.60	.99	.71
WAIST HT-OMPHALION	114.31	113.74	-.57	-.71	113.46	-.85	-.75	.27	.24
ILIOCRISTALE HT	117.20	117.03	-.17	-.15	116.70	-.50	-.43	.31	.28
BUTTOCK HEIGHT	97.50	98.96	.154	.156	96.51	-.99	-1.03	.45	.46
TROCHANTERION HEIGHT	101.26	100.44	-.82	-.81	100.23	-1.03	-1.03	.21	.21
GLUTEAL FURROW HT	87.87	87.20	-.67	-.77	86.89	-1.07	-1.24	.40	.46
CROTCH HEIGHT	92.03	90.74	-1.27	-1.46	90.61	-1.42	-1.56	.15	.16
PATELLA TOP HEIGHT	86.94	86.44	-.50	-.68	86.29	-.65	-1.15	.15	.27
KNEE CIRC HEIGHT	53.85	53.44	-.41	-.77	53.26	-.59	-1.11	.14	.34
FIBULAR HEIGHT	47.65	47.14	-.51	-1.03	47.03	-.62	-1.25	.10	.22
CALF HEIGHT	39.28	38.64	-.64	-1.61	38.39	-.89	-2.33	.27	.71
ANKLE HEIGHT	15.74	14.57	-1.27	-8.36	14.97	-1.22	-8.15	-.00	-.01
SITTING HEIGHT	98.50	98.14	-.41	-.41	97.55	-1.01	-1.03	.80	.61
EYE HEIGHT/SITTING	86.11	89.45	.166	.77	86.79	-1.32	-1.56	.66	.78
WIDSHOULDER HT/SIT	69.23	68.89	-.34	-.49	68.27	-.96	-1.41	.62	.90
ACROMION HEIGHT/SIT	65.88	65.21	-.67	-1.03	64.65	-1.23	-1.90	.46	.86
ELBOW REST HT/SIT	29.54	28.95	-.59	-9.62	28.51	-1.03	-11.42	.41	1.61
KNEE HEIGHT/SITTING	49.94	50.94	.10	-.00	50.70	-.24	-.40	.24	.40
POPULITEAL HEIGHT/SIT	47.44	46.74	-.71	-1.50	46.50	-.94	-2.02	.24	.51
BUTTOCK-KNEE LENGTH	64.96	64.90	-.06	-.09	64.64	-.32	-.49	.24	.40
BUTTOCK-POPULITEAL	54.60	54.14	-.46	-.76	53.99	-.61	-1.12	.14	.36
ACROMION-NECK CIRC LVL	21.51	21.60	.09	-.40	20.30	-1.21	-5.95	.30	1.47
SHOULDER-ELBOW LTH	38.81	38.30	-.51	-.34	38.17	-.68	-1.77	.14	.43
ACROMION-RADIAL L	35.77	35.18	-.59	-1.67	35.03	-.74	-2.12	.14	.43
ELBOW-WRIST LENGTH	32.36	31.87	-.49	-1.65	31.79	-.57	-1.79	.04	.13
RADIAL-STYLION LTH	29.24	28.70	-.54	-1.87	28.82	-.62	-2.18	.09	.30
ELBOW-GRIP LENGTH	37.42	37.70	.28	-1.65	37.28	-.64	-1.71	.02	.05
THUMB-TIP REACH	87.07	85.51	-1.56	-1.83	85.13	-1.94	-2.28	.18	.44
THUMB-TIP REACH/HT	97.29	95.16	-2.13	-2.24	94.70	-2.59	-2.73	.46	.48
SLEEVE INSEAM	92.54	91.40	-1.14	-2.80	91.31	-1.23	-2.95	.07	.14
BIACROMIAL BREADTH	43.84	42.71	-1.13	-2.65	42.50	-1.28	-3.02	.14	.36
BIDELTOID BREADTH	52.61	51.70	-.91	-1.76	51.50	-1.11	-2.15	.20	.38
CHEST BREADTH	36.49	34.77	-1.72	-3.16	35.28	-1.21	-3.44	.09	.28
WAIST BATH-OMPHALION	35.32	34.24	-.77	-2.24	34.12	-.90	-2.64	.17	.19
BIDRISTALE BREADTH	31.23	30.37	-.86	-2.82	30.21	-1.02	-3.34	.17	.55
HIP BREADTH	38.47	38.14	-.33	-.86	37.92	-.55	-1.45	.22	.58
HIP BREADTH SITTING	41.76	41.38	-.38	-.93	41.06	-.70	-1.71	.32	.78
ELBOW BROT BONE/R	7.68	7.49	-.19	-2.57	7.44	-.24	-3.20	.05	.61
ELBOW BROT BONE/L	7.67	7.49	-.18	-2.43	7.46	-.21	-2.87	.03	.62
ELBOW-F-ARM BROT	60.68	58.58	-2.10	-3.58	58.77	-2.35	-4.03	.25	.67
KNEE BROT BONE/R	10.74	10.56	-.16	-1.95	10.53	-.21	-1.99	.05	.43
KNEE BROT BONE/L	10.73	10.56	-.17	-1.62	10.43	-.20	-1.94	.03	.32
CHEST DEPTH	27.71	26.81	-.90	-3.35	26.68	-1.03	-3.86	.13	.49
WAIST DEPTH-OMPHALION	26.11	24.83	-1.28	-5.17	24.62	-1.49	-6.86	.21	.84
BUTTOCK DEPTH	27.45	26.63	-.82	-3.07	26.44	-1.01	-3.82	.19	.73
THIGH CLEARANCE HT	18.84	18.29	-.55	-3.03	18.06	-.78	-4.33	.23	1.25
NECK CIRC -MAXIMUM	41.63	40.65	-.98	-2.41	40.39	-1.24	-3.07	.28	.64
SHOULDER CIRCUMFERENCE	127.63	125.87	-1.76	-1.39	125.44	-2.19	-1.75	.46	.35
CHEST CIRC AT SCYE	112.45	110.23	-2.22	-2.01	109.83	-2.62	-2.38	.40	.36
CHEST CIRCUMFERENCE	109.42	106.04	-2.78	-2.61	106.51	-2.91	-2.73	.13	.12

* TOTAL GROUP N = 2420, LARGE LONG SUBGROUP N = 90

TABLE 6 (cont'd)

COMPARISON OF 95TH PERCENTILE VALUES WITH LARGE-LONG SUBGROUP VALUES AND LARGE SIZE REGRESSION VALUES
1967 SURVEY OF USAF FLYING PERSONNEL *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	95TH PERCENTILE	LARGE LONG MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 95TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 95TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			0	X0		0	X0	0	X0
CALF CIRCUMF/RIGHT	40.99	40.19	-.80	-1.98	39.89	-1.10	-2.75	.30	.74
CALF CIRCUMF/LEFT	40.63	39.90	-.73	-1.84	39.65	-.98	-2.48	.25	.63
ANKLE CIRCUMFERENCE	24.57	24.06	-.51	-2.14	23.89	-.68	-2.83	.16	.67
SCYE CIRCUMFERENCE	52.98	51.75	-1.23	-2.39	51.88	-1.10	-2.11	-.14	-.27
BICEPS C-EXTEND/RT	34.69	33.32	-1.07	-3.18	33.38	-1.31	-3.93	.24	.72
BICEPS C-EXTEND/LT	34.31	33.26	-1.05	-3.15	33.02	-1.29	-3.92	.25	.74
BICEPS C-FLEXED/RT	36.60	35.56	-1.04	-2.92	35.27	-1.33	-3.78	.29	.82
BICEPS C-FLEXED/LT	35.93	34.98	-.95	-2.72	34.67	-1.26	-3.63	.31	.89
ELBOW CIRC-EXTENDED	30.11	29.71	-.40	-1.36	29.52	-.59	-1.99	.18	.62
ELBOW CIRC-FLEXED	34.20	33.39	-.81	-2.42	33.18	-1.02	-3.06	.21	.62
LOWER ARM C-EXTEND	30.63	30.17	-.46	-1.52	29.98	-.65	-2.17	.19	.64
LOWER ARM C-FLEXED	32.44	31.78	-.66	-2.08	31.63	-.81	-2.56	.15	.48
WRIST CIRCUMFERENCE	19.23	18.73	-.50	-2.66	18.58	-.65	-3.51	.15	.83
SLVE L/SPINE-SCYE	31.46	30.45	-1.01	-3.31	30.15	-1.31	-4.34	.30	.99
SLVE L/SPINE-ELBOW	65.03	64.62	-.41	-.63	64.14	-.89	-1.39	.48	.75
SLVE L/SPINE-WRIST	96.78	96.56	-.22	-.23	96.09	-.69	-.72	.47	.49
ANTERIOR NECK LGTH	11.05	8.55	-2.50	-29.29	8.58	-2.47	-28.82	-.03	-.36
POSTERIOR NECK LTH	16.14	13.64	-2.50	-18.37	13.52	-2.62	-19.35	.11	.32
SHOULDER LENGTH	16.76	17.64	-1.12	-6.37	17.48	-1.28	-7.34	.16	.90
DELTOID ARC	18.26	17.23	-1.03	-6.01	16.98	-1.28	-7.52	.24	1.41
INTERSCYE	44.97	49.85	-4.12	-10.08	41.04	-3.93	-9.58	-.19	-.46
INTERSCYE MAXIMUM	66.55	65.57	-.98	-1.49	65.39	-1.16	-1.77	.18	.27
WAIST FRONT-OMPH"IN	44.18	43.65	-.53	-1.22	42.84	-1.33	-3.02	.76	1.75
CROTCH LGTH-OMPH"IN	78.22	76.87	-1.35	-1.75	76.33	-1.89	-2.67	.54	.71
WAIST BACK-OMPH"IN	50.93	49.87	-1.06	-2.13	49.57	-1.36	-2.73	.29	.99
FOOT LENGTH	29.05	28.64	-.37	-1.29	28.56	-.49	-1.72	.12	.42
INSTEP LENGTH	21.37	21.02	-.35	-1.65	20.91	-.46	-2.21	.12	.55
FOOT BREADTH	10.61	10.31	-.30	-2.92	10.26	-.35	-3.41	.05	.48
BALL-OF-FOOT CIRC	26.98	26.27	-.71	-2.70	26.24	-.74	-2.82	.03	.12
INSTEP CIRCUMFERENCE	27.80	27.32	-.48	-1.76	27.19	-.61	-2.25	.13	.48
HEEL CIRCUMFERENCE	36.31	36.15	-.16	-.44	36.02	-.29	-.80	.13	.36
BI-MALLEOLAR BROTH	7.98	7.74	-.24	-3.09	7.74	-.24	-3.11	.00	.02
LAT'L MALLEOLUS HT	7.95	7.54	-.41	-5.39	7.51	-.44	-5.84	.03	.38
MED'L MALLEOLUS HT	9.51	9.04	-.47	-5.21	9.05	-.46	-5.12	-.01	-.09
HAND LENGTH	20.56	20.07	-.43	-2.14	20.06	-.44	-2.22	.02	.08
PALM LENGTH	11.75	11.34	-.41	-3.62	11.35	-.40	-3.53	-.01	-.09
HAND BR/METACARPLE	9.61	9.40	-.21	-2.28	9.30	-.31	-3.29	.09	.98
HAND BRTH AT THUMB	11.03	10.75	-.28	-2.59	10.70	-.33	-3.12	.05	.51
HAND C/METACARPALE	23.14	22.67	-.47	-2.67	22.54	-.60	-2.68	.13	.59
HAND C ROUND THUMB	27.61	27.14	-.47	-1.72	27.01	-.60	-2.22	.13	.48
HAND THICK/META-3	3.12	2.88	-.24	-8.21	2.87	-.25	-8.56	.01	.33
HEAD CIRCUMFERENCE	59.93	58.69	-1.24	-2.11	58.66	-1.27	-2.16	.03	.05
SAGITTAL ARC/INION	37.36	35.26	-2.10	-5.97	35.18	-2.18	-6.21	.08	.22
MINIMUM FRONTL ARC	14.91	13.85	-1.06	-7.64	13.84	-1.07	-7.70	.01	.95
BITRAGON-CORONAL	37.84	36.58	-1.26	-3.43	36.56	-1.28	-3.49	.02	.95
BITRAGON-MIN FRONTAL	32.46	31.36	-1.10	-3.52	31.51	-.95	-3.00	-.16	-.50
BITRAGON-SUBNASALE	30.99	30.07	-.92	-3.66	30.13	-.86	-2.84	-.06	-.22
BITRAGON-MENTON	34.71	33.85	-.86	-2.54	33.86	-.85	-2.52	-.01	-.32
BIT-SUBMANDIBULAR	33.06	32.48	-.12	-3.44	32.44	-1.16	-3.57	.04	.13
BITRAGON-POSTERIOR	32.11	30.52	-1.59	-5.21	30.25	-1.86	-6.16	.27	.99
HEAD LENGTH	21.00	20.30	-.70	-3.44	20.25	-.74	-3.66	.04	.21
HEAD DIAGNL/MENTON	26.89	26.27	-.62	-2.36	26.26	-.63	-2.39	.01	.03
HD DIAG/INION-NOSE	23.55	22.45	-1.10	-4.90	22.46	-1.09	-4.86	-.01	-.04
EAR BREADTH	4.31	3.92	-.39	-10.01	3.91	-.40	-10.19	.01	.16
EAR LENGTH	7.32	6.88	-.44	-6.78	6.83	-.47	-6.93	.04	.52
EAR L ABOVE TRAGON	3.45	3.02	-.43	-14.28	3.01	-.44	-14.66	.01	.33
HEAD BREADTH	16.52	15.93	-.59	-3.70	15.87	-.65	-4.07	.06	.36
MAXIMUM FRONTAL BR	12.37	11.83	-.54	-4.55	11.46	-.51	-4.30	-.03	-.24
BITRAGON BREADTH	15.18	14.62	-.56	-3.82	14.63	-.56	-3.79	-.00	-.03
BIZYGOMATIC BR"OTH	15.39	14.61	-.78	-3.27	14.61	-.78	-3.29	.00	.02

* TOTAL GROUP N = 2420, LARGE LONG SUBGROUP N = 90

TABLE 6 (concl'd)

COMPARISON OF 95TH PERCENTILE VALUES WITH LARGE-LONG SUBGROUP VALUES AND LARGE SIZE REGRESSION VALUES
1967 SURVEY OF USAF FLYING PERSONNEL *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	95TH PERCENTILE	LARGE LONG MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 95TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 95TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			0	X0		0	X0	0	X0
WAIST CIRCUMPHALN	100.03	97.55	-2.48	-2.54	96.92	-3.11	-3.71	.62	.64
WAIST CIRCUMPH/SIT	100.16	96.78	-3.38	-3.49	96.26	-3.90	-4.36	.52	.54
BUTTOCK CIRCUMFENCE	107.85	107.50	-.35	-.32	106.91	-1.04	-.97	.69	.64
BUTTOCK CIRCUM/SIT	119.29	118.18	-1.11	-.94	117.20	-2.09	-1.78	.98	.83
VERTICAL TRUNK CIR	180.32	181.59	1.27	.70	179.91	-.41	-.23	1.68	.93
VERT TRUNK CIRC/SIT	173.20	173.33	.13	.08	172.34	-.86	-.51	.99	.57
SCROTALE-ANT WAIST	31.95	30.72	-1.23	-4.00	30.47	-1.48	-4.05	.25	.81
SCROTALE-A WAIST/S	28.31	27.01	-1.30	-4.81	26.94	-1.37	-5.10	.07	.28
SCRTL-SUPRASTERNLE	76.69	74.57	-.12	-.16	73.47	-1.22	-1.67	1.10	1.48
SCR:-SUPRSTERNLE/S	68.62	68.11	-.51	-.75	67.29	-1.33	-1.97	.82	1.20
SCRTL-ANT SCYE LVL	59.26	58.71	-.55	-.93	57.66	-1.60	-2.78	1.06	1.80
SCRTL-ANT SCYE L/S	53.49	52.17	-1.32	-2.52	51.38	-2.11	-4.10	.79	1.51
SCRTL-A MIDSHOULDR	83.72	83.81	.09	.11	82.76	-.96	-1.16	1.08	1.26
SCRTL-A MSHOULDR/S	77.86	77.44	-.42	-.54	76.77	-1.09	-1.42	.67	.87
SCROTALE-PST WAIST	40.25	38.42	-1.83	-4.77	38.39	-1.86	-4.86	.93	.78
SCRTL-WAIST OVR BK	47.74	45.74	-2.00	-4.38	45.84	-1.90	-4.14	-.11	-.23
SCROTALE-P WAIST/S	41.67	39.14	-2.53	-6.46	39.21	-2.46	-6.27	-.07	-.18
SCRTL-WAIST/PUTT/S	44.37	42.38	-1.99	-4.70	42.18	-2.19	-5.18	.19	.46
SCROTALE-CERVICALE	89.22	89.53	-.69	-.78	88.26	-.96	-1.09	.78	.31
SCROTALE-CERVICL/S	91.92	90.17	-.85	-.94	89.92	-1.10	-1.23	.25	.29
SCRTL-PST SCYE LVL	68.09	66.80	-1.29	-1.93	66.56	-1.53	-2.29	.74	.36
SCRTL-PST SCYE L/S	70.62	69.07	-1.55	-2.24	68.52	-1.80	-2.62	.25	.36
SCRTL-P MIDSHOULDR	92.15	91.77	-.38	-.42	91.26	-.87	-.96	.49	.52
SCRTL-MSHOULDR OVR B	98.45	97.78	-.67	-.68	97.42	-1.03	-1.05	.76	.37
SCRTL-P MSHOULDR/S	94.27	93.64	-.63	-.67	93.17	-1.10	-1.18	.47	.59
SCRTL-MSHOULDR O B/S	96.15	95.57	-.58	-.61	95.11	-1.04	-1.09	.46	.48
UPPER THIGH CIRCUM	66.18	65.20	-.98	-1.50	64.45	-1.73	-2.69	.76	1.10
UPPER THIGH C/SIT	64.93	64.17	-.76	-1.19	63.52	-1.41	-2.22	.65	1.01
KNEE CIRCUMFERENCE	42.19	41.87	-.32	-.76	41.71	-.48	-1.15	.16	.78
KNEE CIRCUMFENCE/SIT	42.96	42.71	-.25	-.58	42.46	-.50	-1.18	.25	.99
BIGONIAL BREADTH	12.91	12.14	-.77	-8.35	12.15	-.78	-8.25	-.01	-.10
EAR-TO-EAR BREADTH	20.20	19.38	-.82	-4.23	19.27	-.93	-4.82	.11	.57
BIOOCULAR BREADTH	10.01	9.30	-.71	-7.65	9.34	-.67	-7.13	-.04	-.48
INTERPUPILLARY BRD	6.88	6.36	-.52	-8.13	6.40	-.48	-7.45	-.04	-.67
INTEROCULAR BRDTH	3.80	3.37	-.43	-12.83	3.41	-.39	-11.39	-.04	-1.29
NOSE BREADTH	4.05	3.65	-.40	-11.06	3.62	-.43	-11.78	.02	.64
LIP LENGTH	5.84	5.40	-.44	-8.21	5.34	-.50	-9.31	.05	.99
EAR PROTRUSION	2.76	2.25	-.51	-22.73	2.24	-.52	-23.93	.01	.24
SUBNASALE-NASAL RT	5.74	5.22	-.52	-9.87	5.26	-.48	-9.04	-.04	-.76
PHILTRUM LENGTH	2.03	1.58	-.45	-28.66	1.61	-.42	-26.66	-.03	-1.74
LIP-TO-LIP LENGTH	2.33	1.70	-.63	-36.78	1.72	-.61	-35.08	-.02	-1.20
MENTON-SUBNASALE L	7.78	6.97	-.81	-11.67	7.10	-.68	-9.56	-.13	-1.93
MENTON-NASAL ROOT	13.03	12.20	-.83	-6.76	12.38	-.65	-5.29	-.17	-1.40
GLABELLA-TO-VERTEX	10.90	9.48	-1.42	-15.01	9.49	-1.50	-16.01	.08	.86
NASAL ROOT-TO-VRTX	12.33	11.06	-1.27	-11.49	10.99	-1.34	-12.18	.07	.61
XTRNL CANTHUS-VRTX	13.25	12.23	-1.02	-8.35	12.19	-1.06	-8.69	.04	.31
PONASALE-TO-VRTX	16.61	15.12	-1.49	-9.84	15.03	-1.58	-10.50	.09	.60
SUBNASALE-TO-VRTX	17.79	16.49	-1.30	-7.88	16.44	-1.35	-8.23	.05	.93
STOMION-TO-VERTEX	22.03	18.74	-1.29	-6.90	18.74	-1.29	-6.87	-.01	-.03
MENTON-TO-VERTEX	24.45	23.25	-1.20	-5.15	23.28	-1.17	-5.01	-.01	-.13
TRAGION-TO-VERTEX	14.45	13.70	-.75	-5.46	13.69	-.76	-5.53	.01	.07
GLABELLA-TO-WALL	23.48	20.78	-.70	-3.36	20.76	-.72	-3.45	.02	.09
NASAL ROOT-TO-WALL	21.28	20.56	-.72	-3.51	20.57	-.71	-3.46	-.01	-.05
XTRNL CANTHUS-WALL	18.86	18.02	-.84	-4.64	18.08	-.78	-4.29	-.06	-.33
PONASALE-TO-WALL	23.88	23.09	-.79	-3.41	23.15	-.73	-3.17	-.05	-.23
SUBNASALE-TO-WALL	22.26	21.39	-.87	-4.05	21.43	-.83	-3.89	-.03	-.15
LIP PROMINCE-WALL	22.55	21.63	-.92	-4.25	21.63	-.92	-4.26	.00	.00
CHIN PROMINCE-WALL	22.17	21.11	-1.06	-5.01	21.08	-1.09	-5.16	.03	.14
TRAGION-TO-WALL	11.43	10.52	-.91	-8.65	10.49	-.94	-5.91	.03	.24

* TOTAL GROUP N = 2420, LARGE LONG SUBGROUP N = 90

TABLE 7

COMPARISON OF 5TH PERCENTILE VALUES WITH SMALL-SHORT SUBGROUP VALUES AND SMALL SIZE REGRESSION VALUES
1968 SURVEY OF AIR FORCE WOMEN *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	5TH PERCENTILE	SMALL SHORT MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 5TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 5TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			D	XD		D	XD	D	XD
WEIGHT	46.40	45.69	-.71	-1.55	46.40	0.00	0.00	-.71	-1.55
STATURE	152.37	151.46	-.91	-.80	152.37	0.00	0.00	-.91	-.80
AGE	18.05	22.84	4.79	20.97	21.78	3.73	17.13	1.06	4.63
STATURE, MAXIMUM	152.94	152.02	-.92	-.80	152.99	.05	.04	-.97	-.84
CERVICAL HEIGHT	137.30	129.66	-.64	-.50	130.35	.05	.04	-.70	-.54
ACROMIAL HEIGHT	123.02	122.29	-.73	-.59	123.14	.12	.10	-.84	-.69
SUPRASTERNAL HEIGHT	123.47	122.56	-.91	-.71	123.47	.04	.04	-.92	-.75
BUST POINT HEIGHT	110.04	109.71	-.33	-.30	110.66	.62	.56	-.94	-.86
WAIST HEIGHT	93.06	92.87	-.19	-.21	93.58	.52	.55	-.71	-.76
ABDOMINAL EXT HGT	86.06	85.27	.21	.24	86.91	.85	.97	-.64	-.74
TROCHANTERIC HEIGHT	75.72	76.01	.29	.38	76.75	1.03	1.35	-.75	-.99
BUTTOCK HEIGHT	75.43	75.88	.45	.60	76.43	1.00	1.31	-.55	-.72
GLUTEAL FURROW HGT	66.44	66.95	.51	.77	67.66	1.22	1.81	-.71	-1.06
THIGAL HEIGHT	38.24	39.72	.68	1.24	38.98	.74	1.89	-.26	-.66
CROTCH HEIGHT	68.11	68.57	.46	.85	69.04	.91	1.31	-.46	-.68
ANKLE HEIGHT	9.15	10.54	1.39	13.21	10.52	1.37	13.04	.02	.20
LAT'L MALLEOLUS HT	5.80	6.39	.59	9.25	6.36	.56	8.78	.03	.52
SITTING HT, RELAXED	78.91	79.77	.86	1.03	80.05	1.14	1.43	-.32	-.40
SITTING HEIGHT	80.43	80.87	.44	.54	81.33	.90	1.11	-.46	-.57
EYE HEIGHT, SITTING	66.72	69.64	.92	1.32	69.90	1.18	1.69	-.26	-.37
MIDSHOULDER HT, SIT	53.73	54.25	.52	.96	54.64	.91	1.66	-.38	-.71
WAIST HGT, SITTING	20.46	21.72	1.26	9.78	21.97	1.51	6.86	-.25	-1.16
ELBOW REST HEIGHT	18.71	21.62	2.91	13.46	21.78	3.07	14.09	-.16	-.73
POPLITEAL HEIGHT	37.96	38.78	.82	2.13	38.88	.92	2.37	-.10	-.25
BUTTOCK-POPLIT'L L	43.45	43.96	.51	1.16	44.25	.80	1.81	-.29	-.67
BUTTOCK-KNEE LENGTH	53.24	52.82	-.42	-.79	53.47	.23	.44	-.65	-1.23
ACROMION-RADIAL L	28.32	29.02	.70	2.40	29.02	.70	2.40	.00	.01
RADIAL-STYLION L	21.15	21.89	.74	3.39	21.88	.73	3.36	.01	.04
THUMB-TIP REACH	67.67	69.53	1.86	2.81	69.76	2.09	3.00	-.14	-.20
THUMB-TIP, EXTENDED	76.71	78.35	2.34	2.98	78.58	2.57	3.26	-.23	-.29
OVERHEAD REACH	185.19	185.53	.34	.18	187.17	1.98	1.06	-1.67	-.48
NECK CIRCUMFERENCE	31.08	32.44	1.36	4.18	32.26	1.18	3.66	.17	.54
SHOULDER CIRCUMFERENCE	92.62	93.78	1.16	1.23	94.60	1.98	2.10	-.87	-.88
CHEST CIRC AT SCYE	78.46	79.44	1.08	1.89	79.62	2.06	2.60	-.58	-.73
BUST CIRCUMFERENCE	81.01	83.86	2.85	2.69	83.96	2.95	2.80	-.10	-.12
CHEST C BELOW BUST	67.23	68.90	1.67	2.42	69.27	2.04	2.95	-.38	-.55
WAIST CIRCUMFERENCE	59.50	61.00	1.50	2.46	61.41	1.91	3.11	-.41	-.56
ABDOMINAL EXT CIRC	74.87	77.36	2.49	2.89	78.42	3.55	4.58	-1.36	-1.76
HIP C-7" BLW WAIST	85.17	85.45	.28	.41	86.90	1.88	2.07	-1.45	-1.69
HIP C-9" BLW WAIST	85.84	86.42	.58	.67	88.01	2.17	2.47	-1.60	-1.85
UPPER THIGH CIRCUM	48.74	51.07	1.33	2.66	51.01	2.27	4.45	-.94	-1.87
KNEE CIRCUMFERENCE	32.43	33.37	.94	.73	33.63	.80	2.39	-.56	-1.70
CALF CIRCUM, RIGHT	30.60	31.34	.74	2.35	31.87	1.27	3.48	-.57	-1.70
CALF CIRCUM, LEFT	30.57	31.27	.70	2.25	31.92	1.35	4.23	-.65	-2.07
ANKLE CIRCUMFERENCE	19.04	19.58	.54	2.74	19.88	.94	4.22	-.70	-1.35
VERTICAL TRUNK CIRC	143.54	143.84	.30	.21	144.72	1.18	.81	-.88	-.61
VERTICAL TRK C, SIT	139.42	139.66	.24	.17	140.64	1.22	.87	-.98	-.70
BUTTOCK CIRC, SIT	90.35	91.25	.90	.44	92.41	1.56	1.69	-1.16	-1.27
SCYE CIRCUMFERENCE	33.62	34.27	.65	1.90	34.55	.93	2.64	-.78	-.82
AXILLARY ARM CIRC	23.49	24.89	1.40	4.01	25.13	1.44	5.70	-.44	-1.79
BICEPS C, RELAXED, R	22.23	23.20	.97	4.19	23.59	1.36	5.77	-.70	-1.67
BICEPS C, FLEXED, R	23.31	24.12	1.01	4.15	24.69	1.38	5.59	-.77	-1.57
BICEPS C, RELAXED, L	22.09	23.11	1.02	4.42	23.55	1.46	6.18	-.43	-1.87
BICEPS C, FLEXED, L	23.00	24.03	1.03	4.27	24.39	1.39	5.72	-.77	-1.57
FOREARM CIRC, FLEXED	24.15	24.83	.68	2.75	25.22	1.07	4.25	-.39	-1.56
FOREARM C, RELAXED	21.29	21.63	.34	1.59	21.99	.70	3.19	-.36	-1.65
FOREARM C, FLEXED	22.55	23.10	.55	2.37	23.38	.83	3.54	-.58	-1.21
WRIST CIRCUMFERENCE	13.79	14.17	.38	2.40	14.18	.39	2.76	-.05	-.17
ACROMIAL BREADTH	13.18	14.02	.84	2.47	14.26	1.08	3.15	-.24	-.70
BIACROMIAL BREADTH	38.22	39.52	.80	1.64	39.42	1.20	3.04	-.61	-1.55

* TOTAL GROUP N = 1905, SMALL SHORT SUBGROUP N = 49

TABLE 7 (cont'd)

COMPARISON OF 5TH PERCENTILE VALUES WITH SMALL-SHORT SUBGROUP VALUES AND SMALL SIZE REGRESSION VALUES
1968 SURVEY OF AIR FORCE WOMEN *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	5TH PERCENTILE	SMALL SHORT MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 5TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			5TH XILE D	XD		D	XD	D	XD
CHEST BREADTH	25.08	25.90	.02	3.17	26.16	1.10	4.21	-.28	-1.09
BUST PT-BUST PT BR	16.07	17.38	1.31	7.54	17.35	1.28	7.36	.03	.19
WAIST BREADTH	21.22	21.93	.71	3.25	22.07	.85	3.84	-.13	-.61
HIP BREADTH	31.95	32.04	.09	1.54	32.55	1.00	3.09	-.51	-1.60
THIGH-THIGH BR, SIT	33.44	34.64	.80	2.31	35.40	1.56	4.40	-.76	-2.19
HUMERAL BREADTH, R	5.64	5.77	.13	2.22	5.82	.18	3.01	-.05	-.82
HUMERAL BREADTH, L	5.60	5.73	.13	2.22	5.79	.19	3.20	-.06	-1.01
FEMORAL BREADTH, R	7.38	7.78	.40	5.14	7.74	.36	4.71	.04	.45
FEMORAL BREADTH, L	7.43	7.77	.34	4.35	7.76	.33	4.31	.00	.04
CHEST DEPTH	21.85	21.90	1.05	4.81	21.85	1.00	4.59	.05	.23
WAIST DEPTH	14.76	15.43	.67	4.31	15.54	.78	5.03	-.12	-.75
ABDOMINAL EXT DPTH	17.92	18.74	.82	4.38	18.88	.96	5.10	-.14	-.76
BUTTOCK DEPTH	18.41	18.99	.58	3.17	19.37	.96	4.97	-.38	-2.00
THIGH CLEARANCE	10.42	10.89	.47	4.34	11.02	.60	5.42	-.12	-1.14
SHOULDER LENGTH	12.98	13.85	.87	6.30	13.98	1.00	7.18	-.13	-.95
NECK-BUST POINT L	22.52	24.13	1.61	6.67	23.95	1.43	5.98	.18	.74
STRAP LENGTH	59.17	61.76	2.59	4.20	61.47	2.30	3.73	.39	.48
INTERSCYE	31.16	33.19	2.03	6.11	33.36	2.20	6.60	-.17	-.53
INTERSCYE, MAXIMUM	43.90	46.07	2.17	4.72	46.44	2.54	5.47	-.36	-.79
BACK CURVATURE	37.57	39.37	1.80	4.58	39.66	2.09	5.27	-.29	-.73
WAIST BACK	36.95	38.33	1.38	3.60	38.43	1.48	3.86	-.10	-.27
ANTERIOR WAIST LTH	30.49	31.57	1.08	3.43	31.75	1.26	3.96	-.18	-.56
SLEEVE INSEAM	40.23	41.37	1.14	2.76	41.55	1.32	3.18	-.18	-.43
SPINE-TO-SCYE LGTH	18.25	19.65	1.40	7.13	19.44	1.19	6.12	.21	1.07
SPINE-TO-ELBOW LTH	49.43	49.97	.54	1.08	50.22	.79	1.57	-.25	-.80
SPINE-TO-WRIST LTH	74.18	74.63	.45	.61	75.02	.84	1.12	-.39	-.52
HAND LENGTH	18.90	17.36	.46	2.67	17.39	.49	2.84	-.03	-.17
HAND BREADTH	6.92	7.25	.33	4.54	7.24	.32	4.41	.01	.13
HAND CIRCUMFERENCE	16.81	17.51	.70	3.97	17.54	.73	4.15	-.03	-.18
FOOT LENGTH	22.19	22.46	.27	1.21	22.64	.47	2.08	-.20	-.89
FOOT BREADTH	8.02	8.42	.40	4.75	8.49	.47	5.54	-.07	-.83
HEAD LENGTH	17.27	17.91	.64	7.56	17.98	.71	7.94	-.07	-.40
HEAD BREADTH	13.54	14.26	.72	5.02	14.27	.73	5.10	-.01	-.08
HEAD CIRCUMFERENCE	52.25	53.36	1.11	2.09	53.66	1.41	2.64	-.30	-.96
TRAGION-TO-PO HEAD	11.96	12.42	.86	6.83	12.36	.80	6.47	.06	.45
ECTOCANTHUS-TO-PO HD	10.36	11.36	1.00	8.78	11.38	1.02	8.96	-.02	-.19
PRONASALE-TO-PO HEAD	12.92	14.33	1.41	9.82	14.29	1.37	9.56	.04	.28
SUBNASALE-TO-PO HEAD	14.17	15.34	1.17	7.60	15.37	1.20	7.82	-.04	-.23
STOMION-TO-PO HEAD	16.05	17.29	1.24	7.15	17.26	1.21	7.02	.02	.14
MENTON-TO-PO HEAD	20.09	21.14	1.05	4.99	21.16	1.07	5.06	-.02	-.08
TRAGION TO WALL	8.87	9.82	.95	9.69	9.82	.95	9.72	-.00	-.03
ECTOCANTHUS-WALL	14.93	15.82	.89	5.61	15.85	.92	5.78	-.03	-.18
PRONASALE TO WALL	19.72	20.96	.84	4.09	20.58	.86	4.20	-.02	-.12
SUBNASALE TO WALL	18.18	19.13	.95	4.95	19.13	.95	4.97	-.00	-.02
LIP PROTRUSION-WALL	17.72	18.85	1.13	5.98	18.85	1.13	5.98	-.00	-.00
MENTON TO WALL	16.49	17.84	1.35	7.55	17.79	1.30	7.28	.05	.29
SAGITTAL CURVATURE	32.41	34.01	1.60	4.70	33.99	1.58	4.66	.02	.05
BITRAGION-CORONAL	31.65	33.28	1.63	4.91	33.15	1.50	4.52	.13	.40
BIOCLULAR BREADTH	8.87	9.46	.59	6.21	9.46	.59	6.25	-.08	-.04
BIAURICULAR BREADTH	14.24	15.51	1.27	8.17	15.49	1.25	8.04	.02	.14
BITRAGION BREADTH	12.09	12.61	.52	4.15	12.58	.49	3.92	.03	.24
BIZYGOMATIC BREADTH	11.91	12.66	.75	5.89	12.58	.67	5.34	.07	.58
BIGONIAL BREADTH	9.26	10.04	.78	7.81	9.92	.66	6.65	.12	1.24
NASAL BREADTH	2.68	3.16	.48	15.26	3.15	.47	14.98	.01	.33
LIP LENGTH	3.70	4.34	.64	14.76	4.32	.62	14.30	.02	.53
MENTON-SUBNASALE L	4.70	5.34	.64	11.97	5.34	.64	11.97	.00	.00
MENTON-SELLION LTH	9.63	10.38	.75	7.25	10.30	.67	6.48	.09	.83
SUBNASALE-SELLION	3.88	4.43	.55	12.43	4.40	.52	11.86	.03	.65
EAR LENGTH	4.49	4.99	.50	10.62	5.04	.55	10.85	-.05	-.93
EAR BREADTH	2.41	2.85	.44	15.51	2.90	.49	16.89	-.04	-1.66

* TOTAL GROUP N = 1905, SMALL SHORT SUBGROUP N = 59

TABLE 8

COMPARISON OF 95TH PERCENTILE VALUES WITH LARGE-LONG SUBGROUP VALUES AND LARGE SIZE REGRESSION VALUES
1968 SURVEY OF AIR FORCE WOMEN *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	95TH PERCENTILE	LARGE LONG MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 95TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 95TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			D	XD		D	XD	D	XD
WEIGHT	70.93	72.88	1.95	2.67	70.93	0.00	0.00	1.95	2.67
STATURE	172.15	172.69	.54	.31	172.15	0.00	0.00	.54	.31
AGE	38.63	26.32	-12.31	-46.78	25.48	-13.15	-51.60	.86	3.18
STATURE, MAXIMUM	172.82	173.42	.60	.35	172.82	-.00	-.00	.61	.35
CERVICAL HEIGHT	148.41	148.97	.56	.37	148.35	-.06	-.04	.61	.41
ACROMIAL HEIGHT	141.10	141.50	.40	.28	140.93	-.17	-.12	.57	.40
SUPRASTERNAL HEIGHT	140.92	141.48	.56	.40	140.85	-.07	-.05	.63	.45
BUST POINT HEIGHT	127.29	126.56	-.73	-.58	126.18	-1.11	-.88	.38	.30
WAIST HEIGHT	107.88	107.71	-.17	-.16	107.21	-.67	-.62	.60	.46
ABDOMINAL EXT HGT	100.72	100.00	-.72	-.72	99.54	-1.18	-1.18	.46	.46
TROCHANTERIC HEIGHT	89.82	89.33	-.49	-.55	88.79	-1.03	-1.16	.54	.60
BUTTOCK HEIGHT	89.18	88.90	-.28	-.31	88.70	-.48	-1.11	.71	.79
GLUTEAL FURROW HGT	79.40	78.59	-.81	-1.03	77.82	-1.58	-2.03	.77	.98
TIBIAL HEIGHT	46.09	45.66	-.43	-.45	45.08	-1.01	-2.24	.58	1.27
CROTCH HEIGHT	81.38	80.85	-.53	-.65	80.12	-1.26	-1.57	.73	.90
ANKLE HEIGHT	13.62	12.05	-1.57	-13.03	11.87	-1.75	-14.72	.18	1.48
LAT'L MALLEOLUS HT	7.82	7.25	-.57	-.71	7.21	-.61	-.82	.04	.56
SITTING HT, RELAXED	89.67	88.61	-1.06	-1.20	88.67	-1.00	-1.12	-.06	-.07
SITTING HEIGHT	90.89	90.17	-.72	-.80	90.06	-.83	-.93	.11	.12
EYE HEIGHT, SITTING	78.82	77.80	-1.02	-1.31	77.68	-1.14	-1.47	.12	.16
MIDSHOULDER HT, SIT	62.52	61.54	-.98	-1.59	61.55	-.97	-1.57	-.01	-.02
WAIST HEIGHT, SITTING	26.24	24.80	-1.44	-5.83	24.90	-1.34	-5.39	-.10	-.41
ELBOW REST HEIGHT	26.90	23.20	-3.70	-15.93	23.70	-3.20	-13.51	-.50	-2.14
POPLITEAL HEIGHT	44.11	43.75	-.36	-.83	43.27	-.84	-1.93	.47	1.08
BUTTOCK-POPLIT'L L	52.58	51.85	-.73	-1.40	51.45	-1.13	-2.20	.41	.78
BUTTOCK-KNEE LENGTH	61.91	61.93	.02	.04	61.72	-.19	-.31	.21	.35
ACROMION-RADIAL L	33.64	33.30	-.34	-1.11	33.09	-.55	-1.67	.22	.65
RADIAL-STYLION L	25.73	25.07	-.66	-2.65	24.95	-.78	-3.14	.12	.47
THUMB-TIP REACH	80.45	78.79	-1.66	-2.22	78.74	-1.71	-2.18	-.03	-.74
THUMB-TIP, EXTENDED	92.27	89.36	-2.91	-3.26	89.39	-2.88	-3.22	-.07	-.04
OVERHEAD REACH	213.28	211.83	-1.45	-.68	211.75	-1.53	-.72	.08	.04
NECK CIRCUMFERENCE	36.66	35.77	-.89	-2.48	35.48	-1.18	-3.34	.30	.83
SHOULDER CIRCUMFER	109.38	108.57	-.81	-.75	107.35	-2.03	-1.89	1.22	1.13
CHEST CIRC AT SCYE	93.23	91.91	-1.32	-1.44	90.54	-2.69	-2.97	1.17	1.49
BUST CIRCUMFERENCE	100.23	98.39	-1.84	-1.87	96.72	-3.51	-3.63	1.67	1.69
CHEST C BELOW BUST	83.08	81.61	-1.47	-1.81	80.40	-2.68	-3.33	1.20	1.47
WAIST CIRCUMFERENCE	77.24	75.88	-1.36	-1.79	74.21	-3.03	-4.08	1.67	2.20
ABDOMINAL EXT CIRC	98.60	95.45	-3.15	-3.30	94.45	-4.15	-4.40	1.00	1.05
HIP C-7" BLW WAIST	103.33	101.76	-1.57	-1.54	101.68	-1.65	-1.62	.08	.08
HIP C-9" BLW WAIST	105.63	103.73	-1.90	-1.84	103.92	-1.71	-1.64	-.20	-.19
UPPER THIGH CIRCUM	62.61	61.03	-1.58	-2.59	60.90	-1.71	-2.80	.13	.21
KNEE CIRCUMFERENCE	40.24	39.60	-.64	-1.13	39.44	-.80	-2.03	.16	.39
CALF CIRCUM, RIGHT	37.44	36.65	-1.29	-3.52	36.87	-1.07	-2.92	-.22	-.59
CALF CIRCUM, LEFT	38.07	36.44	-1.63	-3.35	36.99	-1.08	-2.92	-.15	-.42
ANKLE CIRCUMFERENCE	23.34	22.35	-.99	-1.44	22.47	-.87	-3.85	-.13	-.57
VERTICAL TRUNK CIP	166.24	165.68	-.56	-.37	165.32	-.92	-.59	.36	.22
VERTICAL TRK C, SIT	161.00	160.43	-.57	-.35	160.48	-.52	-.33	-.04	-.03
BUTTOCK CIRC, SIT	110.79	109.31	-1.48	-1.36	109.02	-1.77	-1.67	.29	.27
SCYE CIRCUMFERENCE	41.08	40.30	-.78	-1.94	40.10	-.98	-2.40	.22	.50
AXILLARY ARM CIRC	31.50	30.55	-.95	-3.11	30.07	-1.43	-4.76	.46	1.67
BICEPS C, RELAXED, R	29.65	29.52	-1.13	-3.99	28.10	-1.49	-5.29	.75	1.24
BICEPS C, FLEXED, R	29.76	29.74	-1.04	-3.50	29.43	-1.33	-4.60	.31	1.24
BICEPS C, RELAXED, L	29.90	29.57	-1.23	-4.29	28.34	-1.56	-5.51	.33	1.16
BICEPS C, FLEXED, L	30.72	29.51	-1.22	-4.15	29.23	-1.49	-5.10	.27	.91
ELBOW CIRC, FLEXED	30.02	29.02	-1.00	-3.46	28.96	-1.06	-3.66	.05	.19
FOREARM C, RELAXED	25.70	25.48	-.22	-1.12	25.26	-.44	-2.00	.22	.47
FOREARM C, FLEXED	27.53	27.06	-.47	-1.74	26.89	-.64	-2.41	.19	.65
WRIST CIRCUMFERENCE	16.21	15.95	-.26	-1.62	15.85	-.36	-2.27	.17	.64
BIACROMIAL BREADTH	36.58	37.94	-.64	-1.69	37.59	-.99	-2.63	.35	.32
BIDELTOID BREADTH	45.35	45.20	-.65	-1.44	44.82	-1.03	-2.31	.24	.45

* TOTAL GROUP N = 1995, LARGE LONG SUBGROUP N = 66

TABLE 8 (cont'd)

COMPARISON OF 95TH PERCENTILE VALUES WITH LARGE-LONG SUBGROUP VALUES AND LARGE SIZE REGRESSION VALUES
1968 SURVEY OF AIR FORCE WOMEN *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	95TH PERCENTILE	LARGE LONG MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 95TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 95TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			D	XD		D	XD	D	XD
CHEST BREADTH	31.40	31.94	-0.86	-2.81	30.16	-1.24	-4.11	.38	1.25
BUST PT-BUST PT BR	21.18	20.15	-1.03	-5.10	19.96	-1.22	-6.11	.19	.98
WAIST BREADTH	27.95	26.99	-0.96	-2.08	26.97	-0.98	-3.67	.42	1.94
HIP BREADTH	38.84	37.60	-1.24	-3.31	37.82	-1.02	-2.69	-.22	-.60
THIGH-THIGH BR, SIT	43.26	41.71	-1.55	-3.72	41.59	-1.67	-4.01	.12	.28
HUMERAL BREADTH, R	6.65	6.50	-.15	-2.31	6.49	-.16	-2.51	.01	.20
HUMERAL BREADTH, L	6.60	6.48	-.12	-1.82	6.45	-.15	-2.31	.03	.48
FEMORAL BREADTH, R	8.88	8.96	-.08	-3.71	8.94	-.06	-4.01	.02	.28
FEMORAL BREADTH, L	8.89	8.98	-.09	-3.69	8.97	-.08	-3.76	.01	.11
CHEST DEPTH	27.15	26.45	-.70	-2.65	25.83	-1.32	-5.13	.67	2.36
WAIST DEPTH	20.16	19.23	-.93	-4.85	18.83	-1.33	-7.07	.40	2.07
ABDOMINAL EXT OPTM	24.80	23.73	-1.07	-4.51	23.36	-1.44	-6.15	.37	1.95
WITLOCK DEPTH	24.31	23.41	-.90	-3.86	23.33	-.98	-4.21	.08	.34
THIGH CLEARANCE	14.59	14.26	-.33	-2.30	14.07	-.52	-3.70	.19	1.35
SHOULDER LENGTH	18.40	18.58	-.18	-5.24	18.38	-1.02	-6.62	.20	1.29
NECK-TO-POINT L	28.79	27.81	-.98	-3.53	27.31	-1.48	-5.40	.49	1.77
STRAP LENGTH	72.11	70.40	-1.71	-2.43	69.62	-2.49	-3.97	.77	1.10
INTERSCYE	19.19	17.33	-1.86	-4.99	17.10	-2.09	-5.83	.23	.60
INTERSCYE, MAXIMUM	54.71	53.62	-1.09	-2.03	52.77	-1.94	-3.67	.85	1.99
BACK CURVATURE	47.57	49.31	1.74	3.62	45.12	-2.45	-5.44	.79	1.72
WAIST BACK	44.28	47.47	3.19	4.27	42.65	-1.63	-3.83	-.18	-.42
ANTERIOR WAIST LTH	36.93	35.97	-.96	-2.67	35.58	-1.35	-3.78	.18	1.07
SLICE INSLEAM	48.18	46.82	-1.36	-2.92	46.73	-1.45	-3.11	.09	.19
SPINE-TO-SCYE LGTH	22.71	21.62	-1.09	-5.06	21.43	-1.28	-5.97	.19	.86
SPINE-TO-ELBOW LTH	57.32	57.03	-.29	-.51	56.65	-.67	-1.18	.38	.66
SPINE-TO-WRIST LTH	85.11	85.02	-.09	-.10	84.44	-.67	-.79	.48	.68
HAND LENGTH	28.05	29.54	1.49	2.62	29.42	1.37	1.24	.12	.60
HAND BREADTH	8.23	7.96	-.27	-2.97	7.90	-.33	-3.77	.06	.78
HAND CIRCUMFERENCE	19.34	19.29	-.05	-2.92	19.21	-.13	-3.33	.04	.40
FOOT LENGTH	27.98	25.84	-.21	-1.51	25.57	-.41	-1.62	.04	.30
FOOT BREADTH	9.77	9.31	-.46	-4.49	9.24	-.53	-5.21	.02	.21
HEAD LENGTH	19.32	18.95	-.37	-3.02	18.88	-.44	-3.38	.07	.35
HEAD BREADTH	19.57	18.82	-.75	-4.71	18.81	-.76	-4.82	.02	.10
HEAD CIRCUMFERENCE	57.59	56.24	-1.35	-2.40	56.21	-1.38	-2.46	.03	.06
TRIGION-TO-HEAD	14.37	13.14	-.11	-7.05	13.12	-.25	-7.23	.02	.17
ECTOCANTHUS-TO-MO	13.37	12.14	-1.23	-11.05	12.17	-1.20	-9.87	-.03	-.21
PRONASALE-TO-HEAD	16.79	15.27	-1.52	-9.93	15.26	-1.53	-10.06	.02	.11
SUBNASALE-TO-HEAD	17.79	16.46	-1.33	-8.08	16.48	-1.31	-7.95	-.32	-.11
STYLIUM-TO-HEAD	19.72	18.42	-1.30	-7.06	18.42	-1.30	-7.07	.00	.01
MENTON-TO-HEAD	23.52	22.76	-.76	-4.75	22.76	-.76	-4.97	.04	.17
TRIGION TO WALL	11.74	10.65	-1.09	-10.75	10.56	-1.18	-11.67	.09	.82
ECTOCANTHUS-WALL	16.76	17.53	0.77	5.62	16.95	0.19	0.69	.14	.82
PRONASALE TO WALL	22.80	21.97	-.83	-4.20	21.87	-.93	-4.55	.06	.26
SUBNASALE TO WALL	21.34	20.30	-1.04	-5.34	20.26	-1.12	-5.52	.03	.16
LIP PROTRUSION-WALL	21.16	19.54	-1.62	-4.63	19.82	-1.34	-4.78	.02	.11
MENTON TO WALL	20.14	19.57	-.57	-6.99	18.77	-1.47	-7.55	.16	.92
SAGITTAL CURVATURE	37.33	35.50	-1.83	-5.15	35.64	-1.69	-4.74	-.14	-.39
PRITRAGON-CORONAL	36.33	34.78	-1.55	-4.40	34.79	-1.54	-4.18	-.01	-.12
PRITRAGON BREADTH	16.51	9.92	-.59	-5.93	9.91	-.60	-6.06	.01	.12
BI-URICULAR BREADTH	17.37	15.47	-.90	-5.76	16.23	-1.14	-7.33	.19	1.14
PRITRAGON BREADTH	12.74	13.24	0.50	1.44	13.24	0.50	1.76	.04	.31
PRITRAGON BREADTH	13.33	13.34	0.01	1.62	13.27	-.06	1.25	.08	.60
PRITRAGON BREADTH	11.13	10.61	-.52	-4.88	10.50	-.63	-5.97	.11	1.03
NASAL BREADTH	7.79	3.24	-.55	-17.11	3.24	-.55	-16.81	-.01	-.76
LIP LENGTH	5.11	4.50	-.61	-12.63	4.45	-.66	-14.92	.15	1.17
MENTON-SUBNASALE L	6.33	5.75	-.58	-11.14	5.77	-.56	-10.57	-.01	-.70
MENTON-SELLION LTH	11.66	11.04	-.62	-5.48	10.94	-.72	-6.07	.06	.50
SUBNASALE-SELLION	5.74	4.73	-.91	-10.85	4.70	-.94	-11.38	.02	.44
EAR LENGTH	5.95	5.52	-.43	-7.74	5.47	-.48	-8.83	.06	1.01
EAR BREADTH	3.51	3.77	0.26	10.74	3.07	-.44	-14.24	-.00	-.39

* TOTAL GROUP N = 1925, LARGE LONG SUBGROUP N = 60

TABLE 9

COMPARISON OF 9TH PERCENTILE VALUES WITH SMALL-SHORT SUBGROUP VALUES AND SMALL SIZE REGRESSION VALUES
COMBINED US ARMY 1966 AND USAF 1967 SAMPLE *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	9TH PERCENTILE	SMALL SHORT MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE		DEVIATION BETWEEN SUBGROUP MEAN AND	
			9TH XILE D	XO		AND 9TH XILE D	XO	REGRESSION VALUE D	XO
HEIGHT (STATURE)	164.49	162.56	-1.93	-1.19	164.49	1.00	3.37	-1.93	-1.19
WEIGHT	58.10	56.11	-1.99	-3.55	58.10	0.00	1.07	-1.99	-3.55
ANKLE CIRCUMFERENCE	26.46	21.01	.55	2.62	21.33	.37	4.09	-.72	-1.53
SCYE CIRCUMFERENCE	40.07	41.05	.98	2.39	41.91	1.84	4.39	-.86	-2.79
BICEPS C-FLEXED/RT	28.27	29.29	1.02	1.50	30.37	1.80	5.99	-.74	-2.65
BIDELTOID BREADTH	41.77	42.26	.49	1.16	42.93	1.16	2.71	-.64	-1.67
BUTTOCK CIRCUMFERENCE	85.68	85.77	.09	.11	87.43	1.75	2.01	-1.64	-1.94
BUTTOCK-KNEE LGTH	95.14	94.64	-.50	-.92	95.53	.39	.70	-.49	-1.64
CALF CIRCUMF/RIGHT	32.59	33.46	.87	2.43	34.17	1.58	4.62	-.77	-2.37
CALF HEIGHT	31.32	32.33	1.01	1.13	32.90	1.58	4.81	-.87	-1.76
CERVICAL HEIGHT	139.96	139.33	-1.63	-1.18	140.25	.29	.21	-1.92	-1.19
CHEST BREADTH	27.57	25.23	.63	2.22	28.69	1.12	3.91	-.50	-1.76
CHEST CIRCUMFERENCE	84.67	86.07	1.40	1.83	87.62	2.95	3.37	-1.55	-1.80
CROTCH HEIGHT	76.80	77.69	.89	1.15	78.66	1.86	2.36	-.94	-1.24
SYZYGOMATIC BRDTH	13.15	13.53	.38	2.24	13.66	.51	3.72	-.12	-.97
FOOT LENGTH	24.78	25.04	.26	1.03	25.28	.50	1.99	-.25	-.98
LOWER ARM C-FLEXED	26.12	27.09	.77	2.84	27.79	1.38	3.30	-.61	-2.27
HAND BR/METACARPAL	8.15	8.39	.24	2.81	8.51	.36	4.20	-.12	-1.44
HAND C/METACARPAL	19.88	20.44	.56	2.74	20.68	.80	3.86	-.74	-1.17
HAND LENGTH	17.56	17.87	.29	1.64	18.06	.44	2.86	-.19	-1.14
HEAD BREADTH	14.41	14.94	.53	3.57	15.04	.63	4.19	-.10	-.65
HEAD CIRCUMFERENCE	53.75	54.87	1.07	1.96	55.13	1.38	2.50	-.71	-.56
HEAD LENGTH	18.34	18.97	.63	3.30	19.08	.74	3.94	-.12	-.62
HIP BREADTH	30.37	30.44	.07	.22	31.02	.65	2.17	-.68	-1.62
INSTEP CIRCUMFERENCE	23.87	24.80	.93	3.75	25.12	1.25	4.99	-.17	-1.37
INSTEP LENGTH	18.00	18.37	.37	2.00	18.55	.55	2.95	-.13	-.98
INTERPUPILLARY BRO	5.91	5.98	.47	7.94	6.01	.50	8.28	-.02	-.38
INTERSCYE	33.53	36.37	2.84	7.82	37.06	1.53	9.52	-.68	-1.40
MENTON-NASAL ROOT	18.98	11.54	.56	4.85	11.66	.68	5.81	-.12	-1.00
MIDSHOULDER HT/SIT	57.61	58.37	.76	1.30	59.11	1.50	2.53	-.74	-1.27
PALM LENGTH	9.66	9.97	.31	3.12	10.09	.43	4.24	-.12	-1.10
PATELLA TOP HEIGHT	47.85	48.57	.72	1.49	49.21	1.36	2.77	-.64	-1.11
POPITEAL HEIGHT/SIT	40.43	41.79	1.36	3.26	42.19	1.76	4.18	-.40	-.96
SHOULDER CIRCUMFERENCE	104.06	105.18	1.12	1.05	106.95	2.89	2.70	-1.79	-1.73
SHOULDER-ELBOW LGTH	33.86	34.17	.57	1.65	34.67	1.09	2.89	-.44	-1.28
ACROMION HEIGHT	134.11	132.78	-1.33	-1.11	134.46	.35	.24	-1.69	-1.27
SHOULDER LENGTH	13.06	15.24	2.18	14.33	15.48	2.42	15.67	-.27	-1.53
SITTING HEIGHT	89.88	89.75	.67	.78	86.63	1.55	1.79	-.84	-1.02
SLEEVE INSEAM	44.23	45.08	.85	1.88	45.63	1.40	3.07	-.55	-1.23
UPPER THIGH CIRCUM	48.62	49.95	1.43	2.87	51.12	2.60	5.09	-1.17	-2.34
WAIST CIRCUMFERENCE	78.13	71.68	1.55	2.17	73.06	2.93	4.01	-1.37	-1.92
ILIOCRISTALE HT	98.15	98.31	.16	.10	99.51	1.36	1.36	-1.70	-1.72

* TOTAL GROUP N = 9102, SMALL SHORT SUBGROUP N = 319

TABLE 10

COMPARISON OF 95TH PERCENTILE VALUES WITH LARGE-LONG SUBGROUP VALUES AND LARGE SIZE REGRESSION VALUES
COMBINED US ARMY 1966 AND USAF 1967 SAMPLE *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	95TH PERCENTILE	LARGE LONG MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 95TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 95TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			0	X0		0	X0	0	X0
HEIGHT (STATURE)	186.28	197.79	1.51	.80	186.28	0.00	0.00	1.51	.80
HEIGHT	93.27	98.26	2.99	3.11	93.27	0.00	0.00	2.99	3.11
ANKLE CIRCUMFERENCE	25.06	24.21	-.85	-3.52	24.20	-.36	-3.57	.01	.05
SCYE CIRCUMFERENCE	51.31	57.46	-1.75	-2.67	50.12	-1.49	-3.38	.28	.69
BICEPS C-FLEXED/RT	36.91	35.67	-1.24	-3.47	35.51	-1.47	-3.94	.16	.45
BICEPTOID BREADTH	51.13	50.41	-.72	-1.42	50.12	-1.01	-2.02	.29	.58
PUTTOCK CIRCUMFERENCE	106.96	106.22	-.34	-.32	105.38	-1.18	-1.12	.04	.79
PUTTOCK-KNEE LENGTH	64.51	64.78	.27	.42	64.25	-.26	-.41	.53	.83
CALF CIRCUMFERENCE/RIGHT	41.10	40.13	-.97	-2.41	40.08	-1.02	-2.54	.05	.13
CALF HEIGHT	39.80	39.40	-1.40	-3.66	38.03	-1.77	-4.66	.37	.96
CERVICAL HEIGHT	160.65	161.86	1.21	.75	160.51	-.14	-.09	1.35	.83
CHEST BREADTH	35.29	34.48	-.81	-2.35	34.26	-1.93	-3.00	.22	.63
CHEST CIRCUMFERENCE	107.36	105.22	-2.14	-2.04	104.62	-2.74	-2.82	.09	.56
CROTCH HEIGHT	91.83	90.44	-1.39	-1.54	89.68	-2.15	-2.40	.76	.84
BIZYGOMATIC BREADTH	14.99	14.57	-.42	-2.92	14.56	-.43	-2.97	.01	.05
FOOT LENGTH	28.99	28.65	-.34	-1.19	28.51	-.48	-1.69	.14	.49
LOWER ARM C-FLEXED	32.95	31.66	-1.29	-3.41	31.82	-1.13	-3.58	.04	.14
HAND BR/METACARPLE	9.71	9.33	-.38	-4.02	9.35	-.36	-3.90	-.01	-.11
HAND C/METACARPALE	23.45	22.70	-.75	-3.31	22.65	-.80	-3.53	.08	.21
HAND LENGTH	20.62	20.15	-.47	-2.35	20.09	-.53	-2.62	.05	.26
HEAD BREADTH	16.35	15.77	-.58	-3.71	15.75	-.60	-3.82	.02	.11
HEAD CIRCUMFERENCE	59.29	55.26	-1.03	-1.78	58.11	-1.18	-2.03	.15	.25
HEAD LENGTH	20.78	20.20	-.58	-2.88	20.13	-.65	-3.21	.06	.31
HIP BREADTH	37.52	37.36	-.16	-.42	37.06	-.46	-1.25	.31	.82
INSTEP CIRCUMFERENCE	29.15	27.85	-1.30	-4.67	27.73	-1.42	-5.11	.12	.42
INSTEP LENGTH	21.18	21.06	-.32	-1.51	20.90	-.48	-2.28	.16	.75
INTERPUPILLARY BRO	6.81	6.34	-.47	-7.42	6.35	-.46	-7.19	-.01	-.21
INTERSCYE	44.45	41.18	-3.27	-7.93	41.51	-2.94	-7.08	-.33	-.86
MENTON-NASAL ROOT	13.11	12.39	-.72	-5.83	12.44	-.57	-5.42	-.05	-.39
MIDSHOULDER HT/SIT	68.25	67.60	-.65	-.97	67.08	-1.17	-1.74	.52	.76
PALM LENGTH	11.70	11.32	-.38	-3.40	11.26	-.44	-3.86	.05	.45
PATELLA TOP HEIGHT	98.06	96.78	-1.28	-2.25	96.39	-1.67	-2.96	.39	.69
POPITCAL HGHT/SIT	48.56	46.85	-1.73	-3.70	46.40	-2.18	-4.71	.45	.97
SHOULDER CIRCUMFERENCE	125.62	124.43	-1.19	-.96	123.76	-1.86	-1.58	.66	.53
SHOULDER-ELBOW LTH	39.77	39.08	-.69	-1.77	38.69	-1.08	-2.80	.39	1.00
ACROMION HEIGHT	154.35	155.45	1.10	.71	154.85	-.30	-.24	1.41	.90
SHOULDER LENGTH	19.11	17.28	-1.83	-10.60	17.24	-1.87	-18.87	.04	.24
SITTING HEIGHT	97.41	96.34	-.57	-.59	96.28	-1.13	-1.18	.57	.58
SLEEVE INSEAM	92.96	91.94	-1.02	-1.97	91.53	-1.43	-2.78	.41	.70
UPPER THIGH CIRCUM	64.80	63.66	-1.14	-1.79	63.12	-1.68	-2.67	.55	.86
WAIST CIRC-OMPHAL"N	98.09	95.41	-2.68	-2.80	94.15	-3.94	-4.18	1.26	1.32
ILIOCRISTALF HT	115.86	115.95	.09	.08	114.83	-1.03	-.90	1.12	.96

* TOTAL GROUP N = 9102, LARGE LONG SUBGROUP N = 316

TABLE 11

COMPARISON OF 5TH PERCENTILE VALUES WITH SMALL-SHORT SUBGROUP VALUES AND SMALL SIZE REGRESSION VALUES
COMBINED US ARMY 1977 AND USAF 1968 SAMPLE *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	5TH PERCENTILE	SMALL SHORT MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 5TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 5TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			D	XD		D	XD	D	XD
WEIGHT	46.45	45.27	-.82	1.80	46.45	0.00	0.00	-.82	-1.80
STATURE	152.90	151.67	-.83	-.55	152.90	0.00	0.00	-.83	-.55
SHOULDER HEIGHT	123.30	122.83	-.47	-.38	123.43	.13	.11	-.60	-.49
BUSTPOINT HEIGHT	109.68	109.72	.04	.04	110.53	.85	.77	-.81	-.73
WAIST HEIGHT	93.13	93.32	.19	.20	93.79	.66	.71	-.47	-.51
CROTCH HEIGHT	68.95	69.46	.91	1.32	69.58	1.03	1.46	-.12	-.17
BUTTOCK HEIGHT	75.86	76.60	.74	.97	76.77	.91	1.19	-.17	-.22
SITTING HEIGHT	79.81	80.49	.68	.85	81.16	1.35	1.66	-.66	-.82
EYE HEIGHT SIT	68.31	69.33	1.02	1.47	69.81	1.50	2.15	-.48	-.69
POPITEAL HEIGHT	38.01	39.73	.72	1.86	38.73	.72	1.86	.00	.00
BUTTOCK-KNEE LTH	53.19	52.82	-.37	-.69	53.38	.19	.35	-.55	-1.04
BUST DEPTH	20.23	21.27	1.04	4.90	21.57	1.34	6.23	-.30	-1.41
WAIST DEPTH	14.93	15.08	.95	5.97	15.83	.90	5.70	.90	.28
CHEST BREADTH	25.21	26.07	.86	3.29	26.25	1.04	3.97	-.18	-.71
WAIST BREADTH	21.46	21.44	.98	4.35	22.43	.97	4.32	.01	.83
HIP BREADTH	31.56	31.97	.41	1.28	32.49	.93	2.86	-.52	-1.63
SHOULDER BROYTH	30.30	30.01	.71	1.83	30.44	1.14	2.89	-.43	-1.09
SHOULDER CIRC	92.30	93.61	1.31	1.48	94.80	2.50	2.33	-.69	-.95
CHEST CIRC AT SCYE	77.14	78.62	1.48	1.88	79.33	2.19	2.76	-.71	-.90
BUST CIRC	80.02	82.16	2.14	2.61	83.22	3.20	3.84	-1.05	-1.28
CHEST CIRC	67.29	68.77	1.48	2.15	69.40	2.11	3.04	-.63	-.91
WAIST CIRC	60.13	62.26	2.13	3.41	62.33	2.20	3.53	-.67	-.92
HIP (BUTTOCK) CIRC	88.00	88.25	.25	.29	87.94	1.94	2.20	-1.69	-1.96
VERT TRUNK CIRC	142.98	142.70	-.28	-.20	144.23	1.25	.86	-1.53	-1.07
ARM SCYE CIRC	33.70	34.25	.55	1.60	34.59	.89	2.57	-.34	-.99
BICIPIS CIRC,FLXO	23.26	24.20	.94	3.89	24.66	1.40	5.68	-.46	-1.89
FOREARM CIRC,FLXO	22.38	22.92	.54	2.36	23.25	.87	3.74	-.33	-1.44
WRIST CIRC	13.72	14.01	.29	2.08	14.12	.40	2.80	-.10	-.74
UPPER THIGH CIRC	48.93	50.84	1.11	2.23	51.18	2.25	4.40	-1.14	-2.27
CALF CIRC	38.74	31.95	.81	2.58	32.83	1.29	4.82	-.48	-1.51
ANKLE CIRC	18.90	19.34	.44	2.28	19.75	.85	4.29	-.41	-2.10
SHOULDER LTH	13.11	14.15	1.04	7.34	14.10	.99	7.82	.04	.35
BACK CURV AT BUST	37.33	39.06	1.73	4.42	39.43	2.10	5.33	-.37	-.95
WAIST BACK	36.84	38.39	1.55	4.83	38.49	1.65	4.27	-.10	-.25
NECK-BUSTPOINT LT	22.27	23.71	1.44	6.08	23.81	1.54	6.48	-.10	-.42
SLEEVE INSEAM	48.49	41.77	1.28	3.07	41.70	1.21	2.91	.07	.17
HEAD BREADTH	13.63	14.25	.62	4.37	14.30	.67	4.69	-.05	-.33
HEAD LENGTH	17.39	18.03	.64	3.54	18.06	.67	3.72	-.03	-.19
HAND BREADTH	7.80	7.28	.28	3.88	7.30	.30	4.17	-.02	-.38
HAND CIRC	16.93	17.47	.54	3.18	17.56	.63	3.57	-.08	-.49
HAND LENGTH	16.36	16.98	.62	3.65	17.12	.76	4.44	-.14	-.83
FOOT LENGTH	22.29	22.58	.29	1.29	22.70	.41	1.79	-.11	-.51
FOOT BREADTH	8.88	8.37	.29	3.49	8.45	.37	4.42	-.08	-.97
ANKLE HEIGHT	9.23	10.50	1.27	12.10	10.40	1.17	11.26	.10	.95

* TOTAL GROUP N = 3235, SMALL SHORT SUBGROUP N = 116

TABLE 12

COMPARISON OF 95TH PERCENTILE VALUES WITH LARGE-LONG SUBGROUP VALUES AND LARGE SIZE REGRESSION VALUES
COMBINED US ARMY 1977 AND USAF 1960 SAMPLE *

WEIGHT IN KILOGRAMS ALL OTHER MEASUREMENT VALUES IN CENTIMETERS

VARIABLE NAME	95TH PERCENTILE	LARGE LONG MEAN	DEVIATION BETWEEN SUBGROUP MEAN AND 95TH XILE		REGRESSION VALUE	DEVIATION BETWEEN REGRESSION VALUE AND 95TH XILE		DEVIATION BETWEEN SUBGROUP MEAN AND REGRESSION VALUE	
			D	XD		D	XD	D	XD
WEIGHT	72.44	74.43	1.99	2.67	72.44	0.00	0.00	1.99	2.67
STATURE	173.06	174.23	1.17	.67	173.06	0.00	0.00	1.17	.67
SHOULDER HEIGHT	142.35	143.36	1.01	.71	142.27	-.08	-.06	1.09	.76
BUSTPOINT HEIGHT	127.45	127.22	-.23	-.10	126.96	-.09	-.70	.66	.52
WAIST HEIGHT	109.05	109.03	-.02	-.02	108.13	-.92	-.85	.90	.83
CROTCH HEIGHT	82.61	82.43	-.18	-.22	81.32	-1.29	-1.59	1.11	1.35
BUTTOCK HEIGHT	98.45	98.50	.05	.05	89.38	-1.07	-1.20	1.12	1.23
SITTING HEIGHT	98.85	98.00	-.85	-.94	89.90	-.95	-1.06	.10	.11
EYE HEIGHT SIT	76.96	77.96	-1.00	-1.28	77.81	-1.15	-1.48	.15	.20
POPITEAL HEIGHT	44.96	44.98	-.02	-.14	44.85	-.91	-2.87	.85	1.89
BUTTOCK-KNEE LTH	62.52	62.73	.21	.34	62.24	-.28	-.45	.49	.78
BUST DEPTH	27.83	28.69	-1.34	-5.28	29.44	-1.59	-6.26	.26	1.80
WAIST DEPTH	21.27	28.06	-1.21	-6.04	19.96	-1.71	-8.75	.58	2.50
CHEST BREADTH	31.41	38.46	-.95	-3.12	38.24	-1.17	-3.86	.22	.71
WAIST BREADTH	28.76	27.95	-.81	-2.89	27.39	-1.37	-5.01	.57	2.83
HIP BREADTH	39.15	38.24	-.91	-2.39	38.17	-.98	-2.57	.07	.18
SHOULDER BROT	45.76	44.90	-.86	-1.91	44.84	-.92	-2.05	.06	.13
SHOULDER CIRC	109.32	107.74	-1.58	-1.47	107.24	-2.08	-1.94	.90	.46
CHEST CIRC AT SCYE	93.75	91.85	-1.90	-2.67	91.13	-2.62	-2.87	.72	.78
BUST CIRC	99.75	96.62	-3.13	-3.24	98.81	-3.74	-3.90	.61	.83
CHEST CIRC	83.25	80.80	-2.45	-3.03	88.58	-2.75	-3.41	.30	.37
WAIST CIRC	88.41	77.95	-2.46	-3.15	76.31	-6.10	-5.37	1.66	2.10
HIP (BUTTOCK) CIRC	105.92	104.33	-1.59	-1.52	104.25	-1.67	-1.61	.09	.88
VERT TRUNK CIRC	168.18	169.27	-.91	-.55	169.31	-.87	-.53	-.83	-.82
ARM SCYE CIRC	41.34	48.65	-.69	-1.69	48.36	-.98	-2.44	.38	.74
BICIPIS CIRC, FLXO	38.74	29.59	-1.15	-1.98	29.48	-1.34	-4.56	.19	.63
FOREARM CIRC, FLXO	27.36	26.80	-.56	-2.87	26.67	-.69	-2.68	.14	.52
WRIST CIRC	16.87	15.75	-.32	-2.86	15.69	-.38	-2.42	.86	.35
UPPER THIGH CIRC	63.52	62.83	-1.49	-2.48	61.79	-1.73	-2.81	.24	.39
CALF CIRC	38.59	37.38	-1.21	-3.23	37.44	-1.15	-3.87	-.86	-.15
ANKLE CIRC	23.12	22.16	-.96	-4.34	22.38	-.82	-3.78	-.14	-.62
SHOULDER LTH	16.58	15.79	-.83	-5.25	15.96	-1.82	-8.97	.19	1.23
BACK CURV AT RUST	47.49	45.46	-2.03	-4.46	45.16	-2.33	-5.17	.31	.67
WAIST BACK	44.77	43.26	-1.51	-3.49	42.96	-1.81	-4.21	.38	.69
NECK-BUSTPOINT LY	28.79	27.65	-1.14	-4.11	27.24	-1.55	-5.68	.41	1.49
SLEEVE INSEAM	48.84	47.99	-.85	-1.77	47.48	-1.36	-2.87	.51	1.87
HEAD BREADTH	15.53	14.87	-.66	-4.41	14.85	-.68	-4.54	.02	.16
HEAD LENGTH	19.87	19.17	-.70	-2.58	19.85	-.62	-3.25	.12	.64
HAND BREADTH	8.35	8.16	-.19	-2.34	8.06	-.29	-3.56	.18	1.18
HAND CIRC	19.86	19.42	-.44	-2.26	19.28	-.58	-2.99	.14	.71
HAND LENGTH	19.82	19.88	-.02	-4.31	18.93	-.89	-4.69	.87	.36
FOOT LENGTH	28.17	26.83	-.14	-.52	25.77	-.40	-1.54	.26	1.88
FOOT BREADTH	9.74	9.35	-.39	-4.28	9.33	-.41	-4.43	.82	.22
ANKLE HEIGHT	13.29	11.87	-1.42	-11.94	11.73	-1.56	-13.27	.14	1.17

* TOTAL GROUP N = 3235, LARGE LONG SUBGROUP N = 114

Section IV

COMPARISON OF METHODS

There have been two major problems associated with the use of percentile data to design items for persons at the extreme ends of the size ranges; (1) the percentile body segments are not additive, and (2) the proportions of percentile segments are not found in nature. If subgroup or regression data are to prove any more useful than the percentile method, they must demonstrate improved additive properties and more realistically proportioned segments. To show how the three methods compare, we illustrated their additive properties in Tables 13 and 14 using the combined female samples ($n=3235$). Though the female sample is used throughout this comparison, the male data showed the same results. Stature is divided into seven height segments. It goes without saying that the sum of these segments should equal total stature. The value for each segment was computed for each subject. Then the small and large, percentile, subgroup, and regression values were computed for these segments. The sum of the 5th percentile height segments is 136.89 cm, which is 15.6 cm less than the 5th percentile stature. The 95th percentile segment sum is 188.81 cm, which is 15.75 cm greater than the 95th percentile stature. By comparison, the subgroup and regression segment values add up to their respective statures, precisely. There is no simple way to segment weight, so bust circumference, a variable which is highly correlated with weight, was segmented. Using the combined female sample again, front curvature at bust was derived for all the subjects by subtracting back curvature at bust from bust circumference (see Table 14). The percentile values, the subgroup mean values, and the regression values were obtained. As can be seen in Tables 13 and 14, the sum of the two percentile curvature values did not add up to the percentile bust circumference whereas the subgroup and regression curvature values did add up to their respective bust circumferences.

The proportionality of the segments is illustrated in Table 15. Height segment values are represented as percentages of stature and the curvatures are represented as percentages of bust circumference.

The regression proportions are close enough to the subgroup proportions to suggest that the regression and subgroup proportions may only differ because of rounding error. This similarity exists in spite of the fact that the actual values for variables are not equal. The percentile proportions often differ as much as two percent from the other two, indicating that percentile proportions may inaccurately represent the proportions of small and large people.

Perhaps the most obvious point to be noted in Table 15 is that the percentile segments, once again, do not add up to a whole body. Model makers have dealt with this discrepancy in

TABLE 13


ADDITIVE HEIGHT SEGMENTS
COMBINED 1977 ARMY WOMEN AND 1968 AIR FORCE WOMEN*

SMALL SIZE

Variable Name	5th Percentile	Small-Short Mean	Regression
Shoulder to Vertex	27.05	26.84	29.07
Bust to Shoulder	10.79	13.11	12.90
Waist to Bust	13.42	16.40	16.74
Buttock to Waist	13.78	16.72	17.02
Crotch to Buttock	4.78	7.14	7.19
Ankle to Crotch	57.84	58.96	59.18
Ankle Height	9.23	10.50	10.40
TOTAL	136.89	151.67	152.50
STATURE	152.50	151.67	152.50

LARGE SIZE

Variable Name	95th Percentile	Large-Long Mean	Regression
Shoulder to Vertex	32.79	30.87	30.79
Bust to Shoulder	17.77	16.14	15.71
Waist to Bust	21.78	18.19	18.43
Buttock to Waist	21.67	18.53	18.75
Crotch to Buttock	10.42	8.07	8.06
Ankle to Crotch	71.09	70.55	69.58
Ankle Height	13.29	11.87	11.73
TOTAL	188.81	174.22	173.05
STATURE	173.06	174.23	173.06




- 1 - Shoulder to Vertex
- 2 - Bust to Shoulder
- 3 - Waist to Bust
- 4 - Buttock to Waist
- 5 - Crotch to Buttock
- 6 - Ankle to Crotch
- 7 - Ankle Height

* All values are in centimeters; total sample size=3235;
small-short subgroup n=114; large-long subgroup n=115.


TABLE 14

**ADDITIVE CIRCUMFERENCE SEGMENTS
COMBINED 1977 ARMY WOMEN AND 1968 AIR FORCE WOMEN***

SMALL SIZE			
<u>Variable Name</u>	<u>5th Percentile</u>	<u>Small-Short Mean</u>	<u>Regression</u>
Front Curvature at Bust	40.46	43.10	43.79
Back Curvature at Bust	<u>37.33</u>	<u>39.06</u>	<u>39.43</u>
TOTAL	77.79	82.16	83.22
BUST CIRCUMFERENCE	80.02	82.16	83.22



Front Curvature
at Bust



Back Curvature
at Bust



Bust Circumfer-
ence

LARGE SIZE			
<u>Variable Name</u>	<u>95th Percentile</u>	<u>Large-Long Mean</u>	<u>Regression</u>
Front Curvature at Bust	54.74	51.15	50.85
Back Curvature at Bust	<u>47.89</u>	<u>45.46</u>	<u>45.16</u>
TOTAL	102.23	96.61	96.01
BUST CIRCUMFERENCE	99.75	96.62	96.01

* All values are in centimeters; total sample size=3235; small-short subgroup n=114; large long subgroup n=115.

TABLE 15

HEIGHT SEGMENT VALUES AS A PERCENTAGE OF STATURE:
 CURVATURE VALUES AS A PERCENTAGE OF BUST CIRCUMFERENCE
 (Combined 1977 Army Women and 1968 Air Force Women*)

Variable Name	5th%ile	Small-Short Subgroup X	Regres- sion	95th%ile	Large-Long Subgroup X	Regres- sion
Shoulder-Vertex	17.74	19.02	19.06	18.95	17.72	17.79
Bust-Shoulder	7.08	8.74	8.50	10.27	9.26	9.08
Waist-Bust	8.80	10.81	10.98	12.59	10.44	10.64
Buttock-Waist	9.04	11.02	11.16	12.52	10.63	10.83
Crotch-Buttock	3.13	4.71	4.72	6.07	4.63	4.62
Ankle-Crotch	37.93	38.87	38.81	41.08	40.69	40.20
Ankle Height	<u>6.05</u>	<u>6.92</u>	<u>6.87</u>	<u>7.63</u>	<u>6.81</u>	<u>6.78</u>
TOTAL	89.77%	99.99%	100.10%	109.11%	100.18%	99.94%
Front Curv at Bust	50.56	52.45	52.61	54.88	52.94	52.96
Back Curv at Bust	<u>46.65</u>	<u>47.54</u>	<u>47.38</u>	<u>47.60</u>	<u>47.05</u>	<u>47.03</u>
TOTAL	97.21%	99.99%	99.99%	102.48%	99.99%	99.99%

* Sample size=3235

several ways. Some have used the individual segment values which are most important to specific tasks and adjusted the other dimensions to create a 5th or 95th percentile body. In this way, a model-maker may, for example, build accurate percentile values for sitting height, hip breadth and arm reach into a model to be used in the design of a cockpit and adjust other dimensions, such as length and stature, to achieve a "realistic" total body, though it will not have 5th or 95th percentile sizes for the adjusted dimensions.

Another approach has been to prorate all the segments upwards or downwards so that their sums are equal to 5th or 95th percentile stature. Conversely, one can treat the sum of the percentile values as the stature of the whole figure (ignoring actual values for 5th and 95th percentile statures). A consequence of juggling percentile data to make the whole equal the sum of its parts is loss of accuracy--in the latter case, percentile statures on the "adjusted" models no longer represent actual stature measurements, while in the former case percentile stature is retained by the actual percentile value is lost for all the other segments. In both cases, the segments will maintain the same relationships to each other, a proportionality which is illustrated in the following table.

TABLE 16

HEIGHT SEGMENT VALUES AS A PERCENTAGE OF THEIR SUM
(Combined 1977 Army Women and 1968 Air Force Women*)

<u>Variable Name</u>	<u>5th%ile</u>	<u>Small-Short Subgroup X</u>	<u>95%ile</u>	<u>Large-Long Subgroup X</u>
Shoulder-Vertex	19.76	19.02	17.37	17.72
Bust-Shoulder	7.89	8.64	9.41	9.26
Waist-Bust	9.80	10.81	11.54	10.44
Buttock-Waist	10.07	11.02	11.47	10.63
Crotch-Buttock	3.49	4.71	5.56	4.63
Ankle-Crotch	42.25	38.87	39.65	40.69
Ankle Height	6.74	6.92	6.99	6.81
TOTAL	100.00%	99.99%	99.99%	100.18%

* Sample size=3235. Small-short subgroup n=116; large-long n=114

A study of the table reveals that while the percentile values seem to have moved closer to the subgroup values, the proportions of the percentile bodies continue to be unreliable. It can be seen, for example, that 5th percentile leg dimensions (ankle-crotch) are proportionately larger than the same dimensions on 95th percentile individuals, which is to say that small people would have proportionately longer legs than large people. Not only does this sizing phenomenon seem to run counter to observable fact, but it is directly contradicted by the subgroup values.

Thus it appears that the adjustment of percentile values tends to create as many problems as it seeks to resolve.

Another way of comparing percentile, subgroup and regression methods is to study the values of the deviations in percent as they appear in Tables 1 - 12. The deviation in percent between the subgroup mean and regression values seem to be very small as compared to their respective percent deviations from the percentile values. To illustrate more clearly, we tabulated frequency distributions of these percent deviations for the 1977 Army women's sample, the 1968 WAF sample, and the combined female sample (Tables 17 - 22).

Most of the deviations between the subgroup and regression methods lie within a range of $\pm 2\%D$. This means that most of the variables have subgroup mean and regression values which are 98% or more alike. The deviations between the percentile values and either the regression or the subgroup mean values are, for the most part, much greater. These relationships showed up consistently in all the military samples used.

While the regression and subgroup methods produced values which were consistently within a range of $\pm 2\%D$, these values were

TABLE 17

FREQUENCY DISTRIBUTIONS OF THE PERCENT DEVIATIONS (%D)
BETWEEN THE SMALL-SHORT SUBGROUP VALUES (SUB), THE
5TH PERCENTILE VALUES (5TH), AND THE REGRESSION VALUES (REG)

WAF - 1968*

Range %D	SUB to REG %D (No. of Variables)	5TH to SUB %D (No. of Variables)	5TH to REG %D (No. of Variables)
4.0 and up		25	34
3.8 to 4.0			4
3.6 to 3.8		2	1
3.4 to 3.6		2	3
3.2 to 3.4		5	5
3.0 to 3.2		4	5
2.8 to 3.0		3	3
2.6 to 2.8			3
2.4 to 2.6		6	2
2.2 to 2.4	1	3	2
2.0 to 2.2	1	3	3
1.8 to 2.0	5	1	1
1.6 to 1.8	7	1	4
1.4 to 1.6	4	2	2
1.2 to 1.4	5	5	3
1.0 to 1.2	3	3	2
0.8 to 1.0	14	2	3
0.6 to 0.8	21	4	2
0.4 to 0.6	9	3	1
0.2 to 0.4	4	5	
0 to 0.2	11		6
-0.2 to 0		1	
-0.4 to -0.2	2	1	
-0.6 to -0.4	1	5	
-0.8 to -0.6		1	
-1.0 to -0.8			
-1.2 to -1.0			
-1.4 to -1.2	1		
-1.6 to -1.4	1	1	
-1.8 to -1.6			
-2.0 to -1.8			
-2.2 to -2.0			
-2.4 to -2.2			
-2.6 to -2.4			
-2.8 to -2.6			
-3.0 to -2.8			
Less than 3.0			

(97.7%)

(38.6%)

(27.3%)

* Small-short subgroup n=59

TABLE 18
FREQUENCY DISTRIBUTIONS OF THE PERCENT DEVIATIONS (%D)
BETWEEN THE SMALL-SHORT SUBGROUP VALUES (SUB), THE
5TH PERCENTILE VALUES (5TH), AND THE REGRESSION VALUES (REG)

ARMY WOMEN - 1977*

<u>Range %D</u>	<u>SUB to REG %D (No. of Variables)</u>	<u>5TH to SUB %D (No. of Variables)</u>	<u>5TH to REG %D (No. of Variables)</u>
4.0 and up		15	20
3.8 to 4.0			2
3.6 to 3.8		2	5
3.4 to 3.6	1	2	3
3.2 to 3.4		2	
3.0 to 3.2	2	2	3
2.8 to 3.0		2	3
2.6 to 2.8		1	7
2.4 to 2.6		4	4
2.2 to 2.4	5	2	2
2.0 to 2.2		7	1
1.8 to 2.0	2	2	4
1.6 to 1.8	3	6	2
1.4 to 1.6	6	5	2
1.2 to 1.4	3	4	2
1.0 to 1.2	3	4	1
0.8 to 1.0	7		
0.6 to 0.8	11	1	3
0.4 to 0.6	5		
0.2 to 0.4	9	3	2
0 to 0.2	4	1	3
-0.2 to 0	4	1	
-0.4 to -0.2			
-0.6 to -0.4		3	
-0.8 to -0.6	1 (88.4%)	1 (44.9%)	(27.5%)
-1.0 to -0.8			
-1.2 to -1.0			
-1.4 to -1.2	1		
-1.6 to -1.4	1		
-1.8 to -1.6	1		
-2.0 to -1.8			
-2.2 to -2.0			
-2.4 to -2.2		1	
-2.6 to -2.4			
-2.8 to -2.6			
-3.0 to -2.8			
Less than 3.0			

* Small-short subgroup n=55

TABLE 19
FREQUENCY DISTRIBUTIONS OF THE PERCENT DEVIATIONS (%D)
BETWEEN THE LARGE-LONG SUBGROUP VALUES (SUB), THE
95TH PERCENTILE VALUES (95TH), AND THE REGRESSION VALUES (REG)

WAF - 1968*

Range %D	SUB to REG %D (No. of Variables)	95TH to SUB %D (No. of Variables)	95TH to REG %D (No. of Variables)
4.0 and up		15	21
3.8 to 4.0			3
3.6 to 3.8		4	3
3.4 to 3.6		2	8
3.2 to 3.4		3	2
3.0 to 3.2		5	5
2.8 to 3.0		3	1
2.6 to 2.8	2	1	5
2.4 to 2.6		7	3
2.2 to 2.4	1	3	4
2.0 to 2.2	1	2	2
1.8 to 2.0	1	5	4
1.6 to 1.8	4	2	4
1.4 to 1.6	5	7	4
1.2 to 1.4	6	5	1
1.0 to 1.2	10	1	4
0.8 to 1.0	7	4	3
0.6 to 0.8	6	5	3
0.4 to 0.6	14	4	
0.2 to 0.4	8	2	2
0 to 0.2	15	2	6
-0.2 to 0	3		
-0.4 to -0.2	1	4	
-0.6 to -0.4	2		
-0.8 to -0.6			
-1.0 to -0.8	1		
-1.2 to -1.0			
-1.4 to -1.2			
-1.6 to -1.4			
-1.8 to -1.6			
-2.0 to -1.8			
-2.2 to -2.0	1		
-2.4 to -2.2			
-2.6 to -2.4			
-2.8 to -2.6		1	
-3.0 to -2.8		1	
Less than 3.0			

(94.3%)

(46.6%)

(35.2%)

* Large-long subgroup n=66

TABLE 20
FREQUENCY DISTRIBUTIONS OF THE PERCENT DEVIATIONS (%D)
BETWEEN THE LARGE-LONG SUBGROUP VALUES (SUB), THE
95TH PERCENTILE VALUES (95TH), AND THE REGRESSION VALUES (REG)

ARMY WOMEN - 1977*

<u>Range %D</u>	<u>SUB to REG %D (No. of Variables)</u>	<u>95TH to SUB %D (No. of Variables)</u>	<u>95TH to REG %D (No. of Variables)</u>
4.0 and up		16	17
3.8 to 4.0		3	
3.6 to 3.8		1	2
3.4 to 3.6		1	3
3.2 to 3.4		3	2
3.0 to 3.2			5
2.8 to 3.0		2	4
2.6 to 2.8		2	5
2.4 to 2.6		7	4
2.2 to 2.4		3	2
2.0 to 2.2		1	3
1.8 to 2.0		4	4
1.6 to 1.8	1	3	2
1.4 to 1.6	1	3	4
1.2 to 1.4	5	4	2
1.0 to 1.2	7	3	2
0.8 to 1.0	6	2	1
0.6 to 0.8	11		2
0.4 to 0.6	8	3	
0.2 to 0.4	9	1	2
0 to 0.2	8	3	3
-0.2 to 0	8	1	
-0.4 to -0.2	2	2	
-0.6 to -0.4			
-0.8 to -0.6	1 (100%)		(43.5%)
-1.0 to -0.8	2		(31.9%)
-1.2 to -1.0			
-1.4 to -1.2		1	
-1.6 to -1.4			
-1.8 to -1.6			
-2.0 to -1.8			
-2.2 to -2.0			
-2.4 to -2.2			
-2.6 to -2.4			
-2.8 to -2.6			
-3.0 to -2.8			
Less than 3.0			

* Large-long subgroup n=54

TABLE 21

FREQUENCY DISTRIBUTIONS OF THE PERCENT DEVIATIONS (%D)
BETWEEN THE SMALL-SHORT SUBGROUP VALUES (SUB), THE
5TH PERCENTILE VALUES (5TH), AND THE REGRESSION VALUES (REG)

COMBINED FEMALE SAMPLE*

Range %D	SUB to REG %D (No. of Variables)	5TH to SUB %D (No. of Variables)	5th REG %D (No. of Variables)
4.0 and up		7	16
3.8 to 4.0		4	2
3.6 to 3.8		1	2
3.4 to 3.6		1	1
3.2 to 3.4		3	1
3.0 to 3.2		1	
2.8 to 3.0			4
2.6 to 2.8		1	
2.4 to 2.6	1	1	
2.2 to 2.4		3	2
2.0 to 2.2	2	2	
1.8 to 2.0	1	2	1
1.6 to 1.8	2		2
1.4 to 1.6	3	3	1
1.2 to 1.4		2	1
1.0 to 1.2	4	1	
0.8 to 1.0	5	1	2
0.6 to 0.8	4		1
0.4 to 0.6	6		1
0.2 to 0.4	5	1	
0 to 0.2	2	1	3
-0.2 to 0	3		
-0.4 to -0.2	1	2	
-0.6 to -0.4		1	
-0.8 to -0.6	(92.5%)	1 (40%)	(30%)
-1.0 to -0.8		1	
-1.2 to -1.0	1		
-1.4 to -1.2			
-1.6 to -1.4			
-1.8 to -1.6			
-2.0 to -1.8		1	
-2.2 to -2.0			
-2.4 to -2.2			
-2.6 to -2.4			
-2.8 to -2.6			
-3.0 to -2.8			
Less than 3.0			

* Small-short subgroup n=116

TABLE 22
FREQUENCY DISTRIBUTIONS OF THE PERCENT DEVIATIONS (%D)
BETWEEN THE LARGE-LONG SUBGROUP VALUES (SUB), THE
95TH PERCENTILE VALUES (95TH), AND THE REGRESSION VALUES (REG)

COMBINED FEMALE SAMPLE*

Range %D	SUB to REG %D (No. of Variables)	95TH to SUB %D (No. of Variables)	95TH to REG %D (No. of Variables)
4.0 and up		9	13
3.8 to 4.0			1
3.6 to 3.8		1	1
3.4 to 3.6		1	2
3.2 to 3.4	1		1
3.0 to 3.2		2	2
2.8 to 3.0	1	1	3
2.6 to 2.8		3	2
2.4 to 2.6	2	1	1
2.2 to 2.4		3	
2.0 to 2.2		1	1
1.8 to 2.0	1	3	1
1.6 to 1.8	1		1
1.4 to 1.6			2
1.2 to 1.4	5	2	1
1.0 to 1.2	5		1
0.8 to 1.0	7	1	1
0.6 to 0.8	6		1
0.4 to 0.6	4	2	2
0.2 to 0.4	3	3	
0 to 0.2	3	2	3
-0.2 to 0			
-0.4 to -0.2			
-0.6 to -0.4	1		
-0.8 to -0.6			
-1.0 to -0.8			
-1.2 to -1.0			
-1.4 to -1.2			
-1.6 to -1.4			
-1.8 to -1.6			
-2.0 to -1.8			
-2.2 to -2.0			
-2.4 to -2.2			
-2.6 to -2.4			
-2.8 to -2.6			
-3.0 to -2.8			
Less than 3.0			

(90%)

(40%)

(32.5%)

* Large-long subgroup n=114

nevertheless not the same. One reason they do not produce equal values is that the regression equations utilized percentile values of stature and weight which were not equal to the subgroup stature and weight values. To ascertain whether we could further improve the correlation between results achieved by the two preferred methods, we inserted the subgroup stature and weight values as input into the regression equations for the combined female sample. A frequency distribution of the percent deviations between the subgroup and regression values was tabulated (Table 23) and shows that the differences between the values were indeed less but still not equal.

There are two further explanations for the differences which persist between the subgroup and regression values. First, the subgroups may be too small causing the possibility of erratic mean values. Second, the statistics involved in the regression equation may be inaccurately predicting values.

Many statistics, including the standard deviation which is used in the regression equation, assume a theoretical, symmetrical, bell-shaped distribution curve, which has been "fitted" to the data--the so-called normal curve. In reality, most distributions do not have this exact shape. Most variables have somewhat skewed, i.e., nonsymmetrical, distributions. Some are more skewed than others. We found that the variables which had regression values least like the subgroup values were also those which were often skewed in comparison with most of the other variables. It appears that the more skewed the variable the less well the regression equation functions as a predictor.

To illustrate skewness, we approximated normal curves for weight and upper thigh circumference using means and standard deviations from the 1968 WAF sample. These approximations were then plotted on the same graph as frequency distributions of their actual values (Figures 4 and 5). Weight and upper thigh circumference have a relatively high correlation coefficient (.840 in this sample), yet it can be seen that their skewness is not the same with upper thigh circumference being more symmetrically distributed than weight.

While it is difficult to determine how greatly the regression results are affected by deviations from the normal curve, comparison with subgroup values shows that the two methods produce consistently similar results. Since both methods also produce additive segments and nearly identical proportions, it seems the distributions are not so deviant from the normal curve as to greatly affect the regression values and, in any case, not so deviant as to affect design problems.

Basically, when using normal curve statistics there is always some margin of error. The larger the deviation of the data from the normal curve, the larger the margin of error. This should be kept in mind when using regression values.

TABLE 23

FREQUENCY DISTRIBUTIONS OF THE PERCENT DEVIATIONS (%D)
BETWEEN SUBGROUP AND REGRESSION VALUES (REGRESSION VALUES
PREDICTED FROM SUBGROUP STATURE AND WEIGHT RATHER THAN
PERCENTILE STATURE AND WEIGHT)

Range %D	SMALL-SHORT (No. of Variables)	LARGE-LONG (No. of Variables)
4.0 and up		
3.8 to 4.0		
3.6 to 3.8		
3.4 to 3.6		
3.2 to 3.4		
3.0 to 3.2		
2.8 to 3.0		
2.6 to 2.8		
2.4 to 2.6		
2.2 to 2.4		
2.0 to 2.2		
1.8 to 2.0		
1.6 to 1.8	2	
1.4 to 1.6	1	1
1.2 to 1.4		1
1.0 to 1.2	4	1
0.8 to 1.0	1	3
0.6 to 0.8	2	1
0.4 to 0.6	6	7
0.2 to 0.4	4	5
0 to 0.2	7	5
-0.2 to 0	4	2
-0.4 to -0.2	2	5
-0.6 to -0.4	3	5
-0.8 to -0.6	3	1
-1.0 to -0.8		1
-1.2 to -1.0		1
-1.4 to -1.2		
-1.6 to -1.4	1	
-1.8 to -1.6	(100%)	(100%)
-2.0 to -1.8		
-2.2 to -2.0		
-2.4 to -2.2		
-2.6 to -2.4		
-2.8 to -2.6		
-3.0 to -2.8		
Less than 3.0		

* Small-short subgroup n=116; large-long subgroup n=114




Figure 4. A histogram and normal curve approximation for weight for 1968 USAF women.




Figure 5. A histogram and normal curve approximation for upper thigh circumference for 1968 USAF women.

Section V

CONCLUSION

Three general conclusions reached by McConville and Churchill in their earlier study are supported by our analysis. First, the percentile method is unrealistic and unreliable for most design purposes. Second, the subgroup and regression methods are both improvements over the percentile method and, of these two, the regression method will normally produce the most accurate and useful data for designers.

We have demonstrated in this report that virtually no combination of 5th or 95th percentile values will add up to a valid whole person, nor will these values, when assembled, represent an accurately proportioned person. These basic defects hold true for as few as two percentile values since, as we demonstrated, 5th percentile front and back curvatures at bust level will not add up to 5th percentile bust circumference. Model makers have traditionally coped with this problem either by disregarding the sum total of the percentile parts, or by performing a series of cutting and stretching operations on the less "relevant" dimensions. While the collective percentile model should be viewed with great caution by designers, percentile values, nevertheless, have merit when used individually. If, for example, one is concerned only with the design of a seat which must be large enough to accommodate 95% of the population in terms of sitting height or hip breadth, then 95th percentile values of those dimensions are useful. They are known to encompass 95% of the population and they are readily available.

The subgroup method, which has been shown to be far more accurate in portraying persons at the tails of the distribution than the percentile method, is not the procedure of choice for many design problems since, often, the target populations may provide only very small numbers of people in the large and small categories. The resulting data will be unreliably erratic if the sample is too small or if it contains even one person with unusually deviant dimensions. Because the subgroup data represent the measurements of real people, its chief usefulness, for our purposes, was to provide a check for the validity of the other two methods.

The regression method is recommended because it results in the most reliable dimensional data for the whole body and its component parts, as shown in this report, but also because it is the most flexible method. In addition to predicting accurate values, any given values of stature and weight can be used in the regression equation so that values can be estimated for any other variable for any desired stature and weight. Like the dimensions resulting from use of the subgroup method, regression values are additive and, when assembled, produce a model in which all the parts are proportional.

APPENDIX

Presented in Part A of the Appendix are the regression equations which were used in this study. As previously cited, they may be employed not just to predict 5th and 95th percentile values but to predict values in any size category. For workspace designers particularly concerned with dimensions of the seated operator, we have developed comparable regression equations using sitting height in place of stature (Part B). These equations appear to be nearly as reliable predictors as those based on weight and stature with better than 98% agreement between most subgroups and regression values.

A list of tables containing the regression equations in Parts A and B of this Appendix is given below:

	<u>Table No.</u>		<u>Regressions Based On</u>
PART A	24	1966 U.S. Army Men	- Ht & Wt
	25	1967 USAF Men	- Ht & Wt
	26	Combined Men	- Ht & Wt
	27	1968 AF Women	- Ht & Wt
	28	1977 U.S. Army Women	- Ht & Wt
	29	Combined Women	- Ht & Wt
PART B	30	1966 U.S. Army Men	- Sit Ht & Wt
	31	1967 USAF Men	- Sit Ht & Wt
	32	Combined Men	- Sit Ht & Wt
	33	1968 AF Women	- Sit Ht & Wt
	34	1977 U.S. Army Women	- Sit Ht & Wt
	35	Combined Women	- Sit Ht & Wt

TABLE 24

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
1966 ARMY MEN

VARIABLE	R				SE EST
WEIGHT	1.000	1.000*WT	+0.000*HT	+	0.00
STATURE	1.000	0.000*WT	+1.000*HT	+	0.00
CERVICAL HEIGHT	.944	.016*WT	+ .877*HT	-	6.04
SHOULDER HEIGHT	.953	.013*WT	+ .874*HT	-	10.88
WAIST HEIGHT	.841	-.005*WT	+ .693*HT	-	13.81
FUNCTIONAL REACH	.586	.024*WT	+ .381*HT	+	12.29
CROTCH HEIGHT	.840	-.042*WT	+ .65*HT	-	23.33
PATELLA HEIGHT-TOP	.740	-.004*WT	+ .37*HT	-	11.42
CALF HEIGHT	.598	-.003*WT	+ .25*HT	-	7.74
VERTICAL REACH/SIT	.836	.017*WT	+ .702*HT	+	13.01
SITTING HEIGHT	.724	.008*WT	+ .386*HT	+	22.05
EYE HEIGHT/SITTING	.654	.008*WT	+ .339*HT	+	18.29
MID-SHOULDER HT/S	.650	.017*WT	+ .278*HT	+	11.15
KNEE HEIGHT/SITTING	.798	.018*WT	+ .295*HT	-	.28
POPLITEAL HEIGHT	.669	-.020*WT	+ .281*HT	-	1.25
CHEST DEPTH	.771	.072*WT	- .059*HT	+	22.02
CHEST BREADTH/SKIN	.763	.074*WT	- .033*HT	+	24.56
HIP BREADTH	.817	.068*WT	+ .015*HT	+	19.76
OCCIPUT-EX CANTHUS	.247	.009*WT	+ .007*HT	+	14.59
OCCIPUT-TRAGION	.135	.006*WT	+ .003*HT	+	8.80
HEAD HEIGHT	.249	.006*WT	+ .014*HT	+	9.83
SHOULDER-ELBOW LTH	.744	.067*WT	+ .197*HT	+	1.38
FOREARM-HAND LTH	.760	.011*WT	+ .245*HT	+	3.45
BUTTOCK-KNEE LTH	.833	.036*WT	+ .279*HT	+	5.05
BUTTOCK-POPLITEAL	.695	.017*WT	+ .228*HT	+	7.33
BIDELTOID DIAMETER	.806	.092*WT	- .033*HT	+	36.49
MAX F"ARM-F"ARM BR	.805	.164*WT	- .180*HT	+	51.30
HIP BREADTH/SITTING	.855	.089*WT	- .013*HT	+	22.27
BIZYGOMATIC DIAM	.538	.014*WT	- .007*HT	+	12.99
BITRAGION DIAMETER	.490	.013*WT	- .006*HT	+	12.47
HEAD LENGTH	.352	.008*WT	+ .018*HT	+	15.05
OCCIPUT-NASAL ROOT	.336	.007*WT	+ .018*HT	+	14.85
OCCIPUT-PRONASALE	.345	.007*WT	+ .025*HT	+	16.71
HEAD BREADTH	.355	.009*WT	- .004*HT	+	14.53
INTERPUPILLARY DIS	.221	.003*WT	+ .002*HT	+	5.30

*WEIGHT IN LBS STATURE IN CM

TABLE 24 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
1966 ARMY MEN

VARIABLE	R			SE	EST
MENTON-NASAL ROOT	.341	.005*WT +	.021*HT +	7.57	.62
HAND LENGTH	.625	.006*WT +	.080*HT +	4.11	.75
PALM LENGTH	.503	.004*WT +	.040*HT +	2.98	.54
THUMB CROTCH-FFB	.316	.003*WT +	.018*HT +	1.35	.49
HAND BREADTH	.489	.007*WT +	.018*HT +	4.65	.43
HEEL BREADTH	.533	.011*WT +	.001*HT +	4.94	.40
FOOT LENGTH	.701	.011*WT +	.114*HT +	5.13	.93
BALL OF FOOT LTH	.636	.010*WT +	.079*HT +	4.26	.81
BALL OF FOOT BR	.531	.009*WT +	.019*HT +	5.09	.46
HEAD CIRCUMFERENCE	.465	.030*WT +	.014*HT +	48.90	1.42
NECK CIRCUMFERENCE	.731	.070*WT -	.045*HT +	34.11	1.41
SHOULDER CIRCUMFER	.854	.251*WT -	.145*HT +	98.54	3.32
CHEST CIRCUMFERENCE	.871	.275*WT -	.225*HT +	89.28	3.28
WAIST CIRCUMFRNCE	.883	.343*WT -	.309*HT +	79.65	3.84
HIP CIRCUMFERENCE	.926	.263*WT -	.123*HT +	73.83	2.36
ARM SCYE CIRCUMFER	.708	.105*WT -	.045*HT +	35.70	2.30
BICEPS CIRC/EXTEND	.859	.114*WT -	.138*HT +	35.38	1.41
WRIST CIRCUMFRNCE	.642	.021*WT +	.020*HT +	10.23	.67
HAND CIRCUMFERENCE	.516	.020*WT +	.028*HT +	13.54	.97
BICEPS CIRC/FLEXED	.845	.112*WT -	.125*HT +	36.26	1.47
FOREARM CIRC/FLEXED	.691	.068*WT -	.035*HT +	24.72	1.55
WAIST BACK LENGTH	.447	.022*WT +	.185*HT +	9.25	3.08
SHOULDER LENGTH	.219	.012*WT +	.033*HT +	8.53	1.93
INTERSCYE DISTANCE	.540	.078*WT -	.038*HT +	33.32	2.66
INTERSCYE MAXIMUM	.573	.089*WT +	.010*HT +	36.74	3.03
SLEEVE LENGTH	.744	.049*WT +	.335*HT +	19.58	2.64
SLEEVE INSEAM	.732	-.001*WT +	.300*HT -	3.61	1.83
VERTICAL TRUNK CIRC	.781	.233*WT +	.297*HT +	75.21	5.30
UPPER THIGH CIRCUM	.887	.203*WT -	.190*HT +	56.29	2.21
LOWER THIGH CIRCUM	.698	.127*WT -	.100*HT +	37.61	2.77
CALF CIRCUMFERENCE	.805	.099*WT -	.058*HT +	30.98	1.58
ANKLE CIRCUMFRNCE	.683	.041*WT +	.005*HT +	15.30	1.05
HEEL-ANKLE CIRCUMF	.698	.033*WT +	.087*HT +	13.68	1.19
INSTEP CIRCUMFERENCE	.534	.031*WT +	.040*HT +	14.65	1.39
BALL OF FOOT CIRC	.529	.026*WT +	.043*HT +	13.38	1.26

*WEIGHT IN LBS STATURE IN CM

TABLE 25

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
1967 USAF MEN

VARIABLE	R				SE EST
AGE	.151	.051*WT	- .118*HT	+ 42.11	6.23
WEIGHT	1.000	1.000*WT	+ 0.000*HT	+ 0.00	0.00
SKF SUBSCAP"R-LNGE	.656	.019*WT	- .032*HT	+ 3.74	.40
SKF TRICEPS-LANGE	.575	.016*WT	- .020*HT	+ 2.04	.42
SKF JUX"NIPPLE-LGE	.665	.024*WT	- .039*HT	+ 4.11	.50
SKF MAL XIPH"D-LGE	.702	.022*WT	- .036*HT	+ 3.77	.40
SKF SUPRAILIAC-LGE	.708	.045*WT	- .067*HT	+ 6.69	.83
SKF SUPRAPATELLA-L	.584	.007*WT	- .010*HT	+ 1.29	.19
SKF SUBSCAP"R-HARP	.672	.018*WT	- .032*HT	+ 3.94	.37
SKF TRICEPS-HARP"N	.609	.014*WT	- .020*HT	+ 2.35	.34
SKF SUPRAILIAC-HPN	.692	.039*WT	- .058*HT	+ 5.94	.75
GRIP STRENGTH	.399	.212*WT	+ .499*HT	- .96	15.35
HEIGHT (STATURE)	1.000	0.000*WT	+ 1.000*HT	+ 0.00	0.00
CERVICALE HEIGHT	.977	.010*WT	+ .902*HT	- 9.63	1.23
ACROMION HEIGHT	.961	.022*WT	+ .853*HT	- 9.88	1.60
RADIALE HEIGHT	.924	.025*WT	+ .634*HT	- 4.48	1.74
STYLION HEIGHT	.843	.020*WT	+ .499*HT	- 5.39	2.12
DACTYLION HEIGHT	.775	.018*WT	+ .405*HT	- 7.77	2.22
SUPRASTERNALE HGHT	.976	.019*WT	+ .833*HT	- 5.83	1.19
NIPPLE HEIGHT	.949	-.001*WT	+ .806*HT	- 13.51	1.65
WAIST HT-OMPHALION	.925	-.015*WT	+ .733*HT	- 20.91	1.79
ILIOCRISTALE HT	.914	.011*WT	+ .690*HT	- 15.12	1.95
BUTTOCK HEIGHT	.870	0.000*WT	+ .617*HT	- 19.31	2.17
TROCHANTERION HGHT	.887	-.009*WT	+ .642*HT	- 18.33	2.01
GLUTEAL FURROW HGT	.879	-.010*WT	+ .589*HT	- 21.60	1.91
CROTCH HEIGHT	.861	-.021*WT	+ .613*HT	- 19.99	2.11
PATELLA TOP HEIGHT	.855	.001*WT	+ .352*HT	- 9.98	1.33
KNEE GIRC HEIGHT	.859	.002*WT	+ .342*HT	- 11.35	1.27
FIBULAR HEIGHT	.845	0.000*WT	+ .310*HT	- 11.11	1.20
CALF HEIGHT	.747	.003*WT	+ .264*HT	- 11.79	1.48
ANKLE HEIGHT	.472	-.002*WT	+ .092*HT	- 2.25	1.01
SITTING HEIGHT	.789	.010*WT	+ .385*HT	+ 23.17	1.95
EYE HEIGHT/SITTING	.739	.006*WT	+ .349*HT	+ 18.01	2.03
MIDSHOULDER HT/SIT	.715	.026*WT	+ .261*HT	+ 13.79	1.92
ACROMION H"GH"HT/SIT	.666	.028*WT	+ .245*HT	+ 12.75	2.13

*WEIGHT IN LBS STATURE IN CM

TABLE 25 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
1967 USAF MEN

VARIABLE	R				SE EST
ELBOW REST HGT/SIT	.272	.028*WT +	.029*HT +	15.16	2.51
KNEE HEIGHT/SITTING	.887	.013*WT +	.332*HT -	5.37	1.15
POPLITEAL HGHT/SIT	.855	-.018*WT +	.339*HT -	13.29	1.16
BUTTOCK-KNEE LENGTH	.812	.042*WT +	.257*HT +	7.54	1.57
BUTTOCK-POPLITEAL	.729	.035*WT +	.224*HT +	4.58	1.76
ACRM-BICEP CIR LVL	.485	.004*WT +	.111*HT -	1.38	1.32
SHOULDER-ELBOW LTH	.753	.001*WT +	.207*HT -	.93	1.13
ACROMION-RADIALE L	.720	.002*WT +	.195*HT -	1.98	1.18
ELBOW-WRIST LENGTH	.738	.003*WT +	.163*HT +	.57	.95
RADIALE-STYLION LH	.703	.003*WT +	.155*HT -	1.13	1.01
ELBOW-GRIP LENGTH	.753	.002*WT +	.193*HT +	.63	1.06
THUMB-TIP REACH	.680	.017*WT +	.406*HT +	5.36	2.91
THUMB-TIP REACH/XTD	.640	.015*WT +	.438*HT +	9.31	3.47
SLEEVE INSEAM	.719	-.013*WT +	.322*HT -	6.31	1.78
BIACROMIAL BREADTH	.482	.032*WT +	.062*HT +	24.18	1.70
BIDELTOID BREADTH	.806	.104*WT -	.060*HT +	40.82	1.52
CHEST BREADTH	.763	.083*WT -	.058*HT +	28.66	1.37
WAIST BROTTH-OMPH" N	.870	.107*WT -	.079*HT +	26.40	1.18
BICRISTALE BREADTH	.649	.063*WT -	.008*HT +	18.41	1.56
HIP BREADTH	.809	.071*WT +	0.000*HT +	22.94	1.11
HIP BREADTH SITTING	.859	.097*WT -	.034*HT +	26.98	1.18
ELBOW BROTH BONE/R	.505	.005*WT +	.016*HT +	3.38	.31
ELBOW BROTH BONE/L	.527	.005*WT +	.017*HT +	3.21	.30
F"ARM-F"ARM BR" DTH	.729	.144*WT -	.133*HT +	52.91	2.59
KNEE BR" DTH BONE/R	.644	.011*WT +	.014*HT +	5.58	.34
KNEE BR" DTH BONE/L	.652	.011*WT +	.015*HT +	5.39	.34
CHEST DEPTH	.792	.080*WT -	.081*HT +	25.00	1.17
WAIST DEPTH-OMPH" N	.805	.094*WT -	.115*HT +	26.38	1.29
BUTTOCK DEPTH	.851	.092*WT -	.093*HT +	24.49	1.08
THIGH CLEARANCE HT	.821	.060*WT -	.069*HT +	18.35	.79
NECK CIRC -MAXIMUM	.719	.071*WT -	.060*HT +	36.66	1.33
SHOULDER CIRCUM"CE	.841	.246*WT -	.141*HT +	100.00	3.14
CHEST CIRC AT SCYE	.830	.260*WT -	.204*HT +	93.30	3.38
CHEST CIRCUMF"ENCE	.861	.286*WT -	.263*HT +	95.55	3.23
WAIST CIR-OMPHAL" N	.893	.347*WT -	.352*HT +	89.79	3.32

*WEIGHT IN LBS STATURE IN CM

TABLE 25 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
1967 USAF MEN

VARIABLE	R				SE EST
WAIST CIR-OMPH/SIT	.866	.345*WT -	.389*HT +	96.50	3.74
BUTTOCK CIRCUMF*CE	.932	.257*WT -	.137*HT +	78.30	2.00
BUTTOCK CIRCUM/SIT	.899	.305*WT -	.178*HT +	86.26	2.94
VERTICAL TRUNK CIR	.857	.227*WT +	.325*HT +	71.02	3.68
VERT TRUNK CIR/SIT	.814	.191*WT +	.377*HT +	61.29	4.03
SCROTALE-ANT WAIST	.504	.034*WT +	.072*HT +	9.77	1.78
SCROTALE-A WAIST/S	.469	.011*WT +	.105*HT +	4.90	1.50
SCRTL-SUPRASTERNLE	.697	.085*WT +	.141*HT +	29.09	2.45
SCRTL-SUPRSTRNLE/S	.641	.042*WT +	.209*HT +	19.21	2.30
SCRTL-ANT SCYE LVL	.623	.059*WT +	.159*HT +	15.37	2.45
SCRTL-ANT SCYE L/S	.537	.016*WT +	.225*HT +	5.79	2.49
SCRTL-A MIDSHOULDR	.752	.104*WT +	.146*HT +	33.42	2.45
SCRTL-A MDSHLDR/S	.687	.059*WT +	.214*HT +	24.16	2.38
SCROTALE-PST WAIST	.617	.088*WT -	.023*HT +	24.16	2.30
SCRTL-WAIST OVR BK	.592	.080*WT +	.022*HT +	24.83	2.44
SCROTALE-P WAIST/S	.491	.072*WT +	0.000*HT +	24.05	2.71
SCRTL-WAIST/BUTT/S	.514	.068*WT +	.010*HT +	25.94	2.50
SCROTALE-CERVICALE	.732	.104*WT +	.166*HT +	35.15	2.70
SCROTALE-CERVGLE/S	.711	.102*WT +	.160*HT +	38.37	2.79
SCRTL-PST SCYE LVL	.640	.085*WT +	.116*HT +	26.85	2.74
SCRTL-PST SCYE L/S	.618	.084*WT +	.106*HT +	31.18	2.83
SCRTL-P MIDSHOULDR	.766	.123*WT +	.130*HT +	40.94	2.62
SCRTL-MDSHLD OVR B	.740	.110*WT +	.179*HT +	40.61	2.80
SCRTL-P MDSHLDR/S	.738	.123*WT +	.125*HT +	43.78	2.83
SCRTL-MDSHLD O B/S	.740	.114*WT +	.154*HT +	42.16	2.76
UPPER THIGH CIRCUM	.897	.210*WT -	.212*HT +	59.96	1.96
UPPER THIGH C/SIT	.914	.204*WT -	.192*HT +	56.52	1.73
KNEE CIRCUMFERENCE	.848	.083*WT -	.006*HT +	25.33	1.10
KNEE CIRCUM*CE/SIT	.855	.085*WT +	0.000*HT +	24.54	1.10
CALF CIRCUMF/RIGHT	.801	.095*WT -	.080*HT +	34.89	1.36
CALF CIRCUMF/LEFT	.804	.092*WT -	.071*HT +	33.55	1.33
ANKLE CIRCUMF*ENCE	.695	.042*WT -	.009*HT +	16.72	.91
SCYE CIRCUMFERENCE	.742	.098*WT -	.014*HT +	33.83	1.86
BICEPS C-EXTEND/RT	.856	.107*WT -	.136*HT +	36.33	1.21
BICEPS C-EXTEND/LT	.867	.109*WT -	.139*HT +	36.12	1.17

*WEIGHT IN LBS STATURE IN CM

TABLE 25 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
1967 USAF MEN

VARIABLE	R			SE EST
BICEPS C-FLEXED/RT	.819	.098*WT - .111*HT +	35.42	1.30
BICEPS C-FLEXED/LT	.830	.099*WT - .110*HT +	34.44	1.25
ELBOW CIRC-EXTENDED	.786	.056*WT - .020*HT +	21.49	.89
ELBOW CIRC-FLEXED	.602	.045*WT + .026*HT +	18.82	1.39
LOWER ARM C-EXTEND	.802	.060*WT - .038*HT +	24.48	.87
LOWER ARM C-FLEXED	.717	.056*WT - .022*HT +	23.95	1.10
WRIST CIRCUMFERENCE	.589	.024*WT + .009*HT +	11.82	.75
SLVE L/SPINE-SCYE	.527	.044*WT + .007*HT +	19.57	1.54
SLVE L/SPINE-ELBOW	.701	.038*WT + .206*HT +	17.45	1.87
SLVE L/SPINE-WRIST	.789	.042*WT + .356*HT +	20.39	2.16
ANTERIOR NECK LGTH	.483	-.034*WT + .142*HT -	10.85	1.47
POSTERIOR NECK LTH	.293	-.017*WT + .091*HT +	.05	1.61
SHOULDER LENGTH	.359	.009*WT + .054*HT +	5.46	1.18
DELTOID ARC	.434	.007*WT + .078*HT +	.86	1.20
INTERSCYE	.414	.081*WT - .071*HT +	37.28	3.43
INTERSCYE MAXIMUM	.685	.087*WT + .059*HT +	35.97	2.20
WAIST FRONT-OMPH"N	.584	.050*WT + .058*HT +	21.45	1.80
CROTCH LGTH-OMPH"N	.725	.146*WT + .025*HT +	40.83	3.05
WAIST BACK-OMPHL"N	.604	.016*WT + .198*HT +	9.02	1.89
FOOT LENGTH	.693	.009*WT + .114*HT +	5.25	.86
INSTEP LENGTH	.622	.008*WT + .078*HT +	4.57	.75
FOOT BREADTH	.507	.007*WT + .021*HT +	4.83	.43
BALL-OF-FOOT CIRC	.584	.025*WT + .044*HT +	12.70	1.00
INSTEP CIRCUMFERENCE	.642	.029*WT + .039*HT +	13.74	.93
HEEL CIRCUMFERENCE	.746	.030*WT + .091*HT +	12.60	.94
BI-MALLEOLAR BROTH	.547	.006*WT + .018*HT +	3.09	.32
LAT"L MALLEOLUS HT	.463	.004*WT + .033*HT +	.49	.48
MED"L MALLEOLUS HT	.444	.004*WT + .032*HT +	2.20	.51
HAND LENGTH	.654	.003*WT + .081*HT +	4.22	.62
PALM LENGTH	.538	.002*WT + .043*HT +	2.86	.46
HAND BR/METACARPLE	.494	.006*WT + .016*HT +	5.02	.36
HAND BRTH AT THUMB	.517	.007*WT + .022*HT +	5.08	.42
HAND C/METACARPALE	.539	.018*WT + .031*HT +	12.93	.79
HAND C ROUND THUMB	.610	.026*WT + .029*HT +	16.10	.86
HAND THICK/META-3	.271	.002*WT + .003*HT +	1.89	.20

*WEIGHT IN LBS STATURE IN CM

TABLE 25 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
1967 USAF MEN

VARIABLE	R			SE EST
HEAD CIRCUMFERENCE	.423	.024*WT + .026*HT +	48.74	1.29
SAGITTAL ARC/INION	.167	.005*WT + .034*HT +	27.75	1.63
MINIMUM FRONTL ARC	.202	.008*WT - .004*HT +	12.92	.77
BITRAGION-CORONAL	.327	.013*WT + .031*HT +	28.00	1.19
BITRAGN-MIN FRNTAL	.375	.014*WT + .017*HT +	25.36	.92
BITRAG"N-SUBNASALE	.466	.022*WT + 0.000*HT +	25.49	.90
BITRAGION-MENTON	.544	.030*WT + .008*HT +	26.02	1.04
BIT-SUBMANDIBULAR	.533	.039*WT + 0.000*HT +	24.21	1.33
BITRAG"N-POSTERIOR	.301	.020*WT + .004*HT +	25.26	1.43
HEAD LENGTH	.293	.006*WT + .017*HT +	15.81	.64
HEAD DIAGNL/MENTON	.445	.009*WT + .032*HT +	18.36	.68
HD DIAG/INION-NOSE	.263	.009*WT + .017*HT +	17.36	.98
EAR BREADTH	.194	.002*WT + .004*HT +	2.74	.30
EAR LENGTH	.302	.005*WT + .007*HT +	4.49	.41
EAR L ABOVE TRAGION	.127	.001*WT + .005*HT +	1.88	.29
HEAD BREADTH	.306	.008*WT - .002*HT +	14.57	.52
MAXIMUM FRONTAL BR	.303	.006*WT + .004*HT +	9.85	.43
BITRAGION BREADTH	.398	.011*WT - .001*HT +	12.52	.51
BIZYGOMATIC BR"OTH	.456	.012*WT - .004*HT +	12.85	.46
BIGNIAL BREADTH	.434	.016*WT - .016*HT +	11.79	.62
EAR-TO-EAR BREADTH	.281	.008*WT + .013*HT	15.14	.78
BIOCLAR BREADTH	.191	.004*WT + .003*HT +	7.94	.48
INTERPUPILLARY BRD	.191	.003*WT + .004*HT +	5.04	.36
INTEROCULAR BR"OTH	.158	.002*WT + .001*HT +	2.81	.27
NOSE BREADTH	.199	.003*WT - .002*HT +	3.38	.29
LIP LENGTH	.173	.003*WT + 0.000*HT +	4.71	.37
EAR PROTRUSION	.121	.001*WT + .002*HT +	1.64	.33
SUBNASALE-NASAL RT	.197	0.000*WT + .011*HT +	3.18	.36
PHILTRUM LENGTH	.137	.002*WT - .001*HT +	1.38	.27
LIP-TO-LIP LENGTH	.124	-.001*WT + .008*HT +	.49	.38
MENTON-SUBNASALE L	.194	.003*WT + .010*HT +	4.61	.52
MENTON-NASAL ROOT	.293	.003*WT + .021*HT +	7.79	.58
GLABELLA-TO-VERTEX	.108	-.001*WT + .020*HT +	5.90	.97
NASAL ROOT-TO-VRTX	.173	0.000*WT + .028*HT +	5.78	.93
XTRNL CANTHUS-VRTX	.181	0.000*WT + .022*HT +	8.05	.76

*WEIGHT IN LBS STATURE IN CM

TABLE 25 (concluded)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
1967 USAF MEN

VARIABLE	R				SE EST
PRONASALE-TO-VRTX	.192	$-.002*WT + .038*HT +$	8.35	1.08	
SUBNASALE-TO-VRTX	.229	$-.001*WT + .041*HT +$	8.99	1.00	
STOMION-TO-VERTEX	.241	$0.000*WT + .041*HT +$	11.09	.97	
MENTON-TO-VERTEX	.284	$.001*WT + .044*HT +$	14.79	.98	
TRAGION-TO-VERTEX	.210	$.003*WT + .015*HT +$	10.26	.60	
GLABELLA-TO-WALL	.312	$.006*WT + .019*HT +$	15.94	.64	
NASAL ROOT-TO-WALL	.311	$.006*WT + .019*HT +$	15.76	.62	
XTRNL CANTHUS-WALL	.232	$.005*WT + .009*HT +$	15.32	.64	
PRONASALE-TO-WALL	.318	$.008*WT + .016*HT +$	18.45	.71	
SUBNASALE-TO-WALL	.290	$.009*WT + .011*HT +$	17.48	.75	
LIP PROMIN"CE-WALL	.294	$.011*WT + .007*HT +$	18.01	.82	
CHIN PROMINCE-WALL	.329	$.016*WT + .002*HT +$	17.34	.99	
TRAGION-TO-WALL	.135	$.004*WT + .002*HT +$	9.29	.64	
GUESSED HEIGHT	.957	$.012*WT + .911*HT +$	15.62	1.75	
GUESSED WEIGHT	.977	$.854*WT + .273*HT -$	23.10	4.24	

*WEIGHT IN LBS STATURE IN CM

TABLE 26

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
COMBINED MEN

VARIABLE	R			SE	EST
WEIGHT	1.000	1.000*WT	+ 0.000*HT	0.00	0.00
HEIGHT (STATURE)	1.000	0.000*WT	+ 1.000*HT	0.00	0.00
ACROMION HEIGHT	.952	.010*WT	+ .864*HT	8.95	1.88
CERVICAL HEIGHT	.953	.013*WT	+ .882*HT	6.48	1.90
SITTING HEIGHT	.751	.014*WT	+ .392*HT	20.37	2.45
MIDSHOULDER HT/SIT	.685	.024*WT	+ .279*HT	10.15	2.35
ANKLE CIRCUMFERENCE	.633	.038*WT	- .002*HT	16.78	1.08
SCYE CIRCUMFERENCE	.732	.114*WT	- .028*HT	31.90	2.43
BICEPS C-FLEXED/RT	.831	.105*WT	- .125*HT	37.19	1.47
BIDELTOID BREADTH	.813	.102*WT	- .032*HT	35.12	1.66
BUTTOCK CIRCUMFERENCE	.932	.266*WT	- .122*HT	73.42	2.31
BUTTOCK-KNEE LGTH	.830	.036*WT	+ .273*HT	6.00	1.59
CALF CIRCUMF/RIGHT	.799	.095*WT	- .066*HT	32.85	1.55
CALF HEIGHT	.624	-.003*WT	+ .251*HT	8.05	2.02
CHEST BREADTH	.777	.082*WT	- .034*HT	23.76	1.48
CHEST CIRCUMFERENCE	.877	.283*WT	- .227*HT	88.71	3.32
CROTCH HEIGHT	.846	-.038*WT	+ .644*HT	22.44	2.44
BIZYGOMATIC BRDTH	.540	.014*WT	- .006*HT	12.83	.47
FOOT LENGTH	.698	.010*WT	+ .113*HT	5.41	.91
LOWER ARM C-FLEXED	.687	.063*WT	- .034*HT	25.21	1.47
HAND BR/METACARPLE	.473	.006*WT	+ .017*HT	4.94	.42
HAND C/METACARPALE	.495	.018*WT	+ .027*HT	13.93	.95
HAND LENGTH	.623	.004*WT	+ .079*HT	4.55	.73
HEAD BREADTH	.387	.010*WT	- .003*HT	14.25	.55
HEAD CIRCUMFERENCE	.507	.033*WT	+ .021*HT	47.43	1.45
HEAD LENGTH	.380	.008*WT	+ .019*HT	14.94	.68
HIP BREADTH	.826	.073*WT	+ .016*HT	19.05	1.23
INSTEP CIRCUMFERENCE	.450	.024*WT	+ .033*HT	16.63	1.42
INSTEP LENGTH	.629	.008*WT	+ .078*HT	4.71	.80
INTERPUPILLARY BRD	.247	.004*WT	+ .003*HT	4.99	.38
INTERSCYE	.471	.073*WT	- .053*HT	36.40	2.94
MENTON-NASAL ROOT	.319	.004*WT	+ .021*HT	7.70	.61
PALM LENGTH	.529	.004*WT	+ .041*HT	2.82	.52
PATELLA TOP HEIGHT	.743	-.008*WT	+ .362*HT	9.35	2.06
POPLITEAL HGHT/SIT	.677	-.026*WT	+ .288*HT	1.87	1.81

*WEIGHT IN LBS STATURE IN CM

TABLE 26 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
COMBINED MEN

VARIABLE	R				SE EST
SHOULDER CIRCUM"CE	.862	.256*WT -	.138*HT +	96.84	3.32
SHOULDER-ELBOW LTH	.672	0.000*WT +	.192*HT +	2.97	1.38
SHOULDER LENGTH	.256	.012*WT +	.039*HT +	7.52	1.77
SLEEVE INSEAM	.715	-.007*WT +	.301*HT -	3.04	1.85
UPPER THIGH CIRCUM	.896	.208*WT -	.190*HT +	55.74	2.19
WAIST CIR-OMPHAL"N	.888	.358*WT -	.305*HT +	77.36	3.95
ILIOCRISTALE HT	.863	.002*WT +	.697*HT -	15.41	2.71

*WEIGHT IN LBS STATURE IN CM

TABLE 27

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
1968 USAF WOMEN

VARIABLE	R				SE EST
AGE	.238	.107*WT	- .105*HT	+ 26.83	6.27
WEIGHT	1.000	1.000*WT	+0.000*HT	+ 0.00	0.00
TRICEPS SKINFOLD	.662	.026*WT	- .030*HT	+ 3.46	.41
SUBSCAPULAR SKINFO	.663	.023*WT	- .032*HT	+ 3.55	.36
SUPRAILIAIC SKINFLO	.634	.031*WT	- .034*HT	+ 3.54	.54
MEDIAL CALF SKINFO	.417	.015*WT	- .020*HT	+ 2.93	.47
STATURE	1.000	0.000*WT	+1.000*HT	+ 0.00	0.00
STATURE, MAXIMUM	.998	.001*WT	+1.000*HT	+ .52	.38
CERVICALE HEIGHT	.977	.009*WT	+ .884*HT	- 5.25	1.17
ACROMIAL HEIGHT	.960	.019*WT	+ .847*HT	- 7.86	1.53
SUPRASTERNALE HGHT	.974	.015*WT	+ .836*HT	- 5.43	1.21
BUST POINT HEIGHT	.928	-.015*WT	+ .828*HT	- 13.99	1.95
WAIST HEIGHT	.914	.004*WT	+ .679*HT	- 10.30	1.83
ABDOMINAL EXT HGT	.899	-.016*WT	+ .686*HT	- 16.01	1.94
TROCHANTERIC HGHT	.852	.002*WT	+ .602*HT	- 15.17	2.24
BUTTOCK HEIGHT	.848	.006*WT	+ .579*HT	- 12.41	2.21
GLUTEAL FURROW HGT	.830	-.024*WT	+ .581*HT	- 18.43	2.21
TIBIALE HEIGHT	.787	-.001*WT	+ .315*HT	- 8.95	1.47
CROTCH HEIGHT	.849	-.006*WT	+ .581*HT	- 18.91	2.13
ANKLE HEIGHT	.306	0.000*WT	+ .070*HT	- .16	1.29
LAT'L MALLEOLUS HT	.426	.001*WT	+ .040*HT	+ .16	.53
SITTING HT,RELAXED	.783	.010*WT	+ .410*HT	+ 16.54	2.02
SITTING HEIGHT	.803	.015*WT	+ .401*HT	+ 14.69	1.89
EYE HEIGHT,SITTING	.740	.014*WT	+ .355*HT	+ 14.38	2.06
MIDSHOULDER HT,SIT	.729	.026*WT	+ .279*HT	+ 9.46	1.82
WAIST HGHT,SITTING	.452	.025*WT	+ .080*HT	+ 7.22	1.55
ELBOW REST HEIGHT	.213	.011*WT	+ .068*HT	+ 10.28	2.41
POPLITEAL HEIGHT	.728	-.002*WT	+ .230*HT	+ 4.02	1.28
BUTTOCK-POPLIT'L L	.702	.050*WT	+ .226*HT	+ 4.71	1.97
BUTTOCK-KNEE LGTH	.839	.063*WT	+ .244*HT	+ 9.86	1.43
ACROMION-RADIALE L	.728	.008*WT	+ .185*HT	- .00	1.12
RADIALE-STYLION L	.666	.002*WT	+ .148*HT	- .86	1.02
THUMB-TIP REACH	.655	.029*WT	+ .375*HT	+ 9.65	2.93
THUMB-TIP,EXTENDED	.622	.040*WT	+ .439*HT	+ 7.58	3.82
OVERHEAD REACH	.853	.022*WT	+1.181*HT	+ 4.98	4.47

*WEIGHT IN LBS STATURE IN CM

TABLE 27 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
1968 USAF WOMEN

VARIABLE	R			SE EST
NECK CIRCUMFERENCE	.582	.058*WT + .003*HT +	25.88	1.36
SHOULDER CIRCUMFER	.845	.284*WT - .132*HT +	85.66	2.75
CHEST CIRC AT SCYE	.819	.271*WT - .156*HT +	75.04	2.85
BUST CIRCUMFERENCE	.824	.318*WT - .223*HT +	85.40	3.23
CHEST C BELOW BUST	.806	.261*WT - .149*HT +	65.26	2.88
WAIST CIRCUMFERNCE	.846	.312*WT - .203*HT +	60.40	2.92
ABDOMINAL EXT CIRC	.821	.406*WT - .300*HT +	82.60	4.15
HIP C-7""BLW WAIST	.903	.330*WT - .155*HT +	76.76	2.40
HIP C-9""BLW WAIST	.895	.351*WT - .155*HT +	75.72	2.68
UPPER THIGH CIRCUM	.867	.248*WT - .177*HT +	52.60	2.10
KNEE CIRCUMFERENCE	.822	.117*WT - .025*HT +	25.46	1.29
CALF CIRCUM, RIGHT	.763	.112*WT - .054*HT +	28.64	1.45
CALF CIRCUM, LEFT	.756	.113*WT - .051*HT +	28.12	1.49
ANKLE CIRCUMFERNCE	.593	.044*WT + .012*HT +	13.54	1.04
VERTICAL TRUNK CIR	.822	.265*WT + .318*HT +	69.15	3.91
VERTICAL TRK C, SIT	.811	.207*WT + .436*HT +	53.04	3.84
BUTTOCK CIRC, SIT	.912	.359*WT - .142*HT +	77.32	2.50
SCYE CIRCUMFERENCE	.778	.112*WT - .025*HT +	26.90	1.44
AXILLARY ARM CIRC	.850	.139*WT - .139*HT +	32.28	1.23
BICEPS C, RELAXED, R	.871	.140*WT - .152*HT +	32.43	1.13
BICEPS C, FLEXED, R	.865	.140*WT - .142*HT +	31.99	1.16
BICEPS C, RELAXED, L	.878	.149*WT - .163*HT +	33.12	1.15
BICEPS C, FLEXED, L	.867	.145*WT - .150*HT +	32.40	1.19
ELBOW CIRC, FLEXED	.586	.053*WT + .044*HT +	13.10	1.44
FOREARM C, RELAXED	.820	.075*WT - .038*HT +	20.09	.79
FOREARM C, FLEXED	.790	.079*WT - .037*HT +	20.92	.93
WRIST CIRCUMFERNCE	.658	.024*WT + .018*HT +	8.99	.54
BIACROMIAL BREADTH	.545	.035*WT + .073*HT +	19.55	1.37
BIDELTOID BREADTH	.811	.124*WT - .065*HT +	36.63	1.35
CHEST BREADTH	.710	.089*WT - .041*HT +	23.31	1.35
BUST PT-BUST PT BR	.598	.062*WT - .035*HT +	16.31	1.24
WAIST BREADTH	.773	.097*WT - .035*HT +	17.46	1.23
HIP BREADTH	.774	.109*WT - .031*HT +	26.12	1.40
THIGH-THIGH BR, SIT	.811	.158*WT - .117*HT +	37.05	1.67
HUMERAL BREADTH, R	.588	.007*WT + .014*HT +	2.97	.25

*WEIGHT IN LBS STATURE IN CM

TABLE 27 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
1968 USAF WOMEN

VARIABLE	R				SE EST
HUMERAL BREADTH, L	.594	.007*WT +	.014*HT +	2.94	.24
FEMORAL BREADTH, R	.496	.012*WT +	.008*HT +	5.29	.39
FEMORAL BREADTH, L	.522	.012*WT +	.007*HT +	5.48	.37
CHEST DEPTH	.770	.101*WT -	.075*HT +	22.95	1.23
WAIST DEPTH	.773	.089*WT -	.077*HT +	18.17	1.06
ABDOMINAL EXT DPTH	.830	.121*WT -	.104*HT +	22.35	1.16
BUTTOCK DEPTH	.836	.102*WT -	.078*HT +	20.81	.98
THIGH CLEARANCE	.716	.051*WT +	.015*HT +	3.51	.87
SHOULDER LENGTH	.377	.007*WT +	.052*HT +	5.34	.95
NECK-BUST POINT L	.574	.069*WT -	.017*HT +	19.47	1.55
STRAP LENGTH	.655	.159*WT -	.022*HT +	48.55	2.96
INTERSCYE	.546	.089*WT -	.054*HT +	32.48	2.04
INTERSCYE, MAXIMUM	.557	.101*WT +	.044*HT +	29.40	2.73
BACK CURVATURE	.615	.124*WT -	.061*HT +	36.25	2.41
WAIST BACK	.586	-.002*WT +	.220*HT +	5.10	1.80
ANTERIOR WAIST LTH	.523	.035*WT +	.097*HT +	13.40	1.67
SLEEVE INSEAM	.715	-.017*WT +	.311*HT -	4.12	1.69
SPINE-TO-SCYE LGTH	.431	.033*WT +	.010*HT +	14.54	1.22
SPINE-TO-ELBOW LTH	.722	.042*WT +	.211*HT +	13.77	1.66
SPINE-TO-WRIST LTH	.782	.045*WT +	.352*HT +	16.80	2.07
HAND LENGTH	.606	.005*WT +	.089*HT +	3.32	.76
HAND BREADTH	.457	.007*WT +	.014*HT +	4.39	.35
HAND CIRCUMFERENCE	.509	.023*WT +	.021*HT +	11.99	.78
FOOT LENGTH	.712	.013*WT +	.110*HT +	4.58	.79
FOOT BREADTH	.429	.009*WT +	.017*HT +	4.97	.45
HEAD LENGTH	.356	.008*WT +	.025*HT +	13.34	.63
HEAD BREADTH	.290	.011*WT -	.002*HT +	13.44	.57
HEAD CIRCUMFERENCE	.426	.031*WT +	.044*HT +	43.79	1.47
TRAGION-TOP HEAD	.267	.006*WT +	.022*HT +	8.40	.74
ECTOCANTHUS-TOP HD	.241	.003*WT +	.031*HT +	6.36	.89
PRONASALE-TOP HEAD	.241	.002*WT +	.044*HT +	7.37	1.14
SUBNASALE-TOP HEAD	.289	.003*WT +	.048*HT +	7.75	1.05
STOMION-TOP HEAD	.296	.003*WT +	.051*HT +	9.18	1.07
MENTON-TOP HEAD	.372	.008*WT +	.057*HT +	11.65	1.06
TRAGION TO WALL	.220	.008*WT +	.014*HT +	6.88	.88

*WEIGHT IN LBS STATURE IN CM

TABLE 27 (concluded)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
1968 USAF WOMEN

VARIABLE	R			SE	EST
ECTOCANTHUS-WALL	.308	.013*WT + .019*HT +	11.63	.92	
PRONASALE TO WALL	.363	.016*WT + .022*HT +	15.59	.90	
SUBNASALE TO WALL	.320	.016*WT + .015*HT +	15.19	.93	
LIP PROTRUSION-WALL	.271	.016*WT + .005*HT +	16.45	1.02	
MENTON TO WALL	.310	.024*WT - .013*HT +	17.29	1.08	
SAGITTAL CURVATURE	.298	.011*WT + .053*HT +	24.79	1.42	
BITRAGION-CORONAL	.318	.021*WT + .027*HT +	26.87	1.33	
BIOGULAR BREADTH	.247	.005*WT + .008*HT +	7.74	.48	
BIAURICULAR BROTH	.220	.011*WT + .008*HT +	13.14	.93	
BITRAGION BREADTH	.393	.011*WT + .002*HT +	11.16	.46	
BIZYGOMATIC BROTH	.358	.012*WT + .001*HT +	11.21	.54	
BIGONIAL BREADTH	.350	.013*WT - .005*HT +	9.34	.53	
NASAL BREADTH	.103	.002*WT - .001*HT +	3.10	.33	
LIP LENGTH	.085	.002*WT + .002*HT +	3.80	.42	
MENTON-SUBNASALE L	.226	.005*WT + .008*HT +	3.61	.50	
MENTON-SELLION LTH	.304	.006*WT + .018*HT +	6.95	.58	
SUBNASALE-SELLION	.198	.002*WT + .009*HT +	2.83	.40	
EAR LENGTH	.282	.007*WT + .003*HT +	3.86	.43	
EAR BREADTH	.144	.002*WT + .002*HT +	2.40	.33	
GRIP STRENGTH	.381	.215*WT + .301*HT -	10.26	11.62	
STATURE REPORTED	.955	.001*WT + .037*HT +	.35	.07	
WEIGHT REPORTED	.964	.090*WT + .014*HT -	1.19	.42	

*WEIGHT IN LBS STATURE IN CM

TABLE 28

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
1977 ARMY WOMEN

VARIABLE	R				SE EST
WEIGHT	1.000	1.000*WT	+0.000*HT	+	0.00
STATURE	1.000	0.000*WT	+1.000*HT	+	0.00
SHOULDER HEIGHT	.970	.021*WT	+ .859*HT	-	9.27
AXILLA HEIGHT	.969	.001*WT	+ .828*HT	-	11.81
BUSTPOINT HEIGHT	.938	-.015*WT	+ .834*HT	-	15.63
WAIST HEIGHT	.898	-.016*WT	+ .740*HT	-	17.08
CROTCH HEIGHT	.864	-.019*WT	+ .609*HT	-	20.36
BUTTOCK HEIGHT	.831	.014*WT	+ .573*HT	-	11.43
KNEECAP HEIGHT	.848	-.005*WT	+ .354*HT	-	9.13
CALF HEIGHT	.730	.005*WT	+ .250*HT	-	8.85
SITTING HEIGHT	.767	.003*WT	+ .417*HT	+	16.73
EYE HEIGHT/SIT	.739	.002*WT	+ .389*HT	+	9.98
SHOULDER-ELBOW L	.809	.005*WT	+ .209*HT	-	1.15
ELBOW-FINGERTIP	.734	.010*WT	+ .241*HT	+	2.92
KNEE HEIGHT/SIT	.863	.016*WT	+ .317*HT	-	2.78
POPLITEAL HEIGHT	.849	-.009*WT	+ .320*HT	-	9.27
BUTTOCK-KNEE LGTH	.846	.070*WT	+ .249*HT	+	8.02
BUST DEPTH	.790	.108*WT	- .108*HT	+	26.50
WAIST DEPTH	.786	.106*WT	- .121*HT	+	23.99
CHEST BREADTH	.803	.086*WT	- .057*HT	+	26.16
WAIST BREADTH	.765	.110*WT	- .077*HT	+	23.58
HIP BREADTH	.805	.107*WT	- .014*HT	+	23.50
SHOULDER BREADTH	.823	.101*WT	- .030*HT	+	33.58
NECK CIRCUMFERENCE	.660	.054*WT	+ .003*HT	+	24.73
SHOULDER CIRCUMFER	.851	.263*WT	- .133*HT	+	87.29
CHEST CIRC AT SCYE	.851	.256*WT	- .170*HT	+	79.40
BUST CIRCUMFERENCE	.845	.321*WT	- .262*HT	+	88.47
CHEST C BELOW BUST	.828	.241*WT	- .162*HT	+	69.36
WAIST CIRCUMFERENCE	.834	.343*WT	- .312*HT	+	76.51
HIP CIRCUMFERENCE	.909	.319*WT	- .091*HT	+	68.17
VERTICAL TRUNK CIRC	.852	.243*WT	+ .352*HT	+	64.35
APM CIRC AT SCYE	.826	.110*WT	- .032*HT	+	28.19
BICEPS CIRC, FLXD	.864	.119*WT	- .110*HT	+	29.07
ELBOW CIRC FLXD	.681	.049*WT	+ .039*HT	+	13.14
FOREARM CIRC, FLXD	.791	.068*WT	- .026*HT	+	19.88

*WEIGHT IN LBS STATURE IN CM

TABLE 23 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
1977 ARMY WOMEN

VARIABLE	R				SE EST
WRIST CIRCUMFERENC	.671	.020*WT + .017*HT +	9.29	.51	
UPPER THIGH CIRCUM	.909	.244*WT - .177*HT +	53.50	1.91	
KNEE CIRCUMFERENCE	.823	.099*WT - .007*HT +	22.88	1.28	
CALF CIRCUMFERENCE	.792	.113*WT - .058*HT +	29.60	1.53	
ANKLE CIRCUMFERENC	.643	.039*WT + .014*HT +	13.30	.96	
SHOULDER LENGTH	.381	.004*WT + .054*HT +	5.67	.98	
INTERSCYE BACK	.490	.058*WT + .009*HT +	28.72	2.05	
INTERSCYE FRONT	.584	.047*WT + .031*HT +	21.90	1.42	
BACK ARC, BUST	.788	.148*WT - .124*HT +	42.61	1.95	
BACK ARC, WAIST	.808	.168*WT - .153*HT +	38.03	2.05	
BACK ARC, HIP	.806	.170*WT - .080*HT +	38.07	2.21	
WAIST BACK	.523	.009*WT + .199*HT +	7.23	2.26	
WAIST FRONT	.445	.040*WT + .086*HT +	17.43	2.35	
NECK-BUSTPOINT LGT	.571	.064*WT - .011*HT +	18.61	1.71	
AXILLA-WAIST LEVEL	.286	.002*WT + .107*HT +	5.40	2.41	
SLEEVE INSEAM	.747	-.008*WT + .312*HT -	4.73	1.74	
SLEEVE OUTSEAM	.782	.002*WT + .351*HT -	3.67	1.85	
CROTCH LENGTH	.644	.163*WT + .102*HT +	34.76	4.18	
HEAD CIRCUMFERENCE	.441	.025*WT + .052*HT +	43.15	1.47	
HEAD BREADTH	.320	.009*WT - .001*HT +	13.59	.51	
HEAD LENGTH	.396	.006*WT + .029*HT +	13.19	.62	
PALM LENGTH	.585	.001*WT + .046*HT +	2.25	.42	
HAND BREADTH	.540	.008*WT + .014*HT +	4.48	.33	
HAND CIRCUMFERENCE	.564	.018*WT + .031*HT +	11.02	.71	
HAND LENGTH	.637	.004*WT + .082*HT +	3.55	.70	
INSTEP LENGTH	.660	.012*WT + .076*HT +	3.88	.74	
FOOT LENGTH	.714	.013*WT + .113*HT +	4.19	.88	
HEEL-ANKLE CIRCUMF	.717	.033*WT + .086*HT +	12.41	1.02	
FOOT BREADTH	.525	.010*WT + .017*HT +	4.77	.44	
HEEL BREADTH	.495	.010*WT + .004*HT +	4.11	.36	
FOOT CIRCUMFERENCE	.617	.028*WT + .039*HT +	12.55	.90	
INSTEP CIRCUMFEREM	.615	.032*WT + .040*HT +	12.73	1.00	
ANKLE HEIGHT	.518	-.007*WT + .090*HT -	2.88	.87	
SPHYRION HEIGHT	.402	.001*WT + .032*HT +	1.12	.50	

*WEIGHT IN LBS STATURE IN CM

TABLE 29

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
COMBINED WOMEN

VARIABLE	R				SE EST
WEIGHT	1.000	1.000*WT	+0.000*HT	+	0.00
STATURE	1.000	0.000*WT	+1.000*HT	+	0.00
SHOULDER HEIGHT	.963	.023*WT	+ .852*HT	-	8.85
BUSTPOINT HEIGHT	.930	-.017*WT	+ .831*HT	-	14.50
WAIST HEIGHT	.905	-.002*WT	+ .706*HT	-	13.70
GROUCH HEIGHT	.848	-.007*WT	+ .593*HT	-	20.16
BUTTOCK HEIGHT	.837	.013*WT	+ .576*HT	-	12.39
SITTING HEIGHT	.776	.006*WT	+ .409*HT	+	18.17
EYE HEIGHT SIT	.736	.007*WT	+ .371*HT	+	12.50
POPITEAL HEIGHT	.784	-.003*WT	+ .270*HT	-	2.17
BUTTOCK-KNEE LTH	.843	.067*WT	+ .245*HT	+	9.15
BUST DEPTH	.740	.100*WT	- .091*HT	+	25.21
WAIST DEPTH	.766	.100*WT	- .097*HT	+	20.38
CHEST BREADTH	.744	.067*WT	- .048*HT	+	24.66
WAIST BREADTH	.758	.106*WT	- .054*HT	+	19.81
HIP BREADTH	.788	.108*WT	- .024*HT	+	25.08
SHOULDER BROTH	.808	.112*WT	- .049*HT	+	35.44
SHOULDER CIRC	.837	.270*WT	- .131*HT	+	86.81
CHEST CIRC AT SCYE	.832	.265*WT	- .162*HT	+	76.87
BUST CIRC	.804	.310*WT	- .241*HT	+	88.22
CHEST CIRC	.810	.250*WT	- .155*HT	+	67.42
WAIST CIRC	.828	.335*WT	- .253*HT	+	66.60
HIP (BUTTOCH) CIRC	.899	.331*WT	- .130*HT	+	73.87
VERT TRUNK CIRC	.822	.249*WT	+ .333*HT	+	67.93
ARM SCYE CIRC	.799	.111*WT	- .028*HT	+	27.48
BICIPIS CIRC,FLXD	.857	.129*WT	- .128*HT	+	30.96
FOREARM CIRC,FLXD	.762	.072*WT	- .032*HT	+	20.73
WRIST CIRC	.622	.021*WT	+ .018*HT	+	9.22
UPPER THIGH CIRC	.888	.250*WT	- .179*HT	+	52.86
CALF CIRC	.778	.115*WT	- .056*HT	+	28.78
ANKLE CIRC	.585	.040*WT	+ .012*HT	+	13.83
SHOULDER LTH	.384	.006*WT	+ .054*HT	+	5.25
WAIST BACK	.678	.132*WT	- .089*HT	+	39.48
BACK CURV AT BUST	.556	.002*WT	+ .211*HT	+	6.11
NECK-BUSTPOINT LT	.560	.065*WT	- .015*HT	+	19.45

*WEIGHT IN LBS STATURE IN CM

TABLE 29 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND STATURE*
COMBINED WOMEN

VARIABLE	R		SE	EST
SLEEVE INSEAM	.726	$-.010*WT + .311*HT -$	4.72	1.75
HEAD BREADTH	.307	$.010*WT - .001*HT +$	13.43	.55
HEAD LENGTH	.384	$.008*WT + .027*HT +$	13.11	.64
HAND BREADTH	.501	$.008*WT + .014*HT +$	4.36	.35
HAND CIRC	.534	$.021*WT + .025*HT +$	11.60	.75
HAND LENGTH	.519	$.001*WT + .085*HT +$	4.06	.89
FOOT LENGTH	.716	$.014*WT + .111*HT +$	4.33	.83
FOOT BREADTH	.467	$.009*WT + .017*HT +$	4.94	.45
ANKLE HEIGHT	.365	$-.004*WT + .079*HT -$	1.27	1.15

*WEIGHT IN LBS STATURE IN CM

TABLE 30

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
1966 ARMY MEN

VARIABLE	R		SE EST
WEIGHT	1.000	1.000*WT + 0.000*SIT HT + 0.00	0.00
STATURE	.756	.069*WT + 1.132*SIT HT + 60.88	4.33
CERVICAL HEIGHT	.709	.079*WT + .939*SIT HT + 51.83	4.47
SHOULDER HEIGHT	.694	.080*WT + .884*SIT HT + 50.82	4.48
WAIST HEIGHT	.525	.056*WT + .557*SIT HT + 46.91	4.57
FUNCTIONAL REACH	.405	.063*WT + .231*SIT HT + 51.63	4.43
CROTCH HEIGHT	.408	.019*WT + .461*SIT HT + 39.11	4.27
PATELLA HEIGHT-TOP	.399	.033*WT + .210*SIT HT + 28.57	2.98
CALF HEIGHT	.290	.026*WT + .087*SIT HT + 23.39	2.58
VERTICAL REACH/SIT	.711	.057*WT + .933*SIT HT + 44.54	4.08
SITTING HEIGHT	1.000	0.000*WT + 1.000*SIT HT + 0.00	0.00
EYE HEIGHT/SITTING	.898	.001*WT + .872*SIT HT + .52	1.57
MID-SHOULDER HT/S	.863	.012*WT + .715*SIT HT + 4.38	1.61
KNEE HEIGHT/SITTING	.550	.047*WT + .185*SIT HT + 29.81	2.28
POPLITEAL HEIGHT	.319	.005*WT + .202*SIT HT + 25.49	2.37
CHEST DEPTH	.766	.070*WT + .090*SIT HT + 20.20	1.28
CHEST BREADTH/SKIN	.759	.071*WT + .028*SIT HT + 21.82	1.40
HIP BREADTH	.821	.067*WT + .055*SIT HT + 17.55	1.15
OCCIPUT-EX CANTHUS	.245	.011*WT + .004*SIT HT + 15.85	.95
OCCIPUT-TRAGION	.137	.006*WT + .010*SIT HT + 8.41	1.18
HEAD HEIGHT	.300	.005*WT + .046*SIT HT + 8.26	.76
SHOULDER-ELBOW LTH	.509	.025*WT + .153*SIT HT + 19.02	1.60
FOREARM-HAND LTH	.488	.037*WT + .125*SIT HT + 30.74	2.01
BUTTOCK-KNEE LTH	.621	.070*WT + .085*SIT HT + 40.62	2.24
BUTTOCK-POPLITEAL	.460	.046*WT + .052*SIT HT + 37.79	2.22
BIDELTOID DIAMETER	.804	.089*WT + .034*SIT HT + 34.29	1.51
MAX F"ARM-F"ARM BR	.783	.151*WT + .199*SIT HT + 40.00	2.63
HIP BREADTH/SITTING	.857	.084*WT + .049*SIT HT + 16.36	1.23
BIZYGOMATIC DIAM	.532	.013*WT + .003*SIT HT + 12.20	.47
BITRAGION DIAMETER	.486	.012*WT + .004*SIT HT + 11.22	.49
HEAD LENGTH	.333	.009*WT + .019*SIT HT + 16.31	.69
OCCIPUT-NASAL ROOT	.315	.008*WT + .018*SIT HT + 16.20	.69
OCCIPUT-PRONASALE	.317	.009*WT + .027*SIT HT + 18.31	.79
HEAD BREADTH	.353	.009*WT + .005*SIT HT + 13.38	.55
INTERPUPILLARY DIS	.242	.004*WT + .012*SIT HT + 6.58	.39

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 30 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
1966 ARMY MEN

VARIABLE	R		SE EST
MENTON-NASAL ROOT	.303	.007*WT + .020*SIT HT + 9.10	.63
HAND LENGTH	.428	.014*WT + .040*SIT HT + 13.18	.87
PALM LENGTH	.352	.008*WT + .015*SIT HT + 7.96	.59
THUMB CROTCH-FFB	.259	.005*WT + .014*SIT HT + 2.90	.50
HAND BREADTH	.458	.008*WT + .018*SIT HT + 5.99	.44
HEEL BREADTH	.554	.012*WT - .020*SIT HT + 6.77	.39
FOOT LENGTH	.525	.022*WT + .077*SIT HT + 16.29	1.11
BALL OF FOOT LTH	.485	.018*WT + .047*SIT HT + 12.52	.91
BALL OF FOOT BR	.502	.011*WT + .015*SIT HT + 6.73	.47
HEAD CIRCUMFERENCE	.466	.030*WT + .026*SIT HT + 48.98	1.42
NECK CIRCUMFERENCE	.724	.067*WT - .050*SIT HT + 31.26	1.43
SHOULDER CIRCUMFER	.850	.242*WT - .182*SIT HT + 91.17	3.37
CHEST CIRCUMFERENCE	.858	.258*WT - .241*SIT HT + 74.58	3.43
WAIST CIRCUMFERENCE	.864	.318*WT - .309*SIT HT + 56.91	4.11
HIP CIRCUMFERENCE	.920	.250*WT - .072*SIT HT + 60.97	2.46
ARM SCYE CIRCUMFER	.707	.102*WT - .068*SIT HT + 34.50	2.30
BICEPS CIRC/EXTEND	.833	.105*WT - .156*SIT HT + 27.78	1.51
WRIST CIRCUMFERENCE	.636	.022*WT + .025*SIT HT + 11.29	.67
HAND CIRCUMFERENCE	.500	.023*WT + .023*SIT HT + 15.86	.98
BICEPS CIRC/FLEXED	.830	.105*WT - .171*SIT HT + 31.07	1.52
FOREARM CIRC/FLEXED	.693	.067*WT - .068*SIT HT + 24.93	1.55
WAIST BACK LENGTH	.471	.026*WT + .351*SIT HT + 9.06	3.04
SHOULDER LENGTH	.197	.016*WT + .012*SIT HT + 12.57	1.94
INTERSCYE DISTANCE	.535	.073*WT - .014*SIT HT + 28.75	2.66
INTERSCYE MAXIMUM	.579	.085*WT + .094*SIT HT + 30.59	3.02
SLEEVE LENGTH	.591	.082*WT + .215*SIT HT + 53.30	3.19
SLEEVE INSEAM	.411	.029*WT + .177*SIT HT + 27.92	2.44
VERTICAL TRUNK CIRC	.807	.230*WT + .723*SIT HT + 61.95	5.01
UPPER THIGH CIRCUM	.869	.189*WT - .201*SIT HT + 43.59	2.38
LOWER THIGH CIRCUM	.684	.117*WT - .069*SIT HT + 28.01	2.82
CALF CIRCUMFERENCE	.797	.093*WT - .040*SIT HT + 25.44	1.61
ANKLE CIRCUMFERENCE	.788	.040*WT + .038*SIT HT + 12.88	1.04
HEEL-ANKLE CIRCUMF	.639	.041*WT + .054*SIT HT + 22.69	1.27
INSTEP CIRCUMFERENCE	.516	.036*WT + .012*SIT HT + 19.74	1.41
BALL OF FOOT CIRC	.511	.029*WT + .039*SIT HT + 16.87	1.27

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 31

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
1967 USAF MEN

VARIABLE	R		SE EST
AGE	.164	.051*WT - .265*SIT HT + 45.87	6.22
WEIGHT	1.000	1.000*WT + 0.000*SIT HT + 0.00	0.00
SKF SUBSCAP"R-LNGE	.628	.018*WT - .050*SIT HT + 2.90	.41
SKF TRICEPS-LANGE	.572	.015*WT - .037*SIT HT + 2.12	.42
SKF JUX"NIPPLE-LGE	.656	.023*WT - .068*SIT HT + 3.71	.51
SKF MAL XIPH"D-LGE	.689	.021*WT - .063*SIT HT + 3.43	.41
SKF SUPRAILIAC-LGE	.694	.043*WT - .111*SIT HT + 5.49	.84
SKF SUPRAPATELLA-L	.565	.007*WT - .017*SIT HT + 1.10	.19
SKF SUBSCAP"R-HARP	.649	.017*WT - .053*SIT HT + 3.38	.38
SKF TRICEPS-HARP"N	.601	.014*WT - .036*SIT HT + 2.16	.35
SKF SUPRAILIAC-HPN	.677	.037*WT - .096*SIT HT + 4.94	.76
GRIP STRENGTH	.386	.237*WT + .730*SIT HT + 15.18	15.43
HEIGHT (STATURE)	.806	.057*WT + 1.355*SIT HT + 41.20	3.66
CERVICAL HEIGHT	.763	.067*WT + 1.133*SIT HT + 34.87	3.75
ACROMION HEIGHT	.754	.078*WT + 1.041*SIT HT + 34.68	3.78
RADIAL HEIGHT	.763	.063*WT + .838*SIT HT + 23.28	2.95
STYLION HEIGHT	.722	.046*WT + .714*SIT HT + 12.06	2.72
DACTYLION HEIGHT	.682	.038*WT + .604*SIT HT + 4.30	2.57
SUPRASTERNAL HGT	.769	.072*WT + 1.034*SIT HT + 36.36	3.51
NIPPLE HEIGHT	.708	.053*WT + .959*SIT HT + 30.70	3.69
WAIST HT-OMPHALION	.606	.044*WT + .726*SIT HT + 31.19	3.75
ILIOCRISTAL HT	.611	.074*WT + .584*SIT HT + 41.90	3.80
BUTTOCK HEIGHT	.535	.061*WT + .453*SIT HT + 37.32	3.70
TROCHANTERION HGT	.537	.050*WT + .516*SIT HT + 37.21	3.67
GLUTEAL FURROW HGT	.512	.046*WT + .441*SIT HT + 32.05	3.44
CROTCH HEIGHT	.484	.037*WT + .477*SIT HT + 34.21	3.63
PATELLA TOP HEIGHT	.537	.035*WT + .270*SIT HT + 21.38	2.15
KNEE CIRC HEIGHT	.544	.035*WT + .263*SIT HT + 19.07	2.09
FIBULAR HEIGHT	.526	.028*WT + .244*SIT HT + 16.27	1.92
CALF HEIGHT	.472	.029*WT + .192*SIT HT + 12.63	1.96
ANKLE HEIGHT	.287	.006*WT + .081*SIT HT + 5.13	1.10
SITTING HEIGHT	1.000	0.000*WT + 1.000*SIT HT + 0.00	0.00
EYE HEIGHT/SITTING	.930	-.001*WT + .891*SIT HT - 1.90	1.10
MIDSHOULDER HT/SIT	.877	.018*WT + .695*SIT HT - 3.29	1.32
ACROMION H"GT/SIT	.823	.019*WT + .671*SIT HT - 4.77	1.62

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 31 (cont'd)

**MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
1967 USAF MEN**

VARIABLE	R		SE EST
ELBOW REST HGT/SIT	.563	.001*WT + .459*SIT HT - 17.78	2.15
KNEE HEIGHT/SITT*G	.618	.045*WT + .267*SIT HT + 23.08	1.96
POPLITEAL HGHT/SIT	.492	.010*WT + .311*SIT HT + 12.99	1.95
BUTTOCK-KNEE LGTH	.646	.073*WT + .109*SIT HT + 37.58	2.06
BUTTOCK-POPLITEAL	.575	.061*WT + .098*SIT HT + 30.66	2.10
ACRM-BICEP CIR LVL	.355	.013*WT + .109*SIT HT + 6.59	1.41
SHOULDER-ELBOW LTH	.505	.019*WT + .188*SIT HT + 15.13	1.48
ACROMION-RADIALE L	.479	.019*WT + .170*SIT HT + 13.81	1.49
ELBOW-WRIST LENGTH	.497	.018*WT + .138*SIT HT + 14.01	1.22
RADIALE-STYLION LH	.456	.019*WT + .111*SIT HT + 13.24	1.26
ELBOW-GRIP LENGTH	.512	.019*WT + .177*SIT HT + 15.42	1.39
THUMB-TIP REACH	.485	.053*WT + .356*SIT HT + 37.94	3.48
THUMB-TIP R*CH/XTD	.455	.054*WT + .396*SIT HT + 43.32	4.02
SLEEVE INSEAM	.409	.015*WT + .273*SIT HT + 20.50	2.34
BIACROMIAL BREADTH	.479	.033*WT + .110*SIT HT + 24.75	1.70
BIDELTOID BREADTH	.801	.101*WT - .086*SIT HT + 38.72	1.53
CHEST BREADTH	.762	.081*WT - .105*SIT HT + 28.51	1.37
WAIST BROTH-OMPH*N	.873	.106*WT - .163*SIT HT + 27.75	1.16
BICRISTALE BREADTH	.656	.067*WT - .071*SIT HT + 22.91	1.54
HIP BREADTH	.809	.071*WT + .004*SIT HT + 22.57	1.11
HIP BREADTH SIT*G	.857	.095*WT - .052*SIT HT + 26.15	1.18
ELBOW BROTH BONE/R	.485	.006*WT + .024*SIT HT + 3.81	.32
ELBOW BROTH BONE/L	.509	.006*WT + .026*SIT HT + 3.63	.30
F*ARM-F*ARM BR*DTH	.729	.142*WT - .254*SIT HT + 53.34	2.59
KNEE BR*DTH BONE/R	.655	.011*WT + .031*SIT HT + 5.18	.34
KNEE BR*DTH BONE/L	.662	.011*WT + .033*SIT HT + 4.98	.34
CHEST DEPTH	.798	.079*WT - .165*SIT HT + 26.19	1.16
WAIST DEPTH-OMPH*N	.802	.091*WT - .208*SIT HT + 25.89	1.30
BUTTOCK DEPTH	.839	.088*WT - .143*SIT HT + 22.02	1.11
THIGH CLEARANCE HT	.793	.055*WT - .080*SIT HT + 14.43	.84
NECK CIRC -MAXIMUM	.704	.066*WT - .055*SIT HT + 32.01	1.36
SHOULDER CIRCUM*CE	.837	.239*WT - .204*SIT HT + 95.21	3.18
CHEST CIRC AT SCYE	.829	.255*WT - .377*SIT HT + 93.12	3.39
CHEST CIRCUMF*ENCE	.865	.282*WT - .528*SIT HT + 98.80	3.19
WAIST CIR-OMPHAL*N	.843	.339*WT - .658*SIT HT + 90.07	3.32

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 31 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
1967 USAF MEN

VARIABLE	R		SE EST
WAIST CIR-OMPH/SIT	.866	.336*WT - .725*SIT HT + 96.63	3.75
BUTTOCK CIRCUMF**CE	.926	.248*WT - .161*SIT HT + 70.57	2.08
BUTTOCK CIRCUM/SIT	.895	.297*WT - .267*SIT HT + 80.96	3.00
VERTICAL TRUNK CIR	.895	.215*WT + .892*SIT HT + 47.63	3.19
VERT TRUNK CIR/SIT	.866	.178*WT + 1.013*SIT HT + 36.01	3.48
SCROTALE-ANT WAIST	.545	.031*WT + .204*SIT HT + 4.05	1.73
SCROTALE-A WAIST/S	.551	.009*WT + .263*SIT HT - .63	1.42
SCRIL-SUPRASTERNLE	.756	.076*WT + .442*SIT HT + 14.47	2.23
SCRIL-SUPRSTRNLE/S	.755	.034*WT + .577*SIT HT + 3.90	1.96
SCRIL-ANT SCYE LVL	.704	.051*WT + .469*SIT HT + 1.26	2.23
SCRIL-ANT SCYE L/S	.677	.008*WT + .603*SIT HT - 9.10	2.17
SCRIL-A MIDSHOULDR	.795	.096*WT + .434*SIT HT + 20.26	2.26
SCRIL-A MDSHLD R/S	.763	.053*WT + .557*SIT HT + 11.25	2.12
SCROTALE-PST WAIST	.616	.082*WT + .029*SIT HT + 18.42	2.31
SCRIL-WAIST OVR BK	.600	.075*WT + .117*SIT HT + 18.70	2.42
SCROTALE-P WAIST/S	.499	.065*WT + .093*SIT HT + 16.60	2.70
SCRIL-WAIST/BUTT/S	.525	.062*WT + .116*SIT HT + 17.95	2.48
SCROTALE-CERVICALE	.776	.097*WT + .477*SIT HT + 21.35	2.50
SCROTALE-CERVICLE/S	.758	.094*WT + .475*SIT HT + 23.67	2.59
SCRIL-PST SCYE LVL	.690	.076*WT + .391*SIT HT + 12.55	2.58
SCRIL-PST SCYE L/S	.667	.075*WT + .377*SIT HT + 16.42	2.68
SCRIL-P MIDSHOULDR	.799	.114*WT + .410*SIT HT + 27.35	2.45
SCRIL-MDSHLD OVR B	.783	.103*WT + .504*SIT HT + 26.61	2.59
SCRIL-P MDSHLD R/S	.766	.115*WT + .388*SIT HT + 31.18	2.69
SCRIL-MDSHLD O B/S	.776	.106*WT + .449*SIT HT + 29.02	2.59
UPPER THIGH CIRCUM	.877	.196*WT - .273*SIT HT + 50.23	2.13
UPPER THIGH C/SIT	.899	.193*WT - .263*SIT HT + 48.88	1.87
KNEE CIRCUMFERENCE	.848	.082*WT + .001*SIT HT + 24.35	1.10
KNEE CIRCUM**CE/SIT	.855	.086*WT - .016*SIT HT + 25.86	1.10
CALF CIRCUMF/RIGHT	.788	.089*WT - .097*SIT HT + 30.78	1.40
CALF CIRCUMF/LEFT	.793	.088*WT - .085*SIT HT + 29.58	1.36
ANKLE CIRCUMF**ENCE	.694	.040*WT + .007*SIT HT + 14.81	.91
SCYE CIRCUMFERENCE	.741	.097*WT - .020*SIT HT + 33.39	1.86
BICEPS C-EXTEND/RT	.823	.098*WT - .166*SIT HT + 29.24	1.33
BICEPS C-EXTEND/LT	.836	.100*WT - .180*SIT HT + 29.80	1.28

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 31 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
1967 USAF MEN

VARIABLE	R		SE	EST
BICEPS C-FLEXED/RT	.792	.090*WT - .128*SIT HT + 29.05	1.38	
BICEPS C-FLEXED/LT	.806	.092*WT - .137*SIT HT + 28.91	1.33	
ELBOW CIR-EXTENDED	.782	.053*WT - .004*SIT HT + 18.84	.89	
ELBOW CIRC-FLEXED	.599	.047*WT + .031*SIT HT + 20.19	1.40	
LOWER ARM C-EXTEND	.790	.055*WT - .021*SIT HT + 20.56	.90	
LOWER ARM C-FLEXED	.714	.053*WT - .010*SIT HT + 21.50	1.11	
WRIST CIRCUMFERENCE	.594	.023*WT + .030*SIT HT + 10.80	.74	
SLVE L/SPINE-SCYE	.529	.043*WT + .029*SIT HT + 18.28	1.54	
SLVE L/SPINE-ELBOW	.612	.054*WT + .220*SIT HT + 30.70	2.07	
SLVE L/SPINE-WRIST	.642	.072*WT + .344*SIT HT + 46.27	2.70	
ANTERIOR NECK LGTH	.489	-.032*WT + .271*SIT HT - 11.26	1.47	
POSTERIOR NECK LTH	.336	-.017*WT + .197*SIT HT - 2.16	1.58	
SHOULDER LENGTH	.331	.011*WT + .079*SIT HT + 7.33	1.19	
DELTOID ARC	.367	.012*WT + .096*SIT HT + 4.88	1.24	
INTERSCYE	.422	.082*WT - .175*SIT HT + 40.82	3.41	
INTERSCYE MAXIMUM	.684	.089*WT + .101*SIT HT + 36.68	2.20	
WAIST FRONT-OMPH"N	.633	.044*WT + .221*SIT HT + 12.18	1.71	
CROTCH LGTH-OMPH"N	.734	.137*WT + .186*SIT HT + 29.49	3.01	
WAIST BACK-OMPHL"N	.681	.015*WT + .456*SIT HT + 1.82	1.74	
FOOT LENGTH	.556	.018*WT + .125*SIT HT + 12.26	.99	
INSTEP LENGTH	.508	.014*WT + .081*SIT HT + 9.81	.82	
FOOT BREADTH	.494	.008*WT + .034*SIT HT + 5.21	.43	
BALL-OF-FOOT CIRC	.575	.027*WT + .069*SIT HT + 13.73	1.01	
INSTEP CIRCUMFENCE	.628	.032*WT + .046*SIT HT + 15.85	.94	
HEEL CIRCUMFERENCE	.699	.037*WT + .108*SIT HT + 17.46	1.01	
BI-MALLEOLAR BRDTH	.536	.007*WT + .031*SIT HT + 3.22	.32	
LAT"L MALLEOLUS HT	.388	.006*WT + .037*SIT HT + 2.55	.50	
MED"L MALLEOLUS HT	.434	.005*WT + .057*SIT HT + 2.39	.51	
HAND LENGTH	.495	.009*WT + .089*SIT HT + 9.25	.71	
PALM LENGTH	.411	.005*WT + .046*SIT HT + 5.67	.49	
HAND BR/METACARPLE	.483	.007*WT + .026*SIT HT + 5.26	.36	
HAND BRTH AT THUMB	.503	.008*WT + .036*SIT HT + 5.45	.43	
HAND C/METACARPALE	.534	.019*WT + .052*SIT HT + 13.41	.79	
HAND C ROUND THUMB	.614	.026*WT + .061*SIT HT + 15.55	.85	
HAND THICK/META-3	.276	.002*WT + .007*SIT HT + 1.77	.20	

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 31 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
1967 USAF MEN

VARIABLE	R		SE EST
HEAD CIRCUMFERENCE	.426	.024*WT + .056*SIT HT + 48.13	1.29
SAGITTAL ARC/INION	.199	.004*WT + .089*SIT HT + 25.66	1.62
MINIMUM FRONTL ARC	.200	.008*WT - .006*SIT HT + 12.77	.77
BITRAGION-CORONAL	.341	.013*WT + .072*SIT HT + 26.79	1.18
BITRAGN-MIN FRNTAL	.373	.015*WT + .029*SIT HT + 25.49	.92
BITRAG*N-SUBNASALE	.466	.022*WT + .003*SIT HT + 25.21	.90
BITRAGION-MENTON	.547	.029*WT + .029*SIT HT + 24.91	1.03
BIT-SUBMANDIBULAR	.536	.037*WT + .029*SIT HT + 21.85	1.33
BITRAG*N-POSTERIOR	.302	.020*WT + .016*SIT HT + 24.48	1.43
HEAD LENGTH	.296	.006*WT + .034*SIT HT + 15.66	.64
HEAD DIAGNL/MENTON	.459	.009*WT + .067*SIT HT + 17.80	.67
HD DIAG/INION-NOSE	.256	.010*WT + .024*SIT HT + 17.96	.98
EAR BREADTH	.192	.002*WT + .007*SIT HT + 2.80	.30
EAR LENGTH	.300	.005*WT + .012*SIT HT + 4.61	.41
EAR L ABOVE TRAGION	.105	.001*WT + .005*SIT HT + 2.30	.29
HEAD BREADTH	.305	.008*WT - .001*SIT HT + 14.30	.52
MAXIMUM FRONTAL BR	.303	.006*WT + .008*SIT HT + 9.81	.43
BITRAGION BREADTH	.398	.011*WT - .004*SIT HT + 12.72	.51
BIZYGOMATIC BR"OTH	.454	.011*WT - .004*SIT HT + 12.69	.46
BIGONIAL BREADTH	.422	.015*WT - .019*SIT HT + 10.90	.63
EAR-TO-EAR BREADTH	.284	.008*WT + .026*SIT HT + 15.02	.77
BIOCLAR BREADTH	.189	.004*WT + .002*SIT HT + 8.29	.48
INTERPUILLARY BRD	.183	.003*WT + 0.000*SIT HT + 5.75	.36
INTEROCULAR BR"OTH	.165	.002*WT - .004*SIT HT + 3.36	.27
NOSE BREADTH	.202	.003*WT - .006*SIT HT + 3.58	.29
LIP LENGTH	.176	.003*WT + .004*SIT HT + 4.34	.37
EAR PROTRUSION	.130	.001*WT + .007*SIT HT + 1.34	.33
SUBNASALE-NASAL RT	.186	.001*WT + .019*SIT HT + 3.19	.37
PHILTRUM LENGTH	.131	.002*WT + .001*SIT HT + 1.11	.27
LIP-TO-LIP LENGTH	.090	-.001*WT + .008*SIT HT + 1.16	.38
MENTON-SUBNASALE L	.190	.003*WT + .017*SIT HT + 4.80	.52
MENTON-NASAL ROOT	.283	.004*WT + .036*SIT HT + 7.98	.58
GLABELLA-TO-VERTEX	.152	-.002*WT + .052*SIT HT + 4.78	.96
NASAL ROOT-TO-VRTX	.200	0.000*WT + .063*SIT HT + 4.88	.92
XTRNL CANTHUS-VRTX	.214	0.000*WT + .052*SIT HT + 7.10	.75

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 31 (concluded)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
1967 USAF MEN

VARIABLE	R		SE	EST
PRONASALE-TO-VRTX	.221	$-.002*WT + .084*SIT$	HT + 7.26	1.08
SUBNASALE-TO-VRTX	.257	$-.001*WT + .088*SIT$	HT + 8.06	.99
STOMION-TO-VERTEX	.271	$0.000*WT + .089*SIT$	HT + 10.07	.96
MENTON-TO-VERTEX	.303	$.002*WT + .092*SIT$	HT + 13.85	.98
TRAGION-TO-VERTEX	.231	$.002*WT + .035*SIT$	HT + 9.84	.59
GLABELLA-TO-WALL	.317	$.086*WT + .037*SIT$	HT + 15.86	.64
NASAL ROOT-TO-WALL	.312	$.006*WT + .035*SIT$	HT + 15.86	.62
XTRNL CANTHUS-WALL	.232	$.006*WT + .017*SIT$	HT + 15.16	.64
PRONASALE-TO-WALL	.313	$.009*WT + .027*SIT$	HT + 18.60	.71
SUBNASALE-TO-WALL	.286	$.009*WT + .017*SIT$	HT + 17.84	.75
LIP PROMIN*CE-WALL	.292	$.011*WT + .008*SIT$	HT + 18.51	.82
CHIN PROMINCE-WALL	.329	$.016*WT + 0.000*SIT$	HT + 17.70	.99
TRAGION-TO-WALL	.138	$.004*WT + .007*SIT$	HT + 8.99	.64
GUESSED HEIGHT	.773	$.065*WT + 1.212*SIT$	HT + 55.05	3.82
GUESSED HEIGHT	.975	$.869*WT + .385*SIT$	HT - 13.17	4.34

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 32

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
COMBINED MEN

VARIABLE	R		SE EST
WEIGHT	1.000	1.000*WT + 0.000*SIT HT +	0.00 0.00
HEIGHT (STATURE)	.774	.063*WT + 1.150*SIT HT +	59.95 4.19
ACROMION HEIGHT	.699	.073*WT + .865*SIT HT +	53.20 4.39
CERVICAL HEIGHT	.728	.074*WT + .951*SIT HT +	51.29 4.32
SITTING HEIGHT	1.000	0.000*WT + 1.000*SIT HT +	0.00 0.00
MIDSHOULDER HT/SIT	.878	.014*WT + .718*SIT HT -	4.91 1.54
ANKLE CIRCUMFERENCE	.633	.037*WT + .007*SIT HT +	15.95 1.08
SCYE CIRCUMFERENCE	.731	.109*WT + .005*SIT HT +	27.35 2.43
BICEPS C-FLEXED/RT	.817	.100*WT - .178*SIT HT +	32.36 1.52
BIDELTOID BREADTH	.810	.097*WT - .001*SIT HT +	30.42 1.67
BUTTOCK CIRCUMFERENCE	.926	.253*WT - .063*SIT HT +	59.91 2.40
BUTTOCK-KNEE LENGTH	.635	.069*WT + .083*SIT HT +	40.89 2.20
CALF CIRCUMFERENCE/RIGHT	.790	.090*WT - .068*SIT HT +	28.31 1.58
CALF HEIGHT	.318	.025*WT + .096*SIT HT +	22.61 2.45
CHEST BREADTH	.773	.077*WT - .010*SIT HT +	19.53 1.49
CHEST CIRCUMFERENCE	.866	.268*WT - .253*SIT HT +	74.48 3.47
CROTCH HEIGHT	.435	.022*WT + .457*SIT HT +	38.91 4.11
BIZYGOMATIC BREADTH	.536	.013*WT - .002*SIT HT +	12.12 .47
FOOT LENGTH	.528	.020*WT + .080*SIT HT +	16.28 1.08
LOWER ARM C-FLEXED	.689	.063*WT - .069*SIT HT +	25.56 1.46
HAND BR/METACARPAL	.440	.007*WT + .016*SIT HT +	6.30 .42
HAND C/METACARPAL	.477	.021*WT + .018*SIT HT +	16.53 .96
HAND LENGTH	.425	.012*WT + .044*SIT HT +	13.08 .84
HEAD BREADTH	.388	.009*WT + .009*SIT HT +	13.07 .55
HEAD CIRCUMFERENCE	.514	.032*WT + .055*SIT HT +	46.25 1.44
HEAD LENGTH	.373	.009*WT + .028*SIT HT +	15.55 .69
HIP BREADTH	.832	.071*WT + .070*SIT HT +	15.79 1.21
INSTEP CIRCUMFERENCE	.436	.030*WT - .018*SIT HT +	23.08 1.43
INSTEP LENGTH	.483	.016*WT + .047*SIT HT +	12.78 .90
INTERPUPILLARY BROAD	.250	.005*WT - .006*SIT HT +	5.90 .38
INTERSCYE	.469	.071*WT - .083*SIT HT +	35.02 2.94
MENTON-NASAL ROOT	.281	.006*WT + .019*SIT HT +	9.32 .62
PALM LENGTH	.390	.008*WT + .023*SIT HT +	7.25 .57
PATELLA TOP HEIGHT	.391	.030*WT + .190*SIT HT +	30.55 2.84
POPLITEAL HEIGHT/SIT	.286	.002*WT + .184*SIT HT +	27.23 2.36

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 32 cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING MEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
COMBINED MEN

VARIABLE	R		SE EST
SHOULDER CIRCUM"CE	.857	.246*WT - .148*SIT HT + 87.81	3.37
SHOULDER-ELBOW LTH	.394	.018*WT + .117*SIT HT + 23.00	1.72
SHOULDER LENGTH	.232	.015*WT + .029*SIT HT + 11.21	1.78
SLEEVE INSEAM	.381	.023*WT + .173*SIT HT + 29.02	2.45
UPPER THIGH CIRCUM	.878	.194*WT - .183*SIT HT + 41.43	2.37
WAIST CIR-OMPHAL"IN	.872	.334*WT - .279*SIT HT + 53.35	4.21
ILIOCRISTALE HT	.577	.062*WT + .580*SIT HT + 43.99	4.38

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 33

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
1968 USAF WOMEN

VARIABLE	R		SE EST
AGE	.224	.091*WT - .043*SIT HT + 15.53	6.29
WEIGHT	1.000	1.000*WT + 0.000*SIT HT + 0.00	.00
TRICEPS SKINFOLD	.632	.023*WT - .040*SIT HT + 2.40	.42
SUBSCAPULAR SKINFOLD	.630	.021*WT - .048*SIT HT + 2.72	.38
SUPRAILIAC SKINFOLD	.621	.030*WT - .054*SIT HT + 2.78	.55
MEDIAL CALF SKINFOLD	.393	.014*WT - .027*SIT HT + 2.12	.48
STATURE	.818	.069*WT + 1.342*SIT HT + 38.45	3.45
STATURE, MAXIMUM	.820	.069*WT + 1.351*SIT HT + 38.32	3.45
CERVICAL HEIGHT	.780	.077*WT + 1.116*SIT HT + 33.87	3.46
ACROMIAL HEIGHT	.765	.086*WT + 1.043*SIT HT + 31.63	3.53
SUPRASTERNAL HEIGHT	.776	.081*WT + 1.040*SIT HT + 32.67	3.34
BUST POINT HEIGHT	.690	.054*WT + .971*SIT HT + 28.33	3.77
WAIST HEIGHT	.650	.072*WT + .680*SIT HT + 32.91	3.42
ABDOMINAL EXT HEIGHT	.589	.056*WT + .639*SIT HT + 31.33	3.57
TROCHANTERIC HEIGHT	.563	.072*WT + .500*SIT HT + 30.71	3.53
BUTTOCK HEIGHT	.552	.077*WT + .439*SIT HT + 34.83	3.47
GLUTEAL FURROW HEIGHT	.477	.047*WT + .437*SIT HT + 29.31	3.48
TIBIAL HEIGHT	.502	.035*WT + .250*SIT HT + 16.13	2.05
CROTCH HEIGHT	.523	.065*WT + .430*SIT HT + 29.42	3.43
ANKLE HEIGHT	.220	.006*WT + .075*SIT HT + 4.00	1.32
LAT'L MALLEOLUS HT	.347	.004*WT + .051*SIT HT + 1.90	.55
SITTING HT, RELAXED	.968	-.003*WT + 1.003*SIT HT - 1.20	.81
SITTING HEIGHT	1.000	0.000*WT + 1.000*SIT HT + 0.00	.00
EYE HEIGHT, SITTING	.928	0.000*WT + .894*SIT HT - 2.82	1.14
MIDSHOULDER HT, SIT	.885	.015*WT + .700*SIT HT - 3.83	1.24
WAIST HEIGHT, SITTING	.573	.016*WT + .264*SIT HT - 1.27	1.42
ELBOW REST HEIGHT	.558	-.019*WT + .473*SIT HT - 15.36	2.04
POP'LITEAL HEIGHT	.447	.026*WT + .168*SIT HT + 23.36	1.66
BUTTOCK-POP'LITEAL L	.568	.089*WT + .056*SIT HT + 31.59	2.27
BUTTOCK-KNEE LENGTH	.703	.101*WT + .105*SIT HT + 35.58	1.87
ACROMION-RADIAL L	.517	.029*WT + .158*SIT HT + 13.79	1.39
RADIAL-STYLION L	.438	.021*WT + .111*SIT HT + 11.21	1.23
THUMB-TIP REACH	.481	.074*WT + .294*SIT HT + 39.55	3.40
THUMB-TIP, EXTENDED	.489	.084*WT + .433*SIT HT + 36.08	4.26
OVERHEAD REACH	.652	.127*WT + 1.343*SIT HT + 68.10	6.49

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 33 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
1968 USAF WOMEN

VARIABLE	R		SE EST
NECK CIRCUMFERENCE	.584	.056*WT + .031*SIT HT + 23.97	1.36
SHOULDER CIRCUMFER	.841	.276*WT - .189*SIT HT + 81.46	2.78
CHEST CIRC AT SCYE	.812	.260*WT - .213*SIT HT + 69.39	2.90
BUST CIRCUMFERENCE	.816	.306*WT - .341*SIT HT + 79.97	3.29
CHEST C BELOW BUST	.802	.253*WT - .234*SIT HT + 62.15	2.91
WAIST CIRCUMFERENCE	.845	.305*WT - .361*SIT HT + 59.28	2.93
ABDOMINAL EXT CIRC	.809	.386*WT - .405*SIT HT + 71.18	4.28
HIP C-7" BLW WAIST	.897	.318*WT - .193*SIT HT + 69.68	2.47
HIP C-9" BLW WAIST	.887	.331*WT - .107*SIT HT + 62.30	2.78
UPPER THIGH CIRCUM	.855	.235*WT - .234*SIT HT + 45.59	2.19
KNEE CIRCUMFERENCE	.820	.114*WT - .026*SIT HT + 24.02	1.30
CALF CIRCUM, RIGHT	.755	.106*WT - .045*SIT HT + 24.50	1.47
CALF CIRCUM, LEFT	.749	.107*WT - .043*SIT HT + 24.29	1.51
ANKLE CIRCUMFERENCE	.601	.041*WT + .049*SIT HT + 11.67	1.03
VERTICAL TRUNK CIRC	.871	.241*WT + .924*SIT HT + 44.66	3.37
VERTICAL TRK C, SIT	.876	.189*WT + 1.118*SIT HT + 30.31	3.16
BUTTOCK CIRC, SIT	.906	.343*WT - .124*SIT HT + 66.95	2.58
SCYE CIRCUMFERENCE	.777	.110*WT - .032*SIT HT + 25.84	1.44
AXILLARY ARM CIRC	.820	.128*WT - .173*SIT HT + 25.95	1.34
BICEPS C, RELAXED, R	.838	.129*WT - .198*SIT HT + 26.14	1.25
BICEPS C, FLEXED, R	.838	.130*WT - .191*SIT HT + 26.60	1.26
BICEPS C, RELAXED, L	.846	.137*WT - .220*SIT HT + 27.06	1.28
BICEPS C, FLEXED, L	.840	.135*WT - .205*SIT HT + 26.90	1.29
ELBOW CIRC, FLEXED	.575	.058*WT + .039*SIT HT + 16.26	1.46
FOREARM C, RELAXED	.814	.072*WT - .050*SIT HT + 18.59	.80
FOREARM C, FLEXED	.785	.076*WT - .052*SIT HT + 19.75	.94
WRIST CIRCUMFERENCE	.659	.025*WT + .034*SIT HT + 8.87	.54
BIACROMIAL BREADTH	.522	.040*WT + .098*SIT HT + 22.36	1.40
BIOELTIOID BREADTH	.805	.120*WT - .090*SIT HT + 34.30	1.37
CHEST BREADTH	.704	.085*WT - .046*SIT HT + 21.11	1.36
BUST PT-BUST PT BR	.600	.061*WT - .072*SIT HT + 16.93	1.24
WAIST BREADTH	.775	.096*WT - .072*SIT HT + 18.07	1.22
HIP BREADTH	.770	.102*WT + .008*SIT HT + 21.30	1.41
THIGH-THIGH BR, SIT	.787	.142*WT - .079*SIT HT + 26.88	1.76
HUMERAL BREADTH, R	.577	.008*WT + .023*SIT HT + 3.15	.25

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 33 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
1968 USAF WOMEN

VARIABLE	R		SE EST
HUMERAL BREADTH, L	.580	.008*WT + .022*SIT HT + 3.20	.25
FEMORAL BREADTH, R	.495	.012*WT + .015*SIT HT + 5.30	.39
FEMORAL BREADTH, L	.521	.012*WT + .013*SIT HT + 5.50	.37
CHEST DEPTH	.767	.099*WT - .129*SIT HT + 22.08	1.24
WAIST DEPTH	.765	.086*WT - .123*SIT HT + 16.60	1.08
ABDOMINAL EXT DPTH	.825	.117*WT - .177*SIT HT + 21.15	1.20
BUTTOCK DEPTH	.825	.098*WT - .117*SIT HT + 18.69	1.01
THIGH CLEARANCE	.714	.055*WT - .011*SIT HT + 6.38	.88
SHOULDER LENGTH	.338	.010*WT + .073*SIT HT + 7.14	.96
NECK-BUST POINT L	.573	.064*WT + .013*SIT HT + 16.24	1.55
STRAP LENGTH	.656	.149*WT + .068*SIT HT + 40.44	2.96
INTERSCYE	.539	.084*WT - .062*SIT HT + 29.67	2.06
INTERSCYE, MAXIMUM	.556	.103*WT + .072*SIT HT + 36.12	2.73
BACK CURVATURE	.610	.119*WT - .076*SIT HT + 33.50	2.42
WAIST BACK	.657	-.002*WT + .467*SIT HT + .79	1.67
ANTERIOR WAIST LTH	.579	.031*WT + .249*SIT HT + 8.32	1.60
SLEEVE INSEAM	.405	.019*WT + .248*SIT HT + 20.48	2.21
SPINE-TO-SCYE LGTH	.432	.033*WT + .021*SIT HT + 14.37	1.22
SPINE-TO-ELBOW LTH	.624	.062*WT + .222*SIT HT + 26.42	1.88
SPINE-TO-WRIST LTH	.623	.085*WT + .311*SIT HT + 42.14	2.60
HAND LENGTH	.464	.014*WT + .091*SIT HT + 6.81	.85
HAND BREADTH	.439	.008*WT + .019*SIT HT + 4.91	.35
HAND CIRCUMFERENCE	.503	.024*WT + .030*SIT HT + 12.70	.78
FOOT LENGTH	.592	.023*WT + .122*SIT HT + 10.70	.91
FOOT BREADTH	.404	.010*WT + .017*SIT HT + 6.14	.46
HEAD LENGTH	.337	.009*WT + .036*SIT HT + 14.18	.64
HEAD BREADTH	.290	.010*WT + 0.000*SIT HT + 13.24	.57
HEAD CIRCUMFERENCE	.419	.033*WT + .067*SIT HT + 44.93	1.47
TRAGION-TOP HEAD	.264	.007*WT + .039*SIT HT + 8.50	.74
ECTOCANTHUS-TOP HD	.224	.005*WT + .049*SIT HT + 6.93	.90
PRONASALE-TOP HEAD	.231	.003*WT + .075*SIT HT + 7.95	1.14
SUBNASALE-TOP HEAD	.276	.005*WT + .081*SIT HT + 8.34	1.06
STOMION-TOP HEAD	.273	.005*WT + .081*SIT HT + 10.26	1.08
MENTON-TOP HEAD	.347	.011*WT + .099*SIT HT + 12.89	1.07
TRAGION TO WALL	.205	.011*WT + .006*SIT HT + 8.26	.88

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 33 (concluded)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
1968 USAF WOMEN

VARIABLE	R		SE EST
ECTOCANTHUS-WALL	.295	$.015*WT + .017*SIT HT + 13.00$	.92
PRONASALE TO WALL	.350	$.018*WT + .022*SIT HT + 17.01$	.90
SUBNASALE TO WALL	.311	$.018*WT + .002*SIT HT + 17.20$	.93
LIP PROTRUSION-WALL	.276	$.019*WT - .021*SIT HT + 18.68$	1.02
MENTON TO WALL	.321	$.025*WT - .042*SIT HT + 18.65$	1.08
SAGITTAL CURVATURE	.327	$.010*WT + .121*SIT HT + 23.16$	1.41
BITRAGION-CORONAL	.319	$.021*WT + .050*SIT HT + 26.97$	1.33
BIOGULAR BREADTH	.234	$.007*WT + .001*SIT HT + 8.70$	.48
BIAURICULAR BROTH	.227	$.010*WT + .024*SIT HT + 12.51$	.93
BITRAGION BREADTH	.392	$.012*WT + .003*SIT HT + 11.10$	.46
BIZYGOMATIC BROTH	.359	$.013*WT - .005*SIT HT + 11.67$	.54
BIGONIAL BREADTH	.349	$.013*WT - .008*SIT HT + 9.22$	.53
NASAL BREADTH	.164	$.003*WT - .014*SIT HT + 4.01$	.33
LIP LENGTH	.098	$.003*WT - .007*SIT HT + 4.60$	.42
MENTON-SUBNASALE L	.219	$.005*WT + .011*SIT HT + 3.96$	.50
MENTON-SELLION LTH	.298	$.007*WT + .030*SIT HT + 7.17$	.58
SUBNASALE-SELLION	.209	$.002*WT + .019*SIT HT + 2.67$	.40
EAR LENGTH	.263	$.007*WT + .006*SIT HT + 3.83$	.43
EAR BREADTH	.139	$.003*WT + 0.000*SIT HT + 2.60$	.33
GRIP STRENGTH	.372	$.236*WT + .405*SIT HT + 1.19$	11.67
STATURE REPORTED	.788	$.004*WT + .049*SIT HT + 1.77$	.15
WEIGHT REPORTED	.964	$.091*WT + .019*SIT HT - .67$	.42

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 34

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
1977 ARMY WOMEN

VARIABLE	R	SE	EST
WEIGHT	1.000	1.000*WT + 0.000*SIT HT +	0.00 0.00
STATURE	.801	.086*WT + 1.199*SIT HT +	49.58 3.90
SHOULDER HEIGHT	.756	.163*WT + .931*SIT HT +	40.66 3.92
AXILLA HEIGHT	.731	.081*WT + .884*SIT HT +	37.34 3.81
BUSTPOINT HEIGHT	.674	.067*WT + .852*SIT HT +	36.95 4.16
WAIST HEIGHT	.608	.064*WT + .681*SIT HT +	34.99 4.13
CROTCH HEIGHT	.468	.064*WT + .336*SIT HT +	39.32 3.87
BUITOCK HEIGHT	.519	.095*WT + .278*SIT HT +	47.58 3.99
KNEECAP HEIGHT	.502	.041*WT + .222*SIT HT +	23.59 2.29
CALF HEIGHT	.437	.043*WT + .094*SIT HT +	18.87 2.07
SITTING HEIGHT	1.000	0.000*WT + 1.000*SIT HT +	0.00 0.00
EYE HEIGHT/SIT	.965	0.000*WT + .934*SIT HT +	5.82 .91
SHOULDER-ELBOW L	.551	.030*WT + .157*SIT HT +	16.24 1.46
ELBOW-FINGERTIP	.473	.045*WT + .108*SIT HT +	28.38 2.01
KNEE HEIGHT/SIT	.592	.059*WT + .191*SIT HT +	26.94 2.10
POPLITEAL HEIGHT	.483	.033*WT + .200*SIT HT +	20.31 2.06
BUITOCK-KNEE LGTH	.719	.110*WT + .054*SIT HT +	38.71 2.13
BUST DEPTH	.770	.097*WT + .137*SIT HT +	21.75 1.42
WAIST DEPTH	.781	.099*WT + .196*SIT HT +	21.87 1.38
CHEST BREADTH	.792	.081*WT + .062*SIT HT +	22.81 1.13
WAIST BREADTH	.763	.105*WT + .122*SIT HT +	22.08 1.59
HIP BREADTH	.808	.099*WT + .055*SIT HT +	17.60 1.46
SHOULDER BREADTH	.821	.098*WT + .034*SIT HT +	31.98 1.28
NECK CIRCUMFERENCE	.660	.055*WT + .002*SIT HT +	24.92 1.19
SHOULDER CIRCUMFER	.846	.253*WT + .177*SIT HT +	82.00 2.91
CHEST CIRC AT SCYE	.841	.242*WT + .208*SIT HT +	71.25 2.81
BUST CIRCUMFERENCE	.831	.299*WT + .324*SIT HT +	76.25 1.57
CHEST C BELOW BUST	.815	.225*WT + .162*SIT HT +	58.85 2.91
WAIST CIRCUMFERENCE	.827	.324*WT + .479*SIT HT +	68.93 3.88
HIP CIRCUMFERENCE	.906	.301*WT + .010*SIT HT +	54.87 2.71
VERTICAL TRUNK CIRC	.907	.234*WT + .915*SIT HT +	45.06 3.06
ARM CIRC AT SCYE	.825	.107*WT + .038*SIT HT +	26.61 1.37
BICEPS CIRC, FLXD	.843	.109*WT + .134*SIT HT +	23.86 1.23
ELBOW CIRC FLXD	.669	.055*WT + .019*SIT HT +	17.09 1.21
FOREARM CIRC, FLXD	.791	.066*WT + .043*SIT HT +	19.56 .94

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 34 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
1977 ARMY WOMEN

VARIABLE	R		SE EST
WRIST CIRCUMFERENC	.665	.022*WT + .021*SIT HT + 10.01	.51
UPPER THIGH CIRCUM	.895	.227*WT - .194*SIT HT + 43.41	2.05
KNEE CIRCUMFERENCE	.823	.098*WT - .005*SIT HT + 22.30	1.29
CALF CIRCUMFERENCE	.782	.104*WT - .024*SIT HT + 23.38	1.56
ANKLE CIRCUMFERENC	.654	.038*WT + .052*SIT HT + 11.29	.94
SHOULDER LENGTH	.332	.009*WT + .069*SIT HT + 7.94	1.00
INTERSCYE BACK	.489	.060*WT + .007*SIT HT + 29.33	2.05
INTERSCYE FRONT	.577	.051*WT + .023*SIT HT + 24.47	1.43
BACK ARC, BUST	.771	.137*WT - .141*SIT HT + 35.85	2.02
BACK ARC, WAIST	.796	.157*WT - .214*SIT HT + 32.75	2.11
BACK ARC, HIP	.798	.160*WT - .055*SIT HT + 31.03	2.25
WAIST BACK	.547	.016*WT + .360*SIT HT + 8.11	2.22
WAIST FRONT	.482	.039*WT + .210*SIT HT + 13.71	2.30
NECK-BUSTPOINT LGT	.573	.060*WT + .031*SIT HT + 14.71	1.71
AXILLA-WAIST LEVEL	.333	.004*WT + .224*SIT HT + 3.51	2.37
SLEEVE INSEAM	.403	.035*WT + .158*SIT HT + 26.98	2.39
SLEEVE OUTSEAM	.486	.050*WT + .209*SIT HT + 29.40	2.59
CROTCH LENGTH	.677	.150*WT + .394*SIT HT + 19.58	4.02
HEAD CIRCUMFERENCE	.411	.032*WT + .037*SIT HT + 47.55	1.49
HEAD BREADTH	.320	.009*WT + .004*SIT HT + 13.08	.51
HEAD LENGTH	.346	.009*WT + .029*SIT HT + 15.05	.63
PALM LENGTH	.379	.007*WT + .029*SIT HT + 6.49	.48
HAND BREADTH	.506	.010*WT + .007*SIT HT + 5.90	.33
HAND CIRCUMFERENCE	.534	.022*WT + .021*SIT HT + 13.75	.72
HAND LENGTH	.424	.015*WT + .043*SIT HT + 11.80	.82
INSTEP LENGTH	.522	.023*WT + .042*SIT HT + 11.24	.84
FOOT LENGTH	.546	.028*WT + .072*SIT HT + 14.49	1.05
HEEL-ANKLE CIRCUMF	.645	.045*WT + .041*SIT HT + 21.35	1.11
FOOT BREADTH	.504	.012*WT + .017*SIT HT + 5.83	.44
HEEL BREADTH	.517	.012*WT - .019*SIT HT + 6.12	.35
FOOT CIRCUMFERENCE	.595	.032*WT + .034*SIT HT + 15.49	.92
INSTEP CIRCUMFEREM	.590	.039*WT - .005*SIT HT + 18.75	1.02
ANKLE HEIGHT	.264	.004*WT + .064*SIT HT + 4.88	.98
SPHYRION HEIGHT	.411	.002*WT + .057*SIT HT + 1.35	.49

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 35

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY HEIGHT AND SITTING HEIGHT*
COMBINED WOMEN

VARIABLE	R		SE EST
WEIGHT	1.000	$1.000*WT + 0.000*SIT$ HT + 0.00	.00
STATURE	.806	$.086*WT + 1.241*SIT$ HT + 45.39	3.69
SHOULDER HEIGHT	.753	$.106*WT + .944*SIT$ HT + 38.24	3.79
BUSTPOINT HEIGHT	.682	$.064*WT + .906*SIT$ HT + 32.69	3.94
WAIST HEIGHT	.627	$.076*WT + .651*SIT$ HT + 35.34	3.76
CROTCH HEIGHT	.494	$.076*WT + .341*SIT$ HT + 36.34	3.72
BUTTOCK HEIGHT	.534	$.096*WT + .325*SIT$ HT + 42.72	3.76
SITTING HEIGHT	1.000	$0.000*WT + 1.000*SIT$ HT + 0.00	.00
EYE HEIGHT SIT	.943	$.002*WT + .904*SIT$ HT - 3.77	1.07
POPITEAL HEIGHT	.464	$.033*WT + .168*SIT$ HT + 22.70	1.86
BUTTOCK-KNEE LTH	.713	$.107*WT + .078*SIT$ HT + 37.12	1.98
BUST DEPTH	.719	$.092*WT - .104*SIT$ HT + 20.34	1.45
WAIST DEPTH	.770	$.096*WT - .178*SIT$ HT + 20.34	1.27
CHEST BREADTH	.736	$.082*WT - .049*SIT$ HT + 21.69	1.27
WAIST BREADTH	.764	$.106*WT - .119*SIT$ HT + 21.19	1.46
HIP BREADTH	.787	$.101*WT + .031*SIT$ HT + 19.44	1.43
SHOULDER BROTH	.802	$.107*WT - .052*SIT$ HT + 32.56	1.36
SHOULDER CIRC	.831	$.257*WT - .148*SIT$ HT + 79.84	2.91
CHEST CIRC AT SCYE	.824	$.251*WT - .210*SIT$ HT + 70.29	2.86
BUST CIRC	.786	$.286*WT - .259*SIT$ HT + 74.28	3.72
CHEST CIRC	.801	$.235*WT - .180*SIT$ HT + 59.54	2.94
WAIST CIRC	.831	$.326*WT - .471*SIT$ HT + 66.88	3.52
HIP (BUTTOCK) CIRC	.892	$.309*WT - .028*SIT$ HT + 57.99	2.75
VERT TRUNK CIRC	.883	$.233*WT + .347*SIT$ HT + 43.23	3.30
ARM SCYE CIRC	.797	$.108*WT - .033*SIT$ HT + 26.14	1.41
BICIPIS CIRC, FLXD	.828	$.117*WT - .149*SIT$ HT + 24.44	1.29
FOREARM CIRC, FLXD	.755	$.068*WT - .030*SIT$ HT + 18.61	1.00
WRIST CIRC	.628	$.021*WT + .036*SIT$ HT + 9.07	.55
UPPER THIGH CIRC	.875	$.234*WT - .223*SIT$ HT + 44.89	2.14
CALF CIRC	.770	$.108*WT - .046*SIT$ HT + 24.51	1.53
ANKLE CIRC	.601	$.037*WT + .063*SIT$ HT + 10.78	1.03
SHOULDER LTH	.331	$.011*WT + .064*SIT$ HT + 7.91	.99
WAIST BACK	.666	$.123*WT - .189*SIT$ HT + 33.78	2.30
BACK CURV AT BUST	.592	$.009*WT + .402*SIT$ HT + 5.16	1.94
NECK-BUSTPOINT LT	.561	$.060*WT + .033*SIT$ HT + 14.84	1.63

*WEIGHT IN LBS SITTING HEIGHT IN CM

TABLE 35 (cont'd)

MULTIPLE REGRESSION EQUATIONS FOR PREDICTING WOMEN'S
ANTHROPOMETRIC DIMENSIONS FROM BODY WEIGHT AND SITTING HEIGHT*
COMBINED WOMEN

VARIABLE	R		SE EST
SLEEVE INSEAM	.397	.033*WT + .180*SIT HT + 24.88	2.33
HEAD BREADTH	.306	.010*WT + 0.000*SIT HT + 13.26	.55
HEAD LENGTH	.345	.011*WT + .026*SIT HT + 14.89	.65
HAND BREADTH	.472	.010*WT + .007*SIT HT + 5.77	.36
HAND CIRC	.520	.024*WT + .024*SIT HT + 13.22	.76
HAND LENGTH	.390	.010*WT + .090*SIT HT + 9.02	.96
FOOT LENGTH	.570	.027*WT + .092*SIT HT + 12.83	.97
FOOT BREADTH	.446	.011*WT + .017*SIT HT + 6.00	.45
ANKLE HEIGHT	.235	.003*WT + .077*SIT HT + 4.09	1.20

*WEIGHT IN LBS SITTING HEIGHT IN CM

REFERENCES

Churchill, Edmund, Paul Kikta and Thomas Churchill, 1977a, The AMRL Anthropometric Data Bank Library: Volumes I-V, AMRL-TR-77-1 (AD A047 314), Aerospace Medical Research Laboratory, Wright-Patterson Air Force Base, Ohio.

Churchill, Edmund, Thomas Churchill, John T. McConville and Robert M. White, 1977b, Anthropometry of Women in the U.S. Army--1977; Report No. 2 - The Basic Univariate Statistics, Technical Report NATICK/TR-77/024 (AD A044 806), U.S. Army Natick Research and Development Command, Natick, Massachusetts.

Churchill, Edmund, Paul Kikta and Thomas Churchill, 1978, Inter-correlations of Anthropometric Measurements: A Source Book for USA Data, AMRL-TR-77-2 (AD A058 616), Aerospace Medical Research Laboratory, Wright-Patterson Air Force Base, Ohio.

Clauser, Charles E., Pearl E. Tucker, John T. McConville, Edmund Churchill, Lloyd L. Laubach and Joan Reardon, 1972, Anthropometry of Air Force Women, AMRL-TR-70-5 (AD 743 113), Aerospace Medical Research Laboratory, Wright-Patterson Air Force Base, Ohio.

Kikta, Paul and Thomas Churchill, 1978, Editing Procedure for Anthropometric Survey Data, AMRL-TR-78-38, Aerospace Medical Research Laboratory, Wright-Patterson Air Force Base, Ohio.

Daniels, Gilbert A., 1952, The "Average Man"?, Technical Note WCRD-53-7 (AD 10203), Wright Air Development Center, Wright-Patterson Air Force Base, Ohio.

McConville, John T. and Edmund Churchill, 1976, Statistical Concepts in Design, AMRL-TR-76-29 (AD A025 750), Aerospace Medical Research Laboratory, Wright-Patterson Air Force Base, Ohio.

White, Robert M. and Edmund Churchill, 1971, The Body Size of Soldiers, U.S. Army Anthropometry - 1966, Technical Report 72-51-CE (AD 743 465), U.S. Army Natick Laboratories, Natick, Massachusetts.