

LEVEL II

DE 1-19
JANUARY 1980

UNCLASSIFIED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

AD

ADA 087451

METEOROLOGICAL DATA REPORT

19704B MLRS
Missile No. 332
Round No. B-75
25 January 1980

by

White Sands Meteorological Team

BEST
AVAILABLE COPY

TRANSMISSION CHECKSUM 0000-0000-0000-0000
THE DATA CONTAINED HEREIN IS UNCLASSIFIED
EXCEPT WHERE SHOWN OTHERWISE
REPRODUCTION IS PROHIBITED

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

DTIC
ELECTE
S A 65 D
D

80 8 253

FILE COPY

DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return to the originator.

DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

**BEST
AVAILABLE COPY**

DISCLAIMER NOTICE

**THIS DOCUMENT IS BEST QUALITY
PRACTICABLE. THE COPY FURNISHED
TO DTIC CONTAINED A SIGNIFICANT
NUMBER OF PAGES WHICH DO NOT
REPRODUCE LEGIBLY.**

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DR 1119	2. GOVT ACCESSION NO. AD-A087451	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 19704B MLRS Missile Number 332, Round Number B-75 25 January 1980		5. TYPE OF REPORT & PERIOD COVERED
6. AUTHOR(s) White Sands Meteorological Team		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS		8. CONTRACT OR GRANT NUMBER (if any) DA Task 1F665702D127-02
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research & Development Cmd Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico 88002		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 12 12
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Research & Development Cmd Adelphi, MD 20783		12. REPORT DATE January 1980
		13. NUMBER OF PAGES 11
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) DISTRIBUTION STATEMENT A Approved for public release; Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Approved for public release; distribution unlimited.		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gather for the launching of the 19704B MLRS, Missile Number 332, Round Number B-75 are presented in tabular form.		

410663

10.B

CONTENTS

INTRODUCTION-----	1
DISCUSSION-----	1
TABLES:	
1. Surface Observation taken at 0800 MST at D 3½-----	2
2. D 3½ Pilot-Balloon-Measured Wind Data at 0804 MST-----	3
3. NW 30 Significant Level Data at 0800 MST-----	4
4. NW 30 Upper Air Data at 0800 MST-----	5
5. NW 30 Mandatory Levels at 0800 MST-----	7

Accession For	
NTIS GRA&I	☒
DDC TAB	☐
Unannounced	☐
Justification	
By _____	
Distribution/	
Availability Codes	
Dist.	Avail and/or special
A	R3 CA

INTRODUCTION

19704B MLRS, Missile Number 332, Round Number B-75,
was launched from Brillo, White Sands Missile Range (WSMR), New Mexico,
at 0803:39 MST, 25 January 1980. The scheduled launch time was 0800
MST.

DISCUSSION

Meteorological data were recorded and reduced by the White Sands Meteorological Team, Atmospheric Sciences Laboratory (ASL), White Sands Missile Range, New Mexico. The data were obtained by the following methods:

1. Observations

a. Surface

(1) Standard surface observations to include pressure, temperature ($^{\circ}\text{C}$), relative humidity, dew point ($^{\circ}\text{C}$), density (gm/m^3), wind direction and speed, and cloud cover were made at the D 3 $\frac{1}{2}$ Met Site at T-0 minutes.

(2) Monitor of wind speed and direction from one anemometer was provided in the launch control room.

b. Upper Air

(1) Low level wind data were obtained from RPTS T-9 pibal observation at:

SITE AND ALTITUDE

D 3 $\frac{1}{2}$ 2Km

(2) Air structure data (rawinsonde) were collected at the following Met Sites. Data were collected from surface to 37,000 feet in 500-foot increments.

SITE AND TIME

NW30 0800 MST

TABLE 1. Surface Observations taken at 0800 MST,
25 January 1980, at D 3½, 19704B MLRS,
Missile Number 332, Round Number B-75.

ELEVATION	3975	FT/MSL
PRESSURE	870.6	MBS
TEMPERATURE	3.0	°C
RELATIVE HUMIDITY	86	
DEW POINT	0.9	°C
DENSITY	1094	GM/M ³
WIND SPEED	CALM	KTS
WIND DIRECTION		DEGREES
CLOUD COVER	10	CI

PILOT BALLOON MEASURED WIND DATA

TABLE 2

RELEASED FROM D 3 1/2 DATE 25 January 1980 TIME 0804 MST

TRACKER COORDINATES (WSTM) X= 443,018.90 Y= 338,189.24 H= 3974.89

NOTE: WIND DIRECTIONS ARE REFERENCED TO TRUE NORTH

HEIGHTS ARE METERS AGL xx OR FEET AGL .

[illegible][illegible][illegible]

STATION ALTITUDE 4010.40 FEET MSL
25 JAN. 80
ASCENSION NO. 4

SIGNIFICANT LEVEL DATA
0250220004
NW 30
TABLE 3

GEODETIC COORDINATES
32.88497 LAT DEG
106.49714 LON DEG

PRESSURE	GEOMETRIC ALTITUDE MILLIBARS MSL FEET	TEMPERATURE		REL. HUM. PERCENT
		AIR DEGREES	DEWPOINT CENTIGRADE	
870.8	4010.4	5.5	-4.9	47.0
850.0	4660.1	6.0	-4.7	46.0
784.2	6915.4	2.9	-9.0	41.0
764.6	7486.6	1.2	-9.1	46.0
726.4	8846.0	3.2	-16.4	22.0
700.0	9830.0	2.5	-20.0	17.0
679.8	10607.2	2.4	-20.6	16.0
516.4	17685.0	-14.1	-34.4	16.0
500.0	18488.0	-15.6	-35.4	20.0
470.2	20001.1	-19.6	-31.1	35.0
400.0	23991.9	-27.3	-43.6	19.0
364.2	26091.5	-32.2	-48.9	17.0
326.0	28630.0	-38.8		
319.8	29064.6	-37.9		
300.0	30504.2	-41.2		
267.2	35055.0	-48.2		
250.0	34487.4	-51.7		
220.4	37176.5	-51.9		

STATION ALTITUDE 4010.40 FEET MSL
25 JAN. 80 0800 HRS MST
ASCENSION NO. 4

UPPER AIR DATA
0250220004
NW 30
TABLE 4

GEODETIC COORDINATES
32.68497 LAT DEG
106.49714 LONG DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES DEWPOINT CENTIGRADE	REL. HUM. PERCENT	DENSITY G/CM ³ MLTER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION, DEGREES(TN)	SPEED KNOTS	INDEX OF REFRACTION
4010.4	870.8	5.5	47.0	1085.7	650.9	.0	.0	1.000263
4500.0	855.1	5.9	46.2	1065.5	651.4	308.0	1.2	1.000258
5000.0	839.3	5.5	45.2	1047.3	650.9	308.0	2.5	1.000253
5500.0	823.7	4.8	44.1	1030.6	650.1	303.0	3.8	1.000248
6000.0	808.5	4.1	42.9	1014.3	649.2	312.4	4.9	1.000243
6500.0	793.5	3.4	41.7	998.2	648.3	324.6	5.9	1.000238
7000.0	778.8	2.4	42.4	983.0	647.2	325.7	6.9	1.000234
7500.0	764.2	1.2	45.8	968.9	645.8	316.3	7.7	1.000231
8000.0	749.9	2.0	36.9	946.4	645.6	303.6	8.5	1.000224
8500.0	735.9	2.7	28.1	926.4	647.4	289.8	9.9	1.000217
9000.0	722.2	3.1	21.2	910.0	647.8	285.0	11.0	1.000211
9500.0	708.7	2.7	18.7	894.3	647.3	284.0	11.8	1.000206
10000.0	695.5	2.5	16.8	878.5	647.0	287.4	12.4	1.000202
10500.0	682.6	2.4	16.1	862.3	646.9	292.4	12.9	1.000198
11000.0	669.5	1.5	16.0	846.7	645.8	298.7	13.2	1.000195
11500.0	656.6	.5	16.0	831.0	644.4	307.0	13.3	1.000191
12000.0	644.0	-.8	16.0	815.4	643.0	314.9	13.5	1.000188
12500.0	631.6	-2.0	16.0	811.1	641.8	322.5	13.7	1.000185
13000.0	619.5	-3.2	16.0	799.0	640.3	328.2	14.4	1.000182
13500.0	607.5	-4.5	16.0	787.0	638.9	331.1	15.7	1.000179
14000.0	595.9	-5.5	16.0	775.3	637.5	331.2	16.8	1.000176
14500.0	584.4	-6.7	16.0	763.7	636.1	328.6	17.6	1.000173
15000.0	573.2	-7.8	16.0	752.3	634.7	325.2	18.1	1.000170
15500.0	562.1	-9.0	16.0	741.1	633.3	320.7	18.4	1.000168
16000.0	551.5	-10.2	16.0	730.1	631.9	318.1	18.2	1.000165
16500.0	540.7	-11.5	16.0	719.3	630.5	317.2	17.5	1.000162
17000.0	530.5	-12.5	16.0	708.6	629.0	317.2	16.5	1.000160
17500.0	520.1	-13.7	16.0	698.1	627.8	318.6	15.2	1.000157
18000.0	509.9	-14.7	17.6	687.1	626.4	319.6	14.4	1.000155
18500.0	499.8	-15.6	20.1	675.9	625.3	319.2	14.4	1.000153
19000.0	489.7	-17.0	25.1	665.7	623.7	318.6	13.7	1.000151
19500.0	479.9	-18.5	30.0	655.7	622.1	317.8	12.5	1.000149
20000.0	470.2	-19.6	35.0	645.8	620.5	316.1	11.8	1.000147
20500.0	460.6	-20.6	32.9	635.0	619.2	315.8	11.6	1.000144
21000.0	451.1	-21.6	30.9	624.5	618.0	314.0	12.3	1.000141
21500.0	441.8	-22.6	28.8	614.1	616.8	313.5	13.5	1.000139
22000.0	432.7	-23.6	26.8	603.8	615.3	318.9	14.1	1.000136
22500.0	423.8	-24.5	24.7	593.8	614.3	324.0	14.5	1.000134
23000.0	415.1	-25.5	22.7	583.9	613.2	328.5	14.4	1.000131
23500.0	406.6	-26.5	20.6	574.2	611.8	332.6	13.8	1.000129

STATION ALTITUDE 4010.40 FEET MSL
 25 JAN. 80
 ASCENSION NO. 4
 UPPER AIR DATA
 0250220004
 NW 30
 GEODETIC COORDINATES
 32.88497 LAT DEG
 106.49714 LONG DEG

TABLE 4 (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TN)	SPEED KNOTS	
24000.0	398.2	-27.5	18.9	564.7	610.6	336.4	13.2	1.000127
24500.0	389.8	-28.7	18.4	555.3	609.2	330.8	12.4	1.000124
25000.0	381.5	-29.8	18.0	546.1	607.8	341.6	11.8	1.000122
25500.0	373.5	-30.9	17.5	537.0	606.4	345.0	12.5	1.000120
26000.0	365.6	-32.0	17.1	528.1	605.0	347.1	13.4	1.000118
26500.0	357.8	-33.3	14.3**	519.5	603.4	345.9	14.6	1.000116
27000.0	350.0	-34.6	10.9**	511.1	601.8	342.7	15.8	1.000114
27500.0	342.5	-35.9	7.6**	502.8	600.1	336.2	17.0	1.000112
28000.0	335.1	-37.2	4.2**	494.7	598.5	329.4	18.1	1.000110
28500.0	327.9	-38.5	.9**	486.7	596.8	320.7	18.5	1.000108
29000.0	320.7	-38.0		475.2	597.4	311.1	19.0	1.000106
29500.0	313.7	-38.9		466.5	596.5	298.7	19.8	1.000104
30000.0	306.8	-40.0		458.5	594.8	288.0	21.2	1.000102
30500.0	300.1	-41.2		450.6	593.3	284.1	22.7	1.000100
31000.0	293.5	-42.6		443.1	591.6	280.3	24.2	1.000099
31500.0	286.7	-43.9		435.8	589.8	278.5	24.5	1.000097
32000.0	280.5	-45.3		428.6	588.1	276.7	24.8	1.000095
32500.0	274.0	-46.7		421.5	586.3	273.3	24.6	1.000094
33000.0	267.9	-48.0		414.6	584.5	269.7	24.4	1.000092
33500.0	261.7	-49.3		407.3	582.9	268.9	23.7	1.000091
34000.0	255.7	-50.5		400.1	581.3	264.3	22.7	1.000089
34500.0	249.9	-51.7		393.0	579.7	263.7	21.3	1.000088
35000.0	244.1	-51.7		384.0	579.7	264.3	19.7	1.000086
35500.0	238.4	-51.0		375.2	579.6			1.000084
36000.0	232.9	-51.8		366.6	579.6			1.000082
36500.0	227.5	-51.8		356.1	579.5			1.000080
37000.0	222.2	-51.9		349.9	579.5			1.000078

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 4010.40 FEET MSL
25 JAN. 80
ASCENSION NO. 4

MANDATORY LEVELS
0250220004
NW 30

GEODETIC COORDINATES
32.68497 LAT DEG
106.49714 LON DEG

TABLE 5

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM. PERCENT	WIND DATA	
MILLIBARS	FEET	AIR DEGREES	DEWPOINT CENTIGRADE		DIRECTION DEGREES(TN)	SPEED KNOTS
850.0	4657.	6.0	-4.7	46.	308.0	1.6
800.0	6279.	3.7	-8.0	42.	319.8	5.5
750.0	7990.	2.0	-11.2	37.	303.8	8.5
700.0	9821.	2.5	-20.0	17.	285.6	12.2
650.0	11779.	-0.3	-23.0	16.	311.6	13.5
600.0	13850.	-5.1	-26.9	16.	331.8	16.5
550.0	16081.	-10.3	-31.2	16.	318.0	18.1
500.0	18463.	-15.6	-33.4	20.	319.2	14.4
450.0	21039.	-21.7	-34.3	31.	314.2	12.4
400.0	23854.	-27.3	-43.8	19.	335.9	13.4
350.0	26963.	-34.6	-54.6	11.4*	342.7	15.8
300.0	30446.	-41.2			284.2	22.7
250.0	34415.	-51.7			263.7	21.4

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.