

F/G 3/2

UNCLASSIFIED

NRL-MR-4660

NL

AD
AUG 21 1921

Aug 2021

~~END
FILED
JUN 82
DIA~~

cont

AD A107921

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NRL Memorandum Report 4660	2. GOVT ACCESSION NO. AD-A101124	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) REVISED LISTING - S201 FAR-ULTRAVIOLET ATLAS OF THE LARGE MAGELLANIC CLOUD		5. TYPE OF REPORT & PERIOD COVERED Interim report on a continuing NRL problem.
7. AUTHOR(s) T. Page* and G. R. Carruthers		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Research Laboratory E.O. Hulburt Center for Space Research Washington, DC 20375		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS National Aeronautics and Space Administration Washington, DC 20546		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 61153N; RR034-06-42; 41-0944-0-1
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE November 23, 1981
		13. NUMBER OF PAGES 93
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES *Present address: Johnson Space Center, NASA.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Far-ultraviolet imagery and photometry Large magellanic cloud Far-UV star atlas		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Far-ultraviolet electrographic images, covering the wavelength ranges 1050 to 1600 Å and 1230 to 1600 Å, were obtained of the Large Magellanic Cloud during the Apollo 16 mission with the NRL Far-Ultraviolet Camera/Spectrograph (Experiment S201). The images were analyzed as described in the "S201 Far-Ultraviolet Atlas of the Large Magellanic Cloud" (NRL Report 8206), and the "Revised S201 Catalog of Far-Ultraviolet		

(Continues)

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

20 ABSTRACT (Continued)

Objects" (NRL Report 8487). The listing of far-UV objects in the LMC provided here is improved in quantitative accuracy and completeness compared to that originally provided in NRL Report 8206. These improvements include more accurate estimates of interstellar extinction corrections, comparisons with more sensitive ground-based H α emission measurements, and calibration of the S201 photometry by comparison with OAO-2 photometry of objects in common. The listing presents ultraviolet brightnesses, measured on one or more of four frames (two 1050 - 1600 Å and two 1250 - 1600 Å exposures), for 473 objects or groupings of objects in the LMC. Also listed, where available, are H α brightnesses of associated nebulosities, and values of hydrogen index (defined as ratio of H α brightness to far-UV brightness, both corrected for interstellar extinction).

↑ $\alpha_{H\alpha}$

CONTENTS

I. INTRODUCTION	1
II. DATA AND ANALYSIS	1
Ultraviolet Photometry	2
Hydrogen Index	4
III. REFERENCES	8
APPENDIX A	13
APPENDIX B	16
REVISED LISTING	20

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	

DTIC
ELECTE
DEC 1 1981
S D D

REVISED LISTING - S201 FAR-ULTRAVIOLET ATLAS OF THE LARGE
MAGELLANIC CLOUD

I. INTRODUCTION

Far-ultraviolet imagery of the Large Magellanic Cloud was obtained with the Naval Research Laboratory's Far Ultraviolet Camera (Experiment S201) during the Apollo-16 mission, 21-23 April 1972. This imagery covered two wavelength ranges, 1050-1600 Å and 1250-1600 Å, with a limiting angular resolution of about 3 arc min.

The analysis of the Large Magellanic Cloud imagery was discussed in NRL Report 8206, S201 Far Ultraviolet Atlas of the Large Magellanic Cloud (July 12, 1978) and in a paper published in The Astrophysical Journal ("Distributions of Hot Stars and Hydrogen in the Large Magellanic Cloud," 15 September 1981). The purpose of the present Memorandum Report is to present a revised listing of the individual objects or regions in the LMC which were detected and measured, similar to that in the original Atlas but with the following improvements and additions:

1. The extinction correction for objects observed in the LMC has been modified based on recent studies of the LMC interstellar extinction using the International Ultraviolet Explorer (IUE) satellite. Also, extinction at the hydrogen Balmer- α (6563 Å) wavelength has been taken into account in the derivation of Hydrogen Index values.
2. More recent H α observations by Davies, Elliott, and Meaburn (1) have been included in the Hydrogen Index derivations.
3. The S201 photometry has been compared with OAO-2 photometry of stars in common to place the S201 measurements on an absolute scale of ultraviolet brightness.

II. DATA AND ANALYSIS

The far-ultraviolet images of the Large Magellanic Cloud are qualitatively useful for determining the spatial distributions of early-type stars in the LMC without confusion by images of the far more numerous cooler stars (almost all stars detected in the S201 imagery are of spectral type earlier than A2; i.e., with effective temperatures above 9000 K). The distribution of hot stars differs considerably from the general stellar population

Manuscript submitted September 4, 1981.

distribution as revealed by visual imagery; the short (3 min) 1250-1600 Å exposure shows the previously known OB associations and clusters, whereas the longest (30 min) 1250-1600 Å exposure shows the general distribution of hot stars, most of which are less luminous than those in the associations. Comparison of the UV imagery with H α and blue imagery (1) indicates that, for the most part, the extended nebulosities in the LMC (many of which are considerably larger than the S201 resolution limit) are not conspicuous in the far-ultraviolet. This is also indicated by IUE observations of the 30 Doradus nebula (2) and of local galactic H II regions. Thus, the observed far-UV is presumed to be either direct starlight or starlight scattered by dust in close proximity to the stars.

Quantitative analysis of the imagery is, to some extent, complicated by the effects of interstellar extinction, correction for which is particularly uncertain in the LMC because of incomplete knowledge of E(B-V) and of the extinction vs. wavelength in the LMC. It is known from ANS and IUE observations that the LMC extinction law is considerably different from that applicable in the local regions of our galaxy and shows large variation with position in the LMC (3).

Ultraviolet Photometry

The procedures used for the reduction and processing of the S201 electrographic imagery have been presented in detail in our Far Ultraviolet Atlas of the Large Magellanic Cloud (NRL Report 8206) and in the Revised S201 Catalog of Far Ultraviolet Objects (NRL Report 8487). In summary, for any identifiable image, the integrated intensity is proportional to the density volume $V = \sum (d_L - b_L)$. Here, d_L and b_L are the optical densities D_L and B_L (as measured by the PDS microdensitometer used to scan the films) times 100, of each pixel in the image and in background areas near (but outside) the image, respectively; the sum is over all pixels detectably above the adopted background. The subscript L indicates that the densities have been corrected for nonlinearities of the emulsion and microdensitometer. The density volume can then be related to ultraviolet brightness by reference to preflight calibrations of the instrument and/or comparison of observations of objects in common with other photometrically calibrated observations, such as those of OAO-2 (4). We have determined,

through comparison of our preflight calibration predictions with OAO-2 measurements by Code et al. (4) that the absolute sensitivity of the S201 camera was probably a factor of 1.5 (0.45 stellar magnitudes) less, at the time of the observations, than predicted by our preflight calibrations.

In the LMC, determination of the UV brightnesses of individual objects is difficult, because of the limited resolution of our imagery and because of the multitude of field stars against which an individual object must be observed. This makes determination of the true background which should be subtracted from the measured density, in determinations of the density volumes, very uncertain. However, contour plots such as those in the Atlas (NRL Report 8206) give useful measurements of the ultraviolet brightness distribution over the face of the LMC, which are significant to studies of the interstellar medium in the LMC (photo-ionization and photodissociation equilibria of many interstellar species are largely controlled by the stellar ultraviolet radiation field longward of 912 Å) and which, in conjunction with other determinations of stellar spectral type or effective temperature, provide indications of the distribution of dust extinction over the LMC. In areas where the individual stellar contributions cannot be resolved, the local surface brightness (above sky background outside the LMC) may be useful for some purposes. Based on our preflight calibrations, a density above background of 0.1 D corresponds to an intensity of 1.89×10^6 photons/cm² sec sterad at the effective wavelength (1400 Å) of the camera with CaF₂ corrector (wavelength range 1250-1600 Å). For a flat continuum extending over the camera effective passband of 250 Å, this corresponds to 7.56×10^3 photons/cm² sec Å sterad (1.07×10^{-7} erg/cm² sec Å sterad).

We obtained a measure of the total UV brightness of the LMC in the 1050-1600 Å and 1250-1600 Å bands by summing the densities above sky background of all pixels in the LMC region of each frame. The contributions of seven SAO stars were subtracted. The total brightness of the LMC (based on our preflight calibrations) in the 1250-1600 Å wavelength range ($\lambda_{\text{eff}} = 1400$ Å) is 220 photons/cm² sec Å or $F_{1400} = 3.12 \times 10^{-9}$ ergs/cm² sec Å. This corresponds to a UV magnitude, in the system of Code et al. (4), of $m_{1400} = 0.23$. In the 1050-1600 Å range ($\lambda_{\text{eff}} = 1300$ Å) the corresponding UV magnitude is $m_{1300} = 0.13$.

Averaged over the apparent angular size of the LMC on our image (about 6° diameter, or 9×10^{-3} sterad) the mean surface brightness is $S_{1400} = 2.4 \times 10^4$ photons/cm² sec Å sterad (3.4×10^{-7} ergs/cm² sec Å sterad), and $S_{1300} = 2.5 \times 10^4$ photons/cm² sec Å sterad (3.8×10^{-7} ergs/cm² Å sterad).

These measurements include both direct and dust-scattered starlight (we assume that nebular emission lines make a negligible contribution to the total UV brightness). As mentioned earlier, use of the OAO-2 photometry as a reference standard will increase the above intensity by a factor of 1.5. Except for a minor correction due to interstellar extinction within our galaxy in the line of sight to the LMC, this gives an indication of the local stellar radiation field, on the average, within the LMC. The average surface brightness at 1400 Å corresponds to a radiation density of $U_{1400} = \frac{4\pi}{c} S_{1400} = 1.4 \times 10^{-16}$ ergs/cm³ Å. This may be compared with estimates of the radiation field within our own galaxy of about 10^{-16} ergs/cm³ Å at 1400 Å by Witt and Johnson (5) and about half this value predicted by Henry (6).

In the Revised Listing (Appendix B), we present our best estimates of the UV brightnesses of individual objects (actually, individual brightness peaks in our imagery) above the local background (defined individually for each brightness peak). The net density volume divided by exposure, V/E (uncorrected for interstellar extinction) is a direct measure of the ultraviolet brightness, as discussed in the next section. These V/E values can be converted into absolute ultraviolet magnitudes, as discussed in the Revised S201 Catalog, using the relationships

$$m_L = 14.13 - 2.512 \lg (V/E)_L$$

$$m_C = 13.18 - 2.512 \lg (V/E)_C$$

Here, subscript L indicates exposures in the 1050-1600 Å wavelength range (LiF corrector, effective wavelength 1300 Å), which in the LMC included Frames 124 (1 min exposure) and 125 (3 min exposure). Subscript C designates exposures in the 1250-1600 Å range (CaF₂ corrector, effective wavelength 1400 Å), which includes Frames 129 (10 min exposure) and 130 (30 min exposure).

Hydrogen Index

In the Atlas we derived a "hydrogen index" (hereafter H Ind) as the ratio of H α flux, H α , to far-UV flux, UF (corrected for dust extinction),

at over 100 places in the LMC. This index was first presented as a rough measure of the hydrogen near hot stars or star groups detected on our far-UV images. That is, if the ionizing extreme-UV ($\lambda < 912 \text{ \AA}$) flux is assumed roughly proportional to the far-UV flux, then the intensity of H α emission is related to the local hydrogen density. Here, we present a revised determination of H Ind and its variation over the LMC, using a more recent determination of the LMC extinction law, allowing for extinction at H α as well as in the UV, and utilizing additional data on the H α brightness distribution in the LMC.

The far-UV flux values are proportional to the measured density volume, V (corrected for nonlinearities and background) divided by the exposure time, E , in minutes. As shown in the Revised S201 Catalog of Far-UV Objects (NRL Report 8487), a density-volume

$$V = 0.037 n \quad (1)$$

where n is the number of photoelectrons forming the far-UV image. Thus,

$$V/E = 6.17 \times 10^{-4} n \text{ per sec} \quad (2)$$

where E is the exposure time in min, and n/sec is related to the photons arriving each sec from the object. The detection efficiency (photoelectrons per photon, based on preflight calibrations) of the S201 Camera in the imaging mode averages 0.05 over the range 1050-1600 $\text{\AA}$ with the LiF corrector, and 0.04 over the range 1250-1600 $\text{\AA}$ with the CaF₂ corrector.

Hence, the photon flux in these wavelengths is

$$N_L = n_L/0.05(30.0) = 1.08 \times 10^3 (V_L/E) \text{ photons/sec cm}^2 \text{ for } 1300 \text{ \AA} \pm 250 \text{ \AA}, \quad (3)$$

and

$$N_C = n_C/0.04(30.0) = 1.35 \times 10^3 (V_C/E) \text{ photons/sec cm}^2 \text{ for } 1400 \text{ \AA} \pm 150 \text{ \AA}, \quad (4)$$

where 30.0 cm^2 is the aperture area of the S201 camera. Since these photons each carry 1.52×10^{-11} erg and 1.42×10^{-11} erg respectively, the far-UV flux is

$$F_L = 1.64 \times 10^{-8} (V_L/E) \text{ erg sec}^{-1} \text{ cm}^{-2} \quad (5)$$

and

$$F_C = 1.92 \times 10^{-8} (V_C/E) \text{ erg sec}^{-1} \text{ cm}^{-2}. \quad (6)$$

These were corrected for interstellar extinction, based on previous estimates (7) of the visual reddening ($RE = E(B-V)$). In order to estimate reddening for all our measurements of V/E , for which specific values of RE were not available, we plotted Lucke's (7) RE values and sketched in

contour lines (see Fig. 1). Although Lucke's 81 measured values are good to ± 0.05 , corresponding to ± 16 to $\pm 17\%$ in corrected ultraviolet flux, UF, there is inevitably some uncertainty in the interpolated values of RE, due to small scale variations in the extinction at a given distance, and the uncertainty in distance to an object along the line of sight. The stellar associations for which Lucke determined RE may lie in front of or behind far-UV objects with nearly the same celestial coordinates. However, it is highly likely that an LH cluster and an associated Henize nebula are in close 3-dimensional proximity.

In the Atlas, we used the "average" galactic interstellar extinction curve of Bless and Savage (8). However, measurements with the ANS satellite (9,10) in the γ Doradus region, and with IUE (3) there and elsewhere in the LMC indicate a higher ratio of far-UV extinction to E(B-V) in the LMC than is typical in the local region of our galaxy (see Figure 2). Using the extinction curve of Ref. (3) with $A_\lambda = 3 E(B-V) + E(\lambda-V)$, we have, for effective wavelengths of 1300 Å (LiF corrector) and 1400 Å (CaF₂ corrector), $E(1300-V)/E(B-V) = 8.97$ and $E(1400-V)/E(B-V) = 7.09$. Therefore, the ultraviolet fluxes corrected for reddening are

$$UF_L = F_L 10^{4.8 RE} \quad (7)$$

$$UF_C = F_C 10^{4.0 RE} \quad (8)$$

As expected, UF_L values for an object are generally larger than the UF_C values because of the wider bandpass and larger extinction correction at the effective wavelength of 1300 Å. The scatter in the LMC extinction curve of Nandy et al. (3) is about 0.2 mag. The extinction correction at H α is assumed to be $A_{6563} = 2.5 RE$; hence the corrected H α flux is $UHA = HA \cdot 10^{RE}$, approximately, where HA is the H α flux as measured by Henize et al. (11,12) in units of 10^{-4} erg/cm² sec sterad. The HA values given here are often summed for several close H II regions that could not be separately resolved on our S201 photos. For instance, N180A-C means the summed flux from N180A, N180B, and N180C. In order to get a single hydrogen index representing all measurements of a given object, we averaged the values for two IL1 frames with 1/2 the values for two ICA frames:

$$H \text{ Ind}_L = UHA/UF_L \quad (9)$$

$$H \text{ Ind}_C = UHA/UF_C \quad (10)$$

$$H \text{ Ind} = (H \text{ Ind}_{L1} + H \text{ Ind}_{L2} + 1/2 H \text{ Ind}_{C1} + 1/2 H \text{ Ind}_{C2})/4 \quad (11)$$

The major errors in V/E, UF, and H Ind are due to uncertainty in background, b. As can be seen from the isodensity contour plots in the Atlas, many of the objects measured are in regions where the background density is changing. The local background was estimated on mosaics of d, taking the first minimum in d in each of four directions from the peak density, along +x, +y, -x, and -y, and averaging these to get b. The background is high and posed the most difficulties on the 3-min ILI exposure, frame A125.

The HA values are probably good to $\pm 10\%$, although values near zero are subject to larger percentage errors. In fact, DEM, in a careful survey of a 5-hour exposure with the SRC 48-inch Schmidt camera using an interference filter with 100 Å bandpass centered on H α and [NII], found the faint Henize H II regions much larger, and detected 100 more, most of them fainter than Henize's limit. They give no quantitative measurements of brightness, but use the steps vf (very faint), f (faint), fb (fairly bright), b (bright), and vb (very bright). We calibrated this scale against HA by assigning the numbers vf = 1, f = 2, fb = 3, b = 5, vb = 10, and multiplying by the dimensions given in arc-min. For instance, a faint (f) nebula of size 3.5' x 2' has a brightness (arc-min)² of 2 x 3.5 x 2 = 14. Fig. 3 is a plot of these values against HA for 64 cases where the DEM dimensions are roughly the same as Henize's. To a fairly good approximation,

$$\text{DEM brightness (arc-min)}^2 = 3 \text{ HA.} \quad (12)$$

Using this calibration, we could fill in 227 H II regions at positions in the LMC where we had measured far-UV flux, leaving out only 19 DEM objects of the total of 356. (These positions were all searched on our mosaics.)

In the Revised Listing (Appendix B), we list density volumes for 473 objects or regions in the LMC. We also list values of UF, defined here as simply the density volumes corrected for extinction as per Equations 7 and 8. (True UF values, in ergs/sec cm², can be obtained by multiplying by the factors 1.64×10^{-8} for F_L and 1.92×10^{-8} for F_C, respectively.) Likewise, the H Ind values are the corrected density volumes divided by UHA. Figure 4 is a contour plot of H Ind (times 100), individual values of which are given in the Listing.

We thank Dr. Karl Henize for useful discussions. This work was supported, in part, by NASA Grant NASW-3023 to T.P.

REFERENCES

1. R. D. Davies, K. H. Elliott, and J. Meaburn, Mem. R. Astr. Soc., 81, 89 (1976).
2. J. Koornneef and J. S. Mathis, Astrophys. J., 245, 49 (1981).
3. K. Nandy, D. H. Morgan, A. J. Willis, R. Wilson, P. M. Gondhalekhar, and L. Houziaux, Nature, 283, 725 (1980).
4. A. D. Code, A. V. Holm, and R. L. Bottemiller, Astrophys. J. Supp., 39, 195 (1979).
5. A. N. Witt and M. W. Johnson, Astrophys. J., 181, 363 (1973).
6. R. C. Henry, Astrophys. J. Supp., 33, 451 (1977).
7. P. B. Lucke, Astrophys. J. Supp., 28, 73 (1974).
8. R. C. Bless and B. D. Savage, Astrophys. J., 171, 293 (1972).
9. J. Borgman and A. C. Danks, Astron. and Astrophys., 54, 41 (1977).
10. J. Koornneef, Astron. and Astrophys., 64, 179 (1978).
11. K. G. Henize, Astrophys. J. Supp., 2, 315 (1956).
12. L. Doherty, K. G. Henize, and L. H. Aller, Astrophys. J. Supp., 2, 345 (1956).
13. R. X. McGee, J. W. Brooks, and R. A. Ratchelor, Astr. J. Phys., 25, 581 (1972).
14. P. B. Lucke and P. W. Hodge, Astron. J., 75, 171 (1970).




Figure 2

Interstellar extinction curves typical of the local regions of our galaxy (8) and for the 30 Doradus region of the LMC (3). C and L indicate the effective wavelengths of the S201 imagery with CaF_2 corrector (1400 Å) and with LiF corrector (1300 Å).




Figure 3

Plot of our estimates of H α brightness x (arc min)² for emission nebulae observed by Davies et al. (1) vs. H α brightnesses of Henize et al. (11,12) for objects in common.




Figure 4

Contours of the Hydrogen Index (times 100) in the Large Magellanic Cloud. Contour lines are for 100 H Ind = 10, 20, 50, and 100. The vertical and horizontal axes are as for Fig. 1.

Appendix A

S201-ATLAS-LISTING TAPE AND LINEARIZED-DENSITY-MOSAIC TAPES

The listing in Appendix B of this Atlas is available on seven-track, 800-bit-per-inch, odd-parity tape. The tape was written on a Univac 1110 computer under the EXEC VIII operating system using Fortran-formatted write statements. Thus the file structure is of the Univac SDF sequential formatted record type. A more detailed description of this format can be found in the Sperry Univac 1100 Series Fortran V Library Programmer Reference (UP-7876).

There is one data file on this tape, consisting of 1796 data records of 132 field data characters each. The first data record contains a title line, "REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD." This is followed by a 132-character line of column headings, as in Appendix B (but not repeated). The meanings of the remaining 1795 data records are given in Tables A1 and A2. To accommodate groups of LH objects (see text), there is a different line format for them (Table A2). Character 31 specifies the group-data-line format.

The Atlas tape file ends with a software end-of-file mark and a hardware end-of-file mark. Table A3 gives a simple Fortran program for reading the Atlas tape. The tape has been checked for errors, using this program.

Two linearized-density-mosaic tapes provide the mosaics of D_L values used in summing density volumes from frames A124 and A125 (on one tape) and A129 and A130 (on the other tape). These two tapes were written on a Univac 1108 under the EXEC II operating system, and each contains two files, one for each frame, covering the area from $x = 475$ to $x = 986$ and from $y = 381$ to $y = 830$. Each file ends with a software end-of-file mark and a hardware end-of-file mark. The simple Fortran program in Table A3 will print out the mosaics in convenient form. The mosaics are each 145 pages long; in pairs (290 pages) they require larger-than-normal storage.

Other programs can be written for listing single Lucke-Hodge objects, selecting characters 68-72 with no parentheses and no asterisk in 30, for listing Henize nebulas, selecting characters 91-98 with no parentheses, and for listing unidentified objects, selecting double minus characters 119-120 and parentheses or nothing in 68-76 and 91-97.

Table A1 - Meanings of Characters in a Normal Data Line

Characters	Meaning (digits right-justified)
2-4	Frame number
6-8	x raster coordinate
10-12	y raster coordinate
14	Hours of right ascension
15	Separator (:))
16-19	Minutes of right ascension rounded to tenths
21-23	Degrees of declination
24	Separator (:))
25-26	Arc-minutes of declination
28-29	x-raster interval summed (*X)
30	X (times)
31-32	y-raster interval summed (*Y)
33	An asterisk (*) indicates that area *X*Y is <u>not</u> rectangular
34-36	Peak density at center of image (P)
37	An asterisk (*) indicates P is <u>not</u> a maximum
38-40	Background density (BG)
42-46	Density volume of area summed (V)
48-49	Exposure time in minutes (E)
50	Filter type (L or C)
52-56	Density volume divided by exposure time (V/E)
57	An asterisk (*) indicates that the density exceeds 600
58-60	Reddening, RE = E(R-V), in magnitudes, rounded to hundredths
61	An asterisk (*) indicates an RE value observed by Lucke
62-66	Unreddened UV flux (UF)
68-76	LH followed by one- to three-digit numbers are LH objects, parentheses mean that the Lucke-Hodge area overlaps the area summed; SAO followed by six digits means a foreground star near the area summed
76-79	North-south extent of LH object in arc-minutes rounded to tenths
81-84	East-west extent of LH objects in arc-minutes rounded to tenths
86-89	Number of blue stars in LH object (BS)
91-98	Numbers and letters of Henize nebula or nebulas (N NO.); parentheses mean that the nebula area overlaps the LH area summed; D followed by two- to three-digit numbers are DEM objects (Ref. 1)
98-103	H α flux in units of 10^{-4} erg/s $\cdot$ cm 2 $\cdot$ sterad, rounded to tenths, from Henize nebula or nebulas or DEM object (HA)
105-109	Hydrogen index, H IND. = HA/UF, rounded to hundredths
110	An asterisk (*) indicates an uncertain H IND. value; V < 10
111-120	Numbers separated by a comma or dash are NGC numbers associated with the LH object; in one case the number starts with IC; in a few cases an LH number in parentheses or an SAO number in parentheses indicates overlaps
119-124	Six-digit number of an SAO star
125	A query (?) indicates an uncertain SAO identification; the letter H (one case) indicates that the number is in the HD Catalog; MC followed by a two-digit number is a radio source in the MC catalog (Ref. 13). If followed by SNR, the radio source has been identified as a supernova remnant
126-129	Visual magnitude of an SAO star, rounded to tenths (M)
131-132	Letter and digit for spectral type of an SAO star (SP)

Table A2 - Meanings of Characters in a Group Data Line

Characters	Meaning (digits right-justified)
2-4	Frame number
6-8	x raster coordinate
10-12	y raster coordinate
14	Hours or right ascension (R.A.)
15	Separator (:)
16-19	Minutes of right ascension rounded to tenths
21-23	Degrees of declination
24	Separator (:)
25-26	Arc-minutes of declination
28-30	Number of pixels summed in a group of LH objects
31	An asterisk (*) indicates a <u>group data line</u>
34-36	Peak density at center of group image (P)
37	An asterisk (*) indicates that P is <u>not</u> a maximum
38-40	Background density (BG)
42-46	Density volume in the group area summed
48-49	Exposure time in minutes
50	Filter type (L or C)
52-56	Density volume divided by exposure time (V/E)
57	An asterisk (*) indicates that the density exceeds 600
58-60	Reddening, $RE = E(B-V)$, in magnitudes, rounded to hundredths
61	An asterisk (*) indicates an RE value observed by Lucke
62-66	Unreddened UV flux (UF)
68-77	LH followed by one- to three-digit numbers that are separated by commas are LH objects in the group
79-82	Total area of the LH group in (arc-min) rounded to tenths
83	An asterisk (*) indicates a group
86-88	Total number of blue stars in the LH group (BS)
91-98	Numbers of Henize nebulas overlapping the LH group
111-117	NGC numbers associated with LH objects in the group

Table A3 - Simple Fortran Program for Reading the LMC Atlas and Mosaic Tapes

Line 1:	DIMENSION LINE (22)
2:	REWIND 1
3:	5 READ(1,1000,FEND=100) LINE
4:	1000 FORMAT (22A6)
5:	WRITE(6,1000) LINE
6:	GO TO 5
7:	100 STOP
8:	END

Appendix B

S201 ATLAS LISTING OF FAR-UV OBJECTS IN THE AREA OF THE LARGE MAGELLANIC CLOUD

The S201 Atlas listing contains 473 far-UV objects in the LMC area, each detected on one or more of the four frames: A124 (1-min ILi exposure), A125 (3-min ILi exposure), A129 (10-min ICa exposure) and A130 (30-min ICa exposure). There are 26 columns, listing data from four other catalogs, as well as S201 measurements of far-UV flux from 122 Lucke-Hodge associations [19] with associated NGC objects, from 156 Penize nebulas [17], and from 20 SAO foreground stars [24]. The column entries are defined as follows, with asterisks on column entries flagging peculiar entries as noted.

FR.	S201 Apollo frame number
X	x coordinate in the PFS microdensitometer scan
Y	y coordinate on the PDS microdensitometer scan
R.A.	right ascension for the 1950 epoch in hours and minutes (to tenths of minutes), obtained from the LH, Henize, or SAO catalog for objects therein and from the xy coordinates for unidentified objects
DEC.	declination for the 1950 epoch in degrees and arc-minutes, obtained from the LH, Henize, or SAO catalog for objects therein and from the xy coordinates for unidentified objects
*X	number of pixels summed along the x axis, centered at X

- *Y number of pixels summed along the y axis, centered at Y.
 A multiplication sign between the two values *X and *Y indicates that the cataloged size of the object is matched by an area $\Delta x \Delta y$ in units of the area of one pixel; an asterisk indicates that the $\Delta x \Delta y$ area is not a rectangle but is slanted or curved. For grouped images the total number of pixels summed is listed as a single value followed by an asterisk, instead of being listed as a product of two values.
- P The central (peak) density of the image, corrected for nonlinear response but not for PDS lag. An asterisk indicates that the image center (pixel at x,y) is not a density maximum.
- BG the local background density, obtained by averaging the four density values on the centers of the four sides of the rectangle $\Delta x \Delta y$ from the mosaic of density values corrected for nonlinear response. In some images BG has a 1/2-density-unit remainder, and the listed value has been rounded upward to a whole number and is 1/2 density-unit high.
- V density volume = $\sum (D - BG)$ over the summed $\Delta x \Delta y$
- E, F exposure time, in minutes, and filter (L = LiF, with passband 1050 to 1600 Å; C = CaF₂ with passband 1250 to 1600 Å)
- V/E density volume divided by exposure, a measure of the flux reaching the S201 camera. An asterisk indicates densities > 600.
- RE color excess in magnitudes. An asterisk indicates values measured by Lucke [20]; other values are interpolated from the contour plot, Fig. 14. Lucke's values of E(B-V) in the LMC have been increased by 0.05 magnitude for foreground reddening (Borgman et al. [10,11]).

UF density volume V/E corrected for extinction based on RE.
A dash indicates a value of $V/E < 0$. For ILI frames $UF = (V/E)10^{4.8(RF)}$. For ICa frames $UF = (V/E)10^{4.0(RE)}$.

LH NO. number of association or cloud in the Lucke-Hodge catalog [14]. Numbers in parentheses are assumed to be associated with the Henize nebulas listed under N NO. or are other, overlapping LH numbers. In 23 cases, groups of two or more LH numbers are listed.

SIZE dimensions of the LH association or cloud in arc-minutes north-south (along scan x) and east-west (along scan y). The summed area $\Delta x \Delta y$ was generally one raster larger in each dimension to allow for the S201 camera resolution of 3 arc-minutes. (One raster = $33 \mu m$ on the film = 1.19 arc-minutes in the sky.) In 37 cases the area published by Lucke [7] does not agree with these dimensions, which are presumably only rough estimates. For grouped images the total area in (arc-minutes)² is listed, followed by an asterisk.

BS Number of blue stars (Lucke's count [20]) in the LH association or cloud

N NO. number of a nebula in the Henize catalog [17]. In many cases, the summed area $\Delta x \Delta y$ corresponds to several Henize nebulas; for example, 77A-E means N77A and N77B and N77C and N77D and N77E; 8, A means N8 and N8A and 26, 27 means N26 and N27. These combinations were selected after plotting the nebula positions and dimensions on a mosaic of density vs x,y. The N numbers in parentheses are near unidentified images (density maxima on two or more frames).

D NO. numbers of DEM objects, Ref. 1

HA Henize's $H\alpha$ intensity estimate calibrated by Dougherty, Henize, and Aller [12] in $H\alpha$ -flux units of 10^{-4} erg/s cm² sterad

HA (cont.) summed for all nebulas listed under N NO. Their calibration was as follows: Henize "T" = 1.0×10^{-4} erg/s cm^2 sterad pixel, Henize "1" = 2.0×10^{-4} erg/s cm^2 sterad pixel, Henize "2" = 4.5×10^{-4} erg/s cm^2 sterad pixel, Henize "3" = 7.0×10^{-4} erg/s cm^2 sterad pixel, Henize "4" = 9.5×10^{-4} erg/s cm^2 sterad pixel, Henize "5" = 12.0×10^{-4} erg/s cm^2 sterad pixel. Hence, the H α intensity of N5, Henize "Int 2," dimensions 199 by 202 arc-seconds, or 2.8×2.8 pixels, is $4.5 \times 10^{-4} (2.8 \times 2.8) = 35.2 \times 10^{-4}$ erg/s cm^2 sterad. For N77A-E, the contributions of the five overlapping parts are $1.80 + 1.40 + 0.63 + 5.67 + 98.2 = 107.7$, and the dimensions are 299 by 370 arc-seconds, corresponding to $\Delta x = 5.2$ pixels and $\Delta y = 4.2$ pixels. The summed area is 7 X 6 pixels, to allow for the S201 camera resolution.

H IND. hydrogen index, the ratio HA/UF, or H α flux per unit of unreddened far-UV flux. A dash indicates that the measured UF is zero or negative (due to measurement errors); an asterisk indicates an uncertain value because V is low.

NGC NO. objects in Dreyer's "New General Catalogue of Nebulae and Clusters of Stars" (Mem. R.A.S. 49, Part 1, 1888) associated with LH associations or clouds. When more than two are listed by Lucke and Hodge, only the first and last are listed here.

SAC NO. number of a star in the Smithsonian Astrophysical Observatory catalog identified with a measured image. In one case (R.A. = 5:32.2) a number from the Henry Draper Catalog is given, followed by H.

MC NO. number of radio sources in the MC Catalog (Ref. 13). If followed by SNR, identified as supernova remnants.

M visual magnitude from the SAO catalog

SP spectral type from the SAO catalog

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

PR.	X	Y	R.A.	DEC.	X	Y	P	BO	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	MA	HIND.	NOC NO.	SAO NO.	M	S
124	725	811	4:38.3	-68:55	3X	5	75	65	85	1L	85	.05	147					.0	.00		249073	8.1	A0
125	727	812	4:38.3	-68:55	5X	5	201	167	363	3L	121	.05	210					.0	.00		249073	8.1	A0
129	725	812	4:38.3	-68:55	7X	8	112	40	1344	10C	134	.05	212					.0	.00		249073	8.1	A0
130	725	810	4:38.3	-68:55	9X	9	331	91	5794	30C	193	.05	305					.0	.00		249073	8.1	A0
124	772	800	4:43.1	-68:01	2X	2	67	67	-1	1L	-1	.10	-3			2		3.4	-1.43				
125	773	801	4:43.1	-68:01	2X	2	167	167	-1	3L	0	.10	0			2		3.4	.00				
129	770	800	4:43.1	-68:01	2X	2	40	41	2	10C	0	.10	0			2		3.4	.00				
130	771	798	4:43.1	-68:01	2X	2	100	99	6	30C	0	.10	0			2		3.4	.00				
124	632	764	4:43.5	-71:01	11X	12	473	69	5568	1L	5568	.05	11413					.0	.00		256122	5.7	B9
125	634	765	4:43.5	-71:01	19X	21	958	170	85950	3L	28650	.05	49787					.0	.00		256122	5.7	B9
129	632	764	4:43.5	-71:01	18X	19	917	38	97000	10C	9700	.05	15373					.0	.00		256122	5.7	B9
130	633	761	4:43.5	-71:01	24X	24	953	914	1600	30C	4720	.05	7490					.0	.00		256122	5.7	B9
124	771	797	4:43.7	-68:05	2X	2	69	65	14	1L	14	.08	33			(2)		.0	.00				
125	770	799	4:43.7	-68:05	2X	2	174	165	29	3L	10	.08	24			(2)		.0	.00				
129	770	794	4:43.7	-68:04	2X	2	42	40	8	10C	1	.08	2			(2)		.0	.00				
130	771	793	4:43.7	-68:04	3X	3	96	91	26	30C	1	.08	2			(2)		.0	.00				
124	713	774	4:45.4	-69:19	2X	2	73	68	16	1L	16	.15	83					.0	.00		--		
125	711	774	4:45.4	-69:19	3X	3	181	174	45	3L	15	.15	78					.0	.00		--		
129	711	774	4:45.4	-69:19	2X	2	48	44	15	10C	2	.15	7					.0	.00		--		
130	712	771	4:45.4	-69:19	2X	2	114	104	35	30C	1	.15	3					.0	.00		--		
124	702	769	4:45.5	-69:32	2X	2	73	68	19	1L	19	.15	99					.0	.00		--		
125	702	769	4:45.5	-69:32	2X	2	181	171	33	3L	11	.15	57					.0	.00		--		
129	703	770	4:45.5	-69:32	2X	2	53	43	35	10C	4	.15	15					.0	.00		--		
130	703	768	4:45.5	-69:32	2X	2	118	104	50	30C	2	.15	7					.0	.00		--		
124	671	758	4:46.3	-70:15	2X	2	75	69	18	1L	18	.13	75					.0	.00		--		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD															
FR.	X	Y	R.A.	DEC.	*X	*Y	P	BO	V	E	F	V/E	RE	UF	LH NO.
														SIZE	BS
															N NO.
															MA
															MIND.
															MOC NO.
															SAO NO.
															M
															S
125	672	761	4:46.3	-70:15	2X	2	180	171	32	3L	11	.13	46		
129	671	760	4:46.3	-70:15	3X	3	63	40	151	10C	15	.13	49		
130	671	758	4:46.3	-70:15	5X	4	162	96	555	30C	19	.13	62		
124	701	761	4:47.3	-69:36	2X	2	73	68	16	1L	16	.15	83		
125	702	760	4:47.3	-69:36	3X	3	181	175	39	3L	13	.15	68		
129	704	763	4:47.3	-69:36	2X	2	53	48	19	10C	2	.15	7		
130	703	761	4:47.3	-69:36	2X	2	130	110	74	30C	2	.15	7		
124	654	749	4:47.8	-70:37	2X	2	714	68	11	1L	11	.12	41		
125	653	749	4:47.8	-70:37	2X	2	181	172	30	3L	10	.12	37		
129	654	750	4:47.8	-70:37	2X	2	48	39	35	10C	4	.12	12		
130	654	747	4:47.8	-70:37	2X	2	116	95	73	30C	2	.12	6		
124	792	767	4:49.0	-67:48	6X	8	76	67	184	1L	184	.05	319		
125	796	769	4:49.0	-67:48	7X	9	196	170	784	3L	261	.05	453		
129	793	770	4:49.0	-67:48	8X	9	93	42	1726	10C	173	.05	274		
124	753	764	4:49.2	-68:29	3X	4	71	70	6	1L	6	.12	22		
125	752	765	4:49.2	-68:29	3X	4	178	176	3	3L	1	.12	3		
129	752	765	4:49.2	-68:29	3X	4	414	41	2	10C	0	.12	0		
130	755	762	4:49.2	-68:29	3X	4	1054	105	13	30C	0	.12	0		
124	718	751	4:49.7	-69:17	7X	6	77	74	35	1L	35	.16	205		
125	718	755	4:49.7	-69:17	7X	6	193	189	57	3L	19	.16	111		
129	719	755	4:49.7	-69:17	7X	6	88	69	215	10C	22	.16	96		
130	719	752	4:49.7	-69:17	7X	6	257	177	791	30C	26	.16	113		
130	792	768	4:49.7	-67:44	10X	13	259	101	7252	30C	242	.05	383		
124	791	771	4:50.0	-67:46	10X	8	744	71	65	1L	65	.10	196		
125	792	772	4:50.0	-67:46	10X	8	1874	178	256	3L	85	.10	256		

REVISED 5201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																							
FR.	X	Y	R.A.	DEC.	*X	*Y	P	80	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAD NO.	M	S
129	790	769	4:50.0	-67:46	10X 0	66+ 56		590	10C		59	10	148	(SA0249120)			3	52.5	.45				
130	790	767	4:50.0	-67:46	10X 0	178+139		1667	30C		56	10	140	(SA0249120)			3	52.5	.47				
125	731	757	4:50.2	-69:06	4X 3	192 185		35	3L		12	16	70	--				.0	.00	16987			
129	728	755	4:50.2	-69:06	4X 3	63 51		73	10C		7	16	30	--				.0	.00	16987			
130	728	753	4:50.2	-69:06	4X 4	155 126		289	30C		10	16	43	--				.0	.00	16987			
124	694	748	4:50.4	-69:50	2X 2	78 72		22	1L		22	16	128	--				.0	.00	17047			
125	695	747	4:50.4	-69:50	3X 4	199 184		110	3L		37	16	216	--				.0	.00	17047			
129	694	747	4:50.4	-69:50	6X 4	80 53		304	10C		30	16	130	--				.0	.00	17047			
130	694	745	4:50.4	-69:50	7X 7	201 127		1460	30C		49	16	213	--				.0	.00	17047			
124	710	746	4:51.1	-69:30	13X17	94 76		1001	1L		1001	17	6552	(LH1)			79.A-E	395.7	.09	1712.22	MC13		
125	712	747	4:51.1	-69:30	13X17	262 194		3762	3L		1254	17	8209	(LH1)			79.A-E	395.7	.07	1712.22	MC13		
129	711	746	4:51.1	-69:30	13X17	199 76		5819	10C		582	17	2785	(LH1)			79.A-E	395.7	.21	1712.22	MC13		
130	711	744	4:51.1	-69:30	13X17	652 201		21388	30C		713	17	3412	(LH1)			79.A-E	395.7	.17	1712.22	MC13		
124	710	746	4:51.1	-69:25	4X 0	94 86		88	1L		88	17+	576	LH1	3.0	7.5	23	(79)	.0	.00	1712.22		
125	713	747	4:51.1	-69:25	4X 0	252+228		265	3L		88	17+	576	LH1	3.0	7.5	23	(79)	.0	.00	1712.22		
129	711	746	4:51.1	-69:25	4X 0	199 125		667	10C		67	17+	320	LH1	3.0	7.5	23	(79)	.0	.00	1712.22		
130	712	745	4:51.1	-69:25	4X 0	490+405		1618	30C		54	17+	258	LH1	3.0	7.5	23	(79)	.0	.00	1712.22		
124	683	741	4:51.2	-70:04	5X 6	83 73		94	1L		94	16	550	--				.0	.00	1711			
125	685	743	4:51.2	-70:04	6X 6	212 181		482	3L		161	16	943	--				.0	.00	1711			
129	684	742	4:51.2	-70:04	8X 7	112 49		1071	10C		107	16	467	--				.0	.00	1711			
130	684	740	4:51.2	-70:04	12X 9	327 114		7200	30C		240	16	1047	--				.0	.00	1711			
125	803	764	4:51.3	-67:32	2X 2	183 172		36	3L		13	11	43					.0	.00	--			
129	803	766	4:51.3	-67:32	2X 2	54 45		34	10C		3	11	8					.0	.00	--			
130	803	764	4:51.3	-67:32	2X 2	126 107		71	30C		2	11	5					.0	.00	--			
124	714	741	4:52.4	-69:21	5X 4	91 87		31	1L		31	18	226	LH2	3.0	2.0	10	010	26.0	.17	1727		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																							
FR.	X	Y	R.A.	DEC.	X	Y	P	BO	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAO NO.	M	S
125	717	742	4:52.4	-69:21	5X	4	243	230	77	3L	26	.16	190	LH2	3.0 2.0 10 010			26.0	.21	1727			
129	715	742	4:52.4	-69:21	5X	4	180	136	273	10C	27	.18	141	LH2	3.0 2.0 10 010			26.0	.28	1727			
130	716	739	4:52.4	-69:21	5X	4	517	410	718	30C	24	.18	125	LH2	3.0 2.0 10 010			26.0	.31	1727			
124	714	741	4:52.5	-69:25	5X	5	91	86	55	1L	55	.18	402	(LH2)			79CE	58.0	.22	1727			
125	714	742	4:52.5	-69:25	5X	5	245	236	109	3L	36	.18	263	(LH2)			79CE	58.0	.33	1727			
129	715	742	4:52.5	-69:25	5X	5	180	129	390	10C	39	.18	204	(LH2)			79CE	58.0	.43	1727			
130	713	739	4:52.5	-69:25	4X	5	520	477	703	30C	23	.18	120	(LH2)			79CE	58.0	.73	1727			
124	840	767	4:52.5	-66:47	2X	3	74	70	23	1L	23	.12	86	--			(4.6)	.0	.00	17147			
125	842	767	4:52.5	-66:47	2X	6	198	184	103	3L	34	.12	128	--			(4.6)	.0	.00	17147			
129	840	770	4:52.5	-66:47	5X	3	64	33	113	10C	11	.12	33	--			(4.6)	.0	.00	17147			
130	840	768	4:52.5	-66:47	8X	6	163	123	1000	30C	33	.12	99	--			(4.6)	.0	.00	17147			
124	813	762	4:52.6	-67:22	5X	5	71	70	20	1L	20	.12	75	(LH3)			5	35.2	.62				
125	813	761	4:52.6	-67:22	5X	5	187	183	51	3L	17	.12	64	(LH3)			5	35.2	.73				
129	814	762	4:52.6	-67:22	5X	5	73	63	81	10C	8	.12	24	(LH3)			5	35.2	1.93				
130	814	760	4:52.6	-67:22	5X	5	192	159	275	30C	9	.12	27	(LH3)			5	35.2	1.72				
129	849	773	4:52.6	-66:36	2X	2	56	47	36	10C	4	.10	10				(6.11)	.0	.00				
130	849	769	4:52.6	-66:36	2X	2	122	109	48	30C	2	.13	6				(6.11)	.0	.00				
124	813	762	4:52.7	-67:18	6X	6	71	70	37	1L	37	.12	139	LH3	5.0 5.0 7 (5)		(5)	.0	.00				
125	815	761	4:52.7	-67:18	6X	6	189	183	113	3L	38	.12	43	LH3	5.0 5.0 7 (5)		(5)	.0	.00				
129	814	762	4:52.7	-67:18	6X	6	73	61	128	10C	13	.12	39	LH3	5.0 5.0 7 (5)		(5)	.0	.00				
130	815	759	4:52.7	-67:18	6X	6	176	156	332	30C	11	.12	33	LH3	5.0 5.0 7 (5)		(5)	.0	.00				
124	869	730	4:53.0	-70:24	4X	4	77	73	30	1L	30	.15	157					.0	.00			--	
125	870	731	4:53.0	-70:24	6X	2	193	179	138	3L	46	.15	241					.0	.00			--	
129	870	730	4:53.0	-70:24	4X	4	62	49	122	10C	12	.15	47					.0	.00			--	
130	870	728	4:53.0	-70:24	5X	5	159	116	543	30C	18	.15	71					.0	.00			--	

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD															
PR.	X	Y	R.A.	DEC.	X	Y	P	BO	V	E.F	V/E	RE	UF	LH NO.	SIZE
													BS	N NO.	HA
															WIND. NOC NO. SAO NO. M S
124	719	739	4:53.1	-69:18	3X	3	83° 81		6	1L	6 .25	95		81AB	11.6 .22
125	718	740	4:53.1	-69:18	3X	3	223°223	-3	3L	-1 .25	-15			81AB	11.6 -1.38
129	720	739	4:53.1	-69:18	3X	3	101° 99		14	10C	1 .25	10		81AB	11.6 2.08
130	720	737	4:53.1	-69:18	3X	3	279°272		25	30C	1 .25	10		81AB	11.6 2.06
124	778	751	4:53.1	-68:08	4X	3	78 76		13	1L	13 .09	35		8.A	23.1 .81
125	777	754	4:53.1	-68:08	4X	3	189 184		30	3L	10 .09	27		8.A	23.1 1.05
129	778	752	4:53.1	-68:08	4X	3	87 73		63	10C	6 .09	13		8.A	23.1 2.19
130	778	750	4:53.1	-68:08	4X	3	226 189		167	30C	6 .09	13		8.A	23.1 2.19
124	832	762	4:53.2	-68:59	5X	6	85 79		61	1L	61 .16	357	(LM4)	4A-F	31.0 .13 1731
125	832	763	4:53.2	-68:59	5X	6	218 205		116	3L	39 .16	228	(LM4)	4A-F	31.0 .20 1731
129	832	763	4:53.2	-68:59	5X	6	145 105		324	10C	32 .16	139	(LM4)	4A-F	31.0 .32 1731
130	832	761	4:53.2	-68:59	5X	6	470 306		1475	30C	49 .16	213	(LM4)	4A-F	31.0 .21 1731
124	843	763	4:53.2	-68:40	3X	3	76 72		19	1L	19 .13	79		029	.5 .01
125	847	766	4:53.2	-68:40	9X	8	215°188		931	3L	310 .13	1304		029	.5 .00
124	737	741	4:53.3	-68:56	2X	3	77 71		30	1L	30 .25	475	--	014.16	7.5 .03 17347
125	737	744	4:53.3	-68:56	4X	5	190 182		95	3L	32 .25	507	--	014.16	7.5 .03 17347
129	739	742	4:53.3	-68:56	14X	7	67 50		887	10C	89 .25	890	--	014.16	7.5 .01 17347
130	739	741	4:53.3	-68:56	16X	17	178 116		5197	30C	173 .25	1730	--	014.16	7.5 .01 17347
124	832	762	4:53.4	-68:56	5X	5	85 79		55	1L	55 .16*	322	LM4	4.0 4.0 23	.0 .00 1731
125	833	763	4:53.4	-68:56	5X	5	218 208		73	3L	24 .16*	140	LM4	4.0 4.0 23	.0 .00 1731
129	832	763	4:53.4	-68:56	5X	5	145 108		285	10C	27 .16*	117	LM4	4.0 4.0 23	.0 .00 1731
130	833	760	4:53.4	-68:56	5X	5	412°317		755	30C	25 .16*	109	LM4	4.0 4.0 23	.0 .00 1731
124	807	758	4:53.5	-67:28	3X	3	71° 70		9	1L	9 .11	30		7	3.2 .14
125	808	757	4:53.5	-67:28	3X	3	174°174		3	3L	1 .11	3		7	3.2 1.37
129	808	757	4:53.5	-67:28	3X	3	46° 47		-1	10C	0 .11	0		7	3.2 .00

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																									
FR. X	Y	R.A.	DEC.	X	Y	P	B0	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	WIND.	NOC NO.	SNO NO.	M	S			
130	808	755	4:53.5	-67:28	3X 3	113*113		4	30C	0	.11	0				7	3.2	.00							
129	757	744	4:54.0	-68:34	2X 2	57 50		20	10C	2	.20	12				(80)	.0	.00							
130	757	741	4:54.0	-68:34	2X 2	136 120		56	30C	2	.20	12				(80)	.0	.00							
124	660	727	4:54.1	-70:40	3X 3	75 73		19	1L	19	.14	89	--			021	2.8	.04	17547						
125	660	725	4:54.1	-70:40	5X 4	201 182		236	3L	79	.14	371	--			021	2.8	.01	17547						
129	658	725	4:54.1	-70:40	3X 4	68 45		184	10C	18	.14	65	--			021	2.8	.06	17547						
130	658	722	4:54.1	-70:40	6X 7	178 105		1070	30C	36	.14	130	--			021	2.8	.03	17547						
124	686	726	4:54.2	-70:05	8X 8	78 73		73	1L	73	.16	427				185	60.6	.21							
125	686	727	4:54.2	-70:05	8X 8	198*187		213	3L	71	.16	416				185	60.6	.21							
129	686	727	4:54.2	-70:05	8X 8	87* 59		403	10C	40	.16	174				185	60.6	.50							
130	686	725	4:54.2	-70:05	8X 8	236 144		1115	30C	37	.16	161				185	60.6	.54							
124	723	734	4:54.3	-69:13	5X 7	88 82		74	1L	74	.26*	1309	LH5	4.0	6.0	26	(83)	.0	.00	1727-48					
125	725	736	4:54.3	-69:13	5X 7	243*213		382	3L	127	.23*	2249	LH5	4.0	6.0	26	(83)	.0	.00	1727-48					
129	724	734	4:54.3	-69:13	5X 7	171 106		566	10C	57	.26*	624	LH5	4.0	6.0	26	(83)	.0	.00	1727-48					
130	725	733	4:54.3	-69:13	5X 7	430*307		1135	30C	38	.26*	416	LH5	4.0	6.0	26	(83)	.0	.00	1727-48					
124	764	740	4:54.3	-68:27	3X 3	76 75		8	1L	8	.20	72				80	9.2	.20							
125	763	743	4:54.3	-68:27	3X 3	186 191		19	3L	6	.20	54				80	9.2	.27							
129	763	741	4:54.3	-68:27	3X 3	76 68		33	10C	3	.20	18				80	9.2	.81							
130	763	739	4:54.3	-68:27	3X 3	193 172		77	30C	3	.20	18				80	9.2	.81							
124	758	741	4:54.4	-68:35	2X 2	77 73		13	1L	13	.20	118					.0	.00	--						
125	757	742	4:54.4	-68:35	2X 2	187 181		24	3L	8	.20	72					.0	.00	--						
124	723	731	4:54.5	-69:16	6X 7	88 81		104	1L	104	.26	1840	(LH5)			83,A-D	150.8	.15	1727-48	MC16					
125	725	735	4:54.5	-69:16	6X 7	248 215		389	3L	130	.26	2301	(LH5)			83,A-D	150.8	.12	1727-48	MC16					
129	724	734	4:54.5	-69:16	6X 7	171 102		774	10C	77	.26	844	(LH5)			83,A-D	150.8	.33	1727-48	MC16					
130	724	732	4:54.5	-69:16	6X 7	585 294		3221	30C	107	.26	1173	(LH5)			83,A-D	150.8	.23	1727-48	MC16					

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD															
FR. X	Y	R.A.	DEC.	X	Y	B0	V	E.F	V/L	RE	UF	LH NO.	SIZE	BS	N NO.
124	708	731	4:54.7	-69:35	2X 2	77	77	0	1L	0.16	0				87
125	709	732	4:54.7	-69:35	2X 2	195	195	1	3L	0.16	0				87
129	707	730	4:54.7	-69:35	2X 2	77	78	1	10C	0.16	0				87
130	707	728	4:54.7	-69:35	2X 2	199	202	-3	30C	0.16	0				87
124	675	722	4:55.0	-70:18	2X 2	77	73	14	1L	14.15	73	--			
125	677	719	4:55.0	-70:18	3X 2	201	189	40	3L	13.15	68	--			
129	677	723	4:55.0	-70:18	2X 2	59	53	24	10C	2.15	7	--			
130	677	721	4:55.0	-70:18	2X 3	148	128	77	30C	3.15	11	--			
124	711	728	4:55.1	-69:29	2X 3	80	81	5	1L	5.16	29	(LH8)			88
125	712	729	4:55.1	-69:29	2X 3	220	220	23	3L	8.16	46	(LH8)			88
129	711	728	4:55.1	-69:29	2X 3	102	108	15	10C	2.16	8	(LH8)			88
130	711	726	4:55.1	-69:29	2X 3	275	307	21	30C	1.16	4	(LH8)			88
124	821	751	4:55.1	-67:11	5X 6	85	79	59	1L	59.12	222	LH6	3.0 5.0 10	19	
125	822	751	4:55.1	-67:11	5X 6	228	212	222	3L	74.12	278	LH6	3.0 5.0 10	19	
129	821	751	4:55.1	-67:11	5X 6	143	107	339	10C	34.12	102	LH6	3.0 5.0 10	19	
130	822	749	4:55.1	-67:11	5X 6	443	308	1062	30C	35.12	105	LH6	3.0 5.0 10	19	
124	821	751	4:55.2	-67:13	9X 8	85	77	135	1L	135.12	508	(LH6)			9
125	822	752	4:55.2	-67:13	9X 8	228	199	757	3L	252.12	949	(LH6)			9
129	821	751	4:55.2	-67:13	9X 8	143	86	1154	10C	115.12	347	(LH6)			9
130	821	748	4:55.2	-67:13	9X 8	473	229	4685	30C	156.12	471	(LH6)			9
124	670	720	4:55.3	-70:26	3X 3	78	73	37	1L	37.15	194	--			
125	671	722	4:55.3	-70:26	4X 4	199	184	147	3L	49.15	257	--			
129	670	721	4:55.3	-70:26	3X 3	88	51	86	10C	9.15	35	--			
130	670	719	4:55.3	-70:26	4X 6	183	123	503	30C	17.15	67	--			
124	705	723	4:55.4	-69:45	3X 5	83	79	50	1L	50.18	293				(88)

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	B	G	V	E	F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	MOC NO.	SAC NO.	M	S
125	703	725	4:55.4	-69:45	5X	4	216	197	225	3L			75	16	439				(88)	.0	.00				
129	704	725	4:55.4	-69:44	4X	4	101	81	229	10C			23	16	100				(88)	.0	.00				
130	704	723	4:55.4	-69:44	6X12	300	213	2400	30C				80	16	349				(88)	.0	.00				
124	714	723	4:55.4	-69:28	11X11	95	80	964	1L				964	16	5650	(LH8)			(88.89)	.0	.00	1767-82			
125	714	725	4:55.4	-69:28	14X15	269	204	4545	3L				1515	16	8879	(LH8)			(88.89)	.0	.00	1767-82			
129	713	725	4:55.4	-69:28	6X14	201	186	3400	10C				340	16	1494	(LH8)			(88.89)	.0	.00	1767-82			
130	713	723	4:55.4	-69:28	7X14	630	310	9400	30C				3134	16	1366	(LH8)			(88.89)	.0	.00	1767-82			
124	772	740	4:55.5	-68:15	5X	4	76	70	54	1L			54	17	353	--				.0	.00	1755			
125	773	739	4:55.5	-68:15	5X	6	190	176	177	3L			59	17	386	--				.0	.00	1755			
129	772	740	4:55.5	-68:15	5X	5	75	48	333	10C			33	17	157	--				.0	.00	1755			
130	772	737	4:55.5	-68:15	6X	7	195	113	1238	30C			41	17	196	--				.0	.00	1755			
124	650	714	4:55.6	-70:56	3X	3	76	72	19	1L			19	13	79					.0	.00				
125	649	716	4:55.6	-70:56	3X	3	196	180	101	3L			34	13	143					.0	.00				
129	644	717	4:55.6	-70:56	3X	3	59	44	88	10C			9	13	29					.0	.00				
130	645	713	4:55.6	-70:56	4X	6	148	105	580	30C			19	13	62					.0	.00				
129	681	761	4:55.6	-66:00	2X	2	53	43	39	10C			4	10	10					31.0	3.90				
130	681	759	4:55.6	-66:00	3X	3	126	101	154	30C			5	10	12					31.0	3.25				
124	718	728	4:55.7	-69:21	2X	2	83	82	4	1L			4	20	36	(LH8)			90	1.5	.07	1767-82			
125	723	727	4:55.7	-69:21	2X	2	228	224	7	3L			2	20	18	(LH8)			90	1.5	.13	1767-82			
129	719	729	4:55.7	-69:21	2X	2	109	108	-1	10C			0	20	0	(LH8)			90	1.5	.00	1767-82			
130	722	726	4:55.7	-69:21	2X	2	314	288	-51	30C			-2	20	-12	(LH8)			90	1.5	-.20	1767-82			
124	759	735	4:55.7	-68:31	4X	4	72	73	12	1L			12	26	212				84	10.8	.09				
125	760	735	4:55.7	-68:31	4X	4	190	186	36	3L			12	26	212				84	10.8	.09				
129	759	735	4:55.7	-68:31	4X	4	54	54	13	10C			1	26	10				84	10.8	1.97				
130	759	733	4:55.7	-68:31	4X	4	126	128	37	30C			1	26	10				84	10.8	1.97				

REVISED S201 FAR UV ATLAS OF THE LARGE MAGELLANIC CLOUD															
FM	X	Y	R.A.	DEC.	X	Y	P	B _G	V	E/F	V/E	RE	UF	LH NO.	SIZE
													95	N NO.	MA
															HIND. NOC NO. SAG NO. M S
124	750	733	4:55.9	-68:43	5X 5	75° 74		25	11	25	.26	442		85.86	19.6 .08
125	752	734	4:55.9	-68:43	5X 5	186° 184		61	31	20	.26	354		85.86	19.6 .10
129	750	733	4:55.9	-68:43	5X 5	62° 58		40	10C	4	.26	43		85.86	19.6 .83
130	750	731	4:55.9	-68:43	5X 5	155 142		91	30C	3	.26	32		85.86	19.6 1.11
124	678	717	4:56.2	-70:17	3X 2	76 73		15	11	15	.16	87	--		.0 .00 1766
125	678	716	4:56.2	-70:17	2X 3	201 187		77	31	26	.16	152	--		.0 .00 1766
129	677	717	4:56.2	-70:17	2X 2	62 53		27	10C	3	.16	13	--		.0 .00 1766
130	677	715	4:56.2	-70:17	2X 2	148 128		57	30C	2	.16	8	--		.0 .00 1766
124	684	757	4:56.3	-65:56	2X 2	71 67		15	11	15	.10	45			.0 .00 --
125	683	760	4:56.3	-65:56	2X 2	177 168		35	31	12	.10	36			.0 .00 --
124	623	707	4:56.4	-71:25	5X 5	71° 71		15	11	15	.15	78	LH7		.0 .00
125	624	709	4:56.4	-71:25	5X 5	177° 179		20	31	7	.15	36	LH7		.0 .00
129	621	708	4:56.4	-71:25	5X 5	47 42		36	10C	4	.15	15	LH7		.0 .00
130	622	705	4:56.4	-71:25	5X 5	108 99		37	30C	1	.15	3	LH7		.0 .00
124	689	718	4:56.5	-70:03	3X 3	80 73		45	11	45	.16	263		(185)	.0 .00
125	689	719	4:56.5	-70:03	4X 3	204 187		116	31	39	.16	229		(185)	.0 .00
129	688	718	4:56.5	-70:03	3X 3	75 58		103	10C	10	.16	43		(185)	.0 .00
130	688	716	4:56.5	-70:03	5X 5	198 141		633	30C	21	.16	91		(185)	.0 .00
124	858	750	4:56.6	-66:30	22X20	112 73		3437	11	3437	.15	18037	(LM9,10,13,14)	11.A-L 1874.0	.15 1760-73 MC18
125	859	751	4:56.6	-66:30	22X20	342 189		11151	31	3717	.15	19507	(LM9,10,13,14)	11.A-L 1874.0	.14 1760-73 MC18
129	858	750	4:56.6	-66:30	22X20	407 66		21099	10C	2110	.15	8400	(LM9,10,13,14)	11.A-L 1874.0	.32 1760-73 MC18
130	858	749	4:56.6	-66:30	22X20	990 168		73306	30C	2444*	.15	9729	(LM9,10,13,14)	11.A-L 1874.0	.27 1760 73 MC18
124	858	750	4:56.6	-66:29	7X 5	112 101		125	11	125	.15*	656	LH9	(11)	.0 .00 1760.61
125	857	750	4:56.6	-66:29	7X 5	316*280		464	31	155	.15*	813	LH9	(11)	.0 .00 1760.61
129	857	751	4:56.6	-66:29	7X 5	407 253		1477	10C	148	.15*	589	LH9	(11)	.0 .00 1760.61

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

REVISED SCULPARI-UV ATLAS OF THE LARGE MAGELLANIC CLOUD	PR.	X	Y	R.A.	DEC.	X	Y	P	BO	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	MIND.	NGC NO.	SAO NO.	M	S
	130	858	749	4:56.6	-66:27	7X	5	990	840	2251	30C	75	.15	298	LH9	6.0	4.0	38	(11)	.0	.00	1760-61		
	124	860	749	4:56.6	-66:28	69	112	85	714	1L	714	.15	3747	LH9--13	49.0*	49.0*	38	(11)	.0	.00	1760-69			
	125	859	749	4:56.6	-66:28	75	298	245	2070	3L	690	.15	3621	LH9--13	49.0*	49.0*	38	(11)	.0	.00	1760-69			
	129	859	749	4:56.6	-66:28	75	259	170	3886	10C	389	.15	1548	LH9--13	49.0*	49.0*	38	(11)	.0	.00	1760-69			
	130	857	748	4:56.6	-66:28	79	840	513	11429	30C	381	.15	1516	LH9--14	50.5*	50.5*	38	(11)	.0	.00	1760-73			
	124	860	751	4:56.6	-66:27	54	112	90	339	1L	339	.15	1779	LH9.10	40.0*	40.0*	38	(11)	.0	.00	1760-63			
	125	859	750	4:56.6	-66:27	50	333	268	934	3L	311	.15	1632	LH9.10	40.0*	40.0*	38	(11)	.0	.00	1760-63			
	129	859	751	4:56.6	-66:27	45	385	216	2183	10C	218	.15	867	LH9.10	40.0*	40.0*	38	(11)	.0	.00	1760-63			
	130	859	748	4:56.6	-66:27	50	953	679	4806	30C	160	.15	636	LH9.10	40.0*	40.0*	38	(11)	.0	.00	1760-63			
	124	715	721	4:56.7	-69:26	14X18	98	80	1230	1L	1230	.16	7209	LH8	15.0	20.0	76	(90.94)	.0	.00	1767-82			
	125	716	722	4:56.7	-69:26	14X18	277	212	3048	3L	1016	.16	5955	LH8	15.0	20.0	76	(90.94)	.0	.00	1767-82			
	129	716	722	4:56.7	-69:26	14X18	201	92	6391	10C	639	.16	2789	LH8	15.0	20.0	76	(90.94)	.0	.00	1767-82			
	130	716	720	4:56.7	-69:26	14X18	679	269	23026	30C	768	.16	3352	LH8	15.0	20.0	76	(90.94)	.0	.00	1767-82			
	124	861	752	4:56.7	-66:24	5X	5	94	92	20	1L	20	.15	104	LH10	4.0	4.0	--	(11)	.0	.00	1763		
	125	861	751	4:56.7	-66:24	5X	5	312	286	166	3L	55	.15	288	LH10	4.0	4.0	--	(11)	.0	.00	1763		
	129	861	751	4:56.7	-66:24	5X	5	238	212	144	10C	14	.15	55	LH10	4.0	4.0	--	(11)	.0	.00	1763		
	130	862	749	4:56.7	-66:24	5X	5	734	579	1214	30C	41	.15	163	LH10	4.0	4.0	--	(11)	.0	.00	1763		
	124	710	719	4:57.0	-69:33	5X	5	88	86	40	1L	40	.16	234	(LH8)			94A-C	20.9	.13	1767-82			
	125	711	720	4:57.0	-69:33	5X	5	228	223	105	3L	35	.16	205	(LH8)			94A-C	20.9	.15	1767-82			
	129	711	720	4:57.0	-69:33	5X	5	134	128	53	10C	5	.16	21	(LH8)			94A-C	20.9	1.44	1767-82			
	130	711	718	4:57.0	-69:33	5X	5	454	417	269	30C	9	.16	39	(LH8)			94A-C	20.9	.77	1767-82			
	129	839	744	4:57.1	-66:54	4X	3	68	57	93	10C	9	.16	39					.0	.00			--	
	130	840	743	4:57.1	-66:54	5X	7	178	139	725	30C	24	.16	104					.0	.00			--	
	124	724	721	4:57.2	-69:18	2X	3	77	78	2	1L	2	.20	18				93	.5	.04				
	125	724	723	4:57.2	-69:18	2X	3	213	215	10	3L	3	.20	27				93	.5	.03				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																					
FR.	X	Y	R.A.	DEC.	X	Y	P	BO	V	E.F	V/E	RE	UF	LM NO.	SIZE	BS	N NO.	HA	MIND.	NGC NO.	SAD NO.
129	724	721	4:57.2	-69:10	2X	3	03*	94	0	10C	1	.20	6				93	.5	.13		
130	724	719	4:57.2	-69:10	2X	3	229*239		16	30C	1	.20	6				93	.5	.13		
124	030	750	4:57.2	-66:30	6X	7	112	99	204	1L	204	.15	1070	(LM9.13)			118C	355.0	.47	1760-69	
125	030	740	4:57.2	-66:30	6X	7	204*262		478	3L	159	.15	834	(LM9.13)			118C	355.0	.60	1760-69	
129	030	749	4:57.2	-66:30	6X	7	271*229		1055	10C	106	.15	421	(LM9.13)			118C	355.0	1.19	1760-69	
130	030	747	4:57.2	-66:30	6X	7	007*734		2202	30C	73*.15		290	(LM9.13)			118C	355.0	1.73	1760-69	
124	746	725	4:57.3	-69:50	4X	4	76	74	15	1L	15	.26	265	(LM11)			92,AB	14.4	.10		
125	747	726	4:57.3	-69:50	4X	4	198	193	32	3L	11	.26	194	(LM11)			92,AB	14.4	.14		
129	745	725	4:57.3	-69:50	4X	4	70*	73	67	10C	7	.26	76	(LM11)			92,AB	14.4	.34		
130	747	723	4:57.3	-69:50	4X	4	239	199	230	30C	8	.26	87	(LM11)			92,AB	14.4	.30		
124	746	725	4:57.3	-69:45	3X	3	76	75	4	1L	4	.26	70	(LM11)	1.5	1.0	--	.0	.00		
125	750	727	4:57.3	-69:45	3X	3	102*100		9	3L	3	.26	53	(LM11)	1.5	1.0	--	.0	.00		
129	747	725	4:57.3	-69:45	3X	3	06	70	30	10C	3	.26	32	(LM11)	1.5	1.0	--	.0	.00		
130	748	723	4:57.3	-69:45	3X	3	223*200		80	30C	3	.26	32	(LM11)	1.5	1.0	--	.0	.00		
124	040	700	4:57.4	-70:53	3X	3	70	73	24	1L	24	.16	140				.0	.00			--
125	030	710	4:57.4	-70:53	4X	3	190	102	113	3L	30	.16	222				.0	.00			--
129	030	709	4:57.4	-70:53	3X	2	96	43	61	10C	6	.16	26				.0	.00			--
130	030	708	4:57.4	-70:53	7X	5	144	110	670	30C	23	.16	100				.0	.00			--
125	097	713	4:57.4	-69:55	3X	3	204	109	114	3L	30	.16	222				.0	.00			--
129	030	710	4:57.4	-69:55	4X	6	70	62	100	10C	19	.16	82				.0	.00			--
130	030	714	4:57.4	-69:55	8X	5	210	103	605	30C	23	.16	100				.0	.00			--
124	030	710	4:57.5	-69:51	3X	3	00	76	24	1L	24	.16	140				.0	.00			--
125	030	717	4:57.5	-69:51	4X	3	205	102	96	3L	32	.16	187				.0	.00			--
124	704	727	4:57.5	-69:29	7X	0	96	70	253	1L	253	.26	4470	(LM12)			91,AB	229.5	.09	1770	MC19
125	705	720	4:57.5	-69:29	7X	0	250	204	891	3L	297	.26	5257	(LM12)			91,AB	229.5	.08	1770	MC19

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																							
PR.	A	T	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LM NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAD NO.	M	S
129	763	720	4:57.5	-68:29	7X	0	207	83	1487	100	149	26	1633	(LH12)			91.AB	229.5	.26	1770		MC19	
130	763	726	4:57.5	-68:29	7X	0	663	216	6234	300	208*	26	2280	(LH12)			91.AB	229.5	.18	1770		MC19	
124	858	745	4:57.5	-66:28	5X	5	88*	88	15	11	15	.15	78	LH13	3.0	3.0	--	.0	.00	1769			
125	860	746	4:57.5	-66:28	5X	5	238*	235	59	31	20	.15	104	LH13	3.0	3.0	--	.0	.00	1769			
129	859	746	4:57.5	-66:28	5X	5	152*	146	-3	100	0	.15	0	LH13	3.0	3.0	--	.0	.00	1769			
130	860	744	4:57.5	-66:28	5X	5	454*	452	-130	300	-4	.15	-15	LH13	3.0	3.0	--	.0	.00	1769			
124	764	727	4:57.6	-68:25	7X	5	9*	82	145	11	145	.26*	2566	LH12	6.0	4.0	25	(91)	.0	.00	1770		
125	766	720	4:57.6	-68:25	7X	5	248*	215	380	31	127	.26*	2248	LH12	6.0	4.0	25	(91)	.0	.00	1770		
129	763	720	4:57.6	-68:25	7X	5	207	103	880	100	88	.26*	964	LH12	6.0	4.0	25	(91)	.0	.00	1770		
130	765	725	4:57.6	-68:25	7X	5	523*	290	2801	300	93	.26*	1019	LH12	6.0	4.0	25	(91)	.0	.00	1770		
124	841	741	4:57.7	-66:53	2X	2	75	71	13	11	13	.16	76					.0	.00			--	
125	841	743	4:57.7	-66:53	2X	2	190	178	41	31	14	.16	82					.0	.00			--	
124	812	735	4:57.8	-67:32	2X	3	76	70	21	11	21	.12	79	--				.0	.00	1774786?			
125	810	736	4:57.8	-67:32	3X	3	195	182	78	31	26	.12	97	--				.0	.00	1774786?			
129	810	732	4:57.8	-67:32	4X	3	68	52	162	100	16	.12	48	--				.0	.00	1774785?			
130	809	734	4:57.8	-67:32	9X	7	174	133	2094	300	70	.12	211	--				.0	.00	1774786?			
124	704	717	4:57.9	-69:44	2X	2	84	78	23	11	23	.16	134	--				.0	.00	1772782?			
125	705	716	4:57.9	-69:44	2X	4	212	199	69	31	23	.16	134	--				.0	.00	1772782?			
129	704	715	4:57.9	-69:44	4X	4	97	76	167	100	17	.16	74	--				.0	.00	1772782?			
130	704	713	4:57.9	-69:44	5X	6	279	198	950	300	32	.16	139	--				.0	.00	1772782?			
124	862	744	4:58.0	-66:22	3X	3	78*	78	1	11	1	.15	5	LH14	1.5	1.0	--	(11)	.0	.00	1773		
125	865	744	4:58.0	-66:22	3X	3	181*	185	-9	31	-3	.15	-15	LH14	1.5	1.0	--	(11)	.0	.00	1773		
129	863	743	4:58.0	-66:22	3X	3	70*	71	-2	100	0	.15	0	LH14	1.5	1.0	--	(11)	.0	.00	1773		
130	864	741	4:58.0	-66:22	3X	3	156*	163	-22	300	-1	.15	-3	LH14	1.5	1.0	--	(11)	.0	.00	1773		
129	778	727	4:58.1	-68:10	2X	2	52	47	18	100	2	.14	7					.0	.00			--	

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																							
FR.	X	Y	R.A.	DEC.	X	Y	P	BO	V	E.F	V/E	RE	UF	LM NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAD NO.	M	S
130	777	726	4:50.1	-69:10	2X 2	124	112		41	30C		1 .14	3					.0	.00			--	--
124	694	711	4:50.2	-69:55	2X 2	80	74		21	11		21 .16	123					.0	.00			--	--
125	697	713	4:50.2	-69:55	3X 4	204	189		104	3L		35 .16	205					.0	.00			--	--
129	696	712	4:50.2	-69:55	3X 4	79	58		136	10C		14 .16	61					.0	.00			--	--
130	696	710	4:50.2	-69:55	6X 5	212	163		70C	30C		23 .16	100					.0	.00			--	--
124	872	741	4:50.6	-66:16	6X 5	77	75		21	1L		21 .13	88			12.A	26.8	.41					
125	873	742	4:50.6	-66:16	6X 5	195	187		43	3L		14 .13	58			12.A	26.8	.62					
129	872	743	4:50.6	-66:16	6X 5	73	65		99	10C		10 .13	33			12.A	26.8	1.10					
130	872	741	4:50.6	-66:16	6X 5	195	164		298	30C		10 .13	33			12.A	26.8	1.10					
124	894	743	4:50.9	-65:44	13X22	81	74		516	1L		516 .09	1395	LM15	13.0 24.0	49	043	208.0	.18	1787			
125	897	744	4:50.9	-65:44	13X22	208	188		1207	3L		402 .09	1086	LM15	13.0 24.0	49	043	208.0	.24	1787			
129	894	743	4:50.9	-65:44	13X22	119	74		3035	10C		304 .09	696	LM15	13.0 24.0	49	043	208.0	.37	1787			
130	895	742	4:50.9	-65:44	13X22	348	197		7404	30C		247 .09	565	LM15	13.0 24.0	49	043	208.0	.45	1787			
124	746	716	4:59.2	-68:52	4X 6	81	73		96	1L		96 .20	875	--	--	(92)	.0	.00	17857				
125	746	717	4:59.2	-68:52	6X 6	205	184		386	3L		129 .20	1176	--	--	(92)	.0	.00	17857				
129	746	716	4:59.2	-68:52	6X 7	92	54		611	10C		61 .20	384	--	--	(92)	.0	.00	17857				
130	746	714	4:59.2	-68:52	8X 8	252	130		2720	30C		91 .20	574	--	--	(92)	.0	.00	17857				
124	885	738	4:59.7	-65:55	13X10	97	72		935	1L		935 .10	2823	(CL..LM15)			.0	.00	1787				
125	890	739	4:59.7	-65:55	22X18	218	178		5819	3L		1940 .10	5858	(CL..LM15)			.0	.00	1787				
129	890	741	4:59.7	-65:55	20X20	124	47		12250	10C		1225 .10	3077	(CL..LM15)			.0	.00	1787				
130	890	739	4:59.7	-65:55	20X19	402	151		27600	30C		920 .10	2310	(CL..LM15)			.0	.00	1787				
124	653	700	4:59.9	-70:51	4X 4	77	72		48	1L		48 .15	251				.0	.00			--	--	
125	653	699	4:59.9	-70:51	4X 4	199	182		163	3L		54 .15	283				.0	.00			--	--	
129	654	700	4:59.9	-70:51	4X 3	58	43		142	10C		14 .15	55				.0	.00			--	--	
130	654	697	4:59.9	-70:51	6X 4	151	110		510	30C		17 .15	67				.0	.00			--	--	

REVISED 5201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD														
FR.	X	Y	R.A.	DEC.	*X	*Y	P	B _U	V	E.F.	V/E	RE	UF	LH NO.
													SIZE	BS
														N NO.
														MA
														HIND.
														NGC NO.
														SAO NO.
														M
														S
125	716	708	4:59.9	-69:31	2X 2	195	188	22	3L	7	.16		41	--
129	716	707	4:59.9	-69:31	4X 2	62	55	44	10C	4	.16		17	--
130	716	705	4:59.9	-69:31	3X 3	162	137	152	30C	5	.16		21	--
130	764	713	4:59.9	-68:31	2X 2	130	122	32	30C	1	.05		1	--
124	786	717	5:00.0	-68:03	4X 5	78	75	11	1L	11	.14		51	16A
125	786	719	5:00.0	-68:03	4X 5	193	188	21	3L	7	.14		32	16A
129	788	720	5:00.0	-68:03	4X 5	60	56	31	10C	3	.14		10	16A
130	787	718	5:00.0	-68:03	4X 5	152	138	106	30C	4	.14		14	16A
124	682	702	5:00.1	-70:15	9X10	86	77	152	1L	152	.16		890	186A-E
125	682	703	5:00.1	-70:15	9X10	236	196	610	3L	203	.16		1189	186A-E
129	682	702	5:00.1	-70:15	9X10	127	69	820	10C	82	.16		357	186A-E
130	682	699	5:00.1	-70:15	9X10	385	176	3118	30C	104	.16		453	186A-E
124	877	733	5:00.1	-66:09	4X 4	70*	71	-6	1L	-6	.13		25	13
125	878	735	5:00.1	-66:09	4X 4	180*	182	8	3L	3	.13		12	13
129	877	734	5:00.1	-66:09	4X 4	58*	58	8	10C	1	.12		3	13
130	877	732	5:00.1	-66:09	4X 4	137*	140	20	30C	1	.13		3	13
124	869	732	5:00.2	-66:19	4X 4	73*	71	6	1L	6	.15		31	14
125	870	733	5:00.2	-66:19	4X 4	178*	181	16	3L	5	.15		26	14
129	869	734	5:00.2	-66:19	4X 4	58*	57	48	10C	5	.15		19	14
130	869	732	5:00.2	-66:19	4X 4	143*	140	55	30C	2	.15		7	14
124	829	727	5:00.4	-67:09	2X 2	74	71	10	1L	10	.15		52	--
125	829	728	5:00.4	-67:09	2X 2	190	178	43	3L	14	.15		73	--
129	828	726	5:00.4	-67:09	2X 4	59	49	74	10C	7	.15		27	--
130	828	724	5:00.4	-67:09	5X 8	144	111	765	30C	26	.15		103	--
124	725	707	5:00.6	-69:18	2X 2	75*	74	5	1L	5	.17		32	--

24916478.2 A2

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD															
FR.	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LI NO	SIZE
													BS	N NO.	MA
															HIND. NGC NO.
															SAO NO.
															M
															S
125	726	710	5:00.6	-69:18	2X 2	195	186	29	31	10	.17	65			.0
129	727	707	5:00.6	-69:18	2X 2	58	52	21	100	2	.17	9			.0
130	727	705	5:00.6	-69:18	2X 2	149	130	65	300	2	.17	9			.0
124	860	729	5:00.7	-66:27	2X 2	73	72	3	11	3	.15	15	15		4.0
125	861	732	5:00.7	-66:27	2X 2	178	176	5	31	2	.15	10	15		4.0
129	862	729	5:00.7	-66:27	2X 2	51	50	6	100	1	.15	3	15		4.0
130	861	725	5:00.7	-66:27	2X 2	112	112	3	300	0	.15	0	15		4.0
124	722	705	5:00.8	-69:25	4X 4	80	73	57	11	57	.05	99			.0
125	722	706	5:00.8	-69:25	4X 4	204	185	172	31	57	.05	99			.0
129	722	704	5:00.8	-69:25	6X 5	82	53	406	100	41	.05	64			.0
130	722	702	5:00.8	-69:25	8X 8	228	128	2340	300	78	.05	123			.0
124	780	712	5:00.9	-68:10	3X 3	78	74	19	11	19	.14	89			.0
125	782	715	5:00.9	-68:10	4X 4	199	185	156	31	52	.14	244			.0
129	780	714	5:00.9	-68:10	4X 7	71	50	352	100	35	.14	127			.0
130	780	712	5:00.9	-68:10	4X 9	186	131	895	300	30	.14	108			.0
124	775	711	5:01.2	-68:18	3X 3	82	73	50	11	50	.15	262	052		20.0
125	775	713	5:01.2	-68:18	5X 5	199	183	163	31	54	.15	283	052		20.0
129	776	712	5:01.2	-68:18	7X 5	77	49	683	100	68	.15	270	052		20.0
130	776	710	5:01.2	-68:18	10X 8	210	115	2800	300	93	.15	370	052		20.0
124	816	712	5:01.6	-67:24	2X 2	75	71	12	11	12	.16	70			.0
125	816	716	5:01.6	-67:24	2X 2	187	178	36	31	12	.16	70			.0
129	819	719	5:01.6	-67:24	2X 2	53	47	23	100	2	.16	8			.0
130	819	716	5:01.6	-67:24	2X 2	130	110	74	300	2	.16	8			.0
124	690	695	5:02.0	-70:05	2X 2	76	75	4	11	4	.16	23	053		8.0
125	690	694	5:02.0	-70:05	2X 2	201	192	25	31	8	.16	46	053		8.0

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

PR.	X	Y	R.A.	DEC.	X	Y	P	B _G	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAD NO.	M	S
129	691	695	5:02.0	-70:05	4X 3	65	53	84	100			8	16	34			053	6.0	.26				
130	691	693	5:02.0	-70:05	6X 7	159	123	835	300			28	16	122			053	6.0	.07				
124	881	724	5:02.1	-68:08	21X23	76	71	834	11			834	12	3141			10.13	802.0	.34				
125	881	726	5:02.1	-68:08	21X23	196	180	2723	31			908	12	3420			10.13	802.0	.31				
129	880	726	5:02.1	-68:08	21X23	85	55	4176	100			418	12	1262			10.13	802.0	.84				
130	880	724	5:02.1	-68:08	21X23	236	133	13993	300			466	12	1407			10.13	802.0	.75				
129	809	714	5:02.1	-67:34	6X 5	56	50	61	100			6	10	15				.0	.00				
124	881	724	5:02.2	-66:08	2X 2	76	71	17	11			17	15	89	--		0617	16.0	.25	1805			
125	881	726	5:02.2	-66:08	3X 3	196	182	75	31			25	15	131	--		0617	16.0	.17	1805			
129	880	726	5:02.2	-66:08	12X17	85	48	2706	100			271	15	1078	--		0617	16.0	.02	1805			
130	880	724	5:02.2	-66:08	27X25	236	105	35000	300			1167	15	4845	--		0617	16.0	.00	1805			
124	650	688	5:02.4	-70:57	2X 2	76	73	10	11			10	14	46				.0	.00				
125	650	692	5:02.4	-70:57	2X 2	193	182	36	31			12	14	56				.0	.00				
129	651	687	5:02.4	-70:57	2X 2	51	43	32	100			3	14	10				.0	.00				
130	651	685	5:02.4	-70:57	2X 2	124	108	58	300			2	14	7				.0	.00				
124	488	669	5:02.5	-74:25	6X 6	122	69	705				705	.05	1225				.0	.00		256152	7.0	A0
125	489	670	5:02.5	-74:25	8X 9	344	175	3410	31			1137	.05	1975				.0	.00		256152	7.0	A0
129	488	669	5:02.5	-74:25	9X 9	257	30	4723	100			472	.05	748				.0	.00		256152	7.0	A0
130	488	665	5:02.5	-74:25	11X13	645	72	23700	300			790*	.05	1252				.0	.00		256152	7.0	A0
129	852	718	5:03.0	-66:44	2X 2	62	49	45	100			5	16	21			056	47.0	3.24				
130	852	714	5:03.0	-66:44	4X 5	148	113	405	300			13	16	56			056	47.0	1.21				
124	739	696	5:03.3	-69:02	4X 5	79*	78	27	11			27	16	158	LH16	1.5	3.0	2	060	6.0	.05		
125	740	696	5:03.3	-69:02	4X 5	218*	210	83	31			28	16	164	LH16	1.5	3.0	2	060	6.0	.05		
129	740	696	5:03.3	-69:02	4X 5	94*	87	96	100			10	16	43	LH16	1.5	3.0	2	060	6.0	.20		
130	739	693	5:03.3	-69:02	4X 5	310*	260	376	300			13	16	56	LH16	1.5	3.0	2	060	6.0	.15		

REVISED SPOT FAVORABLE ATLAS OF THE LARGE MAGELLANIC CLOUD

PM.	X	Y	R.A.	DEC.	*X	*Y	P	BO	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	MIND.	NGC NO.	SAR NO.	M	S
124	836	710	5:03.6	-67:01	6X	3	74	70	48	11	48	15	251				0577	16.0	.09				
125	837	711	5:03.6	-67:01	5X	4	192	176	189	31	63	15	330				0577	16.0	.07				
129	837	713	5:03.6	-67:01	4X	4	63	45	206	100	21	15	83				0577	16.0	.27				
130	838	711	5:03.6	-67:01	7X10	157	111	943	300	31	15	123					0577	16.0	.18				
124	758	698	5:03.7	-68:40	2X	2	79	73	21	11	21	18	153				0587	7.0	.07				
125	758	698	5:03.7	-68:40	3X	2	193	186	38	31	13	18	95				0587	7.0	.11				
124	758	698	5:03.7	-68:40	2X	2	64	54	39	100	4	18	20				0587	7.0	.63				
130	758	696	5:03.7	-68:40	5X	3	159	132	263	300	9	18	47				0587	7.0	.23				
124	818	704	5:03.8	-67:23	3X	4	73	74	3	11	3	17	19	(LH19)			17.48	8.9	.69	1814-20			
125	821	707	5:03.8	-67:23	3X	4	198	197	4	31	1	17	6	(LH19)			17.48	8.9	.219	1814-20			
129	824	706	5:03.8	-67:23	3X	4	130	113	67	100	7	17	33	(LH19)			17.48	8.9	.40	1814-20			
130	821	705	5:03.8	-67:23	3X	4	255	241	182	300	6	17	28	(LH19)			17.48	8.9	.47	1814-20			
124	738	693	5:03.9	-69:03	51*		84*	79	82	11	82	16	480	LH16.17.20 22 5*	12			.0	.00				
125	740	693	5:03.9	-69:03	53*		215	207	402	31	134	16	785	LH16.17.20 22 5*	12			.0	.00				
129	740	693	5:03.9	-69:03	51*		109	90	455	100	46	16	200	LH16.17.20 22 5*	12			.0	.00				
130	738	690	5:03.9	-69:03	48*		337	248	1380	300	46	16	200	LH16.17.20 22 5*	12			.0	.00				
124	739	694	5:03.9	-69:01	45*		82*	80	54	11	54	16	316	LH16.20	20 5*	7			.0	.00			
125	740	694	5:03.9	-69:01	45*		218	209	168	31	56	16	328	LH16.20	20 5*	7			.0	.00			
124	736	692	5:04.0	-69:05	4X	3	86	83	16	11	16	16	93	LH17	2 0 1.0	5	062	1.3	.02				
125	738	693	5:04.0	-69:05	4X	3	228	218	42	31	14	16	82	LH17	2 0 1.0	5	062	1.3	.02				
129	737	692	5:04.0	-69:05	4X	3	115	101	52	100	5	16	21	LH17	2 0 1.0	5	062	1.3	.09				
130	737	690	5:04.0	-69:05	4X	3	344	303	214	300	7	16	30	LH17	2 0 1.0	5	062	1.3	.06				
124	823	705	5:04.0	-67:16	8X	8	86	76	147	11	147	17	962	LH19	7 0 7.0	18	1171	.0	.00	1814-20			
125	825	706	5:04.0	-67:16	8X	8	228	197	597	31	199	17	1302	LH19	7 0 7.0	18	1171	.0	.00	1814-20			
129	824	706	5:04.0	-67:16	8X	8	130	74	1024	100	102	17	488	LH19	7 0 7.0	18	1171	.0	.00	1814-20			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																							
PR.	X	Y	R.A.	DEC.	*X	*Y	P	B0	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
130	826	704	5:04.0	-67:16	8X	8	312*212	2172	30C		72	.17*	344	LH19	7.0	7.0	18	(17)	.0	.00	1814-20		
124	678	684	5:04.1	-70:20	9X	5	93* 83	136	1L		136	.16*	797	LH18	8.0	4.0	20	(188)	.0	.00	1813.23		
125	680	685	5:04.1	-70:20	9X	5	229*220	381	3L		127	.16*	744	LH18	8.0	4.0	20	(188)	.0	.00	1813.23		
129	681	683	5:04.1	-70:20	9X	5	93* 92	201	10C		20	.16*	87	LH18	8.0	4.0	20	(188)	.0	.00	1813.23		
130	681	681	5:04.1	-70:20	9X	5	264*277	910	30C		30	.16*	130	LH18	8.0	4.0	20	(188)	.0	.00	1813.23		
124	681	685	5:04.1	-70:18	2X	2	80* 78	-1	1L		-1	.16	-5	(LH18)				188	.1	.03	1813.23		
125	682	686	5:04.1	-70:18	2X	2	210*211	3	3L		1	.16	5	(LH18)				188	.1	.03	1813.23		
129	683	683	5:04.1	-70:18	2X	2	96 92	5	10C		1	.16	4	(LH18)				188	.1	.04	1813.23		
130	683	681	5:04.1	-70:18	2X	2	275 260	29	30C		1	.16	4	(LH18)				188	.1	.04	1813.23		
124	642	678	5:04.2	-71:09	2X	2	77 72	16	1L		16	.13	67					.0	.00				
125	644	678	5:04.2	-71:09	2X	2	193 184	34	3L		11	.13	46					.0	.00				
129	642	679	5:04.2	-71:09	2X	2	48 39	32	10C		3	.13	9					.0	.00				
130	642	676	5:04.2	-71:09	2X	2	111 94	64	30C		2	.13	6					.0	.00				
124	885	711	5:04.3	-68:28	8X	6	80 70	281	1L		281	.17	1839	--				.0	.00	1818			
125	887	713	5:04.3	-68:28	10X10	213	178	1290	3L		430	.17	2814	--				.0	.00	1818			
129	885	713	5:04.3	-68:28	9X10	109	48	2467	10C		247	.17	1182	--				.0	.00	1818			
130	885	711	5:04.3	-68:28	11X14	329	118	10100	30C		337	.17	1612	--				.0	.00	1818			
124	769	695	5:04.4	-68:29	5X	3	79 74	37	1L		37	.15	194					.0	.00				
125	768	698	5:04.4	-68:29	3X	3	201 187	80	3L		27	.15	141					.0	.00				
129	768	693	5:04.4	-68:29	3X	2	70 57	66	10C		7	.15	27					.0	.00				
130	768	692	5:04.4	-68:29	4X	6	181 141	502	30C		17	.15	67					.0	.00				
124	739	681	5:04.5	-69:01	5X	5	82* 82	5	1L		5	.16	29	LH20	4.0	4.0	5		.0	.00			
125	741	681	5:04.5	-69:01	5X	5	212*211	28	3L		9	.16	52	LH20	4.0	4.0	5		.0	.00			
129	740	681	5:04.5	-69:01	5X	5	104* 98	105	10C		11	.16	48	LH20	4.0	4.0	5		.0	.00			
130	739	680	5:04.5	-69:01	5X	5	277*264	180	30C		6	.16	26	LH20	4.0	4.0	5		.0	.00			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLAN CLOUD																							
PR.	X	Y	R.A.	DEC.	*X	*Y	P	B _G	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAD NO.	M	C
124	798	698	5:04.6	-67:49	6X	5	81	77	36	1L	36	10*	108	LH21	5.0	3.0	4	122)	.0	.00			
125	799	699	5:04.6	-67:49	6X	5	207*198		87	1L	29	10*	87	LH21	5.0	3.0	4	122)	.0	.00			
129	798	699	5:04.6	-67:49	6X	5	91	69	235	10C	24	10*	60	LH21	5.0	3.0	4	122)	.0	.00			
130	798	698	5:04.6	-67:49	6X	5	238*177		559	30C	19	10*	47	LH21	5.0	3.0	4	122)	.0	.00			
124	728	686	5:04.8	-69:19	2X	2	77	74	11	1L	11	16	64	--				.0	.00	1828.35			
125	730	686	5:04.8	-69:19	2X	2	193	186	27	3L	9	16	52	--				.0	.00	1828.35			
129	727	687	5:04.8	-69:19	2X	2	59	49	36	10C	4	16	17	--				.0	.00	1828.35			
130	727	685	5:04.8	-69:19	3X	3	148	121	189	30C	6	16	26	--				.0	.00	1828.35			
124	657	676	5:04.9	-70:48	4X	4	89*	89	42	1L	42	14	197	(LH24)			190	21.3	.15	1833.37			
125	659	679	5:04.9	-70:48	4X	4	260*238		125	3L	42	14	197	(LH24)			190	21.3	.15	1833.37			
129	658	677	5:04.9	-70:48	4X	4	143*132		273	10C	27	14	98	(LH24)			190	21.3	.30	1833.37			
130	659	675	5:04.9	-70:48	4X	4	605*466		680	30C	23*.14		83	(LH24)			190	21.3	.35	1833.37			
124	809	697	5:04.9	-67:38	4X	5	75*	74	12	1L	12	.08	29	(LH22)			21	11.8	.49				
125	811	699	5:04.9	-67:38	4X	5	201	194	48	3L	16	.08	38	(LH22)			21	11.8	.37				
129	809	699	5:04.9	-67:38	4X	5	65*	59	61	10C	6	.08	12	(LH22)			21	11.8	1.18				
130	810	697	5:04.9	-67:38	4X	5	176	143	204	30C	7	.08	14	(LH22)			21	11.8	1.01				
124	812	697	5:04.9	-67:34	6X	4	77	74	22	1L	22	.08	53	LH22	5.0	2.0	6	121)	.0	.00			
125	811	699	5:04.9	-67:34	6X	4	201	193	61	3L	20	.08	48	LH22	5.0	2.0	6	121)	.0	.00			
129	810	699	5:04.9	-67:34	6X	4	69	58	76	10C	8	.08	16	LH22	5.0	2.0	6	121)	.0	.00			
130	812	697	5:04.9	-67:34	6X	4	151*134		247	30C	8	.08	16	LH22	5.0	2.0	6	121)	.0	.00			
124	786	693	5:05.1	-68:08	4X	3	91*	89	23	1L	23	.11	77	(LH25.SA0249185)			23A	14.9	.25				
125	784	695	5:05.1	-68:08	4X	3	228*226		73	3L	24	.11	80	(LH25.SA0249185)			23A	14.9	.24				
129	783	694	5:05.1	-68:08	4X	3	134*134		210	10C	21	.11	57	(LH25.SA0249185)			23A	14.9	.34				
130	785	692	5:05.1	-68:08	4X	3	667	481	756	30C	25*.11		68	(LH25.SA0249185)			23A	14.9	.28				
124	796	696	5:05.1	-67:52	2X	2	78*	78	6	1L	6	10	18	(LH21)			22	1	.01				

REVISED JSC. DATA	FR.	X	Y	R.A.	DEC.	Δ	Δ	P	B0	V	E.F	V/E	RE	UF	LH NO.	SIZE	85	N NO.	HA	HIND.	NOC NO.	SAO NO.	M	S
	125	797	697	5:05.1	-67:52	2X	2	193*194		12	3L	4	.10	12	(LM21)		22		.1	.01				
	129	798	699	5:05.1	-67:52	2X	2	91	86	14	10C	1	.10	2	(LM21)		22		.1	.06				
	{30	799	697	5:05.1	-67:52	2X	2	248	232	42	30C	1	.10	2	(LM21)		22		.1	.06				
	124	651	676	5:05.2	-70:58	3X	3	83	80	12	1L	12	.14	56	(LM23)		191A8	8.4	.21					
	125	652	677	5:05.2	-70:58	3X	3	208	200	28	3L	9	.14	42	(LM23)		191A8	8.4	.28					
	129	651	676	5:05.2	-70:58	3X	3	88	69	62	10C	6	.14	21	(LM23)		191A8	8.4	.55					
	130	651	673	5:05.2	-70:58	3X	3	236	177	200	30C	7	.14	25	(LM23)		191A8	8.4	.46					
	124	651	676	5:05.2	-70:55	4X	3	83	79	19	1L	19	.14	89	LM23	1.5	1.0	--	075	1.0	.02			
	125	653	677	5:05.2	-70:55	4X	3	262*198		34	3L	11	.14	51	LM23	1.5	1.0	--	075	1.0	.03			
	129	651	676	5:05.2	-70:55	4X	3	88	66	66	10C	7	.14	25	LM23	1.5	1.0	--	075	1.0	.06			
	130	652	673	5:05.2	-70:55	4X	3	221*167		283	30C	9	.14	32	LM23	1.5	1.0	--	075	1.0	.04			
	124	785	693	5:05.2	-68:09	9X	12	94	73	1004	1L	1004	.05	1744					.0	.00	249185	7.8	89	
	125	783	694	5:05.2	-68:09	14X	14	221*184		4012	3L	1337	.05	2323					.0	.00	249185	7.8	89	
	129	785	694	5:05.2	-68:09	13X	18	220	48	7343	10C	734	.05	1163					.0	.00	249185	7.8	89	
	130	785	692	5:05.2	-68:09	13X	15	667	118	22315	30C	7444	.05	1179					.0	.00	249185	7.8	89	
	124	842	702	5:05.2	-66:59	3X	4	71*72		8	1L	8	.15	41			20		4.0	.14	MC21			
	125	842	704	5:05.2	-66:59	3X	4	184*184		14	3L	5	.15	26			20		4.0	.22	MC21			
	129	842	703	5:05.2	-66:59	3X	4	55	52	12	10C	1	.15	3			20		4.0	1.88	MC21			
	130	842	701	5:05.2	-66:59	3X	4	128*122		25	30C	1	.15	3			20		4.0	1.88	MC21			
	124	687	679	5:05.3	-70:12	3X	3	82	81	7	1L	7	.16	41			189		2.9	.10				
	125	687	680	5:05.3	-70:12	3X	3	221	217	19	3L	6	.16	35			189		2.9	.12				
	129	686	679	5:05.3	-70:12	3X	3	94	87	30	10C	3	.16	13			189		2.9	.32				
	130	686	677	5:05.3	-70:12	3X	3	269	242	104	30C	3	.16	13			189		2					

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD															
PR.	X	Y	R.A.	DEC.	X	Y	P	B0	Y	E.F	V/E	RE	UF	LM NO.	SIZE
														BS	N NO.
														HA	HIND.
															NOC NO.
															SAO NO.
															M S
129	903	711	5:05.4	-65:42	4X 5	56	44		131	100	13	14	47		
														072	25.0 .73
130	903	709	5:05.4	-65:42	6X 6	134	101		688	300	23	14	83		
														072	25.0 .42
124	635	671	5:05.5	-71:19	3X 2	76	73		15	11	15	13	63		
															.0 .00
125	636	674	5:05.6	-71:19	3X 3	193	181		78	31	26	13	109		
															.0 .00
129	635	673	5:05.6	-71:19	3X 5	49	37		94	100	9	13	29		
															.0 .00
130	635	671	5:05.6	-71:19	5X 6	123	90		574	300	19	13	62		
															.0 .00
124	662	675	5:05.7	-70:43	10X15	106	88		302	11	302	14	1419	LM24	10.0 16.0 51
															075
															106.0 .10 1833.37
125	663	677	5:05.7	-70:43	10X15	294	224		2167	31	722	14	3392	LM24	10.0 16.0 51
															075
															106.0 .04 1833.37
129	661	676	5:05.7	-70:43	10X15	250	106		2246	100	225	14	816	LM24	10.0 16.0 51
															075
															106.0 .18 1833.37
130	663	672	5:05.7	-70:43	10X15	803	368		5535	300	1854	14	671	LM24	10.0 16.0 51
															075
															106.0 .22 1833.37
124	783	690	5:05.8	-68:12	10X14	86	76		820	11	820	11	2765	LM25	
															23.A
															205.1 .10
125	784	691	5:05.8	-68:12	10X14	228	199		1978	31	659	11	2222	LM25	
															23.A
															205.1 .12
129	783	691	5:05.8	-68:12	10X14	118	70		3581	100	358	11	986	LM25	
															23.A
															205.1 .27
130	783	689	5:05.8	-68:12	10X14	357	181		12418	300	414	11	1140	LM25	
															23.A
															205.1 .23
124	666	673	5:06.2	-70:40	271	100	80		2499	11	2499	14	11742	LM24.26	330.0* 105
															(190)
															.0 .00 1833.45
125	667	676	5:06.2	-70:40	274	271	212		8071	31	2690	14	12640	LM24.26	330.0* 105
															(190)
															.0 .00 1833.45
129	665	674	5:06.2	-70:40	280	192	79		17309	100	1731	14	6284	LM24.26	330.0* 105
															(190)
															.0 .00 1833.45
130	667	671	5:06.2	-70:40	280	743	211		51099	300	17034	14	6183	LM24.26	330.0* 105
															(190)
															.0 .00 1833.45
124	786	688	5:06.3	-68:06	4X 4	83	83		14	11	14	11	47	LM25	3.0 3.0 6
															(23)
															.0 .00 (SA0249185)
125	787	690	5:06.3	-68:06	4X 4	220	221		48	31	16	11	53	LM25	3.0 3.0 6
															(23)
															.0 .00 (SA0249185)
129	784	688	5:06.3	-68:06	4X 4	117	105		99	100	10	11	27	LM25	3.0 3.0 6
															(23)
															.0 .00 (SA0249185)
130	786	686	5:06.3	-68:06	4X 4	279	270		570	300	19	11	52	LM25	3.0 3.0 6
															(23)
															.0 .00 (SA0249185)
124	839	695	5:06.6	-67:01	2X 2	76	74		7	11	7	13	29		
															077
															2.7 .13
125	842	692	5:06.6	-67:01	2X 2	190	180		31	31	10	13	42		
															077
															2.7 .09
124	670	672	5:06.7	-70:32	10X16	110	89		471	11	471	14	2213	LM26	10.0 17.0 54
															080
															112.0 .07 1845

REVISED 5201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																					
PR.	X	Y	R.A.	DEC.	X	Y	P	B _G	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	MGC NO.	M S
125	670	674	5:06.7	-70:32	10X16	324	233	1834	3L	611	.14*	2871		LH26	10.0	17.0	54	080	112.0	.05	1845
129	670	672	5:06.7	-70:32	10X16	288	110	3471	10C	347	.14*	1259		LH26	10.0	17.0	54	080	112.0	.12	1845
130	670	670	5:06.7	-70:32	10X16	854	327	11067	30C	369*.14*	1339		LH26	10.0	17.0	54	080	112.0	.12	1845	
124	769	682	5:06.9	-68:28	9X	6	89	77	312	1L	312	.16	1828	--	--	--	--	.0	.00	18387	
125	770	684	5:06.9	-68:28	9X	7	236	195	1208	3L	403	.16	2362	--	--	--	--	.0	.00	18387	
129	769	684	5:06.9	-68:28	12X	8	130	67	2152	10C	215	.16	938	--	--	--	--	.0	.00	18387	
130	770	682	5:06.9	-68:28	18X10	419	167	13800	30C	460	.16	2007	--	--	--	--	--	.0	.00	18387	
124	808	689	5:07.0	-67:39	2X	2	77	72	18	1L	18	.09	48	--	--	--	(21)	.0	.00	18467	
125	810	689	5:07.0	-67:39	3X	2	193	181	50*	3L	17	.09	45	--	--	--	(21)	.0	.00	18467	
129	809	688	5:07.0	-67:39	2X	2	57	45	45	10C	5	.09	11	--	--	--	(21)	.0	.00	18467	
130	809	687	5:07.0	-67:39	3X	4	136	108	214	30C	7	.09	16	--	--	--	(21)	.0	.00	18467	
124	723	676	5:07.1	-69:26	2X	2	76	73	10	1L	10	.16	58	--	--	--	--	.0	.00	--	
125	724	670	5:07.1	-69:26	2X	2	195	187	25	3L	8	.16	46	--	--	--	--	.0	.00	--	
124	551	658	5:07.2	-73:06	4X	5	100	70	272	1L	272	.05	472	--	--	--	--	.0	.00	256160	6.3 A0
125	553	660	5:07.2	-73:06	6X	6	264	180	1140	3L	380	.05	660	--	--	--	--	.0	.00	256160	6.3 A0
129	552	658	5:07.2	-73:06	7X	8	177	30	2210	10C	221	.05	350	--	--	--	--	.0	.00	256160	6.3 A0
130	552	655	5:07.2	-73:06	8X	9	505	75	9100	30C	303	.05	480	--	--	--	--	.0	.00	256160	6.3 A0
124	735	676	5:07.2	-69:08	5X	5	77*	76	29	1L	29	.16	169	LH27	4.0	3.0	6	(101)	.0	.00	
125	738	679	5:07.2	-69:08	5X	5	198*	193	29	3L	10	.16	58	LH27	4.0	3.0	6	(101)	.0	.00	
129	737	678	5:07.2	-69:08	5X	5	67	65	74	10C	7	.16	30	LH27	4.0	3.0	6	(101)	.0	.00	
130	737	676	5:07.2	-69:08	5X	5	176*	169	143	30C	5	.16	21	LH27	4.0	3.0	6	(101)	.0	.00	
124	744	677	5:07.4	-69:00	2X	2	79	75	16	1L	16	.17	104	(LH27)	--	--	--	(101)	.0	.00	18477
125	746	678	5:07.4	-69:00	2X	3	202	192	38	3L	13	.17	85	(LH27)	--	--	--	(101)	.0	.00	18477
129	744	678	5:07.4	-69:00	3X	2	75	62	55	10C	6	.17	28	(LH27)	--	--	--	(101)	.0	.00	18477
130	744	676	5:07.4	-69:00	4X	4	195	155	335	30C	11	.17	52	(LH27)	--	--	--	(101)	.0	.00	18477

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD														
PR.	X	Y	R.A.	DEC.	X	Y	P	B _G	V	E, F	V/E	RE	UF	LH NO.
													95	N NO.
													SIZE	MA
														MINO. NO. SAO NO. M S
124	761	677	5:07.5	-68:37	4X 5	82*	79	22	1L	22	.15	115	100	5.5 .07
125	762	678	5:07.5	-68:37	4X 5	198*	197	40	3L	13	.15	68	100	5.5 .11
129	760	678	5:07.5	-68:37	4X 5	70*	73	23	10C	2	.15	7	100	5.5 1.11
130	761	675	5:07.5	-68:37	4X 5	174*	184	66	30C	2	.15	7	100	5.5 1.11
124	732	673	5:07.8	-69:13	2X 2	70*	77	3	1L	3	.16	17	101	.0 .00
125	735	678	5:07.8	-69:13	2X 2	192*	192	3	3L	1	.16	5	101	.0 .00
129	735	676	5:07.8	-69:13	2X 2	73	70	4	10C	0	.16	0	101	.0 .00
130	735	674	5:07.8	-69:13	2X 2	196	190	15	30C	1	.16	4	101	.0 .00
129	641	689	5:07.9	-68:59	2X 2	50	44	21	10C	2	.13	6		.0 .00
130	642	687	5:07.9	-68:59	2X 2	120	110	37	30C	1	.13	3		.0 .00
124	605	659	5:08.0	-71:57	5X 5	139	70	582	1L	582	.12	2192		.0 .00
125	607	661	5:08.0	-71:57	6X 5	404	178	1930	3L	643	.12	2422		.0 .00
129	606	660	5:08.0	-71:57	5X 5	246	33	1763	10C	176	.12	531		.0 .00
130	607	658	5:08.0	-71:57	6X 7	425	80	4310	30C	144	.12	434		.0 .00
124	639	662	5:08.1	-71:11	6X 5	89	78	120	1L	120	.12*	452	LM28	10.0 .03 1848
125	640	664	5:08.1	-71:11	6X 5	241	204	303	3L	101	.12*	380	LM28	10.0 .03 1848
129	639	662	5:08.1	-71:11	6X 5	125	72	462	10C	46	.12*	138	LM28	10.0 .10 1848
130	640	660	5:08.1	-71:11	6X 5	385*	191	1602	30C	53	.12*	160	LM28	10.0 .08 1848
124	648	662	5:08.2	-71:05	3X 2	76	73	13	1L	13	.12	48		4.0 .11 1848?
125	646	665	5:08.2	-71:05	2X 3	196	185	60	3L	20	.12	75		4.0 .07 1848?
129	646	663	5:08.2	-71:05	2X 2	58	41	64	10C	6	.12	18		4.0 .29 1848?
130	647	660	5:08.2	-71:05	3X 3	149	101	207	30C	7	.12	21		4.0 .25 1848?
124	695	667	5:08.3	-70:01	6X 4*	80	76	32	1L	32	.15	167	LM29	.0 .00
125	695	668	5:08.3	-70:01	6X 4*	204	196	59	3L	20	.15	104	LM29	.0 .00
129	694	666	5:08.3	-70:01	6X 4*	88	59	85	10C	9	.15	35	LM29	.0 .00

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD														HA HIND. NGC NO. SAO NO. M S			
PR. X	Y	R.A.	DEC.	X	Y	P	B	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	
130	695	665	5:08.3	70:01	6X	4+164	145	163	300	5	15	19	LH29	5.0	2.0	5	.0 .00
124	735	671	5:08.4	69:13	4X	4	78	76	11	11	16	64	LH30	2.0	2.0	--	.0 .00
125	733	670	5:08.4	69:13	4X	4	205+201	45	31	15	16	87	LH30	2.0	2.0	--	.0 .00
129	733	670	5:08.4	69:13	4X	4	74	67	37	100	4	16	LH30	2.0	2.0	--	.0 .00
130	734	670	5:08.4	69:13	4X	4	183+173	46	300	2	16	8	LH30	2.0	2.0	--	.0 .00
124	755	671	5:09.2	68:50	7X	5	101	86	122	11	122	16	715			10348	104.3 .21 MC225NR
125	756	672	5:09.2	68:50	7X	5	279	226	500	31	167	16	978			10348	104.3 .15 MC225NR
129	755	672	5:09.2	68:50	7X	5	245	112	976	100	98	16	427			10348	104.3 .35 MC225NR
130	755	670	5:09.2	68:50	7X	5	582	321	3275	300	109+16	475				10348	104.3 .32 MC225NR
129	723	667	5:09.4	69:31	3X	2	55	45	52	100	5	16	21			--	.0 .00
130	723	665	5:09.4	69:31	4X	3	136	109	210	300	7	16	30			--	.0 .00
124	769	668	5:09.7	68:33	4X	5	80	70	18	11	18	15	94			10448	11.4 .17
125	768	670	5:09.7	68:33	4X	5	205	200	50	31	17	15	89			10448	11.4 .18
129	769	670	5:09.7	68:33	4X	5	81	71	84	100	8	15	31			10448	11.4 .52
130	769	668	5:09.7	68:33	4X	5	231	189	221	300	8	15	31			10448	11.4 .52
124	748	665	5:10.1	68:58	7X	7	101	84		11	237	16	1389 (LH31)			105.4	122.7 .13 1858 MC23
125	748	666	5:10.1	68:58	7X	7	255+217	726	31	242	16	1418 (LH31)				105.4	122.7 .13 1858 MC23
129	749	665	5:10.1	68:58	7X	7	228	96	1384	100	138	16	602 (LH31)			105.4	122.7 .29 1858 MC23
130	749	663	5:10.1	68:58	7X	7	682	270	4662	300	155+16	676 (LH31)				105.4	122.7 .26 1858 MC23
124	748	665	5:10.1	68:54	5X	4	101	91	68	11	68	16	398 LH31	4.0	2.0	2 (105)	.0 .00 1858
125	750	666	5:10.1	68:54	5X	4	284	243	255	31	85	16	498 LH31	4.0	2.0	2 (105)	.0 .00 1858
129	749	665	5:10.1	68:54	5X	4	228	134	544	100	54	16	235 LH31	4.0	2.0	2 (105)	.0 .00 1858
130	750	663	5:10.1	68:54	5X	4	619+411	1420	300	47+16	205 LH31			4.0	2.0	2 (105)	.0 .00 1858
124	628	653	5:10.2	-71:29	2X	2	79	72	25	11	25	12	94			091	3.0 .04
125	630	655	5:10.2	-71:29	5X	2	199	185	89	31	30	12	113			091	3.0 .03

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	B _G	V	E.F	V/E	RE	UF	LH NO.	SIZE	B5	N NO.	HA	HIND	NCC NO.	SAAO NO.	M	S
129	629	655	5:10.2	-71:29	3X	4	52	38	133	100	13	.12	39				091	3.0	.10				
130	630	652	5:10.2	-71:29	7X	6	133	89	923	300	31	.12	93				091	3.0	.04				
124	923	685	5:10.4	-65:25	2X	2	74	71	10	11	10	.13	42					.0	.00				
125	923	687	5:10.4	-65:25	2X	2	189	181	26	31	9	.13	37					.0	.00				
129	923	687	5:10.4	-65:25	6X	5	59	45	260	100	26	.13	86					.0	.00				
130	922	685	5:10.4	-65:25	9X	8	143	105	1470	300	49	.13	162					.0	.00				
124	690	659	5:10.6	-70:14	2X	6	78	75	24	11	24	.15	125					.0	.00				
125	689	657	5:10.6	-70:14	6X	5	204	187	291	31	97	.15	509					.0	.00				
129	687	656	5:10.6	-70:14	4X	2	57	42	84	100	8	.15	31					.0	.00				
130	688	655	5:10.6	-70:14	7X	5	144	102	520	300	17	.15	67					.0	.00				
124	832	673	5:10.7	-67:10	5X	8	86	79	82	11	82	.11	276	LH32	4.0	7.0	10	090	4.0	.02			
125	834	674	5:10.7	-67:10	5X	8	221	208	126	31	42	.11	141	LH32	4.0	7.0	10	090	4.0	.04			
129	833	673	5:10.7	-67:10	5X	8	103	79	211	100	21	.11	57	LH32	4.0	7.0	10	090	4.0	.09			
130	834	672	5:10.7	-67:10	5X	8	314	211	1145	300	38	.11	104	LH32	4.0	7.0	10	090	4.0	.05			
124	720	657	5:10.8	-69:31	3X	3	75	75	2	11	2	.16	11				108	1.6	.21				
125	721	659	5:10.8	-69:31	3X	3	186	187	1	31	0	.16	0				108	1.6	.00				
129	724	657	5:10.8	-69:31	3X	3	59	59	1	100	0	.16	0				108	1.6	.00				
130	724	655	5:10.8	-69:31	3X	3	147	145	3	300	0	.16	0				108	1.6	.00				
124	832	673	5:10.8	-67:10	5X	5	86	80	54	11	54	.11	182	(LH32)			26.27	5.0	.04				
125	834	674	5:10.8	-67:10	5X	5	221	210	71	31	24	.11	80	(LH32)			26.27	5.0	.00				
129	833	673	5:10.8	-67:10	5X	5	103	83	157	100	16	.11	44	(LH32)			26.27	5.0	.15				
130	834	672	5:10.8	-67:10	5X	5	314	236	620	300	21	.11	57	(LH32)			26.27	5.0	.11				
124	702	656	5:10.9	-69:56	2X	2	76	73	9	11	9	.15	47					.0	.00				
125	701	658	5:10.9	-69:56	4X	1	183	185	28	31	9	.15	47					.0	.00				
129	702	658	5:10.9	-69:56	2X	2	58	40	67	100	7	.15	27					.0	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

PR.	X	Y	R.A.	DEC.	X	Y	P	BO	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAC NO.	M	S
130	703	656	5:10.9	-69:56	3X	4	145	95	282	300	9	15	35						.0	.00			
124	736	658	5:11.4	-69:10	4X	7	83	81	23	11	23	16	134	LH33	2.0	6.0	11	095.96	.5	.01			
125	737	658	5:11.4	-69:10	4X	7	215	209	31	31	10	16	58	LH33	2.0	6.0	11	095.96	.5	.01			
129	737	657	5:11.4	-69:10	4X	7	92	79	110	100	11	16	48	LH33	2.0	6.0	11	095.96	.5	.02			
130	738	656	5:11.4	-69:10	4X	7	241	214	352	300	12	16	52	LH33	2.0	6.0	11	095.96	.5	.01			
124	827	661	5:12.7	-67:16	12X	6	83	83	153	11	153	11	516	LH34	16.0	3.0	22	098	20.0	.05			
125	828	663	5:12.7	-67:16	12X	6	224	219	138	31	46	11	155	LH34	16.0	3.0	22	098	20.0	.17			
129	826	659	5:12.7	-67:16	12X	6	159	104	1177	100	118	11	324	LH34	16.0	3.0	22	098	20.0	.08			
130	827	657	5:12.7	-67:16	12X	6	505	337	1712	300	57	11	156	LH34	16.0	3.0	22	098	20.0	.17			
124	678	644	5:13.0	-70:28	3X	3	80	78	8	11	8	14	37				193A-E	4.8	.18				
125	679	646	5:13.0	-70:28	3X	3	198	194	9	31	3	14	14				193A-E	4.8	.47				
129	679	646	5:13.0	-70:28	3X	3	54	48	21	100	2	14	7				193A-E	4.8	.95				
130	679	643	5:13.0	-70:28	3X	3	130	118	42	300	1	14	3				193A-E	4.8	2.21				
125	762	650	5:13.1	-68:55	2X	2	204	193	42	31	14	17	91					.0	.00				
124	919	671	5:13.1	-65:28	2X	2	73	71	5	11	5	15	26					.0	.00	1866			
125	922	673	5:13.1	-65:28	2X	2	189	181	26	31	9	15	47					.0	.00	1866			
129	921	673	5:13.1	-65:28	4X	3	58	40	92	100	9	15	35					.0	.00	1866			
130	921	671	5:13.1	-65:28	4X	5	145	107	408	300	14	15	55					.0	.00	1866			
124	932	674	5:13.2	-65:17	6X	5	80	71	150	11	150	05	260					.0	.00		249221	8.5	88
125	932	675	5:13.2	-65:17	9X	7	208	180	792	31	264	05	458					.0	.00		249221	8.5	88
129	932	675	5:13.2	-65:17	8X	9	10	45	1971	100	197	05	312					.0	.00		249221	8.5	88
130	932	673	5:13.2	-65:17	10X	10	342	108	7200	300	240	05	380					.0	.00		249221	8.5	88
124	705	646	5:13.3	-69:53	2X	2	77	74	10	11	10	15	52					.0	.00				
125	705	646	5:13.3	-69:53	2X	2	192	186	22	31	7	15	36					.0	.00				
129	704	647	5:13.3	-69:53	2X	2	45	38	23	100	2	15	7					.0	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLAN CLOUD	FR.	X	Y	R.A.	DEC.	X	Y	P	BO	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	MIND.	NGC NO.	SAO NO.	M	S
	130	704	644	5:13.3	-69:53	24	2	110	91	69	30C	2	.15	7					.0	.00				
	124	731	647	5:13.5	-69:21	54	7	99	92	79	11	79	.16	463	LH35	3.0 6.0	10	0108	30.0	.09				1874-81
	125	732	649	5:13.5	-69:21	54	7	255	254	169	31	56	.16	328	LH35	3.0 6.0	10	0108	30.0	.13				1874-81
	129	731	647	5:13.5	-69:21	54	7	233	157	604	10C	60	.16	261	LH35	3.0 6.0	10	0108	30.0	.17				1874-81
	130	730	645	5:13.5	-69:21	54	7	730	445	2547	30C	85	.16	371	LH35	3.0 6.0	10	0108	30.0	.12				1874-81
	124	825	657	5:13.6	-67:22	106		98	81	509	11	509	.11	1716	LH34--38	64.0*	45	(30)	.0	.00	1869.71			
	125	826	659	5:13.6	-67:22	102		259	218	871	31	290	.11	978	LH34--38	64.0*	45	(30)	.0	.00	1869.71			
	129	826	653	5:13.6	-67:22	124		79	88	451	10C	45	.11	123	LH34--38	64.0*	45	(30)	.0	.00	1869.71			
	130	624	653	5:13.6	-67:22	122		342	193	7563	30C	252	.11	694	LH34--38	64.0*	45	(30)	.0	.00	1869.71			
	124	734	646	5:13.7	-69:15	34	3	84	84	1	11	1	.16	5			112		3.3	.95				
	125	735	647	5:13.7	-69:15	34	3	224	230	-18	31	-6	.16	-35			112		3.3	-.14				
	129	735	646	5:13.7	-69:15	34	3	77	87	-29	10C	-3	.16	-13			112		3.3	-.37				
	130	735	644	5:13.7	-69:15	34	3	274	261	-155	30C	-5	.16	-21			112		3.3	-.23				
	124	729	646	5:13.8	-69:24	104	7	111	86	446	11	446	.16	2614	(LH35)		113.A-F	307.5	.17	1874-81	MC24			
	125	729	647	5:13.8	-69:24	104	7	308	238	1120	31	373	.16	2186	(LH35)		113.A-F	307.5	.20	1874-81	MC24			
	129	729	646	5:13.8	-69:24	104	7	294	95	3554	10C	355	.16	1549	(LH35)		113.A-F	307.5	.29	1874-81	MC24			
	130	728	644	5:13.8	-69:24	104	7	660	289	8649	30C	288	.16	1257	(LH35)		113.A-F	307.5	.35	1874-81	MC24			
	124	821	656	5:13.8	-67:28	104	8	85	81	169	11	169	.11	570	(LH34, 36, 37, 38)		30.A-D	90.7	.20	1869.71				
	125	822	658	5:13.8	-67:28	104	8	228	216	385	31	128	.11	431	(LH34, 36, 37, 38)		30.A-D	90.7	.27	1869.71				
	129	821	655	5:13.8	-67:28	104	8	93	80	937	10C	94	.11	258	(LH34, 36, 37, 38)		30.A-D	90.7	.45	1869.71				
	130	819	652	5:13.8	-67:28	104	8	159	163	1919	30C	64	.11	176	(LH34, 36, 37, 38)		30.A-D	90.7	.66	1869.71				
	124	821	656	5:13.8	-67:27	44	5	85	84	21	11	21	.14	98	LH38	2.0 3.0	8	(30)	.0	.00	1871			
	125	822	658	5:13.8	-67:27	44	5	228	222	71	31	27	.14	126	LH38	2.0 3.0	8	(30)	.0	.00	1871			
	129	823	650	5:13.8	-67:27	44	5	52	54	-26	10C	-3	.14	-10	LH38	2.0 3.0	8	(30)	.0	.00	1871			
	130	820	652	5:13.8	-67:27	44	5	177	175	-84	30C	-3	.14	-10	LH38	2.0 3.0	8	(30)	.0	.00	1871			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

PR.	X	Y	R.A.	DEC.	X	Y	P	B _G	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	MIND.	NOC NO.	SNO NO.	M	S
124	824	656	5:13.0	-67:23	4X	4	96	91	12	11	12	11	40	LH37	2.0	2.0	6	(30)	.0	.00	1869		
125	826	658	5:13.0	-67:23	4X	4	269	249	31	3L	10	11	33	LH37	2.0	2.0	6	(30)	.0	.00	1869		
129	827	652	5:13.0	-67:23	4X	4	58	58	-22	10C	-2	11	-5	LH37	2.0	2.0	6	(30)	.0	.00	1869		
130	823	652	5:13.0	-67:23	4X	4	233	249	187	30C	6	11	16	LH37	2.0	2.0	6	(30)	.0	.00	1869		
124	827	656	5:13.0	-67:20	4X	5	93	88	9	1L	9	.08	21	LH36	2.0	3.0	9	(30)	.0	.00			
125	828	658	5:13.0	-67:20	4X	5	260	243	32	3L	11	.08	26	LH36	2.0	3.0	9	(30)	.0	.00			
129	829	652	5:13.0	-67:20	4X	5	54	59	-50	10C	-5	.08	-10	LH36	2.0	3.0	9	(30)	.0	.00			
130	826	652	5:13.0	-67:20	4X	5	277	312	-153	30C	-5	.08	-10	LH36	2.0	3.0	9	(30)	.0	.00			
129	749	648	5:13.9	-68:59	2X	2	54	50	16	10C	2	.17	9					.0	.00				
130	749	648	5:13.9	-68:59	2X	2	137	127	38	30C	1	.17	4					.0	.00				
124	834	655	5:14.1	-67:11	3X	4	81	74	65	1L	65	.10	196				0107	33.0	.21				
125	835	658	5:14.1	-67:11	4X	6	215	198	232	3L	77	.10	232				0107	33.0	.18				
129	834	658	5:14.1	-67:11	6X	6	90	61	649	10C	65	.10	163				0107	33.0	.25				
130	835	656	5:14.1	-67:11	7X	8	252	163	1890	30C	63	.10	158				0107	33.0	.26				
124	721	641	5:14.3	-69:31	4X	7	86	84	40	1L	40	.15	209	LH39	2.0	6.0	10	0110	8.0	.05			
125	723	644	5:14.3	-69:31	4X	7	245	224	148	3L	49	.15	257	LH39	2.0	6.0	10	0110	8.0	.04			
129	721	644	5:14.3	-69:31	4X	7	136	92	310	10C	31	.15	123	LH39	2.0	6.0	10	0110	8.0	.09			
130	722	641	5:14.3	-69:31	4X	7	394	265	892	30C	30	.15	119	LH39	2.0	6.0	10	0110	8.0	.09			
124	870	657	5:14.8	-66:29	3X	3	76	75	5	1L	5	.09	13				31	1.0	.09				
125	871	659	5:14.8	-66:29	3X	3	193	188	13	3L	4	.09	10				31	1.0	.12				
129	870	659	5:14.8	-66:29	3X	3	61	56	24	10C	2	.09	4				31	1.0	.31				
130	870	656	5:14.8	-66:29	3X	3	159	144	56	30C	2	.09	4				31	1.0	.31				
124	719	638	5:14.9	-69:34	9X	7	83	81	45	1L	45	.15	236	(LH39)			114.A	159.1	.95				
125	722	642	5:14.9	-69:34	9X	7	224	219	92	3L	31	.15	162	(LH39)			114.A	159.1	1.39				
129	720	642	5:14.9	-69:34	9X	7	98	81	378	10C	38	.15	151	(LH39)			114.A	159.1	1.49				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

PM	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAD NO.	M	S
130	721	639	5:14.9	-69:34	9X	7	283+234	404	30C	13	15	51	51	(LH39)			114.4	159.1	4.41				
124	793	641	5:15.9	-68:02	2X	2	74* 74	-1	11	-1	20	-9					32	.3	.05				
125	794	643	5:15.9	-68:02	2X	2	189+189	2	31	1	20	9					32	.3	.05				
129	794	642	5:15.9	-68:02	2X	2	44* 44	4	10C	0	20	0					32	.3	.00				
130	794	640	5:15.9	-68:02	2X	2	102+102	4	30C	0	20	0					32	.3	.00				
124	624	630	5:16.0	-71:38	2X	2	74	71	11	11	15	57					0119	6.0	.15				
125	626	628	5:16.0	-71:38	3X	3	183	179	18	31	6	15	31				0119	6.0	.27				
129	623	631	5:16.0	-71:38	2X	2	37	31	26	10C	3	15	11				0119	6.0	.77				
130	623	628	5:16.0	-71:38	2X	2	87	75	40	30C	1	15	3				0119	5.0	2.83				
124	613	629	5:16.5	-71:50	2X	2	75* 75	0	11	0	15	0					194	.4	.00				
125	614	630	5:16.5	-71:50	2X	2	186+186	1	31	0	15	0					194	.4	.00				
129	614	628	5:16.5	-71:50	2X	2	34* 33	1	10C	0	15	0					194	.4	.00				
130	614	626	5:16.5	-71:50	2X	2	79* 78	7	30C	0	15	0					194	.4	.00				
124	672	628	5:16.7	-70:37	2X	5	80	73	57	11	57	12	214				.0	.00					
125	673	630	5:16.7	-70:37	5X	5	202	187	183	31	61	12	229				.0	.00					
129	673	630	5:16.7	-70:37	4X	4	64	38	194	10C	19	12	57				.0	.00					
130	673	627	5:16.7	-70:37	7X	5	163	92	1020	30C	34	12	102				.0	.00					
125	821	643	5:16.8	-67:31	3X	2	201	189	56	31	19	14	89				.0	.00					
129	819	643	5:16.8	-67:31	3X	2	60	48	66	10C	7	14	25				.0	.00					
130	820	640	5:16.8	-67:31	4X	3	141	107	232	30C	8	14	29				.0	.00					
124	825	640	5:16.9	-67:23	3X	3	77* 75	9	11	9	13	37					33	10.5	.38				
125	826	642	5:16.9	-67:23	3X	3	186+187	-2	31	-1	13	4					33	10.5	-3.54				
129	825	642	5:16.9	-67:23	3X	3	46* 47	1	10C	0	13	0					33	10.5	.00				
130	826	640	5:16.9	-67:23	3X	3	113+114	0	30C	0	13	0					33	10.5	.00				
124	702	627	5:17.3	-69:57	3X	3	78* 77	3	11	3	14	14					116	1.9	.19				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	B _G	V	E.F.	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAO NO.	M	S
125	703	629	5:17.3	-69:57	3X	3	205*203	9	31	3	.14	14	14	116	1.9	.19							
129	703	628	5:17.3	-69:57	3X	3	44*45	2	10C	0	.14	0	0	116	1.9	.00							
130	703	626	5:17.3	-69:57	3X	3	105*106	2	30C	0	.14	0	0	116	1.9	.00							
124	718	630	5:17.4	-69:38	2X	2	92*90	0	11	0	.15	0	0	117	1.5	.00							
125	719	629	5:17.4	-69:38	2X	2	245*248	18	31	6	.15	31	31	117	1.5	.07							
129	721	631	5:17.4	-69:38	2X	2	189*180	40	10C	4	.15	15	15	117	1.5	.14							
130	721	629	5:17.4	-69:38	2X	2	630*618	195	30C	7*	.15	27	27	117	1.5	.08							
124	684	627	5:17.7	-70:21	2X	2	80	74	20	11	.20	.11	67										
125	687	627	5:17.7	-70:21	2X	2	198	188	34	31	.11	.11	37										
129	685	627	5:17.7	-70:21	2X	2	50	36	48	10C	5	.11	13										
130	685	624	5:17.7	-70:21	3X	2	120	89	144	30C	5	.11	13										
124	894	645	5:17.8	-66:04	4X	4	77	75	10	11	.10	.11	33			35	2.9	.11					
125	894	646	5:17.8	-66:04	4X	4	196*194	28	31	9	.11	.11	30			35	2.9	.12					
129	893	646	5:17.8	-66:04	4X	4	66	59	40	10C	4	.11	11			35	2.9	.34					
130	894	644	5:17.8	-66:04	4X	4	163	144	95	30C	3	.11	8			35	2.9	.47					
124	799	634	5:18.0	-67:57	3X	3	79*78	1	11	1	.20	.20	9			36	1.0	.18					
125	800	636	5:18.0	-67:57	3X	3	196*194	7	31	2	.20	.18	18			36	1.0	.09					
129	799	633	5:18.0	-67:57	3X	3	51*52	-1	10C	0	.20	0	0			36	1.0	.00					
130	800	633	5:18.0	-67:57	3X	3	112*113	-6	30C	0	.20	0	0			36	1.0	.00					
125	830	638	5:18.1	-67:18	5X	3	202	191	97	31	.32	.13	134	--		0127	16.0	.16	1905				
129	829	639	5:18.1	-67:18	3X	4	63	50	89	10C	9	.13	29	--		0127	16.0	.74	1905				
130	829	635	5:18.1	-67:18	5X	4	153	118	393	30C	13	.13	43	--		0127	16.0	.50	1905				
124	709	626	5:18.2	-69:53	5X	4	87	78	97	11	.97	.13	408			0133	24.0	.08					
125	709	627	5:18.2	-69:53	9X	7	228	214*	250	31	.83	.13	349			0133	24.0	.09					
129	708	626	5:18.2	-69:53	5X	4	98	53	445	10C	.45	.13	149			0133	24.0	.22					

REVISED S201 FAR UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FM	A	T	W.A.	DEC.	X	Y	P	3G	V	E.F	V/E	RE	UF	LM NO.	SIZE	BS	N NO.	MA	MIND.	NGC NO.	SAO NO.	M	S	
130	706	623	5:18.2	-69:53	6X	6	271	135	1660	300	55	.13	182				0133	24.0	.18					
124	618	620	5:18.4	-71:18	5X	4	74*	74	19	11	19	.15	99	(LM40)			195.AB	15.7	.22	1914				
125	641	622	5:18.4	-71:18	5X	4	189*	187	34	31	11	.15	57	(LM40)			195.AB	15.7	.39	1914				
129	641	621	5:18.4	-71:18	5X	4	54	40	48	100	7	.15	27	(LM40)			195.AB	15.7	.82	1914				
130	641	619	5:18.4	-71:18	5X	4	122	93	160	300	5	.15	19	(LM40)			195.AB	15.7	1.17	1914				
124	642	620	5:18.4	-71:14	3X	3	74*	74	3	11	3	.15	15	(LM40)	1.0	1.0	--	(195)	.0	.00	1914			
125	644	622	5:18.4	-71:14	3X	3	192	187	21	31	7	.15	36	(LM40)	1.0	1.0	--	(195)	.0	.00	1914			
129	641	621	5:18.4	-71:14	3X	3	54	44	35	100	4	.15	15	(LM40)	1.0	1.0	--	(195)	.0	.00	1914			
130	641	619	5:18.4	-71:14	3X	3	122	104	57	300	2	.15	7	(LM40)	1.0	1.0	--	(195)	.0	.00	1914			
124	737	625	5:18.5	-69:13	5X	8	199	123	723	11	723	.15*	3794	(LM4)	4.0	7.0	52	01328	40.0	.01	1910			
125	740	629	5:18.5	-69:13	5X	8	346*	325	2129	31	710	.15*	3726	(LM4)	4.0	7.0	52	01328	40.0	.02	1910			
129	740	627	5:18.5	-69:13	5X	8	616*	296	4593	100	459*	.15*	1827	(LM4)	4.0	7.0	52	01328	40.0	.03	1910			
130	738	623	5:18.5	-69:13	5X	8	953	593	3640	300	121*	.15*	481	(LM4)	4.0	7.0	52	01328	40.0	.12	1910			
124	819	631	5:18.6	-67:30	2X	2	80	74	20	11	20	.14	93					.0	.00					
125	821	632	5:18.6	-67:30	3X	3	201	191	65	31	22	.14	103					.0	.00					
129	823	631	5:18.6	-67:30	2X	2	50	44	20	100	2	.14	7					.0	.00					
130	823	628	5:18.6	-67:30	2X	2	121	105	63	300	2	.14	7					.0	.00					
124	737	625	5:18.7	-69:15	15X13	199	85	3199	11	3199	.15	16788	(LM41)				119.A	1028.0	.09	1910	MC30			
125	738	626	5:18.7	-69:15	15X13	702	221	13325	31	4442*	.15	23311	(LM41)				119.A	1028.0	.06	1910	MC30			
129	737	626	5:18.7	-69:15	15X13	830	90	17565	100	1757*	.15	6994	(LM41)				119.A	1028.0	.21	1910	MC30			
130	737	622	5:18.7	-69:15	15X13	922*	240	37050	300	1235*	.15	4916	(LM41)				119.A	1028.0	.30	1910	MC30			
124	903	637	5:19.0	-65:51	2X	2	78	75	11	11	11	.18	80				0135	15.0	.28					
125	904	640	5:19.0	-65:51	2X	2	198	189	33	31	11	.18	80				0135	15.0	.28					
129	904	640	5:19.0	-65:51	4X	5	61	47	182	100	18	.18	94				0135	15.0	.24					
130	904	638	5:19.0	-65:51	5X	6	151	115	597	300	30	.18	157				0135	15.0	.14					

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																							
FR	X	Y	R.A.	DEC.	X	Y	P	B ₀	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAD NO.	M	S
124	783	626	5:19.1	-68:16	2X 2	82	76	24	11			24	19	195				.0	.00			--	
125	786	628	5:19.1	-68:16	3X 3	205	196	57	31			19	19	155				.0	.00			--	
129	785	626	5:19.1	-68:16	3X 3	55	44	73	10C			7	19	40				.0	.00			--	
130	785	624	5:19.1	-68:16	4X 3	133	108	204	30C			7	19	40				.0	.00			--	
124	714	622	5:19.3	-69:43	7X 9	92	90	182	11			182	12	685	(LH42)		120.A-D 293.0	.56	1918			MC31SNR	
125	716	621	5:19.3	-69:43	7X 9	380	258	893	31			298	12	1122	(LH42)		120.A-D 293.0	.34	1918			MC31SNR	
129	717	620	5:19.3	-69:43	7X 9	324	130	2255	10C			226	12	682	(LH42)		120.A-D 293.0	.57	1918			MC31SNR	
130	715	619	5:19.3	-69:43	7X 9	565	393	7509	30C			250	12	754	(LH42)		120.A-D 293.0	.51	1918			MC31SNR	
124	777	625	5:19.3	-68:24	2X 2	74	75	-1	11			-1	18	-7			118	1.5	.32				
125	778	625	5:19.3	-68:24	2X 2	193	194	-1	31			0	18	0			118	1.5	.00				
129	777	625	5:19.3	-68:24	2X 2	46	45	1	10C			0	18	0			118	1.5	.00				
130	778	624	5:19.3	-68:24	2X 2	115	114	15	30C			1	18	5			118	1.5	.45				
124	717	620	5:19.7	-69:38	4X 4	116	104	61	11			61	12	229	LH42	2.0	1.5	--	(120)	.0	.00	1918	
125	720	619	5:19.7	-69:38	4X 4	266	273	328	31			109	12	410	LH42	2.0	1.5	--	(120)	.0	.00	1918	
129	717	620	5:19.7	-69:38	4X 4	324	209	487	10C			49	12	147	LH42	2.0	1.5	--	(120)	.0	.00	1918	
130	718	617	5:19.7	-69:38	4X 4	734	607	1163	30C			39	12	117	LH42	2.0	1.5	--	(120)	.0	.00	1918	
125	727	618	5:20.1	-69:29	6X 4	257	232	450	31			150	13	631	(LH46)		(119.122)	.0	.00	1922.267			
129	727	617	5:20.1	-69:29	6X 9	139	112	732	10C			73	13	241	(LH46)		(119.122)	.0	.00	1922.267			
130	727	615	5:20.1	-69:29	9X10	502	299	5720	30C			191	13	632	(LH46)		(119.122)	.0	.00	1922.267			
124	723	617	5:20.3	-69:34	2X 2	92	91	2	11			2	12	7	(LH46)		122	.1	.02				
125	724	618	5:20.3	-69:34	2X 2	250	251	3	31			1	12	3	(LH46)		122	.1	.04				
129	724	614	5:20.3	-69:34	2X 2	153	146	23	10C			2	12	6	(LH46)		122	.1	.02				
130	724	612	5:20.3	-69:34	2X 2	533	495	71	30C			2	12	6	(LH46)		122	.1	.02				
124	853	626	5:20.3	-66:56	4X 5	81	78	13	11			13	12	48			37	12.2	.34				
125	852	629	5:20.3	-66:56	4X 5	204	199	10	31			3	12	11			37	12.2	1.46				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

PM	X	Y	R.A.	DEC.	X	Y	P	B _G	V	E.F.	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	MIND.	NGC NO.	SAR NO.	M	S
129	852	628	5:20.3	-66:56	4X	5	57	54	22	10C	2	12	6				37	12.2	2.68				
130	852	626	5:20.3	-66:56	4X	5	141	129	54	30C	2	12	6				37	12.2	2.68				
124	830	625	5:20.4	-67:21	5X	2	83	76	41	11	41	13	172					.0	.00				
125	831	626	5:20.4	-67:21	5X	6	210	193	290	31	97	13	408					.0	.00				
129	830	626	5:20.4	-67:21	5X	6	71	47	349	10C	35	13	115					.0	.00				
130	830	624	5:20.4	-67:21	6X	8	178	115	1300	30C	43	13	142					.0	.00				
124	854	628	5:20.6	-66:50	3X	3	78	78	2	11	2	11	6				38	7.6	1.63				
125	855	628	5:20.6	-66:50	3X	3	201	197	9	31	3	11	10				38	7.6	.98				
129	857	627	5:20.6	-66:50	3X	3	57	55	11	10C	1	11	2				38	7.6	4.90				
130	857	626	5:20.6	-66:50	3X	3	130	128	12	30C	0	11	0				38	7.6	.00				
124	793	619	5:20.7	-68:04	3X	3	83	82	5	11	5	26	88				41	1.0	.02				
125	794	620	5:20.7	-68:04	3X	3	201	203	-3	31	-1	26	-17				41	1.0	-1.11				
129	793	619	5:20.7	-68:04	3X	3	53	53	-2	10C	0	26	0				41	1.0	.00				
130	794	617	5:20.7	-68:04	3X	3	130	132	1	30C	0	26	0				41	1.0	.00				
124	923	629	5:20.9	-65:28	7X	5	83	78	29	11	23	19	236	LH43	6.0	3.0	9	(40)	.0	.00	1923		
129	924	632	5:20.9	-65:28	7X	5	78	60	205	10C	21	19	120	LH43	6.0	3.0	9	(40)	.0	.00	1923		
130	925	631	5:20.9	-65:28	7X	5	198	151	569	30C	19	19	109	LH43	6.0	3.0	9	(40)	.0	.00	1923		
129	726	514	5:21.0	-69:32	14X	19	153	70	8550	10C	855	13	2831	(LH46)				(119,122)	.0	.00			
124	745	613	5:21.4	-69:04	6X	6	81	80	19	11	19	15	99	LH44	5.0	5.0	8	(126)	.0	.00			
125	746	614	5:21.4	-69:04	6X	6	210	206	50	31	17	15	89	LH44	5.0	5.0	8	(126)	.0	.00			
129	745	613	5:21.4	-69:04	6X	6	80	58	217	10C	22	15	87	LH44	5.0	5.0	8	(126)	.0	.00			
130	746	611	5:21.4	-69:04	6X	6	212	144	573	30C	19	15	75	LH44	5.0	5.0	8	(126)	.0	.00			
124	922	627	5:21.5	-65:30	3X	3	73	76	5	11	-5	18	-36	(LH43)				40	5.5	-2.23	1923		
125	924	627	5:21.5	-65:30	3X	3	201	196	35	31	12	18	87	(LH43)				40	5.5	.10	1923		
129	919	626	5:21.5	-65:30	3X	3	47	46	9	10C	1	18	5	(LH43)				40	5.5	1.66	1923		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																									
FR.	X	Y	R.A.	DEC.	*X	*Y	P	B	G	V	E	F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	MIND.	NOC NO.	SNO NO.	M	S
130	924	629	5:21.5	-65:30	3X	3	186	174	43	30C	1	18	5	(LM43)				40		5.5	1.66	1923			
124	619	606	5:21.6	-71:45	2X	2	72	73	4	1L	4	16	23					197		.6	.04				
125	620	607	5:21.6	-71:45	2X	2	190	191	4	3L	1	16	5					197		.6	.17				
129	620	606	5:21.6	-71:45	2X	2	42	41	3	10C	0	16	0					197		.6	.00				
130	620	604	5:21.6	-71:45	2X	2	99	97	4	30C	0	16	0					197		.6	.00				
124	908	626	5:21.6	-65:48	10X	9	89	80	400	1L	400	17	2618	LM45	10.0	9.0	25	0142	10.0	.01					
125	908	627	5:21.6	-65:48	10X	9	233	209	874	3L	291	17	1904	LM45	10.0	9.0	25	0142	10.0	.01					
129	909	627	5:21.6	-65:48	10X	9	144	74	1739	10C	174	17	832	LM45	10.0	9.0	25	0142	10.0	.02					
130	908	625	5:21.6	-65:48	10X	9	448	193	6346	30C	211	17	1009	LM45	10.0	9.0	25	0142	10.0	.01					
124	799	614	5:21.8	-67:58	6X	7	115	95	338	1L	338	28	7463	(LM47)				448CF	84.2	.02	1929-36	MC325NR			
125	801	616	5:21.8	-67:58	6X	7	331	269	956	3L	319	28	7043	(LM47)				448CF	84.2	.02	1929-36	MC325NR			
129	800	616	5:21.8	-67:58	6X	7	228	156	1717	10C	172	28	2267	(LM47)				448CF	84.2	.07	1929-36	MC325NR			
130	800	614	5:21.8	-67:58	6X	7	619	430	3157	30C	105	28	1384	(LM47)				448CF	84.2	.12	1929-36	MC325NR			
124	745	611	5:21.9	-69:05	2X	3	82	80	5	1L	5	15	26	(LM44)				126	.3	.02					
125	745	612	5:21.9	-69:05	2X	3	207	207	1	3L	0	15	0	(LM44)				126	.3	.00					
129	745	613	5:21.9	-69:05	2X	3	80	73	23	10C	2	15	7	(LM44)				126	.3	.06					
130	746	611	5:21.9	-69:05	2X	3	212	187	64	30C	2	15	7	(LM44)				126	.3	.06					
124	715	607	5:22.0	-69:43	3X	3	83	83	2	1L	2	13	8					127AB.9	18.7	3.15					
125	716	609	5:22.0	-69:43	3X	3	220	220	0	3L	0	13	0					127AB.9	18.7	.00					
129	715	608	5:22.0	-69:43	3X	3	73	74	-1	10C	0	13	0					127AB.9	18.7	.00					
130	716	606	5:22.0	-69:43	3X	3	210	215	-10	30C	0	13	0					127AB.9	18.7	.00					
124	720	609	5:22.1	-69:27	5X	5	91	88	28	1L	28	12	105	LM46	4.0	3.0	--	(122)	.0	.00					
125	720	611	5:22.1	-69:27	5X	5	252	245	56	3L	19	12	71	LM46	4.0	3.0	--	(122)	.0	.00					
129	720	611	5:22.1	-69:27	5X	5	143	113	226	10C	23	12	69	LM46	4.0	3.0	--	(122)	.0	.00					
130	720	609	5:22.1	-69:27	5X	5	493	364	975	30C	33	12	99	LM46	4.0	3.0	--	(122)	.0	.00					

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

PR	X	Y	R.A.	DEC.	X-Y	P	B-G	V	E.F	V-E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
124	802	612	5:22.2	-67:57	5X 7	112*100	193	1L	193	.28	4261	LH47	4.0	6.0	40	(44)	.0	.00	1929-36			
125	802	614	5:22.2	-67:57	5X 7	399 285	1041	3L	347	.28	7661	LH47	4.0	6.0	40	(44)	.0	.00	1929-36			
129	801	614	5:22.2	-67:57	5X 7	443 178	2143	10C	214	.28	2821	LH47	4.0	6.0	40	(44)	.0	.00	1929-36			
130	801	612	5:22.2	-67:57	5X 7	868 537	3611	30C	120*	.28	1581	LH47	4.0	6.0	40	(44)	.0	.00	1929-36			
124	908	623	5:22.2	-65:46	6X11	87* 82	80	1L	80	.17	523	(LH45)				43	64.4	.18				
125	909	624	5:22.2	-65:46	6X11	220*214	240	3L	80	.17	523	(LH45)				43	64.4	.18				
129	909	624	5:22.2	-65:46	6X11	99* 82	608	10C	61	.17	291	(LH45)				43	64.4	.33				
130	910	622	5:22.2	-65:46	6X11	250*209	1637	30C	55	.17	263	(LH45)				43	64.4	.36				
124	803	611	5:22.4	-67:55	43*	95* 95	312	1L	312	.28	6888	LH47.48	30	0*	48	(44)	.0	.00	1929-37			
125	803	613	5:22.4	-67:55	43*	333 262	1636	3L	545	.28	12033	LH47.48	30	0*	48	(44)	.0	.00	1929-37			
129	802	613	5:22.4	-67:55	43*	320*142	3337	10C	334	.28	4402	LH47.48	30	0*	48	(44)	.0	.00	1929-37			
130	802	611	5:22.4	-67:55	43*	830*430	7652	30C	255*	.28	3361	LH47.48	30	0*	48	(44)	.0	.00	1929-37			
124	763	608	5:22.5	-68:41	3X 3	79* 78	1	1L	1	.15	5					128	.7	.20				
125	765	610	5:22.5	-68:41	3X 3	202*201	8	3L	3	.15	15					128	.7	.07				
129	763	608	5:22.5	-68:41	3X 3	48* 48	1	10C	0	.15	0					128	.7	.00				
130	764	606	5:22.5	-68:41	3X 3	116*117	3	30C	0	.15	0					128	.7	.00				
124	798	610	5:22.6	-67:59	18X15	93* 80	1584	1L	1584	.28	34974	(LH47.49)				44.A	N2040.0	.11	1929-37	MC33		
125	800	612	5:22.6	-67:59	18X15	296*208	6300	3L	2100	.28	46368	(LH47.49)				44.A	N2040.0	.08	1929-37	MC33		
129	799	612	5:22.6	-67:59	18X15	180* 65	9098	10C	910	.28	11996	(LH47.49)				44.A	N2040.0	.32	1929-37	MC33		
130	799	610	5:22.6	-67:59	18X15	545*157	30319	30C	1011*	.28	13327	(LH47.49)				44.A	N2040.0	.29	1929-37	MC33		
124	804	611	5:22.6	-67:53	4X 4	90* 98	49	1L	49	.28	1081	LH48	2	0	8	(44)	.0	.00	1937			
125	805	612	5:22.6	-67:53	4X 4	234*255	159	3L	53	.28	1170	LH48	2	0	8	(44)	.0	.00	1937			
129	804	612	5:22.6	-67:53	4X 4	143*154	508	10C	51	.28	672	LH48	2	0	8	(44)	.0	.00	1937			
130	804	610	5:22.6	-67:53	4X 4	488*496	1329	30C	44*	.28	580	LH48	2	0	8	(44)	.0	.00	1937			
124	859	613	5:22.8	-66:44	3X 3	76* 77	1	1L	1	.11	3					45.A	5	0	2	15		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																							
FR.	X	Y	R.A.	DEC.	X	Y	P	B ₀	V	E.F.	V/E	RE	UF	LM NO.	SIZE	BS	N NO.	HA	HIND.	MGC NO.	SAO NO.	M	S
125	860	615	5:22.8	-66:44	3X	3	196*195	7	3L	2	.11	6					45.A	5.0	1.07				
129	860	615	5:22.8	-66:44	3X	3	51* 51	3	10C	0	.11	0					45.A	5.0	.00				
130	861	613	5:22.8	-66:44	3X	3	140*139	5	30C	0	.11	0					45.A	5.0	.00				
124	837	615	5:22.9	-67:12	3X	2	81 79	7	1L	7	.11	23	--					.0	.00	1940			
125	837	613	5:22.9	-67:12	5X	4	216 199	149	3L	50	.11	168	--					.0	.00	1940			
129	830	613	5:22.9	-67:12	5X	4	75 51	318	10C	32	.11	88	--					.0	.00	1940			
130	838	611	5:22.9	-67:12	12X	7	208 124	2730	30C	91	.11	250	--					.0	.00	1940			
124	895	618	5:22.9	-66:04	3X	3	84 77	46	1L	46	.14	216	--				0154	49.0	.31	1932?			
125	895	620	5:22.9	-66:04	5X	4	213 198	183	3L	61	.14	286	--				0154	49.0	.24	1932?			
129	895	619	5:22.9	-66:04	4X	3	68 51	158	10C	16	.14	58	--				0154	49.0	1.17	1932?			
130	895	617	5:22.9	-66:04	11X	12	183 120	3809	30C	127	.14	461	--				0154	49.0	.15	1932?			
124	692	601	5:23.0	-70:13	3X	3	77* 77	0	1L	0	.15	0					130	3.6	.00				
125	693	603	5:23.0	-70:13	3X	3	196*198	-11	3L	-4	.15	-20					130	3.6	-.25				
129	692	602	5:23.0	-70:13	3X	3	41* 42	-2	10C	0	.15	0					130	3.6	.00				
130	693	600	5:23.0	-70:13	3X	3	104 104	1	30C	0	.15	0					130	3.6	.00				
124	795	609	5:23.1	-68:04	5X	5	89 85	13	1L	13	.28	287	LH49	4.0	3.0	8 0159?	5.5	.04	1C2128				
125	798	608	5:23.1	-68:04	5X	5	228*224	69	3L	23	.28	507	LH49	4.0	3.0	8 0159?	5.5	.02	1C2128				
129	797	608	5:23.1	-68:04	5X	5	90* 88	83	10C	8	.28	105	LH49	4.0	3.0	8 0159?	5.5	.10	1C2128				
130	797	606	5:23.1	-68:04	5X	5	245*244	203	30C	7	.28	92	LH49	4.0	3.0	8 0159?	5.5	.11	1C2128				
124	876	612	5:23.1	-66:25	3X	3	79* 79	0	1L	0	.10	0				46	5.0	.00				MC36	
125	877	613	5:23.1	-66:25	3X	3	202 201	6	3L	2	.10	6				46	5.0	1.05				MC36	
129	876	616	5:23.1	-66:25	3X	3	62* 60	6	10C	1	.10	2				46	5.0	3.15				MC36	
130	877	613	5:23.1	-66:25	3X	3	167*161	24	30C	1	.10	2				46	5.0	3.15				MC36	
124	825	600	5:23.2	-71:38	8X	7	82 77	19	1L	19	.16	111	(SA02561807)			198	58.3	.76					
125	827	603	5:23.2	-71:38	8X	7	212 190	284	3L	95	.16	556	(SA02561807)			198	58.3	.15					

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

PR	X	Y	R.A.	DEC.	X	Y	P	B _G	V	L.F.	V/L	RE	UF	LM NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAR NO.	M	Σ
129	624	601	5:23.2	-71:30	8X	7	51	44	214	10C	21	.16	91	(SA0256180?)		198		58.3	.93				
130	626	599	5:23.2	-71:30	8X	7	196	104	760	30C	25	.16	109	(SA0256180?)		198		58.3	.77				
124	625	600	5:23.2	-71:37	5X	3	82	74	68	1L	68	.05	118					.0	.00		25618077.4	A3	
125	627	603	5:23.2	-71:37	5X	4	212	187	236	3L	79	.05	137					.0	.00		25618077.4	A3	
129	626	601	5:23.2	-71:37	5X	5	75	36	348	10C	35	.05	55					.0	.00		25618077.4	A3	
130	626	599	5:23.2	-71:37	9X	6	196	85	1890	30C	63	.05	99					.0	.00		25618077.4	A3	
124	707	601	5:23.3	-69:54	2X	3	82	82	7	1L	7	.14	32			131		2.0	.09				
125	707	602	5:23.3	-69:54	2X	3	212	211	14	3L	5	.14	23			131		2.0	.12				
129	707	602	5:23.3	-69:54	2X	3	63	67	10	10C	1	.14	3			131		2.0	.92				
130	708	600	5:23.3	-69:54	2X	3	176	186	49	30C	2	.14	7			131		2.0	.39				
124	788	602	5:23.5	-68:13	2X	2	84	78	19	1L	19	.20	173			0170		10.0	.09				
125	788	607	5:23.5	-68:13	2X	2	205	194	36	3L	12	.20	109			0170		10.0	.15				
129	788	607	5:23.5	-68:13	2X	2	61	46	59	10C	6	.20	37			0170		10.0	.43				
130	789	604	5:23.5	-68:13	5X	4	162	111	477	30C	16	.20	100			0170		10.0	.16				
124	862	610	5:23.6	-66:41	3X	4	80	77	28	1L	28	.08	67			0182		13.3	.24				
125	863	611	5:23.6	-66:41	5X	5	210	197	145	3L	48	.08	116			0182		13.3	.14				
129	863	612	5:23.6	-66:41	2X	2	71	50	246	10C	25	.08	52			0182		13.3	.31				
130	864	611	5:23.6	-66:41	7X	7	187	121	1414	30C	47	.08	98			0182		13.3	.16				
124	637	600	5:24.0	-71:23	13X	8	80	78	59	1L	59	.17	386	(LH501)		199,200		121	.0	.46			
125	639	600	5:24.0	-71:23	13X	8	212	192	270	3L	90	.17	589	(LH501)		199,200		121	.0	.30			
129	637	600	5:24.0	-71:23	13X	8	75	49	169	10C	17	.17	81	(LH501)		199,200		121	.0	2.21			
130	638	595	5:24.0	-71:23	13X	8	151	112	1175	30C	39	.17	186	(LH501)		199,200		121	.0	.96			
124	718	601	5:24.1	-69:40	5X	7	93	88	41	1L	41	.13	172			132A-J		11.4	.09		MC395NR		
125	713	601	5:24.1	-69:40	5X	7	248	234	177	3L	59	.13	248			132A-J		11.4	.06		MC395NR		
129	720	600	5:24.1	-69:40	5X	7	139	95	356	10C	36	.13	119			132A-J		11.4	.13		MC395NR		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD														
FR.	X	Y	R.A.	DEC.	X	Y	P	B _G	V	E.F.	V/E	RE	UF	LH NO.
													SIZE	BS
														N NO.
														HA
														MIND.
														NCC NO.
														SAO NO.
														M
														S
130	721	598	5:24.1	-69:40	5X	7	485	267	1595	30C	53	.13	(75	132A-J
124	752	598	5:24.4	-68:58	2X	3	84	82	4	1L	4	.10	12	137AB
125	753	600	5:24.4	-68:58	2X	3	210	207	6	3L	2	.10	6	137AB
129	752	599	5:24.4	-68:58	2X	3	59	58	1	10C	0	.10	0	137AB
130	753	597	5:24.4	-68:58	2X	3	149	144	3	30C	0	.10	0	137AB
124	637	598	5:24.5	-71:23	8X	9	83	77	37	1L	37	.17	242	LH50
125	639	597	5:24.5	-71:23	8X	9	196	190	47	3L	16	.17	104	LH50
129	638	599	5:24.5	-71:23	8X	9	76	50	147	10C	15	.17	71	LH50
130	638	597	5:24.5	-71:23	8X	9	212	123	706	30C	24	.17	114	LH50
124	773	598	5:24.8	-68:33	7X	8	89	84	69	1L	69	.13	290	138.A-D
125	777	595	5:24.8	-68:33	7X	8	228	211	302	3L	101	.13	424	138.A-D
129	774	598	5:24.8	-68:33	7X	8	105	66	530	10C	53	.13	175	138.A-D
130	775	596	5:24.8	-68:33	7X	8	320	167	1653	30C	55	.13	182	138.A-D
125	711	599	5:24.9	-69:53	3X	3	226	212	102	3L	34	.14	159	(131)
129	709	598	5:24.9	-69:53	4X	7	89	69	358	10C	36	.14	130	(131)
130	710	594	5:24.9	-69:53	6X	9	248	180	1831	30C	61	.14	221	(131)
124	879	604	5:25.4	-66:23	15X	12	80	79	329	1L	329	.07	713	(LH53)
125	881	604	5:25.4	-66:23	15X	12	205	204	609	3L	203	.07	440	(LH53)
129	882	604	5:25.4	-66:23	15X	12	79	64	1014	10C	101	.07	192	(LH53)
130	883	602	5:25.4	-66:23	15X	12	236	159	3354	30C	112	.07	213	(LH53)
124	822	595	5:25.5	-67:30	4X	5	116	108	107	1L	107	.11	360	LH51
125	823	597	5:25.5	-67:30	4X	5	333	304	484	3L	161	.11	543	LH51
129	824	596	5:25.5	-67:30	4X	5	422	249	694	10C	69	.11	190	LH51
130	824	594	5:25.5	-67:30	4X	5	826	667	1354	30C	45	.11	123	LH51
124	630	591	5:25.7	-71:32	3X	3	76	75	5	1L	5	.17	32	201.202

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

PR.	X	Y	R.A.	DEC.	X	Y	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SNO NO.	M	S
125	631	592	5:25.7	-71:32	3X 3	193+193	4	3L	1	.17	6	6				201.202	.6	.15				
129	631	591	5:25.7	-71:32	3X 3	41+40	4	10C	0	.17	0	0				201.202	.6	.00				
130	631	588	5:25.7	-71:32	3X 3	94+93	5	30C	0	.17	0	0				201.202	.6	.00				
124	885	601	5:25.7	-66:19	6X 3	90 86	19	1L	19	.07	41	(LM52)				48A-C	20.3	.58	1948	MC40.41SNR		
125	886	603	5:25.7	-66:19	6X 3	228 217	46	3L	15	.07	32	(LM52)				48A-C	20.3	.75	1948	MC40.41SNR		
129	884	603	5:25.7	-66:19	6X 3	101+86	125	10C	13	.07	24	(LM52)				48A-C	20.3	.99	1948	MC40.41SNR		
130	885	601	5:25.7	-66:19	6X 3	310 242	344	30C	11	.07	20	(LM52)				48A-C	20.3	1.19	1948	MC40.41SNR		
124	886	601	5:25.7	-66:17	6X 6	90 83	72	1L	72	.07	156	LM52		4.5	4.5	15	(48)	.0	.00	1948		
125	885	603	5:25.7	-66:17	6X 6	224+211	233	3L	78	.07	169	LM52		4.5	4.5	15	(48)	.0	.00	1948		
129	885	603	5:25.7	-66:17	6X 6	104 79	286	10C	29	.07	55	LM52		4.5	4.5	15	(48)	.0	.00	1948		
130	886	601	5:25.7	-66:17	6X 6	300+214	857	30C	29	.07	55	LM52		4.5	4.5	15	(48)	.0	.00	1948		
124	623	587	5:25.8	-71:40	2X 2	77 74	11	1L	11	.17	72					0194	7.0	.14				
125	624	591	5:25.8	-71:40	3X 3	196 186	46	3L	15	.17	98					0194	7.0	.11				
129	624	593	5:25.8	-71:40	2X 2	43 37	24	10C	2	.17	9					0194	7.0	1.15				
130	625	591	5:25.8	-71:40	2X 2	112 89	75	30C	3	.17	14					0194	7.0	.74				
125	729	578	5:25.9	-69:29	5X 5	238 219	278	3L	93	.15	488						.0	.00				
124	729	592	5:25.9	-69:28	5X 4	88 86	23	1L	23	.12	86	(LM46)				142	10.4	.16				
125	729	592	5:25.9	-69:28	5X 4	234+233	63	3L	21	.12	79	(LM46)				142	10.4	.17				
129	729	593	5:25.9	-69:28	5X 4	103 92	50	10C	5	.12	15	(LM46)				142	10.4	.91				
130	730	591	5:25.9	-69:28	5X 4	290 240	205	30C	7	.12	21	(LM46)				142	10.4	.65				
124	738	591	5:25.9	-69:15	8X 8	91+87	160	1L	160	.11	539	(LM57)				140.143	47.7	.11				
125	739	592	5:25.9	-69:15	8X 8	243+232	527	3L	176	.11	593	(LM57)				140.143	47.7	.10				
129	738	592	5:25.9	-69:15	8X 8	100+87	657	10C	66	.11	181	(LM57)				140.143	47.7	.34				
130	739	589	5:25.9	-69:15	8X 8	308+263	2800	30C	93	.11	256	(LM57)				140.143	47.7	.24				
124	822	593	5:25.9	-67:30	37+	114+103	215	1L	215	.11	725	LM51.54		392.2*	17	(52)	.0	.00	1955			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																							
FR	X	Y	R.A.	DEC.	X	Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S
125	023	596	5:25.9	-67:30	29*	348*302			470	3L	157	.11	529	LH51.54	392.2*	17	(52)	.0	.00	1955			
129	024	596	5:25.9	-67:30	37*	422 187			2018	10C	202	.11	556	LH51.54	392.2*	17	(52)	.0	.00	1955			
130	024	592	5:25.9	-67:30	37*	790*582			3989	30C	133*.11		366	LH51.54	392.2*	17	(52)	.0	.00	1955			
124	000	602	5:25.9	-66:14	18X 7	86* 82			34	1L	34	.07*	73	LH52.53	19.0	6.0	34	D191	5.0	.08	1948		
125	000	602	5:25.9	-66:14	18X 7	215*205			450	3L	150	.07*	325	LH52.53	19.0	6.0	34	D191	5.0	.02	1948		
129	007	602	5:25.9	-66:14	18X 7	90* 66			721	10C	72	.07*	137	LH52.53	19.0	6.0	34	D191	5.0	.04	1948		
130	007	600	5:25.9	-66:14	18X 7	253*164			3048	30C	102	.07*	194	LH52.53	19.0	6.0	34	D191	5.0	.03	1948		
124	030	597	5:26.0	-67:12	5X 4	87 83			21	1L	21	.14	98				50	11.4	.16				
125	040	598	5:26.0	-67:12	5X 4	231 217			66	3L	22	.14	103				50	11.4	.15				
129	039	598	5:26.0	-67:12	5X 4	98 78			96	10C	10	.14	36				50	11.4	.44				
130	039	595	5:26.0	-67:12	5X 4	239 200			30	30C	1	.14	3				50	11.4	5.25				
124	091	599	5:26.0	-66:08	3X 3	79* 79			4	1L	4	.07	8	(LH53)			49	13.2	1.94		MC435NR		
125	092	602	5:26.0	-66:08	3X 3	210*206			6	3L	2	.07	4	(LH53)			49	13.2	3.88		MC435NR		
129	092	601	5:26.0	-66:08	3X 3	68 65			13	10C	1	.07	1	(LH53)			49	13.2	15.51		MC435NR		
130	092	599	5:26.0	-66:08	3X 3	160*160			7	30C	0	.07	0	(LH53)			49	13.2	.00		MC435NR		
124	066	601	5:26.1	-66:37	6X 6	89 79			130	1L	130	.07	281	--			(48)	.0	.00	1951			
125	069	599	5:26.1	-66:37	7X 5	226 197			549	3L	183	.07	396	--			(48)	.0	.00	1951			
129	068	600	5:26.1	-66:37	6X 6	94 58			611	10C	61	.07	116	--			(48)	.0	.00	1951			
130	069	598	5:26.1	-66:37	8X 9	260 143			2960	30C	99	.07	188	--			(48)	.0	.00	1951			
124	706	588	5:26.2	-69:55	2X 2	82* 82			0	1L	0	.15	0	(LH59)			134	.2	.00	1969.71			
125	707	590	5:26.2	-69:55	2X 2	213*213			2	3L	1	.15	5	(LH59)			134	.2	.06	1969.71			
129	707	589	5:26.2	-69:55	2X 2	78 77			2	10C	0	.15	0	(LH59)			134	.2	.00	1969.71			
130	707	588	5:26.2	-69:55	2X 2	195*198			15	30C	1	.15	3	(LH59)			134	.2	.09	1969.71			
124	822	592	5:26.2	-67:30	5X 5	110*105			68	1L	68	.11	229	LH54	3.5	3.5	12	(52)	.0	.00	1955		
129	824	593	5:26.2	-67:30	5X 5	288*243			407	10C	41	.11	112	LH54	3.5	3.5	12	(52)	.0	.00	1955		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR	X	Y	R.A.	DEC.	*X	*Y	P	BG	V	E.F	V/E	RE	UF	LM NO	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAO NO.	M	S	
130	024	591	5:26.2	-67:30	5X 5	755	628	1240	30C	42	11	115	LM54	3 5	3.5	12	(52)	0	00	1955				
124	017	593	5:26.5	-67:30	6X 3	90	89		12	11	12	11	140	LM55	5 0	1.0	3	(51)	0	00				
125	010	595	5:26.5	-67:30	6X 3	245	239		25	3L	18	11	26	LM55	5 0	1.0	3	(51)	0	00				
129	010	594	5:26.5	-67:30	6X 3	114	101		31	10C	3	11	8	LM55	5 0	1.0	3	(51)	0	00				
130	017	591	5:26.5	-67:30	6X 3	335	291		130	30C	4	11	11	LM55	5 0	1.0	3	(51)	0	00				
124	120	589	5:26.6	-69:30	5X 5	94	84		137	1L	137	25	2171				(142)	0	00					
125	120	590	5:26.6	-69:30	6X 5	250	220		482	3L	161	25	2551				(142)	0	00					
129	127	589	5:26.6	-69:30	6X 6	120	77		739	10C	74	25	740				(142)	0	00					
130	120	587	5:26.6	-69:30	7X 9	368	206		3330	30C	111	25	1110				(142)	0	00					
124	014	592	5:26.7	-67:41	9X10	86	82		101	1L	101	11	340	LM55			518E	315.9	1.20					
125	015	593	5:26.7	-67:41	9X10	223	216		278	3L	93	11	313	LM55			518E	315.9	1.30					
129	014	592	5:26.7	-67:41	9X10	81	62		722	10C	73	11	201	LM55			518E	315.9	2.02					
130	015	590	5:26.7	-67:41	9X10	252	161		2130	30C	71	11	195	LM55			518E	315.9	2.09					
124	736	588	5:26.8	-69:21	4X 4	102	93		42	1L	42	12	158	LM57			143	18.6	.16					
125	735	589	5:26.8	-69:21	4X 4	243	241		101	3L	34	12	128	LM57			143	18.6	.19					
129	734	588	5:26.8	-69:21	4X 4	94	95		179	10C	18	12	54	LM57			143	18.6	.45					
130	735	586	5:26.8	-69:21	4X 4	350	305		894	30C	30	12	90	LM57			143	18.6	.27					
124	627	583	5:26.9	-71:38	5X 5	79	76		34	1L	34	17	222	LM56			2058	9.0	06					
125	627	587	5:26.9	-71:38	5X 5	212	196		141	3L	47	17	307	LM56			2058	9.0	04					
129	627	586	5:26.9	-71:38	5X 5	62	47		109	10C	11	17	52	LM56			2058	9.0	26					
130	620	584	5:26.9	-71:38	5X 5	159	114		301	30C	11	17	47	LM56			2058	9.0	28					
124	629	583	5:26.9	-71:34	6X 6	77	76		36	1L	36	17	235	LM56	5 0	5.0	2(202,205)	0	00					
125	629	587	5:26.9	-71:34	6X 6	201	197		100	3L	33	17	216	LM56	5 0	5.0	2(202,205)	0	00					
129	627	586	5:26.9	-71:34	6X 6	62	44		189	10C	19	17	90	LM56	5 0	5.0	2(202,205)	0	00					
130	629	584	5:26.9	-71:34	6X 6	143	106		477	30C	18	17	76	LM56	5 0	5.0	2(202,205)	0	00					

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																						
FR. X	Y	R.A.	DEC.	*X	*Y	P	B _G	V	E.F.	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAU NO.	M	S
124	738	588	5:26.9	-69:18	4X	4	94	95	13	11	13	12	48	LH57	1.5	1.5	--(140,143)	.0	.00			
125	737	589	5:26.9	-69:18	4X	4	268	252	132	31	44	12	165	LH57	1.5	1.5	--(140,143)	.0	.00			
129	736	589	5:26.9	-69:18	4X	4	155	118	192	100	19	12	57	LH57	1.5	1.5	--(140,143)	.0	.00			
130	737	586	5:26.9	-69:18	4X	4	488	372	839	300	28	12	84	LH57	1.5	1.5	--(140,143)	.0	.00			
124	759	588	5:26.9	-68:52	9X	9	145	92	840	11	840	.09	2271	(LH58)		144, AB	475.4	.26	1962-66	MC47SNR		
125	760	590	5:26.9	-68:52	9X	9	505	249	3543	31	1181	.09	3193	(LH58)		144, AB	475.4	.18	1962-66	MC47SNR		
129	759	589	5:26.9	-68:52	9X	9	536	121	4828	100	483	.09	1106	(LH58)		144, AB	475.4	.53	1962-66	MC47SNR		
130	758	586	5:26.9	-68:52	9X	9	803	437	10388	300	346*	.09	792	(LH58)		144, AB	475.4	.74	1962-66	MC47SNR		
124	620	592	5:26.9	-67:35	19X18	95	84	2732	11	2732	.11	9214	(LH51--63)		51, A-E	1707.0	.24	1947.55	MC46			
125	821	593	5:26.9	-67:35	19X18	255	218	11351	31	3784	.11	12762	(LH51--63)		51, A-E	1707.0	.17	1947.55	MC46			
129	822	593	5:26.9	-67:35	19X18	156	77	15575	100	1558	.11	4291	(LH51--63)		51, A-E	1707.0	.51	1947.55	MC46			
130	822	591	5:26.9	-67:35	19X18	448	198	50396	300	1680	.11	4627	(LH51--63)		51, A-E	1707.0	.48	1947.55	MC46			
124	709	586	5:27.0	-69:51	4X	8	87	81	107	11	107	.16	627	(LH59)		(134)	.0	.00	1969.71			
125	712	589	5:27.0	-69:51	7X11	234	208	824	31	275	.16	1611	(LH59)		(134)	.0	.00	1969.71				
129	710	587	5:27.0	-69:51	8X12	105	60	2130	100	213	.16	929	(LH59)		(134)	.0	.00	1969.71				
130	711	585	5:27.0	-69:51	11X14	312	159	7750	300	258	.16	1126	(LH59)		(134)	.0	.00	1969.71				
124	759	588	5:27.0	-68:49	5X	5	145	109	278	11	278	.09	751	LH58	4.0	4.0	22	(144)	.0	.00	1962-66	
125	761	590	5:27.0	-68:49	5X	5	417	321	828	31	276	.09	746	LH58	4.0	4.0	22	(144)	.0	.00	1962-66	
129	760	588	5:27.0	-68:49	5X	5	348	219	1263	100	126	.09	288	LH58	4.0	4.0	22	(144)	.0	.00	1962-66	
130	760	586	5:27.0	-68:49	5X	5	812	615	1807	300	60*	.09	137	LH58	4.0	4.0	22	(144)	.0	.00	1962-66	
124	879	594	5:27.1	-66:24	2X	2	84	79	18	11	18	.07	39			0195	11.7	.35				
125	880	597	5:27.1	-66:24	2X	4	216	205	65	31	22	.07	47			0195	11.7	.29				
129	880	595	5:27.1	-66:24	5X13	81	57	531	100	53	.07	100				0195	11.7	.14				
130	880	592	5:27.1	-66:24	8X10	212	159	1950	300	65	.07	123				0195	11.7	.11				
124	826	588	5:27.2	-67:28	7X	5	126	109	180	11	180	.14	845	LH60	6.0	3.0	16	D200	12.0	.02	1968	

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																							
FR.	X	Y	R.A.	DEC.	X	Y	P	BC	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAD NO	M	S
125	026	591	5:27.2	-67:28	7X	5	366	319	438	3L	146	.14	686	LH60	6.0	3.0	16	0200	12.0	.02	1968		
129	025	591	5:27.2	-67:28	7X	5	308	211	924	10C	92	.14	334	LH60	6.0	3.0	16	0200	12.0	.05	1968		
130	026	589	5:27.2	-67:28	7X	5	035	629	2076	30C	69	.14	250	LH60	6.0	3.0	16	0200	12.0	.07	1968		
124	709	586	5:27.3	-69:51	5X	8	87	83	52	1L	52	.16	304	LH59	3.0	7.0	--	(134)	.0	.00	1969.71		
125	710	585	5:27.3	-69:51	5X	8	224	218	172	3L	57	.16	334	LH59	3.0	7.0	--	(134)	.0	.00	1969.71		
129	710	587	5:27.3	-69:51	5X	8	105	85	253	10C	25	.16	109	LH59	3.0	7.0	--	(134)	.0	.00	1969.71		
130	711	583	5:27.3	-69:51	5X	8	286	228	1058	30C	35	.16	152	LH59	3.0	7.0	--	(134)	.0	.00	1969.71		
124	027	587	5:27.6	-67:27	45*		126	101	527	1L	527	.14	2476	LH60.63	30.0*	30	(51)	.0	.00	1947.68			
125	026	589	5:27.6	-67:27	47*		362	302	1466	3L	489	.14	2297	LH60.63	30.0*	30	(51)	.0	.00	1947.68			
129	025	590	5:27.6	-67:27	43*		306	197	2061	10C	206	.14	747	LH60.63	30.0*	30	(51)	.0	.00	1947.68			
130	027	588	5:27.6	-67:27	43*		078	574	5684	30C	190	.14	689	LH60.63	30.0*	30	(51)	.0	.00	1947.68			
124	024	586	5:27.8	-67:30	6X	5	104	102	78	1L	78	.14	366	(LH60.63)			51AC	69.7	.26	1947.68	MC50		
125	025	589	5:27.8	-67:30	6X	5	316	310	458	3L	153	.14	718	(LH60.63)			51AC	69.7	.13	1947.68	MC50		
129	024	589	5:27.8	-67:30	6X	5	181	205	440	10C	44	.14	159	(LH60.63)			51AC	69.7	.61	1947.68	MC50		
130	026	587	5:27.8	-67:30	6X	5	030	633	958	30C	32	.14	116	(LH60.63)			51AC	69.7	.83	1947.68	MC50		
124	742	583	5:27.9	-69:11	2X	2	122	119	-5	1L	-5	.10	-15	(STAR?)			145	.1	.01				
125	743	584	5:27.9	-69:11	2X	2	375	360	-42	3L	-14	.10	-42	(STAR?)			145	.1	.00				
129	742	584	5:27.9	-69:11	2X	2	264	281	22	10C	2	.10	5	(STAR?)			145	.1	.03				
130	745	580	5:27.9	-69:11	2X	2	1017	1001	48	30C	2	.10	5	(STAR?)			145	.1	.03				
124	752	584	5:27.9	-68:59	5X	6	124	110	140	1L	140	.09	378	LH61	3.0	5.0	27	(146)	.0	.00	1983		
125	752	585	5:27.9	-68:59	5X	6	417	338	761	3L	254	.09	686	LH61	3.0	5.0	27	(146)	.0	.00	1983		
129	752	584	5:27.9	-68:59	5X	6	432	244	1176	10C	118	.09	270	LH61	3.0	5.0	27	(146)	.0	.00	1983		
130	750	581	5:27.9	-68:59	5X	6	1051	917	833	30C	28	.09	64	LH61	3.0	5.0	27	(146)	.0	.00	1983		
124	674	582	5:26.0	-70:36	5X	5	88	81	51	1L	51	.17	333	(LH62)			204	64.0	.28				
125	674	583	5:26.0	-70:36	5X	5	231	209	185	3L	62	.17	405	(LH62)			204	64.0	.23				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																							
PR.	X	Y	R.A.	DEC.	X	Y	P	BG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAD NO.	M	S
129	674	582	5:28.0	-70:36	5X 5	104	63	270	100	27	.17	129	129	(LM62)			204	64.0	.73				
130	675	580	5:28.0	-70:36	5X 5	273	158	779	300	26	.17	124	124	(LM62)			204	64.0	.76				
124	828	585	5:28.0	-67:26	4X 4	107	104	44	11	44	.14	206	206	LM63	4.0	3.0	14	D205	20.0	.13	1947		
125	827	587	5:28.0	-67:26	4X 4	319	324	388	31	129	.14	606	606	LM63	4.0	3.0	14	D205	20.0	.05	1947		
129	826	588	5:28.0	-67:26	4X 4	312	260	194	100	19	.14	68	68	LM63	4.0	3.0	14	D205	20.0	.41	1947		
130	828	586	5:28.0	-67:26	4X 4	868	757	1073	300	36	.14	130	130	LM63	4.0	3.0	14	D205	20.0	.21	1947		
124	744	582	5:28.1	-69:09	17X17	141	90	4305	11	4305	.10	13000	--	--	--	--	(145)	.0	.00	1984794			
125	745	583	5:28.1	-69:09	13X16	468	243	11570	31	3857	.10	11647	--	--	--	--	(145)	.0	.00	1984794			
129	744	583	5:28.1	-69:09	10X14	454	130	11164	100	1116	.10	2803					(145)	.0	.00	1984794			
130	745	580	5:28.1	-69:09	20X18	1017	2581	27989	300	4266	.10	10715					(145)	.0	.00	1984794			
124	647	579	5:28.2	-71:11	2X 2	77	75	7	11	7	.17	45					(206)	.0	.00				
125	649	582	5:28.2	-71:11	2X 2	196	189	26	31	9	.17	58					(206)	.0	.00				
129	648	581	5:28.2	-71:11	2X 2	41	36	18	100	2	.17	9					(206)	.0	.00				
130	648	579	5:28.2	-71:11	3X 5	108	84	155	300	5	.17	23					(206)	.0	.00				
124	633	580	5:28.3	-71:26	5X 3	81	78	19	11	19	.17	124					205A	7.0	.08				
125	635	582	5:28.3	-71:26	5X 3	210	200	40	31	13	.17	85					205A	7.0	.12				
129	635	581	5:28.3	-71:26	5X 3	62	49	69	100	7	.17	33					205A	7.0	.31				
130	635	579	5:28.3	-71:26	5X 3	133	111	109	300	4	.17	19					205A	7.0	.54				
124	674	582	5:28.3	-70:37	4X 4	88	83	27	11	27	.17	176		LM62	1.5	1.5	3	(204)	.0	.00			
125	674	582	5:28.3	-70:37	4X 4	226	215	114	31	38	.17	248		LM62	1.5	1.5	3	(204)	.0	.00			
129	674	582	5:28.3	-70:37	4X 4	104	73	141	100	14	.17	67		LM62	1.5	1.5	3	(204)	.0	.00			
130	674	579	5:28.3	-70:37	4X 4	260	181	533	300	18	.17	86		LM62	1.5	1.5	3	(204)	.0	.00			
124	916	590	5:28.4	-65:40	2X 2	79	75	13	11	13	.08	31						.0	.00				
125	317	590	5:28.4	-65:40	2X 2	202	192	31	31	10	.08	24						.0	.00				
129	916	592	5:28.4	-65:40	3X 6	54	40	147	100	15	.08	31						.0	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD														
PR.	A	Y	R.A.	DEC.	X	Y	P	B	V	E.F	V/E	RE	UF	LH NO.
SIZE	BS	N NO.	MA	MIND.	NOC	NO	SAO	NO.	M	S				
130 917 590 5:28.4 -65:40	5X 7 127 99	623 30C	21 .08	43										
129 969 590 5:28.6 -64:40	2X 2 44 40	13 10C	1 .09	2										
130 960 591 5:28.6 -64:40	2X 3 101 94	42 30C	1 .09	2										
124 720 579 5:29.0 -69:29	4X 4 90 83	65 1L	65 .15	341										
129 729 579 5:29.0 -69:29	3X 3 95 76	115 10C	12 .15	47										
130 729 577 5:29.0 -69:29	5X 9 273 205	1221 30C	41 .15	163										
124 750 579 5:29.1 -69:03	3X 3 111*109	9 1L	9 .10	27	(LM61)									
125 749 578 5:29.1 -69:03	3X 3 322 313	21 3L	7 .10	21	(LM61)									
129 750 578 5:29.1 -69:03	3X 3 223*214	40 10C	4 .10	10	(LM61)									
130 749 576 5:29.1 -69:03	3X 3 812 787	72 30C	2* .10	5	(LM61)									
124 774 579 5:29.2 -68:30	3X 5 86 79	72 1L	72 .10	217										
125 776 580 5:29.2 -68:30	4X 6 226 204	264 3L	88 .10	265										
129 775 579 5:29.2 -68:30	5X 5 90 53	533 10C	53 .10	133										
130 776 577 5:29.2 -68:30	7X 8 246 129	2300 30C	77 .10	193										
124 762 577 5:29.4 -68:47	9X 6 118 95	350 1L	350 .09*	946	LM64									
125 764 578 5:29.4 -68:47	9X 6 364*255	1509 3L	503 .09*	1360	LM64									
129 763 578 5:29.4 -68:47	9X 6 327 120	2517 10C	252 .09*	577	LM64									
130 762 575 5:29.4 -68:47	9X 6 616*304	6310 30C	210*.09*	481	LM64									
124 664 575 5:29.9 -70:50	4X 3 92 76	113 1L	113 .17	739										
125 665 576 5:29.9 -70:50	5X 7 239 200	540 3L	180 .17	1178										
129 664 575 5:29.9 -70:50	8X12 115 39	2080 10C	208 .17	995										
130 664 573 5:29.9 -70:50	6X 9 346 93	4170 30C	139 .17	665										
124 852 577 5:30.1 -66:57	4X 4 101*101	26 1L	26 .08*	62	LM65									
125 851 579 5:30.1 -66:57	4X 4 264*266	44 3L	15 .08*	36	LM65									
129 850 578 5:30.1 -66:57	4X 4 157*153	2 10C	0 .08*	0	LM65									

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR. X	Y	R.A.	DEC.	X	Y	P	BC	V	E, F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	MIND.	NOC NO.	SAD NO.	M	S
130	852	576	5:30.1	-66:57	4X 4	682*619	-28	30C	-1*	.08*	-2	LH65	2.0	2.0	5		.0	.00	(LH77)			
124	835	574	5:30.3	-67:17	10X 7	116 89	863	1L	863	.06	1674		(LH70)			0212	43.0	.03	2004			
125	836	575	5:30.3	-67:17	11X11	368 240	4120	3L	1373	.06	2664		(LH70)			0212	43.0	.02	2004			
130	836	573	5:30.3	-67:17	13X15	887 318	47000	30C	1567*	.06	2723		(LH70)			0212	43.0	.02	2004			
124	731	569	5:30.8	-69:27	4X 4	89 84	55	1L	55	.16	322						.0	.00				
125	730	572	5:30.8	-69:27	3X 6	241 223	179	3L	60	.16	351						.0	.00				
129	731	570	5:30.8	-69:27	4X 4	106 75	297	10C	30	.16	130						.0	.00				
130	731	568	5:30.8	-69:27	5X 7	306 235	1020	30C	34	.16	148						.0	.00				
124	652	569	5:30.9	-71:05	4X 5	99* 94	21	1L	21	.17	137		LH66	1.0	4.0	4	(206)	.0	.00			
125	652	571	5:30.9	-71:05	4X 5	246*250	121	3L	40	.17	261		LH66	1.0	4.0	4	(206)	.0	.00			
129	653	570	5:30.9	-71:05	4X 5	141*125	121	10C	12	.17	57		LH66	1.0	4.0	4	(208)	.0	.00			
130	653	568	5:30.9	-71:05	4X 5	407*354	254	30C	8	.17	38		LH66	1.0	4.0	4	(206)	.0	.00			
124	763	569	5:31.1	-68:45	5X 5	122 90	341	1L	341	.20	3109		(LH64, 68)				.0	.00	20017			
125	764	571	5:31.1	-68:45	8X 8	373 235	2020	3L	673	.20	6137		(LH64, 68)				.0	.00	20017			
124	651	567	5:31.3	-71:07	15X17	102* 77	1195	1L	1195	.17	7822		(LH66, 69)			206.A	-01395.3	.26				MC54
125	650	569	5:31.3	-71:07	15X17	228*199	3246	3L	1082	.17	7093		(LH66, 69)			206.A	-01395.3	.29				MC54
129	653	568	5:31.3	-71:07	15X17	207 48	4308	10C	431	.17	2062		(LH66, 69)			206.A	-01395.3	1.00				MC54
130	651	565	5:31.3	-71:07	15X17	312*108	14665	30C	489*	.17	2340		(LH66, 69)			206.A	-01395.3	.88				MC54
129	850	572	5:31.3	-67:01	11X15	262 112	8200	10C	820	.10	2059		(LH77)			0214	80.0	.05	2006			
130	850	570	5:31.3	-67:01	11X17	849 371	26100	30C	870*	.10	2185		(LH77)			0214	80.0	.05	2006			
124	652	567	5:31.5	-71:04	42*	107 87	190	1L	190	.17	1243		LH66, 69	19.0*	25	(206)	.0	.00				
125	653	569	5:31.5	-71:04	42*	300 233	572	3L	191	.17	1250		LH66, 69	19.0*	25	(206)	.0	.00				
129	653	568	5:31.5	-71:04	46*	207 87	1118	10C	112	.17	536		LH66, 69	19.0*	25	(206)	.0	.00				
130	653	564	5:31.5	-71:04	50*	485*216	4152	30C	138	.17	660		LH66, 69	19.0*	25	(206)	.0	.00				
124	738	568	5:31.5	-69:18	4X 6	102 98	38	1L	38	.14	178		LH67	2.0	5.0	15	0224	6.6	.05			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																							
PM	X	Y	R.A.	DEC.	X	Y	P	B _G	V	E.F.	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	MA	HIND.	NGC NO.	SAD NO.	M	S
125	738	568	5:31.5	-69:18	4X 6	294	269	279	3L	93	.14	93	.14	437	LM67	2.0	5.0	15	0224	6.6	.02		
129	737	568	5:31.5	-69:18	4X 6	171	146	278	10C	28	.14	28	.14	101	LM67	2.0	5.0	15	0224	6.6	.09		
130	738	565	5:31.5	-69:18	4X 6	634	486	888	30C	30	.14	30	.14	108	LM67	2.0	5.0	15	0224	6.6	.08		
124	738	568	5:31.6	-69:17	9X10	102	85	703	1L	703	.14	703	.14	3303	(LM67.74)					.0	.00	2015	
125	738	568	5:31.6	-69:17	15X16	294	228	4577	3L	1526	.14	1526	.14	7170	(LM67.74)					.0	.00	2015	
129	739	567	5:31.6	-69:17	12X17	186	82	7700	10C	770	.14	770	.14	2795	(LM67.74)					.0	.00	2015	
130	739	565	5:31.6	-69:17	12X18	663	250	24506	30C	817	.14	817	.14	2966	(LM67.74)					.0	.00	2015	
124	761	568	5:31.7	-68:50	5X 3	99	99	16	1L	16	.20	16	.20	145	LM68	3.0	1.0	--	--	.0	.00		
125	759	567	5:31.7	-68:50	5X 3	233	227	40	3L	13	.20	13	.20	118	LM68	3.0	1.0	--	--	.0	.00		
129	759	567	5:31.7	-68:50	5X 3	84	84	18	10C	2	.20	2	.20	12	LM68	3.0	1.0	--	--	.0	.00		
130	759	564	5:31.7	-68:50	5X 3	224	219	58	30C	2	.20	2	.20	12	LM68	3.0	1.0	--	--	.0	.00		
124	892	570	5:31.8	-66:07	3X 3	84	79	25	1L	25	.07	25	.07	54				0220	20.0	.44		--	
125	896	572	5:31.8	-66:07	4X 5	215	201	162	3L	54	.07	54	.07	117				0220	20.0	.20		--	
129	893	572	5:31.8	-66:07	5X 5	69	53	245	10C	25	.07	25	.07	47				0220	20.0	.50		--	
130	894	570	5:31.8	-66:07	6X 7	181	133	970	30C	32	.07	32	.07	60				0220	20.0	.39		--	
124	739	566	5:31.9	-69:16	48	100	94	165	1L	165	.14	165	.14	775	LM67.74	25.0	28			.0	.00	2015	
125	739	566	5:31.9	-69:16	48	284	257	916	3L	305	.14	305	.14	1433	LM67.74	25.0	28			.0	.00	2015	
129	739	566	5:31.9	-69:16	48	186	129	1311	10C	131	.14	131	.14	475	LM67.74	25.0	28			.0	.00	2015	
130	739	563	5:31.9	-69:16	48	602	405	4350	30C	145	.14	145	.14	526	LM67.74	25.0	28			.0	.00	2015	
124	652	565	5:32.0	-71:04	5X 6	95	88	111	1L	111	.17	111	.17	726	LM69	3.0	5.0	21	(206)	.0	.00		
125	653	567	5:32.0	-71:04	5X 6	266	233	494	3L	165	.17	165	.17	1080	LM69	3.0	5.0	21	(206)	.0	.00		
129	653	565	5:32.0	-71:04	5X 6	102	98	245	10C	25	.17	25	.17	119	LM69	3.0	5.0	21	(206)	.0	.00		
130	653	563	5:32.0	-71:04	5X 6	342	284	1393	30C	46	.17	46	.17	220	LM69	3.0	5.0	21	(206)	.0	.00		
124	772	566	5:32.0	-68:34	5X 4	90	88	12	1L	12	.20	12	.20	109	(LM71)			1488-E	21.4	.31		MC56	
125	773	566	5:32.0	-68:34	5X 4	241	235	62	3L	21	.20	21	.20	191	(LM71)			1488-E	21.4	.18		MC56	

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	X	Y	P	BO	V	E	F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	MGC NO.	SNO NO.	M	S
129	773	567	5:32.0	-68:34	5X 4	120	93	145	100	15	.20			94	(LH71)			1488-E	21.4	.36		MC56		
130	774	565	5:32.0	-68:34	5X 4	353	254	412	300	14	.20			88	(LH71)			1488-E	21.4	.39		MC56		
125	823	567	5:32.0	-67:33	8X 8	310	251	2809	3L	956	.10	2887	--		--			0225	.8	.00	2011			
129	823	567	5:32.0	-67:33	7X 6	226	112	1690	100	169	.10	424	--		--			0225	.8	.00	2011			
130	823	565	5:32.0	-67:33	6X 9	817	483	5400	300	180	.10	452	--		--			0225	.8	.00	2011			
124	829	569	5:32.0	-67:23	5X 8	96	93	39	1L	39	.06	75	LH70		4.0	7.0	10	0222.3	8.2	.13				
125	831	568	5:32.0	-67:23	5X 8	264	256	111	3L	37	.06	71	LH70		4.0	7.0	10	0222.3	8.2	.13				
129	830	569	5:32.0	-67:23	5X 8	147	119	383	100	38	.06	66	LH70		4.0	7.0	10	0222.3	8.2	.14				
130	831	567	5:32.0	-67:23	5X 8	511	381	1358	300	45	.06	78	LH70		4.0	7.0	10	0222.3	8.2	.12				
124	764	564	5:32.1	-68:42	5X 5	87	88	-21	1L	-21	.20	-191	(LH73)					1481	19.2	-.16		MC55SNR		
125	765	565	5:32.1	-68:42	5X 5	229	232	-94	3L	-31	.20	-282	(LH73)					1481	19.2	-.11		MC55SNR		
129	766	564	5:32.1	-68:42	5X 5	77	80	-2	100	0	.20	0	(LH73)					1481	19.2	.00		MC55SNR		
130	765	563	5:32.1	-68:42	5X 5	207	253	-876	300	-29	.20	-182	(LH73)					1481	19.2	-.17		MC55SNR		
124	815	567	5:32.1	-67:44	7X 7	120	103	243	1L	243	.09	657	(LH76)					57AE	336.3	.63	2014			
125	814	566	5:32.1	-67:44	7X 7	314	275	1107	3L	369	.09	997	(LH76)					57AE	336.3	.41	2014			
129	815	567	5:32.1	-67:44	7X 7	346	170	2416	100	242	.09	554	(LH76)					57AE	336.3	.75	2014			
130	816	565	5:32.1	-67:44	7X 7	897	531	4652	300	155	.09	355	(LH76)					57AE	336.3	1.17	2014			
124	877	568	5:32.1	-66:27	7X 5	104	95	72	1L	72	.05	125	LH72		6.0	3.0	16	(55)	.0	.00				
125	879	570	5:32.1	-66:27	7X 5	294	252	434	3L	145	.05	251	LH72		6.0	3.0	16	(55)	.0	.00				
129	877	569	5:32.1	-66:27	7X 5	220	129	879	100	88	.05	139	LH72		6.0	3.0	16	(55)	.0	.00				
130	878	567	5:32.1	-66:27	7X 5	710	396	3377	300	113	.05	179	LH72		6.0	3.0	16	(55)	.0	.00				
124	709	565	5:32.2	-69:55	5X 5	125	80	502	1L	502	.05	872							.0	.00		269696H10.7	8	
125	710	566	5:32.2	-69:55	8X10	378	206	2247	3L	749	.05	1301							.0	.00		269696H10.7	8	
129	709	566	5:32.2	-69:55	7X 6	228	51	3240	100	324	.05	513							.0	.00		269696H10.7	8	
130	709	563	5:32.2	-69:55	9X 9	545	127	9950	300	332	.05	526							.0	.00		269696H10.7	8	

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	B0	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	MA	MIND.	NGC NO.	SAG NO.	M	S
124	773	565	5:32.2	-68:33	4X 5	90	87	26	1L	26	.20	237	237	LH71	2.0	3.0	--	(148)	0	00			
125	774	565	5:32.2	-68:33	4X 5	236+229	90	3L	30	.20	273	273	273	LH71	2.0	3.0	--	(148)	0	00			
129	773	566	5:32.2	-68:33	4X 5	120	91	156	10C	16	.20	100	100	LH71	2.0	3.0	--	(148)	0	00			
130	773	565	5:32.2	-68:33	4X 5	329+251	559	30C	19	.20	119	119	119	LH71	2.0	3.0	--	(148)	0	00			
124	877	568	5:32.3	-66:28	8X 6	104	93	125	1L	125	.05	217	217	(LH72)				55.A	173	3	90	MC58	
125	878	570	5:32.3	-66:28	8X 6	296	247	606	3L	202	.05	351	351	(LH72)				55.A	173	3	55	MC58	
129	876	568	5:32.3	-66:28	8X 6	177+113	809	10C	81	.05	128	128	128	(LH72)				55.A	173	3	152	MC58	
130	877	566	5:32.3	-66:28	8X 6	609+327	4755	30C	158+.05			250	250	(LH72)				55.A	173	3	78	MC58	
124	740	564	5:32.4	-69:14	5X 6	100+94	55	1L	55	.14*		258	258	LH74	3.0	5.0	13	0232	25	0	13	2015	
125	740	564	5:32.4	-69:14	5X 6	288+260	358	3L	119	.14*		559	559	LH74	3.0	5.0	13	0232	25	0	06	2015	
129	740	565	5:32.4	-69:14	5X 6	195	145	471	10C	47	.14*	170	170	LH74	3.0	5.0	13	0232	25	0	20	2015	
130	740	561	5:32.4	-69:14	5X 6	536	424	1643	30C	55	.14*	199	199	LH74	3.0	5.0	13	0232	25	0	17	2015	
124	764	565	5:32.4	-68:41	5X 5	87+90	37	1L	37	.20		337	337	LH73	3.0	3.0	--	(148)	0	00			
125	766	564	5:32.4	-68:41	5X 5	228+228	2	3L	1	.20		9	9	LH73	3.0	3.0		(148)	0	00			
129	766	564	5:32.4	-68:41	5X 5	77+80	-2	10C	0	.20		0	0	LH73	3.0	3.0	--	(148)	0	00			
130	766	562	5:32.4	-68:41	5X 5	201+220	-61	30C	-2	.20		-12	-12	LH73	3.0	3.0	--	(148)	0	00			
124	816	565	5:32.5	-67:43	11X11	134	94	908	1L	908	.09	2455	2455	(LH76)				57.A-E	711	6	36	2014	
125	814	565	5:32.5	-67:43	11X11	298+250	2788	3L	929	.09	2511	2511	2511	(LH76)				57.A-E	711	6	35	2014	
129	813	565	5:32.5	-67:43	11X11	125+108	3533	10C	353	.09	808	808	808	(LH76)				57.A-E	711	6	1	08	2014
130	815	563	5:32.5	-67:43	11X11	722+326	12501	30C	417+.09		955	955	955	(LH76)				57.A-E	711	6	92	2014	
124	816	565	5:32.6	-67:42	5X 7	134	109	217	1L	217	.09	586	586	LH76	3.5	6.0	34	(57)	0	00	00	2014	
125	815	564	5:32.6	-67:42	5X 7	310+289	567	3L	189	.09	511	511	511	LH76	3.5	6.0	34	(57)	0	00	00	2014	
129	814	565	5:32.6	-67:42	5X 7	207+178	1924	10C	192	.09	439	439	439	LH76	3.5	6.0	34	(57)	0	00	00	2014	
130	816	564	5:32.6	-67:42	5X 7	917+576	3875	30C	129+.09		295	295	295	LH76	3.5	6.0	34	(57)	0	00	00	2014	
124	823	562	5:32.6	-67:32	5X 5	104+102	24	1L	24	.11*		80	80	LH75	3.0	3.0	--	(58)	0	00	(LH78,79)		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD														
FR. X	Y	R.A.	DEC.	X	Y	P	B0	V	E.F.	RE	UF	LM NO.	SIZE	BS
										V/E				N NO
														HA
														MIND
														NGC NO
														SAO NO
														M S
125	924	563	5:32.6	-67:32	5X	5	300*287	102	3L	34	114	LM75	3.0	3.0
														(58)
129	924	563	5:32.6	-67:32	5X	5	196*178	73	10C	7	114	LM75	3.0	3.0
														(58)
130	924	561	5:32.6	-67:32	5X	5	637*563	754	30C	25	114	LM75	3.0	3.0
														(58)
124	682	564	5:32.7	-70:28	2X	2	81	76	19	1L	138			0
														.00
125	682	564	5:32.7	-70:28	2X	3	205	200	19	3L	43			0
														.00
129	682	564	5:32.7	-70:28	2X	2	49	37	45	10C	26			0
														.00
130	682	562	5:32.7	-70:28	2X	3	121	93	142	30C	26			0
														.00
124	824	562	5:32.8	-67:31	3X	3	104*103	10	1L	10	11	33	LM75.78.79	58
														1.8 .07 2021
125	825	562	5:32.8	-67:31	3X	3	306	293	54	3L	18	60	LM75.78.79	58
														1.8 .04 2021
129	825	561	5:32.8	-67:31	3X	3	212	182	115	10C	12	33	LM75.78.79	58
														1.8 .07 2021
130	825	560	5:32.8	-67:31	3X	3	686	613	276	30C	9	24	LM75.78.79	58
														1.8 .10 2021
124	778	561	5:33.0	-68:25	2X	2	82	82	0	1L	0			148A
														1.1 .00 MC56
125	779	561	5:33.0	-68:25	2X	2	208	210	9	3L	3	20	27	148A
														1.1 .06 MC56
129	779	562	5:33.0	-68:25	2X	2	56	55	4	10C	0			148A
														1.1 .00 MC56
130	779	560	5:33.0	-68:25	2X	2	133*133	21	30C	1	20	6		148A
														1.1 .29 MC56
124	851	562	5:33.0	-66:56	294	103	94	2658	1L	2658	11	8965	LM65.77.84	349.0* 181
														.0 .00 2002-34
125	851	560	5:33.0	-66:56	220	316	255	11154	3L	3718	11	12540	LM65.77.84	349.0* 181
														.0 .00 2002-34
129	851	563	5:33.0	-66:56	283	183	134	17434	10C	1743	11	4800	LM65.77.84	349.0* 181
														.0 .00 2002-34
130	852	560	5:33.0	-66:56	290	656	424	66870	30C	2229	11	6139	LM65.77.84	349.0* 181
														.0 .00 2002-34
124	620	562	5:33.1	-71:46	5X	4	78	73	63	1L	63	19	514	--
														.0 .00 2025
125	620	562	5:33.1	-71:46	3X	4	241	184	344	3L	115	19	939	--
														.0 .00 2025
129	622	563	5:33.1	-71:46	3X	3	44	30	89	10C	9	19	51	--
														.0 .00 2025
130	622	560	5:33.1	-71:46	3X	5	106	76	275	30C	9	19	51	--
														.0 .00 2025
124	713	561	5:33.3	-69:48	2X	2	79	79	2	1L	2	20	18	149AB
														1.9 .17
125	713	561	5:33.3	-69:48	2X	2	212*212	4	3L	1	20	9		149AB
														1.9 .33

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																		HA	HIND.	NGC NO.	SAO NO.	M	S
PR.	X	Y	R.A.	DEC.	X	Y	P	B	G	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.					
129	713	560	5:33.3	-69:48	2X 2	55	56			3	10C	0	.20	0				149AB					
																		1.9	.00				
130	714	558	5:33.3	-69:48	2X 2	139	137			-2	30C	0	.20	0				149AB					
																		1.9	.00				
124	825	559	5:33.3	-67:30	79	103	93			24	1L	24	.11	812	LH75.78.79	46.0*	28	(58)	.0	.00	2021		
125	825	561	5:33.3	-67:30	63	300	262			619	3L	206	.11	694	LH75.78.79	46.0*	28	(58)	.0	.00	2021		
129	825	560	5:33.3	-67:30	68	184	112			1386	10C	139	.11	382	LH75.78.79	46.0*	28	(58)	.0	.00	2021		
130	825	558	5:33.3	-67:30	70	526	393			3630	30C	121	.11	333	LH75.78.79	46.0*	28	(58)	.0	.00	2021		
124	849	560	5:33.3	-66:59	7X37	108	96			2183	1L	2183	.11	7362	LH77	5.0 60.0	138		.0	.00	2002-34		
125	849	562	5:33.3	-66:59	7X37	310	262			9731	3L	3244	.11	10941	LH77	5.0 60.0	138		.0	.00	2002-34		
129	650	560	5:33.3	-66:59	7X37	216	136			16309	10C	1631	.11	4492	LH77	5.0 60.0	138		.0	.00	2002-34		
130	850	558	5:33.3	-66:59	7X37	777	429			66852	30C	2228	.11	6136	LH77	5.0 60.0	138		.0	.00	2002-34		
124	823	558	5:33.6	-67:31	5X 5	98	96			22	1L	22	.11	74	LH78	4.0 4.0	13	(58)	.0	.00	(LH75.79)		
125	824	561	5:33.6	-67:31	5X 5	290	278			38	3L	13	.11	43	LH78	4.0 4.0	13	(58)	.0	.00	(LH75.79)		
129	823	560	5:33.6	-67:31	5X 5	155	145			384	10C	38	.11	104	LH78	4.0 4.0	13	(58)	.0	.00	(LH75.79)		
130	823	558	5:33.6	-67:31	5X 5	430	437			142	30C	5	.11	13	LH78	4.0 4.0	13	(58)	.0	.00	(LH75.79)		
124	828	558	5:33.7	-67:27	8X 5	92	91			87	1L	87	.12	327	LH79	7.0 3.0	15	(58)	.0	.00	2021		
125	827	560	5:33.7	-67:27	8X 5	279	258			293	3L	98	.12	369	LH79	7.0 3.0	15	(58)	.0	.00	2021		
129	827	559	5:33.7	-67:27	8X 5	137	120			259	10C	26	.12	78	LH79	7.0 3.0	15	(58)	.0	.00	2021		
130	827	557	5:33.7	-67:27	8X 5	448	379			1438	30C	48	.12	144	LH79	7.0 3.0	15	(58)	.0	.00	2021		
124	762	557	5:34.0	-68:47	2X 3	83	83			4	1L	4	.30	110				150	2.7	.05			
125	762	558	5:34.0	-68:47	2X 3	218	218			2	3L	1	.30	27				150	2.7	.20			
129	762	558	5:34.0	-68:47	2X 3	75	76			12	10C	1	.30	15				150	2.7	.36			
130	770	555	5:34.0	-68:47	2X 3	153	157			12	30C	0	.30	0				150	2.7	.00			
124	704	556	5:34.1	-69:57	5X 5	83	80			30	1L	30	.30	826	LH80	4.0 3.0	--		.0	.00	2028		
125	706	557	5:34.1	-69:57	5X 5	213	208			23	3L	8	.30	220	LH80	4.0 3.0	--		.0	.00	2028		
129	707	557	5:34.1	-69:57	5X 5	61	53			55	10C	6	.30	95	LH80	4.0 3.0	--		.0	.00	2028		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	X	Y	P	B	G	V	E.F	V/E	RE	UF	LM NO.	SIZE	BS	M NO.	HA	WIND	MOC NO.	SAD NO.	M	S
130	707	555	5:34.1	-69:57	5X	5	201	212	332	30C	11	30	11	30	174	LM80	4.0	3.0	--	.0	.00	2020		
124	886	558	5:34.5	-66:16	5X	4	91	88	15	1L	15	.08	36					62A8	41.9	1.40		MC62		
125	887	558	5:34.5	-66:16	5X	4	239	227	103	3L	34	.08	92					62A8	41.9	.61		MC62		
129	887	559	5:34.5	-66:16	5X	4	101	90	110	10C	11	.08	22					62A9	41.9	2.29		MC62		
130	888	558	5:34.5	-66:16	5X	4	331	255	424	30C	14	.08	29					62A8	41.9	1.74		MC62		
124	944	559	5:35.0	-65:06	2X	2	81	75	20	1L	20	.05	34						.0	.00		--		
125	946	560	5:35.0	-65:06	2X	2	205	193	41	3L	14	.05	24						.0	.00		--		
129	946	559	5:35.0	-65:06	2X	2	49	38	40	10C	4	.05	6						.0	.00		--		
130	546	557	5:35.0	-65:06	2X	2	117	92	85	30C	3	.05	4						.0	.00		--		
124	715	552	5:35.2	-69:45	7X	6	112	94	279	1L	279	.30	7684		LM81	5.5	4.5	49	(154)	.0	.00	2033		
125	715	553	5:35.2	-69:45	7X	6	298	257	623	3L	208	.30	5728		LM81	5.5	4.5	49	(154)	.0	.00	2033		
129	715	552	5:35.2	-69:45	7X	6	223	126	1399	10C	140	.30	2218		LM81	5.5	4.5	49	(154)	.0	.00	2033		
130	716	549	5:35.2	-69:45	7X	6	821	503	4483	30C	149	.30	2361		LM81	5.5	4.5	49	(154)	.0	.00	2033		
124	780	550	5:35.4	-68:28	3X	3	84	79	33	1L	33	.25	523		(LM85)					.0	.00	20427		
125	778	550	5:35.4	-68:28	6X	5	221	206	201	3L	67	.25	1061		(LM85)					.0	.00	20427		
129	779	551	5:35.4	-68:28	3X	4	64	46	126	10C	13	.25	130		(LM85)					.0	.00	20427		
130	780	549	5:35.4	-68:28	5X	6	156	113	650	30C	22	.25	220		(LM85)					.0	.00	20427		
124	717	550	5:35.5	-69:44	14X17	112	84		1378	1L	1378	.30	37953		(LM81.87)				154.A8	1288.4	.07	2033.48	MC61.65.67.71	
125	719	551	5:35.5	-69:44	14X17	344	219		7386	3L	2462	.30	67809		(LM81.87)				154.A8	1288.4	.04	2033.48	MC61.65.67.71	
129	716	550	5:35.5	-69:44	14X17	173	66		8894	10C	889	.30	14089		(LM81.87)				154.A8	1288.4	.18	2033.48	MC61.65.67.71	
130	718	549	5:35.5	-69:44	14X17	821	179		30467	30C	1016	.30	16102		(LM81.87)				154.A8	1288.4	.16	2033.48	MC61.65.67.71	
124	821	551	5:35.6	-67:35	8X10	95	87		152	1L	152	.11	512		(LM82.88)				56.59A-C	543.2	1.37	2029-40	MC64	
125	822	552	5:35.6	-67:35	8X10	262	236		375	3L	125	.11	421		(LM82.88)				56.59A-C	543.2	1.66	2029-40	MC64	
129	821	551	5:35.6	-67:35	8X10	137	88		796	10C	80	.11	220		(LM82.88)				56.59A-C	543.2	3.18	2029-40	MC64	
130	822	550	5:35.6	-67:35	8X10	473	253		2168	30C	72	.11	198		(LM82.88)				56.59A-C	543.2	3.53	2029-40	MC64	

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

REVISED SSUT FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																						
FR. X	Y	R.A.	DEC.	*X	*Y	P	80	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAD NO.	M	S
124	822	550	5:35.6	-67:34	7X	5	94*	89	57	1L	57	11	192	LH82	6.0	3.3	--	(56.59)	.0	.00	2029-35	
125	821	551	5:35.6	-67:34	7X	5	250*239	89	3L	30	11	101	LH82	6.0	3.0	--	(56.59)	.0	.00	2029-35		
129	822	551	5:35.6	-67:34	7X	5	137*102	265	10C	27	11	74	LH82	6.0	3.0	--	(56.59)	.0	.00	2029-35		
130	823	549	5:35.6	-67:34	7X	5	454*305	1232	30C	41	11	112	LH82	6.0	3.0	--	(56.59)	.0	.00	2029-35		
124	897	553	5:35.6	-66:02	5X	5	94	87	56	1L	56	.09*	151	LH83	4.0	4.0	10	(63)	.0	.00	2030	
125	899	553	5:35.6	-66:02	5X	5	250	237	77	3L	26	.09*	70	LH83	4.0	4.0	10	(63)	.0	.00	2030	
129	899	553	5:35.6	-66:02	5X	5	133	95	291	10C	29	.09*	66	LH83	4.0	4.0	10	(63)	.0	.00	2030	
130	899	551	5:35.6	-66:02	5X	5	422*270	1143	30C	38	.09*	87	LH83	4.0	4.0	10	(63)	.0	.00	2030		
124	897	553	5:35.6	-66:01	7X	6	94	85	103	1L	103	.09	278	(LH83)				63.A	101.8	.45	2030	MC635NR
125	899	553	5:35.6	-66:01	7X	6	250	229	316	3L	105	.09	283	(LH83)				63.A	101.8	.44	2030	MC635NR
129	899	553	5:35.6	-66:01	7X	6	133	82	614	10C	61	.09	139	(LH83)				63.A	101.8	.90	2030	MC635NR
130	899	551	5:35.6	-66:01	7X	6	422*225	1661	30C	55	.09	125	(LH83)				63.A	101.8	1.00	2030	MC635NR	
124	853	549	5:35.7	-66:56	6X	9	108*104	58	1L	58	.15*	304	LH84	5.0	9.0	38		.0	.00	2027(LH77)		
125	853	550	5:35.7	-66:56	6X	9	304*297	-54	3L	-18	.15*	-94	LH84	5.0	9.0	38		.0	.00	2027(LH77)		
129	854	550	5:35.7	-66:56	6X	9	226*198	-281	10C	-28	.15*	-111	LH84	5.0	9.0	38		.0	.00	2027(LH77)		
130	853	547	5:35.7	-66:56	6X	9	549*552	283	30C	94	.15*	35	LH84	5.0	9.0	38		.0	.00	2027(LH77)		
124	886	549	5:35.7	-66:14	2X	2	82	81	3	1L	3	.07	6	--		(62)	.0	.00	2030?			
125	890	553	5:35.7	-66:14	2X	2	218	210	28	3L	9	.07	19	--		(62)	.0	.00	2030?			
129	889	550	5:35.7	-66:14	2X	2	61	55	22	10C	2	.07	3	--		(62)	.0	.00	2030?			
130	889	549	5:35.7	-66:14	2X	2	149	130	73	30C	2	.07	3	--		(62)	.0	.00	2030?			
124	717	549	5:35.8	-69:42	88*	111*	86	998	1L	998	.30	27487	LH81.87	59.8*	99	(154)	.0	.00	2033.48			
125	718	550	5:35.8	-69:42	86*	314*234	86*	3100	3L	1033	.30	28451	LH81.87	59.8*	99	(154)	.0	.00	2033.48			
129	718	549	5:35.8	-69:42	88*	243*	82	6018	10C	602	.30	9541	LH81.87	59.8*	99	(154)	.0	.00	2033.48			
130	719	547	5:35.8	-69:42	78*	772*289	16461	30C	549*	.30	8701	LH81.87	59.8*	99	(154)	.0	.00	2033.48				
124	757	548	5:35.9	-68:52	5X	5	90*	90	18	1L	18	.42	1667	LH85	4.0	3.0	24		.0	.00	(LH85)2042?	

REVISED 5201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	X	Y	P	BO	V	E,F	V/E	RE	UF	LM NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SNO NO.	M	S
125	758	548	5:35.9	-68:52	5X 5	260	250	118	3L	29	.42	3008	LM85	4.0	3.0	24		.0	.00	(LM89)20427			
129	760	549	5:35.9	-68:52	5X 5	104	85	159	10C	16	.42	765	LM85	4.0	3.0	24		.0	.00	(LM89)20427			
130	759	547	5:35.9	-68:52	5X 5	318	266	583	30C	19	.42	909	LM85	4.0	3.0	24		.0	.00	(LM89)20427			
124	822	548	5:36.0	-67:34	51*	88*	88	60	1L	60	.11	202	LM82.88	22.0*		9	(56.59)	.0	.00	2029-40			
125	821	549	5:36.0	-67:34	51*	233	232	225	3L	75	.11	252	LM82.88	22.0*		9	(56.59)	.0	.00	2029-40			
129	822	550	5:36.0	-67:34	47*	124*	91	569	10C	57	.11	156	LM82.88	22.0*		9	(56.59)	.0	.00	2029-40			
130	823	548	5:36.0	-67:34	47*	375	260	1829	30C	61	.11	168	LM82.88	22.0*		9	(56.59)	.0	.00	2029-40			
124	826	548	5:36.0	-67:28	6X 5	93	88	23	1L	23	.11*	77	LM86	5.0	3.0	13	(56.59)	.0	.00	(LM82.88.92)			
125	828	549	5:36.0	-67:28	6X 5	245	238	47	3L	16	.11*	53	LM86	5.0	3.0	13	(56.59)	.0	.00	(LM82.88.92)			
129	827	548	5:36.0	-67:28	6X 5	108	92	95	10C	10	.11*	27	LM86	5.0	3.0	13	(56.59)	.0	.00	(LM82.88.92)			
130	828	546	5:36.0	-67:28	6X 5	320	245	521	30C	17	.11*	46	LM86	5.0	3.0	13	(56.59)	.0	.00	(LM82.88.92)			
124	755	546	5:36.2	-68:55	62*	98	87	187	1L	187	.42	19401	LM85.89	48.0*		108		.0	.00	2042			
125	756	546	5:36.2	-68:55	64*	264	233	589	3L	196	.42	20335	LM85.89	48.0*		108		.0	.00	2042			
129	758	548	5:36.2	-68:55	61*	130*	81	1501	10C	150	.42	7179	LM85.89	48.0*		108		.0	.00	2042			
130	757	546	5:36.2	-68:55	64*	470	235	5275	30C	176	.42	8423	LM85.89	48.0*		108		.0	.00	2042			
124	824	548	5:36.2	-67:31	89*	89*	87	138	1L	138	.11	465	LM82--92	43.2*		25	(56.59)	.0	.00	2029-40			
125	825	548	5:36.2	-67:31	89*	238	232	244	3L	81	.11	273	LM82--92	43.2*		25	(56.59)	.0	.00	2029-40			
129	824	550	5:36.2	-67:31	78*	103*	87	895	10C	90	.11	247	LM82--92	43.2*		25	(56.59)	.0	.00	2029-40			
130	825	547	5:36.2	-67:31	77*	255	230	4025	30C	134	.11	369	LM82--92	43.2*		25	(56.59)	.0	.00	2029-40			
124	822	546	5:36.3	-67:34	4X 4	85*	86	0	1L	0	.11	0	LM88	2.0	2.0	9	(56.59)	.0	.00	2040			
125	821	547	5:36.3	-67:34	4X 4	229	225	3	3L	1	.11	3	LM88	2.0	2.0	9	(56.59)	.0	.00	2040			
129	822	548	5:36.3	-67:34	4X 4	101*	92	-28	10C	-3	.11	-8	LM88	2.0	2.0	9	(56.59)	.0	.00	2040			
130	823	547	5:36.3	-67:34	4X 4	320	290	4	30C	0	.11	0	LM88	2.0	2.0	9	(56.59)	.0	.00	2040			
124	983	550	5:36.3	-64:45	5X 4	81	77	49	1L	49	.05	85						.0	.00				
125	983	552	5:36.3	-64:45	6X 6	210	197	197	3L	66	.05	114						.0	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	X	Y	P	BO	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	MIND.	NGC NO.	SAO NO.	M	S
129	964	552	5:36.3	-64:45	2X 2	48	40	29	100	3	.05	4						.0	.00			--	
130	964	550	5:36.3	-64:45	2X 2	114	94	36	300		1	.05	1					.0	.00			--	
124	719	546	5:36.4	-69:39	6X 8	99	92	149	11	149	30	4103	LH87		5.0 7.0	50	0248	117.0	.06	2048	MC70.72		
125	720	547	5:36.4	-69:39	6X 8	273	260	550	31	183	30	5040	LH87		5.0 7.0	50	0248	117.0	.05	2048	MC70.72		
129	720	546	5:36.4	-69:39	6X 8	151	123	1131	100	113	30	1790	LH87		5.0 7.0	50	0248	117.0	.13	2048	MC70.72		
130	721	544	5:36.4	-69:39	6X 8	493	366	4156	300	139	30	2203	LH87		5.0 7.0	50	0248	117.0	.11	2048	MC70.72		
124	742	545	5:36.5	-69:11	5X 5	100	94	38	11	38	31	1168	LH90		4.0 3.5	21	11571	.0	.00	2044			
125	742	546	5:36.5	-69:11	5X 5	275	266	118	31	39	31	1199	LH90		4.0 3.5	21	11571	.0	.00	2044			
129	743	546	5:36.5	-69:11	5X 5	180	137	264	100	26	31	451	LH90		4.0 3.5	21	11571	.0	.00	2044			
130	743	544	5:36.5	-69:11	5X 5	623	458	995	300	33	31	573	LH90		4.0 3.5	21	11571	.0	.00	2044			
124	754	545	5:36.5	-68:57	9X 5	94	88	76	11	76	42	7885	LH89		9.0 4.0	84		.0	.00	2042(LH85)			
125	755	546	5:36.5	-68:57	9X 5	253	239	256	31	85	42	8818	LH89		9.0 4.0	84		.0	.00	2042(LH85)			
129	756	547	5:36.5	-68:57	9X 5	163	96	863	100	86	42	4116	LH89		9.0 4.0	84		.0	.00	2042(LH85)			
130	755	545	5:36.5	-68:57	9X 5	488	283	2838	300	95	42	4546	LH89		9.0 4.0	84		.0	.00	2042(LH85)			
124	875	545	5:36.6	-67:27	4X 4	100	98	24	11	24	06	46	LH91		2.0 2.0	4		.0	.00	15A0249322			
125	876	547	5:36.6	-67:27	4X 4	283	283	71	31	24	06	46	LH91		2.0 2.0	4		.0	.00	15A0249322			
129	876	547	5:36.6	-67:27	4X 4	133	137	145	100	15	06	26	LH91		2.0 2.0	4		.0	.00	15A0249322			
130	878	545	5:36.6	-67:27	4X 4	333	358	8	300	0	06	0	LH91		2.0 2.0	4		.0	.00	15A0249322			
124	827	544	5:36.7	-67:27	4X 4	90	87	3	11	3	11	10	LH92		2.5 2.5	3	0250	6.3	.81	(LH86)			
125	829	546	5:36.7	-67:27	4X 4	231	230	37	31	12	11	40	LH92		2.5 2.5	3	0250	6.3	.20	(LH86)			
129	827	545	5:36.7	-67:27	4X 4	89	81	92	100	9	11	24	LH92		2.5 2.5	3	0250	6.3	.34	(LH86)			
130	828	543	5:36.7	-67:27	4X 4	246	220	279	300	9	11	24	LH92		2.5 2.5	3	0250	6.3	.34	(LH86)			
124	871	545	5:36.9	-66:35	11X 8	129	83	1525	11	1525	05	2650					.0	.00		249322	6.4	A0	
125	872	546	5:36.9	-66:35	13X10	425	223	7500	31	2500	05	4344					.0	.00		249322	6.4	A0	
129	872	546	5:36.9	-66:35	14X10	595	71	19000	100	1900	05	3011					.0	.00		249322	6.4	A0	

REVISED 5201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

RA	DEC	PG	Y	P	RG	V	E	F	V/E	RE	UF	LH NO.	SIZE	B5	N NO.	HA	HIND	NOC NO.	SAO NO.	M	S
130 072 544	5:36.9	-66:35	17X13	003	108	30900	300	12974	.05	2055											
124 080 544	5:36.9	-66:22	4X 4	91*	09	13	11	13	.06	25	LH95	1.5	1.5	2	0253	7.5	.34		249322	6.4	A0
125 081 547	5:36.9	-66:22	4X 4	241*	237	5	31	2	.06	3	LH95	1.5	1.5	2	0253	7.5	2.07				
129 083 545	5:36.9	-66:22	4X 4	95	04	82	100	8	.06	13	LH95	1.5	1.5	2	0253	7.5	.66				
130 083 543	5:36.9	-66:22	4X 4	277	231	316	300	11	.06	19	LH95	1.5	1.5	2	0253	7.5	.45				
124 911 545	5:37.0	-65:47	2X 2	82	77	17	11	17	.06	32											
125 911 549	5:37.0	-65:47	2X 2	207	199	32	31	11	.06	21											
129 912 547	5:37.0	-65:47	2X 2	43	39	14	100	1	.06	1											
130 512 545	5:37.0	-65:47	2X 2	107	93	52	300	2	.06	3											
124 727 544	5:37.1	-69:30	4X 4	130*	120	124	11	124	.23	1575	LH94	2.5	1.5	8	11581		.00	2055			
125 728 544	5:37.1	-69:30	4X 4	402*	360	526	31	175	.23	2223	LH94	2.5	1.5	8	11581		.00	2055			
129 726 544	5:37.1	-69:30	4X 4	180*	221	231	100	23	.23	191	LH94	2.5	1.5	8	11581		.00	2055			
130 728 542	5:37.1	-69:30	4X 4	922*	015	940	300	31*	.23	257	LH94	2.5	1.5	8	11581		.00	2055			
124 732 544	5:37.1	-69:24	4X 5	127*	120	47	11	47	.23*	597	LH93	2.0	4.0	35	11581		.00	2050			
125 733 544	5:37.1	-69:24	4X 5	394*	382	120	31	40	.23*	508	LH93	2.0	4.0	35	11581		.00	2050			
129 731 544	5:37.1	-69:24	4X 5	409*	346	284	100	28	.23*	232	LH93	2.0	4.0	35	11581		.00	2050			
130 733 542	5:37.1	-69:24	4X 5	969*	064	801	300	27*	.23*	224	LH93	2.0	4.0	35	11581		.00	2050			
124 801 543	5:37.1	-66:21	6X 7	91*	06	85	11	85	.06	164	(LH95)				64A-C	91.3	.64				
125 802 546	5:37.1	-66:21	6X 7	239	234*	134	31	45	.06	87	(LH95)				64A-C	91.3	1.20				
129 803 545	5:37.1	-66:21	6X 7	95	75	240	100	24	.06	41	(LH95)				64A-C	91.3	2.56				
130 803 543	5:37.1	-66:21	6X 7	277	197	929	300	31	.06	53	(LH95)				64A-C	91.3	1.98				
124 708 542	5:37.2	-68:15	2X 2	07	06	3	11	3	.15	15							.6	.06			
125 709 543	5:37.2	-68:15	2X 2	212	212	8	31	3	.15	15							.6	.06			
129 707 544	5:37.2	-68:15	2X 2	52*	52	3	100	0	.15	0							.6	.00			
130 707 542	5:37.2	-68:15	2X 2	123*	125	15	300	1	.15	3							.6	.20			

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD															
PR.	X	Y	R.A.	DEC.	X	Y	P	B _G	V	E.F	V/E	RE	UF	LH NO.	SIZE
130	731	542	5:37.3	-69:27	13X131006	391	30000	30C	1000*	23	8317	(LH93--98)			
124	867	542	5:37.3	-66:38	6X13	95*	89	37	1L	37	10	111	(SA0249322)		
125	868	542	5:37.3	-66:38	6X13	25L*232	168	3L	56	10	169	(SA0249322)			
129	868	543	5:37.3	-66:38	6X13	126*	90	115	10C	12	10	30	(SA0249322)		
130	868	541	5:37.3	-66:38	6X13	368*234	719	30C	24	10	60	(SA0249322)			
124	732	542	5:37.4	-69:25	10X16	123*	99	1175	1L	1175	23	14929	LH96	10 0	17 0 226 (158)
125	732	542	5:37.4	-69:25	10X16	364*272	6172	3L	2057	23	26135	LH96	10 0	17 0 226 (138)	
129	730	543	5:37.4	-69:25	10X16	399*173	6511	10C	651	23	5414	LH96	10 0	17 0 226 (158)	
130	732	541	5:37.4	-69:25	10X161006	508	24990	30C	833*	23	6928	LH96	10 0	17 0 226 (158)	
124	732	542	5:37.5	-69:26	168*	123*	95	1877	1L	1877	23	23848	LH93--98	192.8*	305 0261
125	732	542	5:37.5	-69:26	164*	364*272	6389	3L	2130	23	27063	LH93--98	192.8*	305 0261	
129	732	541	5:37.5	-69:26	168*	399*173	6520	10C	652	23	5423	LH93	98	192.8*	305 0261
130	732	541	5:37.5	-69:26	168*	1006	508	25213	30C	830*	23	6903	LH93--98	192.8*	305 0261
124	695	545	5:37.6	-70:10	2X	2	83	80	1L	1L	31	338	--		
125	698	543	5:37.6	-70:10	3X	3	216	203	55	3L	18	31	553	--	
129	696	543	5:37.6	-70:10	2X	2	52	39	91	10C	9	31	156	--	
130	697	541	5:37.6	-70:10	3X	3	130	98	170	30C	6	31	104	--	
124	814	536	5:37.6	-67:44	2X	2	86	81	18	1L	18	12	67	--	
125	815	541	5:37.6	-67:44	2X	2	229	217	46	3L	15	12	56	--	
129	814	540	5:37.6	-67:44	4X	6	67	47	238	10C	24	12	72	--	
130	815	538	5:37.6	-67:44	7X	7	176	118	1260	30C	42	12	126	--	
124	713	539	5:37.7	-69:47	3X	3	83*	83	2	1L	2	30	55	--	
125	712	540	5:37.7	-69:47	3X	3	216*214	12	3L	4	30	110	--		
129	714	541	5:37.7	-69:47	3X	3	56*	55	7	10C	1	30	15	--	
130	714	538	5:37.7	-69:47	3X	3	127*127	5	30C	0	30	0	--		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	B ₀	V	E.F	V/E	RE	UF	LM NO.	SIZE	BS	N NO.	HA	MIND.	NGC NO.	SAO NO.	M	S
124	729	540	5:30.0	-69:20	4X	4	109*107	-8	1L	-8	.23	-101	LM98	2.0	1.5	7	(158)	.0	.00				
125	730	539	5:30.0	-69:20	4X	4	286*293	71	3L	24	.23	304	LM98	2.0	1.5	7	(158)	.0	.00				
129	720	540	5:30.0	-69:20	4X	4	166*209	91	10C	9	.23	74	LM98	2.0	1.5	7	(158)	.0	.00				
130	730	538	5:30.0	-69:20	4X	4	812*779	984	30C	33*.23		274	LM98	2.0	1.5	7	(158)	.0	.00				
124	735	540	5:30.0	-69:21	5X	4	105*101	26	1L	26	.23	330	LM97	4.0	2.0	29	(158)	.0	.00				
125	735	539	5:30.0	-69:21	5X	4	296*288	189	3L	63	.23	800	LM97	4.0	2.0	29	(158)	.0	.00				
129	734	540	5:30.0	-69:21	5X	4	253*234	214	10C	21	.23	174	LM97	4.0	2.0	29	(158)	.0	.00				
130	736	538	5:30.0	-69:21	5X	4	794*679	1079	30C	36*.23		299	LM97	4.0	2.0	29	(158)	.0	.00				
124	722	538	5:30.1	-69:36	3X	2	85*85	-1	1L	-1	.20	-22					156	1.4	-.12				
125	723	540	5:30.1	-69:36	3X	2	241*239	-5	3L	-2	.20	-44					156	1.4	-.06				
129	723	540	5:30.1	-69:36	3X	2	88*90	-1	10C	0	.20	0					156	1.4	.00				
130	723	537	5:30.1	-69:36	3X	2	229*241	-4	30C	0	.20	0					156	1.4	.00				
124	743	539	5:30.2	-69:11	5X	5	93*92	43	1L	43	.32	1477	LM99	3.0	3.0	--	(157)	.0	.00	2060			
125	743	539	5:30.2	-69:11	5X	5	243*246	60	3L	20	.32	687	LM99	3.0	3.0	--	(157)	.0	.00	2060			
129	743	539	5:30.2	-69:11	5X	5	116*119	10	10C	1	.32	19	LM99	3.0	3.0	--	(157)	.0	.00	2060			
130	744	537	5:30.2	-69:11	5X	5	407*394	171	30C	6	.32	114	LM99	3.0	3.0	--	(157)	.0	.00	2060			
124	906	541	5:30.3	-65:53	2X	2	82	77	17	1L	17	.06	32				.0	.00					
125	907	543	5:30.3	-65:53	7X	3	215	205	79	3L	26	.06	50				.0	.00					
129	906	538	5:30.3	-65:53	2X	2	43	39	14	10C	1	.06	1				.0	.00					
130	907	535	5:30.3	-65:53	2X	2	102	91	39	30C	1	.06	1				.0	.00					
124	745	536	5:30.7	-69:08	100*		112*89	1268	1L	1268	.35	60690	LM99,100	90.0*		NEB?	(157)	.0	.00	2060.70			
125	745	537	5:30.7	-69:08	97*		283*245	3378	3L	1126	.35	53893	LM99,100	90.0*		NEB?	(157)	.0	.00	2060.70			
124	745	534	5:30.8	-69:08	17X15		115*87	1226	1L	1226	.35	58680	LM99,100)				157AB	3719.0	.14	2060.70	MC74,78		
125	746	536	5:30.8	-69:08	17X15		350*233	4909	3L	1636	.35	78303	LM99,100)				157AB	3719.0	.11	2060.70	MC74,78		
129	746	539	5:30.8	-69:08	17X15		162*108	5643	10C	564	.35	14167	LM99,100)				157AB	3719.0	.59	2060.70	MC74,78		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																							
FR.	X	Y	R.A.	DEC.	X	Y	P	8G	V	E.F.	V/E	RE	UF	LH NO.	SIZE	85	N NO.	HA	HIND.	NOC NO.	SAD NO.	M	S
130	747	537	5:38.8	-69:08	17X15	533+335	13531	30C	451+.35	11328	(LH99.100)						157A8	3719.0	.73	2060.70	MC74.78		
124	670	537	5:38.9	-70:42	4X 5	80+78		14	14	.30	385						213.A	48.7	.25				
125	672	537	5:38.9	-70:42	4X 5	204+198		67	31	.22	.30	605					213.A	48.7	.16				
129	671	538	5:38.9	-70:42	4X 5	56+42		62	10C	6	.30	95					213.A	48.7	1.02				
130	672	535	5:39.0	-70:42	4X 5	126+100		151	30C	5	.30	79					213.A	48.7	1.23				
124	747	534	5:39.2	-69:06	9X 9	149+93		896	11	896	.35	42885	LH100	9.0	9.0	NEB?	(157)	.0	.00	2070			
125	747	535	5:39.2	-69:06	9X 9	402+257		2424	31	808	.35	38673	LH100	9.0	9.0	NEB?	(157)	.0	.00	2070			
129	748	535	5:39.2	-69:06	9X 9	542+123		4177	10C	418	.35	10499	LH100	9.0	9.0	NEB?	(157)	.0	.00	2070			
130	749	532	5:39.2	-69:06	9X 9	878+374		11603	30C	387+.35	9721	LH100	9.0	9.0	NEB?	(157)	.0	.00	2070				
124	746	533	5:39.5	-69:32	5X 5	105+98		70	11	70	.29	1726	(LH101)				158C	257.5	.29	2074			
125	727	534	5:39.5	-69:32	5X 5	300+276		226	31	75	.29	1849	(LH101)				158C	257.5	.27	2074			
129	727	534	5:39.5	-69:32	5X 5	215+152		602	10C	60	.29	867	(LH101)				158C	257.5	.58	2074			
130	728	531	5:39.5	-69:32	5X 5	686+472		1694	30C	56+.29	809	(LH101)					158C	257.5	.62	2074			
124	728	533	5:39.5	-69:30	5X 6	116+100		159	11	159	.29	3921	LH101	3.0	5.0	10	(158)	.0	.00	2074			
125	728	534	5:39.5	-69:30	5X 6	350+273		624	31	208	.29	5129	LH101	3.0	5.0	10	(158)	.0	.00	2074			
129	728	534	5:39.5	-69:30	5X 6	312+143		1304	10C	130	.29	1879	LH101	3.0	5.0	10	(158)	.0	.00	2074			
130	729	531	5:39.5	-69:30	5X 6	772+479		3000	30C	100+.29	1445	LH101	3.0	5.0	10	(158)	.0	.00	2074				
124	730	531	5:39.9	-69:28	13X12	105+92		590	11	590	.29	14549	(LH96.101)				158.A-D	864+.0	.12	2050.74	MC75		
125	730	532	5:39.9	-69:28	13X12	286+250		1945	31	648	.29	15979	(LH96.101)				158.A-D	864+.0	.11	2050.74	MC75		
129	728	531	5:39.9	-69:28	13X12	140+115		2767	10C	277	.29	4003	(LH96.101)				158.A-D	864+.0	.42	2050.74	MC75		
130	730	529	5:39.9	-69:28	13X12	598+319		4590	30C	153+.29	2211	(LH96.101)					158.A-D	864+.0	.76	2050.74	MC75		
124	831	530	5:40.0	-67:24	9X 7	87+85		45	11	45	.12	169	LH102	9.0	6.0	24		.00	(SA0249336)				
125	831	529	5:40.0	-67:24	9X 7	226+224		108	31	36	.12	135	LH102	9.0	6.0	24		.00	(SA0249336)				
129	832	531	5:40.0	-67:24	9X 7	94+82		512	10C	51	.12	154	LH102	9.0	6.0	24		.00	(SA0249336)				
130	832	529	5:40.0	-67:24	9X 7	255+161		1315	30C	44	.12	132	LH102	9.0	6.0	24		.00	(SA0249336)				

REVISED 5201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR. X	Y	R.A.	DEC.	X	Y	P	80	V	E.F.	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SNO NO.	M	S
124	721	529	5:40.3	-69:38	5X 6	98	91	64	1L	64	.30	1762	LH103	4.0	5.0	41	(160)	.0	.00	2077-86		
125	721	532	5:40.3	-69:38	5X 6	259	245	189	3L	63	.30	1735	LH103	4.0	5.0	41	(160)	.0	.00	2077-86		
129	721	529	5:40.3	-69:38	5X 6	163	116	285	10C	29	.30	459	LH103	4.0	5.0	41	(160)	.0	.00	2077-86		
130	721	528	5:40.3	-69:38	5X 6	459	313	1585	30C	53	.30	839	LH103	4.0	5.0	41	(160)	.0	.00	2077-86		
124	715	529	5:40.4	-69:46	5X 6	87	86	20	1L	20	.31	615	(LH105)				159.A-L	102.6	.34	2078-84	MC77	
125	715	532	5:40.4	-69:46	6X 6	221	220	64	3L	21	.31	645	(LH105)				159.A-L	102.6	.32	2078-84	MC77	
129	714	529	5:40.4	-69:46	5X 6	66	67	54	10C	5	.31	86	(LH105)				159.A-L	102.6	2.44	2078-84	MC77	
130	716	527	5:40.4	-69:46	5X 6	243	216	431	30C	14	.31	243	(LH105)				159.A-L	102.6	1.86	2078-84	MC77	
124	732	529	5:40.5	-69:25	7X 5	104	94	161	1L	161	.28	3554	LH104	6.0	3.5	48	(158)	.0	.00	2081		
125	732	530	5:40.5	-69:25	7X 5	298	260	479	3L	160	.28	3532	LH104	6.0	3.5	48	(158)	.0	.00	2081		
129	732	530	5:40.5	-69:25	7X 5	213	135	970	10C	37	.28	1278	LH104	6.0	3.5	48	(158)	.0	.00	2081		
130	733	527	5:40.5	-69:25	7X 5	702	417	3171	30C	106	.28	1397	LH104	6.0	3.5	48	(158)	.0	.00	2081		
124	751	526	5:40.5	-69:00	3X 3	86	85	1	1L	1	.30	27				161	5.7	.42				
125	750	527	5:40.5	-69:00	3X 3	220	219	8	3L	3	.30	82				161	5.7	.14				
129	750	527	5:40.5	-69:00	3X 3	72	71	9	10C	1	.30	15				161	5.7	.76				
130	752	525	5:40.5	-69:00	3X 3	184	185	1	30C	0	.30	0				161	5.7	.00				
124	716	528	5:40.6	-69:45	5X 5	87	88	8	1L	8	.31	246	LH105	4.0	4.0	--	(159)	.0	.00	2078-84		
125	716	531	5:40.6	-69:45	5X 5	233	229	34	3L	11	.31	338	LH105	4.0	4.0	--	(159)	.0	.00	2078-84		
129	716	530	5:40.6	-69:45	5X 5	99	82	92	10C	9	.31	156	LH105	4.0	4.0	--	(159)	.0	.00	2078-84		
130	715	527	5:40.6	-69:45	5X 5	190	193	49	30C	2	.31	34	LH105	4.0	4.0	--	(159)	.0	.00	2078-84		
124	732	529	5:40.6	-69:24	3X 3	104	100	24	1L	24	.28	529	(LH104)				158A	68.9	.25	2081		
125	733	530	5:40.6	-69:24	3X 3	308	286	71	3L	24	.28	529	(LH104)				158A	68.9	.25	2081		
129	732	530	5:40.6	-69:24	3X 3	213	183	158	10C	16	.28	210	(LH104)				158A	68.9	.63	2081		
130	733	527	5:40.6	-69:24	3X 3	702	596	369	30C	12	.28	158	(LH104)				158A	68.9	.83	2081		
124	707	526	5:40.7	-69:55	4X 4	81	80	8	1L	8	.31	246				172.173	3.3	.03				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD														
FR. X	Y	R.A.	DEC.	X	Y	P	B _G	V	E.F.	V/E	RE	UF	LM NO.	SIZE
												BS	N NO.	HA
														MIND. NO.
														SAO NO.
														M S
125	708	528	5:40.7	-69:55	4X 4	213*212	17	3L	6	.31	184		172.173	3 3 .04
129	708	527	5:40.7	-69:55	4X 4	47* 49	10	10C	1	.31	17		172.173	3 3 .40
130	708	525	5:40.7	-69:55	4X 4	113*115	5	30C	0	.31	0		172.173	3 3 .00
124	720	527	5:40.8	-69:38	13X12	97* 87	526	1L	526	.30	14487	(LM103)	160.A-F	771.9 .11 2077-86 MC765NR
125	721	530	5:40.8	-69:38	13X12	284* 232	1628	3L	543	.30	14955	(LM103)	160.A-F	771.9 .10 2077-86 MC765NR
129	721	527	5:40.8	-69:38	13X12	128* 81	3198	10C	320	.30	5071	(LM103)	160.A-F	771.9 .30 2077-86 MC765NR
130	721	527	5:40.8	-69:38	13X12	545* 228	8810	30C	294	.30	4659	(LM103)	160.A-F	771.9 .33 2077-86 MC765NR
125	849	528	5:40.9	-67:04	2X 2	216* 212	9	3L	3	.16	17		02867	6.0 .51 20627
129	848	526	5:40.9	-67:04	2X 2	49* 47	8	10C	1	.16	4		02867	6.0 2.17 20627
130	848	524	5:40.9	-67:04	2X 2	121* 113	28	30C	1	.16	4		02867	6.0 2.17 20627
124	693	523	5:41.3	-70:11	3X 3	84* 81	10	1L	10	.31	307		176	2.1 .01
125	695	526	5:41.3	-70:11	3X 3	210* 206	13	3L	4	.31	123		176	2.1 .03
129	694	525	5:41.3	-70:11	3X 3	40* 40	4	10C	0	.31	0		176	2.1 .00
130	694	523	5:41.3	-70:11	3X 3	96* 95	7	30C	0	.31	0		176	2.1 .00
124	723	525	5:41.3	-69:35	17X12	90* 87	716	1L	716	.30	19720	(LM106)	16.0 12.0	.0 .00 (LM101--8)
125	724	526	5:41.3	-69:35	17X12	239* 233	3222	3L	1074	.30	29580	(LM106)	16.0 12.0	.0 .00 (LM101--8)
129	722	526	5:41.3	-69:35	17X12	119* 85	3380	10C	338	.30	5356	(LM106)	16.0 12.0	.0 .00 (LM101--8)
130	724	522	5:41.3	-69:35	17X12	399* 238	12736	30C	425	.30	6735	(LM106)	16.0 12.0	.0 .00 (LM101--8)
124	644	529	5:41.4	-71:15	12X 4	78* 76	66	1L	66	.25	1046	(LM107)	12.0 4.0	.0 .00 2103
125	644	530	5:41.4	-71:15	12X 4	192* 197	176	3L	59	.25	935	(LM107)	12.0 4.0	.0 .00 2103
129	645	530	5:41.4	-71:15	12X 4	35* 37	282	10C	28	.25	280	(LM107)	12.0 4.0	.0 .00 2103
130	644	526	5:41.4	-71:15	12X 4	91* 96	645	30C	22	.25	220	(LM107)	12.0 4.0	.0 .00 2103
124	675	526	5:41.5	-70:35	2X 2	77* 76	1	1L	1	.30	27		218	1.9 .14
125	676	527	5:41.5	-70:35	2X 2	202* 198	11	3L	4	.30	110		218	1.9 .03
129	676	526	5:41.5	-70:35	2X 2	36* 36	0	10C	0	.30	0		218	1.9 .00

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																							
FR.	X	Y	R.A.	DEC.	X	Y	P	B _G	V	L.F.	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAD NO.	M	S
130	676	524	5:41.5	-70:35	2x 2	86*	85			3	30C	0	30	0			218	1.9	.00				
124	642	527	5:41.6	-71:16	14x10	77*	75			142	1L	142	25	2250 (LM107)			214.A-M	179.1	.14	2103	MC80		
125	643	528	5:41.6	-71:16	14x10	201*192				530	3L	177	25	2805 (LM107)			214.A-M	179.1	.11	2103	MC80		
129	643	528	5:41.6	-71:16	14x10	37*	34			531	10C	53	25	530 (LM107)			214.A-M	179.1	.60	2103	MC80		
130	643	525	5:41.6	-71:16	14x10	105*	82			1669	30C	55	25	550 (LM107)			214.A-M	179.1	.58	2103	MC80		
124	660	528	5:41.6	-70:55	3x 3	76*	76			2	1L	2	28	44			216	.6	.03				
125	661	529	5:41.6	-70:55	3x 3	195	192			8	3L	3	28	66			216	.6	.02				
129	660	526	5:41.6	-70:55	3x 3	36*	35			2	10C	0	28	0			216	.6	.00				
130	660	524	5:41.6	-70:55	3x 3	84*	84			3	30C	0	28	0			216	.6	.00				
124	707	524	5:41.6	-69:55	4x 3	82*	82			1	1L	-1	31	30			177	23.4	-1.59				
125	708	524	5:41.6	-69:55	4x 3	210*213				6	3L	-2	31	61			177	23.4	-1.78				
129	707	524	5:41.6	-69:55	4x 3	48*	48			4	10C	0	31	0			177	23.4	.00				
130	708	522	5:41.6	-69:55	4x 3	125*123				18	30C	1	31	17			177	23.4	2.81				
124	829	520	5:41.6	-67:25	5x 5	100	84			244	1L	244	.05	424				.0	.00			249336	7.2 A0
125	831	521	5:41.6	-67:25	12x 9	277	221			1640	3L	547	.05	950				.0	.00			249336	7.2 A0
129	830	521	5:41.6	-67:25	13x14	198	51			4390	10C	439	.05	695				.0	.00			249336	7.2 A0
130	831	519	5:41.6	-67:25	14x14	602	148*29000	30C		967*	.05	1532						.0	.00			249336	7.2 A0
124	684	524	5:41.7	-70:24	3x 3	82	79			10	1L	10	31	307			219	2.9	.02				
125	685	527	5:41.7	-70:24	3x 3	210	205			22	3L	7	31	215			219	2.9	.03				
129	684	525	5:41.7	-70:24	3x 3	40*	39			6	10C	1	31	17			219	2.9	.35				
130	685	522	5:41.7	-70:24	3x 3	89*	88			6	30C	0	31	0			219	2.9	.00				
124	663	526	5:41.9	-70:52	2x 2	78	73			18	1L	18	27	355			(216)	.0	.00				
125	663	523	5:41.9	-70:52	2x 2	201	193			32	3L	11	27	217			(216)	.0	.00				
129	663	526	5:41.9	-70:52	2x 2	41	31			33	10C	3	27	36			(216)	.0	.00				
130	664	524	5:41.9	-70:52	2x 2	100	78			82	30C	3	27	36			(216)	.0	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

REVISED J2000.0 RA. (H M S)	DEC. (D M S)	X	Y	P	BC	V	I	F	V/E	RE	UF	LM NO	SIZE	BS	N NO.	HA	WIND.	NCC NO.	SAO NO.	M	S
124 867 518 5:42.0 -66:40	2X 2 85 82		12	11		12	11		12	15	62				0296	8.0	.18		--		
125 869 520 5:42.0 -66:40	4X 2 221 210		82	31		27	15		27	15	141				0296	8.0	.08		--		
129 868 519 5:42.0 -66:40	2X 2 59 43		59	100		6	15		6	15	23				0296	8.0	.49		--		
130 868 517 5:42.0 -66:40	5X 5 144 102		465	300		16	15		16	15	63				0296	8.0	.18		--		
124 980 518 5:42.0 -64:22	2X 2 86 80		20	11		20	05		20	05	34					.0	.00	2082			
125 981 519 5:42.0 -64:22	2X 2 216 207		31	31		10	05		10	05	17					.0	.00	2082			
129 985 519 5:42.0 -64:22	2X 2 43 40		12	100		1	05		1	05	1					0	.00	2082			
130 984 517 5:42.0 -64:22	2X 2 100 95		15	300		1	05		1	05	1					.0	.00	2082			
124 702 520 5:42.1 -70:01	4X 4 80* 79		7	11		7	31		7	31	215				174.175	11.7	.11				
125 703 523 5:42.1 -70:01	4X 4 216*212		28	31		9	31		9	31	276				174.175	11.7	.09				
129 702 523 5:42.1 -70:01	4X 4 49* 46		56	100		6	31		6	31	104				174.175	11.7	.23				
130 703 523 5:42.1 -70:01	4X 4 124*120		138	300		5	31		5	31	86				174.175	11.7	.28				
124 719 522 5:42.1 -69:40	4X 4 94* 92		13	11		13	30		13	30	358	LM108	2.0	2.0	--	(160)	.0	.00	(LM106)		
125 721 524 5:42.1 -69:40	4X 4 273 258		68	31		23	30		23	30	633	LM108	2.0	2.0	--	(160)	.0	.00	(LM106)		
129 721 524 5:42.1 -69:40	4X 4 136 120		57	100		6	30		6	30	95	LM108	2.0	2.0	--	(160)	.0	.00	(LM106)		
130 721 521 5:42.1 -69:40	4X 4 454 378		309	300		10	30		10	30	158	LM108	2.0	2.0	--	(160)	.0	.00	(LM106)		
124 755 520 5:42.2 -68:56	6X 4 84* 83		10	11		10	25		10	25	158	LM109	5.0	2.0	--	0297	6.7	.08	2093		
125 755 520 5:42.2 -68:56	6X 4 221*216		52	31		17	25		17	25	269	LM109	5.0	2.0	--	0297	6.7	.04	2093		
129 755 520 5:42.2 -68:56	6X 4 62* 61		45	100		5	25		5	25	50	LM109	5.0	2.0	--	0297	6.7	.24	2093		
130 755 518 5:42.2 -68:56	6X 4 155*159		40	300		1	25		1	25	10	LM109	5.0	2.0	--	0297	6.7	1.19	2093		
124 640 525 5:42.3 -71:20	5X 5 84 77		38	11		38	25		38	25	602	(LM107,110)			214CFGH	93.9	.28	2103	MC80		
125 641 527 5:42.3 -71:20	5X 5 218 200		114	31		38	25		38	25	602	(LM107,110)			214CFGH	93.9	.28	2103	MC80		
129 640 525 5:42.3 -71:20	5X 5 72 44		195	100		20	25		20	25	200	(LM107,110)			214CFGH	93.9	.83	2103	MC80		
130 641 523 5:42.3 -71:20	5X 5 195 109		501	300		17	25		17	25	170	(LM107,110)			214CFGH	93.9	.98	2103	MC80		
124 640 525 5:42.4 -71:21	4X 5 84 78		28	11		28	25		28	25	443	LM110	2.0	3.0	5	(214)	.0	.00	2103		

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																								
FR.	X	Y	R.A.	DEC.	X	Y	P	B _G	V	E	F	V/E	RE	UF	LH NO.	SIZE	BS	M NO.	HA	HIND.	MCG NO.	SAO NO.	M	S
125	639	526	5:42.4	-71:21	4X	5	204*201	55	3L	18	25	205	LM110	2.0	3.0	5	(214)	.0	.00	2103				
129	640	525	5:42.4	-71:21	4X	5	72	47	136	10C	14	25	140	LM110	2.0	3.0	5	(214)	.0	.00	2103			
130	639	521	5:42.4	-71:21	4X	5	104*102	227	30C	8	25	80	LM110	2.0	3.0	5	(214)	.0	.00	2103				
124	741	519	5:42.4	-69:13	6X	7	99	88	141	1L	141	31*	4337	LM111	5.0	6.0	26		.0	.00	2100			
125	742	521	5:42.4	-69:13	6X	7	268	232	400	3L	133	31*	4091	LM111	5.0	6.0	26		.0	.00	2100			
129	742	520	5:42.4	-69:13	6X	7	156	84	709	10C	71	31*	1233	LM111	5.0	6.0	26		.0	.00	2100			
130	742	518	5:42.4	-69:13	6X	7	490	233	2417	30C	81	31*	1407	LM111	5.0	6.0	26		.0	.00	2100			
124	834	517	5:42.6	-67:20	5X	6	88*	86	27	1L	27	14*	126	LM112	3.0	5.0	12		.0	.00	2095(+STAR)			
125	833	517	5:42.6	-67:20	5X	6	243*241	45	3L	15	14*	70	LM112	3.0	5.0	12		.0	.00	2095(+STAR)				
129	835	517	5:42.6	-67:20	5X	6	93	79	147	10C	15	14*	54	LM112	3.0	5.0	12		.0	.00	2095(+STAR)			
130	835	515	5:42.6	-67:20	5X	6	264*215	655	30C	22	14*	79	LM112	3.0	5.0	12		.0	.00	2095(+STAR)				
124	747	516	5:42.9	-69:05	6X	6	86*	85	52	1L	52	25	824	LM113			164	123.0	.27		MC79.82			
125	748	518	5:42.9	-69:05	6X	6	236	225	58	3L	19	25	301	LM113			164	123.0	.73		MC79.82			
129	749	517	5:42.9	-69:05	6X	6	84	67	159	10C	16	25	160	LM113			164	123.0	1.37		MC79.82			
130	749	515	5:42.9	-69:05	6X	6	231	176	401	30C	13	25	130	LM113			164	123.0	1.66		MC79.82			
124	748	515	5:43.1	-69:04	4X	4	87*	86	14	1L	14	25	221	LM113	2.0	1.5	--	(164)	.0	.00				
125	747	519	5:43.1	-69:04	4X	4	229*227	35	3L	12	25	190	LM113	2.0	1.5	--	(164)	.0	.00					
129	749	517	5:43.1	-69:04	4X	4	83*	72	66	10C	7	25	70	LM113	2.0	1.5	--	(164)	.0	.00				
130	749	514	5:43.1	-69:04	4X	4	198*184	197	30C	7	25	70	LM113	2.0	1.5	--	(164)	.0	.00					
124	753	516	5:43.2	-68:58	3X	3	87	85	5	1L	5	25	79	LM109			165	12.7	.29	2093	MC85			
125	753	516	5:43.2	-68:58	3X	3	221*218	15	3L	5	25	79	LM109			165	12.7	.29	2093	MC85				
129	753	516	5:43.2	-68:58	3X	3	74	67	29	10C	3	25	30	LM109			165	12.7	.75	2093	MC85			
130	753	514	5:43.2	-68:58	3X	3	208	183	71	30C	2	25	20	LM109			165	12.7	1.13	2093	MC85			
124	807	513	5:43.4	-67:52	5X	4	95	88	39	1L	39	12	146	LM114	3.0	2.0	8	(170)	.0	.00				
125	808	514	5:43.4	-67:52	5X	4	241*233	127	3L	42	12	158	LM114	3.0	2.0	8	(170)	.0	.00					

REVISED 5201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR. X	Y	R.A.	DEC.	X	Y	P	RG	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NGC NO.	SAD NO.	M	S
129	808	514	5:43.4	-67:52	5X 4	112	74	210	10C	22	12	66	LH114	3.0	2.0	0	(70)	.0	.00			
130	809	512	5:43.4	-67:52	5X 4	335	192	779	30C	26	12	70	LH114	3.0	2.0	0	(70)	.0	.00			
124	807	513	5:43.5	-67:51	8X 8	95	84	96	1L	96	12	361	(LH114)			70	240.0	.88				
125	808	514	5:43.5	-67:51	8X 0	232	220	451	3L	150	12	565	(LH114)			70	240.0	.56				
129	808	514	5:43.5	-67:51	8X 0	112	52	747	10C	75	12	226	(LH114)			70	240.0	1.40				
130	809	512	5:43.5	-67:51	8X 0	335	125	2504	30C	83	12	250	(LH114)			70	240.0	1.27				
124	714	515	5:43.6	-69:46	5X 5	02	01	23	1L	23	31	707				163	63.0	.10			MC84	
125	716	516	5:43.6	-69:46	5X 5	210	216	32	3L	11	31	338				163	63.0	.38			MC84	
129	715	516	5:43.6	-69:46	5X 5	58	54	27	10C	3	31	52				163	63.0	2.47			MC84	
130	715	514	5:43.6	-69:46	5X 5	139	120	92	30C	3	31	52				163	63.0	2.47			MC84	
124	886	510	5:43.6	-66:17	2X 2	80	07	0	1L	0	14	37	(LH115)			72	1.9	.07			MC86	
125	887	511	5:43.6	-66:17	2X 2	220	227	12	3L	4	14	10	(LH115)			72	1.9	.15			MC86	
129	887	514	5:43.6	-66:17	2X 2	167	159	91	10C	9	14	32	(LH115)			72	1.9	.08			MC86	
130	887	511	5:43.6	-66:17	2X 2	176	182	59	30C	2	14	7	(LH115)			72	1.9	.37			MC86	
124	827	510	5:43.9	-67:27	3X 3	85	05	3	1L	3	10	9				71	3.4	.48				
125	828	511	5:43.9	-67:27	3X 3	226	226	11	3L	4	10	12				71	3.4	.36				
129	827	510	5:43.9	-67:27	3X 3	59	57	10	10C	1	10	2				71	3.4	2.14				
130	827	508	5:43.9	-67:27	3X 3	143	138	22	30C	1	10	2				71	3.4	2.14				
124	885	510	5:44.0	-66:19	7X10	90	84	117	1L	117	14	549	LH115	6.0	10.0	14	(72)	.0	.00			
125	885	509	5:44.0	-66:19	7X10	238	222	432	3L	144	14	676	LH115	6.0	10.0	14	(72)	.0	.00			
129	886	513	5:44.0	-66:19	7X10	112	77	1539	10C	154	14	559	LH115	6.0	10.0	14	(72)	.0	.00			
130	885	509	5:44.0	-66:19	7X10	231	161	1725	30C	57	14	206	LH115	6.0	10.0	14	(72)	.0	.00			
124	872	507	5:44.6	-66:30	3X 3	87	03	33	1L	33	12	124					.0	.00				
125	873	512	5:44.6	-66:30	3X 7	221	215	86	3L	29	12	109					.0	.00				
129	870	506	5:44.6	-66:30	2X 2	46	44	6	10C	1	12	3					.0	.00				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

PR.	X	Y	R.A.	DEC.	*X	*Y	P	B0	V	E,F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAO NO.	M	S	
130	871	505	5:44.6	-66:38	2X	2	110	102	29	30C	1	.12	3					.0	.00			--		
124	915	506	5:44.7	-65:45	3X	3	87	84	10	1L	10	.05	17					.0	.00		249345	4.5	A5	
125	915	512	5:44.7	-65:45	3X	2	220	211	45	3L	15	.05	26					.0	.00		249346	4.5	A5	
129	915	506	5:44.7	-65:45	2X	2	47	38	35	10C	4	.05	6					.0	.00		249346	4.5	A5	
130	915	505	5:44.7	-65:45	3X	4	122	90	226	30C	8	.05	12					.0	.00		249346	4.5	A5	
124	732	509	5:44.8	-69:23	3X	3	81*	82	-3	1L	-3	.25	47				166.167	3.0	.11					
125	733	511	5:44.8	-69:23	3X	3	221	216	11	3L	4	.25	63				166.167	3.0	.08					
129	734	510	5:44.8	-69:23	3X	3	51*	48	5	10C	1	.25	10				166.167	3.0	.53					
130	734	508	5:44.8	-69:23	3X	3	119*	116	12	30C	0	.25	0				166.167	3.0	.00					
124	839	505	5:45.0	-67:14	8X	7	101	92	207	1L	207	.08*	501	LH116	5.0	9.0	34	0308	30.0	.07				
125	839	506	5:45.0	-67:14	8X	7	271	255	584	3L	195	.08*	472	LH116	5.0	9.0	34	0308	30.0	.08				
129	839	506	5:45.0	-67:14	8X	7	140*	94	1213	10C	121	.08*	252	LH116	5.0	9.0	34	0308	30.0	.14				
130	840	505	5:45.0	-67:14	8X	7	539	254	6109	30C	204	.08*	426	LH116	5.0	9.0	34	0308	30.0	.08				
124	848	504	5:45.2	-67:03	2X	2	92	83	23	1L	23	.10	69					.0	.00			--		
125	849	505	5:45.2	-67:03	3X	3	241	220	97	3L	32	.10	96					.0	.00			--		
129	849	505	5:45.2	-67:03	4X	3	73	48	152	10C	15	.10	37					.0	.00			--		
130	850	503	5:45.2	-67:03	4X	4	187	123	436	30C	15	.10	37					.0	.00			--		
124	714	507	5:45.8	-69:46	5X	4	83*	82	9	1L	9	.31	276				168.48	22.8	.17					
125	715	508	5:45.8	-69:46	5X	4	221	215	48	3L	16	.31	492				168.48	22.8	.09					
129	715	507	5:45.8	-69:46	5X	4	54	44	57	10C	6	.31	104				168.48	22.8	.45					
130	715	504	5:45.8	-69:46	5X	4	128	106	154	30C	5	.31	86				168.48	22.8	.54					
124	843	501	5:45.8	-67:09	6X13	91*	87		199	1L	199	.08	481	(LH116)				74.48	93.3	.23				
125	844	502	5:45.8	-67:09	6X13	241	235		510	3L	170	.08	411	(LH116)				74.48	93.3	.27				
129	840	505	5:45.8	-67:08	6X13	134*	84		1297	10C	130	.08	271	(LH116)				74.48	93.3	.41				
130	840	502	5:45.8	-67:09	6X13	327	264		3167	30C	106	.08	221	(LH116)				74.48	93.3	.51				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD																							
FR.	X	Y	R.A.	DEC.	*X	*Y	P	B _G	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	MA	HIND.	NOC NO.	SAD NO.	M	S
129	810	501	5:46.1	-67:50	2X	2	54	45	33	10C	3	.05	4					.0	.00		24935378.1	A0	
130	810	499	5:46.1	-67:50	3X	3	134	110	112	30C	4	.05	6					.0	.00		24935378.1	A0	
125	810	503	5:46.1	-67:49	2X	2	226	218	27	3L	9	.05	15					.0	.00		24935378.1	A0	
130	822	497	5:46.2	-67:44	2X	2	130	112	68	30C	2	.05	3					.0	.00		24935378.1	A0	
129	822	499	5:46.2	-67:36	2X	2	54	46	29	10C	3	.05	4					.0	.00		24935378.1	A0	
124	822	499	5:46.6	-67:39	2X	2	85	83	7	1L	7	.05	12					.0	.00		24935378.1	A0	
125	819	499	5:46.6	-67:39	3X	2	226	214	42	3L	14	.05	24					.0	.00		24935378.1	A0	
124	723	501	5:46.7	-69:34	3X	3	83	83	1	1L	1	.27	19				169A-C	6.8	.67		MC89SNR		
125	723	499	5:46.7	-69:34	3X	3	212	213	3	3L	1	.27	19				169A-C	5.8	.67		MC89SNR		
129	724	501	5:46.7	-69:34	3X	3	39	38	4	10C	0	.27	0				169A-C	6.8	.00		MC89SNR		
130	724	499	5:46.7	-69:34	3X	3	95	94	5	30C	0	.27	0				169A-C	6.8	.00		MC89SNR		
124	827	487	5:47.6	-67:28	2X	2	90	83	24	1L	24	.08	58	--				.0	.00	2117			
125	829	487	5:47.6	-67:28	6X	3	228	222	63	3L	21	.08	50	--				.0	.00	2117			
129	829	494	5:47.6	-67:28	2X	2	54	46	27	10C	3	.08	6	--				.0	.00	2117			
130	828	491	5:47.6	-67:28	2X	2	127	111	63	30C	2	.08	4	--				.0	.00	2117			
124	801	494	5:47.8	-68:00	3X	4	91	83	62	1L	62	.11	209					.0	.00		--		
125	802	495	5:47.8	-68:00	5X	4	239	218	243	3L	81	.11	273					.0	.00		--		
129	801	494	5:47.8	-68:00	5X	5	68	44	331	10C	33	.11	90					.0	.00		--		
130	801	491	5:47.8	-68:00	7X	7	177	110	1370	30C	46	.11	126					.0	.00		--		
124	983	486	5:47.9	-64:25	5X	6	92	82	149	1L	149	.05	258					.0	.00		--		
125	984	489	5:47.9	-64:25	9X	7	246	223	750	3L	250	.05	434					.0	.00		--		
129	984	489	5:47.9	-64:25	9X	8	90	40	1542	10C	154	.05	244					.0	.00		--		
130	985	487	5:47.9	-64:25	11X	11	245	94	6050	30C	202	.05	320					.0	.00		--		
124	708	495	5:48.4	-89:53	3X	3	82	81	2	1L	2	.30	55				179A-D	4.6	.17				
125	709	496	5:48.4	-89:53	3X	3	216	212	18	3L	6	.30	165				179A-D	4.6	.06				

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

REVISED 30 MAR 04	FR.	X	Y	R.A.	DEC.	ΔX	ΔY	P	B _G	V	E _r	V/E	RE	UF	LM NO.	SIZE	BS	M NO.	HA	MIND.	NOC NO.	SNO NO.	M	S	
	129	709	495	5:49.4	-69:53	3X	3	52	49	16	10C	2	.30	31				179A-D	4.6	.30					
	130	709	493	5:48.4	-69:53	3X	3	122	112	37	30C	1	.30	15				179A-D	4.6	.61					
	124	878	484	5:49.0	-66:28	2X	2	86	82	13	1L	13	.07	28					.0	.00			--		
	125	878	484	5:49.0	-66:28	2X	2	224	216	28	3L	9	.07	19					.0	.00			--		
	129	879	485	5:49.0	-66:28	2X	2	44	39	18	10C	2	.07	3					.0	.00			--		
	130	879	483	5:49.0	-66:28	2X	2	106	93	45	30C	2	.07	3					.0	.00			--		
	124	698	492	5:49.4	-70:05	4X	6	96	89	62	1L	62	.30	1707	LM117	2.0	5.0	23	0325	2.7	.00	2122			
	125	698	492	5:49.4	-70:05	4X	6	257	247	174	3L	58	.30	1597	LM117	2.0	5.0	23	0325	2.7	.00	2122			
	129	700	493	5:49.4	-70:05	4X	6	148	85	462	10C	46	.30	729	LM117	2.0	5.0	23	0325	2.7	.01	2122			
	130	700	490	5:49.4	-70:05	4X	6	459	240	1361	30C	45	.30	713	LM117	2.0	5.0	23	0325	2.7	.01	2122			
	124	698	492	5:49.5	-70:05	14X	11	96	81	408	1L	408	.30	11237	LM117,118			180	A-C	337.8	.06	2122	MC905NR,MC91		
	125	698	492	5:49.5	-70:05	14X	11	257	210	2016	3L	672	.30	18508	LM117,118			180	A-C	337.8	.04	2122	MC905NR,MC91		
	129	700	493	5:49.5	-70:05	14X	11	148	43	2569	10C	257	.30	4073	LM117,118			180	A-C	337.8	.17	2122	MC905NR,MC91		
	130	700	490	5:49.5	-70:05	14X	11	459	106	7048	30C	235	.30	3724	LM117,118			180	A-C	337.8	.18	2122	MC905NR,MC91		
	124	698	490	5:49.8	-70:05	45		93	84	200	1L	200	.30	5508	LM117,118	26.0		32	(180)	.0	.00	2122			
	125	698	490	5:49.8	-70:05	40		257	224	566	3L	222	.30	6114	LM117,118	26.0		32	(180)	.0	.00	2122			
	129	700	491	5:49.8	-70:05	41		115	68	720	10C	72	.30	1141	LM117,118	26.0		32	(180)	.0	.00	2122			
	130	700	488	5:49.8	-70:05	45		284	189	1360	30C	45	.30	713	LM117,118	26.0		32	(180)	.0	.00	2122			
	124	743	488	5:49.9	-69:09	2X	2	83	82	1	1L	1	.18	7				181		.1	.02				
	125	744	489	5:49.9	-69:09	2X	2	216	215	3	3L	1	.18	7				181		.1	.02				
	129	744	486	5:49.9	-69:09	2X	2	34	34	1	10C	0	.18	0				181		.1	.00				
	130	744	484	5:49.9	-69:09	2X	2	86	85	3	30C	0	.18	0				181		.1	.00				
	124	854	480	5:49.9	-66:55	17X	16	817	83	57000	1L	57000	.05	99054					.0	.00			249368	5.2	85
	125	855	481	5:49.9	-66:55	21X	21	1127	225109200	3L	36400	.05	63255						.0	.00			249368	5.2	85
	129	855	481	5:49.9	-66:55	23X	21	1103	44143000	10C	14300	.05	22663						.0	.00			249368	5.2	85

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	X	Y	P	B ₀	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	MIND.	NOC NO.	SAG NO.	M	S
130	856	479	5:49.9	-66:55	28X271023	103198000	30C	5600*	05	10460													
124	787	483	5:50.2	-68:15	5X 5	87*	85	28	11	28	.12	105	LH119	3.0	3.0	6							
125	787	484	5:50.2	-68:15	5X 5	226*	222	17	31	6	.12	22	LH119	3.0	3.0	6							
129	787	483	5:50.2	-68:15	5X 5	59*	52	56	10C	6	.12	18	LH119	3.0	3.0	6							
130	788	480	5:50.2	-68:15	5X 5	157*	136	121	30C	4	.12	12	LH119	3.0	3.0	6							
124	698	488	5:50.3	-70:05	5X 5	87*	86	21	11	21	.30	578	LH118	4.0	4.0	9	(180)						
125	698	488	5:50.3	-70:05	5X 5	229*	223	74	31	25	.30	688	LH118	4.0	4.0	9	(180)						
129	700	489	5:50.3	-70:05	5X 5	72*	78	156	10C	-16	.30	-253	LH118	4.0	4.0	9	(180)						
130	700	485	5:50.3	-70:05	5X 5	125*	149	-186	30C	-6	.30	-95	LH118	4.0	4.0	9	(180)						
124	935	479	5:50.5	-65:16	4X 4	86	81	41	11	41	.05	71											
125	936	475	5:50.5	-65:16	4X 4	231	216	149	31	50	.05	86											
129	938	475	5:50.5	-65:16	4X 4	58	38	221	10C	22	.05	34											
130	939	473	5:50.5	-65:16	7X 6	143	91	870	30C	29	.05	45											
129	790	481	5:50.7	-68:11	49*	72*	56	101	10C	10	.12	30	LH119.120	51.0*	14								
130	791	479	5:50.7	-68:11	48*	190*	140	336	30C	11	.12	33	LH119.120	51.0*	14								
124	790	480	5:50.7	-68:10	13X 3*	88*	87	31	11	31	.12*	116	LH120	14.0	3.0	8							
125	791	483	5:50.7	-68:10	13X 3*	241	226	102	31	34	.12*	128	LH120	14.0	3.0	8							
129	791	481	5:50.7	-68:10	13X 3*	75	57	117	10C	12	.12*	36	LH120	14.0	3.0	8							
130	792	479	5:50.7	-68:10	13X 3*	195	140	414	30C	14	.12*	42	LH120	14.0	3.0	8							
124	787	472	5:52.5	-68:14	13X 5	91	86	126	11	126	.12	474	LH121	14.0	3.0	16	0328						
125	789	473	5:52.5	-68:14	13X 5	236*	232	208	31	69	.12	259	LH121	14.0	3.0	16	0328						
129	790	472	5:52.5	-68:14	13X 5	71*	57	514	10C	51	.12	154	LH121	14.0	3.0	16	0328						
130	790	469	5:52.5	-68:14	13X 5	196	136	1466	30C	49	.12	147	LH121	14.0	3.0	16	0328						
124	905	452	5:55.1	-65:55	8X 8	93	87	94	11	94	.05	163	--										
125	904	453	5:55.1	-65:55	8X 8	248	225	532	31	177	.05	307	--										

REVISED 5201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

PR.	X	Y	R.A.	DEC.	X	Y	B0	V	E.F	V/E	RE	UF	LH NO.	SIZE	BS	N NO.	HA	HIND.	NOC NO.	SAO NO.	M	S
129	905	454	5:55.1	-65:55	6X	6	95	37	925	10C	93	.05	147	--			.0	.00	21387			
130	906	452	5:55.1	-65:55	9X	9	275	91	4750	30C	158	.05	250	--			.0	.00	21387			
124	786	455	5:56.2	-68:13	4X	3	96	91	15	1L	15	.10	45	LH122	4	(75)	.0	.00				
125	786	456	5:56.2	-68:13	4X	3	245+239	54	3L	18	.10		54	LH122	4	(75)	.0	.00				
129	788	455	5:56.2	-68:13	4X	3	81	61	88	10C	9	.10	22	LH122	4	(75)	.0	.00				
130	788	453	5:56.2	-68:13	4X	3	220	157	238	30C	8	.10	20	LH122	4	(75)	.0	.00				
124	787	455	5:56.2	-68:12	6X	7	94+ 88	66	1L	66	.10		199	(LH122)		7548	38.3	.24				
125	787	456	5:56.2	-68:12	6X	7	248+233	210	3L	70	.10		211	(LH122)		7548	38.3	.23				
129	788	455	5:56.2	-68:12	6X	7	81	46	333	10C	33	.10	82	(LH122)		7548	38.3	.59				
130	788	453	5:56.2	-68:12	6X	7	220	114	857	30C	29	.10	72	(LH122)		7548	38.3	.67				
124	893	396	6:06.1	-66:02	10X	7	136	91	1190	1L	1190	.05	2067				.0	.00		249448	5.8	89
125	894	397	6:06.1	-66:02	12X	10	432	242	5205	3L	1735	.05	3015				.0	.00		249448	5.8	89
129	894	397	6:06.1	-66:02	14X	14	623	39	23800	10C	2380+ .05	.05	3772				.0	.00		249448	5.8	89
130	895	395	6:06.1	-66:02	16X	15	878	92	53900	30C	1797+ .05	.05	2848				.0	.00		249448	5.8	89
124	751	400	6:09.1	-68:50	12X	11	399	86	4918	1L	4918	.05	8546				.0	.00		249461	5.2	89
125	752	402	6:09.1	-68:50	15X	15	902	230	16440	3L	5480+ .05	.05	9523				.0	.00		249461	5.2	89
129	752	401	6:09.1	-68:50	17X	17	883	36	19991	10C	1999+ .05	.05	3168				.0	.00		249461	5.2	89
130	753	399	6:09.1	-68:50	24X	23	892	92	40496	30C	1350+ .05	.05	2139				.0	.00		249461	5.2	89
124	520	418	6:15.9	-73:36	6X	6	153	77	905	1L	905	.05	1572				.0	.00		256286	6.8	89
125	521	420	6:15.9	-73:36	9X	9	468	197	4990	3L	1663	.05	2889				.0	.00		256286	6.8	89
129	522	418	6:15.9	-73:36	11X	12	324	27	7033	10C	703	.05	1114				.0	.00		256286	6.8	89
130	522	416	6:15.9	-73:36	14X	14	671	67	33900	30C	1130+ .05	.05	1790				.0	.00		256286	6.8	89
124	589	390	6:19.1	-72:07	3X	4	88	82	42	1L	42	.05	72				.0	.00		256290	8.0	40
125	590	391	6:19.1	-72:07	4X	5	233	210	227	3L	76	.05	132				.0	.00		256290	8.0	40
129	590	391	6:19.1	-72:07	5X	5	74	28	451	10C	45	.05	71				.0	.00		256290	8.0	40

REVISED S201 FAR-UV ATLAS OF THE LARGE MAGELLANIC CLOUD

FR.	X	Y	R.A.	DEC.	*X	*Y	P	B _G	V	E ₁	E ₂	F	V/E	RE	UF	LH NO.	SIZE	BS	FI NO.	HA	HIND.	MGC NO.	SAO NO.	M	S	
130	591	300	6:19.1	-72:07	6X	6	204	73	1610	30C	54	.05	85							.0	.00	256290	8.0	A0		
124	612	303	6:19.5	-71:35	2X	2	86	85	4	1L	4	.10	12						221	.1	.01					
125	612	305	6:19.5	-71:35	2X	2	224+232	22	3L	7	.10	21							221	.1	.01					
129	613	307	6:19.5	-71:35	2X	2	30+ 30	0	10C	0	.10	0							221	.1	.00					
130	613	305	6:19.5	-71:35	2X	2	75+ 76	-6	30C	0	.10	0							221	.1	.00					

88RKPT PRINTS

END

DATE
FILMED

182

DTIC



AD-A107 921

NAVAL RESEARCH LAB WASHINGTON DC

F/G 3/2

REVISED LISTING - S201 FAR-ULTRAVIOLET ATLAS OF THE LARGE MAGEL--ETC(U)

NOV 81 T T PAGE, 6 R CARRUTHERS

UNCLASSIFIED

NRL-MR-4660

NL

2 of 2

AD-A107921



1. TITLE (MAX 100)
2. AUTHOR
3. PERIODICAL
4. INSTITUTION
5. REPORT NUMBER
6. PRICE
7. AVAILABILITY
8. DISTRIBUTION STATEMENT
9. SECURITY CLASSIFICATION
10. SECURITY CLASSIFICATION

END

DATE
FILMED

3-82

DTIC

SUPPLEMENTARY

INFORMATION

ERRATA - NRL MEMORANDUM REPORT 4660

REVISED LISTING - S201 FAR-ULTRAVIOLET ATLAS OF THE
LARGE MAGELLANIC CLOUD

AD 107921

Please replace pages 5 through 8 in your copy of this document with the attached corrected versions (equations 2 through 6 of the original are incorrect). Also, in the paper "Distributions of Hot Stars and Hydrogen in the Large Magellanic Cloud" by T. Page and G. R. Carruthers (Astrophysical Journal, 248, 906, 1981) equations (2) through (6) should be corrected as indicated herein. The next to last paragraph on page 7, as corrected in the attached, also applies to the discussions of UF and H Ind in that Reference and its contained Table 1.

at over 100 places in the LMC. This index was first presented as a rough measure of the hydrogen near hot stars or star groups detected on our far-UV images. That is, if the ionizing extreme-UV ($\lambda < 912 \text{ \AA}$) flux is assumed roughly proportional to the far-UV flux, then the intensity of $H\alpha$ emission is related to the local hydrogen density. Here, we present a revised determination of H Ind and its variation over the LMC, using a more recent determination of the LMC extinction law, allowing for extinction at $H\alpha$ as well as in the UV, and utilizing additional data on the $H\alpha$ brightness distribution in the LMC.

The far-UV flux values are proportional to the measured density volume, V (corrected for nonlinearities and background) divided by the exposure time, E , in minutes. As shown in the Revised S201 Catalog of Far-UV Objects (NRL Report 8487), a density-volume

$$V = 0.037 n \quad (1)$$

where n is the number of photoelectrons forming the far-UV image. Thus,

$$V/E = 2.22 n \text{ per sec} \quad (2)$$

where E is the exposure time in min, and n/sec is related to the photons arriving each sec from the object. The detection efficiency (photoelectrons per photon, based on preflight calibrations) of the S201 Camera in the imaging mode averages 0.05 over the range 1050-1600 $\text{\AA}$ with the LiF corrector, and 0.04 over the range 1250-1600 $\text{\AA}$ with the CaF_2 corrector.

Hence, the photon flux in these wavelengths is

$$N_L = n_L/0.05(30.0) = 0.300 (V_L/E) \text{ photons/sec cm}^2 \text{ for } 1300 \text{ \AA} \pm 250 \text{ \AA}, \quad (3)$$

and

$$N_C = n_C/0.04(30.0) = 0.375 (V_C/E) \text{ photons/sec cm}^2 \text{ for } 1400 \text{ \AA} \pm 150 \text{ \AA}, \quad (4)$$

where 30.0 cm^2 is the aperture area of the S201 camera. Since these photons each carry $1.52 \times 10^{-11} \text{ erg}$ and $1.42 \times 10^{-11} \text{ erg}$ respectively, the far-UV flux is

$$F_L = 4.92 \times 10^{-10} (V_L/E) \text{ erg sec}^{-1} \text{ cm}^{-2} \quad (5)$$

and

$$F_C = 5.33 \times 10^{-10} (V_C/E) \text{ erg sec}^{-1} \text{ cm}^{-2}. \quad (6)$$

These were corrected for interstellar extinction, based on previous estimates (7) of the visual reddening ($RE = E(B-V)$). In order to estimate reddening for all our measurements of V/E , for which specific values of RE were not available, we plotted Lucke's (7) RE values and sketched in

contour lines (see Fig. 1). Although Lucke's 81 measured values are good to ± 0.05 , corresponding to ± 16 to $\pm 17\%$ in corrected ultraviolet flux, UF , there is inevitably some uncertainty in the interpolated values of RE , due to small scale variations in the extinction at a given distance, and the uncertainty in distance to an object along the line of sight. The stellar associations for which Lucke determined RE may lie in front of or behind far-UV objects with nearly the same celestial coordinates. However, it is highly likely that an LH cluster and an associated Henize nebula are in close 3-dimensional proximity.

In the Atlas, we used the "average" galactic interstellar extinction curve of Bless and Savage (8). However, measurements with the ANS satellite (9,10) in the 30 Doradus region, and with IUE (3) there and elsewhere in the LMC indicate a higher ratio of far-UV extinction to $E(B-V)$ in the LMC than is typical in the local region of our galaxy (see Figure 2). Using the extinction curve of Ref. (3) with $A_\lambda = 3 E(B-V) + E(\lambda-V)$, we have, for effective wavelengths of 1300 Å (LiF corrector) and 1400 Å (CaF₂ corrector), $E(1300-V)/E(B-V) = 8.97$ and $E(1400-V)/E(B-V) = 7.09$. Therefore, the ultraviolet fluxes corrected for reddening are

$$UF_L = F_L 10^{4.8 RE} \quad (7)$$

$$UF_C = F_C 10^{4.0 RE} \quad (8)$$

As expected, UF_L values for an object are generally larger than the UF_C values because of the wider bandpass and larger extinction correction at the effective wavelength of 1300 Å. The scatter in the LMC extinction curve of Nandy et al. (3) is about 0.2 mag. The extinction correction at H α is assumed to be $A_{6563} = 2.5 RE$; hence the corrected H α flux is $UHA = HA \cdot 10^{RE}$, approximately, where HA is the H α flux as measured by Henize et al. (11,12) in units of 10^{-4} erg/cm² sec sterad. The HA values given here are often summed for several close H II regions that could not be separately resolved on our S201 photos. For instance, N180A-C means the summed flux from N180A, N180B, and N180C. In order to get a single hydrogen index representing all measurements of a given object, we averaged the values for two ILI frames with 1/2 the values for two ICA frames:

$$H \text{ Ind}_L = UHA/UF_L \quad (9)$$

$$H \text{ Ind}_C = UHA/UF_C \quad (10)$$

$$H \text{ Ind} = (H \text{ Ind}_{L1} + H \text{ Ind}_{L2} + 1/2 H \text{ Ind}_{C1} + 1/2 H \text{ Ind}_{C2})/4 \quad (11)$$

The major errors in V/E, UF, and H Ind are due to uncertainty in background, b. As can be seen from the isodensity contour plots in the Atlas, many of the objects measured are in regions where the background density is changing. The local background was estimated on mosaics of d, taking the first minimum in d in each of four directions from the peak density, along +x, +y, -x, and -y, and averaging these to get b. The background is high and posed the most difficulties on the 3-min ILI exposure, frame A125.

The HA values are probably good to $\pm 10\%$, although values near zero are subject to larger percentage errors. In fact, DFM, in a careful survey of a 5-hour exposure with the SRC 48-inch Schmidt camera using an interference filter with 100 Å bandpass centered on H α and [NII], found the faint Henize H II regions much larger, and detected 100 more, most of them fainter than Henize's limit. They give no quantitative measurements of brightness, but use the steps vf (very faint), f (faint), fb (fairly bright), b (bright), and vb (very bright). We calibrated this scale against HA by assigning the numbers vf = 1, f = 2, fb = 3, b = 5, vb = 10, and multiplying by the dimensions given in arc-min. For instance, a faint (f) nebula of size 3.5' x 2' has a brightness (arc-min)² of 2 x 3.5 x 2 = 14. Fig. 3 is a plot of these values against HA for 64 cases where the DEM dimensions are roughly the same as Henize's. To a fairly good approximation,

$$\text{DEM brightness (arc-min)}^2 = 3 \text{ HA.} \quad (12)$$

Using this calibration, we could fill in 227 H II regions at positions in the LMC where we had measured far-UV flux, leaving out only 19 DEM objects of the total of 356. (These positions were all searched on our mosaics.)

In the Revised Listing (Appendix F), we list density volumes for 473 objects or regions in the LMC. We also list values of UF, defined here as simply the density volumes corrected for extinction as per Equations 7 and 8. (True UF values, in ergs/sec cm², can be obtained by multiplying by the factors 4.92×10^{-10} for F_L and 5.33×10^{-10} for F_C, respectively.) Likewise, the H Ind values are the corrected density volumes divided by UHA. Figure 4 is a contour plot of H Ind (times 100), individual values of which are given in the Listing.

We thank Dr. Karl Henize for useful discussions. This work was supported, in part, by NASA Grant NASW-3023 to T.P.

REFERENCES

1. R. D. Davies, K. H. Elliott, and J. Meaburn, Mem. R. Astr. Soc., 81, 89 (1976).
2. J. Koornneef and J. S. Mathis, Astrophys. J., 245, 49 (1981).
3. K. Nandy, D. H. Morgan, A. J. Willis, R. Wilson, P. M. Gondhalekhar, and L. Houziaux, Nature, 283, 725 (1980).
4. A. D. Code, A. V. Holm, and R. L. Bottemiller, Astrophys. J. Supp., 39, 195 (1979).
5. A. N. Witt and M. W. Johnson, Astrophys. J., 181, 363 (1973).
6. R. C. Henry, Astrophys. J. Supp., 33, 451 (1977).
7. P. P. Lucke, Astrophys. J. Supp., 28, 73 (1974).
8. R. C. Bless and B. D. Savage, Astrophys. J., 171, 293 (1972).
9. J. Borgman and A. C. Danks, Astron. and Astrophys., 54, 41 (1977).
10. J. Koornneef, Astron. and Astrophys., 64, 179 (1978).
11. K. G. Henize, Astrophys. J. Supp., 2, 315 (1956).
12. L. Doherty, K. G. Henize, and L. H. Aller, Astrophys. J. Supp., 2, 345 (1956).
13. R. X. McGee, J. W. Brooks, and R. A. Patchelor, Astr. J. Phys., 25, 581 (1972).
14. P. B. Lucke and P. W. Hodge, Astron. J., 75, 171 (1970).