

AD-A100 625


DEPARTMENT OF THE AIR FORCE WASHINGTON DC
ENVIRONMENTAL IMPACT ANALYSIS PROCESS. DEPLOYMENT AREA SELECTIO--ETC(U)
DEC 80


F/O 16/1

UNCLASSIFIED

ML

1 of 2
Page 1





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A


AD A108625

① LEVEL


DTIC
ELECTE
DEC 15 1981
B

ATSEC 24


Appropriation



December 1980



Environmental Impact Analysis Process



DEPLOYMENT AREA SELECTION
AND LAND WITHDRAWAL/
ACQUISITION DEIS


DEPARTMENT OF THE AIR FORCE

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

81 11 24 147

FILE COPY

Appendices



Environmental Impact Analysis Process



DEPLOYMENT AREA SELECTION
AND LAND WITHDRAWAL/
ACQUISITION DEIS

DEPARTMENT OF THE AIR FORCE

DEPLOYMENT AREA SELECTION
AND
LAND WITHDRAWAL/ACQUISITION DEFS

CHAPTER 1: PROGRAM OVERVIEW

CHAPTER 1 PRESENTS AN OVERVIEW OF THE M-X SYSTEM AND THIS IS INCLUDING:

- A DESCRIPTION OF THE PROPOSED ACTION AND ALTERNATIVES, INCLUDING SCHEDULE AND RESOURCE REQUIREMENTS
- AN OVERVIEW OF THE TIERED M-X ENVIRONMENTAL PROGRAM THAT INVOLVES SITE SELECTION AND LAND WITHDRAWAL
- A PRESENTATION OF PUBLIC SAFETY CONSIDERATIONS WITH PHYSICAL SECURITY AND SYSTEM HAZARDS
- A SUMMARY OF FEDERAL AND STATE AUTHORIZING ACTIONS ASSOCIATED WITH CONSTRUCTION AND OPERATIONS

CHAPTER 2: COMPARATIVE ANALYSIS OF ALTERNATIVES

CHAPTER 2 COMPARES THE ENVIRONMENTAL IMPACTS OF ALTERNATIVE M-X SYSTEM AND OPERATING BASE COMBINATIONS. DETAILS INCLUDE:

- THE SELECTION OF LOCATIONS FOR TWO SUITABLE DEPLOYMENT REGIONS, 200 CLUSTERS, AND SEVEN ALTERNATIVE OPERATING BASES
- PRESENTATION OF CONCEPTUAL CONSTRUCTION SCHEDULES, PERSONNEL REQUIREMENTS, AND RESOURCE NEEDS FOR EACH ALTERNATIVE
- COMPARATIVE ENVIRONMENTAL ANALYSIS BY ALTERNATIVE FOR EACH RESOURCE PRESENTED IN CHAPTERS 3 AND 4

CHAPTER 3: AFFECTED ENVIRONMENT

CHAPTER 3 DESCRIBES THE POTENTIALLY AFFECTED ENVIRONMENT IN NEVADA, UTAH, TEXAS, AND NEW MEXICO. ENVIRONMENTAL FEATURES OF BOTH BI-STATE REGIONS AND OF OPERATING BASE VICINITIES ARE PRESENTED. RESOURCES ADDRESSED INCLUDE:

- WATER, AIR, MINING, VEGETATION, AND SOILS
- WILDLIFE, AQUATIC SPECIES, AND PROTECTED PLANT AND ANIMAL SPECIES
- EMPLOYMENT, POPULATION, PUBLIC FINANCE, TRANSPORTATION, CONSTRUCTION RESOURCES, ENERGY, LAND USE, AND RECREATION
- CULTURAL RESOURCES, NATIVE AMERICAN CONCERNS, ARCHAEOLOGICAL AND HISTORIC FEATURES

CHAPTER 4: ENVIRONMENTAL CONSEQUENCES TO THE STUDY REGIONS AND OPERATING BASE VICINITIES

CHAPTER 4 EXPANDS THE CHAPTER 2 ANALYSIS FOR EACH RESOURCE IN CHAPTER 3. ADDRESSING THE QUESTIONS RAISED IN SCOPING, CHAPTER 4 DISCUSSES THE FOLLOWING TOPICS ON A RESOURCE BY RESOURCE BASIS.

- THE REASON EACH RESOURCE IS IMPORTANT AND THE SOURCE OF SIGNIFICANT DIRECT AND INDIRECT IMPACTS
- THE INTERRELATIONSHIPS BETWEEN RESOURCES AND KEY CAUSES OF SHORT- AND LONG-TERM IMPACTS SUCH AS AREA DISTURBED AND POPULATION GROWTH
- MITIGATIVE MEASURES WHICH POTENTIALLY REDUCE IMPACTS
- A MATRIX OF POTENTIAL IMPACT SEVERITY BY GEOGRAPHIC AREA FOR THE PROPOSED ACTION AND EACH ALTERNATIVE

CHAPTER 5: APPENDICES

CHAPTER 5 CONTAINS AN M-X BASING ANALYSIS REPORT WITH APPLICATION OF SELECTION CRITERIA TO CANDIDATE BASING AREAS. ADDITIONAL SECTIONS INCLUDE:

GLOSSARY
ACRONYMS
LIST OF PREPARERS
DISTRIBUTION LIST

BIBLIOGRAPHIC NOTE
REFERENCES
INDEX

TABLE OF CONTENTS

	<u>PAGE</u>
5.1 M-X Basing Area Analysis Report	5-1
5.1.1 Summary	5-1
5.1.2 Introduction	5-2
5.1.2.1 M-X in a Multiple Protective Shelters (MPS) Basing Mode	5-2
5.1.2.2 Current Action	5-3
5.1.2.3 Environmental Screening	5-4
5.1.3 Basing Area Factors on Criteria	5-6
5.1.3.1 Factors Considered	5-6
5.1.3.2 Screening Criteria	5-8
5.1.4 Application of Criteria to Candidate Basing Areas	5-14
5.1.4.1 Nevada/Utah (Great Basin) (Reference Figure A-2, p. 28)	5-14
5.1.4.2 California (Mojave Desert) (Reference Figure A-3, p. 29)	5-15
5.1.4.3 Western Arizona (Sonoran Desert) (Reference Figure A-4, p. 30)	5-15
5.1.4.4 Arizona - New Mexico - SW Texas (Highlands) (Reference Figure A-5, p. 31)	5-16
5.1.4.5 West Texas/New Mexico (southern High Plains) (Reference Figure A-6, p. 32)	5-16
5.1.4.6 Colorado/Kansas/Nebraska (Central High Plains) (Reference Figure A-7, p. 33)	5-17
5.1.4.7 Summary Conclusions	5-18
Appendix A	5-23
5.2 Glossary	5-35
5.3 Acronyms	5-60
5.3.1 Acronyms	5-60
5.3.2 Chemical Symbols and Other Abbreviations	5-66
5.4 List of Preparers	5-67
5.5 Distribution List	5-81
5.5.1 Congressional Delegations: Nevada, Utah, Texas, and New Mexico	5-81
5.5.2 Federal Government Agencies	5-81
5.5.3 State Government Agencies	5-82
5.5.4 Local Government Agencies	5-83

	<u>PAGE</u>
5.5.5 National Organizations	5-84
5.5.6 State and Local Organizations	5-84
5.5.7 General Public	5-85
5.5.8 Location of Reference Copies	5-85
5.6 Programmatic Memorandum of Agreement	5-90
5.7 Bibliographic Note	5-100
5.8 References	5-101
5.9 Index	5-145

LIST OF FIGURES

<u>NO.</u>		<u>PAGE</u>
1	Range from coastline	5-20
2	Range from borders and coast	5-21
A-1	Candidate basing areas	5-27
A-2	Nevada/Utah basing area	5-28
A-3	California basing area	5-29
A-4	West Arizona basing area	5-30
A-5	Arizona/New Mexico basing area	5-31
A-6	West Texas/New Mexico basing area	5-32
A-7	Colorado/Kansas/Nebraska basing area	5-33
A-8	Basing Area Population	5-34

Accession For	
NTIS GEA&I	☒
ERIC TAB	☐
Unannounced	☐
Identification	
PER LETTER ON FILE	
Distribution/	
Availability Codes	
Avail and/or	
Dist	Special
A	

LIST OF TABLES

<u>NO.</u>		<u>PAGE</u>
Chart I	Evaluation of candidate basing areas	5-22
I	Siting criteria	5-26
II	Population within basing areas	5-34

5.1 M-X BASING AREA ANALYSIS REPORT

APPENDICES

5.1 M-X BASING AREA ANALYSIS REPORT

SUMMARY (5.1.1)

The continued growth of the Soviet strategic forces poses a serious threat to the survivability of the U.S. ICBM forces during the 1980s. The security of the U.S. and its allies has and will continue to depend upon the viability of the U.S. strategic forces. The ICBM is a unique and integral part of these forces and M-X deployment is critical to the maintenance of this deterrent force. The Department of Defense considers M-X in MPS its highest priority defense program and the Administration and Congress have confirmed its national importance and the criticality of its schedule.

➤ This paper describes the process used to select reasonable basing areas for M-X, concentrating on recent evaluations which led to the selection of two potential basing areas for further study. The selection process began in 1977 with consideration of the entire continental United States. This initial work surveyed basing needs, screened possible areas for M-X deployment, and finally identified six potential basing areas for deployment of M-X in Multiple Protective Shelters (MPS). Maps and descriptions of these areas are included in Appendix A. Previous criteria were augmented with military and operational considerations in order to identify which, if any, of the six potential basing areas were unreasonable to pursue. <

From a military point of view, it is unreasonable to deploy M-X in a manner which unnecessarily increases (1) potential vulnerabilities; (2) the risk of reduced effectiveness in the face of unforeseen changes in international relationships or technology; or (3) the time, cost, or manpower to acquire and operate the system. Criteria that reflect these factors were developed and used to evaluate the six potential basing areas. These criteria included distance from the coast, distance from international borders, and compatibility with local areas and activities. Two areas, Nevada-Utah and West Texas-New Mexico, were found to be reasonable basing choices for M-X deployment and will be further analyzed in the M-X Deployment Area Selection and Land-Withdrawal/Acquisition Environmental Impact Statement (EIS), which will be published in late 1980.

INTRODUCTION (5.1.2)

M-X in a Multiple Protective Shelters (MPS) Basing Mode (5.1.2.1)

The U.S. central strategic forces are in the words of the Secretary of Defense, "...the foundation on which our security rests." "Without them," he continues, "the Soviet Union could threaten the extinction of the United States and its allies, with them, our other forces become more meaningful instruments of military and political power."

The greatest strategic danger the United States faces in the strategic area is the capability the Soviets will have by the early 1980s to destroy a large portion of U.S. intercontinental ballistic missiles (ICBMs), using only a relatively small portion of their ICBMs. Soviet doctrine holds that, if war is imminent, the Soviets should launch preemptive counterforce attacks to limit damage to their homeland. Hence, the vulnerability of U.S. ICBMs not only reduces the U.S. retaliatory capability, but also is destabilizing in crisis situations because it increases Soviet confidence in their ability to execute an effective counterforce strike.

After several years of extensive analyses, the Department of Defense determined that the best way to respond to the Soviet strategic buildup and counterforce capability was to insure survival of a U.S. ICBM retaliatory force through deployment of M-X missiles in a number of Multiple Protective Shelters (MPS). In his endorsement of this Department of Defense plan the President pointed out that "M-X is needed not only to preserve our own national security, but also to preserve the security of our friends and our allies."

The decision to proceed with the development of M-X in a Multiple Protective Structure (MPS) basing mode has been viewed by the President as the most crucial strategic forces decision made by the United States in more than 15 years. According to the Secretary of Defense an overall assessment of national security requirements required a solution that permitted continuation of the TRIAD with confidence in the survivability of each leg. MPS, according to the Secretary, provides that solution by enabling us to continue deployment of our most accurate rapid reacting leg of the TRIAD (Conus based ICBM's) in a way that ensures with high confidence that they will remain survivable into the distant future.

The fundamental goal of MPS is to deter an attack by confronting the aggressor with a situation in which they would always have to use more of their force than they could expect to destroy. In response to the currently projected Soviet threat, about 200 missiles will be deployed in 4,600 shelters. The location of the missiles will be concealed, so the Soviets would have to attack all shelters to destroy the M-X. The number of shelters will be sufficiently large so that the Soviet Union would essentially exhaust its ICBM resources in an attack and still leave sufficient surviving U.S. ICBMs for a meaningful U.S. retaliation. As an added precaution, supplementary modes will be available to hedge against threat increases on unexpected Soviet capabilities to reduce the effectiveness of concealment procedures.

In his formal announcement (07 September 1979) the President reiterated the need for M-X in MPS.

"However, as a result of increasing accuracy of strategic systems, fixed land-based intercontinental ballistic missiles, or ICBMs, located in silos such as our Minuteman, are becoming vulnerable to attack. A mobile ICBM system will greatly reduce this vulnerability. Therefore, I decided earlier this year to proceed with full scale development and deployment of a new, large mobile ICBM, known as the M-X. I made this decision to assure our country a secure strategic deterrent now and in the future."

The President also listed five essential criteria he had established for the basing system - - criteria the system must satisfy wherever it is based.

"At the time that I made the decision to build the M-X, I established five essential criteria which the basing system would have to meet. First, it must contribute to the ability of the strategic forces to survive an attack. Second, it must be verifiable so as to set a standard which can serve as a precedent for the verifiability of mobile ICBM systems on both sides. Third, it must minimize the adverse impact on our own environment. Fourth, its deployment must be at a reasonable cost to the American taxpayer. And fifth, it must be consistent with existing SALT agreements and with SALT II goals of negotiating for significant mutual reductions in strategic forces."

Congress has also recognized the need for M-X in MPS and its urgency. While Congressional action has clearly shown concern for minimizing adverse economic and environmental impacts, it has also emphasized the importance of the system and the need to deploy the system as early as possible. The Department of Defense Supplemental Appropriation Authorization Act, 1979, contained the following:

"Sec. 202. (a) It is the sense of the Congress that maintaining a survivable land-based intercontinental ballistic missile system is vital to the security of the United States and that development of a new basing mode for land-based intercontinental ballistic missiles is necessary to assure the survivability of the land-based system. To this end, the development of the M-X missile, together with a new basing mode for such missile, should proceed so as to achieve Initial Operational Capability (IOC) for both such missile and such basing mode at the earliest practicable date."

Current Action (5.1.2.2)

The decisions explained in this paper are a part of a continuing selection process entailing the successive application of several sets of screening criteria and the identification of unacceptable or unreasonable basing areas. The process began several years ago with criteria involving geotechnical, cultural, safety, and other concerns, and it will continue until final, specific shelter sites are selected.

As the depth of the analyses increases, the breadth may decrease as accumulated information shows that some alternatives are unreasonable. By this process, the Air Force balances a variety of concerns - - military effectiveness, operational constraints, environmental impacts, resource efficiency, schedule risk, etc. Each stage of the screening employs criteria that, like most criteria, involve judgment. Clear breakpoints are unusual, but the preferred direction is usually obvious, and unreasonable alternatives are normally easy to distinguish.

Additional screening criteria reflecting military considerations were recently incorporated into the decision process. Through the examination of such factors as survivability, potential new threats, verification, preservation of missile location uncertainty, and interaction with other strategic forces, deployment criteria emerged which could be used to minimize actual and potential vulnerabilities, protect against unpredictable changes, and minimize resource requirements.

Reducing vulnerabilities to potential threats discourages the development of those threats. Unless the costs are exorbitant or there are obvious U.S. responses, the Soviets must be expected to take advantage of openings presented. Therefore, prudence dictates selection of a basing area or areas that not only considers the relatively short-term, predicted threat, but also minimizes vulnerabilities and facilitates effective U.S. responses to any potential threat.

A time horizon of at least 30 years should be used to cover the M-X operational lifetime. In a sense, planning for M-X is equivalent to having planned a strategic system over 30 years ago that would be viable today in spite of technological advances and changes in the world situation. Such planning would have had to be done in the late 1940s or early 1950s - - just prior to the first hydrogen bomb and the Korean War; 5 to 10 years before the first ICBM, the first satellite, and the Cuban Missile Crisis; 15 to 20 years before the first man on the moon and the Vietnam War; a time when the world's best computer could not compete with today's hand held calculators with their transistors and microelectronics; a time when the U.S. policy of containment was backed by unquestioned nuclear superiority. Unimagined changes will inevitably take place during the lifetime of M-X; planning requires great caution and careful hedging to accommodate future change with minimum impact on national security.

Hence, criteria were developed (Section 5.1.3) and used to evaluate the six potential basing areas, with the intent of providing reasonable protection relative to both expected and unforeseen problems (Section 5.1.4). The Nevada/Utah area and the West Texas/New Mexico area were found to be reasonable basing areas. The other four areas were found to involve unreasonable risks; therefore, no further evaluation of them was undertaken. Studies concentrated on the two reasonable alternative areas indicated above.

Environmental Screening (5.1.2.3)

Pursuant to the National Environmental Policy Act and DOD Directive 6050.1, the Air Force implemented an M-X environmental program which included the preparation of four Environmental Impact Statements (EIS). An EIS was prepared for the M-X Buried Trench Construction and Test Project. A second was prepared as an input to the Milestone II decision on full scale engineering development (FSED). FSED activities include preparation and publication of two EISs: one for use in the deployment area(s) selection and a second to be used as an input to the Milestone III decision for production and deployment.

The M-X Milestone II EIS compared the environmental effects of candidate basing modes by investigating the impact of deployment in seven Basing Mode Comparison Areas (BMCAs) of the United States. The BMCAs represented those regions in which suitable areas for basing M-X had been found. They were chosen after a careful screening of the entire nation using primarily geological and physical criteria.

First, coarse screening criteria were applied to the entire continental United States. This process excluded population centers, parks, Indian reservations, and other restricted-use areas from consideration. Intermediate and fine screening criteria applied to remaining areas excluded such things as parcels of aggregate land less than 500 square miles and areas with grades greater than ten percent.

For convenience, and because accumulations of suitable land could be grouped into large regions with relatively uniform environmental characteristics, the remaining land was grouped into these seven broad geographic areas:

Great Basin (most of Nevada and a portion of Western Utah)

Mojave (California)

Luke-Yuma (SW Arizona)

White Sands (Central and SW New Mexico)

West Texas (Panhandle)

High Plains (W. Central Texas, E. New Mexico)

S. Platte Plains (Nebraska, Colorado, and Kansas)

Studies leading to the Milestone II EIS used these areas to determine whether environmental considerations would show a preference for any of four candidate M-X basing modes (vertical shelter, horizontal shelter, hybrid trench, and slope-sided pool). Based upon this evaluation, the Air Force concluded that no one basing mode was, on balance, environmentally preferable to another. Although each basing mode had advantages and disadvantages that varied depending on the geographic areas considered, these differences were not significant enough to favor one basing mode over another. No attempt was made at that time to rank, select, or indicate a preference among basing areas.

However, two significant environmental factors common to all four basing modes became evident. First, a security approach which would restrict access to the aggregate basing area, termed area security, would require that extensive areas of land be reserved for exclusive Air Force use, a restriction which proved to be unacceptable. Second, as spacing between shelters increased, general deployment area requirements increased. Although actual land needed for exclusive M-X use remained constant, the total road requirements increased - - with associated impacts similarly increased.

The President decided against the area security system and directed the Air Force to adopt the point security system described in Chapter 1 of the EIS. In addition, extensive analysis of projected Soviet ICBM capabilities, nuclear effects, and shelter hardness was undertaken - - resulting in minimum spacing requirements. The current M-X baseline reflects these changes in the security system and spacing. It thus represents a balance between a variety of concerns.

Since the Milestone II EIS, the Air Force has continued to study and define the M-X/MPS system, permitting an evaluation of the interaction between potential

basing areas and military considerations. As a first step, the seven areas previously defined by environmental characteristics were redefined into six areas to reflect militarily logical deployment areas. The six areas are listed below. Maps and descriptions are included in Appendix A.

Nevada - Utah (Great Basin)

California (Mojave Desert)

Western Arizona (Sonoran Desert)

Arizona - New Mexico - Southwest Texas (Highlands)

Western Texas - New Mexico (Southern High Plains)

Colorado - Kansas - Nebraska (Central High Plains)

BASING AREA FACTORS AND CRITERIA (5.1.3)

Factors Considered (5.1.3.1)

This section covers a variety of factors which will be affected by the basing area selection. These factors reflect the essential criteria the basing system has to meet as established by the President. They will be used in Section 5.1.3.2 to define screening criteria.

Survivability

Assuring the enduring survival of a U.S. ICBM retaliatory force is the reason for M-X deployment. It is required to restore essential equivalence with the Soviets, through the maintenance of a survivable Triad.

The survivability of the M-X missile depends primarily on preservation of location uncertainty, or PLU. It is, therefore, not advisable to deploy M-X where PLU is difficult to maintain.

In the event that confidence in PLU is temporarily degraded, the system will contain supplementary mobility modes to restore PLU. One mode entails the movement of missiles to different shelters to reestablish concealment. Another allows the missile to be in motion between shelters but still able to reach the nearest shelter within the flight time of SLBMs.

These supplementary modes not only protect the survivability of the system in spite of an unforeseen failure in PLU, they also serve to discourage large Soviet efforts devoted to breaking PLU by reducing the payoff. Hence, it is important to deploy M-X where operation in a backup mobility mode is feasible and relatively invulnerable to enemy attack options.

In addition, survivability even in the face of unforeseen events or greater-than-expected threats is also crucial, and provisions have been made for such cases. In the event the Soviets decide to abandon all arms control constraints and undertake a massive "arms-race" buildup to attack M-X, the United States is maintaining, within the constraints of the Anti-Ballistic Missile Treaty, the option

to deploy a ballistic missile defense (BMD). As with supplementary mobility modes and PLU safeguards, the BMD option will help deter a massive Soviet buildup and it is, therefore, wise to deploy the M-X where the optional BMD system will be effective and relatively invulnerable.

The employment and deterrent value of M-X requires survivable, reliable communications. In addition, many essential actions, such as transmittal of launch orders, backup mobility mode instructions, Ballistic Missile Defense (BMD) activation, etc., require time-critical communications. Precautions against Soviet disruption of these communications are, therefore, required.

Peacetime Command, Control, and Communications will primarily use a fiber optic cable network connecting the shelters to ground-based Operational Control Centers (OCC). The OCCs are planned for peacetime operations. This peacetime system will be secure and equally effective regardless of the location of the deployment area. Soviet attempts to disrupt peacetime communications are not expected.

For M-X to remain effective, its C³ system must operate during and after an all-out attack. Such an initial attack would probably destroy the OCCs and disrupt the fiber optic network. The system would then make a transition to radio as its primary C³ mode. Surviving missiles would use a Medium Frequency (MF) radio system to relay missile readiness status and targeting information among themselves and to surviving command authorities.

If the OCC is lost in the post-attack period, information to and from the M-X missile force will be passed through an Airborne Launch Control Center (ALCC). Various radio systems will connect the ALCC to the National Military Command System (NMCS), which consists of separate ground and airborne C³ facilities. The NMCS is the primary link from the President to his strategic forces.

ALCCs will not be able to operate over missile fields, due to potential nuclear effects from an attack on the field. Instead, they will operate outside the M-X field but within 200 mi of it in order to maintain a communication connectivity with the missiles. The location and size of the planned ALCC operating area provides relative immunity from base of the M-X ALCC while allowing acceptable communications between the ALCC aircraft and surviving missiles.

Verification

Adequate verification is the foundation of arms control and as such is a criterion for M-X MPS deployment. Not only must M-X be consistent with existing Strategic Arms Limitation (SAL) agreements and goals to negotiate mutual arms reductions, it must also set standards for verifiability of mobile ICBM systems on both sides. As a result, the Air Force developed verification procedures that were incorporated into the M-X system, several of which can be affected by activities in the basing area. These verification requirements were, therefore, used (Section 5.1.3.2) to help develop screening criteria.

Cost

Military effectiveness depends on the cost-effectiveness of component military force - - inefficiencies in one area are paid for with degraded capabilities

elsewhere. Thus, the M-X/MPS system design must minimize acquisition and operating cost, conserve resources, and avoid circumstances that would increase manpower needs. To the extent that cost is influenced by basing location, cost will be an element in screening criteria (Section 5.1.3.2).

The remaining criterion listed by the President concerns minimizing any adverse impacts of the system. The Department of Defense therefore has the responsibility in the screening process of minimizing environmental and socioeconomic impacts. For this reason costs should not automatically be reduced or eliminated whenever they do not contribute to military effectiveness. A careful consideration of many factors is required to determine which costs are reasonable or necessary and which should be avoided. Such careful consideration is an integral part of the continuing analyses and tradeoff studies which the Department of Defense already conducts during the system acquisition process and in the planning, programming, and budgeting process.

Screening Criteria (5.1.3.2)

Based on the factors in Section 5.1.3.1, three screening criteria were developed: distance from the coast; distance from international borders; and compatibility with the local area and activities. The rationale for and explanation of these criteria follow.

Distance From the Coast

The rationale for moving inland is that distance generally reduces the effectiveness of threatening sea-based forces. For physical threats such as aircraft or missiles, added distance directly increases the time needed to reach the target, increases probable warning time, and allows more time for defensive reactions. For electromagnetic threats, power requirements which are often limited to "line-of-sight" or "ground-wave" distances, can increase in relation to distance. Line of sight and ground wave distance become particularly important in a postattack environment where the ionosphere would be saturated thereby precluding its use to reflect Radio Frequency (RF) signals beyond line of sight.

Examples of the importance of distance from the coast in relation to specific types of threats are given below. While they cannot be inclusive of all potential future threats, they can be used to support a judgment of reasonable distance requirements.

Submarine-launched Ballistic Missiles (SLBMs)

SLBMs can threaten the M-X system while the missile is on its transporter outside a shelter unless steps are taken to insure sufficient time to provide warning, make decisions, move to another close-by shelter, insert the missile, and close up. Current Soviet submarine patrol areas and SLBM flight times will not pose a serious problem in any of the candidate basing areas. However, deployment areas at greater distances from the coast provide greater protection against potential advances in SLBM technology or changes in Soviet submarine deployment areas by providing additional reaction time for backup mobility modes. This additional time increases operational flexibility and confidence in successful implementation.

Jamming from Sea-based Forces

Another post-attack concern is the susceptibility to jamming of the MF radio communications links to and among surviving missiles. It must be anticipated that the Soviet Union would try to disrupt communications by a combination of direct attack and electronic interference. All potential deployment areas would be vulnerable to some post-attack Soviet jamming threats. However, a greater distance between C³ nodes and the jamming threat places the side trying to jam at more of a disadvantage and facilitates countermeasures. Because M-X internetworked C³ nodes will complicate jamming attempts, potentially effective Soviet jammers would probably be too large to deploy covertly on U.S. land and would require a ship or deployment area beyond the control of the United States. In the specific case of off-coast jamming threats using line-of-sight or ground-wave RF propagation, the deployment areas further inland would be considerably less vulnerable to jamming.

Cruise Missiles

Currently, there is no projected cruise missile threat against M-X. It is nevertheless prudent to provide reasonable protection from cruise missiles launched off the coast of the United States both to facilitate responsive action and to avoid motivating the Soviets to develop and deploy such a threat.

Added distance will raise the performance requirements of the cruise missile, enhance warning probability and reaction time, and increase intercept opportunities. In addition, if the range required to strike M-X exceeds 600 km (373 mi), the cruise missiles would have to be counted under the terms of SALT II.

Exotic Sea-Based Threats

M-X in MPS will be operating well into the next century and should, therefore, be provided reasonable protection against high-technology, long-range threats. Examples of such threats are radar homing missiles to suppress BMD radars during reentry of Soviet ICBM warheads, missiles with advanced sensors to attack missile transporters, and aircraft or ship-based interceptors to attack M-X during its boost-phase ascent. As with cruise missiles, added distance enhances warning, increases reaction time, and can deter Soviet development of such threats.

Potential technological advances over the next 10 to 30 years mean a boost-phase interceptor could be developed to attempt to catch the M-X missile after it is launched. However, the effective distance of a boost-phase depends strongly on the position of the interceptor relative to the M-X launch trajectory. Since M-X would probably launch northward over land, interceptors off the U.S. coast would be far from their optimum launch point, and their effective range would be limited to about 200 to 300 mi.

Criterion Definition

The above factors were considered in conjunction with potential protection provided by U.S. territorial waters and the ability to deploy U.S. forces in and over international waters. While firm breakpoints were not evident, general ranges of acceptability could be defined. All the above factors taken together, indicated that basing M-X 500 or more mi from the coast would preclude unnecessary introduction

of significant risks and greatly facilitate responses to unforeseen threats. As distance decreased below 500 mi, risks and response difficulties increased accordingly, with concerns becoming increasingly serious between 300 to 200 mi from the coast. Deployment less than 200 mi from the coast would entail unreasonable risks and would be worthy of further consideration only if deployment further inland proved impossible. Figure 1, p 5-20, depicts ranges from the coast.

Distance From International Borders

The logic for deploying M-X away from borders is similar to the logic for the "distance from the coast" criterion - distance reduces vulnerabilities to unforeseen threats. Additionally, the land surrounding the M-X deployment area should be U.S. territory to avoid international complications in any investigation of suspicious activities and to inhibit meaningful intelligence collection. National jurisdiction over such land will provide timely control of activities that represent a danger to U.S. national security interests without a commitment of cooperation from foreign governments.

Distance from non-U.S. territory reduces the possibility of a haven for covert activities and precludes an enemy attack on the M-X system without penetration of U.S. borders and flight over U.S. territory. Therefore, the greater the distance from borders, the greater the enemy resources required to threaten M-X and the lower the chance of success because U.S. detection probability and warning time will be increased and response facilitated.

Examples of how distance from international borders can reduce potential risks are given below. While these examples cannot be inclusive of all potential future threats, they can be used to support a judgment on reasonable distance requirements.

Enhancement of PLU

Because the effectiveness of M-X depends on PLU complemented by mobility, a full spectrum of countermeasures is an integral part of the M-X program. Simulators in the M-X baseline provide the basis for a successful PLU program. Continual evaluation of potential new or improved means of detecting the M-X will identify unforeseen susceptibility and incorporate countermeasures. Sweeps of the deployment areas will be routinely made to uncover implanted sensors. Distance from another country's borders is especially important if M-X is to be protected from covert sensors.

Sensors generally depend on transmission of energy through the ground or through the air. Transmissions through the ground are greatly reduced by abrupt changes in geology (e.g., alluvial valley to rocky mountains) making many modest sized valleys preferred over a few large valleys or plains. Transmissions through the air are generally "line-of-sight" and depend on altitude-distance relationships.

Increased distance from another country's sovereign territory limits the effective use of either ground or line-of-sight transmissions. It would, therefore, add an element of protection during periods of temporary PLU sensitivity between development of new or improved sensor threats and deployment of countermeasures. In addition, reduced sensor effectiveness should reduce the cost and time needed to

develop and deploy countermeasures. Compared to potential physical threats to M-X, sensor threats are concerns over relatively short distances. Based on an assessment of sensor technologies and the program to maintain PLU, threats with an effective range of over a few miles are not currently envisioned. However, it is prudent to remove any chance that an ambiguous situation could be exploited to cast doubt on the security of survivability of the M-X force. A buffer zone of 100 to 200 mi from international borders is advisable.

Active Enemy Actions

Many of the same concerns used to develop the "distance from the coast" criterion are valid in determining reasonable "distance from the border" requirements. In time of strife, the United States could control activities within its borders but could not depend on controlling activities outside its borders. Non-U.S. territory could provide potential aircraft approaches or covert deployment areas for a variety of threats against M-X: jammers, cruise missiles, threats to a potential BMD system, even boost-phase interceptors.

Concerns about sea-based threats are moderated by several factors. First and foremost, the United States currently enjoys friendly relations with its neighbors and, to the extent possible, they would oppose Soviet use of their sovereign territory. Second, because the Soviets would not be able to use their submarines or ships as launch platforms, the size of equipment they could use without overt deployment would be limited. Third, in the case of Mexico, a boost phase interceptor would have to chase and catch an M-X missile which would be launched northward limiting the effective intercept distance to under 200 mi.

On the other hand, protection comparable to that afforded by U.S. territorial waters and the ability to position U.S. forces in and above international waters would not be available should these threats materialize.

Criterion Definition

In view of all of the above factors taken together, it was considered that basing M-X more than 500 mi from an international border would preclude unnecessary introduction of significant risks and greatly facilitate responses to unforeseen threats. As distance decreases below 500 mi, risks and response difficulties increase accordingly, with concerns becoming serious between 300 to 200 mi from an international border. Deployment less than 200 mi from an international border would entail unreasonable risks and would be worthy of further consideration only if other basing areas proved impossible. Figure 2, p 5-21, depicts ranges from international borders.

Compatibility With Local Area and Activities

Studies are under way to analyze the environmental and socioeconomic impact of proposed actions and develop ways to minimize adverse impacts. The reverse process is also required; namely, to assess how the local area and activities will affect military effectiveness and operational procedures.

If M-X is deployed in an area with substantial existing activities and a relatively high population density, siting actions must, to the extent possible, avoid

plots of land with relatively high use and development. Since the Air Force will have to work with the local population for the life of the system, mutually supportive community relations are very important. It is Air Force policy to avoid condemning land or restricting its use except where no reasonable alternative exists.

One way to mitigate local impacts is to site around existing buildings. Such siting would either decrease or increase the spacing between shelter sites relative to baseline levels. Reducing spacing would make the shelters vulnerable to multiple kills by single Soviet reentry vehicles and would involve deploying shelters and building roads in a non-optimum manner. Increased distances between shelters increases the total area affected by deployment, time lines for mobility modes, manpower, and equipment requirements. Either way, the need to deploy sites around existing structures will affect acquisition and operating costs and lessen M-X effectiveness.

Impact of Land Use on M-X Operations

From the onset of the M-X program, land use has been a primary consideration. Included in this consideration are desires to minimize acquisition of land for exclusive M-X use, to maximize use of public land rather than private, and to avoid unnecessary use of productive land. Not only is careful attention to land use consistent with DOD policy and the Air Force's interpretation of Congressional intent, it also, as explained in the next two sections, enhances verification, facilitates PLU activities, and tends to minimize operational costs.

Obtaining private land, whether owned by individuals or non-federal jurisdictions, may require condemnation if owners will not voluntarily sell or if condemnation is the only means of obtaining clear title. Siting regions containing large amounts of private land are relatively undesirable because of public reaction to condemnation procedures.

Acquiring private land may entail significant cost and schedule risks. The legal requirement to pay severance damages plus the complicated process of identifying large numbers of individual tracts and owners, determining property values, making offers to buy, and, if necessary, condemning land, makes the entire procedures uncertain in terms of cost and time. The Air Force has the constitutional statutory power to take land over an individual owner's objections, but the option is extremely undesirable and is a last resort.

Public Law 96-29, dated 27 June 1979, Department of Defense Supplemental Appropriation Authorization Act 1979, Section 202 b states "...it is the sense of the Congress that the basing mode for the M-X missile should be restricted to location on the least productive land available that is suitable for such purpose."

The discussion in Congress indicated that the intent was to minimize acquisition of agriculturally productive land for M-X deployment. Therefore, basing areas that avoid agricultural activities are preferred. As discussed in the next two sections, this policy is also consistent with minimizing operational costs and enhances verification and PLU activities.

Verification

The open society that exists in the United States increases opportunities for the Soviet Union to verify the number of M-X missiles produced and deployed. However, M-X must still be verifiable by National Technical Means, both to set verification standards for Soviet mobile missile systems and to vitiate any Soviet contentions the M-X is not allowable under SALT agreements. Several characteristics aid verification and will be incorporated into the M-X/MPS system.

Provisions have been made for post-deployment inspection wherein a portion of the M-X field is uncovered so the number of missiles in a defined area of cluster can be counted unambiguously. A key to this process is assurance that missiles cannot be moved out of the field selected for inspection before the inspection actually takes place. To this end, normal roads into clusters will be barricaded to prevent missile "escape" without leaving obvious signs. (Means will be provided so that public and commercial vehicles, which are much smaller than a missile transporter, will be able to bypass the barricades.) Transit via other routes is normally prevented because the one million pound transporter could not easily traverse unprepared land and would leave observable tracks in the dirt for long periods of time.

As a result, well-prepared "escape" routes, very smooth land areas, and high levels of plowing or other agricultural activities that could be used to erase unauthorized missile tracks will be incompatible with high verification standards unless normal activities are restricted during inspecting periods.

On the other hand, areas with minimum agricultural activity are highly compatible with verification standards. Furthermore, verification is enhanced if areas have little rail or heavy truck traffic to mask missile movement or provide ambiguous signals and few nearby facilities large enough to assemble, store, or hide missiles. Confidence in verification would be even further enhanced if natural barriers such as mountains can be used to isolate the deployment area from potential missile assembly facilities.

Preservation of Location Uncertainty

Location uncertainty depends in some degree on a physical security system to indicate potential espionage activity very close to the shelters. This system, which includes security patrols and various sensors such as radar, is defined in Chapter I, paragraph 1.2.2.4.

The efficiency of the security system depends on determining if activity near a shelter merits investigation. A high degree of activity would lead to an inherent increase in false alarms, increasing security force requirements, and resulting in greater manpower and operating costs.

Areas expected to have high population densities are, therefore, less operationally attractive than are areas with low densities. (Note: M-X would cause population growth in any of the candidate basing areas, but the addition of M-X would not be expected to change the relative population density ranking of each area.)

It is anticipated that periodic sweeps of the land around the shelters will be required to verify that sensors have not been surreptitiously implanted in an attempt

to determine missile locations. Such sweeps would be most compatible with undeveloped land and range land. Farmers may well object to people walking through their fields, and plowed fields make it harder to detect sensor implantations. Sweeps would not be compatible with extensive agricultural activities which in themselves disturb the land.

Criterion

Because the "compatibility with local area and activities" criterion contains a number of factors, this criterion is difficult to define in a straightforward manner. However, compatibility tends to depend on three highly correlated characteristics. Areas with very low rural populations, low activity levels, and primarily undeveloped land should be highly compatible with the M-X system and involve no significant operational problems. Areas with a modest rural population, low-to-medium activity levels, and primarily undeveloped land or rangeland are considered reasonable deployment areas; problems would increase, but could be solved with reasonable measures. Areas with high rural populations, high activity levels, or which are predominantly agricultural, are considered unreasonable basing areas.

APPLICATION OF CRITERIA TO CANDIDATE BASING AREAS (5.1.4)

This section provides the results of an evaluation of each of the six candidate basing areas using factors and criteria, the results of which are summarized in Chart 1, p 5-22.

Nevada/Utah (Great Basin) (Reference Figure A-2, p 5-28) (5.1.4.1)

Description

The suitable land in this area is mostly public land composed of valleys separated by mountains. Most of the acreage is rangeland with relatively few livestock, due to sparse vegetation. The land is made up primarily of desert shrubland with some areas containing small trees and brush.

The rural population in Nevada and Utah is very low, compared to other areas, with most rural residents in small towns. Inhabitants in outlying areas are widely separated except along cultivated river valleys. The Great Basin area contains no major population centers internally, but several are located south, east, and northwest, accessible by major highways. Siting alternatives removed from major urban centers are possible.

Evaluation

The area is located 300 to 500 mi from the coast (rated as having reasonable risks) and 300 to 500 mi from international borders (reasonable risks). Compatibility with M-X is rated high.

Minimum acquisition of private land is anticipated, including transportation right-of-ways in narrow valleys. Roads built for M-X would be available for local use. M-X in MPS would be compatible with other productive land uses and no significant agricultural impact is anticipated.

Due to the very low rural population and activity levels, basing of M-X in the area would require very few siting actions that would increase overall system costs. For the same reasons, the area is highly amenable to unambiguous verification and efficient PLU measures.

Overall, the Nevada/Utah area was considered a reasonable basing area for M-X in MPS, and in-depth environmental analyses have been directed for this area.

California (Mojave Desert) (Reference Figure A-3, p 5-29) (5.1.4.2)

Description

The suitable land in this area is also mostly public land composed of valleys separated by mountains. Most of the area has relatively little rangeland or agriculture, although both activities are present in the western portions of the area. The noncultivated areas are primarily desert shrubland. Overall rural population is significantly greater than the Nevada/Utah area, but still reasonably low. Population in the eastern portion of this area is comparable to the Nevada/Utah area.

The area is close to the greater Los Angeles population center and to Las Vegas, but is isolated from both by mountains. Major transportation corridors cross these barriers and transit the candidate area. These corridors provide access to the area for the large numbers of people from the Southern California area, and the M-X roads would improve access to off-highway land. It is expected that activity in some parts of the deployment area, primarily those portions with recreational attractions, could be high.

Evaluation

The area is located within 200 mi of the coast (rated as having unreasonable risks) and stretches between about 50 to 300 mi from the U.S.-Mexican border. (Over 60 percent of the area is rated as having unreasonable risks.)

Compatibility with M-X is rated as reasonable although access for visitors from the greater Los Angeles area via major highways may lead to verification and PLU difficulties in some part of the deployment area. (Parts of the western portion of the area would not rate as reasonable, but there is sufficient land in the overall area to avoid them.)

Overall, due primarily to the risks entailed in deployment within 200 mi of the coast, this area was not considered a reasonable alternative and was not selected for further study.

Western Arizona (Sonoran Desert) (Reference Figure A-4, p 5-30) (5.1.4.3)

Description

This area is 90 percent public land made up of valleys separated by mountains. It is composed of desert shrubland used for grazing. Rural population is within reasonable limits. The area is easily accessible from Yuma, Phoenix, and Tucson via major highways and may be expected to attract visitors for recreational purposes.

Evaluation

The majority of this area is located 200 - 300 mi from the coast (reasonable risk), but it is within 200 mi of the United States-Mexican border (unreasonable risk).

Compatibility with M-X is well within reasonable limits, although somewhat lower population and activity levels would be more desirable.

Overall, however, due to the risks entailed in deployment within 200 mi of an international border, this area was not considered a reasonable alternative and was not selected for further study.

Arizona-New Mexico-SW Texas (Highlands) (Reference Figure A-5 p 5-31) (5.1.4.4)

Description

The suitable land in this area is more than 50 percent privately owned. It is composed of large valleys separated by mountains and is primarily semi-arid grassland and desert shrubland used for rangeland.

The rural population is reasonably low, but the area is accessible from Tucson, Arizona, and El Paso, Texas, via major highways.

Evaluation

The area is located from almost 400 to more than 600 mi from the coast (reasonable risks in western portion, not significant risks in eastern), but is less than 200 mi from the United States-Mexican border (unreasonable risk). Compatibility with M-X is considered reasonable.

The large percentage of privately held land would undoubtedly result in deployment of some shelters on land that is now private. To minimize the impact, siting actions would be required that would tend to increase M-X costs. Nonetheless, no insurmountable difficulties or impacts are anticipated that would cause an unreasonable rating on compatibility for this area.

Overall, due primarily to the risk entailed in deployment within 200 mi of an international border, this area was not considered a reasonable alternative and was not selected for further study.

West Texas/New Mexico (Southern High Plains) (Reference Figure A-6, p 5-32) (5.1.4.5)

Description

The suitable land in this area is 95 percent privately owned. It is composed primarily of relatively smooth plains, used for rangeland and crops such as wheat, cotton, barley, and rye.

The rural population is comparable to the other areas with the exception of Nevada/Utah. The northern portion of this area is not as densely populated, nor

does it contain as extensive a highway and secondary road network as the southern portion. However, taken as a whole, this area contains the greatest resident population of any of the candidate areas. The region is not likely to draw large numbers of visitors seeking recreation.

Evaluation

This area is located over 500 mi from the coast (no significant risks) and over 200 mi from the United States-Mexican border (reasonable risks). Compatibility with M-X is rated as reasonable, although there are some concerns.

Deployment would require private land acquisitions and land use restrictions as well as siting actions to minimize impacts on current activities. Sufficient rangeland suitable for M-X deployment apparently exists so that acquisition of agricultural land can be largely avoided. However, detailed studies will be required to determine the specific impact on agricultural productive land.

The rural population is within reasonable limits. Therefore, if agricultural land can be largely avoided, the verification and PLU operations affected by people and agricultural activities should not entail unreasonable risks. In fact, deployment of M-X on private land may enhance PLU because landowners may restrict transient traffic.

Verification, however, may suffer if deployment is in a plains area since the natural clustering advantage of valleys and mountains will be lost, and high confidence in post deployment inspection may require construction of artificial barriers.

Overall, while some potential risks and problems were identified, this area was considered a reasonable M-X basing area alternative. Therefore, in-depth environmental analysis has been directed for this area.

Colorado/Kansas/Nebraska (Central High Plains) (Reference Figure A-7, p 5-33) (5.1.4.6)

Description

The suitable land in this area is almost completely privately owned. It is composed of plains land, used predominately for raising crops such as wheat, sorghums, rye, and barley.

The rural population is comparable to the other candidate areas with the exception of Nevada/Utah. As determined by county figures, the population is evenly distributed. Although no major population centers are within or adjacent to the deployment area, a number of medium-sized towns and marketing centers are spread throughout the suitable lands, and the area is accessible by major highways. The area is not expected to draw a large number of visitors.

Evaluation

This area is located over 500 mi from the coast (no significant risks) and over 500 mi from an international border (no significant risks). However, as explained below, the local area and its activities are not reasonably compatible with M-X.

Basing in this area would be contrary to Congressional intent that M-X should be restricted to the least productive land available. Because the system would have to be deployed on cultivated land, impacts on agriculturally productive land could not be avoided--even with extensive siting actions to avoid acquisition of land with houses or facilities large enough to assemble or hide missiles. (Such facilities would be contrary to verification principles.)

Operational costs would be increased by such siting actions, verification would be hampered by both the lack of natural valley clustering and ambiguous activities and facilities, and confidence in PLU with its security system and periodic sweeps would be more difficult and costly to maintain in a highly cultivated and active area.

An additional screening factor became evident during the evaluation of the Colorado-Kansas-Nebraska area. Because the prime system for M-X post-attack C³ will rely on ALCC aircraft operating within 200 mi of the M-X field, other nearby targets were evaluated to assess how an attack on them would affect M-X operations.

Of the six potential basing areas, this area has, by far, the greatest number of high-value targets that the Soviets would most likely attack, including an adjacent Minuteman field, a Titan II field, NORAD Headquarters in Colorado Springs, and SAC Headquarters at Offutt AFB in Nebraska.

The large number of other targets near the potential M-X field will both constrain C³ operations by limiting ALCC operating areas (or ground mobile control center operating areas) and provide the Soviets with a no-cost opportunity to reduce U.S. ICBM effectiveness through collateral damage effects. In view of the problems caused by other high-value targets in the area, the Colorado-Kansas-Nebraska area was judged to be the least operationally suitable of the potential basing areas.

For these reasons, this area was found to be an unreasonable alternative and worthy of consideration only if other basing areas prove to be impossible.

Summary Conclusions (5.1.4.7)

In general terms, operational difficulties and risks to M-X military effectiveness will be minimized by three basing provisions: deployment at a reasonable distance from the coast, deployment at a reasonable distance from international borders, and deployment in an area where M-X in MPS would be compatible with existing activities.

The California area was not selected for in-depth environmental analysis because it did not provide sufficient distance from the coast. The Western Arizona and Arizona-New Mexico-SW Texas areas were not selected for further study due to their proximity to an international border. The Colorado-Kansas-Nebraska area was not selected for further study because of incompatibility with M-X deployment and operational considerations.

In following the "horseshoe" pattern from Nevada/Utah, through California, Arizona, New Mexico, and Texas, to the Colorado-Kansas-Nebraska area, three

M-X Basing Area Analysis Report

trends were evident: (1) The percentage of private land tends to increase; (2) lands tend to be predominately agricultural; and (3) population becomes relatively evenly distributed.

All three trends are indicative of increasing military and operational problems associated with M-X deployment. The problems can be overcome, but the difficulties will increase as one moves around the "horseshoe" until, in the Colorado-Kansas-Nebraska area, the concerns, combined with problems due to other nearby high-value targets, were sufficiently serious to decide not to select it for further study.

The two remaining areas, Nevada/Utah and West Texas/New Mexico, were both considered reasonable alternatives, although information collected to date indicates that Nevada/Utah is the preferred area for M-X in MPS.




Figure 1. Range from the Coastline

2639C




Figure 2. Range from Borders and Coast

2638 C

CHART 1. EVALUATION OF CANDIDATE BASING AREAS

<u>CANDIDATE AREA</u>	<u>RISK DUE TO DISTANCE FROM COAST</u>	<u>RISK DUE TO DISTANCE FROM BORDER</u>	<u>COMPATIBILITY WITH LOCAL AREAS AND ACTIVITIES</u>	<u>SELECTED FOR FURTHER STUDY</u>
Nevada- Utah	Reasonable	Not Significant	High	Yes
California	Unreasonable	Unreasonable in Southern Half	Reasonable	No
W. Arizona	Reasonable	Unreasonable	Reasonable	No
Arizona- New Mexico- SW Texas	Reasonable	Unreasonable	Reasonable	No
West Texas- New Mexico	Not Significant	Reasonable	Reasonable	Yes
Colorado- Kansas- Nebraska	Not Significant	Not Significant	Unreasonable	No

M-X Basing Area Analysis Report

Description of Candidate Basing Areas

Appendix A

Areas within United States which can be considered for siting the M-X system have been determined through the screening process. The criteria employed during this process is summarized in Table I, p 5-26. The land areas remaining after application of screening criteria are called geotechnically suitable areas. They total about 83,000 mi² and are scattered throughout the southwestern portion of the country.

The land considered geotechnically suitable for M-X deployment is divided into the six candidate basing areas shown and depicted as the shaded area in Figure A-1, p 5-27. The candidate areas are identified as Nevada/Utah, California, Arizona, Arizona/New Mexico, Texas/New Mexico, and Colorado/Kansas/Nebraska. If a boundary were drawn around each of these areas, each candidate would encompass about 8,500 or more mi². This is sufficient land to accommodate a deployment of about 4,600 M-X shelters and associated facilities.

Figures A-2 through A-7, pp 5-28 through 5-33, show pertinent details of each of the six candidate basing areas. The specific geotechnically suitable land is shown as a shaded area on each map. Overlaid on the background of each map are county and state boundaries. Interstate, principal, and other major through-roads which traverse each area are also indicated. Cities and towns listed in Reference 1, p 5-25, are shown. Large dots indicate communities for which a population is recorded in either References 1 or 2. Small dots indicate communities for which no population is recorded in these two sources.

Table II, p 5-34, summarizes urban and rural population in the immediate vicinity of the basing areas. The adjacent urban population is determined by summing the population of all cities and towns whose center was within 5 mi of a shaded area. The rural population figures are gross estimates of the people living in the shaded areas on the maps and are determined as follows: The rural population in each affected county was computed by subtracting urban population from total population in Reference 3. Rural density throughout each county is then assumed to be the rural population divided by the area of the county from Reference 3. Finally, the rural population living on the shaded area in county is computed and then summed for the entire candidate-basing area.

There are some obvious oversimplifications in this process. Rural population is not uniformly distributed throughout each county. This is true of Maricopa County in Arizona, which contains Phoenix, and in Nevada, which has mountainous areas. Also, it is likely that a significant fraction of the rural population resides within one mi of towns and major highways which are excluded from M-X siting. Nevertheless, it is a consistent computation process applied to each basing area and provides relevant comparative data. Figure A-8, p 5-34 shows these comparisons in bar-chart form.

REFERENCES

1. Rand-McNally Road Atlas, 1980.
2. "Population Estimates and Projections," Series P-25, October 1979, Bureau of the Census.
3. County and City Data Book, 1977, Bureau of the Census.

Table I Siting Criteria

Areas exclusive of:

- All significant federal and state parks, monuments, forests, and grasslands; historic sites; game preserves and refuges; public lands set aside to preserve areas with unique recreational, historical, and natural values; and areas within one mile of their boundaries.
- Indian reservations and areas within one mile of their boundaries.
- Areas within five miles of international borders.
- Communities and areas within:
 - 20 miles of cities over 25,000 population
 - 3.5 miles of cities between 5,000 and 25,000
 - 1 mile of cities less than 5,000 population
- High potential economic resource areas, including oil and gas fields, strippable coal, oil shale and uranium deposits, and known geothermal resource areas, and areas within one mile of their boundaries.
- Industrial complexes such as active mining areas, tank farms, and pipeline complexes.
- Areas within one mile of major buried and surface electrical transmission lines ($>115\text{kV}$), communication lines, oil and gas pipelines (>4 inch diameter), state and federal paved highways, railroads, large energy or water conveyance projects, military bases, and missile sites.
- Areas with rock or water within 50 feet of the surface.
- Areas with slopes exceeding 10%, or otherwise unsuitable topography (numerous steep slopes, deep drainages, etc.).

4059




Figure A-1. Candidate Basing Areas

2641C





Figure A-2. Nevada-Utah Basing Area



2642-C

Figure A-3. California Basing Area




Figure A-4. W. Arizona Basing Area

2643-C





Figure A-5. Arizona-New Mexico Basing Area



2645-C

Figure A-6. West Texas-New Mexico Basing Area





Figure A-7. Colorado-Kansas-Nebraska Basing Area

Table II. Population Within Basing Areas

Candidate Basing Area	Population	
	Urban ¹	Rural ²
Nevada-Utah	4,922	1,215
California	51,811	21,980
Arizona	77,670	13,183
Arizona-New Mexico	57,361	9,449
New Mexico-Texas	83,921	15,504
Colorado-Kansas-Nebraska	55,479	15,123

¹Towns within five miles of siting parcels
²Weighted rural density times 8,550 square miles



2647-C

Figure A-8. Basing Area Population

5.2 GLOSSARY

5.2 GLOSSARY

Acre-Foot	The volume of water 1 foot deep, required to cover 1 acre (43,560 cubic feet).
Acquisition	Acquire by a lawful procedure (withdrawal), exchange, purchase or other means.
Adjudicate	To hear or try and determine judicially.
Aerobic	Pertaining to life, conditions, or activity requiring the presence of oxygen.
Aggregate Source	Gravel pit or rock quarry providing gravel for roads or concrete.
Airborne Launch Control Center (ALCC)	A specially-equipped aircraft that carries the necessary equipment and people to launch missiles upon proper direction.
Air Force Regional Civil Engineer - M-X (AFRCE-M-X)	The Air Force organization charged with planning and programming facility construction, including environmental studies. The AFRCE-M-X is co-located with and works in coordination with the Ballistic Missile Office.
Air Force Systems Command (AFSC)	The major Air Force command with responsibility for research and development activities. HQ AFSC is located at Andrews AFB, Maryland.
Air Quality Classes	Classes established by Congress in the Clean Air Act Amendments (1977) that define the amount of air pollution considered signifi-

cant within an area. Class I applies to areas where almost any change in air quality would be considered significant; Class II applies to areas where the deterioration normally accompanying moderate well-controlled growth would be considered insignificant; and Class III applies to areas where deterioration up to the national standards would be considered insignificant.

Air Quality Modeling

A quantitative technique of estimating the pollutant concentrations resulting from an emissions source.

Air Quality-Mandatory Class I Areas

Areas designated in the Clean Air Act Amendments (1977) where degradation of the ambient air quality is highly restricted. All international parks, national wilderness areas, and national memorial parks which exceed 5,000 acres in size and all national parks which exceed 6,000 acres in size are Mandatory Class I areas.

Alkali Flat

A level surface of land with a soluble salt or mixture of soluble salts present in the soil in such quantities as to be detrimental to agriculture.

Allotment Management Plan (AMP)

A livestock grazing management plan dealing with a specific unit of rangeland, based upon multiple use resource management objectives. The Allotment Management Plan (AMP) considers livestock grazing in relation to other uses of the range and in relationship to non-renewable resources (i.e., watershed, vegetation, wildlife, etc.). An AMP establishes the period of use, number of livestock and the range improvements needed for development.

Alluvial Fan

A fan-shaped landform made as a stream deposits material because of a change in the ability of the stream to transport sediment, such as when a stream leaves a narrow mountain canyon and enters a broad valley.

Alluvium

Clay, silt, sand, and gravel or other rock material transported by flowing water and deposited as sorted or semi-sorted sediments.

Ambient Air

Surrounding external or unconfined conditions; i.e., outdoor air.

American Indian Religious Freedom Act	Insures that Native Americans have an inherent right to free exercise of their religion.
Amphibian	Cold blooded, backboned, animals which have adapted to live in water and on land.
Animal Unit Month (AUM)	The amount of forage necessary for the subsistence of one cow or its equivalent for a period of one month.
Aquifer	A formation, group of formations, or part of a formation that contains sufficient saturated permeable material to yield significant quantities of water to wells and springs.
Arborescent	Resembling a tree in structure, growth, or appearance.
Archaic Period	Anthropological term indicating the oldest stage in the evolution of a particular culture.
Area of Analysis (AOA)	Community or county level geographic area.
Area Support Center (ASC)	A facility that will be used by personnel on duty in the deployment area. The facility will be used for sleeping, eating, and recreation.
Assembly and Checkout (A&CO)	The phase of the M-X program following construction of the facilities. This phase includes equipment installation and testing of the component parts.
Atmospheric Dispersion	The transport and diffusion of gaseous and particulate matter in the atmosphere resulting from winds and turbulent mixing.
Aufwuch	Invertebrates and micro algae that reside on the surface of emergent aquatic vegetation.
Avian	Pertaining to birds.
Avifauna	The birds of a region, period, or environment.
Bajada	An alluvial plain formed at the base of a range of mountains by the coalescing of several alluvial fans.
Ballistic Missile Office (BMO)	The Air Force organization responsible for the design, development, and acquisition of ballistic missile systems. The BMO is located at Norton AFB, California.

Barrier	An earth mound that closes access between the designated transportation network and a cluster.
Baseline Particulates	The ambient suspended particulate level in a region that is determined to exist as of a specified date. Used to determine increment consumption and NAAQS violations.
Benthic Macroinvertebrates	Crustaceans and mollusks residing in bottom sediments of aquatic habitats.
Berm	A mound of compacted earth over a horizontal protective structure.
Bifurcate	To divide into two parts.
Biomass	The weight of living or once-living material in all or part of an organism, population, or community. Commonly expressed as weight per unit area, a biomass density.
Biota	The flora and fauna of a region.
Borrow Pit	An area where material (soil, rock, sand, gravel) is excavated for use as fill, roadbed material, concrete, etc. at another location.
Brecciated	Made of highly angular coarse fragments; such rocks may be sedimentary or formed by crushing or grinding along faults.
Caliche	A calcium carbonate deposit formed in the surface rocks of arid regions.
Canister	A cylindrical tube that houses and protects the missile, and includes a system for propelling the missile upward approximately 100 ft before the first stage motor ignites.
Cast-in-Place Construction	A technique involving the complete fabrication of the protective structures at the construction site itself.
Cenozoic	An era in geological history extending from the beginning of the Tertiary period to the present time, characterized by the rapid evolution of mammals, birds, grasses, shrubs, and higher flowering plants.
Chaining	A method to remove vegetation by dragging a chain attached between two bulldozers.

Class II Cultural Resource Inventory	An intensive archaeological survey of a part of a large study area.
Clastic	Consisting of fragments of rocks or of organic structures that have been moved individually from their places of origin.
Clean Air Act	An act for air pollution prevention and control: (1) to protect and enhance public health and welfare and the productive capacity of its population, (2) to initiate and accelerate a national research and development program to control air pollution, (3) to provide technical and financial assistance to state and local governments in connection with the development and execution of their air pollution prevention and control programs, (4) to encourage and assist the development and operation of regional air pollution control programs. 1977 Amendments to the CAA include PSD regulations.
Climatic Parameters	Measures of the nature of the climate (e.g., temperature, relative humidity, etc.).
Climax Community	The last and most stable of a series of communities in a succession, remaining relatively unchanged as long as climatic and physiographic factors remain constant.
Climax Species	The species known to occur in a plant community that is relatively stable with respect to species composition and vegetative structure.
Clinometer	An instrument for measuring heights and angles.
Closed Basin	The depressed topographic feature in which water can run by means of surface drainage, but from which there is no surface outlet.
Cluster	A group of 23 protective structures and a cluster maintenance facility, connected by roads but isolated from the designated transportation network by a barrier.
Cluster Maintenance Facility (CMF)	A secure building and related facilities for a missile transfer, and maintenance and repair of equipment not requiring return to the designated assembly area.

Cluster Roads	Unpaved roads providing access to the protective structures and cluster maintenance facility.
Cohort	Member of a biological population from the same generation.
Command, Control, and Communications (C³)	The system of people, procedures, and equipment that monitors the status and controls the use of weapons systems.
Concurrent Construction	A method in which construction is begun in three or four areas spread throughout the designated deployment area and is continued simultaneously until the system is complete.
Crest Rounding	The smoothing off by erosion of the highest natural projections crowning a hill or mountain.
Cretaceous	The final period of the Mesozoic era lasting from about 70 to 140 million years ago, characterized by the division of mammals into placentals, marsupials, and monotremes, and by the development of specialized reptiles.
Critical Wildlife Habitat	Habitat that is necessary to sustain the existence and/or perpetuation of a species at critical periods during its life cycle.
Crown Cover	The surface area intercepted by a vertical line dropped from the periphery of the canopy or crown of a plant.
Crown Diameter	Diameter of the leaf bearing portion of a tree.
Cultural Resource	Nonrenewable remains of human activities, occupations, and endeavors as reflected in sites, buildings, structures, or objects, including works of art, architecture, and engineering. Cultural resources are commonly discussed as prehistoric and historic values, but each period represents a part of the full continuum of cultural values from the earliest to the most recent.
Debris Slope	The base of an eroded slope characterized by rock fall and accumulations of fragments of weathered rocks.

Deme	A local breeding population.
Depauperate	Poor species diversity.
Deployment	Putting into service.
Desert Pavement	A relatively thin, fragile surface deposit on alluvial fans in desert regions, consisting of pebble-to cobble-sized rocks from which all fine material has been removed by wind erosion.
Decommissioning	To remove or take out of service.
Demographics	Characteristics of human populations such as size, growth, density, distribution, and vital statistics.
Designated	Areas where groundwater depletions have caused future diversions to be subject to special regulation by the state engineer. Permits to pump groundwater are (1) not being issued, (2) being issued with limitations, (3) being issued for preferred users only.
Designated Assembly Area (DAA)	A high-security area that includes facilities for missile and canister assembly; munitions storage; build-up, teardown, and repair of reentry systems and components; storage of complete canisterized missiles and necessary spares; other functions necessary for missile assembly and repair; and initial build-up of transporter and launcher sub-assemblies.
Designated Deployment Area (DDA)	The actual geographical territory in which M-X missiles are deployed. An identifiable area containing clusters of protective structures, area support centers, cluster maintenance facilities, power facilities, and remote surveillance sites.
Designated Transportation Network (DTN)	A special paved road system that provides the only means for transporting canisterized missiles and launchers between the designated assembly area and the clusters.
Diffusion Field	The air turbulence throughout a three-dimensional field.

Discing	Procedural stage in soil tillage and crop planting involving the breaking up of clods resulting from the initial ploughing by knife discs mounted on a transverse frame pulled by a tractor.
Dissection	The work of erosion in destroying the continuity of a relatively even surface by cutting ravines or valleys into it.
Diurnal	Active during daylight hours.
Draft Environmental Impact Statement (DEIS)	A draft version of the statement of environmental effects of a project which is published for review and response by federal, state, local agencies, any affected Indian tribe, the proponent of the action and any other interested persons (including those who might not be in accord with the action on environmental grounds).
Easement	A nonprofitable interest in land owned by another that entitles its holder to a specific limited use.
Econometrics	The use of sophisticated mathematical, statistical, and other analytic methods to make quantitative economic analyses.
Edaphic	Influenced by soil characteristics rather than other possible inputs such as climate or water.
Endangered Species	Any animal or plant species in danger of extinction throughout all or a significant portion of its range.
Endangered Species Act	Provides a means whereby ecosystems upon which endangered species and threatened species depend may be conserved; provides a program for the conservation of such endangered and threatened species.
Eocene	The second epoch of the Tertiary period characterized by the rise of modern mammals and lasting from perhaps 45 to 70 million years ago.
Epeirogeny	Uplift or depression of land masses as a result of widespread level adjustments. Epeirogenic movements are primarily even in character, producing tilting, warping, and minor faulting of the rocks.

Ephemeral Stream	In areas where precipitation almost totally consists of rainfall, a short-lived stream which follows natural ground surface contours after each storm and dries out until the next rainfall.
Erosion	Wearing away by action of water or wind or other means.
Escarpment	A steep slope separating two or more gently sloping surfaces.
Ethanol	Grain alcohol.
Ethnographic Properties	Districts, sites, biota, inorganic materials, and other features of the natural environment which are of cultural value and importance to Native Americans for traditional and religious activity.
Eutrophic	Pertaining to a lake, usually shallow, rich in dissolved nutrients but with a minimal amount of oxygen.
Evaporite	A sediment resulting from the evaporation of saline water.
Evapotranspiration	The process of transferring moisture from the earth to the atmosphere by transpiration (emitting watery vapor) from plants.
Extant	Currently in existence.
Faulting	The movement that produces relative displacement of adjacent rock masses along a fracture.
Fault Scarp	An escarpment, cliff, or steep slope produced by a fault; relative recency is implied with small faults because of erosional exposure.
Fauna	Animals or animal life.
Federal Land Policy and Management Act	Declaration of policy regarding planning, management, and dispositions of public lands.
Feral	Untamed, undomesticated, wild.
Final Operational Capability (FOC)	A point in time when all 200 missiles of the M-X system are on alert and operational.

Floodplain	A level tract of land bordering rivers and formed by alluvial deposits that may be submerged by overflowing river water.
Flora	Plant life.
Floristic Zone	The spatial quality of a plant community.
Fluted Projectile Points	Arrowheads whose flaking is characteristic of Upper Paleolithic times.
Fluvial	Of or pertaining to a river; produced by the action of a stream or river; existing, growing, or living in or about a stream or river.
Fly Ash	Fine solid particles of noncombustible ash produced when solid fuels (e.g., coal) are burned. (For example, ash collected from a power plant stack.)
Forb	Broad-leafed, non-woody plant.
Formalin	A water-based solution of formaldehyde; a preservative.
Fossil Fuels	Coal, oil, natural gas, and other fuels originating from fossilized geologic deposits and depending on oxidation for release of energy.
Friable	Easily pulverized or crumbled.
Fugitive dust	A type of particulate emission mode airborne by forces of wind or man's activity, such as unpaved roads, construction sites, tilled land or windstorms.
Genetic Drift	Divergence of genotype in populations of the same species from one generation to the next, usually as a result of geographic isolation.
Genotype	Genetic or hereditary character of an organism.
Geodetic	The science of treating the critical measurement of the earth, including relief, configuration of continents and ocean basins, etc.
Geodetic Triangulation	Closely controlled terrain surveying which locates lines and points based on geometric relationships of polygonal distances and included angles. (Modern surveys use electronic distance measuring equipment and laser beams.)

Floodplain	A level tract of land bordering rivers and formed by alluvial deposits that may be submerged by overflowing river water.
Flora	Plant life.
Floristic Zone	The spatial quality of a plant community.
Fluted Projectile Points	Arrowheads whose flaking is characteristic of Upper Paleolithic times.
Fluvial	Of or pertaining to a river; produced by the action of a stream or river; existing, growing, or living in or about a stream or river.
Fly Ash	Fine solid particles of noncombustible ash produced when solid fuels (e.g., coal) are burned. (For example, ash collected from a power plant stack.)
Forb	Broad-leafed, non-woody plant.
Formalin	A water-based solution of formaldehyde; a preservative.
Fossil Fuels	Coal, oil, natural gas, and other fuels originating from fossilized geologic deposits and depending on oxidation for release of energy.
Friable	Easily pulverized or crumbled.
Fugitive dust	A type of particulate emission mode airborne by forces of wind or man's activity, such as unpaved roads, construction sites, tilled land or windstorms.
Genetic Drift	Divergence of genotype in populations of the same species from one generation to the next, usually as a result of geographic isolation.
Genotype	Genetic or hereditary character of an organism.
Geodetic	The science of treating the critical measurement of the earth, including relief, configuration of continents and ocean basins, etc.
Geodetic Triangulation	Closely controlled terrain surveying which locates lines and points based on geometric relationships of polygonal distances and included angles. (Modern surveys use electronic distance measuring equipment and laser beams.)

Geomorphic	Pertaining to the core of the earth's interior.
Geotechnically Suitable	Satisfies such criteria as depth to water, depth to rock, topography etc.
Glaciofluvial	Joint ice-flow, meltwater, and stream activity, such as in the deposition of sediments.
Grazing Permit	A document authorizing use of public lands for the purpose of grazing livestock.
Gravity Model	A model for estimating the relative attractiveness of particular communities and towns. Variables include community site, distance from project site, and the generated employment. It is used to determine the spatial allocation of project workers and their families.
Groundwater	Underground water supplying wells and springs.
Groundwater Recharge	The process whereby water is fed back into the groundwater system.
Habitat	The natural home or dwelling place of an organism.
Halogeton	A weed toxic to livestock.
Halophytes	Plants having a high level of salt tolerance.
Hardpan	A layer of strongly cemented and often clayey material that is impenetrable by roots and restricts the downward percolation of rainwater.
Hertz	A measurement of frequency; 1 cycle/second.
Herpetofauna	A list of reptiles and amphibians for a given area.
Historic Properties	Districts, sites, structures, objects, and other evidence of human use considered to be of cultural value and importance to Native Americans for traditional, religious, curatorial, and other reasons; may be eligible for nomination to the National Register of Historic Places.

Herbivore	A primary consumer of green plants.
Holocene	The most recent period in geological history, beginning about 25,000 years ago, marked by the rise of Homo sapiens.
Hydration	To cause to take up or combine with water.
Hydraulic Conductivity	Ease with which a material transmits water.
Hydrographic Area	A region wholly or partially surrounded by topographic barriers and comprised of watersheds which drain to a common point, either to an interior basin or to an adjoining hydrographic area.
Hydrology	The study of seas, lakes, rivers, and other bodies of water.
Igneous Rocks	Resulting from the solidification of molten magma, igneous rocks are regarded as the primary source of material comprising the earth's surface.
Indurated	Hardened.
Inert Emissions	Air pollutant emissions whose chemical form is not altered by chemical reactions with other chemical species.
Infrastructure	Facilities and services necessary for the general welfare of the community, such as education, health care, police and fire protection, water supply, wastewater treatment, solid waste disposal, and provisions for parks and recreation areas.
Initial Operational Capability (IOC)	The point in time when ten M-X missiles are on alert and operational.
In-migration	Movement of population into a community or region.
Intercontinental Ballistic Missile (ICBM)	A large land-based missile capable of accurate delivery over intercontinental ranges (usually greater than 5,000 mi).
Interior Drainage	(a) Surface drainage whereby the water does not reach the ocean, such as draining toward the lowermost or central part of an interior basin. It is common in arid and semi-arid regions. (b) A drainage pattern

	wherein streams disappear by evaporation and percolation into their beds and playas, and fail to reach the sea.
Intermontane	Lying between mountains.
Intrusives	Igneous rocks which, while fluid, were intruded into or between other rocks, and solidified before reaching the surface.
Invertebrate	Animal without a spinal column.
Jurassic	A period of the Mesozoic era, lasting from 140 to 170 million years ago, marked by the appearance of the earliest birds, the modern fishes, and the peak of reptile development.
Kilovolt (KV)	The electromotive unit of force equal to 1,000 volts.
Kilowatt (KW)	One thousand watts.
Kilowatt-hour (KWH)	A basic unit of electrical energy which equals 1 kilowatt of power applied for 1 hour.
Lacustrine	Pertaining to, produced by, or formed in a lake or lakes; growing in or inhabiting lakes; characterized by lakes or lakebeds.
Lagomorph	Any gnawing mammal of the order Lagomorpha, principally rabbits, hares, and pikas.
LANDSAT	Land satellite, or a series of unmanned spacecraft designed to collect earth resources data on a repetitive basis to be used by planners, scientists, and decision makers.
Leachate	Liquid solution containing dissolved elements or groups of elements formed by flow through (or around) a solid medium such as soil.
Lithic Scatter	Archaeologist's term for chips of rock thought to have resulted from human tool making.
Littoral	(a) Pertaining to the seashore, especially the region between tide lines. (b) In lakes,

	pertaining to the region between the shoreline and the outer limit of rooted plants.
Loam	A soil consisting of a mixture of clay, silt, and sand in roughly equal proportions.
Lugols Solution	A water-based preservative for phytoplankton containing potassium, iodine and glacial acetic acid.
Macro-Econometrics	The study of an entire economic system using econometric techniques.
Mass Simulator	A device that duplicates the weight, balance, and other characteristics of the launcher, used to minimize the possibility that the location of the launcher can be detected by any known means.
Megawatt (MW)	One million watts or 1 thousand kilowatts.
Mesozoic	An era in geological history ranging in time from 70 to 230 million years, characterized by the development of reptiles.
Meteorology	Science of the atmosphere.
Microbial	Pertaining to microorganisms, or germs.
Micro-Econometrics	The study of individual portions of an economic system using econometric techniques.
Microphyllous	Small leaved plants.
Milestone	A point in time in a schedule when a specified action is to be completed or taken.
Milestone I	A major decision point in the acquisition of an Air Force weapons system in which activities move from the conceptual to the validation phase.
Milestone II	A major decision point in the acquisition of an Air Force weapons system in which activities move from the validation to the full scale engineering development phase.
Milestone III	A major decision point in the acquisition of an Air Force weapons system in which activities move from the full scale engineering to the production/deployment phase.

Miocene	An epoch of the Tertiary period, 15 to 35 million years ago, marked by the development of apes and the appearance of ancestral gibbons.
Mitigation	Any of the following: (1) avoiding the impact altogether by not taking an action or part of an action; (2) minimizing impacts by limiting the degree or magnitude of the action and its implementation; (3) rectifying the impact by repairing, rehabilitating, or restoring the affected environment; (4) reducing or eliminating the impact over time by preservation and maintenance operations during the life of the action; (5) compensating for the impact by replacing or providing substitute resources or environments.
Mixing Heights	The height of the well-mixed atmospheric layer beneath a stable layer.
Mollisols	Soils that have nearly black, loosely packed, organic rich surface layers high in bases (i.e. calcium, magnesium).
Morphology	A branch of biology dealing with form and structure.
Multiple Protective Structure (MPS)	A survivable deployment method for ICBMs in which the missile and its essential launch equipment are mobile, and can be emplaced in any of a number of protective structures in such a way that its location is unknown and remains undetectable; it maintains strategic deterrence and unacceptable targeting problem.
Multiplier	Indicates an outcome which is larger than the initial stimulus. For example, direct employment in an area will stimulate indirect employment as local suppliers respond to direct worker needs. In this case, total employment is a "multiple" of the initial direct stimulus.
National Ambient Air Quality Standards (NAAQS)	The allowable concentrations of air pollutants in the air ambient specified by the federal government for SO ₂ , TSP, NO _x , HC, O ₃ , and CO. The ambient air quality standards are divided into primary standards (based on the air quality criteria and allowing an adequate margin of safety, the primary standards are requisite to pro-

	protect the public health) and secondary standards (based on the air quality criteria and allowing an adequate margin of safety, the secondary standards are requisite to protect the public welfare from any known or anticipated adverse effects associated with the presence of air pollutants in the ambient air).
National Environmental Policy Act (NEPA)	An act to declare a national policy which will encourage productive and enjoyable harmony between man and man's environment, to promote efforts which will prevent or eliminate damage to the environment and biosphere and stimulate the health and welfare of man, to enrich the understanding of the ecological systems and natural resources important to the nation, and to establish a Council on Environmental Quality (CEQ).
National Historic Preservation Act of 1966	An act that declares a national policy of historic preservation including the encouragement of preservation on the state and private levels.
National Register of Historic Places	A list of districts, sites, buildings, structures, and objects significant in American history, architecture, archaeology, and culture, maintained by the Secretary of the Interior.
National Technical Means	Methods available to the U.S. and the Soviet Union to verify that the other party is complying with strategic arms limitation agreements, in a manner consistent with generally recognized principles of international law (e.g., by satellite observation).
Neoindian	Anthropologic term indicating the "new" or relatively recent Indian periods.
Nitrogen Oxides (NO_x)	Compounds produced by combustion, particularly when there is an excess of air or when combustion temperatures are very high. Nitrogen oxides are primary air pollutants.
Nocturnal Radiation Inversion	The cooling of the earth's surface at night resulting in a layer of air where the temperature increases with height.

Nonattainment Area	An area already characterized by significant levels of air pollution. Such areas are restrictive of any significant increases in certain pollutants caused by new sources (industrial or powerplant).
Off-Road Vehicle (ORV)	A vehicle (including four wheel drive, trail bikes, hovercraft, snow mobiles, etc., but excluding helicopters, fixed wing aircraft and boats) capable of travelling off roads over land, water, ice, snow, sand, marshes, etc.
Oligocene	An epoch in the Tertiary period of the Cenozoic era some 35 to 45 million years ago which gave rise to the early apes in Egypt and to the ancestors of Old World monkeys. It follows the Eocene epoch.
Opacity	The degree to which emissions reduce the transmission of light and obscure the view of an object in the background. A state which renders material partially or wholly impervious to rays of light and causes obstruction of an observer's view.
Operational Base Test Site (OBTS)	A small, separate group of shelters used for testing equipment and techniques.
Operations Control Center (OCC)	The hub of all command control activities for the missile unit. It includes offices and all facilities required for control and monitoring of missile status, and for control of maintenance, security, and transportation activities. An OCC will be located at each operating base.
Out-migration	Movement of population out of a community or region.
Overburden	The earth, rock, and other materials that lie above a mineral deposit.
Overdraft	Groundwater withdrawals exceeding estimated perennial yields.
Paleoindian Period	Anthropologic term indicating the earliest ancient Indian time of the history of human beings in North America.
Palentology	A science that deals with the life of past geological periods and is based on the study of fossil remains of plants and animals.

Paleozoic	An era in geological history marked by the culmination of almost all invertebrates except the insects, and the first appearance of land plants, amphibians, and reptiles in its later epochs. It lasted from perhaps 230 to 600 million years ago.
Particulate Matter	Any material, except water in a chemically uncombined form, that is or has been airborne and exists as a liquid or a solid at standard temperature and pressure conditions (for example, minute particles of coal dust, fly ash, and oxides temporarily suspended in the atmosphere).
Pediment	A plain of eroded bedrock in an arid region developed between mountain and basin areas.
Pedogenic Horizon	Soil horizon; a layer of soil parallel to the land surface and differing from adjacent layers in such characteristics as color, texture, chemistry, and structure.
Pedologic	Pertaining to soil science.
Perched Water	Groundwater separated from an underlying body of groundwater by unsaturated rock.
Perennial	Present throughout the year.
Perennial Yield	The maximum amount of groundwater that can be salvaged each year over the long term without depleting the groundwater reservoir. Perennial yield cannot be more than the natural recharge to a groundwater basin.
Periphyton	The organisms adhering to submerged vegetation.
Permeability	The property of capacity of a porous rock, sediment, or soil for transmitting a fluid without impairment of the structure of the medium; it is a measure of the relative ease of fluid flow under unequal pressure.
Petroglyph	A carving or inscription on a rock.
pH	A scale indicating the type of ionic character (i.e. acidity and alkalinity)
Phenology	A term used to describe the sequence of events and time of occurrence of the life

	processes of a plant, i.e., start of growth, bloom stage, seed ripe, or dormant stage.
Phreatophyte	Vegetation with roots reaching to the water table.
Physical Security System	Provides protection for M-X elements against unauthorized access or acquisition.
Phytoplankton	The plant organisms of plankton.
Phytosociological	The branch of ecology concerned with the interrelationships of the flora of particular areas.
Pictograph	An ancient or prehistoric drawing or painting on a rock wall.
Pliocene	The final Tertiary epoch lasting from about 15 million years before and ending with the Pleistocene period, in which prehuman levels were reached and apes of modern types appeared.
Plasticity	A term used in soil mechanics to indicate a stage of soil consistency between a semi-solid and a liquid state as affected by the water content.
Playa	A flat plain relatively free of vegetation on which flood waters may create a lake.
Pleistocene	The last million years of geological history, lasting from 500,000 to 1,000,000 years, marked by repeated glaciation and the first indication of social life in human beings.
Pluvial	Of or relating to rain.
Position Location Uncertainty	The concept, equipment, and procedures that prevent unauthorized people from knowing or determining the location of operational missiles.
Precast Construction	A method in which individual sections of the protective structures are fabricated at a centrally located plant, delivered to protective structure locations by truck, and assembled at the site.
Predator	A secondary/tertiary consumer of herbivore or carnivores.

Prevention of Significant Deterioration Regulations	Regulations from EPA intended to protect clean air areas from degradation. Three area classes (I, II, III) are provided which permit minimal, moderate and maximum increments of degradation. The NAAQS may not be exceeded.
Protected Species	Plants or animals which have state or federal legal status. The categories of threatened and endangered are associated with protected species.
Protective Structure	A structure that can house and protect an ICBM from nuclear blast and radiation.
Quaternary	A period in geological history lasting from the end of the Tertiary period to the present time, characterized by the rise of the present mammalian genera.
Radiation Inversion	A layer of the atmosphere where temperature increases with increasing height as the result of nocturnal radiative cooling.
Rail Spur	A secondary line from a railroad leading to a point where supplies are delivered.
Raptor	Pertaining to a bird of prey.
Reactive Emissions	Air pollutant emissions whose chemical form may be altered by chemical reactions with other chemical species.
Rebar	Steel reinforcing bars, designed for embedment in concrete.
Recharging Playa	A playa which supplies water for groundwater recharge.
Remote Surveillance Site (RSS)	A site with tower-mounted radar and day/night optical equipment for surveillance of clusters, roads, and the surrounding areas. It is normally unmanned.
Revegetation	Reestablishment of vegetation in disturbed areas.
Riparian	Pertaining to or situated on the banks of a body of water, or wherever the water table comes into close proximity with the land surface.

Riparian Woodland	Vegetation communities associated with water, especially flowing water.
Saline	Consisting of or containing salt.
Safe Water Drinking Act	Applies to public water systems; specifies the maximum contaminant levels which are requisite to protect the public welfare.
Sampling Universe	Entire set of objects under study.
Scarify	Breaking or cutting the surface soil.
Scatter Zone	Brecciated zone surrounding an intrusive body in which the minerals have been assimilated into the surrounding rock.
Scoping Process	An early and open process for determining the scope of issues to be addressed in an environmental impact statement, and for identifying the significant issues related to a Proposed Action.
Scour	Erosion, especially by moving water.
Sequential Construction	A method in which work is first begun on those portions of the M-X system nearest the operating base/designated assembly area and then is progressively extended outward until all facilities are completed.
Shear Zone	A zone of structural debilitation in the rocks usually located within or proximal to fault zones.
Silicified	Original material replaced by silica in such a manner that the original form and structure of the silicified object is preserved.
Sodic	A soil containing sufficient exchangeable sodium to interfere with the growth of most crop plants and cause the soil colloids to disperse and lose structure.
Soil Horizon	A layer of soil approximately parallel to the land surface and differing from adjacent layers in such characteristics as color, texture, chemistry, and structure.
Soil Signature	A characteristic or combination of characteristics by which a soil may be identified on an image or photograph.

Spectral Signature	A characteristic or combination of characteristics by which a material or object may be identified on an image or photograph.
Spoil Pile	A pile of excavated earth material.
Steady State	The period following peak project effects where all further effects level off and assume a "normal" rate of change.
Strutting Grounds	Areas of specific habitat suitable for breeding males of some bird species (such as grouse) to display and to court females
Subsidence	Movement in which surface material is displaced vertically downward.
Subsoil	A layer of shattered and partly weathered rock underlying the surface soil.
Substrate	The solid material on which an organism lives.
Sulfur Oxides	Compounds of sulfur combined with oxygen that have a significant influence on air pollution.
Surface Horizon	A soil layer intersecting the ground surface.
Surface Integrity	The tendency of the soil surface crust to remain bound together by minerals.
Talus	An accumulation of rock debris at the base of a cliff or steep slope.
Taxa	Groups of principal scientific classifications.
Tectonics	A branch of geology concerned with structure, especially with the deformation of the earth's crust caused by folding and faulting.
Telemetry Device	A device that permits transmission of measurements made at one site (e.g., a satellite) to another site at which they are recorded (e.g., a ground receiving station), via properly encoded radio signals or other appropriate transmission methods.
Temperature Inversion	An atmospheric condition produced by a set of geologic and atmospheric conditions so as to produce a layer or layers of air in which temperature increases with altitude.

Terrace	Relatively flat, horizontal, or gently inclining surfaces, sometimes long and narrow, which are bounded by a steeper ascending slope on one side and by a steeper descending slope on the opposite side.
Terrestrial	Inhabiting or pertaining to the land.
Tertiary	A period in geological history marking the beginning of the Cenozoic era, from 70 million years to one and half million years ago, characterized by the formation of high mountains and the dominance of mammals on land.
Throwweight	The weight of weapons, penetration aids, etc., that can be delivered by an ICBM over its design range.
Threatened Species	Any animal or plant species likely to become endangered within the foreseeable future throughout all or a significant portion of their range.
Tiering	The coverage of general matters in broad environmental statements with subsequent narrower statements or environmental analyses incorporating by reference the general discussions, but concentrating solely on the issues specific to the statement subsequently prepared.
Total Dissolved Solids	An aggregate of carbonates, bicarbonates, chlorides, sulfates, phosphates, and nitrates of calcium, magnesium, manganese, sodium, potassium, and other elements that form salts and are dissolved in water. High TDS values can adversely affect humans, animals, and plants. TDS is often used as a measure of salinity.
Trace Element	A chemical element found in small quantities (less than 1 percent) in a mineral or compound.
Tradeoff Studies	An examination of the balancing of environmental considerations with either cost or project performance; these factors are often not compatible and one must be given up in return for another.
Transmissivity	The rate at which water is transmitted through a unit width of aquifer under a unit hydraulic gradient.

Transporter	In the M-X system, a vehicle that transports a mobile launcher, conceals it during movement, and permits its undetected emplacement or removal at a protective structure. When the transporter is not carrying a launcher, it carries a mass simulator to minimize the possibility of detection of launcher movements.
Triassic	A period of geological history that marks the beginning of the Mesozoic era. The period extends from 195 to 225 million years ago, and is characterized by the development of such small mammals as the marsupial and insectivorous types.
Tributary	A stream feeding a larger body of water.
Transect	A long, narrow area within which biological, archaeological, soils or other data are gathered.
Understory	Underlying layer of low vegetation.
Ungulate	Possessing hoofs.
Vegetation Type	A plant community with distinguishable characteristics; generally refers to the species or various combinations of species which have similar stature, morphology, and appearance and which dominate or appears to dominate a site.
Vertical Temperature Stratification	Layers of atmosphere characterized by a constant temperature gradient.
Visual Sensitivity	As applied to visual resource management, that degree of concern expressed by the user toward scenic quality and existing or proposed visual change in a particular characteristic landscape.
Watershed	The area of higher ground lying between and thus dividing two drainage systems.
Weir	A fence or enclosure set in a body of water to trap fish.
Wetland	Water-dominated ecological communities generally constituting habitats.

Wilderness Study Areas

A roadless area which has been found to have wilderness characteristics subject to intensive analysis in the BLM planning system and to public review to determine wilderness suitability.

Wildlife Refuge

A national network of lands and waters sufficient in size and location, to provide through management and safeguards, habitats where migratory birds and other animals are enhanced and made available for human benefit.

Wind Field

Wind speed and direction throughout a three-dimensional field.

Withdrawal

A land area officially removed for a specific purpose from certain types of uses.

Xeric

Pertaining to arid conditions.

Xerophyte

A plant adapted for life in a dry environment.

Zooplankton

Microscopic invertebrates that float freely in water.

5.3 ACRONYMS

5.3 ACRONYMS

5.3.1 Acronyms

<u>ACRONYM</u>	<u>MEANING</u>
ADF	Average Daily Flow
ADT	Average Daily Traffic
A&CO	Assembly and Checkout
AFB	Air Force Base
AFM	Air Force Manual
AFR	Air Force Regulation
AFRCE-M-X	Air Force Regional Civil Engineer - M-X
AFSC	Air Force Systems Command
ALCC	Airborne Launch Control Center
AOA	Area of Analysis
APCD	Air Pollution Control District
AQCR	Air Quality Control Region
AQDM	Air Quality Display Model
AQMA	Air Quality Maintenance Area
AQMP	Air Quality Maintenance Plan
ASC	Area Support Center
AUM	Animal Unit Month
BEA	Bureau of Economic Analysis
BEBR	Bureau of Business and Economics Research
BIA	Bureau of Indian Affairs
BLM	Bureau of Land Management
BLS	Bureau of Labor Statistics
BMCA	Basing Mode Comparison Area
BMD	Ballistic Missile Defense
BMO	Ballistic Missile Office
BOD	Biological Oxygen Demand
BYU	Brigham Young University
C	Command, Control, and Communications
CAA	Clean Air Act

ACRONYM

MEANING

CALCOMP	California Computer Corporation
CDM	Climatological Dispersion Model
CEQ	Council on Environmental Quality
CFR	Code of Federal Regulations
CMF	Cluster Maintenance Facility
COE	Corps of Engineers
CSA	Contractor Support Area
CSF	Contractor Support Facility
DAA	Designated Assembly Area
DBMS	Data Base Management System
DDA	Designated Deployment Area
DASC	Deployment Area Support Center
DCP	Decision Coordination Paper
DEIS	Draft Environmental Impact Statement
DEISM	Demographic and Economic Impact Simulation Model
DEP	Division of Environmental Protection
DFC	Desert Fishes Council
DLE	Desert Land Entry
DMA	Defense Mapping Agency
DNL	Division of Natural Landmarks
DOA	United States Department of Agriculture
DOD	United States Department of Defense
DOE	United States Department of Energy
DOI	United States Department of the Interior
DOT	United States Department of Transportation
DPU	Duckwater Planning Unit
DRI	Desert Research Institute
DSARC	Defense Systems Acquisition Review Council
DTN	Designated Transportation Network
DWR	Department of Wildlife Resources
EAC	Economic Adjustment Committee
EDA	Economic Development Administration
EEL	Earnings, Employment, and Impact
EIAP	Environmental Impact Analysis Process
EIS	Environmental Impact Statement
EO	Executive Order
EPA	Environmental Protection Agency
EPC	Environmental Protection Committee
ERC	Environment Reporter Cases
ESA	Endangered Species Act of 1973
ETR	Environmental Technical Report
FAA	Federal Aviation Administration
FARRRP	Forest and Rangeland Renewable Resources Planning Act
FCMA	Fishery Conservation and Management Act
FEIS	Final Environmental Impact Statement
FHBM	Flood Hazard Boundary Maps
FIFRA	Federal Insecticide, Fungicide, and Rodenticide Act
FLPMA	Federal Land Policy and Management Act of 1976
FMV	Fair Market Value

ACRONYMMEANING

FOC	Full Operational Capability
FR	Federal Register
FRC	Federal Regional Council
FSED	Full-Scale Engineering Development
FWCA	Fish and Wildlife Coordination Act
FWPCA	Federal Water Pollution Control Act
FY	Fiscal Year
GIS	Geobased Information System
GMA	Game Management Area
GNP	Gross National Product
GPO	Government Printing Office
HCRS	Heritage Conservation and Recreation Service
HEW	United States Department of Health, Education, and Welfare
HIWAY	Highway Air Pollution Model
HQSAC	Headquarters Strategic Air Command
HSS	Historic Sites Survey
HUD	United States Department of Housing and Urban Development
IAS	Interagency Archaeological Services
ICBM	Intercontinental Ballistic Missile
ID	Inside Diameter
IHS	Indian Housing Service
IMPACT	Integrated Model for Plumes and Atmospherics in Complex Terrain
I/O	Input/Output
IOC	Initial Operational Capability
IPP	Intermountain Power Project
IR	Infra Red
KGRA	Known Geothermal Resource Areas
KGRF	Known Geothermal Resource Field
LAER	Lowest Achievable Emission Rate
LCPD	Lincoln County Power District
LANDSAT	Land Satellite
LEAA	Law Enforcement Assistance Administration
LFP	Labor Force and Population
LPN	Licensed Practical Nurse
LVN	Licensed Vocational Nurse
MCP	Military Construction Program
MF	Medium Frequency
MFS	Mountain Fuel Supply
MMPA	Marine Mammal Protection Act
MOA	Memorandum of Agreement
MOU	Memorandum of Understanding
MPQ	Most Probable Quantity
MPRSA	Marine Protection Research and Sanctuaries Act
MPS	Multiple Protective Structure
MSL	Mean Sea Level
MSS	Mutispectral Scanner
MWP	Mount Wheeler Power

<u>ACRONYM</u>	<u>MEANING</u>
NA	Natural Area; Not Available
NAAQS	National Ambient Air Quality Standards
NAFB	Norton Air Force Base
NCA	Noise Control Act
NDFG	Nevada Department of Fish and Game
NDOW	Nevada Department of Wildlife
NEDS	National Emissions Data System
NEPA	National Environmental Policy Act
NHL	National Historic Landmarks
NHPA	National Historic Preservation Act
NH&S	Nuclear Hardness and Survivability
NMSA	New Mexico Statute Annotated
NNNPS	Northern Nevada Native Plant Society
NO ₂	Nitrous Oxide
NOAA	National Oceanographic and Aeronautic Administration
NORA	Nevada Outdoor Recreation Association
NORAD	North American Air Defense Command
NPDES	National Pollutant Discharge Elimination System
NPS	National Park Service
NR	National Register of Historic Places
NRDC	Natural Resource Defense Council
NRNL	National Register Natural Landmark
NRS	Nevada Revised Statutes
NSPS	New Source Performance Standards
NTM	National Technical Means
NWPS	National Wilderness Preservation System
NWR	National Wildlife Refuge
OAHP	Office of Archaeology and Historic Preservation
OB	Operating Base
OB/DAA	Operating Base and Designated Assembly Area
OBTS	Operating Base Test Site
OCC	Operational Control Center
OEA	Office of Economic Adjustment
OMB	Office of Management and Budget
ORNL	Oak Ridge National Laboratory
ORV	Off-Road Vehicle
OSHA	Occupational Safety & Health Act
PAL	Point Area Line Model
PGT	Pacific Gas Transmission
PMOA	Programmatic Memorandum of Agreement
PDEIS	Preliminary Draft Environmental Impact Statement
PL	Public Law
PLU	Position Location Uncertainty
POL	Petroleum Oil Lubricant
PRIA	Public Rangelands Improvement Act of 1978
PS	Protective Structure
PSD	Prevention of Significant Deterioration
PSS	Physical Security System
QD	Quantity-Distance
QOL	Quality of Life

ACRONYM

MEANING

RARE II	Roadless Area Review and Evaluation II
RCRA	Resource Conservation and Recovery Act of 1976
RIMS	Regional Industrial Multiplier System
RF	Radio Frequency
RN	Registered Nurse
ROI	Region of Influence
ROSE	Resident Operational Support Equipment
ROSEE	Resident Operational Support Equipment Enclosure
RSS	Remote Surveillance Site
SAC	Strategic Air Command
SAK	Subject Access Key
SAL	Strategic Arms Limitation
SALT	Strategic Arms Limitation Treaty/Talks
SAROAD	Storage and Retrieval of Aerometric Data
SCORP	Statewide Comprehensive Outdoor Recreation Plan
SCS	Soil Conservation Service
SCUBA	Self Contained Underwater Breathing Apparatus
SEA	State Economic Area
SHPO	State Historic Preservation Office
SIAM	Socioeconomic Impact Analysis Model
SIC	Standard Industrial Code
SL	Sensitivity Level
SLBM	Submarine-Launched Ballistic Missile
SMSA	Standard Metropolitan Statistical Area
SPO	Systems Program Office
SRM	Systematic Ranking Methodology
STV	Special Transport Vehicle
TDS	Total Dissolved Solids
TGA	Taylor Grazing Act
TSCA	Toxic Substances Control Act
TSP	Total Suspended Particulates
UCA	Utah Code Annotated
UDPR	Utah Division of Parks and Recreation
UNAMAP	Users Network for Applied Models of Air Pollution
UNSW	Unique and Nationally Significant Wildlife Ecosystem
UPED	Utah Process Economic Demographic Impact Model
URA	Unit Resource Area; Unit Resource Analysis
URAA	Uniform Relocation Assistance Act
USAF	United States Air Force
USC	United States Code
USDA	United States Department of Agriculture
USFS	United States Forest Service
USFWS	United States Fish and Wildlife Service
USGS	United States Geological Survey
UTM	Universal Transverse Mercator
VAFB	Vandenberg Air Force Base
VOR	Visual Obstruction Reading
WADS	Water Availability Data System
WMA	Wildlife Management Area
WRC	Water Resources Council

Acronyms

WPPP
WSA
WUIS

White Pine Power Project
Wilderness Study Area
Water Use Information System

5.3.2 Symbols For Chemical Elements and Other Abbreviations

afy	Acre feet per year
cf	Cubic foot
CO	Carbon monoxide
cy	Cubic yard
dbh	Diameter at breast height
dm	Decimeter
gpm	Gallons per minute
gpcd	Gallons per capita per day
ha	Hectare
hc	Hydrocarbon
hfu	Heat flow units
hr	Hour
km	Kilometer
km ²	Square kilometers
kv	Kilovolt
kw	Kilowatt
kwh	Kilowatt hour
m	Meter
m ²	Square meters
mg	Million gallons
mgd	Million gallons per day
mgs	Million gallons per second
mi	Miles
mi ²	Square miles
m/sec	Meters per second
mw	Megawatt
mwh	Megawatt hour
NO ₂	Nitrous oxide
O ₃	Ozone
ppm	Parts per million
SO ₂	Sulfur dioxide

5.4 LIST OF EIS PREPARERS

5.4 LIST OF EIS PREPARERS

PROJECT MANAGEMENT (5.4.1)

The project management for the M-X deployment area selection/land withdrawal environmental impact study is presented below. The education and experience of each preparer is listed in Section 5.4.2.

EXECUTIVE PROGRAM DIRECTOR.....NORMAN A. HARRIS
PROGRAM MANAGER ROBERT E. VAN TASSEL
TECHNICAL OPERATIONS MANAGER.....DAVID H. VOMACKA, Ph.D.

ANALYSIS DEPARTMENT.....RICHARD A. KENTRO
BIOLOGY DEPARTMENT.....THOMAS W. MULROY, Ph. D.
ENGINEERING DEPARTMENT.....WILLIAM P. PATTERSON
PHYSICAL SCIENCES DEPARTMENT.....GORDON L. TUCKER
SOCIOECONOMICS DEPARTMENT.....RAJ B. MATHUR, Ph. D.

CHAPTER 1.....THOMAS R. FAHY
CHAPTER 2.....ELIZABETH R. HOLBROOK, Ph.D
CHAPTER 3.....ROBERT M. DAVIES, Ph.D.
CHAPTER 4.....FRANK G. FOX, Ph.D
CHAPTER 5.....BRUCE J. S. MCIVER, Ph.D.

PRINCIPAL SCIENTIST.....STEVEN H. BERWICK, Ph.D
PRINCIPAL ECONOMIST.....ROBERT D. NIEHAUS, Ph.D

M-X SYSTEM OPERATIONS.....LT. COL. CARL RULE, USAF

PRODUCTION DEPARTMENT.....ROBERT W. BROWN

SCIENTIFIC SUPPORT (5.4.2)

This section lists the key scientific personnel who contributed to the EIS. Each person's position, education, and years of experience are presented. After the first two names, all personnel are listed alphabetically.

Norman A. Harris, Executive Vice-President, General Manager
B.A., 1955, Physics and Mathematics, Occidental College, Los Angeles, California;
Graduate, 1956, Oak Ridge School of Radiological Physics, Tennessee;
Doctoral Studies, 1955-1956, Physics and Mathematics, Vanderbilt University, Nashville, Tennessee.
Years of Experience: 25

Robert E. Van Tassel, Vice-President
B.A., 1969, Economics, University of California, Santa Barbara
M.A., 1971, Economics, University of California, Santa Barbara
Doctoral Studies, 1971-1972, Economics, University of California, Santa Barbara
Years of Experience: 18

Robert P. Abrahams, J.D., Vice-President
B.S., 1949, Physics, Rennselaer Polytechnic Institute, Troy, New York
Graduate Courses, 1949-1955, Business Management, University of California, Los Angeles
Juris Doctor, 1977, University of San Fernando Valley, College of Law, Los Angeles, California
Years of Experience: 31

Dave S. Backer, P. E., Senior Engineer
B.S., 1972, Civil Engineering, University of Nebraska, Lincoln
M.S., 1973, Civil Engineering, University of Nebraska, Lincoln
Years of Experience: 7

Douglas B. Bamforth, Archaeologist
B.A., 1978, Anthropology, University of Pennsylvania, Philadelphia
Enrolled: Ph.D. program, Anthropology, University of California, Santa Barbara
Years of Experience: 6

Nora B. Barnes, Biologist
B.A., 1965, Environmental Biology, University of California, Santa Barbara
M.A., 1967, Invertebrate Zoology, University of California, Santa Barbara
Years of Experience: 13

Mike Barnett, Senior Ecologist
B.A., 1967, Biology, Yale University, New Haven, Connecticut
M.S., 1970, Marine Biology, Scripps Institution of Oceanography
Ph.D., 1975, Marine Ecology, Scripps Institution of Oceanography, University of California, San Diego
Years of Experience: 14

Steven H. Berwick, Senior Ecologist, Chief Scientist
B.A., 1966, University of California, Berkeley
M.S., 1968, University of Montana, Missoula
M.S., 1972, Phil, Yale University, New Haven, Connecticut
Ph.D., 1974, Yale University, New Haven, Connecticut
Years of Experience: 15

List of EIS Preparers

Judy A. Billica, Soil Scientist

B.S., 1980, Soil and Water Sciences, University of California, Davis

Years of Experience: 1

Daniel Bleeker, Air Quality Analyst

B.S., 1976, Civil Environmental Engineering, University of California, Irvine

M.S., expected 1980, Engineering, University of California, Irvine

Years of Experience: 4

Richard S. Brightman, J.D.

B.S., 1971, General Biology, Florida State University, Tallahassee

M.S., 1976, Limnology and Environmental Biology, University of Florida, Gainesville

Juris Doctor (cum laude), 1979, University of Florida, College of Law, Gainesville

Years of Experience: 7

Robert W. Brown, Deputy Division Manager, Technical Operations

B.A., 1964, English, George Washington University, Washington, D.C.

M.A., 1971, English, University of California, Santa Barbara

Doctoral Studies, 1971-1973, English, University of California, Santa Barbara

Years of Experience: 7

Philip V. Brylski, Biologist

B.S., 1977, Forestry and Resource Management, University of California, Berkeley

Master of Forest Science, 1980, Forestry and Environmental Studies, Yale University, New Haven, Connecticut

Years of Experience: 4

Christopher Clayton, Senior Geographer

B.A., 1966, Oxford University, England

M.A., 1968, University of Cincinnati, Ohio

Ph.D., 1972, Clark University, Worcester, Massachusetts

Years of Experience: 17

Marcia Cobb, Biologist

B.A., 1973, Anthropology, University of Massachusetts, Amherst

M.A., Ongoing, Forestry, University of Massachusetts, Amherst

Years of Experience: 9

Robert H. Cohen, Analyst/Programmer

B.S., 1974, Biology and Ecology, San Diego State University, San Diego, California

M.S., 1978, Biology, San Diego State University, San Diego, California

Years of Experience: 7

David C. Collier, Senior Analyst

B.S., 1973, Mathematics, University of California, Riverside

M.A., 1977, Mathematics, University of California, Santa Barbara

Ph.D. Candidate, 1980, Mathematics, University of California, Santa Barbara

Years of Experience: 5

Roger A. Conley, Assistant to the Executive Vice-President
B.S., 1973, General Science, University of Iowa, Iowa City
M.S., 1975, Terrestrial Ecology, University of Iowa, Iowa City
M.S., 1977, Limnology and Environmental Engineering, University of Florida, Gainesville

Years of Experience: 3

Michael Costanzo, Scientific Programmer
B.A., 1979, Geography, University of California, Santa Barbara
M.A., in progress, Geography, University of California, Santa Barbara
Years of Experience: 2

James R. Crowe, Staff Geographer
A.A., 1976, Geography, Glendale Community College, California
B.A., 1977, Geography, University of California, Santa Barbara
Years of Experience: 6

Ken M. Curtis, Senior Planner
B. Arch. and B.A., Soc. Sc., 1969, Auburn University, Alabama
M.U.P., 1971, University of Illinois, Urbana
Coursework for Ph.D, 1971-1975, City and Regional Planning, University of Pennsylvania, Philadelphia
Years of Experience: 9

Robert W. Dague, Deputy Division Manager, Advanced Programs
B.S., 1956, Engineering, Purdue University, West Lafayette, Indiana
Years of Experience: 22

Robert M. Davies, Project Manager, Senior Biologist and Water Quality Specialist
B.A., 1965, Zoology, University of Kansas, Lawrence
M.S., 1968, Biology, Wichita State University, Kansas
Ph.D., 1972, Geography and Environmental Engineering, Johns Hopkins University, Baltimore, Maryland
Years of Experience: 15

Robert M. Demb, Scientific Programmer
B.A., 1979, Mathematics-Economics, University of California, Santa Barbara
M.A., in progress, Mathematics, University of California, Santa Barbara
Years of Experience: 1

Creighton Dennis, Geographer
A.A., Geography, Los Angeles Harbor College
B.A., 1977, Geography, University of California, Santa Barbara
Years of Experience: 6

William H. Doelle, Staff Archaeologist
B.A., 1970, Anthropology, University of Michigan, Ann Arbor
M.A., 1974, Anthropology, University of Arizona, Tucson
Ph.D., expected 1980, Anthropology, University of Arizona, Tucson
Years of Experience: 10

List of EIS Preparers

Thomas R. Fahy, Director, Special Projects
B.S., 1951, Geology, California Institute of Technology, Pasadena
Graduate Studies, 1952-1954, University of Southern California, Los Angeles
Graduate Studies, 1958, University of California, Los Angeles
Graduate Studies, 1970-1973, University of California, Santa Barbara
Years of Experience: 22

Frank G. Fox, Project Manager
B.A., 1970, Economics, University of Washington, Seattle
M.A., 1972, Economics, University of Washington, Seattle
Ph.D., 1977, Economics, University of Washington, Seattle
Years of Experience: 9

Marilyn Freeman, Data Manager
B.A., 1973, University of Delaware, Newark
Years of Experience: 7

Skip Fresn, Physical Planner
B. Arch., 1971, Washington State University, Pullman
Graduate Studies, 1974-1975, Urban Design and Neighborhood Planning, University of California, Berkeley
Years of Experience: 9

Susan Gans, Scientific Programmer
B.A., University of California, Santa Barbara
Years of Experience: 16

Patricia M. Gary, Technical Editor
B.A., History, 1972, San Francisco State University
Years of Experience: 5

David J. Germano, Wildlife Biologist
B.A., 1976, Biology, California State University, Northridge
M.S., 1978, Wildlife Ecology, University of Arizona, Tucson
Years of Experience: 3

Quentin Gillard, Senior Economic Geographer
B.A., 1969, Geography, University of Nottingham, England
M.S., 1972, Geography, Southern Illinois University, Carbondale
Ph.D., 1975, Geography, University of Chicago, Illinois
Years of Experience: 5

Jeremy Graves, Planner
B.A., 1974, Environmental Studies, University of California, Santa Barbara
M.S., 1976, Urban and Regional Planning, University of Wisconsin, Madison
Years of Experience: 5

Douglas S. Ham, Senior Cartographer
U.S. Army Engineer Cartographic School, 1961, Ft. Belvoir, Virginia
A.A., 1972, Geography, Mesa Community College, Mesa, Arizona
B.S., 1974, Geography, Arizona State University, Tempe
Years of Experience: 25

List of EIS Preparers

Elizabeth R. Holbrook, Ethnologist

B.A., 1972, Cultural Anthropology, University of California, Santa Barbara

M.A., 1974, Cultural Anthropology, University of California, Santa Barbara

Ph.D., 1980, Economic Anthropology, University of California, Santa Barbara

Years of Experience: 8

Ann M. Howald, Senior Botanist

B.A., 1971, Zoology, University of California, Santa Barbara

M.A., 1974, Botany, University of California, Santa Barbara

Ph.D., 1977, Biology, University of California, Santa Barbara

Years of Experience: 7

Barry J. Hyman, Economist

B.S., 1975, Management Science, State University of New York, Binghamton

M.A., 1978, Economics, University of California, Santa Barbara

Years of Experience: 3

Jamie Jordan, Production Editor

B.A., 1973, Literature, University of California, Santa Barbara

M.A., 1978, Literature, University of California, Santa Barbara

Years of Experience: 5

Margo Kally, Scientific Programmer

B.S., 1980, Mathematics, University of California, Santa Barbara

B.A., 1980, French Literature, University of California, Santa Barbara

Years of Experience: 2

Cheri P. Kantor, Environmental Research Associate, Social Sciences

B.A., 1979, Environmental Studies, University of California, Santa Barbara

Years of Experience: 3

Fenton Kay, Senior Ecologist

B.S., 1967, Biology, University of Nevada, Las Vegas

M.S., 1969, Zoology, University of Nevada, Las Vegas

Ph.D., 1974, Biology, New Mexico State University, Las Cruces

Years of Experience: 10

Richard A. Kentro, Manager, Analysis Department

B.S., 1968, Social Science, Michigan State University, East Lansing

B.A., 1974, Environmental Studies, University of California, Santa Barbara

M.A., 1977, Environmental Planning, University of California, Los Angeles

Years of Experience: 11

Louis E. Krug, Professional Engineer

B.S., 1970, Civil Engineering, University of Santa Clara, California

M.S., 1975, Civil Engineering, San Jose State University, California

Years of Experience: 10

David N. Lawhead, Biologist

B.S., 1974, Biology, San Diego State University, California

M.S., 1978, Wildlife Ecology, University of Arizona, Tucson

Years of Experience: 10

List of EIS Preparers

Donald G. Lee, Professional Engineer, Senior Civil Engineer
A.B., 1972, Bacteriology, University of California, Berkeley
M.S., 1973, Information Science, University of California, San Francisco
M.S., 1974, Civil Engineering, University of California, Berkeley
Years of Experience: 6

Philip R. Lever, Senior Economist
M.A., 1948, Economics, Columbia University, New York, New York
Years of Experience: 32

William Livingston, Senior Planner
B. Arch., 1950, University of Southern California, Los Angeles
Graduate work, 1966, Urban and Regional Planning, University of Southern California, Los Angeles
Years of Experience: 12

Alyce L. Mahan, Staff Meteorologist
B.A., 1977, Geography, University of California, Santa Barbara
Years of Experience: 3

Barbara Marks, Remote Imagery Analyst
B.A., 1977, Geography and Environmental Studies, University of California, Santa Barbara
Years of Experience: 3

M. Kay Martin, Principal Anthropologist
B.A., 1964, Psychology, State University of New York, Buffalo
M.A., 1966, Anthropology, State University of New York, Buffalo
Ph.D., 1970, Anthropology, State University of New York, Buffalo
Years of Experience: 16

William A. Master, Senior Environmental Scientist
B.S., 1975, Ecology, San Diego State University, California
M.S., 1979, Environmental Sciences, University of Illinois, Chicago
Years of Experience: 11

Raj B. Mathur, Manager, Socioeconomics Department
B.A. with honors, 1957, Geography, Punjab University, India
M.A., 1960, Economics and Statistics, Punjab University, India
Ph.D., 1972, Geography, University of Minnesota, Minneapolis
Years of Experience: 21

Linda L. Mayro, Staff Archaeologist
B.A., 1970, Sociology, Douglass College of Rutgers University, New Brunswick, New Jersey
M.A., 1974, Anthropology, University of Arizona, Tucson
Years of Experience: 10

Bruce J. S. McIver, Ph.D., Project Manager
B.A., 1966, English and Humanities, University of Southern Florida, Tampa
M.A., 1967, English, University of California, Santa Barbara
M.A., 1971, Literature, University of Kent, Canterbury, England
Ph.D., 1974, English, University of California, Santa Barbara
Years of Experience: 10

List of EIS Preparers

Melissa J. Mooney, Assistant Botanist
B.A., 1979, Environmental Biology, University of California, Santa Barbara
Years of Experience: 2

Patrick B. Mullen
B.A., 1978, Geography, University of California, Santa Barbara
Years of Experience: 3

Thomas W. Mulroy, Manager, Biology Department
B. A., 1968, Zoology, Pomona College, Claremont, California
M.A., 1971, Biology, University of Arizona, Tucson
Ph.D., 1976, Ecology and Evolutionary Biology, University of California, Irvine
Years of Experience: 11

Robert D. Niehaus, Principal Economist
B.A., 1972, Government, Oberlin College, Ohio
Ph.D., 1979, Economics, University of Maryland, College Park
Years of Experience: 8

John O. Nigra, Principal Geologist
B.A., 1937, Mining Geology, University of Texas, El Paso
M.S., 1946, Geology, California Institute of Technology
Doctor of Science, 1951, Geology, National University of Mexico, Mexico City
Years of Experience: 43

Jean A. Nisbet, Mathematician/Programmer
B.S., 1969, Mathematics, Illinois State University
M.A., 1971, Mathematics, Arizona State University
Ph.D., 1974, Mathematics, Arizona State University
Years of Experience: 8

Robert A. Nisbet, Senior Biologist
Certificate in Cartography, USAF, 1966, Aeronautical Chart and Information Center
B.S. 1965, Forest Management, Humboldt State University, Arcata, California
M.S., 1969, Biology, San Diego State University, California
Ph.D., 1972, Plant Ecology, Arizona State University, Tempe
Years of Experience: 16

Truman W. Nybakken, Vice-President
1953-1958, Studies in Computer Systems, Energy, Chemistry, Transportation,
Planning and Decision Theory, University of North Dakota, Grand Forks, University
of Illinois, Chicago
B.A., 1961, Physics, Western Washington University, Bellingham
Doctoral Studies in Physics, 1961-1963, University of Washington, Seattle
Years of Experience: 19

Sean O'Halloran, Archaeologist
B.A., 1979, Anthropology, University of Illinois, Urbana
Years of Experience: 5

List of EIS Preparers

John B. Opfell, Ph.D., Assistant to the Executive Vice-President
B.S., 1945, Chemical Engineering, University of Wisconsin, Madison
M.S., 1947, Chemical Engineering, California Institute of Technology, Pasadena
M.B.A., 1951, Business Administration, Stanford University, Palo Alto, California
Ph.D., 1954, Chemical Engineering and Mathematics, California Institute of Technology, Pasadena

Years of Experience: 29

William A. Patterson, Assistant Vice-President
B.S., 1937, Lehigh University, Bethlehem, Pennsylvania
Graduate, 1943, Command and General Staff School, U.S. Army, Ft. Leavenworth, Kansas

S.M.E.E., 1950, Massachusetts Institute of Technology, Cambridge
E.E. (Professional), 1950, Massachusetts Institute of Technology, Cambridge

Years of Experience: 43

Michael Perrone, Biologist

B.A., 1970, Biology, Stanford University, Palo Alto, California

Ph.D., 1975, Zoology, University of Washington, Seattle

Years of Experience: 8

Russell J. Peterson, P.E., Assistant Vice-President

B.S.C.E., 1950, Civil Engineering, University of Nebraska, Lincoln

Years of Experience: 30

Vijaya L. Rao, Environmental Specialist

B.S., 1972, Biology and Chemistry, University of Rajasthan, Jaipur, India

M.S., 1975, Environmental Sciences, Indiana University, Bloomington

Years of Experience: 4

Jeff M. Reece, Senior Chemical and Civil Engineer

B.S., 1968, Chemical Engineering, Massachusetts Institute of Technology, Cambridge

Graduate Studies, 1968-1970; Chemical Engineering, University of California, Berkeley

Years of Experience: 15

Ron Ring, Project Engineer

B.S.C.E., 1964, Civil Engineering, Washington University, St. Louis, Missouri

Years of Experience: 17

James Robbins, Environmental Research Assistant

B.A., 1980, Geography and Economics, University of California, Santa Barbara

Years of Experience: 1

Eric Rodenburg, Socioeconomic Anthropologist

B.A., 1969, Anthropology, Brown University, Providence, Rhode Island

M.S., 1973, Biostatistics, Graduate School of Public Health, University of Pittsburgh, Pennsylvania

M.A., 1979, Anthropology, University of California, Santa Barbara

C. Phil., 1979, Anthropology, University of California, Santa Barbara

Years of Experience: 5

List of EIS Preparers

Bruce E. Ross, Geologist
B.S., 1971, Geology, University of California, Davis
M.S., 1977, Geology, San Jose State University, California
Years of Experience: 9

Lt. Col. Carl Rule, USAF
B.S., 1964, Mechanical Engineering, Long Beach State College, California
M.S., 1972, Aerospace and Mechanical Engineering, Air Force Institute of Technology, Wright-Patterson Air Force Base, Ohio

Benjamin O. Schoepfle, Planner
B.A., 1974, Sociology, Northwestern University, Evanston, Illinois
M.P.A., 1979, Policy Analysis Concentration, Indiana University School for Public and Environmental Affairs, Bloomington
Years of Experience: 2

Robert Silsbee, Economist
B.A., 1980, Economics and Environmental Studies, University of California, Santa Barbara
Years of Experience: 1

Bonnie M. Simrell, Chief Production Editor
B.A., 1960, History, Stanford University
Years of Experience: 20

Greg T. Smith, Professional Engineer
B.S., 1973, Civil Engineering, Iowa State University, Ames
Years of Experience: 7

Poul V. Steffensen, Environmental Engineer
B.S., 1944, Mechanical Engineering, Marine Engineering Academy, Copenhagen, Denmark
Years of Experience: 29

Bradford J. Stewart, Scientific Programmer
B.S., 1979, Geography and Environmental Studies, University of California, Santa Barbara
M.A., in progress, Geography, University of California, Santa Barbara
Years of Experience: 2

Diane Stockton, Scientific Programmer
B.S., 1978, Mathematics, University of California, Santa Barbara
Years of Experience: 3

Robin J. Tausch, Terrestrial Ecologist
B.S., 1970, Wildlife Management, Humboldt State University, Arcata, California
M.S., 1973, Range Management, University of Nevada, Reno
Ph.D., 1980, Range Ecology, Utah State University, Logan
Years of Experience: 16

Rosemary A. Thompson, Senior Biologist
B.A., 1967, Zoology, University of Missouri, Columbia
Ph.D., 1972, Marine Biology, University of California, San Diego
Years of Experience: 12

List of EIS Preparers

Robert D. Thomson, Staff Biologist

B.S., 1973, Zoology, University of California, Davis

M.S., 1975, Ecology, University of California, Davis

Years of Experience: 9

Gordon L. Tucker, Acting Manager, Physical Sciences

B.S., 1955, Electrical Engineering, University of Massachusetts, Amherst

B.S., 1956, Meteorology, St. Louis University, Missouri

M.S., 1962, Meteorology, University of Wisconsin, Madison

M.S., 1976, System Management, University of Southern California, Los Angeles

Years of Experience: 24

Jeffrey K. Turner, Senior Remote Sensing Specialist

B.S., 1975, Biology/Earth Science, Peru State College, Peru, Nebraska

M.S., 1978, Geography, University of Nebraska, Omaha

Years of Experience: 5

Robert J. Verlaan, Environmental Analyst

A.A., 1975, General Studies, Santa Barbara City College, California

B.A., 1977, Experimental Psychology, Westmont College, Santa Barbara, California

M.A., Ongoing, Environmental Planning, California State University, Northridge

Years of Experience: 6

Rick Villasenor, Botanist

B.S., 1972, Botany, San Diego State University, California

M.A., 1975, Botany, University of California, Berkeley

Years of Experience: 3

Jeff D. Vitucci, Economist

B.A., 1974, Environmental Studies, San Jose State University, California

M.A., 1978, Urban Economics, University of California, Santa Barbara

Years of Experience: 6

David H. Vomacka, Ph.D., Vice-President

B.A., 1965, Political Science, Florida State University, Tallahassee

M.S., Political Science, Florida State University, Tallahassee

Ph.D., Political Science, Florida State University, Tallahassee, Florida

Years of Experience: 14

Timothy D. Wardell, Technical Editor

B.A., 1971, English, University of California, Santa Barbara

Years of Experience: 8

Charles B. Wasserman, Groundwater Hydrologist

A.A., 1974, Physical Science, Santa Barbara City College, Santa Barbara

B.A., 1977, Environmental Studies and Geography, University of California, Santa Barbara

Years of Experience: 3

List of EIS Preparers

Lynn Watson, Senior Scientific Programmer
B.S.C., 1966, Witwaterspord, South Africa
Years of Experience: 12

Melbourne B. Weddle, Attorney-at-Law
B.A., 1960, Economics, University of California, Berkeley
J.D., 1963, University of California, Hastings College of Law, San Francisco
1971, American College of Trial Lawyers, Hastings College of Law, San Francisco
1973-1974, Post doctoral studies, Brasenose College, University of Oxford, England

John Willie, Community Planner
B.S., Landscape Architecture and Environmental Planning, University of Southern California, Los Angeles
Years of Experience: 18

Jeffrey M. Young, Environmental Geoscientist
B.S., 1976, Geography/Geology, Lock Haven State College, Pennsylvania
M.A., 1978, Geography, Arizona State University
Years of Experience: 3

Robert J. Yourzak, Professional Engineer, Power and Energy Division
B.C.E., 1969, Civil Engineering, University of Minnesota, Minneapolis
M.S.C.E., 1971, Civil Engineering, University of Washington, Seattle
M.B.A., 1975, Civil Engineering, University of Washington, Seattle
Years of Experience: 12

Stephen E. Ziemer, Meteorologist
1969, Fixed Plant Microwave Carrier Repair, Ft. Monmouth Electronics School, Monmouth, New Jersey
B.S., 1976, Thermal and Environmental Engineering, Southern Illinois University, Carbondale
M.S., 1978, Thermal and Environmental Engineering, Southern Illinois University, Carbondale
Years of Experience: 4

5.4.3 SUBCONTRACTORS

The following firms provided technical or scientific support in the preparation of this EIS:

Basin Research Associates
Colin Busby

Bio West Inc.
Mike Albee, Paul Holden, and Stanley Welsh

Chase Econometric Assoc., Inc.
Brad Perry

Commonwealth Assoc., Inc.

Environmental Consultants, Inc.
Jim Deacon

Environmental Research Institute of Michigan
Larry Reed, Roger Reinhold

Environmental Research Institute of Michigan
Larry Reed, Roger Reinhold

Facilitators, Inc.
Susan Ostanik

Frank K. Stuart & Associates
Steven J. Nicolatus

General Electric, Earth Resources Applications
William C. Dallam, Tom Wescott

General Electric, Earth Resources Applications
William C. Dallam, Tom Westcot

Rick Holmer
University of Utah

Institute for American Research
Gary Coombs

List of EIS Preparers

Utah Division of State History
David Madsen

Nevada Employment Security Department

NRC, Inc.
Garwin Lorain

University of Utah, Bureau of Economic and Business Research
Rodger Weaver

Dr. Dwight W. Read

Resource Concepts, Inc.
John McLain

Westec Services, Inc.
John Westermeier

Woodward Clyde Consulting, Orange County
Robert S. Wright

Woodward Clyde Consulting, San Francisco

5.5 DISTRIBUTION LIST

5.5 DISTRIBUTION LIST

5.5.1 Congressional Delegations: Nevada, Utah, Texas, and New Mexico

5.5.2 Federal Government Agencies

DEPARTMENTS

Department of Agriculture

- o Farmers Home Administration
- o Agricultural Stabilization and Conservation Service
- o Forest Service
- o Soil Conservation Service

Department of Commerce

- o Regional Action Planning Commissions

Department of Defense

- o Army Corps of Engineers
- o Naval Facilities Engineering Command
- o Air Force Regional Civil Engineers
- o Defense Mapping Agency
- o Defense Nuclear Agency
- o Defense Communications Agency
- o Office of Economic Adjustment

Department of Energy

Department of Education

Department of Health and Human Services

Department of Housing and Urban Development

Department of Interior

- o U.S. Fish and Wildlife Service
- o National Park Service
- o Bureau of Mines
- o Geological Survey
- o Bureau of Indian Affairs
- o Bureau of Land Management
- o Heritage Conservation and Recreation Service
- o Office of Surface Mining, Reclamation and Enforcement
- o Water and Power Resources Service

Department of Labor

- o Occupational Safety and Health Administration

Department of Transportation

- o Federal Aviation Administration
- o Federal Highway Administration

AGENCIES

Action

- o Arms Control and Disarmament Agency
- o Community Service Administration
- o Environmental Protection Agency
- o General Services Administration
- o Small Business Administration
- o Nuclear Regulatory Commission

FEDERAL REGIONAL COUNCILS

COUNCIL ON ENVIRONMENTAL QUALITY

ADVISORY COUNCIL ON HISTORIC PRESERVATION

WATER RESOURCES COUNCIL

5.5.3 State Government Agencies

State Executive - Nevada, Utah, Texas, New Mexico

State Legislature - Nevada, Utah, Texas, New Mexico

State A-95 Clearinghouse - Nevada, Utah, Texas, New Mexico

State Planning Offices

- o New Mexico State Planning Office
- o Texas Office of Budget and Planning
- o Utah State Planning Agency
- o Nevada Office of Planning Coordination

State M-X Offices

- o Nevada M-X Field Office
- o Utah M-X Coordination Office

5.5.4 Local Government Agencies

COUNTIES

Nevada
Esmeralda
Eureka
Lander
Lincoln
Nye
White Pine

Utah
Beaver
Iron
Juab
Millard
Tooele

Texas
Bailey
Castro
Cochran
Dallam
Deaf Smith
Hartley
Hockley
Lamb
Moore
Oldham
Parmer
Potter
Randall
Sherman
Swisher

New Mexico
Chaves
Curry
DeBaca
Guadalupe
Lea
Quay
Roosevelt
Union

CITIES

Nevada
Las Vegas
Elv
Pioche
Caliente
Tonopah

Utah
St. Lake City
Milford
Delta
Cedar City
Beaver

Texas
Amarillo
Lubbock
Plainview
Hereford
Dalhart
Dumas

New Mexico
Roswell
Clovis
Tucumcari
Santa Rose
Clayton


DEPARTMENT OF THE AIR FORCE WASHINGTON DC F/6 16/1
ENVIRONMENTAL IMPACT ANALYSIS PROCESS. DEPLOYMENT AREA SELECTIO--ETC(U)
DEC 80

ENVIRONMENTAL IMPACT ANALYSIS PROCESS. DEPLOYMENT AREA SELECTIO--ETC(U)
DEC 80

44

 2×2

END
DATE
FILMED
4-82
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

5.5.5 National Organizations

American Anthropological Association
 AAAS - American Association for the Advancement of Science
 American Association of Petroleum Geologists
 American Association of Planners
 American Economics Association
 American Friends Service Committee
 AIBS - American Institute of Biological Sciences
 American Water Resource Council
 Audubon Society
 Botanical Society of America
 Center for Defense Information
 Center for Law and Social Policy
 Conservation Foundation
 Ecological Society of America
 Environmental Defense Fund
 Friends Committee on National Legislation
 Friends of the Earth
 League of Women Voters
 National Cattlemen's Association
 National Parks and Conservation Association
 National Science Foundation
 National Wildlife Federation
 Regional Science Association
 SANE
 Sierra Club
 Society for American Archaeology
 Society for Range Management
 The Wilderness Society
 The Wildlife Society
 Union of Concerned Scientists

5.5.6 State Local Organizations

<u>ORGANIZATION</u>	<u>CITY</u>	<u>STATE</u>
Albuquerque Wildlife Federation	Albuquerque	NM
Archaeological Society of Utah	Sandy	UT
Ashley Valley Woolgrowers	Jensen	UT
Brine Shrimp Alliance	Salt Lake City	UT
Center for Environmental Research	Albuquerque	NM
Central Utah Wildlife Association	Centerfield	UT
Chaves County Wildlife Federation	Roswell	NM
Citizen Alert	Reno	NV
Council on Utah Resources	Salt Lake City	UT
Desert Fish Council	Death Valley	CA
Duckwater Shoshone Tribe	Duckwater	NV
Ely Colony Council	Ely	NV
Environmental Forum	Las Vegas	NV
Escalante Wilderness Committee	Salt Lake City	UT
Fishlake Woolgrowers	Ephraim	UT
Friends of Nevada Wilderness	Carson City	NV
Iron County Historical Society	Cedar City	UT
Izaak Walton League	Salt Lake City	UT
Milford Wildlife Protection Association	Milford	UT

Distribution List

<u>ORGANIZATION</u>	<u>CITY</u>	<u>STATE</u>
Nevada Cattlemen's Association	Elko	NV
Nevada Conservation Forum	Reno	NV
Nevada Indian Environmental Research Project	Reno	NV
Nevada Intertribal Council	Reno	NV
Nevada Mining Association	Elko	NV
Nevada Public Land Users Association	Henderson	NV
Nevada Wildlife Federation	Sparks	NV
Nevada Woolgrower's Association	Ely	NV
Nevadans Opposed to M-X	Las Vegas	NV
New Mexico Cattle Grower's Association	Albuquerque	NM
New Mexico Conservation Coordinating Council	Albuquerque	NM
New Mexico Wilderness Study Committee	Albuquerque	NM
New Mexico Wildlife Society	Albuquerque	NM
New Mexico Woolgrower's Association	Roswell	NM
No M-X	Ely	NV
Northern Nevada Native Plant Society	Reno	NV
Renewable Natural Resource Center	Reno	NV
Sage Brush Alliance	Las Vegas	NV
Sevier Wildlife Association	Richfield	UT
Southern New Mexico Grazing Association	Dell City	TX
Southern Nevada Conservation Council	Las Vegas	NV
Southwest Preservation Foundation	Santa Fe	NM
Southwest Resource Council	Hurricane	UT
The Navajo Tribe	Window Rock	AZ
United Nations Association of Utah	Salt Lake City	UT
Utah Cattlemen's Association	Salt Lake City	UT
Utah Farm Bureau Federation	Murray	UT
Utah Statewide Archaeological Society	Granger	UT
Utah Water Users Association	Heber City	UT
Ute Indian Tribe	Ft. Duchesne	UT
Women in Mining	Battle Mountain	NV
Women's Conservation Council of Utah	Salt Lake City	UT

5.5.7 General Public

A significant number of individuals have requested copies of the DEIS and the number grows daily. A list of these individuals is being maintained by the Ballistic Missile Office, AFRCE-M-X/DEV, Norton AFB, California, separately from this document. Copies of the DEIS will be sent to each requestor.

5.5.8 Location of Reference Copies

<u>LIBRARY</u>	<u>CITY</u>	<u>STATE</u>
Abilene Public Library	Abilene	TX
Albuquerque Public Library	Albuquerque	NM
Amarillo College Learning Resource Center	Amarillo	TX
Amarillo Public Library	Amarillo	TX
American Fork City Library	American Fork	UT
Austin Public Library	Austin	TX

Distribution List

<u>LIBRARY</u>	<u>CITY</u>	<u>STATE</u>
Baylor University Moody Memorial Library	Waco	TX
Beaver County Public Library	Beaver	UT
BLM - Arizona Strip Dist Office Library	St. George	UT
BLM - Battle Mountain Dist Office Library	Battle Mountain	NV
BLM - Elko Dist Office Library	Elko	NV
BLM - Ely Dist Office Library	Ely	NV
BLM - Kanab Dist Office Library	Kanab	UT
BLM - Las Vegas Dist Office Library	Las Vegas	NV
BLM - Roswell Dist Office Library	Roswell	NM
BLM - Utah State Office Records Office Library	Salt Lake City	UT
BLM Library - Federal Bldg	Reno	NV
Boulder City Library	Boulder City	NV
Brigham City Library	Brigham City	UT
Bureau of Land Management Library	Albuquerque	NM
Cannon AFB Library	Cannon AFB	NM
Canyon Public Library	Canyon	TX
Carlsbad Public Library	Carlsbad	NM
Carnegie Public Library	Las Vegas	NM
Carson Co. Public Library	Panhandle	TX
Cedar City Public Library	Cedar City	UT
Chapman Branch Library	Salt Lake City	UT
Churchill County Library	Fallon	NV
Clark Co. Community College Learning Resource Center	N. Las Vegas	NV
Clark Co. Library Dist - Bunkerville Branch	Bunkerville	NV
Clark Co. Library Dist - Charleston Heights Branch	Las Vegas	NV
Clark Co. Library Dist - Flamenco Branch	Las Vegas	NV
Clark Co. Library Dist - Moapa Valley Branch	Las Vegas	NV
Clark Co. Library Dist - Sunrise Branch	Las Vegas	NV
Clark Co. Library Dist - Virgin Valley Branch	Mesquite	NV
Clark Co. Library Dist - West Las Vegas Branch	Las Vegas	NV
Clark County Library District	Las Vegas	NV
Claude Public Library	Claude	TX
Clayton Public Library	Clayton	NM
Clovis-Carter Public Library	Clovis	NM
Cochran Co. Library	Morton	TX
College of Santa Fe Fogelson Library Center	Santa Fe	NM
College of the Southwest	Hobbs	NM
Dallam County Library	Dalhart	TX
Dallas County Library	Dallas	TX
Davis County Library	Farmington	UT
Deaf Smith County Library	Hereford	TX
Delta City Library	Delta	UT
Dixie College Library	St. George	UT
Douglas Co. Public Library	Minden	NV

<u>LIBRARY</u>	<u>CITY</u>	<u>STATE</u>
Eastern NM University Library	Portales	NM
Eastern NM University Clovis Campus Library	Clovis	NM
Eastern NM University Roswell Campus Library	Roswell	NM
Eastern Plains Regional Library	Tucumcari	NM
El Paso Public Library	El Paso	TX
Elko County Library	Elko	NV
Emery County Library	Castle Dale	UT
Envir. Protection Agency Region VI Library	Dallas	TX
Ephraim City Library	Ephraim	UT
Eunice Public Library	Eunice	NM
Fillmore City Library	Fillmore	UT
Fish Lake Valley Library	Tonopah	NV
Floyd Co. Library	Floydada	TX
Fort Worth Public Library	Ft. Worth	TX
Fort Sumner Public Library	Ft. Sumner	NM
Fred Macaron Library	Springer	NM
Friona Public Library	Friona	TX
Gabie Betts Burton Memorial Library	Claredon	TX
Gerrity Memorial Library	Hill AFB	UT
Gruner City Library	Gruner	TX
Hale Center Public Library	Hale Center	TX
Harold B. Lee Library	Provo	UT
Harris Co. Public Library	Houston	TX
Henderson Dist Public Library	Henderson	NV
Hobbs Public Library	Hobbs	NM
Hockley Co. Memorial Library	Levelland	TX
Houston Public Library	Houston	TX
Hutchinson County Library	Borger	TX
Kendrick Memorial Library	Brownfield	TX
Killgore Memorial Library Moore Co. Library	Dumas	TX
Lamb County Library	Littlefield	TX
Lee Library - BYU	Provo	UT
Lincoln County Library	Pioche	NV
Lincoln County Library - Caliente	Caliente	NV
Logan Library	Logan	UT
Lovett Memorial Library	Pampa	TX
Lovington Public Library	Lovington	NM
Lubbock Christian College Moody Library	Lubbock	TX
Lubbock City - County Library	Lubbock	TX
Mineral County Public Library	Hawthorne	NV
Moise Memorial Library	Santa Rosa	NM
Muleshoe Area Public Library	Muleshoe	TX
Murray Public Library	Murray	UT
Nellis AFB Library	Nellis AFB	NV
Nephi City Library	Nephi	UT
Nevada State Library	Carson City	NV

<u>LIBRARY</u>	<u>CITY</u>	<u>STATE</u>
Nevada Un. of Library	Las Vegas	NV
New Mexico Highlands Univ Donnelly Library	Las Vegas	NM
New Mexico State Library	Santa Fe	NM
New Mexico State University Library	Las Cruces	NM
NM Military Institute Learning Research Center	Roswell	NM
North Las Vegas Municipal Library	N. Las Vegas	NV
Orem Public Library	Orem	UT
Pannell Library and Instructional Resources Center	Hobbs	NM
Ornesby Public Library	Carson City	NV
Parowan Public Library	Parowan	UT
Payson Public Library	Payson	UT
Pleasant Grove City Library	Pleasant Grove	UT
Portales Public Library	Portales	NM
Post Library	Dogway	UT
Price City Library	Price	UT
Provo City Public Library	Provo	UT
Raton Public Library	Raton	NM
Richfield City Library	Richfield	UT
Roswell Public Library	Roswell	NM
Salt Lake City Public Library	Salt Lake City	UT
Salt Lake Co. Library, A.E. Peterson Branch	Sandy	UT
Salt Lake Co. Library, C.S. Smith Branch	Salt Lake City	UT
Salt Lake Co. Library, E. Mill Crk Branch	Salt Lake City	UT
Salt Lake Co. Library, Gronger Branch	Gronger	UT
Salt Lake Co. Library, Halladay Branch	Salt Lake City	UT
Salt Lake Co. Library, Kearns Branch	Kearns	UT
Salt Lake Co. Library, Magna Branch	Magna	UT
Salt Lake Co. Library, R.V. Tyler Branch	Midvale	UT
Salt Lake Co. Library, South Jordan Branch South	Jordan	UT
Salt Lake Co. Library, South Salt Lake City Branch	Salt Lake City	UT
Salt Lake County Library, Whitmore Library	Salt Lake City	UT
San Antonio Public Library	San Antonio	TX
Santa Fe Public Library	Santa Fe	NM
Scarborough Memorial Library	Hobbs	NM
Sherman Co. Public Library	Stratford	TX
Sierra Nevada College Library	Incline Village	NV
Silverton Library - Courthouse	Silverton	TX
Southeastern Regional Library	Lovington	NM
Southern Methodist Univ. Libraries	Dallas	TX
Southern Utah State College Library	Cedar City	UT
Spanish Fork City Library	Spanish Fork	UT
Swisher Co. Library - Swisher Memorial Bldg	Tulia	TX

<u>LIBRARY</u>	<u>CITY</u>	<u>STATE</u>
Tatum Community Library	Tatum	NM
Texas Dept of Water Resources Library	Austin	TX
Texas Southern Univ Library	Houston	TX
Texas State Library	Austin	TX
Texas Tech Univ Library	Lubbock	TX
Tonopah Public Library	Tonopah	NV
Tooele Public Library	Tooele	UT
TX Christian Univ Mary Coutts Barnett Library	Fort Worth	TX
Unger Memorial Library	Plainview	TX
Univ of Albqu. Center for Learning and Information Research	Albuquerque	NM
Univ of Dallas Wm. A. Blakley Library	Irving	TX
Univ of Houston M.D. Anderson Memorial Library	Houston	TX
Univ of New Mexico General Library	Albuquerque	NM
Univ of Texas General Library	El Paso	TX
Univ of Texas, Marabeau B. Lamar Library	Austin	TX
Univ of Utah, Mariott Library	Salt Lake City	UT
Univ of Nevada, Reno, Nobel Getchell Library	Reno	NV
US Army Corps of Engineers Albuquerque Dist	Albuquerque	NM
US Army Southwestern Div Corps of Engineers Library	Dallas	TX
Utah State Library Commission	Salt Lake City	UT
Utah State University Merrill Library	Logan	UT
Van Howeling Memorial Library	Plainview	TX
Wasatch Co. Library	Heber	UT
Washington Co. Library	St. George	UT
Washoe Co. Library	Reno	NV
Weber Co. Library	Ogden	UT
Weber State College Library	Ogden	UT
West Texas State Univ Cornette Library	West TX Station	TX
White Pine County Library	Ely	NV
William Marsh Rice Univ Fondren Library	Houston	TX
Woolworth Community Library	Jol	NM
Yoakum County Library	Plains	TX
Yoakum County Library	Denner City	TX

5.6 PROGRAMMATIC MEMORANDUM OF AGREEMENT

5.6 PROGRAMMATIC MEMORANDUM OF AGREEMENT

The following is the current text of the proposed Programmatic Memorandum of Agreement. The document has not as yet been executed by all concerned parties, although the Advisory Council on Historic Preservation and the U.S. Air Force have both signed the current document. Since this language could change slightly before finalization, it is not possible to reproduce the actual document at this time.

PROGRAMMATIC MEMORANDUM OF AGREEMENT

WHEREAS, the U.S. Air Force, Department of Defense, proposes to deploy the M-X System (undertaking) within the States of Nevada, New Mexico, Texas, and/or Utah; and,

WHEREAS, the M-X System may be deployed on land managed by the Bureau of Land Management (BLM), and BLM and the Air Force have management responsibilities, with regard to historic properties pursuant to Executive Order 11593, and the National Historic Preservation Act of 1966 (16 U.S.C. Sec. 470f, as amended, 90 Stat. 1320); and,

WHEREAS, the Air Force has assumed lead agency status and primary responsibility for compliance with the historic preservation statutes and regulations referenced herein on behalf of both itself and BLM; and,

WHEREAS, the Air Force, in consultation with the State Historic Preservation Officers (SHPOs), has determined that the proposed undertaking could have effects upon historic and cultural properties included in or eligible for inclusion in the National Register of Historic Places (Register); and,

WHEREAS, pursuant to Section 106 of the National Historic Preservation Act of 1966, Section 2(b) of Executive Order 11593, and Section 800.4 of the regulations of the Advisory Council on Historic Preservation (Council), "Protection of Historic and Cultural Properties" (36 CFR Part 800), the Air Force has requested the comments of the Council; and,

Programmatic Memorandum of Agreement

WHEREAS, pursuant to 36 CFR Sec. 800.8(a) of the Council's regulations, the Air Force has requested development of a Programmatic Memorandum of Agreement (Agreement); and,

WHEREAS, the Air Force, the Council, BLM, and the SHPOs of Nevada, New Mexico, Texas, and Utah have consulted and will continue to consult and review the undertaking to consider feasible and prudent alternatives to avoid, minimize, or satisfactorily mitigate adverse effects,

NOW, THEREFORE, it is mutually agreed that implementation of the undertaking in accordance with the following stipulations will avoid or satisfactorily mitigate its adverse effects on historic and cultural properties.

Stipulations

The Air Force will insure that the following measures are carried out.

1. General.

- A. The Air Force will establish a Review Committee to assist in oversight of all historic preservation related M-X activities to insure that such activities meet high standards of professional methodology. The committee will report to the Executive Director of the Council and to the Air Force, and will act and be funded in accordance with Attachment 1.
- B. The Air Force will afford the appropriate SHPOs, and the state offices of BLM, opportunity to review and comment on all scopes of work, and significant revisions of such scopes, relating to historic preservation; and the opportunity to review and comment on the historic preservation reports or products generated under this Agreement. Informational copies of these documents will be provided to the Council.
- C. The Air Force will provide data generated under this Agreement to the appropriate SHPOs and State offices of BLM.
- D. The Air Force, in consultation with appropriate SHPOs, will notify the public of intended significant actions under this Agreement, will provide timely notice to news media, and will afford the public the opportunity to comment to the Air Force, the SHPOs, or the Council regarding these actions.
- E. The Air Force, in consultation with the appropriate SHPOs, will ensure that all historic preservation activities are carried out by or under the supervision of, qualified persons as prescribed in 36 CFR Sec. 1201.5.
- F. The Air Force will ensure that all stipulations of this Agreement are met by its contractors as well as by all participating units of the Air Force.
- G. The Air Force, in consultation with the appropriate SHPOs, will ensure that its contractors and Air Force personnel and resident dependents are advised against illegal collection of historic and prehistoric materials, will encourage those with interests in such materials to participate in

Programmatic Memorandum of Agreement

nondestructive activities, and will cooperate with BLM to insure enforcement of the Archaeological Resources Protection Act of 1979.

- H. Pursuant to 36 CFR Sec. 800.8 of the Council's regulations, the Air Force will submit an annual report to the Council, the SHPOs, and to Interagency Archaeological Services (Heritage Conservation and Recreation Service, Department of the Interior) on all actions taken pursuant to this Agreement.
- I. The Air Force will provide data to assist the SHPO's in identifying and documenting the budgetary and staff impacts arising from this undertaking.

II. Identifying and Mitigating Adverse Effects of Construction and Operation.

- A. In consultation with BLM and the appropriate SHPOs, and in accordance with the guidelines in Attachment II, the Air Force will locate and identify historic properties in the potential impact area, determine their significance, and assess the undertaking's impact upon them by:
 - 1. development of an initial study plan, including but not limited to:
 - (a) Definition of preliminary study goals
 - (b) establishment of study methods
 - (c) indication of predicted types of historic and cultural properties
 - (d) establishment of study team composition
 - (e) establishment of programs for data storage, management, and use which are, to the extent feasible, compatible with existing State and BLM systems,
 - (f) development of a calendar of tasks (see Attachment II);
 - 2. conducting preliminary studies based on the study plan, including background data and field inspection of sample areas during initial environmental analyses of the potential impact areas, to predict where adverse effects upon historic and cultural properties are likely to occur;
 - 3. development and implementation of a plan for intensive field survey of all locations where adverse effects upon historic and cultural properties are likely to occur in the vicinity of potential MX permanent and temporary facilities such as base sites, access and utility corridors, borrow sources, and other MX support facilities. This plan will include:
 - (a) description of historic and cultural property types expected

Programmatic Memorandum of Agreement

- (b) predicted distributions of historic and cultural properties
 - (c) study questions to be addressed
 - (d) study methods; including methods of field inspection, testing, and analysis
 - (e) study team composition
 - (f) data storage and management program.
- B. Where prudent and feasible, in consultation with the SHPOs and BLM, the Air Force will avoid adverse effects on historic and cultural properties through design of M-X facilities by relocation of existing facilities or by other means.
- C. In consultation with the SHPOs and BLM, the Air Force will develop guidelines for documentation or data recovery from historic and cultural properties that cannot be avoided or protected. The guidelines will take into account:
- 1. the data generated by the preliminary and intensive studies
 - 2. the concerns of local communities and social and ethnic groups
 - 3. the Native American Religious Freedom Act
 - 4. 36 CFR Part 66 and its appendices published by the Department of the Interior on January 28, 1978 (42 FR 5374-82)
 - 5. the standards of the Society of Professional Archaeologists
 - 6. other applicable Federal regulations, standards, and guidelines.
- D. The Air Force will in a timely manner deliver copies of the initial study plans (II.A.1) and guidelines for data recovery (II.C) to the Review Committee, the State BLM offices, and the appropriate SHPO and afford them 15 working days after receipt, to review them. The Review Committee, SHPO, and BLM will provide written notice of receipt and indicate their objections, if any, within 15 working days. Should the Review Committee, SHPO, or BLM object, the Air Force will arrange a meeting to resolve differences before proceeding with the action to which the Review Committee, SHPO, or BLM has objected. If the differences cannot be resolved, the Air Force will take the comments to the Committee, SHPO, and BLM into account in deciding whether to and how to proceed.
- E. When it is not prudent or feasible to avoid adverse effects upon a historic or cultural property, the Air Force will follow 36 CFR Part 1204 to determine whether the property is eligible for inclusion in the Register, and consult with the appropriate SHPO and BLM as appropriate, and,

Programmatic Memorandum of Agreement

1. if the affected property meets criteria for listing in the Register primarily because it may yield information important in prehistory or history, the Air Force will institute a documentation or data recovery program in accordance with the Guidelines established under Stipulation II.C. Prior to initiating any documentation or data recovery program, the Air Force will notify the Review Committee, BLM, SHPOs, and any concerned local communities, or social and ethnic groups. Should an objection be raised, the Air Force will consult with the objecting party to resolve the objection. If no agreement can be reached among the Air Force, the SHPO, and BLM on the documentation or data recovery program, the Air Force will request the comments of the Council pursuant to 36 CFR Sec. 800.6;
 2. if the affected property is determined eligible for listing in the Register for reasons other than, or in addition to, its information potential, the Air Force will consult with the appropriate SHPO to determine the nature of the undertaking's effect on the property and, pursuant to 36 CFR Sec. 800.4(d), request Council comments.
- F. Pursuant to the American Indian Religious Freedom Act of 1978 (P.L. 95-341), the Air Force will consult with groups that have cultural ties to the study area in order to identify locations and issues of concern to them and to work with these groups and the parties to this Agreement in resolving conflicts. The Air Force will take the concerns of these groups into consideration during the design and construction of the undertaking, and during implementation of this Agreement.
- G. During the implementation of any portion of the undertaking, should previously unknown historic or cultural properties be discovered, the Air Force will comply with 36 CFR Sec. 800.7 and/or the data recovery guidelines developed under paragraph C above.
- H. Before M-X construction is complete, the Air Force will consult with the SHPOs and the BLM to establish preservation mechanisms to accompany operation and maintenance of the facilities. Operation and maintenance will also be covered under this Agreement.
- III. The Air Force and the Council will work together as members of the Economic Adjustment Committee in an effort to ensure that Federal Government activities to accommodate population and infrastructure growth resulting from M-X deployment are sensitive to the historic and cultural values of the deployment areas. The parties agree in principle that the Federal Government should assist affected States and communities in the development and implementation of programs that will contribute to protection of the historic and cultural character of communities subject to short-or-long term growth as the direct or indirect results of the undertaking. Such programs should be commensurate in scope with the level of projected impact of the undertaking on each affected community, and include but not be limited to:
- A. identification of districts, sites, buildings, structures, and objects included in or eligible for inclusion in the Register within each community;

Programmatic Memorandum of Agreement

- B. development and implementation of measures to minimize destruction and maximize preservation and reuse of historic sites, buildings, structures, districts, and objects in Federal construction and assistance projects within each affected community;
- C. establishment of design guidelines to make new construction as compatible as possible with the historic environment of each community; and,
- E. establishment of measures to foster successful integration of new facilities into the existing cultural and architectural fabric of each community.

IV. Avoiding Inadvertent Damage During Pre-Construction Studies

- A. The Air Force will ensure that proper coordination occurs between its personnel and contractors responsible for historic preservation and its personnel and contractors responsible for environmental, geological, engineering, and other studies, to minimize the danger posed to historic properties by geological testing, survey teams, and other activities and personnel. Intensive surveys will be conducted in advance of any land-modifying activity. Geological test sites and other locations of land-modifying activity will be designed to avoid damage to historic properties.
- B. If test excavations are necessary to obtain data needed for the evaluation of historic properties under Stipulations II.A.2 and II.A.3 above, the excavations will not be allowed to exceed the scope necessary for basic evaluation, will not utilize mechanized equipment without the approval of the appropriate SHPO and BLM, and will be carried out in accordance with strict archaeological controls.

V. Definitions

As used in this Agreement:

- A. Air Force means the U.S. Air Force acting by itself or through agents or contractors.
- B. Historic and Cultural Properties means properties included in or likely to meet the criteria for inclusion in the National Register of Historic Places.
- C. Historic preservation includes, but is not limited to, the identification, evaluation, protection, rehabilitation, reuse, recording of, and salvage of historic properties.
- D. Potential Impact Area means the area in which the undertaking may reasonably be thought to have potential positive or adverse, direct or indirect effects upon historic properties.

Programmatic Memorandum of Agreement

(date)

Executive Director

(date)

U.S. Air Force

(date)

Bureau of Land Management

(date)

Nevada State Historic Preservation Officer

(date)

Texas State Historic Preservation Officer

(date)

Utah State Historic Preservation Officer

(date)

New Mexico State Historic Preservation
Officer

(date)

Chairman
Advisory Council on Historic Preservation

ATTACHMENT I

Review Committee Guidelines

A. Responsibilities

1. To monitor progress of the M-X Historic Preservation Program and advise the Air Force and Council of any actions needed to ensure maintenance of high professional standards.
2. To review guidelines, scopes of work, research designs, survey reports, and other documents developed by the Air Force and to advise the Air Force and the Council on any changes appropriate to ensure maintenance of high professional standards.
3. To assist in the resolution of disputes that may arise over the quality or appropriateness of particular historic preservation related activities, or of the M-X Historic Preservation Program in general.

B. Organization:

1. Membership will consist of:
 - a. the Executive Director of the Council and the Secretary of the Air Force or their designees, who will co-chair the committee;
 - b. the Director of BLM or his designee;
 - c. the following non-Federal members who will be appointed by the Executive Director and the Secretary of the Air Force:
 - 1) one professional archaeologist knowledgeable in the archaeology of each general basing region (e.g., Texas, New Mexico, Utah/Nevada)
 - 2) one professional historian, preferably one with a knowledge of architectural history who is also knowledgeable in the history of each general basing region
 - 4) other members as the Secretary of the Air Force and Executive Director may determine to be necessary.
2. Procedures:
 - a. the committee will meet at the call of the co-chairmen;
 - b. the committee may assign tasks to subcommittees or individual members;
 - c. the Air Force will provide staff support; and,

Programmatic Memorandum of Agreement

- d. the committee will forward any meeting announcements, minutes, and other documents afforded to committee members to the SHPOs.
3. Funding: The Air Force will fund:
- a. costs of travel and per diem;
 - b. stipend not to exceed \$100 per day for non-Federal committee members engaged in committee business;
 - c. postage and telephone.

ATTACHMENT 2

Guidelines: Calendar of Tasks

Task I.

- A. Initial study plan (II.A.1)
- B. Establish review committee (I.A., Atch.1)

Task II.

- A. Conduct preliminary studies (II.A.2)
- B. Develop plan for intensive field survey (II.A.3)
- C. Develop guidelines for documentation and data recovery (II.C.)

Task III.

- A. Conduct intensive field survey (II.A.3)
- B. Redesign to avoid historic properties where feasible and prudent (II.B).

Task IV.

- A. Determine eligibility and effect, and mitigate adverse effects (II.E.)

Consultation occurs, and comments are considered, at the beginning and completion of each task.

5.7 BIBLIOGRAPHIC NOTE

5.7 BIBLIOGRAPHIC NOTE

Persons or organizations who wish to obtain a copy of the six volume M-X: Milestone II Final EIS (FEIS) may order these documents for a nominal charge by writing or calling:

U.S. Department of Commerce
National Technical Information Service
5285 Port Royal Road
Springfield, VA 22151
Telephone Number (703) 557-4600

Use of the following DDC/NTIS Accession numbers will expedite acquisition of the documents:

- o AD A063491, HQ AFSC-TR-79-01, Volume I; M-X: Milestone II FEIS, Volume I, Program Overview
- o AD A063492, HQ AFSC-TR-79-01, Volume II; M-X: Milestone II FEIS, Volume II, FSED
- o AD A063493, HQ AFSCO-TR-70-01, Volume III; M-X: Milestone II FEIS, Volume III, Missile Flight Testing
- o AD A063494, HQ AFSCO-TR-70-01, Volume IV; M-X: Milestone II FEIS, Volume IV, Basing Mode Evaluation
- o AD A063495, HQ AFSC-TR-79-01, Volume V; M-X: Milestone II FEIS, Volume V, Appendices
- o AD A063496, HQ AFSC-TR-79-01, Volume VI; M-X: Milestone II FEIS, Volume VI, Public Comments.

5.8 REFERENCES

5.8 REFERENCES

- AAAS Committee on Arid Lands (Dregne, H. E., D. W. Goodall, C. N. Hodges, D. F. Peterson, T.L. Powe, W.W. Rubey and R. B. Woodbury), 1974. Off-Road Vehicle Use. Science 184:500-501.
- Abrams, L., and R. S. Ferris, 1960. Illustrated Flora of the Pacific States, Vols. 1-4, Stanford University Press, Stanford, California.
- ABT Associates, Inc., 1979. Socioeconomics Technical Report Anaconda, Nevada Moly Project
- Adams, S. S., 1969. Bromine in the Salado Formation, Carlsbad Potash District, New Mexico. New Mexico Bureau of Mines and Min. Res., Bull. 93.
- Alamogordo Chamber of Commerce, 1978. Community Profile.
- Albee, A. L., and J. L. Smith, 1966. Earthquake characteristics and fault activity in Southern California. In Lung, R., and Proctor, P., eds., Engineering Geology in Southern California. Association of Engineering Geologists, Los Angeles Section, Special Publication, Glendale, California, p. 9-34.
- Albers, J. P. and J. H. Steward, 1972. Geology and Mineral Deposits of Esmeralda County, Nevada. Nevada Bureau Mines Bull. 78.
- Alexander Grant and Company, 1975-1979. Financial Statements and Auditor's Report, Eureka County, June 30, 1975 through June 30, 1979.
- Allen, R. E., and D. R. McCullough, 1976. Deer-car Accidents in Southern Michigan. J. Wildl. Manage. 40:317-325.
- Althiann, M., 1956. Patterns of herd behavior in free-ranging elk of Wyoming. Zoologica 41:65-71.
- Amarillo Chamber of Commerce, 1979. Community Profile.

- Anderson, E. C., 1954. Occurrences of Uranium Ores in New Mexico. New Mexico Bureau of Mines and Min. Res. Cir. 29.
- _____. 1959. Carbon Dioxide in New Mexico. New Mexico Bureau of Mines and Min. Res., Cir. 32.
- Anderson, L. W., and D. G. Miller, 1979. Quaternary fault map of Utah. Fugro, Inc., Long Beach, California.
- Antelope Population Trend Estimates and Harvest Information, 1978-1979. Proj. #W-93-R-21. 1979.
- Antevs, E., 1938. Rainfall and Tree Growth in the Great Basin. Carnegie Institute Washington, Pub. 469.
- Architects/Planners Alliance, Inc., 1979. Socioeconomic Analysis Lynndyl Alternative Site. Salt Lake City.
- Armour, C. L., 1977. Effects of Deteriorated Range Streams on Trout. Bureau of Land Management, Idaho State Office. Boise, Idaho.
- Atwater, T., 1970. Implications of plate tectonics for the Cenozoic tectonic evolution of western North America. Geological Society of America Bulletin 81:3,513-3,536.
- Backer, D., 1980. Water Resources (Nevada/Utah). HDR ETR-520.
- Baily, 1978.
- Baker III, Arthur, N. L. Archbold and W. J. Stoll, 1973. Forecasts for the future - Minerals. Nevada Bureau Mines Bull. 82.
- Baker, C. L., 1931. Volcanic Ash in Texas. Texas Bureau of Econ. Geology, Min. Res. Cir. No. 2.
- Barbary Sheep Harvest and Population Trend Information, 1978-1979. Proj. #W-109-R-2. 1979.
- Barbour, M. G., and J. Major, 1977. Terrestrial Vegetation of California. John Wiley and Sons: New York.
- Barneby, R. C., 1964. Atlas of North American Astragalus. Memoirs of the New York Botanical Garden.
- Barone, Robert N., et al., July 1979. Socioeconomic Analysis of the White Pine Power Project. Bureau of Business and Economic Research, University of Nevada, Reno.
- Basile, J. V., and T. N. Lonner, 1979. Vehicle Restrictions Influence Elk and Hunter Distribution in Montana. J. Forestry 77 (3):155-159.
- Bateman, R. L., A. L. Mindling and R. L. Noff, 1974. Development and Management of Groundwater in Relation to Preservation of Desert Pupfish in Ash Meadows,

References

- Southern Nevada. Techn. Rep. Serv. H-W. Hydrol. and Water Resources. Publ. No. 17. DRI, Univ. Nevada, Reno.
- Beale, D. M., and A. D. Smith, 1970. Forage Use, Water Consumption and Productivity of Pronghorn Antelope in Western Utah. J. Wildl. Manage. 34:570-582.
- Beatley, J. C., 1976a. Vascular Plants of the Nevada Test Site and Central Southern Nevada: Ecologic and Geographic Distributions. Energy Research and Development Administration.
- _____. 1976b. Vascular Plants of the Nevada Test Site and Central-Southern Nevada: Ecological and Geographic Distributions. Technical Information Center, Office of Technical Information, Energy Research and Development Administration.
- _____. 1977a. Endangered Plant Species of the Nevada Test Site, Ash Meadows, and Central-Southern Nevada. Energy Research and Development Administration.
- _____. 1977b. Threatened Plant Species of the Nevada Test Site, Ash Meadows, and Central-Southern Nevada. Energy Research and Development Administration.
- Beaver, County of, undated. General Fund Statement of Revenue, Expenditures and Comparison with Budget for the Year Ended Dec. 31, 1977.
- Beaver County School District, 20 May 1980. L. Haslam, School Superintendent, telephone communication.
- Behnka and Zan., 1976.
- Bekoff, M., 1977. Canis latrans. Mammalian Species 79:1-9.
- Bellis, E. D., and H. B. Graves, 1976. Unpublished report, cited in Falk, N.W., H. B. Graves, and E. D. Bellis, 1978. Highway Right-of-way Fences as Deer Deterrents. J. Wildl. Manage. 42:646-650.
- Benedict, H. M., 1970. Economic Impacts of Air Pollutants on Plants, Vol. I and II. Stanford Research Institute, Irvine, CA. National Technical Information Service, U.S. Dept. of Commerce.
- Bent, A. C., 1937. Life Histories of North American Birds of Prey, Part I. U.S. Nat. Mus. Bull. 167:321-349.
- Berry, K., 1978. Livestock Grazing and the Desert Tortoise. Paper presented at the 43rd No. Amer. Wildl. and Nat. Res. Conf., Phoenix, Arizona.
- Big Game Harvest Regulations - Mule Deer, 1978-1979. Proj. #W-109-R-2.
- Big Game Harvest Survey Data. Mimeographed. 1980.

- Billings, W. D., 1949. The Shadscale Vegetation Zone of Nevada and Eastern California in Relation to Climate and Soils. American Midland Naturalist 42:87-109.
- _____. 1951. Vegetational Zonation in the Great Basin of Western North America. In Compt. Rend. du Colloque sur les Bases Ecologiques de la Regeneration de la Vegetation des Zones Arides. Union Internat. Soc. Biol., Paris pp 101-122.
- _____. 1954. Environmental Studies in the Cold Deserts and Semi-Deserts of the Western Great Basin of North America. Rept. Contract DA 44-109-gm-1261. Quartermaster Research and Development Command, U.S. Army, 112 pp. Appendix.
- Blackburn, W. H., and P. T. Tueller, 1970. Pinyon and Juniper Invasion in Black Sagebrush Communities in East-Central Nevada. Ecology, Vol. 51, No. 5.
- BLM: See U.S. Department of Interior, Bureau of Land Management.
- Bogges, E. K., R. D. Andrews, and R. A. Bishop, 1978. Domestic Animal Losses to Coyotes and Dogs in Iowa. J. Wildl. Manage. 42:362-372.
- Bolen, E. G., 1964. Plant Ecology of Spring Fed Marshes in Eastern Utah. Ecol. Monographs 24:143-166.
- Bolen, E. G., C. D. Simpson, and F. A. Stormer, 1979a. Playa Lakes: Threatened Wetlands on the Southern Great Plains. Paper presented at the 31st Annual Meeting, Great Plains Agricultural Council, Ft. Collins, Colorado, June 18-21.
- _____. 1979b. Playa lakes: Threatened Wetlands on the Southern Great Plains. In Riparian and Wetland Habitats of the Great Plains, Great Plains Agricultural Council Publ. 91:3-30.
- Bonilla, M. G. Surface faulting and related effects. In Wiegel, R. L., ed., Earthquake engineering. New York: Prentice-Hall, p. 47-74.
- Box, T. W., 1967. Brush, Fire, and West Texas Rangeland. Proc. Ann., Tall Timbers Fire Ecol. Conf. 6:7-19.
- Boyd, R. J., 1978. American Elk. In Big Game of North America. J. L. Schmidt and D. L. Gilbert, eds., Harrisburg: Stackpole Books.
- Bradley, W. G., and J. E. Deacon, 1966. Distribution of the gila monster in the northern Mojave desert. Copeia, 1966:365-366.
- Branson, F. A., R. F. Miller, and I. S. McQueen, 1976. Moisture Relationships in Twelve Northern Desert Shrub Communities Near Grand Junction Colorado. Ecology 57:1104-1124.
- Brattstrom, B. H., (undated). Ambient Sound Pressure Levels in the California Desert. Report to the Bureau of Land Management (as part of contract CA-060-CT7-2737). 135 pp.

References

- Brattstrom, B. H., and M. C. Bondello, 1980. The Effect of Off-Road Vehicle Sounds on Three Species of Desert Vertebrates. Abstr. 5th Ann. Desert Tortoise Council.
- Brigham Young University, 1979. Threatened and endangered plants from Tooele, Juab, Millard, Beaver and Iron Counties, Utah. Computer Report.
- Broley, C. L., 1958. The Plight of the American Bald Eagle. Audubon Mag. 60:162.
- Brown, Perry J., and John H. Schomaker, 1974. Final report on criteria for potential wilderness campsites. Conducted through Institute for Study of Outdoor Recreation and Tourism, Utah State University, Logan, Utah. Supplement No. 32 to 12-11-204-3. 50 pp.
- Brownlee, W. C., 1977. Status of the bobcat (Lynx rufus) in Texas. Spec. Rept., Texas Parks & Wildlife (updated, 1978).
- Bruns, E. H., 1977. Winter Behavior of Pronghorn in Relation to Habitat. J. Wildl. Manage. 41:560-571.
- Bryan, D. P. and Papke, K. G., 1980. Industrial Minerals of Nevada. Soc. Mng. Engrs. meeting pre-print.
- Bucknam, R. C., S. T. Algermissen, and R. E. Anderson, 1979. Late Quaternary faulting in western Utah and the implication of earthquake hazard evaluation. Geological Society of America Cordilleran Section, 75th Annual Meeting, Abstracts with Programs, v. 11, no. 3, p. 71-72.
- Budney, Laurence J., October 1977. Guidlines for Air Quality Maintenance Planning and Analysis, Vol. 10 (Revised): Procedures for Evaluating Air Quality Impact of New Stationary Sources. Monitoring and Data Analysis Division, U.S. Environmental Protection Agency, Research Triangle Park, NC, Document No. EPA-450/4-77-001 (OAQPS No. 1.2-029 R).
- Bunker, Jones and Bradshaw, undated. Annual Report of the Comptroller of Clark County for Fiscal Year Ended June 30, 1969.
- Buol, S. W., F. D. Hole and R. J. McCracken, 1973. Soil Genesis and Classification. Ames: Iowa State University Press.
- Bureau of Business and Economic Research, 1975. New Mexico Statistical Abstract, 1975. University of New Mexico, Albuquerque, New Mexico.
- Bureau of Business and Economic Research, 1979. Nevada Local Government Finance Study. University of Nevada, Reno.
- Bureau of Economic Research. The Economy 1978. University of New Mexico and Bank of New Mexico.
- Bureau of Economic and Business Research, 1979. Community Economic Facts, Cedar City.

- Bureau of Land Management: See U.S. Department of the Interior, Bureau of Land Management.
- Bureau of Mines, Minerals Yearbook, 1976: (reprint), p. 3.
- Bureau of Reclamation, 1977. Groundwater manual, a water resources technical publication.
- Burghardt, J.A., 1978, Major Trends in Population Growth in Texas. Research Report 1978-3, Bureau of Business Research, University of Texas.
- Burkhardt, J. W., and E. W. Tisdale, 1969. Nature and Successional Status of Western Juniper Vegetation in Idaho. J. Range Manage 22:264-270.
- Bury, R. B., 1978. Desert Tortoise and Off-road Vehicles: Do They Mix? Proc. Desert Tortoise Council 1978:126.
- Bury, R. B., R. A. Luckenbach, and S. D. Busack, 1977. Effects of Offroad Vehicles on Vertebrates in the California Desert. U.S. Fish and Wildlife Service, Wildl. Res. Rept. 8, 23 pp.
- Burt, W. H. and R. P. Grossenheider, 1976. A Field Guide to the Mammals. Houghton Mifflin Co., Boston.
- Busack, S. D., and B. R. Bury., 1974. Some Effects on Off-Road Vehicles and Sheep Grazing on Lizard Populations in the Mojave Desert. Biological Conservation 6:179-183.
- Butler, A. P., W.I. Finch, , and W. S. Twenhofel, 1962. Epigenetic Uranium in the United States. U. S. Geological Survey Min. Inv. Res. Map MR-21.
- Byrd, M. F., 1955. Potash Occurrences in the United States. U. S. Geology Survey, Min. Inv. REs. Map MR-3.
- Byrne, S., 1973. The Effect of Off-road Vehicle Use in the Mojave Desert on Small Mammal Populations. In Berry, K. H. (ed.), Preliminary Studies on the Effects of Off-road Vehicles on the Northwestern Mojave Desert: A Collection of Papers. Ridgecrest, Calif., privately pub., pp. 64-77.
- Cannon Air Force Base Environmental Coordinator, 1975. Tab A-1 Environmental Narrative. Clovis, New Mexico.
- Cappaert, F. L., et al., vs. U. S. et al. (and Westergard, R. D., vs. U. S. et al.), 1976. Docket Nos. 74-1107, 74-1304. 96 Supreme Court Reporter: 2062-2074.
- Carbaugh, B., J. P. Vaughan, E. D. Belis, and H. B. Graves, 1975. Distribution and Activity of White-tailed Deer Along an Interstate Highway. J. Wildl. Manage., 39:570-581.
- Cedar City Fire Department, 6 June 1980. C. Neilson, Fire Marshall, telephone communication.

References

- Center for Business and Economic Research, 1977. Clark County Fact Book. University of Nevada, Las Vegas.
- Chamberlain, E. B., 1974. Rare and endangered birds of the southern national forests. USDA Forest Service, South Reg.
- Chesness, R. A., 1972. Home range and territoriality of coyotes in northcentral Minnesota. Paper presented at the 34th Midwest Fish and Wildlife Conf., Des Moines.
- Chesness, R. A., and T. P. Bremicker, 1974. Home range, territoriality and sociability of coyotes in northcentral Minnesota. Paper presented at the Coyote Research Workshop, Denver.
- Christian, D. P., 1974. Vulnerability of meadow voles, Microtus pennsylvanicus, to predation by domestic cats. Am. Mid. Nat. 93(2):498-502.
- Christensen, E. M., 1959. A Comparative Study of the Climates of Mountain Brush, Pinyon-Juniper, and Sagebrush Communities in Utah. Proc. Utah Acad. Sci. 36:174-175.
- Christensen, E. M., and H. B. Johnson, 1964. Pre-settlement Vegetation and Vegetational Change in Three Valleys in Central Utah. Brigham Young University, Sci. Bull, Biol. Ser. 4:1-16.
- Clark County Health District, 6 June 1980. A. Dague, Health Planner, telephone communication.
- Clary, W., 1975. Present and Future Multiple-Use Demands on Pinyon-Juniper Types. In The Pinyon-Juniper Ecosystem - A Symposium. Utah State University.
- Clippinger, D. M., 1946. Building Blocks from Natural Lightweight Materials of New Mexico. New Mexico Bureau of Mines and Min. Res., Bull. 24.
- Clippinger, D. M. and Gay, W. E., 1947. Pumice Aggregate in New Mexico. Its Uses and Potential. New Mexico Bureau of Mines and Min. Res., Bull. 28, 50 pp.
- Clothier, B., D. Scotter, and J. Kerry, 1977. Water Retention in Soil Underlain by a Coarse-Textured Layer - Theory and a Field Application. Social Science 123:392-399.
- Clovis Chamber of Commerce, 12 June 1980, R. Shankles, Secretary, telephone communication.
- Clovis High Plains Hospital, 6 June 1980, S. Grigsby, Director of Nursing, telephone communication.
- Clovis Parks Department, 5 June 1980, R. Harris, Park Supervisor, telephone communication.
- Clovis Police Dept., 5 June 1980, Y. Garcia, Secretary I, telephone communication.

- Cluff, L. S., D. B. Slemmons, and F. B. Waggoner, 1970. Active fault zone hazards and related problems of siting works of man. 4th Symposium on Earthquake Engineering, University of Roorkee, India, Proceedings, p. 401-410.
- Cole, G. F., and B. T. Wilkins, 1958. The Pronghorn Antelope: Its Range Use and Food Habits in Central Montana, with Special Reference to Wheat. Montana Fish and Game Dept. Technical Bulletin 2.
- Conant, R., 1975. A Field Guide to Reptiles and Amphibians of Eastern and Central North America, 2nd Ed., Houghton Mifflin Co., Boston.
- Cook, K. L., 1967. Earthquake hazards in Utah. Draft of paper presented in 1967, p. 23-27.
- _____. 1972. Earthquakes along the Wasatch front, Utah: The record and the outlook. Utah Geological Association Publications 1-H, p. H1-H29.
- Cook, K. L., and R. B. Smith, 1967. Seismicity in Utah, 1850 through June 1965. Seismological Society of America Bulletin 57:689-718.
- Cornett, J. 1980. A desert road. Pacific Discovery 33(2):24-28.
- Cornwall, H. R., 1972. Geology and Mineral Deposits of Southern Nye County, Nevada. Nevada Bureau Mines Bull. 77.
- Correll, D. A., and H. B. Correll, 1971. Aquatic and wetland Plants of Southwestern United States, Vol. I and II. Stanford University Press, 1972.
- Correll, D. S., and M. C. Johnston, 1970. Manual of the Vascular Plants of Texas. Texas Research Foundation: Renner, Texas.
- Cottam, W. P., 1929. Some Phytogeographic Features of Utah. Proc. Utah Acad. Sci. 6:6-7.
- _____. 1961. Our Renewable Wild Lands - A Challenge. Univ. Utah Press. Salt Lake City, Utah.
- Cowan and Brunner, 1972.
- Cowherd, Chatten, Jr., Kenneth Axetell, Jr., Christine M. Guenther, George A. Jutze, June 1974. Development of Emission Factors for Fugitive Dust Sources. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC., Document No. EPA-450/3-74-037, Contract No. 68-02-0619.
- Cronin, E. H., P. Ogden, J. A. Young, and W. Laycock, 1978. The Ecological Niches of Poisonous Plants in Range Communities. J. of Range Mgt. 3(5):328-334.
- Cronquist, A., 1947. Erigeron. Brittonia 6:164-5.
- Cronquist, A., A. H. Holmgren, N. H. Holmgren, and J. L. Reveal, 1972. Plant Geography of the Intermountain Region. In Arthur Cronquist, et al. Inter-

- mountain Flora - Vascular Plants of the Intermountain West, Vol. I, pp. 77-175. For New York Botanic Garden, by Hafner Publishing Co., New York.
- Cummings, Ronald G. and Arthur F. Mehr. Investments for Urban Infrastructure in Boomtowns. Natural Resources Journal, 17.2 (April 1977): 223-240.
- Cummins, K. W., and M. J. Klug, 1979. Feeding Ecology of Stream Invertebrates. Ann. Rev. Ecol. Sept. 10:147-172.
- Curran, 1980.
- Dalhart City Hall, 22 May 1980, C. Miller, City Clerk, telephone communication.
- Dalhart Fire Department, 10 June 1980, M. Stipe, Fire Chief, telephone communication.
- Dalhart Hospital, 6 June 1980, A. Peterson, Director of Nursing, telephone communication.
- Dalhart Independent School District, 22 May 1980, D. Williams, School Superintendent, telephone communication.
- Darr, D., and V. Dudley, 1978. The biology and management of the wild horses of Tulead Canyon, California. Yale School of Forestry and Environmental Studies.
- Daubenmire, R., 1978. Plant Geography. Academic Press, New York.
- Davidson, E. and Fox, M., 1974. Effects of Off-Road Motorcycle Activity on Mojave Desert Vegetation and Soil. Madrono 22(8):381-412.
- Davidson, G. R., Jr., T. V. Degeare, Jr., T. J. Sorg, and R. M. Clark, 1971. Land disposal sites near airports reporting bird/aircraft hazards, a survey for the Inter-Agency Bird Hazard Committee. U. S. Environmental Protection Agency, Solid Waste Management Office, Open File Report (TSR 1.6.004/0).
- Davis, W. B., 1974. The Mammals of Texas (Rev. Ed.). Bull. #41, Texas Parks and Wildlife Dept.
- Day, D., 1978. Endangered animals in Utah and adjacent areas. Endangered species symposium, Brigham Young Univ. Provo, Utah.
- Deacon, J. E., R. G. Miller, L. Nappe and D. A. Klebenow, 1979. Endangered and threatened fishes of Nevada. In Book II, Rare and Endangered Species of Nevada. Foresta Inst. Ocean. and Mountain Studies Publ. No. 25.
- De Boer, J., G. E. Mayer, and E. Mattingly, 1975. Combined Bird Control Techniques and Analysis Relative to Bird-Aircraft Strike Hazard (BASH). Air Force Weapons Laboratory, Kirtland AFB, NM AFWL - TR 74-323.
- DeGraff, I.

Deer Population Trend, Habitat Condition, Evaluation and Harvest Information, 1978-1979. Proj. #W-93-R-21. 1980.

Denny, R. N., 1974. The Impact of Uncontrolled Dogs on Wildlife and Livestock. Trans. No. Amer. Wildlife and Natural Resources Conference 29th. pp. 257-291.

Department of Commerce, 1977.

Department of Interior, 1978; University of Utah, 1978.

Department of the Air Force, 1978A. Final Environmental Impact Statement, M-X: Buried Trench Construction and Test Program, 20 January 1978.

Department of the Air Force, 1978B. Final Environmental Impact Statement, M-X: Milestone II, HQ AFSC-TR-79-01, 30 September 1979.

Volume I, Program Overview, AD A063491

Volume II, FSED, AD A063492

Volume III, Missile Flight Testing, AD A063493

Volume IV, Basing Mode Evaluation, AD A063494

Volume V, Appendices, AD A063495

Volume VI, Public Comments, AD A063496

Department of the Air Force, 1980. M-X Basing Area Analysis Process, 1 July 1980.

Departments of the Army and the Air Force, September 1974. Dust Control. Technical Manual No. 5-830-3, Air Force Manual No. 88-17, Chap. 3, Washington, D.C.

Dewer Regional Office of BLM.

Dieringer, J., 9 May 1980. Chief of Fisheries, Nevada Dept. of Wildlife. Personal Communication.

Dorfman, M. and R. O. Kehle, 1974. Potential Geothermal Resources of Texas. Texas Bureau of Economic Geol. Cir. 74-4.

Dudley, W. W., and J. D. Larson, 1976. Effect of Irrigation Pumping on Desert Pupfish Habitats in Ash Meadows, Nye County, Nevada. Geological Survey Professional Paper 927. United States Government Printing Office.

Durrant, S. D., 1951. Mammals of Utah, Taxonomy and Distribution. Museum of Natural History. University of Kansas Publ., 6:1-549.

Dyer, A.A. and R.S. Whaley (rid (CA 1970). Predicting Use of Recreation Sites. Bull. 477. Utah Agric. Exp. Stn. Utah State University, Logan, UT 84321. 21 p.

- Eakins, T. E., 1966. A Regional Interbasin Groundwater System in the White River Area, Southeastern Nevada. Water Resources Research 2(2):251-271.
- Eakin, Thomas E., 1963 (U.S. Department of Interior, U.S. Geological Survey) Groundwater appraisal of Dry Lake and Delamar valleys, Lincoln County, Nevada, Groundwater Resources Reconnaissance Series, Report 16. Carson City: State of Nevada Department of Conservation and Natural Resources.
- _____. 1964 (U.S. Department of Interior, U.S. Geological Survey) Groundwater appraisal of Coyote Spring and Kane Spring valleys and Muddy River Springs area, Lincoln and Clark counties, Nevada, Groundwater Resources Reconnaissance Series, Report 25. Carson City: State of Nevada Department of Conservation and Natural Resources.
- Eargle, D. H., 1956. Some Uranium Occurrences in West Texas. Texas Bureau of Economic Geol., Rep. Inv. No. 27, 23 pp.
- Eastern Plains Council of Governments, 1977a. Overall Economic Development Plan.
- _____. 1977b. Summary Statement, The Land Use Element.
- _____. n.d. District IV Resource Directory.
- Eckert, R. E., Jr., M. K. Wood, W. H. Blackburn and F. F. Peterson, 1979. Impacts of Off-Road Vehicles on Infiltration and Sediment Production of Two Desert Soils. J. Range Manage 32:394-97.
- Eckert, R. E., Jr., and F. E. Kinsinger, 1960. Effects of Halogeton glomeratus leachate on chemical and physical characteristics of soils. Ecology 41(4):764-772.
- Edwards, C. C., 1969. Winter behavior and population dynamics of American eagles in western Utah. PhD. dissertation. Brigham Young University, Provo, Utah.
- Edwards, 1979.
- E.G. & G., April 1977. Status of Endangered and Threatened Plant Species on Nevada Test Site - A Survey, Part I: Endangered Species. Energy Research and Development Administration.
- _____. October 1979. Status of Endangered and Threatened Plant Species on Tonopah Test Range - A Survey. Energy Research and Development Administration..
- Egoscue, H. J. 1962. Ecology and Life History of the Kit Fox in Tooele County, Utah. Ecology 43:481-497.
- Egoscue, H.J. 1956. Preliminary study of the kit fox in Utah. Jour. Mammal. 37:351-357.
- Ellison, Jr., S. P., 1971. Sulfur in Texas. Texas Bureau of Economic Geol., Handbook No. 2.

- Ely Fire Department, 5 June 1980. F. Richie, Dispatcher, telephone communication.
- Emlen, J. T. 1974. An urban bird community in Tucson, Arizona: Derivation, structure, vegetation. Condor 76 184-197.
- Enderson, I. H., and P. H. Wrege, 1973. DDT residues and eggshell thickness in prairie falcons. J. Wildl. Managt. 37:476-478.
- Estimate and Projections of Population of New Mexico by County, 1975-1990, April, 1979. New Mexico County Population Projections.
- Eureka, County of, 1968-1974. Annual Report of the County Auditor, Eureka County, Nevada, Fiscal Year ending June 30, 1968 through Year ended June 30, 1974.
- Evans, G. L. Strontium Mineral in Texas. Texas Bureau of Econ. Geo., Min. Res. Sur. Cir. No. 46.
- Everhart, W. H., A. W. Eipper, and W. D. Youngs, 1975. Principles of Fishery Science. Cornell Univ. Press, Ithaca.
- Fabrick, Allan, Ralph, Sklarew, Jim Taft and John Wilson, March 1977. Point Source Model Evaluation and Development Study, Appendix C - User Guide to Impact, Contract A5-058087, Science Applications, Inc., for California Energy Resources Conservation and Development Commission.
- Fair, F., and J. Geyer, 1968. Sanitary Engineering. John Hopkins Press, Baltimore.
- Fiero, G. W., and G. B. Maxey, 1970. Hydrogeology of the Devil's Hole Area, Ash Meadows, Nevada. DRI Publ. 44009. Univ. of Nevada, Reno.
- File, L. A., 1965. Directory of Mines of New Mexico. New Mexico Bureau of Mines and Min. Res., Cir. 77.
- Findley, J.S., A.Y. Harris, D.E. Wilson, and C. Jones. 1975. Mammals of New Mexico. Univ. New Mexico Press, Albuquerque.
- First New Mexico Bankshare Corporation, 1978. New Mexico Progress Economic Report.
- _____. 1979a. New Mexico Progress, 1979 Economic Report.
- _____. 1979b. New Mexico Progress, 1978 Economic Report. Volume 46.
- Five County Association of Governments, 1976. Planning for Growth in Beaver County, Volume II, Appendix.
- Flint, R.F., 1971. Glacial and Quaternary Geology. New York: John Wiley.
- Flowers, S., 1934. The Vegetation of the Great Salt Lake Region. Botanical Gazette 95(3):353-418.

References

- Forest Service: See U.S. Forest Service.
- Fort Sumner, Village of, 1970. Draft of Final Comprehensive Plan.
- _____. 1976. Community Development Statement.
- Foster, R. H., 1968. Distribution of the Major Plant Communities in Utah. Ph.D. dissertation, Provo, Utah: Brigham Young University.
- Four Corners Regional Commission, June 1977. Overall Development Plan for Central Utah District.
- Fox, K.P., and G.P. Treweek, 1980. Use of Reclaimed Water for Industrial Cooling. In Proceeding from the seventh annual CAREW Conference, Santa Barbara, CA June 1980.
- Frank Stuart & Assoc.
- Frissell, S. S. and D. P. Duncan, 1965. Campsite Preference and Deterioration. J. For. 63(4):256-260.
- Fugro National Inc. Verification Study - Dry Lake Valley, Nevada. Volume I-Synthesis. March 14, 1980.
- Fugro, 1980. Groundwater hydrology and predictive yield for the M-X project area in Nevada/Utah. Fugro: Long Beach.
- Fugro, 1980. M-X Siting Investigation Water Resources Program Summary for Draft Environmental Impact Statement, Vol. I. pp. 114-115.
- Funk, R.S., 1966. Notes about Heloderma suspectum along the western extremity of its range. Herpetologica 22:254-258.
- Garner, L. E., R.D. Sharpe, and M. E. McClelland, 1980. Computer-generated list of Texas mineral producers (exclusive of oil and gas), arranged alphabetically by county.
- Garner, L. E., A. E. St. Clair, and T. J. Evans, 1979. Mineral Resources of Texas, Texas Bureau of Econ. Geol., Map.
- Garside, L. J., 1973. Radioactive Mineral Occurrences in Nevada. Nevada Bureau Mines Bull. 81.
- Geological Society of America, Committee on Environment and Public Policy, 1977. Impacts and Management of Off-Road Vehicles. Boulder, Colorado, Geological Society America. 8 pp.
- Gilmore, John S., 1979. Nature of Socioeconomic Impacts from Resource Development. In Boomtowns: Managing Growth, Session Abstracts, SME-AIME Annual Meeting, New Orleans, 1979, p. 2.
- _____. 1980. Socioeconomic Impact Management: Are Impact Assessments Good Enough to Help?. Paper presented to conference on Computer Models

- and Forecasting Impacts of Growth and Development, Jasper, Alberta, April 1980.
- Gipson, P.S., and J.A. Sealander. 1972. Home range and activity of the coyote (*Canis latrans frustor*) in Arkansas. Proc. Ann. Conf. Southeastern Assoc. Game and Fish Comm. 26:82-95.
- Girard, R., 1970. Texas Mineral Producers. Texas Bureau of Econ., Geol.
- Godfrey, Curtis L., Gordon S. McKee, and Harvey Oakes. General Soil Map of Texas. Texas Agricultural Experiment Station, Texas A and M University, 1973.
- Godon, B.B., 1980. Cactus Rustling. Science 80. 1(5):52-59.
- Gondy, Willis J., 1977. Evaluations of Local Attributes and Community Satisfaction in Small Towns. Rural Sociology 42: 371-382.
- Governor's Council of Economic Advisors, State of New Mexico. 1976. Western Economic Growth Over the Next Twenty-five Years.
- _____. 1978a. 1979 Economic Report to the Governor.
- _____. 1978b. The New Mexico Economy Change in the 1970s.
- Granger, A. E., Bell, M. M., Simmons, G. C., and Lee, Florence, 1957. Geology and Mineral Resources of Elko County, Nevada. Nevada Bureau Mines Bull. 54.
- Greater Las Cruces Industrial Development Board, n.d. Las Cruces, No Need to Compromise.
- Gubler, J.H. and Associates, undated. Financial Statements and Supplementary Information: City of Milford, Utah, Fiscal Year ended June 30, 1979.
- Hall, E.R., 1946. Mammals of Nevada. University of California Press, Berkeley.
- Hamblin, W.K., 1976. Patterns of displacement along the Wasatch fault. Geology 4:619-622.
- Hamblin, W.K., and M.G. Best, 1978. Patterns and rates of recurrent movement along the Wasatch-Hurricane-Sevier fault zone, Utah, during late Cenozoic time. U.S. Geological Survey, National Earthquake Hazards Reduction Program, Summaries of Geotechnical Report, v. 5.
- Hardy, Thom., n.d. (1980). The Inter-Basin Area Report - 1979. Unpublished. U.S. Fish and Wildlife Service.
- Hassenyeger, 1979.
- Hawkins, M. E., and T. J. Evans, 1975. The Mineral Industry of Texas in 1975. Texas Bureau of Econ. Geology, Min. Res. Circ. No. 60.

- HDR Sciences, Alternative Potential Deployment Areas: Nevada/Utah, ETR-2
- _____. Alternative Potential Deployment Areas Texas/New Mexico, ETR-3
- _____. Alternative Potential Operating Base Locations: Ely, ETR-4
- _____. Alternative Potential Operating Base Locations: Coyote Spring Valley, ETR-5
- _____. Alternative Potential Operating Base Locations: Beryl, ETR-6
- _____. Alternative Potential Operating Base Locations: Delta, ETR-7
- _____. Alternative Potential Operating Base Locations: Clovis, ETR-8
- _____. Alternative Potential Operating Base Locations: Dalhart, ETR-9
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Noise, ETR-10
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Geology and Mining, ETR-11
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Water Resources, ETR-12
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Atmospheric Resources, ETR-13
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Vegetation, ETR-14
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Wildlife, ETR-15
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Aquatic Habitats and Biota, ETR-16
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Protected Species, ETR-17
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Wilderness and Significant Natural Areas, ETR-18
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Traffic, ETR-19
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Land Ownership/Land Use Patterns, ETR-20
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Native Americans (Nevada/Utah), ETR-21

- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Native Americans (Texas/New Mexico), ETR-22
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Archaeological and Historical Resources, ETR-23
- Environmental Characteristics of Alternative Designated Deployment Areas: Power and Energy, ETR-24
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Cement Industry, ETR-25
- _____. Environmental Characteristics of Alternative Designated Deployment Areas: Steel Industry, ETR-26
- _____. M-X Environmental Technical Report: Economic Model, ETR-27
- _____. M-X Environmental Technical Report: Social Model, ETR-28
- _____. M-X Environmental Technical Report: Public Finance Model, ETR-29
- _____. M-X Environmental Technical Report: Indirect Effects Index for Impacts Analysis, ETR-30
- _____. M-X Environmental Technical Report: Construction, ETR-31
- _____. M-X Environmental Technical Report: SRM, ETR-32
- _____. Alternative Potential Operating Base Location: Milford, ETR-33
- Helming, E.M., Compiler, September 1976. Symposium on Fugitive Emissions Measurement and Control Held in Hartford, CT., on May 17-19, 1976. Research Corp. of New England, Wethersfield, Connecticut, Report No. EPA-600/2-76-246, USDC PB-261 955.
- Hendee, J. C., G. H. Stankey, and R. C. Lucas, 1978. Wilderness Management. USDA Forest Service Publication #1365.
- Herman, S. G., 1971. The peregrine falcon decline in California. II. Breeding status in 1970. Amer. Birds. 25:818-820.
- Hickman, T. J., and D. A. Duff. 1978. Current Status of Cutthroat Trout Subspecies in the Western Bonneville Basin. Great Basin Naturalist. 38(2):193-202.
- Hinman, R. A., 1959. Problems in antelope management in Utah. Proc. Assoc. State Game and Fish Comm. 39:201-207.
- _____. 1961. Antelope populations in southwestern Utah, with special reference to golden eagle predation. Utah State Dept. of Fish and Game, Info. Bull. 61-7, 61 pp.

- Hitchcock, A. S., 1950. Manual of the Grasses of the United States, 2nd edition revised by A. Chase (1951), USDA misc. Pub. 200. US Government Printing Office, Washington D.C.
- Hitchcock, C. L., and A. Cronquist, 1978. Flora of the Pacific Northwest. University Wash. Press.
- Hitchcock, C. L., A. Cronquist, M. Ownbey, and J. W. Thompson, 1969. Vascular Plants of the Pacific Northwest. Univ. Wash. Publ. Biol.
- Holmgren, Arthur H., Leila M. Shultz, and John S. Shultz, January 1977. Proposed Endangered and Threatened Species for the Bureau of Land Management Tonopah District and Adjacent Areas. Utah State Univ., Logan, Utah.
- _____. July, 1977. Survey of Proposed Sensitive Species in Lincoln Co., NV. Herbarium Search and Literature Review. USU, Logan, UT.
- _____. August, 1977. Survey of Proposed Sensitive Species in Humboldt and Pershing Counties, NV. Herbarium Search and Literature Review. USU, Logan, UT.
- _____. 1977. Survey of Proposed Sensitive Species in Lander and Eureka Counties, NV. Herbarium Search and Literature Review. USU, Logan, UT.
- Hood, R. E., and J. M. Inglis, 1974. Behavioral Responses of Whitetailed Deer to Intensive Ranching Operations. J. Wildl. Manage. 38:488-498.
- Horley, G. T., 1940. The Geology and Ore Deposits of Northeastern New Mexico. New Mexico Bureau of Mines and Min. Res., Bull. No. 15.
- Horton, R. C., 1962. Barite Occurrences in Nevada: Nevada Bureau Mines Map No. 6.
- Hose, R. K., M. C. Blake, Jr., and R. M. Smith, 1976. Geology and Mineral Resources of White Pine County, Nevada. Nevada Bureau Mines Bull. 85.
- Hotchkiss, Inc., n.d. Map No. 4032, New Mexico Highway and County Map.
- Hurlbert, S.H., 1971. Critique and alternate parameters. Ecology 52:577-586.
- Hutchinson, G.E., 1967. A Treatise on Limnology. Vol. II Introduction to Lake Biology and Limnoplankton. Wiley - Interscience: New York.
- Hutchinson, T.C., and F.W. Collins, 1978. Effects of H^+ Ion Activity and Ca^{2+} on the Toxicity of Metals in the Environment. Environmental Health Perspectives. 25:47-52.
- Hynes, H.B.N., 1966. The Ecology of Running Waters. Univ. Toronto Press: Toronto.
- Industry Activity Inventory: Nevada Study Area, Defense Research Institute, 1980.

- Institute for the Study of Outdoor Recreation and Tourism, 1976.
- Irland, 1979.
- Irland, L. C., 1979. Wilderness Economics and Policy. Lexington Books. D.C. Heath and Company: Lexington, Massachusetts.
- Iron County School District, 20 May 1980, C. Morris, School Superintendent, telephone communication.
- Iron, County of, undated. General Fund Statement of Revenues, Expenditures and Comparison with Budget for the Year Ended Dec. 31, 1977.
- Irvine, J. R. and N. E. West, 1979. Riparian Tree Species Distribution and Succession Along the Lower Escalante River, Utah. The Southwestern Naturalist 24:331-346.
- Iverson, J. B., 1978. The Impact of Feral Cats and Dogs on Populations of the West Indian Rock Iguana, Cyclura carinata. Biol. Conserv. 14:63-73.
- Jense, G. K., and J. S. Burruss, 1978. Big Game Harvest Report-1978. Utah State Div. of Wildlife Resources, Federal Aid Project W-65-R-D-26, Publication No. 79-5.
- Jensen, C. C., 1972. San Joaquin Kit Fox Distribution. Bureau of Sport Fish and Wildlife, Div. Wildlife Serv., Sacramento, CA. Mimeographed.
- Jerome, S. E. and D. R. Cook, 1967. Relation of some Metal Mining Districts in the Western United States to Regional Tectonic Environments and Igneous Activity. Nevada Bureau Mines Bull. 69.
- Johnson, H. B., F. C. Vasek, and T. Yonkers, 1975. Productivity, Diversity, and Stability Relationships in Mojave Desert Roadside Vegetation. Bull. Torrey Bot. Club 102(3):106-115.
- Johnson, M. G., 1977. Geology and Mineral Deposits of Pershing County, Nevada. Nevada Bureau Mines Bull. 89.
- Jorgensen, P., 1974. Vehicle Use at a Desert Bighorn Watering Area. Trans. Desert Bighorn Council: 18-24.
- Juab, County of, undated. General Fund Statement of Revenues and Comparison with Budget for the Calendar Year Ended Dec. 31, 1977.
- Karl, A., 1980. Bureau of Land Management Subcontractor Report on the Desert Tortoise in Nevada. Paper presented at 5th Ann. Desert Tortoise Council Meeting, Riverside, CA.
- Kaster, J.L., and G.Z. Jacobi, 1978. Benthic macroinvertebrates of a fluctuating reservoir. Freshwater Biology 8:283-290.

- Kay, P. A. and O. G. Oviatt., 1978. Pinus longaeva in the Stanabury Mountains, Utah. Great Basin Naturalist 38:49-50.
- Keefe, J. and K. Berry, 1973. Effects of off-road vehicles on desert shrubs at Dove Springs Canyon. In Berry, K.H. (ed.), Preliminary studies on the effects of off-road vehicles on the northwestern Mojave Desert: A Collection of Papers. Ridgecrest, Calif., privately publ. pp. 45-57.
- Keller, C., L. Anderson, and P. Tappel, 1979. Fish Habitat Changes in Summit Creek, Idaho, after Fencing the Riparian Area. In Forum - Grazing and Riparian/Stream Ecosystems. Oliver B. Cope, ed. pp. 46-52.
- Keller, G. R., R. B. Smith, and L. H. Braille, 1975. Crustal structure along the Great Basin-Colorado plateau transition from seismic refraction studies. Journal of Geophysical Research 80:1093-1098.
- Khanna, S.B., March 1976. Handbook for UNAMAP. Walden Research Division of Abcor, Inc., Wilmington, MA (C-893).
- Koschmann, A. H., and M. H. Bergendahl, 1968. Principal Gold-Producing Districts of the United States. Geological Survey.
- Kottowski, F. E., 1962. Reconnaissance of Commercial High Calcium Limestones in New Mexico. New Mexico Bureau of Mines and Min. Res., Cir. 60.
- Kral, V. E., 1950. Mineral Resources of Nye County, Nevada. Nevada Bureau Mines Bull. 50.
- Kroodsma, R. L., 1978. Evaluation of a Proposed Transmission Line's Impact on Waterfowl and Eagles. In Impacts of Transmission Lines on Birds in Flight; M.J. Avery ed. U.S. Dept. Interior, Fish and Wildlife Service, FWS/OB-78/48.
- Krutilla, J.V., 1972. Natural Environments. John Hopkins University Press.
- Kuchler, A.W., 1975. Potential Natural Vegetation of the Coterminous United States, 2nd ed. American Geographical Society.
- Ladewig, Howard and Glenn C. McCann, 1980. Community Satisfaction: Theory and Measurement. Rural Sociology 45: 110-131.
- Larson, L. T., et al., 1978. Great Basin Geologic Framework and Uranium Favorability. Bendix Field Engineering Corporation for U. S. Department of Energy.
- Las Vegas Fire Dept., 5 June 1980, R. Horrocks, Chief Secretary, telephone communication.
- Las Vegas Parks and Recreation Dept., 5 June 1980, C. Stanfield, Deputy Director, telephone communication.
- Las Vegas Police Department, 5 June 1980, Officer Bottomly, Personnel Officer, telephone communication.

- Latimer, D.A., R.W. Bergstrom, S.R. Hayes, M.K. Liu, J.H. Seinfeld, G.Z. Whitten, M.A. Wojcik, and M.J. Hillyer, September 1978. The Development of Mathematical Models for the Prediction of Anthropogenic Visibility Impairment Vols. I, II, III. Systems Applications Inc., San Rafael, California for U.S. Environmental Protection Agency, Washington, DC. Report No. EPA-450/3-78-110 a,b,c. U.S. Department of Commerce NTIS PB-293 119, 120, 121.
- Laventhal, Krekstein, Horwath, undated. Annual Financial Report of the County of Clark, Nevada. 1970-1974.
- Lawhead, D.N., 1978. Home range, density, and habitat preference of the bobcat on the Three Bar Wildlife Area, Arizona. M.S. Thesis. University of Arizona, Tucson.
- Lawrence, E. F. and R. V. Wilson, 1962. Mercury Occurrences in Nevada: Nevada Bureau Mines Map No. 7.
- Lee, Henry A. Urban Growth, Oil Sands Development - Industry's View. In Boomtowns: Managing Growth, Session Abstracts, SME-AIME Annual Meeting; New Orleans, 1979, p. 5.
- Leedy, D. L., 1978. Highways and Wildlife: Implications for Management. In Allan Marmelstein, general chairman, Classification, Inventory, and Analysis of Fish and Wildlife Habitat FWS/OBS-78/76 p. 363-383.
- Leopold, A. S., 1959. Big Game Management (Antelope). In Survey of Fish and Game Problems in Nevada, Nevada Legislative Council Bureau, Carson City, NV, Bulletin No. 36.
- Lewis, W. Cris and Stan L. Albrecht. Attitudes toward Accelerated Urban Development in Low-Population Areas. Growth and Change 8: 22-28.
- Ligon, J.S., 1961. New Mexico Birds and Where to Find Them. Univ. New Mexico Press, Albuquerque.
- Lincoln, County of, undated. Annual Report of the Auditor, Lincoln County, 1967-68, through 1973-74.
- Lincoln, F.C., and S.R. Peterson, 1979. Migration of Birds. (Rev. Ed.) Circ. 16, U.S.F.W.S., Washington, D.C.
- Liu, S.C., and L.W. Fagel, 1972. Earthquake environment for physical design, a statistical analysis. Geotechnical Journal, November:1,959-1,960.
- Long, 1980.
- Longwell, C. R., E. J. Pampeyan, Ben Bowyer, and R. J. Roberts, 1965. Geology and Mineral Deposits of Clark County, Nevada. Nevada Bureau Mines Bull. 62.
- Lotspeich, F.B., and M.E. Everhart, 1967. Climate and Vegetation as Soil Forming Factors on the Llana Estacado. J. Range Management 15:134:141.

References

- Lovejoy, T., 1978. Genetic Aspects of Dwindling Populations. In Temple, S. A. (ed.), Endangered Birds Management Techniques for Preserving Threatened Species. Univ. Wisconsin Press.
- Lubbock, Texas, County and City of, 1980. Community Survey.
- Luckenbach, R. A., 1975. What the Off-road Vehicles are doing to the Desert. Fremontia 2(4):3-11.
- _____. 1978. An Analysis of Off-road Vehicle Use on Desert Avifaunas. Trans. of 43rd North American Wildlife and Natural Resources Conference: 157-162.
- Luckenbach, R. A., and R. B. Bury, 1978. Off-road Vehicle Impact on Desert Vertebrates: A Review. In Berry, K.H. (ed.), The Physical, Biological, and Social Impacts of Off-road Vehicles on the California Desert. So. Calif. Acad. Scis, Spec., Publ, in press.
- Lynn County Overall Economic Development Program, 1975.
- Lyon, L. J., 1979. Influences of Logging and Weather on Elk Distribution in Western Montana. Intermountain Forest and Range Experiment Station Research Paper INT-236.
- Lyon, L. J., and C. E. Jensen, 1980. Management Implications of Elk and Deer Use of Clear-Cuts in Montana. J. Wildl. Manage. 44:352-362.
- Main Hurdman and Cranstown, undated. Annual Financial Report of the County of Clark, Nevada, 1975-1979.
- Manning, R. E., 1979. Behavioral Characteristics of Fishermen and other Recreationists on Four Vermont Rivers. Transactions of the American Fisheries Society 108:6.
- Marshal, A. D., and J. H. Jenkins, 1966. Movements and Home Ranges of Bobcats as determined by Radio-tracking in the Upper Coastal Plain of West-central South Carolina. Proc. Ann. Conf. Southeastern Assoc. Game and Fish Comm. 20:206-214.
- Martin, N. S., 1970. Sagebrush Control Related to Habitat and Sage Grouse Occurrence. J. Wildl. Manage. 34:313-320.
- McAnulty, Sr., W. N., 1974. Fluospaer in Texas. Texas Bureau of Econ. Geol. Handbook 3.
- McGrew, J. C., 1977. Distribution and habitat characteristics of the kit fox (Vulpes macrotis) in Utah. M.S. thesis Utah State Univ., Logan.
- _____. 1979. Vulpes macrotis. Mammalian Species 123:1-6.
- McMahan, J., and D. Schimpf. Water as a Factor in the Biology of North American Desert Plants (Pre-publication.)

- McNamara, K.S. Berwick, and E. Hillyer, 1980. Elk on the Aspen Mountain Winter Range, Pitkin County, Colorado. Yale School of Forestry and Environmental Studies. Working paper, 85 pp.
- McKnight, T., 1964. Feral livestock in Anglo-America. Univ. of Calif. publication in Geography Vol. 16.
- McQua, Cook 1978.
- McQuaid-Cook, J., 1968. Effects of Hikers and Horses on Mountain Trails. Journal of Environmental Management 6: 209-212.
- McQuiston, Jr., F. W. and R.S. Shoemaker, 1975. Gold and Silver Cyanidation Plant Practice. Society of Mining Engineers (AIME).
- McQuivey, R. P., 1978. The Desert Bighorn Sheep of Nevada. Nevada Dept. of Fish and Game, Dist. Bull. No. 6, 81 pp.
- Melrose, Village of, 1975. Community Development Statement.
- Mendive, D. L., 1976. Energy in Nevada p. 68.
- Merriam and Amnions, 1964.
- Merriam, L. C. Jr., and C. K. Smith, 1974. Visitor Impact on newly developed campsites in the Boundary Waters Canal Area. J. 72(10): 627-630.
- Mickley, et. al., 1977.
- Miller, 1980.
- Middle Rio Grande Council of Governments, 1973. Socioeconomic Projections to the Year 2000 for APJ-I.
- _____. 1977. Albuquerque Metropolitan Statistical Area Data Analysis Zones.
- _____. 1978a. Framework for Economic Development Within New Mexico State Planning and Development District III.
- _____. 1978b. Socioeconomic Indicators, 1975 Estimates. State Planning and Development District III.
- _____. 1979a. 1978-79 Areawide Housing Opportunity Plan for State Planning and Development District III.
- _____. 1979b. Areawide Comprehensive Planning Guide for Land Use Decisions.
- _____. 1980. Socioeconomic MiniProfile for the Greater Albuquerque Area.
- Milford Valley Memorial Hospital, 6 June 1980, J. Williams, Director of Nursing, telephone communication.

References

- Millard County School District, 20 May 1980. Ken Topham, School Superintendent, telephone communication.
- Millard, County of, undated. General Fund Statement of Revenues, Expenditures and Comparison with Budget for the Year Ended Dec. 31, 1977.
- Minckley, W. L., and J. E. Deacon, 1968. Southwestern fishes and the enigma of endangered species. Science 159:1424-1432.
- Minckley, W. L., J. N. Rinne, and J. E. Johnson, 1977. Status of the Gila Topminnow and its Co-occurrence with Mosquitofish. USDA Forest Service Res. Paper RM-198. Fort Collins, Colorado.
- Moapa Reservation, n.d. Moapa Band of Paiute Indians, Moapa Reservation, Moapa, Nevada.
- Molini, W., 1980. Bobcats: Trapping, Export, and Management in Nevada. Paper presented at the annual meeting of the western section of the Wildlife Society and the California-Nevada chapter of the American Fisheries Society, Redding, CA.
- Morrel, 1972.
- Morrell, S., 1975. San Joaquin Kit Fox Distribution and Abundance in 1975. California Dept. of Fish and Game, Wild. Mgt. Branch Admin. Rep. No. 75-3, Sacramento, CA.
- Mountain Area Planners, 1972. Tooele County and Municipalities of Tooele, Grantsville, Wendover, Stockton, Onaqui, Vernon, Ophir Master Plan.
- Mueller-Dombois, D., and H. Ellenberg, 1974. Aims and Methods of Vegetation Ecology.
- Municipal Advisory Council of Texas, 1980. Texas Municipal Report: Hartley County, Dallam County, City of Dalhart. Austin, Texas.
- Munz, P. A., 1968. A California Flora and Supplement, University of California Press, Berkeley.
- Murphy, personal communication, 1980.
- Myer, 1976.
- Nagy, J. G., H. W. Steinoff, and G. M. Ward, 1964. Effect of Essential Oils of Sagebrush on Deer Rumen Microbial Function. J. Wildlife Management 28:785-790.
- Nagy, K.A., and P.A. Medica, 1977. Seasonal water and energy relations of free-living desert tortoises in Nevada: A preliminary report. Proc. Desert Tortoise Council 1977:152-157.
- Nevada Bureau of Business and Economic Research, July 1977. Socioeconomic Analysis of the White Pine Power Project, Reno, Nevada.

References

- Nevada Department of Education, 1979-80. Enrollment and Certified Personnel Information, Vol. 22, Research Bulletin, Nevada, Dept. of Education.
- Nevada Agriculture Statistics, 1977.
- Nevada Department of Fish and Game, 1977. Nevada's Stream Evaluation Map and Atlas. Reno, NV.
- Nevada Governor's Office of Planning Coordination, January 1978, and University of Utah, 1978.
- Nevada National Bank, undated, An Economic Overview of the Western States, 1970-1977. Reno, Nevada.
- n.d. Nevada: An Economic Analysis of Taxable Sales, 1960-1976. Reno, Nevada.
- Nevada State Museum, 1979. Nevada's Threatened and Endangered Plant Map Book.
- Nevada, State of, undated. Comparative Statements of Segregations of the the Tax Rolls by Counties and Classes, 1976-1979. Department of Taxation, Carson City, Nevada.
- n.d. Ad Valorem Tax Rates, Budget Summaries for Nevada Local Governments, 1968-1979. Local Government Red Book. Department of Taxation, Carson City, Nevada.
- n.d. Statewide Indebtedness Report of Nevada Local Governments. 1978. Local Government Green Book. Department of Taxation, Carson City, Nevada.
- n.d. General Fund Revenues, a Detailed Comparison of Actual General Fund Revenues with Projected Existing Revenues for 1967-68 through 1978-1979.
- n.d. State of Nevada Department of Education Biennial Report of Selected Data, July 1, 1976 to June 30, 1978 inclusive. Office of the Superintendent of Public Instruction.
- n.d. Summary of General Fund Appropriations and Gaming Authorization 1969-70 through 1972-73.
- Nevada State Park System, 1977. Recreation in Nevada: Statewide Comprehensive Outdoor Recreation Plan.
- New Mexico Bankshare Corporation, February, March, April, May, 1980. New Mexico Progress.
- New Mexico Bureau of Mines and Min. Res., 1965. Mineral and Water Resources of New Mexico. (Report of U. S. Senate).
- New Mexico Commerce and Industry Department, n.d. New Mexico Livestock Export Directory.

References

- New Mexico College of Agriculture and Mechanic Arts, Agricultural Experiment Station. Soil Resource Map of New Mexico, 1957.
- New Mexico Department of Finance and Administration, Local Governments Division, 1979-80. New Mexico Local Governments and the Property Tax.
- _____. 1979-79. New Mexico County and Municipal Governments.
- New Mexico Department of Finance and Administration, undated. How Schools are Financed in New Mexico.
- New Mexico Dept. of Game & Fish, 1977. Antelope Population Trend Estimates and Harvest Information, 1976-1977. Proj. #W-93-R-19.
- _____. 1979. Series of maps of wildlife population trends. Sante Fe, NM.
- _____. n.d. New Mexico Fishing Waters, Maps of Streams and Lakes.
- New Mexico Department of Human Services, Employment Division, 1979. Annual Planning Report: Fiscal Year, 1980.
- New Mexico Department of Taxation and Revenue Tax, Research and Statistics Office, 1979. A checklist of New Mexico State and Local Taxes, Permits, and Licenses.
- New Mexico Employment Security Commission, January 30, 1978. New Mexico Labor Market Review.
- _____. August 29, 1978. New Mexico Labor Market Review.
- New Mexico Employment Security Department, April 30, 1980. New Mexico Labor Market Review.
- New Mexico Health and Environment Department, Health Planning and Development Division, 1978-1979. New Mexico State Medical Facilities Plan.
- New Mexico Health Resources Registry, 1977. New Mexico Statistical Summary.
- New Mexico Health Systems Agency, 1978. Implementation Plan.
- New Mexico Interstate Stream Commission and New Mexico State Engineering Office (1975).
- New Mexico Interstate Stream Commission, 1975a. Chaves County Water Resources Assessment for Planning Purposes.
- _____. 1975b. Curry County Water Resources Assessment for Planning Purposes.
- _____. 1975c. De Baca County Water Resources Assessment for Planning Purposes.

References

- _____. 1975d. Lea County Water Resources Assessment for Planning Purposes.
- _____. 1975e. Quary County Water Resources Assessment for Planning Purposes.
- _____. 1975f. Roosevelt County Water Resources Assessment for Planning Purposes.
- _____. 1975g. Union County Water Resources Assessment for Planning Purposes.
- New Mexico, Office of the Commissioner of Public Lands, July 1, 1976 to June 30, 1977. Annual Report.
- New Mexico Resource Conservation Commission, n.d. New Mexico's Conservation Districts, Land of Contrasts.
- New Mexico State Comprehensive Outdoor Recreation Plan, 1976.
- New Mexico State Department of Finance and Administration, State Planning Division, 1978. Critical Areas Study Map of Aztec, N.M.
- New Mexico State Engineer, 1969. A Roster, by County, of Organizations Concerned with Surface Water Irrigation in New Mexico.
- New Mexico State Health Agency, New Mexico Monthly Vital Statistics Report, December, 1977. Special Study on Motor Vehicle Fatalities.
- New Mexico State Health Agency, New Mexico Monthly Vital Statistics Report, July, 1977. Special Study on New Mexico Accident Fatalities and Leading Causes of Death.
- New Mexico State Highway Department, 1975. New Mexico Traffic Survey 1975. Planning and Programming Division, U.S. Department of Transportation, Federal Highway Administration.
- _____. n.d. Road Map of New Mexico.
- New Mexico, State of, 1978. Statistics: Public School Finance, 1977-78. Educational Finance and Cultural Affairs Department, Santa Fe, New Mexico.
- _____. 1979. Statistics: Public School Finance 1978-79. Department of Finance and Administration, Santa Fe, New Mexico.
- New Mexico State Parks and Recreation Commission, 1974. State Parks for New Mexico's Future.
- New Mexico State Planning Office, 1975. Status of Land Use Planning in New Mexico.
- _____. 1977. New Mexico Land Use Planning Process.

References

- New Mexico Trading Corp., n.d. Agriculture in Eastern New Mexico and the High Plains of West Texas.
- New Mexico's Health Systems Agency, April 14, 1977-March 31, 1978. Second Annual Report.
- Nicholson, L., 1978. The Effects of Roads on the Desert Tortoise Populations in California. Proc. Desert Tortoise Council 1978:127-129.
- Nielson, R. I., 1965. Right-lateral strike-slip faulting in the Walker Lane, west-central Nevada. Geological Society of American Bulletin 76:1,201-1,308.
- Nord, E. C., 1965. Autecology of Bitterbrush in California. Ecological Monographs 35(3):307-334.
- Northern Nevada Native Plant Society, 1980. Newsletter 6:1:5-9.
- Nye, County of, 1970-1978. Annual Reports of the County Auditor, County of Nye, 1967-1977. Office of the County Auditor.
- Oberholzer, H. C., and E. B. Kincaid, Jr., 1974. The Bird Life of Texas, 2 vols. Univ. Texas Press, Austin.
- O'Farrell, M. U., 1978. Home Range dynamics in Rodents of a Sagebrush Community. J. Mammal 59:657-558.
- O'Farrell, M. J., and G. I. Austin, 1978. A Comparison of Different Trapping Configurations with the Assessment Line Technique for Density Estimation. J. Mammal 59:866-868.
- O'Farrell, J. U., D. W. Kaufman, and D. W. Lundahl, 1977. Use of Live Trapping with the Assessment line Technique for Density Estimation. J. Mammal 58:575-582.
- O'Farrell, pers. comm. 1980.
- Orgill and Sehmel (1975).
- Ozoga, J. J., and E. M. Harger, 1966. Winter Activities and Feeding Habits of Northern Michigan Coyotes. J. of Wildl. Manage. 30:809-818.
- Panhandle Regional Planning Commission, 22 May 1980, M. Kenderding, Planner, telephone communication.
- Panhandle Regional Planning Council.
- Papke, K. G., 1979. Fluospa in Nevada. Nevada Bureau of Mines Bull. 93.
- Parsons, 1980.
- Pearson, L. C., 1965. Primary Production in Grazed and Ungrazed Desert Communities of Eastern Idaho. Ecology 46:278-285.

- Phillips, R., R. Laritz, E. Claire, and J. Moring, 1975. Some effects of gravel mixtures on emergence of coho salmon and steelhead trout fry. Transaction of the American Fisheries Society 14:3:461-466.
- Pierneisel, R. L., 1938. Changes in Weedy Plant Cover on Cleared Sagebrush Stands and their Probable Causes. U.S.D.A. Tech. Bull. 654.
- Pister, E. P., 1974. Desert Fishes and their Habitats. Trans. Am. Fish Soc. 103(3):531-540.
- _____. 1980. Status of Death Valley System Fishes - Pahrump killifish, *Empetrichthys latos*. Presented at Death Valley System Committee Meeting, Desert Fishes Council, Death Valley National Monument, February 22.
- Pizzinetti, J. J., and G. D. Collier, 1975. Cynomys parvidens. Mammalian Species 52:1-3.
- Plant, Thomas R. 1979. Net Migration into Texas and Its Regions: Trends and Patterns. Research Report 1979-1, Bureau of Business Research, University of Texas.
- Platts, W. S., 1979. Livestock Grazing and Riparian/Stream Ecosystems. In Proceeding of the Forum-Grazing and Riparian/Stream Ecosystems, ed. Oliver B. Cope. Trout Unlimited, Inc.
- Portales, City of, 1970. Comprehensive Plan.
- Porter, R. D., and C. M. White, 1973. The Peregrine Falcon in Utah, Emphasizing Ecology and Competition with the Prairie Falcon. BYU Sci. Bull., Ser. 18:1-74.
- Portland Cement Assoc., Market and Economic Research, U.S. Portland Cement Industry: Plant Information Summary, December 31, 1979.
- Puglisi, M. J., J. S. Lindzey, and E. D. Bellis, 1974. Factors Associated with Highway Mortality of White-Tailed Deer. J. Wildl. Manage. 38:799-807.
- Pursley, D., 1977. Illegal Harvest of Big Game during Closed Season. (Manuscript.) Western Law Enforcement Technical Committee Workshop, Reno, Nevada.
- Pronghorn Antelope Harvest Regulation, 1978-1979. Proj. #W-109-R-2. 1979.
- Rand McNally Road Atlas (U.S., Can., Mex.).
- Random Card Mail Survey of Game Bird Hunting Harvests, 1979. Proj. #W-104-R-20. 1980.
- Rasmussen, D. I., 1941. Biotic Communities of the Kaibab Plateau, Arizona. Ecology 28:113-126.
- Redding, Martin J. and Donald P. Scrimgeour. Managing Growth in Natural Resource Development Impacted Communities. In Boomtowns: Managing Growth, Session Abstracts, SME-AIME Annual Meeting, New Orleans, 1979, p. 43.

References

- Redfield, R. C., 1942. Bauxite and Aluminum. Texas Bureau of Econ. Geol., Min. Res. Cir. No. 18.
- Reed, K.L., R.D. Thompson, V. L. Rao. 1980. Indirect Effects Index for Impact Analysis. HDR ETR _____. In Press.
- Reichel, W. L., L. N. Locke, and R. M. Prouty, 1974. Peregrine Falcon Suspected of Pesticide Poisoning. Avian Diseases 18:487-489.
- Resource Area, Nye County, Nevada. Bureau of Land Management, Battle Mountain District.
- Rhoads, W. A. and M. P. Williams, April 1977. Status of Endangered and Threatened Plant Species on Nevada Test Site--A Survey, Part 1: Endangered Species. E. G. and G. for Energy Research and Development Administration.
- Rhoads, W. A., S. Cochran and M. P. Williams, May 1978. Status of Endangered and Threatened Plant Species on Nevada Test Site--A Survey, Part 2: Threatened Species. E. G. & G. for Energy Research and Development Administration.
- _____. January, 1979. Addendum to Status of Endangered and Threatened Plant Species on Nevada Test Site--A Survey, parts 1 and 2.
- _____. October 1979. Status of Endangered and Threatened Plant Species on Tonopah Test Range--A Survey. E. G. & G. for Energy Research and Development Administration.
- Richard, George, Jim Avery, and Lal Baboolal, August 1977. An Implementation Plan for Suspended Particulate Matter in the Phoenix Area - Volume III: Model Simulation of Total Suspended Particulate Levels. U.S. Environmental Protection Agency, Office of Air and Waste Management, Research Triangle Park, North Carolina, Document NO. EPA-450/3-77-021c.
- Ricker, W. E., 1977. The Historical Development. In J. A. Guiland (ed.), Fish Population Dynamics. John Wiley & Sons, New York, pp. 1-26.
- Roberts, R. J., K. M. Montgomery and R. E. Lehner, 1967. Geology and Mineral Resources of Eureka County, Nevada. Nevada Bureau Mines Bull. 64.
- Ross, D. C., 1961. Geology and Mineral Deposits of Mineral County, Nevada. Nevada Bureau of Mines Bull. 58.
- Rost, G. R. and J. A. Bailey, 1979. Distribution of Mule Deer and Elk in Relation to Roads. J. Wildl. Manage. 43(3):634-641.
- Rowell, C. M., Jr., 1967. Vascular Plants of the Texas Panhandle and South Plains. PhD Dissertation, Oklahoma State University, Stillwater.
- _____. 1971. Vascular Plants of the Playa Lakes of the Texas Panhandle and South Plains. Southwestern Nat. 15:407-417.

- Rush, F. E. and S.A.T. Kazmi, 1965. Water Resources Reconnaissance Series: R33. Conservation Water Resources Appraisal of Spring Valley. Nevada Department of Natural Resources, Division of Water Resources: Carson City, Nev.
- Ryall, Alan, 1977. Earthquake hazard in the Nevada region. Seismological Society of America Bulletin 67(2):517-532.
- Ryall, Alan, D.B. Slemmons, and L.D. Gedney, 1966. Seismicity, tectonism, and surface faulting in the western United States during historic time. Seismological of America Bulletin 56(5):1,105-1,135.
- Sanders, C.O., and D.B. Slemmons, 1979. Recent crustal movements in the central Sierra Nevada-Walker Lane region of California-Nevada, Part III, the Olinghouse fault zone. In Whitten, C.A. R. Green, B.K. Meade, eds., Recent crustal movements: Tectonophysics 52:585-597.
- Santa Barbara News Press, 27 June 1980. Effect of man-made noises on creatures of the desert. Pt. C, p. 4.
- Santa Rose, City of, 1969. Comprehensive Plan.
- Sargent, A. B., 1972. Red Fox Spatial Characteristics in Relation to Waterfowl Predation. J. of Wildl. Management. 36:225-236.
- Sargent, A. B. and J. E. Forbes, 1973. Mortality Among Birds, Mammals, and Certain Snakes on 17 miles of Minnesota Roads. Loon 45:4-7.
- Sbar, M.L., 1972. Tectonics of the intermountain seismic belt, western United States; microearthquake seismicity and composite fault plan solutions. Geological Society of America Bulletin 83:13-28.
- Schilling, J. H., 1962. Molybdenum Occurrences in Nevada: Nevada Bureau Mines Map No. 8.
- Schmidly, D. J., and R. B. Ditton, 1979. Relating Human Activities and Biological Resources in Riparian Habitats of Western Texas. Proceedings of the Symposium on Strategies for Protection and Management of Floodplain Wetlands and Other Riparian Ecosystems. USDA Forest Service. GTR= WO-12.
- Schmidly, D.J., R.B. Ditton, W.J. Boer, and A.R. Graefe, 1976. Interrelationships Among Visitor Usage, Human Impact, and the Biotic Resources of the Riparian Ecosystem in Big Bend National Park. Paper presented at the first Conf. Sci. Res. in Nat'l Parks, New Orleans, Louisiana.
- Schnabel, R. W., 1955. The Uranium Deposits of the United States. U. S. Geological Survey, Min. Inv. Res. Map MR-2.
- Schultz, R. D. and J. A. Bailey, 1978. Responses of National Park Elk to Human Activity. J. Wildl. Manage. 42:91-100.
- Seidam and Seidman, 1975-1977. Lincoln County, Nevada, Report on Financial Statements. Year ended June 30, 1975 through Year ended June 30, 1977.

- _____. Report of Financial Statements for Nye County, Fiscal Year Ended June 30, 1978 through June 30, 1979.
- Sellards, E. H., 1930. Graphite in Texas. Texas Bureau of Econ. Geol. Min. Res. Cir. No. 1.
- Sellards, E. H. and G.L. Evans, 1944. Index to Mineral Resources of Texas Counties. Texas Bureau of Econ. Geol., Min. Res. Cir. No. 29.
- Settergren, C. D., 1977. Impacts of river recreation use on streambank soil and vegetation: State of the knowledge. Proceedings: River Recreation Management and Research Symposium. U.S.D.A. Forest Service General Technical Report NC-28 pp. 55-59.
- Shannon, C. E., and W. Weaver, 1963. The Mathematical Theory of Communication. University of Urbana, Illinois Press.
- Shawe, D. R., 1978. Guidebook to Mineral Deposits of the Central Great Basin. Nevada Bureau of Mines Report 32.
- Shelford, V. E., 1963. The Ecology of North America. Univ. Illinois Press, Urbana.
- Sheridan, D. and A. Carroll, 1979. Off-Road Vehicles on Public Land. Council on Environmental Quality.
- Shields, L. M., and P. V. Wells, 1963. Recovery of Vegetation in the Vicinity of Atomic Target Areas at the Nevada Test Site. In Proceedings of the First National Symposium on Radioecology. Reinhold Publ. Corp., New York, p. 307-310.
- Siemers, W. T. and G. S. Austin, 1979. Active Mines and Processing Plants in New Mexico. New Mexico Bureau of Mines and Min. Res., Map 9.
- Shreve, Forrest, 1942. The Desert Vegetation of North America. The Botanical Review 8:195-246.
- Silver State Disposal, 5 June 1980, T. Isola, Vice President, telephone communication.
- Skougard, M. G. and J. G. Brotherson, 1979. Vegetational Response to Three Environmental Gradients in the Salt Playa Near Goshen, Utah. Great Basin Naturalist 39:44-58.
- Slemmons, D. B., 1957. Geological effects of the Dixie Valley Fairview Peak, Nevada earthquakes, December 16, 1954. Seismological Society of America Bulletin 47:353-375.
- _____. 1966. Dixie Valley Fairview Peak Nevada earthquake areas, trip No. 1. In Slemmons, D. B., ed., Guidebook for earthquake areas, p. A1-A43.
- _____. 1967. Pliocene and Quaternary crustal movements of the Basin-and-Range province, USA. Journal of Geoscience 10:91-103.

- _____. Basin and Range active faults. Unpublished manuscript.
- Slemmons, D.B., ed., 1966. Guidebook for Nevada Earthquake areas. Mackay School of Mines, University of Nevada, Reno.
- Slemmons, D. B. et al., 1979. Recent crustal movements in the Sierra Nevada-Walker Lane region of California-Nevada, Part 1, rate and style of deformation. In Whitten, C. A., ed., Recent crustal movements: Tectonophysics 52:561-570.
- Smith, Courtland L., Thomas C. Hogg and Michael J. Reagan, 1971. Economic Development: Panacea or Perplexity for Rural Areas? Rural Sociology 36: 172-176.
- Smith, R. B., 1978. Seismicity, crystal structure, and intraplate tectonics of the interior of the western Cordillera. In Smith, R. B., and Easton, G. P., eds., Cenozoic tectonics and regional geophysics of the western Cordillera. Geological Society of America Memoir 152, p. 111-144.
- Smith, R. B., and M. L. Sbar, 1974. Contemporary tectonics and seismicity of the western United States with emphasis on the intermountain seismic belt. Geological Society of America Bulletin 85:1,205-1,218.
- Smith, R. B. et al., 1976. Detailed seismic monitoring of the Wasatch front, Utah. Seismological Society of America, 71st Annual Meeting, Abstracts with Programs 47, no. 2.
- Snyder, C. T., D. G. Frickel, R. F. Hadley, and R. F. Miller, 1976. Effects of Off-Road Vehicle Use on the Hydrology and Landscape of Arid Environments in Central and Southern California. U.S. Geological Survey, Water Resources Investigations 76-99.
- Southeastern New Mexico Economic Development District, 1974. Public Utilities Element for State Planning and Development District VI.
- _____. 1976a. Overall Economic Development Program.
- _____. 1976b. An Overview of Energy Resources for Planning District VI.
- _____. 1979a. A Statistical Fact Book. Selected Information on Planning District VI.
- _____. 1979b. Areawide Housing Opportunity Plan.
- _____. 1979c. Areawide Planning Report.
- _____. n.d. Development Policy Plan, 1975-85.
- South Plains Association of Government. Regional Land Resources Management Plan.
- Species Files from USFS Reno (Ken Ganz).

- Spencer, J.R., 1978. The New Mexico Digest.
- Spillett, Low, and Sill, 1967.
- Stahlecker, D. W. and H. J. Griese, 1979. Raptor Use of Nest Boxes and Platforms on Transmission Towers. Wild. Soc. Bull. 7:59-62.
- Stalmaster, M. V., 1976. Winter Ecology and Effects of Human Activity on Bald Eagles in the Nooksack River Valley, Washington. M. S. Thesis, Western Washington State College, Washington.
- State of Nevada, Department of Highways, 1976. Annual Traffic Report - Nevada Highways. U.S. Department of Transportation, Federal Highway Administration.
- State of Utah Division of Wildlife Resources, 1980. Utah Fishing Waters Inventory and Classification Computer Printout. Salt Lake City, UT.
- State Parks for New Mexico's Future, 1975;
- Stebbins, R. C., 1954. Amphibians and Reptiles of Western North America. McGraw-Hill Book Co., NY.
- _____. 1966. A field guide to western reptiles and amphibians. Houghton Mifflin Co., Boston.
- Steneck, N. H., H. J. Cook, A. J. Vanden, and G. L. Kane, 1980. The Origins of U.S. Safety Standards for Microwave Radiation. Science 208:1230-1236.
- Stevens, 1976.
- Stewart, J. H., 1967. Possible large right-lateral displacement along fault and shear zones in the Death Valley-Las Vegas area, California and Nevada. Geological Society of America Bulletin 78:131-142.
- Stewart, J. H., J. P. Albers, and F. G. Poole, 1968. Summary of Regional Evidence for Right-lateral Displacement in the Western Great Basin. Geological Society of America Bulletin 9:1,407-1,414.
- Stewart, J. H., E.H. McKee, and H. K. Stager, 1977. Geology and Mineral Deposits of Lander County, Nevada. Nevada Bureau Mines Bull. 88.
- Stotelmeyer, R. B., 1969. New Mexico's 1967 Mineral Production by Counties. New Mexico Bureau of Mines and Min. Res., Min. Rep. 1.
- Stuart, Frank and Assoc.
- Sultan, Hassan A., November 1974. Soil Erosion and Dust Control on Arizona Highways, Part II Laboratory Testing Program, Report: ADOT-RS-10-141-11, Arizona Department of Transportation, Phoenix, Arizona.

References

- _____. February 1976. Soil Erosion and Dust Control on Arizona Highways, Part IV Final Report: Field Testing Program. Report: ADOT-RS-13 (141)-IV, Arizona Department of Transportation, Phoenix, Arizona.
- Survey of Proposed Sensitive Species in Humboldt and Pershing counties, Nevada. Herbarium Search and Literature Review. USU, Logan, UT. August 1977.
- Survey of Proposed Sensitive Species in Lander and Eureka counties, Nevada. Herbarium Search and Literature Review. USU, Logan, UT. 1977.
- Survey of Proposed Sensitive Species in Lincoln County, Nevada. Herbarium Search and Literature Review. USU, Logan, UT. July 1977.
- Swan, F. H. III et al., 1978. Recurrence of surface faulting and large magnitude earthquakes along the Wasatch fault, Utah. Abstract. American Geophysical Union Transactions 55:1,126.
- _____. 1980. Recurrence of moderate to large magnitude earthquakes produced by surface faulting on the Wasatch fault zone, Utah. Seismological Society of America Bulletin, v. 70 (in press).
- _____. 1980. Study of earthquake recurrence intervals on the Wasatch fault, Utah. In Summaries of Technical Reports, Vol. 9, National Earthquake Hazards Reduction Program: U. S. Geological Survey Open-File Report 80-6, p. 123-124.
- Talmage, S. B., and T.P. Wootton, 1937. The Non-Metallic Mineral Resources of New Mexico and Their Economic Features. New Mexico Bureau of Mines and Min. Res., Bull. No. 12.
- Tanner, V. M., and C. L. Hayward, 1934. A Biological Study of the LaSal Mountains. Report No. 1 (Ecology). Proc. Utah Acad. Sci. 11:209-234.
- Taylor and Ashcroft, 1972.
- Texas Education Agency, 1979. Texas School Directory. Austin, Texas.
- Texas Employment Commission, 1979. Annual Planning Information Report.
- Texas Parks & Wildlife Dept., 1980. Aoudad Sheep Harvest Regulations, 1979-1980. Proj. # W-109-R-3.
- _____. 1980. In-house data base.
- Texas State Department of Highways and Public Transportation, 1975.
- Texas, State of, 1979. Revenues and Expenditures of State Funds; 1979 Annual Financial Report of the State of Texas. Austin, Texas.
- Texas Water Development Board (1977); New Mexico Interstate Stream Comm. and New Mexico State Eng. Office (1975).

- Thompson, G. A., and D. B. Burke, 1974. Regional geophysics of the Basin and Range Province. In Donath, F. A., Stehli, F. G., and Wetherill, G. W., eds., Annual Review of Earth and Planetary Sciences. Palo Alto, California, 2:213-235.
- Thompson, L., 1978. Transmission Line Wire Strikes: Mitigation Through Design and Habitat Modification. In Impacts of Transmission Lines on Birds in Flight, M.J. Avery ed. U.S. Dept. Interior, Fish and Wildlife Service, FWS/OBS-78/48, pp. 27-52.
- Thomson, R. J. (unpublished). Spectral Changes of the Lake Tahoe Photic Zone under the influence of a Sediment Plume. Tahoe Research Group. Univ. of Calif., Davis.
- Thornbury, W. D., 1965. Regional geomorphology of the United States. New York, John Wiley.
- Threatened Plant Species of the Nevada Test Site, Ash Meadows, and Central-Southern Nevada. Energy Research and Development Administration. April 1977.
- Tidestrom, Ivar, 1925. Flora of Utah and Nevada. Government Printing Office, Washington, D.C.
- Tooele, County of, undated. General Fund Statement of Revenues and Comparison with Budget for the Calendar Year Ended Dec. 31, 1977.
- Truth or Consequences Chamber of Commerce, 1977. Community Profile.
- Tschanz, C. M. and E. H. Pampeyan, 1970. Geology and Mineral Deposits of Lincoln County, Nevada. Nevada Bureau Mines Bull. 73.
- Tsukamoto, G. K., 1979. Pronghorn Antelope Species Management Plan. First Draft, Nevada Dept. of Wildlife.
- Tucumcari, City of, 1968. Comprehensive Plan.
- Tueller, P. T., J. H. Robertson, and B. Zamora, 1978. The Vegetation of Nevada, a Bibliography. Agricultural Experiment Station, University of Nevada, Reno, 28 pp.
- Tueller, P., D. Beeson, R. Tausch, N. West, and K. Rea, 1979. Pinyon - Juniper Woodlands of the Great Basin Distribution, Flora, and Vegetal Cover. USDA Forest Service Res. Pap. INT-229.
- Turkey Productivity Estimates and Harvest Information, 1976-1977. Proj. #W-93-R-19. 1977.
- Turkey Productivity Estimates and Harvest Information, 1978-1979. Proj. #W-93-R-21. 1979.
- Turner, D. Bruce, 1970. Workbook of Atmospheric Dispersion Estimates. Air Resources Field Research Office, Environmental Science Services Administration, EPA, Research Triangle Park, NC.

Tyler, P. E., 1973. Overview of the Biological Effects of Electromagnetic Radiation. IEEE Trans. Aerospace and Electronic Systems 9(2):225-228.

Tyler, 1973; Steneck et. al., 1980 ____ (3-333).

University of New Mexico, Bureau of Business Research, 1972. Selected Implications of Urban Growth, Albuquerque, New Mexico.

_____. 1975. Participation in Outdoor Recreation: A Survey of New Mexico Residents.

_____. 1976. New Mexico Population to 1985 and Impact on Job Outlook.

_____. 1977a. Final Report on New Mexico Economic and Demographic Model.

_____. 1977b. Summary Report on New Mexico Economic and Demographic Model.

_____. 1979a. Population Estimates and Projections: 1970-2000, Counties and Wastewater Facility Planning Areas.

_____. 1979b. Estimates and Projections of the Population of New Mexico by County, 1975-1990.

_____. 1979c. Summary Study of the State of New Mexico and the Albuquerque SMSA.

University of New Mexico, Bureau of Economic Research, n.d. Human and Material Resources, Castro County.

_____. n.d. Human and Material Resources, De Baca County.

_____. n.d. Human and Material Resources, Guadalupe County.

_____. n.d. Human and Material Resources, Hidalgo County.

_____. n.d. Human and Material Resources, Lincoln County.

_____. n.d. Human and Material Resources, Sierra County.

University of Utah, 1978, Utah Facts, Industrial Development Information System.

_____. 1979. Cedar City Master Plan.

_____. n.d. 1979 Utah Statistical Abstract.

U.S. Air Force, M-X Environmental Technical Report: Selection of Suitable Locational Alternatives, ETR-1

U.S. Air Force, Space and Missile System Organization, 1978. Potential Impact of Space Shuttle Sonic Booms on the Biota of the California Islands: Literature Review and Problem Analysis. Draft. Evans, W. E., J. E. Jehl, and C. F. Cooper, eds. San Diego State University and Hubbs/Sea World Res. Inst.

- U.S. Department of Agriculture, 1972. Present and Projected Resource Use and Management, Beaver River Basin, Appendix II (Water and Land Use Supplement), June 1972.
- _____. 1973a. Summary Report Water and Related Land Resources, Beaver River Basin, June 1973.
- _____. 1973b. Water and Land Resources, Beaver River Basin (Utah and Nevada), June 1973.
- _____. 1974. Economic Base and Needs (Projections) Beaver River Basin (Utah and Nevada), Appendix IV, May 1974.
- _____. 1976. New Mexico Agricultural Statistics.
- _____. 1977. New Mexico Agricultural Statistics.
- _____. 1979. Community Facilities and Services Technical Study Data (Utah), Community and County Profiles, 1979.
- U. S. Department of Agriculture, Soil Conservation Service, 1969. Distribution of Principal Kinds of Soils: Orders, Suborders and Great Groups. Map Sheet Nos. 85, 86, 1967. In National Atlas of the United States of America. Geological Survey, U. S. Dept. of the Interior.
- _____. 1975. Soil Taxonomy. Agricultural Handbook No. 436.
- _____. 1977a. Potential Natural Vegetation Associations, El Llano Estacado Resource Conservation and Development Area, New Mexico (Map).
- _____. 1977b. Present Natural Vegetation Associations, El Llano Estacado Resource Conservation and Development, New Mexico (Map).
- _____. 1978. Potential Natural Vegetation, New Mexico (Map).
- _____. 1980a. In-house report, Tucumcari District Office. (Timber Resources).
- _____. 1980b. In-house report, Tucumcari District Office. (Vegetation).
- _____. Preliminary Soil Survey Data, Lincoln County, Nevada, Southeast Part (Survey Area 754). Unpublished, subject to revision. Obtained from the Soil Survey Party Office, Las Vegas, Nevada.
- _____. n.d. Soil Surveys for Community Planning in New Mexico.
- U.S. Department of Commerce, 1974. Federal and State Indian Reservations and Indian Trust Areas. Washington: U.S. Government Printing Office.
- _____, August 1977. Compilation of Air Pollutant Emission Factors, Third Edition, Parts A and B (including Supplementss 1 through 7), Environmental Protection Agency, Research Triangle Park, NC., Document No. 275-525.
- U.S. Department of Commerce, Bureau of the Census, 1977a. Census of Retail Trade, Major Retail Centers in Standard Metropolitan Areas.

- . 1977b. New Mexico Census of Service Industries, Geographic Area Studies.
- . 1977c. New Mexico Census of Wholesale Trade, Geographic Area Studies.
- . 1977d. New Mexico Census of Retail Trade, Geographic Area Studies.
- . 1977e. Estimates of the Population of New Mexico Counties and Metropolitan Areas.
- . 1977f. Finances of School Districts. In 1977 Census of Governments, Volume 4, Number 1.
- . 1977g. Finances of Municipalities and Township Governments. In 1977 Census of Governments, Volume 4 Number 4.
- . 1977h. Compendium of Government Finances. In 1977 Census of Government, Volume 4, Number 5.
- . 1978. New Mexico County Business Patterns.
- U.S. Department of Commerce, Bureau of Economic Analysis, 1979. Personal Income by Major Sources 1970-75, Texas.
- U.S. Department of the Interior, Bureau of Land Management, 1975. 1974 Barstow - Las Vegas Motorcycle Race, Evaluation Report.
- . Sept. 1976. Tonopah (Nevada) Resource Area Land Use Guide.
- . July 1976. Social-Economic Profile Lincoln County, Nevada.
- . Tonopah District, 1977. Tonopah Environmental Statement Supplemental Report - Endangered and Threatened Flora (with map).
- . Nevada, March 1977. Instruction Memo No. NSO 77-71 to Dist. Mgrs. - Interim Plant Management Guidelines - 1973.
- . 1977. Facts and Figures for Utah.
- . June 1977. Social Economic Profile Elko County, Nevada.
- . Las Vegas Dist., Nevada, 1978. Caliente URA - Threatened or Endangered Plant Species.
- . 1978. Gila Planning Unit Land Use Decisions, Las Cruces District.
- . 1978. Nevada BLM Statistics.
- . April 1978. Planning Area Analysis, Caliente Planning Unit, Nevada.
- . October 1978. Draft Land Use Recommendations Caliente Planning Unit, Las Vegas District.

References

- _____. 1979. Final Environmental Statement on Grazing Management in the East Roswell ES Area.
- _____. September 21, 1979. Caliente Environmental Statement Final.
- _____. Elko Dist. Nevada, 1979. Field Search for Rare Plants in Wells, NV Area. Preliminary reports.
- _____. Las Vegas Dist. 1979. Final environmental impact statement, proposed domestic livestock grazing management program for the Caliente area.
- _____. Utah, 1979. Rare Plants in Sevier Resource Area.
- _____. 1979. Intermountain Power Project. Salt Lake City, Utah.
- _____. March 1980. F. E. Bingham, written communication to R. Verlaan.
- _____. 1980. Draft environmental impact statement, proposed domestic livestock grazing management program for the Tonopah area.
- _____. Stateline (Nevada) Planning Unit Land Use Guide.
- _____. Esmeralda (Nevada) Planning Unit Land Use Guide.
- _____. Planning unit documents.
- _____. Denver Regional Office 1980. Computer printouts of AUM distribution by allotments.
- U.S. Department of the Interior, Bureau of Mines, Minerals Yearbook 1975: Volume II Area Reports, Domestic, p. 749.
- U.S. Department of the Interior, Bureau of Reclamation, 1976. New Mexico Water Resources Assessment for Planning Purposes.
- U.S. Environmental Protection Agency, March 1978. Mobile Source Emission Factors, Final Document EPA-400/9-78-005, Office of Air and Waste Management, Washington, D.C.
- _____. October 1977. Guideline for Development of Control Strategies in Areas with Fugitive Dust Problems.
- _____. August 1979. Third Symposium on Fugitive Emissions Measurement and Control, (October 1978, San Francisco, CA.), Interagency Energy/Environment R&D Program Report, EPA-600/7-79-182, Industrial Environment Research Laboratory, Research Triangle Park, N.C.
- _____. October 1979. Protecting Visibility. An EPA report of Congress, Strategies and Air Standards Division, Office of Air Quality Planning and Standards, Research Triangle Park, NC., EPA-450/5-79-008.

References

- U.S. Fish and Wildlife Service, 1973. Muleshoe National Wildlife Refuge. RF-2352100-1-July 1973.
- _____. 1975. Survey of the southern bald eagle in Arizona. Endangered Species Report 1. Albuquerque, New Mexico.
- U.S. Fish and Wildlife Service, Portland, Oregon, 1978. Status Report for Threatened and Endangered Plants.
- U.S. Forest Service (Toiyabe National Forest, Tonopah). Status reports on threatened and endangered plants, 1978.
- U.S. Forest Service, 19 May 1980. R. Mason, written communication to R. Tausch, M-X 80 MISC-INC-74.
- U.S. Forest Service, 1980. Files on T/E plant species on Forest Service lands.
- U. S. Geological Survey, 1965. Uranium in Texas: Map.
- U.S. Geological Survey, 1979. Water Resources for Data for Utah. U.S.G.S. Water Data Report UT-78-1.
- U.S. Office of Management and Budget, 1979. Catalog of Federal Domestic Assistance.
- University of Nevada Bureau of Business Economic Research, 1978. Nevada Review of Business and Economics 21.
- Upland game harvest recommendations 1976-1977. Proj. #W-108-R-1. 1978.
- Utah Agricultural Statistics, 1978.
- Utah Bureau of Economic and Business Research, Jan. 1979.
- Utah Department of Natural Resources, 1979. Outdoor Recreation in Utah (Draft).
- Utah Department of Outdoor Recreation, 19____.
- Utah Department of Transportation, 1975. Traffic on Utah Highways. Office of Policy and Systems Planning, U.S. Department of Transportation, Federal Highway Administration.
- Utah Division of Water Resources, 1970. General Plan Nye County (Nevada).
- Utah Foundation, 1979. Statistical Review of Government in Utah. Salt Lake City, Utah.
- Utah Geological and Mineral Survey, 1976. Earthquake fault map of a portion of Salt Lake County, Utah. Map 42.
- Utah State Department of Highways, 1971-1995. Utah Highway Functional Classification and Needs Report. U.S. Department of Transportation, Federal Highway Administration.

- Utah, State of, 1973. Outdoor Recreation in Utah, The Second Plan, 1970-1985.
- . 1976. Great Salt Lake Comprehensive Plan.
- . 1978. Sixth Annual Report of the Superintendent of Public Instruction of the State of Utah for the Period Ending June 30, 1978. Office of the State Superintendent of Public Instruction, 1978.
- . undated. General Fund Summary of Revenues and Expenditures, 1968-69 through 1978-79.
- . undated. Annual Financial Report for Fiscal Year Ended June 30, 1978. Department of Finance, Salt Lake City, Utah.
- Utah State University, Agricultural Experiment Station, March, 1975. Soils of Utah. Bull. 492.
- Varma, B. R., 1979. Studies on the pH Tolerance of Certain Freshwater Teleosts. Comparative Physiology and Ecology 4:116-117.
- Vaughn, City of, 1975. Comprehensive Plan.
- Verburg, K., 1974. The Carrying Capacity of Recreational Lands: A Review. Occas. Pap. No. 1, Planning Division. Prairie Region Park, Canada.
- Vollmer, A. T., B. G. Maza, P. A. Medica, F. B. Turner, and S. A. Bamberg, 1976a. The Impact of Off-Road Vehicles on a Desert Ecosystem. J. Environmental Management 1(2):115-129.
- . 1976b. The Impact of Off-Road Vehicles on a Desert Ecosystem. Envir. Manag. Vol. 1.
- Vorhies, C. T., and W. P. Taylor, 1933. The life histories of jackrabbits, Lepus alleni and Lepus Californicus spp., in relation to grazing in Arizona. Univ. of Ariz. Tech. Bull. 49.
- Wallace, A., and E. M. Romney, 1972. Radioecology and Ecophysiology of Plants of the Nevada Test Site. TID-25954 NTIS Serv. Springfield, VA 22151.
- Wallace, R. E., 1977. Profiles and ages of young fault scarps, northcentral Nevada. Geological Society of America Bulletin 88:1267-1281.
- . 1980. Active faults, paleoseismicity, and earthquake hazards. Seventh World Conference on Earthquake Engineering, Istanbul, Turkey, Sept. 1980.
- Walstrom, R. E., 1973. Water for Nevada: Forecasts for future fish and wildlife. Rep. No. 6. State Engineer's Off., Carson City.
- Waterfowl Use Data, Las Vegas NWR. 1980.
- Waterfowl Use Data, Maxwell NWR. 1980

- Watkins, L. C., 1977. Euderma maculata. Mammalian Species 77:1-4.
- Weant, George E., III and Ben H. Carpenter, April 1978. Particulate Control for Fugitive Dust. Research Triangle Inst., Research Triangle Park, NC., Report No EPA-600-7-78-071. USDOC PB-282 269.
- Weaver, J. E., and F. W. Albertson, 1956. Grassland of the Great Plains. Johnsen Publishing Company, Lincoln, Nebraska.
- Webb, R. H., 1978. The Effects of Off-Road Vehicles on Desert Soil in Dove Springs Canyon. In Berry, K. H. (ed.), The Physical, Biological, and Social Impacts of Off-Road Vehicles on the California Desert. So. Calif. Acad. Scis., Special Publ., in press.
- Webb, R. H., C. Ragland, W. H. Godwin, and D. Jenkins, 1978. Environmental Effects of Soil Property Changes with Off-Road Vehicle Use. Environmental Management 2(3):219-233.
- Weber, R. H. and F. E. Kottowski, 1959. Gypsum Resources of New Mexico. New Mexico Bureau of Mines and Min. Res., Bull. 68.
- Wechsler, D. S., and R. B. Smith, 1978. Earthquake studies in the Basin and Range - Colorado plateau transition zone in southern Utah. Seismological Society of America, 74th Annual Meeting, Earthquake Notes, p. 21.
- Welles, R. E., and F. B. Welles, 1961. The Bighorn Sheep of Death Valley. Fauna of the National Parks of the United States, Fauna Series No 6.
- Wells, P. V., 1961. Succession in Desert Vegetation on Streets of a Nevada Ghost Town. Science 134:670-671.
- . 1970. Postglacial Vegetational History of the Great Plains. Science 167:1574-1582.
- Welsh, S. L., 1978. Endangered and Threatened Plants of Utah: A Reevaluation. Unpublished manuscript, Brigham Young Univ., Provo, UT.
- Welsh, S. L., 1979. Endangered and Threatened Plants of Utah: A Case Study. Great Basin Nat. Memoirs #3, pp. 69-80.
- Welsh, S. L., and G. Moore, 1973. Utah Plants, Tracheophyta. Brigham Young University Press, Provo.
- Welsh, S. L., and E. Neese, 1980. A new species of Cymopterus (Umbelliferae) from the Toiyabe Range, Lander Co., Nevada. Madrono 27:2:97-100.
- . June, 1980. Rare and Endangered Plant Investigations in Nevada and Utah. Draft final report to Bio/West, Inc.
- Welsh, S. L., and K. H. Thorne, 1979. Illustrated Manual of Proposed Endangered and Threatened Plants of Utah. U.S. Fish and Wildlife Service, Denver, Co.

References

- Welsh, S. L., N. Duane Atwood, and James L. Reveal, 1975. Endangered, Threatened, Extinct, Endemic and Rare or Restricted Utah Vascular Plants. Reprint from Great Basin Naturalist 35:4.
- Wenhausen, J., 1979. Sierra Bighorn Sheep Management Plan. U.S. Forest Service, Inyo National Forest.
- West Central Texas Council of Governments, 1977a. Regional Land Resources Management Plan, 1975-2000.1.
- _____. 1977b. Regional Housing Plan, 1975-2000.
- _____. December 1978a. Supplement to the Land Resources Management Plan, 1975-200.
- _____. 1978b. Annual Report.
- _____. 1978c. Housing Site Selection and Design Criteria Guide.
- _____. 1979a. Throckmorton County Rural Development Plan.
- _____. 1979b. Eastland County Rural Development Plan.
- _____. 1979c. Brown County Rural Development Plan.
- _____. 1979d. Shackelford County Rural Development Plan.
- _____. 1979e. Runnels County Rural Development Plan.
- _____. 1979f. Stephens County Rural Development Plan.
- _____. 1979g. Taylor County Rural Development Plan.
- _____. 1979h. Kent County Rural Development Plan.
- _____. 1979i. Fisher County Rural Development Plan.
- _____. 1979j. Callahan County Rural Development Plan.
- _____. 1979k. Jones County Rural Development Plan.
- _____. 1979l. Knox County Rural Development Plan.
- _____. 1979m. Nolan County Rural Development Plan.
- _____. 1979n. Mitchell County Rural Development Plan.
- _____. 1979o. Rural Development Plan.
- _____. 1979p. Annual Report.
- _____. March 1979. 1979-80 Aging Services Plan.

- _____. June 1979. Regional Directory.
- _____. 1980a. Criminal Justice Plan, 1980-1981.
- _____. 1980b. Overall Program Design, January 1980 - January 1983, Draft.
- _____. 1980-81. Alcohol Abuse/Addiction Plan Draft.
- Westec Services, Dec. 1979. Preliminary Report on Threatened and Endangered Plants Found on BLM Land in Clark County, Utah.
- White Pine County Sheriff Department, 5 June 1980. M. Burns, Deputy, telephone communications.
- White Pine, County of, undated. Statement of Revenues, Expenditures and Changes in General Fund Balance for Fiscal Year Ended June 30, 1969 through Year Ended June 30, 1978.
- White-tailed Deer Population Trends, 1979-80. Proj. #W-109-R-3. 1980.
- Whithington, C. F., 1962. Gypsum and Anhydrite in the United States. U.S. Geological Survey, Min. Inv. Res. Map MR-33.
- Whitten, C. A., 1956. Geodetic measurements in the Dixie Valley area. Bulletin Seismological Society of America, p. 321-325.
- Wild Free-Roaming Horse and Burro Act. 1971. As amended, 16 USC 1131 et seq.
- Willard, D. E., 1978. The Impact of Transmission Lines on Birds (and vice versa). In M. L. Avery, ed., Impacts of Transmission Lines on Birds in Flight, FWS/OBS-78/48 pp. 3-7.
- Willden, Ronald, 1964. Geology and Mineral Deposits of Humboldt County, Nevada. Nevada Bureau Mines Bull. 59.
- Willden, Ronald and R. C. Speed, 1974. Geology and Mineral Deposits of Churchill County, Nevada. Nevada Bureau Mines Bull. 83.
- Williams, J. E., 1977. Observations on the Status of the Devil's Hole Pupfish in the Hoover Dam Refugium. REC-ERC-77-11. U. S. DI, Bur. Reclam., Denver, Colorado.
- Willie & Associates, 1972. Parowan Master Plan (Iron County, Utah), 1972.
- _____. 1972. Paragonah Master Plan (Iron County, Utah).
- _____. 1972. Enoch Master Plan (Iron County, Utah, 1972.
- _____. 1972. Kananaville Master Plan (Iron County, Utah), 1972.
- _____. 1979. St. George City Master Plan - Preliminary (Utah), 1979.

- _____. 1980. St. George City Master Plan (Utah), 1980.
- Wilshire, H. G., S. Shipley, and J. K. Nakata, 1978. Impacts of Off-Road Vehicles on Vegetation. Trans. of 43rd North American Wildlife and Natural Resources Conference, 131-139.
- Wilshire, H. G., J. K. Nakata, S. Shipley, and K. Prestegaard, 1978. Impacts of Vehicles on Natural Terrain at Seven Sites in the San Francisco Bay Area. Environ. Geol. 2(5):295-319.
- Wilshire, H. G., and J. K. Nakata, 1976. Off-road Vehicle Effects on California's Mojave Desert. California Geology, pp. 123-132.
- Winkler, 1980.
- Wombold, Lynn, 1979. Estimates and Projection of the Population of New Mexico by County, 1975-1990. Bureau of Business and Economic Research, University of New Mexico.
- Woodbury, A. M., 1947. Distribution of Firmy Conifers in Utah and Northeastern Arizona. Ecology 28:113-126.
- Woodward-Clyde Consultants, April 10, 1978. Geologic and Hydrolic Comparison Between Basing Modes. In M-X Milestone II Volume IV, Baseline-CES-Draft.
- Workman, J. P. and N. E. West, 1967. Germination of Eurotia lanata in Relation to Temperature and Salinity. Ecology 48:659-661.
- Wright, R.J. and M.C. Anderson, 1980. Texas Fact Book 1980. Bureau of Business Research, University of Texas.
- Wydoski, R. S., and C. R. Berry, Jr., 1976. Atlas of Utah Stream Fishery Values. Utah State University, Logan, Ut.
- Yoakum, J. D., 1978. Pronghorn. In Big Game of North America J. L. Schidt and D. L. Gilbert, eds., Stackpole Books, Harrisburg, PA.
- York, J. C., and W. A. Dick-Peddie, 1969. Vegetation Changes in Southern New Mexico during the Past Hundred Years. In Arid Lands in Perspective. The University of Arizona Press, Tucson, pp. 157-166.
- Young, J. A., and R. A. Evans, 1973. Downybrome - Intruder in the Plant Succession of Big Sagebrush Communities in the Great Basin. J. Range Management 26:410-415.
- _____. 1974. Population Dynamics of Green Rabbitbrush in Disturbed Big Sagebrush Communities. J. Range Management 27:127-132.
- Young, J. A., R. A. Evans, and P. T. Tueller, 1975. Great Basin Plant Communities-Pristine and Grazed. In R. Elston (ed.), Holocene Climates in the Great Basin. Occas. Paper, Nevada Archaeol. Survey, Reno, pp. 186-215.

References

- Young, J. A., R. A. Evans, and J. Major, 1972. Alien Plants in the Great Basin. J. Range Management, 25:194-201.
- Young, S. P., 1946. Part I. Its history, life habits, economic status, and control. In The puma: mysterious American cat. S. P. Young and E. A. Goldman, eds. Amer. Wildlife Inst., Washington, D. C., pp. 1-173.
- Zarn, M., T. Heller, and K. Collins, 1977. Wild, Free-roaming Horses: Status of Present Knowledge. USDI, Bureau of Land Management and USDA, U. S. Forest Service Technical Note. T/N 294.
- Zimmerman, J. B. and Thomas, E., 1969. Sulfur in West Texas: Its Geology and Economics. Texas Bureau of Econ. Geol. Cir. 69-2.
- Zlatkovich, Charles P. 1976. Texas Transportation Handbook, Bureau of Business Research, University of Texas.

* References showing AD numbers may be ordered at a nominal charge by writing or calling:

U. S. Department of Commerce
National Technical Information Service
5285 Port Royal Road
Springfield, VA 22151

Telephone: (703) 557-9600

5.9 INDEX

5.9 INDEX**Agriculture**

2.1.21
 2.3.27
 2.3.31
 2.4.27
 2.4.31
 2.5.27
 2.5.31
 2.6.27
 2.6.31
 2.7.27
 2.8.27
 2.9.27
 2.11.28
 2.11.32
 3.3.3.8
 3.4.1.3.11
 3.4.3.3.11
 3.4.4.3.11
 3.4.5.3.10
 4.2.5.2.10
 4.3.2.1.4.3

Air quality

2.1.2.1
 2.2.5.1.3
 2.3.3
 2.4.3
 2.5.3
 2.6.3
 2.7.3
 2.10.3
 3.2.2.3
 3.3.2.3
 3.4.1.2
 3.4.1.2.3
 3.4.2.2.3
 3.4.3.2.3
 3.4.4.2.3
 3.4.4.3
 3.4.5.2.3
 3.4.6.2.3
 3.4.7.2.3
 4.2.5.1.3
 4.3.2.3

Airfield

1.2.3.5

Air traffic

3.2.3.5
 3.3.3.5.3

Alternative 1

2.2.2

Alternative 2

2.2.2

Alternative 3

2.2.2

Alternative 4

2.2.2

Alternative 5

2.2.2

Alternative 6

2.2.2

Alternative 7

2.2.3

Alternative 8

2.2.4

Aquatic species

2.2.5.1.7
 2.3.11
 2.4.11
 2.5.11
 2.6.11
 2.7.11
 2.11.12
 3.2.2.7
 3.2.2.7.2
 3.2.2.8.3
 3.3.2.7
 3.4.1.2.4
 3.4.2.2.4
 3.4.3.2.4
 3.4.4.2.4
 3.4.5.2.4
 3.4.6.2.4
 3.4.7.2.4
 4.2.5.1.7
 4.3.2.7
 4.4.1.4

**Archaeological and
historical resources**

2.1.2.1
 2.2.5.2.12
 2.3.33
 2.4.33
 2.5.33
 2.6.33

2.7.33
2.8.33
2.9.33
2.11.34
3.2.3.10
3.3.3.10
3.4.1.3.13
3.4.2.3.13
3.4.3.3.13
3.4.4.3.13
3.4.5.3.13
3.4.6.3.13
3.4.7.3.13
4.2.5.2.12
4.3.3.13

Area Support Centers

1.2.2.3

Bald Eagle

4.4.1.3

Beryl, Utah

2.1.2.1
2.2.2
3.4
3.4.1
4.3.2.1.3.3
4.3.2.2.1.3
4.3.2.3.3
4.3.2.4.1.4.4
4.3.2.5.1.3.3
4.3.2.6.1.4.2.2
4.3.2.6.2.3.4
4.3.2.8.1.3.3
4.3.2.9.1.3.4
4.3.3.1
4.3.3.2
4.3.3.3
4.3.3.4
4.3.3.5
4.3.3.6.1
4.3.3.6.2
4.3.3.6.3
4.3.3.6.4
4.3.3.8.2
4.3.3.9.3
4.3.3.10
4.3.3.11.3.3.4
4.3.3.11.4.3.2.2
4.3.3.12
4.3.3.13

Bighorn sheep

2.3.8
2.4.8
2.5.8
2.6.8
2.11.8
4.3.2.6.3

Clovis, New Mexico

2.1.2.1
2.2.4
3.4
3.4.6
4.2.3
4.2.4
4.3.2.1.9.2.1
4.3.2.2.1.9
4.3.2.3.9
4.3.2.4.1.9.3
4.3.2.5.1.9.1.2
4.3.3.1
4.3.3.2
4.3.3.3
4.3.3.4
4.3.3.5
4.3.3.6.1
4.3.3.6.2
4.3.3.6.3
4.3.3.6.4
4.3.3.8.8
4.3.3.9.9.3
4.3.3.10
4.3.3.11.1
4.3.3.11.3.9.4
4.3.3.13

Clusters

1.2.2.1

Cluster Roads

2.1.2

Command, Control and Communications

1.2.2.6

Community Development

1.4

Community Infrastructure

2.2.5.25
3.2.3.4
3.3.3.4
3.4.1.3.6
3.4.2.3.6

3.4.3.3.6
 3.4.4.3.6
 3.4.5.3.6
 3.4.6.3.6
 3.4.7.3.6
 4.2.5.2.5
 4.3.3.6

Construction

1.3.1
 2.2.3.2
 2.2.3.3
 2.2.4.2
 2.2.4.3
 2.2.5.2.13
 2.3.35
 2.6.35
 2.10.35
 2.11.36
 3.2.3.11
 3.3.3.11
 4.2.1.3
 4.2.2.2
 4.2.3.3
 4.2.4.3
 4.2.5.2.1.3
 4.3.3.1.4

Contractor Support Area (CSA)

1.2.3.2

Coyote Spring Valley, Nevada

2.2.2
 2.2.3
 2.2.4
 3.4
 3.4.2
 4.2.1
 4.2.4
 4.3.2.1.2.2
 4.3.2.2.1.2.2
 4.3.2.3.2
 4.3.2.4.1.2.4
 4.3.2.5.1
 4.3.2.6.3.2.3.1
 4.3.2.8.1.2.4
 4.3.2.8.1
 4.3.2.8.2.2.4
 4.3.2.9.1.2.4
 4.3.3.1
 4.3.3.2
 4.3.3.3
 4.3.3.4
 4.3.3.5

4.3.3.6.1
 4.3.3.6.2
 4.3.3.6.3
 4.3.3.6.4
 4.3.3.7
 4.3.3.8.1.2
 4.3.3.9.2.3
 4.3.3.10
 4.3.3.11.3.2.4
 4.3.3.11.4.2.3.1
 4.3.3.12
 4.3.3.13
 4.3.3.13.4.2.4

**Criminal Justice and Law
Enforcement, see
Public Safety****Dalhart, Texas**

2.1.2.1
 2.2.3
 3.4
 3.4.7
 4.2.3
 4.3.2.1.9.2.2
 4.3.2.2.1.9
 4.3.2.3.9
 4.3.2.4.1.9.4
 4.3.2.5.1.9.1.2
 4.3.2.6.1.9.3
 4.3.3.1
 4.3.3.2
 4.3.3.3
 4.3.3.4
 4.3.3.5
 4.3.3.6.1
 4.3.3.6.2
 4.3.3.6.3
 4.3.3.6.4
 4.3.3.8.8
 4.3.3.9.9.4
 4.3.3.10
 4.3.3.11.1
 4.3.3.11.3.9.5
 4.3.3.13

Decommissioning

1.3.3

Delta, Utah

2.1.2.1
 2.2.2
 3.4
 3.4.3

- 4.3.2.1.4.3
- 4.3.2.2.1.4
- 4.3.2.3.4
- 4.3.2.4.1.3.4
- 4.3.2.5.1.4.3
- 4.3.2.6.1.4.4
- 4.3.2.6.2.4.4
- 4.3.2.8.1.4.4
- 4.3.2.8.1
- 4.3.2.9.1.4
- 4.3.3.1
- 4.3.3.2
- 4.3.3.3
- 4.3.3.4
- 4.3.3.5
- 4.3.3.6.1
- 4.3.3.6.2
- 4.3.3.6.3
- 4.3.3.6.4
- 4.3.3.8.3
- 4.3.3.9.4
- 4.3.3.10
- 4.3.3.11.3.4.4
- 4.3.3.11.4.4.2.2
- 4.3.3.12
- 4.3.3.13
- Description of Proposed Action and Alternatives**
 - 1.1.2
- Desert Tortoise**
 - 2.3.12
 - 2.6.12
 - 2.8.13
 - 2.11.13
 - 4.3.2.8.2
- Designated Assembly Area (DAA)**
 - 1.2.3.1
- Designated Deployment Area (Overview)**
 - 1.2.2
- Designated Transportation Network**
 - 1.2.2.7
- Education**
 - 2.3.19
 - 2.4.19
 - 2.5.19
 - 2.6.19
- 2.7.19
- 2.8.19
- 2.9.19
- 2.11.20
- 4.2.5.2.5
- 4.4.2
- Electric Power**
 - 1.2.2.5
- Electricity**
 - 4.2.5.2.8
- Ely, Nevada**
 - 2.1.2.1
 - 2.2.2
 - 3.4
 - 3.4.4
 - 4.3.2.1.5.3
 - 4.3.2.2.1.5
 - 4.3.2.3.5
 - 4.3.2.4.1.5.4
 - 4.3.2.5.1.5.3
 - 4.3.2.6.1.5.4
 - 4.3.2.6.2.5.4
 - 4.3.2.8.1
 - 4.3.2.8.1.5.4
 - 4.3.3.1
 - 4.3.3.2
 - 4.3.3.3
 - 4.3.3.4
 - 4.3.3.5
 - 4.3.3.6.1
 - 4.3.3.6.2
 - 4.3.3.6.3
 - 4.3.3.6.4
 - 4.3.3.8.4
 - 4.3.3.9.5
 - 4.3.3.10
 - 4.3.3.11.3.5.4
 - 4.3.3.11.4.5.2.2
 - 4.3.3.1.3
- Employment and labor force**
 - 2.2.5.2.1
 - 2.3.13
 - 2.4.14
 - 2.5.14
 - 2.6.14
 - 2.7.14
 - 2.8.14
 - 2.11.15
 - 3.2.1.2

- 3.2.3
- 3.2.3.1
- 3.3.1.2
- 3.3.3.1
- 3.4.1.3.1
- 3.4.1.2.1
- 3.4.3.3.1
- 3.4.4.3.1
- 3.4.5.1
- 3.4.5.3.1
- 3.4.6.3.1
- 3.4.7.3.1
- 4.2.1.3
- 4.2.3.3
- 4.2.4.3
- 4.2.5.2.1
- 4.3.3.1
- Energy**
 - 2.2.5.2.8
 - 2.3.25
 - 2.4.25
 - 2.5.25
 - 2.6.25
 - 2.7.25
 - 2.8.25
 - 2.9.25
 - 2.11.26
 - 3.2.1.2
 - 3.2.3.6
 - 3.3.2.4
 - 3.3.3.6
 - 3.4.1.3.9
 - 3.4.1.2.11
 - 3.4.2.3.9
 - 3.4.3.3.9
 - 3.4.4.3.9
 - 3.4.5.3.9
 - 3.4.6.3.9
 - 3.4.7.3.9
 - 4.2.5.2.8
 - 4.3.3.9
- Environmental Impact Analysis Process**
 - 1.7
- Erosion**
 - 2.5.2
 - 2.11.2
 - 4.3.2.2.1.2
- Explosive Safety**
 - 1.5.1
- Federal lands**
 - 3.2.3.7
 - 3.3.3.7
 - 3.4.1.2.10
 - 3.4.1.3.10
 - 4.2.5.2.9
- Fiscal Impacts,**
see Public Finance
- Fuels**
 - 3.2.3.6
 - 3.3.2.4
 - 3.3.3.6
 - 3.4.1.2.9
 - 3.4.3.3.9
 - 3.4.4.3.9
 - 3.4.5.3.9
 - 4.2.5.2.8
- Game animals**
 - 3.2.2.6.2
 - 3.3.2.6.2
 - 3.4.1.2.4
- Grazing**
 - 2.1.2.1
 - 2.3.28
 - 2.4.28
 - 2.5.28
 - 2.6.28
 - 2.7.28
 - 2.8.28
 - 2.9.28
 - 2.11.29
 - 3.2.3.8
 - 3.2.3.9
 - 3.3.3.8
 - 4.2.5.2.10
 - 4.3.3.11.3
- Groundwater**
 - 2.1.2.1
 - 2.2.5.11
 - 2.3.1
 - 2.4.1
 - 2.5.1
 - 2.6.1
 - 2.10.1
 - 2.11.1
 - 3.2.2.1
 - 3.2.3.9
 - 3.3.2.1
 - 3.2.3.9
 - 3.3.2.1

- 3.3.2.7
- 3.4.1.2.1
- 3.4.2.2.1
- 3.4.3.2.1
- 3.4.4.2.1
- 3.4.5.2.1
- 3.4.6.2.1
- 3.4.7.2.1
- 4.2.5.1.1
- 4.3.2.1
- 4.3.3.12
- Hazardous Waste**
 - 1.5.3
- Health Care**
 - 2.3.20
 - 2.4.20
 - 2.5.20
 - 2.6.20
 - 2.7.21
 - 2.8.20
 - 2.11.21
 - 4.2.5.2.5
- Historic Preservation,**
see Archaeological and
Historical Resources
- Housing**
 - 2.2.5.2.3
 - 2.3.17
 - 2.4.17
 - 2.5.17
 - 2.6.17
 - 2.8.17
 - 2.9.17
 - 2.11.18
 - 3.4.1.3.5
 - 3.4.2.3.5
 - 3.4.3.3.5
 - 3.4.4.3.5
 - 3.4.5.3.5
 - 3.4.6.3.5
 - 3.4.7.3.5
 - 4.2.5.2.3
 - 4.3.3.4
- Income and earnings**
 - 2.3.15
 - 2.4.15
 - 2.5.15
 - 2.6.15
 - 2.7.15
 - 2.8.15
- 2.11.16
- 3.2.1.2
- 3.2.2.4.2
- 3.2.3.2
- 3.2.3.6
- 3.3.2.4
- 3.3.3.2
- 3.4.1.3.2
- 3.4.2.3.2
- 3.4.3.3.2
- 3.4.4.3.1
- 3.4.4.3.2
- 3.4.5.3.2
- 3.4.5.3.2
- 3.4.5.3.2
- 3.4.7.3.2
- 4.3.3.2
- Land ownership**
 - 2.2.5.2.9
 - 2.3.26
 - 2.4.26
 - 2.5.26
 - 2.6.26
 - 2.11.27
 - 3.2.3.7
 - 3.3.3.7
 - 3.4.1.3.10
 - 3.4.1.3.12
 - 3.4.2.3.10
 - 3.4.3.3.10
 - 3.4.4.3.10
 - 3.4.5.3.10
 - 3.4.6.3.10
 - 3.4.7.3.10
 - 4.2.5.2.9
 - 4.3.3.10
- Land use**
 - 2.2.5.2.10
 - 2.3.22
 - 2.4.22
 - 2.5.22
 - 2.6.22
 - 2.6.27
 - 2.6.31
 - 2.7.22
 - 2.8.22
 - 2.8.27
 - 2.9.27
 - 2.11.23
 - 2.11.28
 - 2.11.32

- 3.2.3.8
- 3.2.3.9
- 3.3.2.5
- 3.3.3.8
- 3.3.3.9
- 3.4.1.3.11
- 3.4.2.3.11
- 3.4.2.3.12
- 3.4.3.3.11
- 3.4.4.3.11
- 3.4.5.3.11
- 3.4.6.3.11
- 3.4.7.3.11
- 4.2.5.2.10
- 4.3.3.6.4
- 4.3.3.11
- Launcher, Simulator,
and Transporter**
 - 1.2.2.2
- Lesser Prairie Chicken**
 - 2.11.9
 - 4.3.2.6.5
- Livestock**
 - 3.2.3.8
 - 3.3.3.8
 - 3.4.2.3.11
- Local Commerical and Small
Business Developments,
see Employment, Income,
Population, Housing,
Public Finance**
- Local Government/Intro-
Governmental Relations, see
Community Infrastructure,
Public Finance**
- Milford, Utah**
 - 2.1.2.1
 - 2.2.2
 - 3.4
 - 3.4.5
 - 4.2.1
 - 4.3.2.1.2.3
 - 4.3.2.2.1.2.2
 - 4.3.2.3.2
 - 4.3.2.4.1.2.5
 - 4.3.2.5.1
 - 4.3.2.6.1.2.3.2
 - 4.3.2.6.2.2.5
 - 4.3.2.8.1.2.5
 - 4.3.2.8.1.2.5
 - 4.3.2.9.1.2.4
 - 4.3.3.1
 - 4.3.3.2
 - 4.3.3.3
 - 4.3.3.4
 - 4.3.3.5
 - 4.3.3.6.1
 - 4.3.3.6.2
 - 4.3.3.6.3
 - 4.3.3.6.4
 - 4.3.3.8.1.3
 - 4.3.3.9.2.4
 - 4.3.3.10
 - 4.3.3.11.3.2.5
 - 4.3.3.12
 - 4.3.3.13
 - 4.3.3.13.4.2.5
- Mining and Geology
(see also Paleontology)**
 - 2.1.1
 - 2.1.2.1
 - 2.2.5.1.4
 - 2.3.4
 - 2.4.4
 - 2.5.4.
 - 2.6.4
 - 2.10.4
 - 2.11.4
 - 3.2.1.2
 - 3.2.2.4
 - 3.2.3.6
 - 3.3.2.4
 - 3.4.1.3.11
 - 3.4.2.3.11
 - 3.4.3.3.11
 - 3.4.4.3.11
 - 3.4.5.3.11
 - 4.2.5.1.4
 - 4.3.2.4
- Missile**
 - 1.2.1
- Monitoring and
Compliance Program**
 - 1.7.4
- Mule Deer**
 - 2.1.2.1
 - 4.4.1.2
- Native Americans**
 - 2.1.2.1

2.2.5.2.11
 2.3.30
 2.3.31
 2.3.32
 2.4.30
 2.4.31
 2.4.32
 2.5.30
 2.5.31
 2.6.30
 2.6.31
 2.6.32
 2.7.30
 2.7.32
 2.8.30
 2.8.32
 2.11.32
 2.11.33
 3.2.3.9
 3.3.3.9
 3.4.1.3.12
 3.4.2.3.12
 3.4.3.3.12
 3.4.4.3.12
 3.4.5.3.12
 3.4.6.3.12
 3.4.7.3.12
 4.2.5.2.11
 4.3.2.12.2
 4.3.3.12

Natural gas
 4.2.5.2.8

No Action Alternative
 2.2.5

**Nuclear Transportation
and Safety**
 1.5.2

**OnBase Weapon System
Technical Facilities**
 1.2.3.6

Operating Bases (Overview)
 1.2.3

**Operating Base Locations,
see listings under Beryl,
Clovis, Coyote Spring
Valley, Dalhart, Delta,
Ely, Milford**

**Operational Base Test Site
(OBTS) and Training Facilities**

1.2.3.3

Other projects

3.2.1.2
 3.3.1.2
 3.4.1.1
 3.4.2.1
 3.4.3.1
 3.4.4.1
 3.4.4.2.1
 3.4.5.1
 4.2.5.1.2
 4.2.5.1.3
 4.2.5.1.6
 4.2.5.2.1

Paleontology

2.1.2.1
 2.3.34
 2.4.34
 2.5.34
 2.6.34
 2.11.35
 3.2.3.10
 3.3.3.10.4
 3.4.1.3.13
 3.4.2.3.13
 3.4.3.3.13
 3.4.4.3.13
 3.4.5.3.13

Parks, see Recreation

Peregrine Falcon

4.4.1.3

Personnel Facilities

1.2.3.4

Population

2.2.5.2.2
 2.3.16
 2.4.16
 2.5.16
 2.6.16
 2.7.16
 2.9.16
 2.11.17
 3.2.3.4
 3.3.3.4
 3.4.1.3.4
 3.4.2.3.4
 3.4.3.3.4
 3.4.4.3.4

- 3.4.5.3.4
- 3.4.6.3.4
- 3.4.7.3.4
- 4.2.5.2.2
- 4.3.3.3
- Prairie Dog**
 - 2.3.10
 - 2.6.10
 - 2.11.11
 - 4.3.2.8.1
- Private lands**
 - 3.2.3.7
 - 3.3.3.7
 - 3.4.4.3.10
 - 3.4.5.3.10
 - 4.3.3.10
- Professional Interdisciplinary Review**
 - 1.7.3.2
- Proposed Action**
 - 2.2.1
- Protected Species**
 - 2.1.2.1
 - 2.2.5.1.8
 - 2.4.11
 - 2.5.11
 - 2.6.11
 - 2.11.12
 - 3.2.2.8
 - 3.4.1.2.4
 - 3.4.1.3
 - 3.4.2.2.4
 - 3.4.3.2.4
 - 3.4.4.2.4
 - 3.4.5.2.4
 - 3.4.6.2.4
 - 3.4.7.2.4
 - 4.2.5.1.8
 - 4.3.2.8
- Pronghorn Antelope**
 - 2.1.2.1
 - 2.3.6
 - 2.5.6
 - 2.6.6
 - 2.10.6
 - 2.11.6
 - 4.3.2.6.1
- Public Finance**
 - 2.2.5.2.4
 - 2.3.18
 - 2.4.18
 - 2.5.18
 - 2.6.18
 - 2.7.18
 - 2.8.18
 - 2.9.18
 - 2.11.19
 - 3.2.3.3
 - 3.3.3.3
 - 3.4.1.3.3
 - 3.4.2.3.3
 - 3.4.3.3.3
 - 3.4.4.3.1
 - 3.4.4.3.3
 - 3.4.5.3.3
 - 3.4.6.3.3
 - 3.4.7.3.3
 - 4.2.5.2.4
 - 4.3.3.5
- Public Safety**
 - 1.5
 - 2.3.21
 - 2.4.21
 - 2.5.21
 - 2.6.21
 - 2.7.21
 - 2.8.21
 - 2.11.22
 - 4.2.5.2.5
- Purpose and Need**
 - 1.1.1
- Quality of Life**
 - 2.2.5.2.6
 - 2.3.23
 - 2.5.23
 - 2.6.23
 - 2.7.23
 - 2.11.24
 - 3.4.1.3.7
 - 3.4.2.3.7
 - 3.4.3.3.7
 - 3.4.4.3.7
 - 3.4.5.3.7
 - 3.4.6.3.7
 - 3.4.7.3.7
 - 4.2.5.2.6
 - 4.3.3.7

Railroads

3.2.3.5
3.3.3.5.2
4.2.5.2.7

Rare Plants

2.3.9
2.4.9
2.5.9
2.6.9
2.11.10
3.2.2.8.1
3.3.1.8.1
3.4.3.2.4
3.4.4.2.4
3.4.5.2.4

Recreation

2.3.29
2.4.29
2.5.29
2.6.29
2.7.29
2.8.29
2.9.29
2.11.30
3.2.3.8
3.3.2.6.2
3.3.2.7
3.3.3.7
2.3.3.2.2.4
3.3.3.8
3.4.1.2.4
3.4.1.3.6
3.4.1.3.11
3.4.2.2.4
3.4.2.3.6
3.4.2.3.11
3.4.3.3.6
3.4.3.3.11
3.4.4.3.6
3.4.4.3.11
3.4.5.2.4
3.4.5.3.6
3.4.5.3.11
3.4.6.3.6
4.2.5.2.5

Remote Surveillance Sites

1.2.2.4

Resource Identification

1.7.3

Roads

3.2.3.5
3.3.3.5.1
3.4.3.3.8
3.4.4.3.8
4.2.5.2.7

Sage Grouse

2.3.7
2.4.7
2.5.7
2.6.7
2.11.7
4.3.2.6.2

Scoping

1.7.3.1

Seismicity

3.2.3.4.1
3.3.2.4

Soils

3.2.2.5
3.3.2.5
3.4.1.2.4
3.4.2.2.4
3.4.3.2.4
3.4.4.2.4
3.4.5.2.4
3.4.6.2.4

Solid Waste

3.4.1.3.6
3.4.2.3.6
3.4.3.3.6
3.4.4.3.6
3.4.5.3.6
3.4.6.3.6
3.4.7.3.6
4.2.5.2.5

Springs

3.2.2.2
3.4.1.2
3.4.2.2.2
3.4.5.2.2
4.3.2.1.1

State Economic Impact

4.3.3.6.4

State Lands

3.2.3.7
3.3.3.7

Suitable Deployment	2.7.24
Locations	2.8.24
2.1.1	2.9.24
Suitable Operating	2.11.25
Base Locations	3.2.3.5
2.1.3	3.3.3.5
Surface Water	3.4.1.3.8
2.2.5.1.2	3.4.2.3.8
2.3.2	3.4.3.3.8
2.3.3	3.4.4.3.8
2.4.2	3.4.5.3.8
2.5.2	3.4.6.3.8
2.6.2	3.4.7.3.8
2.10.2	4.2.5.2.1
3.2.2.2	4.3.3.5
3.2.3.9	4.3.3.8
3.3.2.2	Treaty Lands
3.3.2.4	3.2.3.9
3.3.2.7	Vegetation
3.4.1.2	2.2.5.1.5
3.4.1.2.2	2.3.5
3.4.2.2.2	2.4.5
3.4.3.2.2	2.5.5
3.4.4.2.2	2.6.5
3.4.5.2.2	2.10.5
3.4.6.2.2	2.11.5
3.4.7.2.2	3.2.2.5
4.2.5.1.2	3.2.2.8.1
4.3.2.2	3.3.2.5
System Construction,	3.4.1.2.4
Operations, and	3.4.2.2.4
Decommissioning	3.4.3.2.4
1.3	3.4.4.2.4
System Description	3.4.5.2.4
1.2	3.4.6.2.4
Tiered Decision-Making	3.4.7.2.4
1.7.2	4.2.5.1.5
Traffic	4.3.2.5
3.4.1.3.8	4.3.3.11.3
3.4.6.3.8	Water Availability
3.4.7.3.8	3.2.2.1
3.4.7.3.8	3.2.2.2
	3.3.2.1
	3.3.2.2
	3.3.2.7
Transportation	3.4.1.2
2.1.2.1	3.4.2.2.1
2.2.5.2.7	3.4.3.2.1
2.3.24	
2.4.24	Water Demand
2.5.24	2.3.31
2.6.24	2.4.31
	2.5.31

3.4.2.2.1
3.4.2.3.6
3.4.3.2.1
3.4.3.3.6
3.4.4.2.1
3.4.6.3.6

Water Quality

3.2.2.1
3.3.2.1
3.3.2.7
3.4.1.2
4.3.2.1.1
4.4.1.1

Waterfowl

4.3.2.6.4

**Welfare/Social Services, see
Community Infrastructure**

**Wilderness and Significant
Natural Areas**

2.1.2.1
2.2.5.1.9
2.3.13
2.4.13
2.5.13
2.6.13
2.11.14
3.2.2.9
3.3.2.9
3.4.1.2.4
3.4.5.2.4
4.2.5.1.9
4.3.2.9

Wildlife

2.2.5.1.6
3.2.2.6
3.2.2.8.2
3.3.2.6
3.3.2.8
3.4.1.2.4
3.4.2.2.4
3.4.3.2.4
3.4.4.2.4
3.4.5.2.4
3.4.6.2.4
3.4.7.2.4
4.3.2.6
4.2.5.1.6

Zoning

3.4.1.3.11
3.4.3.3.11
3.4.5.3.11

