

LEVEL

(2)

NRL Memorandum Report 4756

AD A110988

Electron Excitation and Ionization Rate Coefficients For N_2 , O_2 , NO, N and O

S. SLINKER

JAYCOR
Alexandria, VA 22304

A. W. ALI

Plasma Physics Division

DTIC
ELECTE
FEB 17 1982

February 25, 1982

This report was sponsored by Defense Advanced Research Projects Agency (DARPA),
DARPA Order No. 5718, monitored by C. M. Briddleston under Contract No. N0001-
81-WR-70120 and Nav Air Systems Command 62734M-81-WF-34-388-501.



NAVAL RESEARCH LABORATORY
Washington, D.C.

DUPLICATE COPY

02 02 17 047

251950

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NRL Memorandum Report 4756	2. GOVT ACCESSION NO. AD-HJ-10	3. RECIPIENT'S CATALOG NUMBER 988
4. TITLE (and Subtitle) ELECTRON EXCITATION AND IONIZATION RATE COEFFICIENTS FOR N ₂ , O ₂ , NO, N AND O		5. TYPE OF REPORT & PERIOD COVERED Interim report on a continuing NRL problem.
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) S. Slinker* and A. W. Ali		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Research Laboratory Washington, DC 20375		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 61101E; 47-0900-0-2
11. CONTROLLING OFFICE NAME AND ADDRESS Defense Advanced Research Projects Agency Arlington, VA 22209		12. REPORT DATE February 25, 1982
		13. NUMBER OF PAGES 43
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Naval Surface Weapons Center Silver Spring, MD 20910		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES *Present address: JAYCOR, Alexandria, VA 22304 This report was sponsored by Defense Advanced Research Projects Agency (DoD), DARPA Order No. 3718, monitored by C. M. Huddleston under Contract No. N60921-81-WR-W0190 and Naval Air Systems Command 62734N-81-WF34-388-501.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) N ₂ N NO Excitation rate coefficient O Momentum transfer rate coefficient Ionization rate coefficient O ₂		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Excitation and ionization rate coefficients for N ₂ , O ₂ , NO, N and O are calculated using measured and calculated cross sections. Momentum transfer rate coefficients in N ₂ , O ₂ and O are also calculated. —		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

SELECTED
FEB 17 1982
A

CONTENTS

1. INTRODUCTION	1
2. N ₂	2
3. O ₂	3
4. N	4
5. O	4
6. NO	4
7. MOMENTUM TRANSFER RATE COEFFICIENT	5
8. EXPRESSIONS FOR THE RATE COEFFICIENTS	5
REFERENCES	36



DTIC GRADE	
DTIC TAB	
Unannounced	
Justification	
RV	
Distribution/	
Availability Codes	
and/or	
Dist	Special

A

LIST OF TABLES

Table I -- Electron impact excitation rate coefficients of eight ground state vibrational levels of N_2 (cm^3/sec)	6
Table II -- N_2 Triplet excitation rate coefficients (cm^3/sec)	8
Table III -- N_2 Singlet excitation rate coefficients (cm^3/sec)	11
Table IV -- N_2 Ionization, dissociative ionization and dissociation rate coefficients (cm^3/sec)	14
Table V -- O_2 Ionization, dissociative ionization and dissociative attachment rate coefficients (cm^3/sec)	17
Table VI -- O_2 Electronic excitation rate coefficients (cm^3/sec)	20
Table VII -- O_2 Vibrational excitation rates	23
Table VIII -- Excitation and ionization rate coefficients for N (cm^3/sec)	25
Table IX -- Excitation and ionization rate coefficients for O (cm^3/sec)	27
Table X -- Ionization rate coefficient of NO (cm^3/sec)	29
Table XI -- Electron momentum transfer rate coefficients in N_2 , O_2 , (cm^3/sec)	31
Table XII -- Parameters for equation (2)	34

ELECTRON EXCITATION AND IONIZATION RATE COEFFICIENTS FOR N₂, O₂, NO, N AND O

1. INTRODUCTION

The ionization of air species by charged particle beams and radiation sources, such as microwaves, lasers, uv, x-ray and γ -rays, generates secondary electrons. These secondary electrons lose their energy through inelastic and elastic collisions with the air species. However, to obtain the rate of energy loss by these electrons in air one must know the rate of energy loss for each inelastic process. The inelastic processes are numerous and include ionization, dissociation, electronic states excitations, vibrational and rotational states excitations of the molecular species.

To obtain the rates for various electron-air species collisions one must know the appropriate electron velocity distribution and the relevant collision cross sections. If the electron velocity distribution is Maxwellian, then the excitation rate coefficient can be expressed as¹

$$X_{ij} = \langle \sigma_{ij} v \rangle = K_0 T^{-3/2} \int E \sigma_{ij}(E) e^{-E/T} dE, \quad (1)$$

where $K_0 = 6.697 \times 10^7$. Here X_{ij} indicates the excitation from state i to j whose cross section is $\sigma_{ij}(E)$ where E is the electron energy, and T is the electron temperature in units of eV. Generally, one obtains a fit¹ for each portion of σ by one or more terms of the polynomial $C_0 + C_1 E + C_2 E^2 + C_3 E^3$, or by an exponential term such as $C_e e^{-\alpha E}$, or by a combination of the two. Each section of the cross section can then be used in Equation (1) and integrated analytically. For typical integrals which may arise, see Eq. (3) of Ref. (1). Then the total rate coefficient for any excitation is obtained by summing over the rate coefficients obtained for each section.

In this report we follow this procedure and present relevant excitation and ionization rate coefficients for air species, N_2 , O_2 , N , O and NO . This report is a revision of a previous report by Ali and Anderson.² Since then, however, better theoretical and experimental cross section data have become available. A set of cross sections utilized to obtain the appropriate rates is reported elsewhere.³

2. N_2

2.1 Vibrational Excitation Rate Coefficients

The electron impact excitation rate coefficients for eight ground state vibrational levels of N_2 are given in Table 1 as a function of electron temperature. These rates reflect the normalization of the total cross section⁴ to $\sim 6 \times 10^{-16} \text{ cm}^2$ at an electron energy of 2.5 eV.

2.2 N_2 Triplet States Excitation Rate Coefficients

The excitation rate coefficients for the triplet states $A^3\Sigma$, $B^3\Pi$, $C^3\Pi$, $B^3\Sigma$ and $W^3\Delta$ are presented in Table II. They are obtained, except for the $A^3\Sigma$ state, using the measured cross sections of Cartwright, et al.⁵ These rate coefficients are in good agreement with the calculations of Cartwright⁶. For the $A^3\Sigma$, however, we have utilized the measured cross section of Borst⁷ because of its $\bar{E}^3$ fall off feature at higher energies and lowered the values in the peak region to coincide with the peak value obtained by Cartwright, et al.⁵

2.3 N_2 Singlet States Excitation Rate Coefficients

The rate coefficients for the excitations of the following singlet states, $A^1\Sigma_u$, $a^1\Pi_g$, $w^1\Delta_u$ and $A^1\Sigma_g$ are presented in Table III. These rates are obtained using the measured cross sections of Cartwright, et al.⁵ Other higher energy singlets and triplets are included in the dissociation rate as discussed in the next section.

2.4 N_2 Dissociation Rate Coefficient

The rate coefficient for the dissociation of N_2 , given in Table IV, is obtained from the measurements of Zipf and McLaughlin⁸ which is in good agreement with previous measurements (see Ref. 3 for details). This cross section, however, contains, through predissociation, the cross sections for a large number of higher lying singlet states, e.g. $b^1\Pi$,

c^1_{π} , $b^1_{\Sigma_u}$, $o^1_{\pi_u}$, $d^1_{\Sigma_u}$ and ~20% contribution from a $^1_{\pi_g}$ state. For this reason, individual excitation rate coefficients for these and other contributing states are not provided in this report.

2.5 N_2 Ionization and Dissociative Ionization Rate Coefficients

The dissociative ionization rate coefficient for N_2 is obtained by using the measured cross section of Rapp, et al.⁹. On the other hand, the ionization rate coefficient is obtained by using the cross section of Rapp and Golden¹⁰. These rate coefficients are given in Table IV.

3. O_2

3.1 O_2 Ionization, Dissociative Ionization and Dissociative Attachment Rate Coefficients

The dissociative ionization rate coefficient for O_2 is obtained using the cross section measured by Rapp and Golden¹⁰. While the ionization rate coefficient is obtained using the cross section measured by Rapp, et al.⁹. These rate coefficients are given in Table V, along with the dissociative attachment rate coefficient. The cross section for the dissociative attachment is from Rapp and Briglia¹¹.

3.2 O_2 Dissociation Rate Coefficient

The excitation rate coefficients for the $B^3\Sigma$ state and the sum of $A^3\Sigma$, $C^3\Delta$ and $C^1\Sigma$ are presented in Table VI. These excitations generally lead to the dissociation of the molecule and thus their rates can be considered as the dissociation rate for O_2 . The $B^3\Sigma$ state cross section is based on the measurement of Wakiya¹² and the theoretical calculation of Lin and Chung¹³, and Green and Stolarski¹⁴.

The excitation rate coefficient for the sum of the $A^3\Sigma$, $C^3\Delta$ and $C^1\Sigma$ states was obtained using the measured cross section of Wakiya¹⁵ and the theoretical expression of Green and Stolarski¹⁴. It should be noted that the dissociation of the $A^3\Sigma$ state leads to two oxygen atoms in the ground state while the dissociation of the $B^3\Sigma$ state leads to one atom in the ground state and the other in the excited state, (O^1D).

3.3 Excitation Rate Coefficients for the low lying electronic states of O_2

The excitation rate coefficients for two low lying metastable electronic states of O_2 , i.e., $a^1\Delta$ and $b^1\Sigma$ are given in Table VI. The

coefficients are based on cross sections of Linder and Schmidt¹⁶, Trajmar, et al¹⁷, and Wakiya¹⁵.

3.4 Vibrational Excitation Rate Coefficients

The excitation rate coefficients for three ground state vibrational levels of O_2 are given in Table VII. The cross sections are obtained from the measurements of Linder and Schmidt.¹⁶

4. N

4.1 Low Lying Metastable States of N

The excitation rate coefficients for the low lying metastable states of N, i.e., 2D and 2P are given in Table VIII along with the coefficient for the excitation of the 2D to 2P transition. These rate coefficients are obtained using the calculated cross sections of Berrington, et al¹⁸ and agree reasonably well with the rates obtained previously by Ali¹⁹ where the same cross sections were used.

4.2 Ionization Rate Coefficient of N

The ionization rate coefficient for nitrogen atom is presented in Table VIII and is taken from Reference 2.

5. O

5.1 Low lying Metastable States of O

The excitation rate coefficients for the low lying metastable states of O, i.e., 1D and 1S are given in Table IX, along with the rate coefficient for the $^1D - ^1S$ transition. These rate coefficients are obtained by using the calculated cross sections of Thomas and Nisbet²⁰ and agree reasonably well with the rates obtained previously by Ali¹⁹, where the same cross sections were utilized.

5.2 Ionization Rate Coefficient of O

The ionization rate coefficient for the atomic oxygen is presented in Table IX and is taken from Reference 2.

6. NO

The ionization rate coefficient of NO is presented in Table X and is based on the measured cross section of Rapp and Golden¹⁰.

7. Momentum Transfer Rate Coefficient

The rate coefficients for the electron momentum transfer is N_2 , O_2 and O are presented in Table XI. The corresponding cross sections are from References 21, 22 and 23, respectively.

8. Expressions for the Rate Coefficients

Most of the rate coefficients presented in Tables II through XI were fitted to the following expression

$$R = (b_0 + b_1 T + b_2 T^2) T^{-\frac{1}{2}} \exp\left(-\frac{E_{th}}{T}\right), \quad (2)$$

where E_{th} is the threshold energy for the process of interest. The coefficients b_0 , b_1 and b_2 are presented in Table XII over two temperature intervals of $T=0 \rightarrow 5$ eV and $T = 5 \rightarrow 25$ eV. The percent deviations of these fits from the tabulated values are generally small $< 20\%$ especially for $T_e > 0.5$ eV.

Table 1 — Electron impact excitation rate coefficients of
eight ground state vibrational levels of N_2 (cm^3/sec)

T	X ₁	X ₂	X ₃	X ₄	X ₅	X ₆	X ₇	X ₈
0.1	5.16E-13	3.30E-16	1.45E-16	3.31E-17	1.34E-17	2.48E-18	1.48E-18	4.49E-20 *
0.2	1.77E-11	3.15E-12	1.79E-12	8.31E-13	4.69E-13	2.09E-13	1.37E-13	1.87E-14
0.3	1.42E-10	5.97E-11	3.60E-11	2.04E-11	1.31E-11	7.59E-12	5.15E-12	1.01E-12
0.4	4.58E-10	2.42E-10	1.48E-10	9.16E-11	6.27E-11	4.11E-11	2.85E-11	6.70E-12
0.5	9.17E-10	5.32E-10	3.27E-10	2.12E-10	1.51E-10	1.05E-10	7.44E-11	1.95E-11
0.6	1.43E-09	8.68E-10	5.32E-10	3.55E-10	2.50E-10	1.90E-10	1.35E-10	3.79E-11
0.7	1.91E-09	1.20E-09	7.30E-10	4.96E-10	3.71E-10	2.78E-10	2.00E-10	5.90E-11
0.8	2.33E-09	1.49E-09	9.05E-10	6.23E-10	4.73E-10	3.61E-10	2.61E-10	8.01E-11
0.9	2.67E-09	1.73E-09	1.05E-09	7.29E-10	5.60E-10	4.34E-10	3.16E-10	9.98E-11
1.0	2.95E-09	1.92E-09	1.16E-09	8.13E-10	6.31E-10	4.94E-10	3.61E-10	1.17E-10
1.1	3.16E-09	2.07E-09	1.25E-09	8.78E-10	6.87E-10	5.42E-10	3.99E-10	1.31E-10
1.2	3.31E-09	2.18E-09	1.31E-09	9.26E-10	7.29E-10	5.79E-10	4.27E-10	1.43E-10
1.3	3.41E-09	2.26E-09	1.35E-09	9.60E-10	7.50E-10	6.07E-10	4.49E-10	1.52E-10
1.4	3.48E-09	2.31E-09	1.38E-09	9.82E-10	7.81E-10	6.27E-10	4.65E-10	1.59E-10
1.5	3.51E-09	2.34E-09	1.39E-09	9.94E-10	7.94E-10	6.40E-10	4.76E-10	1.54E-10
1.6	3.52E-09	2.35E-09	1.40E-09	9.99E-10	8.01E-10	6.47E-10	4.83E-10	1.58E-10
1.7	3.51E-09	2.35E-09	1.39E-09	9.98E-10	8.02E-10	6.50E-10	4.86E-10	1.71E-10
1.8	3.49E-09	2.33E-09	1.38E-09	9.92E-10	8.00E-10	6.50E-10	4.87E-10	1.72E-10
1.9	3.45E-09	2.31E-09	1.37E-09	9.82E-10	7.94E-10	6.57E-10	4.85E-10	1.72E-10
2.0	3.41E-09	2.29E-09	1.35E-09	9.70E-10	7.85E-10	6.42E-10	4.82E-10	1.72E-10
2.1	3.36E-09	2.25E-09	1.32E-09	9.55E-10	7.76E-10	6.35E-10	4.78E-10	1.72E-10
2.2	3.30E-09	2.22E-09	1.30E-09	9.40E-10	7.65E-10	6.26E-10	4.72E-10	1.70E-10
2.3	3.24E-09	2.18E-09	1.28E-09	9.23E-10	7.52E-10	6.17E-10	4.65E-10	1.68E-10
2.4	3.18E-09	2.14E-09	1.25E-09	9.05E-10	7.39E-10	6.07E-10	4.58E-10	1.66E-10
2.5	3.11E-09	2.09E-09	1.22E-09	8.83E-10	7.26E-10	5.97E-10	4.51E-10	1.64E-10
2.6	3.05E-09	2.05E-09	1.20E-09	8.69E-10	7.11E-10	5.86E-10	4.43E-10	1.62E-10
2.7	2.98E-09	2.01E-09	1.17E-09	8.50E-10	7.09E-10	5.74E-10	4.35E-10	1.59E-10
2.8	2.92E-09	1.96E-09	1.15E-09	8.32E-10	6.83E-10	5.63E-10	4.27E-10	1.57E-10
2.9	2.85E-09	1.92E-09	1.12E-09	8.14E-10	6.68E-10	5.52E-10	4.18E-10	1.37E-10
3.0	2.79E-09	1.88E-09	1.09E-09	7.95E-10	6.54E-10	5.40E-10	4.10E-10	1.51E-10
3.1	2.73E-09	1.84E-09	1.07E-09	7.78E-10	6.40E-10	5.29E-10	4.02E-10	1.48E-10
3.2	2.67E-09	1.80E-09	1.04E-09	7.60E-10	6.25E-10	5.18E-10	3.93E-10	1.45E-10
3.3	2.61E-09	1.76E-09	1.02E-09	7.43E-10	6.12E-10	5.07E-10	3.85E-10	1.43E-10
3.4	2.55E-09	1.72E-09	9.98E-10	7.25E-10	5.99E-10	4.96E-10	3.77E-10	1.40E-10

* 4.49E-20 reads 4.49×10^{-20}

Table 1(Continued) — Electron impact excitation rate coefficients of
eight ground state vibrational levels of N_2 (cm^3/sec)

T	X ₁	X ₂	X ₃	X ₄	X ₅	X ₆	X ₇	X ₈
3.5	2.49E-09	1.68E-09	9.75E-10	7.10E-10	5.86E-10	4.85E-10	3.70E-10	1.38E-10
3.6	2.44E-09	1.64E-09	9.52E-10	6.94E-10	5.73E-10	4.75E-10	3.62E-10	1.36E-10
3.7	2.38E-09	1.61E-09	9.31E-10	6.78E-10	5.61E-10	4.65E-10	3.54E-10	1.32E-10
3.8	2.33E-09	1.57E-09	9.10E-10	6.63E-10	5.49E-10	4.55E-10	3.47E-10	1.30E-10
3.9	2.28E-09	1.54E-09	8.90E-10	6.49E-10	5.37E-10	4.46E-10	3.40E-10	1.27E-10
4.0	2.23E-09	1.50E-09	8.70E-10	6.35E-10	5.26E-10	4.35E-10	3.33E-10	1.25E-10
4.1	2.18E-09	1.47E-09	8.51E-10	6.21E-10	5.14E-10	4.27E-10	3.26E-10	1.22E-10
4.2	2.14E-09	1.44E-09	8.32E-10	6.07E-10	5.04E-10	4.18E-10	3.19E-10	1.20E-10
4.3	2.09E-09	1.41E-09	8.14E-10	5.94E-10	4.93E-10	4.10E-10	3.13E-10	1.18E-10
4.4	2.05E-09	1.38E-09	7.97E-10	5.82E-10	4.83E-10	4.02E-10	3.07E-10	1.15E-10
4.5	2.00E-09	1.35E-09	7.80E-10	5.70E-10	4.73E-10	3.93E-10	3.01E-10	1.13E-10
4.6	1.95E-09	1.32E-09	7.64E-10	5.58E-10	4.63E-10	3.86E-10	2.95E-10	1.11E-10
4.7	1.92E-09	1.30E-09	7.48E-10	5.45E-10	4.54E-10	3.78E-10	2.89E-10	1.09E-10
4.8	1.88E-09	1.27E-09	7.32E-10	5.35E-10	4.45E-10	3.70E-10	2.83E-10	1.07E-10
4.9	1.85E-09	1.24E-09	7.18E-10	5.24E-10	4.36E-10	3.63E-10	2.78E-10	1.05E-10
5.0	1.81E-09	1.22E-09	7.03E-10	5.14E-10	4.28E-10	3.56E-10	2.72E-10	1.00E-10

Table II — N₂ Triplet excitation rate coefficients (cm³/sec)

T	A ³ Σ	B ³ Π	C ³ Π	B ³ Σ	W ³ Δ
0.1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
0.2	3.28E-23	1.39E-25	6.56E-33	9.35E-28	1.01E-25
0.3	1.08E-18	4.42E-20	7.61E-25	9.44E-22	2.73E-20
0.4	2.09E-16	2.62E-17	8.55E-21	1.00E-18	1.51E-17
0.5	5.17E-15	1.25E-15	2.37E-18	6.76E-17	6.93E-16
0.6	4.58E-14	1.66E-14	1.02E-16	1.15E-15	9.12E-15
0.7	2.24E-13	1.07E-13	1.52E-15	8.86E-15	5.85E-14
0.8	7.52E-13	4.37E-13	1.15E-14	4.15E-14	2.40E-13
0.9	1.96E-12	1.31E-12	5.61E-14	1.39E-13	7.25E-13
1.0	4.24E-12	3.16E-12	1.98E-13	3.71E-13	1.78E-12
1.1	8.03E-12	6.56E-12	5.57E-13	8.31E-13	3.72E-12
1.2	1.37E-11	1.19E-11	1.32E-12	1.64E-12	6.95E-12
1.3	2.16E-11	1.99E-11	2.72E-12	2.91E-12	1.18E-11
1.4	3.20E-11	3.08E-11	5.05E-12	4.79E-12	1.88E-11
1.5	4.49E-11	4.51E-11	8.62E-12	7.38E-12	2.81E-11
1.6	6.05E-11	6.29E-11	1.37E-11	1.08E-11	4.01E-11
1.7	7.87E-11	8.44E-11	2.07E-11	1.51E-11	5.50E-11
1.8	9.93E-11	1.09E-10	2.97E-11	2.04E-11	7.30E-11
1.9	1.22E-10	1.38E-10	4.10E-11	2.66E-11	9.41E-11
2.0	1.47E-10	1.70E-10	5.46E-11	3.39E-11	1.19E-10
2.1	1.74E-10	2.05E-10	7.08E-11	4.21E-11	1.46E-10
2.2	2.03E-10	2.44E-10	8.95E-11	5.14E-11	1.77E-10
2.3	2.33E-10	2.84E-10	1.11E-10	6.15E-11	2.10E-10
2.4	2.64E-10	3.27E-10	1.34E-10	7.26E-11	2.47E-10
2.5	2.96E-10	3.72E-10	1.61E-10	8.44E-11	2.86E-10

Table II (Continued) — N_2 Triplet excitation rate coefficients (cm^3/sec)

T	$A^3\Sigma$	$B^3\pi$	$C^3\pi$	$B^3\Sigma$	$W^3\Delta$
2.6	3.29E-10	4.19E-10	1.88E-10	9.71E-11	3.28E-10
2.7	3.63E-10	4.67E-10	2.19E-10	1.10E-10	3.72E-10
2.8	3.97E-10	5.17E-10	2.51E-10	1.24E-10	4.19E-10
2.9	4.32E-10	5.68E-10	2.85E-10	1.39E-10	4.67E-10
3.0	4.67E-10	6.20E-10	3.21E-10	1.54E-10	5.17E-10
3.1	5.01E-10	6.72E-10	3.58E-10	1.69E-10	5.68E-10
3.2	5.36E-10	7.24E-10	3.96E-10	1.85E-10	6.21E-10
3.3	5.70E-10	7.77E-10	4.35E-10	2.01E-10	6.75E-10
3.4	6.05E-10	8.30E-10	4.76E-10	2.17E-10	7.30E-10
3.5	6.38E-10	8.82E-10	5.17E-10	2.34E-10	7.85E-10
3.6	6.72E-10	9.35E-10	5.59E-10	2.50E-10	8.41E-10
3.7	7.22E-10	9.87E-10	6.01E-10	2.67E-10	8.97E-10
3.8	7.38E-10	1.04E-09	6.43E-10	2.84E-10	9.54E-10
3.9	7.70E-10	1.09E-09	6.86E-10	3.00E-10	1.01E-09
4.0	8.01E-10	1.14E-09	7.29E-10	3.17E-10	1.07E-09
4.1	8.32E-10	1.19E-09	7.72E-10	3.33E-10	1.12E-09
4.2	8.62E-10	1.24E-09	8.15E-10	3.50E-10	1.18E-09
4.3	8.92E-10	1.29E-09	8.57E-10	3.66E-10	1.24E-09
4.4	9.21E-10	1.33E-09	8.99E-10	3.82E-10	1.29E-09
4.5	9.49E-10	1.38E-09	9.41E-10	3.98E-10	1.35E-09
4.6	9.77E-10	1.43E-09	9.83E-10	4.14E-10	1.40E-09
4.7	1.00E-09	1.47E-09	1.02E-09	4.29E-10	1.45E-09
4.8	1.03E-09	1.52E-09	1.06E-09	4.45E-10	1.51E-09
4.9	1.06E-09	1.56E-09	1.10E-09	4.60E-10	1.56E-09
5.0	1.08E-09	1.60E-09	1.14E-09	4.75E-10	1.61E-09

Table II (Continued) — N_2 Triplet excitation rate coefficients (cm^3/sec)

T	$A^3\Sigma$	$B^3\pi$	$C^3\pi$	$E^3\Sigma$	$W^3\Delta$
6.0	1.30E-09	1.97E-09	1.50E-09	6.08E-10	2.07E-09
7.0	1.46E-09	2.25E-09	1.79E-09	7.15E-10	2.44E-09
8.0	1.57E-09	2.45E-09	2.00E-09	7.97E-10	2.71E-09
9.0	1.64E-09	2.60E-09	2.16E-09	8.58E-10	2.91E-09
10.0	1.70E-09	2.75E-09	2.27E-09	9.04E-10	3.05E-09
11.0	1.73E-09	2.76E-09	2.35E-09	9.37E-10	3.14E-09
12.0	1.74E-09	2.79E-09	2.40E-09	9.59E-10	3.19E-09
13.0	1.74E-09	2.80E-09	2.42E-09	9.74E-10	3.22E-09
14.0	1.73E-09	2.80E-09	2.43E-09	9.82E-10	3.22E-09
15.0	1.72E-09	2.78E-09	2.42E-09	9.86E-10	3.20E-09
16.0	1.70E-09	2.76E-09	2.41E-09	9.85E-10	3.18E-09
17.0	1.67E-09	2.72E-09	2.39E-09	9.82E-10	3.14E-09
18.0	1.65E-09	2.69E-09	2.36E-09	9.76E-10	3.10E-09
19.0	1.62E-09	2.64E-09	2.33E-09	9.68E-10	3.05E-09
20.0	1.59E-09	2.60E-09	2.30E-09	9.59E-10	3.00E-09
21.0	1.56E-09	2.55E-09	2.26E-09	9.48E-10	2.96E-09
22.0	1.53E-09	2.50E-09	2.22E-09	9.36E-10	2.89E-09
23.0	1.50E-09	2.45E-09	2.19E-09	9.23E-10	2.84E-09
24.0	1.46E-09	2.43E-09	2.15E-09	9.11E-10	2.78E-09
25.0	1.43E-09	2.36E-09	2.10E-09	8.98E-10	2.72E-09

Table III — N₂ Singlet excitation rate coefficients (cm³/sec)

<u>T</u>	<u>w¹Δ_u</u>	<u>a¹π_g</u>	<u>4¹Σ_u</u>	<u>4¹Σ_u</u>
0.1	0.00E+00	0.00E+00	0.00E+00	0.00E+00
0.2	3.36E-29	3.16E-28	2.61E-28	0.00E+00
0.3	1.28E-22	5.98E-22	3.87E-22	9.31E-28
0.4	2.68E-19	8.66E-19	4.99E-19	2.94E-23
0.5	2.72E-17	7.05E-17	3.80E-17	1.52E-20
0.6	6.05E-16	1.36E-15	7.00E-16	9.95E-19
0.7	5.63E-15	1.14E-14	5.71E-15	2.00E-17
0.8	3.03E-14	5.70E-14	2.79E-14	1.93E-16
0.9	1.13E-13	2.02E-13	9.71E-14	1.13E-15
1.0	3.24E-13	5.59E-13	2.65E-13	4.67E-15
1.1	7.71E-13	1.30E-12	6.06E-13	1.50E-14
1.2	1.59E-12	2.63E-12	1.21E-12	3.99E-14
1.3	2.93E-12	4.79E-12	2.19E-12	9.14E-14
1.4	4.94E-12	8.07E-12	3.63E-12	1.86E-13
1.5	7.77E-12	1.27E-11	5.65E-12	3.47E-13
1.6	1.15E-11	1.90E-11	8.31E-12	5.97E-13
1.7	1.63E-11	2.70E-11	1.17E-11	9.66E-13
1.8	2.22E-11	3.71E-11	1.59E-11	1.48E-12
1.9	2.92E-11	4.94E-11	2.08E-11	2.17E-12
2.0	3.73E-11	6.40E-11	2.66E-11	3.07E-12
2.1	4.65E-11	8.09E-11	3.31E-11	4.20E-12
2.2	5.68E-11	1.00E-10	4.05E-11	5.57E-12
2.3	6.80E-11	1.22E-10	4.85E-11	7.23E-12
2.4	8.02E-11	1.46E-10	5.73E-11	9.16E-12
2.5	9.32E-11	1.73E-10	6.68E-11	1.14E-11

Table III (Continued) — N₂ Singlet excitation rate coefficients (cm³/sec)

<u>T</u>	<u>w¹_{Δ_u}</u>	<u>a¹_{π_g}</u>	<u>A¹_{Σ_u}</u>	<u>A¹_{Σ_u}</u>
2.6	1.07E-10	2.01E-10	7.68E-11	1.39E-11
2.7	1.21E-10	2.32E-10	8.74E-11	1.68E-11
2.8	1.36E-10	2.65E-10	9.84E-11	1.99E-11
2.9	1.52E-10	3.00E-10	1.10E-10	2.34E-11
3.0	1.68E-10	3.37E-10	1.22E-10	2.72E-11
3.1	1.84E-10	3.75E-10	1.34E-10	3.12E-11
3.2	2.01E-10	4.15E-10	1.46E-10	3.56E-11
3.3	2.17E-10	4.57E-10	1.59E-10	4.02E-11
3.4	2.34E-10	5.00E-10	1.72E-10	4.51E-11
3.5	2.51E-10	5.44E-10	1.85E-10	5.02E-11
3.6	2.68E-10	5.89E-10	1.98E-10	5.55E-11
3.7	2.85E-10	6.35E-10	2.11E-10	6.11E-11
3.8	3.01E-10	6.83E-10	2.24E-10	6.69E-11
3.9	3.18E-10	7.30E-10	2.37E-10	7.28E-11
4.0	3.35E-10	7.79E-10	2.50E-10	7.89E-11
4.1	3.51E-10	8.29E-10	2.63E-10	8.52E-11
4.2	3.67E-10	8.78E-10	2.76E-10	9.16E-11
4.3	3.83E-10	9.28E-10	2.88E-10	9.81E-11
4.4	3.99E-10	9.80E-10	3.01E-10	1.05E-10
4.5	4.14E-10	1.03E-09	3.13E-10	1.11E-10
4.6	4.29E-10	1.08E-09	3.25E-10	1.18E-10
4.7	4.52E-10	1.13E-09	3.37E-10	1.25E-10
4.8	4.58E-10	1.18E-09	3.49E-10	1.32E-10
4.9	4.72E-10	1.23E-09	3.61E-10	1.39E-10
5.0	5.09E-10	1.28E-09	3.72E-10	1.46E-10

Table III (Continued) — N_2 Singlet excitation rate coefficients (cm^3/sec)

T	$w^1 \Delta_u$	$a^1 \pi_g$	$a^1 \Sigma_u$	$a^1 \Sigma_u$
6.0	6.05E-10	1.78E-09	4.74E-10	2.15E-10
7.0	6.93E-10	2.23E-09	5.55E-10	2.80E-10
8.0	7.56E-10	2.63E-09	6.16E-10	3.36E-10
9.0	7.97E-10	2.90E-09	6.63E-10	3.85E-10
10.0	8.23E-10	3.28E-09	6.98E-10	4.25E-10
11.0	8.38E-10	3.52E-09	7.25E-10	4.59E-10
12.0	8.45E-10	3.73E-09	7.44E-10	4.87E-10
13.0	8.45E-10	3.92E-09	7.58E-10	5.09E-10
14.0	8.40E-10	4.07E-09	7.68E-10	5.27E-10
15.0	8.32E-10	4.20E-09	7.76E-10	5.42E-10
16.0	8.21E-10	4.30E-09	7.80E-10	5.54E-10
17.0	8.09E-10	4.39E-09	7.83E-10	5.64E-10
18.0	7.96E-10	4.47E-09	7.85E-10	5.72E-10
19.0	7.81E-10	4.53E-09	7.85E-10	5.78E-10
20.0	7.67E-10	4.58E-09	7.84E-10	5.82E-10
21.0	7.51E-10	4.63E-09	7.82E-10	5.85E-10
22.0	7.37E-10	4.66E-09	7.80E-10	5.38E-10
23.0	7.22E-10	4.69E-09	7.77E-10	5.89E-10
24.0	7.07E-10	4.71E-09	7.74E-10	5.90E-10
25.0	6.92E-10	4.72E-09	7.71E-10	5.90E-10

Table IV — N₂ Ionization, dissociative ionization and dissociation
rate coefficients (cm³/sec)

<u>T</u>	Ion.	Diss. Ion.	Diss.
0.1	0.00E+00	0.00E+00	0.00E+00
0.2	0.00E+00	0.00E+00	8.51E-31
0.3	8.30E-32	0.00E+00	1.04E-23
0.4	4.24E-26	0.00E+00	3.65E-20
0.5	1.17E-22	1.15E-31	5.06E-18
0.6	2.35E-20	4.23E-28	1.40E-16
0.7	1.06E-18	1.53E-25	1.57E-15
0.8	1.87E-17	1.30E-23	9.96E-15
0.9	1.76E-16	4.18E-22	4.33E-14
1.0	1.07E-15	6.84E-21	1.44E-13
1.1	4.74E-16	6.83E-20	3.94E-13
1.2	1.65E-14	4.71E-19	9.26E-13
1.3	4.76E-14	2.44E-18	1.93E-12
1.4	1.19E-13	1.01E-17	3.67E-12
1.5	2.64E-13	3.50E-17	6.46E-12
1.6	5.32E-13	1.05E-16	1.07E-11
1.7	9.92E-13	2.77E-16	1.67E-11
1.8	1.73E-12	6.61E-16	2.50E-11
1.9	2.86E-12	1.45E-15	3.60E-11
2.0	4.50E-12	2.96E-15	5.01E-11
2.1	6.80E-12	5.66E-15	6.78E-11
2.2	9.92E-12	1.03E-14	8.95E-11
2.3	1.40E-11	1.77E-14	1.16E-10
2.4	1.93E-11	2.94E-14	1.47E-10
2.5	2.60E-11	4.69E-14	1.82E-10

Table IV (Continued) — N_2 Ionization, dissociative ionization and dissociation rate coefficients (cm^3/sec)

<u>T</u>	Ion.	Diss. Ion.	Diss.
2.6	3.42E-11	7.25E-14	2.24E-10
2.7	4.41E-11	1.09E-13	2.71E-10
2.8	5.60E-11	1.59E-13	3.23E-10
2.9	7.01E-11	2.27E-13	3.82E-10
3.0	8.64E-11	3.17E-13	4.47E-10
3.1	1.05E-10	4.35E-13	5.18E-10
3.2	1.27E-10	5.85E-13	5.95E-10
3.3	1.51E-10	7.75E-13	6.79E-10
3.4	1.79E-10	1.01E-12	7.69E-10
3.5	2.09E-10	1.30E-12	8.66E-10
3.6	2.43E-10	1.66E-12	9.68E-10
3.7	2.80E-10	2.08E-12	1.08E-09
3.8	3.20E-10	2.59E-12	1.19E-09
3.9	3.65E-10	3.19E-12	1.31E-09
4.0	4.12E-10	3.89E-12	1.44E-09
4.1	4.64E-10	4.71E-12	1.58E-09
4.2	5.19E-10	5.65E-12	1.71E-09
4.3	5.78E-10	6.74E-12	1.88E-09
4.4	6.42E-10	7.96E-12	2.01E-09
4.5	7.08E-10	9.35E-12	2.16E-09
4.6	7.80E-10	1.09E-11	2.33E-09
4.7	8.55E-10	1.27E-11	2.49E-09
4.8	9.34E-10	1.46E-11	2.66E-09
4.9	1.02E-09	1.68E-11	2.84E-09
5.0	1.10E-09	1.92E-11	3.02E-09

Table IV (Continued) — N_2 Ionization, dissociative ionization and dissociation rate coefficients (cm^3/sec)

<u>T</u>	Ion.	Diss. Ion.	Diss.
6.0	2.19E-09	5.83E-11	5.04E-09
7.0	3.64E-09	1.33E-10	7.35E-09
8.0	5.41E-09	2.51E-10	9.84E-09
9.0	7.43E-09	4.18E-10	1.24E-08
10.0	9.66E-09	6.33E-10	1.50E-08
11.0	1.20E-08	8.96E-10	1.77E-08
12.0	1.45E-08	1.20E-09	2.01E-08
13.0	1.71E-08	1.55E-09	2.25E-08
14.0	1.97E-08	1.93E-09	2.49E-08
15.0	2.24E-08	2.35E-09	2.72E-08
16.0	2.50E-08	2.79E-09	2.94E-08
17.0	2.77E-08	3.25E-09	3.15E-08
18.0	3.03E-08	3.73E-09	3.36E-08
19.0	3.30E-08	4.23E-09	3.55E-08
20.0	3.56E-08	4.74E-09	3.74E-08
21.0	3.82E-08	5.26E-09	3.91E-08
22.0	4.07E-08	5.79E-09	4.09E-08
23.0	4.32E-08	6.33E-09	4.25E-08
24.0	4.56E-08	6.86E-09	4.41E-08
25.0	4.80E-08	7.40E-09	4.55E-08
26.0	5.04E-08	7.94E-09	4.70E-08
27.0	5.27E-08	8.47E-09	4.83E-08
28.0	5.50E-08	9.01E-09	4.97E-08
29.0	5.72E-08	9.54E-09	5.09E-08
30.0	5.94E-08	1.01E-08	5.21E-08

Table V — O₂ Ionization, dissociative ionization and dissociative attachment rate coefficients (cm³/sec)

<u>T</u>	Ion.	Diss. Ion.	Diss. Att.
0.1	0.00E+00	0.00E+00	6.42E-30
0.2	7.01E-36	0.00E+00	1.89E-20
0.3	4.68E-27	0.00E+00	3.61E-17
0.4	1.27E-22	3.20E-30	1.78E-15
0.5	5.99E-20	4.13E-26	1.93E-14
0.6	3.71E-18	2.30E-23	9.58E-14
0.7	7.20E-17	2.14E-21	3.00E-13
0.8	6.74E-16	6.45E-20	7.01E-13
0.9	3.89E-15	9.19E-19	1.35E-12
1.0	1.60E-14	7.74E-18	2.25E-12
1.1	5.11E-14	4.45E-17	3.40E-12
1.2	1.36E-13	1.92E-16	4.76E-12
1.3	3.13E-13	6.64E-16	6.28E-12
1.4	6.45E-13	1.93E-15	7.93E-12
1.5	1.21E-12	4.90E-15	9.65E-12
1.6	2.12E-12	1.11E-14	1.14E-11
1.7	3.49E-12	2.28E-14	1.31E-11
1.8	5.45E-12	4.36E-14	1.48E-11
1.9	8.15E-12	7.80E-14	1.65E-11
2.0	1.18E-11	1.32E-13	1.81E-11
2.1	1.64E-11	2.13E-13	1.96E-11
2.2	2.24E-11	3.31E-13	2.10E-11
2.3	2.97E-11	4.95E-13	2.23E-11
2.4	3.87E-11	7.17E-13	2.36E-11
2.5	4.93E-11	1.01E-12	2.47E-11

Table V (Continued) — O₂ Ionization, dissociative ionization and dissociative attachment rate coefficients (cm³/sec)

T	Ion.	Diss. Ion.	Diss. Att.
2.6	6.20E-11	1.39E-12	2.57E-11
2.7	7.67E-11	1.88E-12	2.67E-11
2.8	9.36E-11	2.49E-12	2.76E-11
2.9	1.13E-10	3.23E-12	2.84E-11
3.0	1.35E-10	4.14E-12	2.91E-11
3.1	1.59E-10	5.22E-12	2.97E-11
3.2	1.86E-10	6.50E-12	3.03E-11
3.3	2.16E-10	8.00E-12	3.08E-11
3.4	2.50E-10	9.75E-12	3.12E-11
3.5	2.86E-10	1.18E-11	3.15E-11
3.6	3.25E-10	1.40E-11	3.19E-11
3.7	3.68E-10	1.67E-11	3.21E-11
3.8	4.13E-10	1.96E-11	3.24E-11
3.9	4.62E-10	2.29E-11	3.25E-11
4.0	5.15E-10	2.65E-11	3.27E-11
4.1	5.71E-10	3.06E-11	3.28E-11
4.2	6.30E-10	3.51E-11	3.29E-11
4.3	6.93E-10	4.00E-11	3.29E-11
4.4	7.60E-10	4.54E-11	3.30E-11
4.5	8.30E-10	5.12E-11	3.29E-11
4.6	9.03E-10	5.76E-11	3.29E-11
4.7	9.81E-10	6.44E-11	3.29E-11
4.8	1.06E-09	7.18E-11	3.28E-11
4.9	1.15E-09	7.98E-11	3.27E-11
5.0	1.23E-09	8.93E-11	3.26E-11

Table V (Continued) — O₂ Ionization, dissociative ionization and dissociative attachment rate coefficients (cm³/sec)

T	Ion.	Diss. Ion.	Diss. Att.
6.0	2.30E-09	2.08E-10	3.10E-11
7.0	3.71E-09	3.97E-10	2.89E-11
8.0	5.39E-09	6.63E-10	2.66E-11
9.0	7.33E-09	1.00E-09	2.45E-11
10.0	9.45E-09	1.42E-09	2.26E-11
11.0	1.17E-08	1.90E-09	2.08E-11
12.0	1.42E-08	2.45E-09	1.92E-11
13.0	1.67E-08	3.05E-09	1.78E-11
14.0	1.92E-08	3.70E-09	1.65E-11
15.0	2.19E-08	4.40E-09	1.54E-11
16.0	2.45E-08	5.13E-09	1.44E-11
17.0	2.72E-08	5.90E-09	1.35E-11
18.0	2.99E-08	6.69E-09	1.26E-11
19.0	3.25E-08	7.50E-09	1.19E-11
20.0	3.52E-08	8.33E-09	1.12E-11
21.0	3.79E-08	9.18E-09	1.06E-11
22.0	4.05E-08	1.00E-08	1.00E-11
23.0	4.31E-08	1.09E-08	9.49E-12
24.0	4.56E-08	1.18E-08	9.01E-12
25.0	4.81E-08	1.26E-08	8.58E-12
26.0	5.06E-08	1.35E-08	8.17E-12
27.0	5.31E-08	1.44E-08	7.80E-12
28.0	5.55E-08	1.53E-08	7.45E-12
29.0	5.79E-08	1.61E-08	7.13E-12
30.0	6.02E-08	1.70E-08	6.83E-12

Table VI — O₂ Electronic excitation rate coefficients (cm³/sec)

T	a ¹ Δ	b ¹ Σ	B ³ Σ	A ³ Σ +C ³ Σ +C ¹ Δ
0.1	6.45E-16	2.56E-18	0.00E+00	2.00E-29
0.2	2.18E-13	1.36E-14	3.02E-24	6.41E-20
0.3	2.17E-12	2.70E-13	6.83E-17	1.06E-16
0.4	7.87E-12	1.29E-12	1.26E-17	4.58E-15
0.5	1.82E-11	3.42E-12	5.07E-16	4.56E-14
0.6	3.30E-11	6.77E-12	8.10E-15	2.17E-13
0.7	5.17E-11	1.12E-11	6.44E-14	6.76E-13
0.8	7.36E-11	1.67E-11	3.14E-13	1.61E-12
0.9	9.81E-11	2.28E-11	1.09E-12	3.20E-12
1.0	1.24E-10	2.96E-11	2.99E-12	5.60E-12
1.1	1.52E-10	3.67E-11	6.84E-12	8.94E-12
1.2	1.81E-10	4.41E-11	1.37E-11	1.33E-11
1.3	2.11E-10	5.16E-11	2.46E-11	1.87E-11
1.4	2.41E-10	5.91E-11	4.07E-11	2.52E-11
1.5	2.70E-10	6.65E-11	6.32E-11	3.28E-11
1.6	3.00E-10	7.39E-11	9.28E-11	4.15E-11
1.7	3.29E-10	8.10E-11	1.30E-10	5.12E-11
1.8	3.58E-10	8.79E-11	1.77E-10	6.18E-11
1.9	3.85E-10	9.46E-11	2.32E-10	7.35E-11
2.0	4.13E-10	1.01E-10	2.96E-10	8.60E-11
2.1	4.39E-10	1.07E-10	3.70E-10	9.94E-11
2.2	4.64E-10	1.13E-10	4.53E-10	1.14E-10
2.3	4.89E-10	1.19E-10	5.45E-10	1.29E-10
2.4	5.12E-10	1.24E-10	6.45E-10	1.44E-10
2.5	5.35E-10	1.30E-10	7.54E-10	1.60E-10

Table VI (Continued) — O₂ Electronic excitation rate coefficients (cm³/sec)

T	$a^1\Delta$	$b^1\Sigma$	$B^3\Sigma$	$A^3\Sigma + C^3\Sigma + C^1\Delta$
2.6	5.57E-10	1.35E-10	8.71E-10	1.77E-10
2.7	5.78E-10	1.39E-10	9.96E-10	1.94E-10
2.8	5.98E-10	1.44E-10	1.13E-09	2.12E-10
2.9	6.17E-10	1.48E-10	1.27E-09	2.30E-10
3.0	6.35E-10	1.52E-10	1.41E-09	2.48E-10
3.1	6.52E-10	1.56E-10	1.56E-09	2.67E-10
3.2	6.69E-10	1.60E-10	1.72E-09	2.86E-10
3.3	6.85E-10	1.64E-10	1.88E-09	3.05E-10
3.4	7.00E-10	1.67E-10	2.05E-09	3.25E-10
3.5	7.15E-10	1.70E-10	2.21E-09	3.44E-10
3.6	7.28E-10	1.74E-10	2.39E-09	3.64E-10
3.7	7.42E-10	1.76E-10	2.56E-09	3.84E-10
3.8	7.54E-10	1.79E-10	2.74E-09	4.03E-10
3.9	7.66E-10	1.82E-10	2.93E-09	4.23E-10
4.0	7.77E-10	1.85E-10	3.11E-09	4.43E-10
4.1	7.88E-10	1.88E-10	3.29E-09	4.63E-10
4.2	7.98E-10	1.90E-10	3.48E-09	4.82E-10
4.3	8.08E-10	1.92E-10	3.67E-09	5.02E-10
4.4	8.18E-10	1.95E-10	3.86E-09	5.21E-10
4.5	8.26E-10	1.97E-10	4.05E-09	5.40E-10
4.6	8.35E-10	1.99E-10	4.24E-09	5.59E-10
4.7	8.43E-10	2.01E-10	4.43E-09	5.78E-10
4.8	8.51E-10	2.03E-10	4.62E-09	5.97E-10
4.9	8.58E-10	2.05E-10	4.81E-09	6.16E-10
5.0	8.65E-10	2.07E-10	5.00E-09	6.34E-10

Table VI (Continued) — O₂ Electronic excitation rate coefficients (cm³/sec)

T	a ¹ _Δ	b ¹ _Σ	B ³ _Σ	A ³ _Σ + C ³ _Σ + C ¹ _Δ
6.0	9.18E-10	2.23E-10	6.88E-09	8.05E-10
7.0	9.50E-10	2.35E-10	8.63E-09	9.52E-10
8.0	9.68E-10	2.44E-10	1.02E-08	1.07E-09
9.0	9.77E-10	2.52E-10	1.17E-08	1.17E-09
10.0	9.79E-10	2.57E-10	1.29E-08	1.25E-09
11.0	9.77E-10	2.61E-10	1.41E-08	1.32E-09
12.0	9.72E-10	2.64E-10	1.51E-08	1.37E-09
13.0	9.64E-10	2.66E-10	1.60E-08	1.41E-09
14.0	9.54E-10	2.67E-10	1.68E-08	1.44E-09
15.0	9.43E-10	2.67E-10	1.76E-08	1.46E-09
16.0	9.31E-10	2.66E-10	1.82E-08	1.48E-09
17.0	9.18E-10	2.65E-10	1.88E-08	1.49E-09
18.0	9.04E-10	2.64E-10	1.94E-08	1.50E-09
19.0	8.91E-10	2.62E-10	1.99E-08	1.50E-09
20.0	8.76E-10	2.60E-10	2.03E-08	1.50E-09
21.0	8.62E-10	2.57E-10	2.07E-08	1.50E-09
22.0	8.48E-10	2.54E-10	2.11E-08	1.50E-09
23.0	8.34E-10	2.51E-10	2.14E-08	1.49E-09
24.0	8.20E-10	2.48E-10	2.17E-08	1.48E-09
25.0	8.06E-10	2.45E-10	2.19E-08	1.48E-09
26.0	7.92E-10	2.42E-10	2.22E-08	1.47E-09
27.0	7.79E-10	2.38E-10	2.24E-08	1.46E-09
28.0	7.66E-10	2.35E-10	2.26E-08	1.45E-09
29.0	7.53E-10	2.32E-10	2.28E-08	1.44E-09
30.0	7.40E-10	2.28E-10	2.30E-08	1.43E-09

Table VII — O₂ Vibrational excitation rates

T	V1	V2	V3
0.1	2.71E-11	1.40E-12	1.64E-13
0.2	8.72E-11	9.74E-12	2.22E-12
0.3	1.19E-10	1.77E-11	5.21E-12
0.4	1.28E-10	2.21E-11	7.51E-12
0.5	1.27E-10	2.39E-11	8.90E-12
0.6	1.21E-10	2.41E-11	9.58E-12
0.7	1.13E-10	2.36E-11	9.80E-12
0.8	1.05E-10	2.25E-11	9.74E-12
0.9	9.70E-11	2.14E-11	9.51E-12
1.0	8.98E-11	2.02E-11	9.18E-12
1.1	8.32E-11	1.90E-11	8.81E-12
1.2	7.72E-11	1.79E-11	8.42E-12
1.3	7.19E-11	1.68E-11	8.03E-12
1.4	6.70E-11	1.60E-11	7.65E-12
1.5	6.26E-11	1.49E-11	7.28E-12
1.6	5.87E-11	1.41E-11	6.93E-12
1.7	5.51E-11	1.33E-11	6.60E-12
1.8	5.18E-11	1.26E-11	6.29E-12
1.9	4.90E-11	1.19E-11	6.00E-12
2.0	4.62E-11	1.13E-11	5.73E-12
2.1	4.37E-11	1.08E-11	5.47E-12
2.2	4.14E-11	1.02E-11	5.23E-12
2.3	3.94E-11	9.77E-12	5.00E-12
2.4	3.75E-11	9.32E-12	4.80E-12
2.5	3.57E-11	8.90E-12	4.60E-12

Table VII (Continued) — Vibrational excitation rates

T	V1	V2	V3
2.6	3.41E-11	8.52E-12	4.42E-12
2.7	3.26E-11	8.19E-12	4.24E-12
2.8	3.11E-11	8.10E-12	4.08E-12
2.9	2.99E-11	7.51E-12	3.93E-12
3.0	2.86E-11	7.23E-12	3.79E-12
3.1	2.75E-11	6.94E-12	3.65E-12
3.2	2.64E-11	6.68E-12	3.52E-12
3.3	2.54E-11	6.44E-12	3.40E-12
3.4	2.44E-11	6.21E-12	3.29E-12
3.5	2.36E-11	6.99E-12	3.18E-12
3.6	2.27E-11	5.79E-12	3.07E-12
3.7	2.20E-11	5.60E-12	2.98E-12
3.8	2.12E-11	5.41E-12	2.88E-12
3.9	2.05E-11	5.24E-12	2.79E-12
4.0	1.98E-11	5.08E-12	2.71E-12
4.1	1.92E-11	4.92E-12	2.63E-12
4.2	1.87E-11	4.78E-12	2.56E-12
4.3	1.80E-11	4.63E-12	2.48E-12
4.4	1.75E-11	4.50E-12	2.41E-12
4.5	1.70E-11	4.38E-12	2.35E-12
4.6	1.65E-11	4.25E-12	2.29E-12
4.7	1.60E-11	4.14E-12	2.22E-12
4.8	1.56E-11	4.02E-12	2.17E-12
4.9	1.52E-11	3.91E-12	2.11E-12
5.0	1.48E-11	3.81E-12	2.06E-12

Table VIII — Excitation and ionization rate coefficients for N (cm^3/sec)

<u>T</u>	<u>N 4S-2D</u>	<u>N 4S-2P</u>	<u>N 2D-2P</u>	<u>Ion.</u>
0.1	7.23E-20	5.19E-25	1.87E-14	-
0.2	1.63E-14	3.96E-17	1.05E-11	-
0.3	1.19E-12	1.80E-14	9.22E-11	-
0.4	1.10E-11	3.91E-13	2.76E-10	-
0.5	4.52E-11	2.51E-12	5.35E-10	7.24E-23
0.6	1.10E-10	8.71E-12	8.34E-10	3.14E-20
0.7	2.15E-10	2.13E-11	1.14E-09	1.61E-18
0.8	3.58E-10	4.17E-11	1.45E-09	2.88E-17
0.9	5.33E-10	7.05E-11	1.75E-09	2.66E-16
1.0	7.33E-10	1.07E-10	2.03E-09	1.57E-15
1.1	9.52E-10	1.52E-10	2.30E-09	6.69E-15
1.2	1.18E-09	2.02E-10	2.54E-09	2.24E-14
1.3	1.42E-09	2.58E-10	2.78E-09	6.26E-14
1.4	1.67E-09	3.18E-10	2.99E-09	1.51E-13
1.5	1.91E-09	3.81E-10	3.19E-09	3.25E-13
1.6	2.15E-09	4.46E-10	3.38E-09	6.36E-13
1.7	2.39E-09	5.13E-10	3.56E-09	1.15E-12
1.8	2.63E-09	5.80E-10	3.72E-09	1.96E-12
1.9	2.87E-09	6.48E-10	3.87E-09	3.16E-12
2.0	3.07E-09	7.15E-10	4.02E-09	4.8E-12
2.1	3.29E-09	7.81E-10	4.15E-09	7.2E-12
2.2	3.49E-09	8.47E-10	4.28E-09	1.03E-11
2.3	3.69E-09	9.11E-10	4.39E-09	1.43E-11
2.4	3.88E-09	9.74E-10	4.51E-09	1.93E-11
2.5	4.06E-09	1.04E-09	4.61E-09	2.55E-11
2.6	4.23E-09	1.09E-09	4.71E-09	3.30E-11

Table VIII (Continued) — Excitation and ionization rate coefficients for N (cm^3/sec)

<u>T</u>	<u>N 4S-2D</u>	<u>N 4S-2P</u>	<u>N 2D-2P</u>	<u>Ion.</u>
2.7	4.40E-09	1.15E-09	4.80E-09	4.20E-11
2.8	4.56E-09	1.21E-09	4.89E-09	5.26E-11
2.9	4.71E-09	1.26E-09	4.97E-09	6.48E-11
3.0	4.86E-09	1.32E-09	5.05E-09	7.89E-11
3.1	5.00E-09	1.37E-09	5.12E-09	9.49E-11
3.2	5.13E-09	1.42E-09	5.19E-09	1.13E-10
3.3	5.26E-09	1.47E-09	5.26E-09	1.33E-10
3.4	5.38E-09	1.51E-09	5.32E-09	1.55E-10
3.5	5.50E-09	1.56E-09	5.38E-09	1.80E-10
3.6	5.61E-09	1.60E-09	5.43E-09	2.07E-10
3.7	5.72E-09	1.64E-09	5.89E-09	2.36E-10
3.8	5.82E-09	1.68E-09	5.93E-09	2.68E-10
3.9	5.91E-09	1.72E-09	5.97E-09	3.02E-10
4.0	6.01E-09	1.75E-09	6.00E-09	3.39E-10
4.1	6.09E-09	1.79E-09	6.04E-09	3.78E-10
4.2	6.18E-09	1.82E-09	6.07E-09	4.20E-10
4.3	6.26E-09	1.85E-09	6.10E-09	4.64E-10
4.4	6.34E-09	1.88E-09	6.13E-09	5.11E-10
4.5	6.41E-09	1.91E-09	6.15E-09	5.60E-10
4.6	6.48E-09	1.94E-09	6.18E-09	6.12E-10
4.7	6.55E-09	1.97E-09	6.20E-09	6.67E-10
4.8	6.61E-09	2.00E-09	6.22E-09	7.24E-10
4.9	6.67E-09	2.02E-09	6.24E-09	7.83E-10
5.0	6.73E-09	2.05E-09	6.25E-09	8.45E-10
6.0	7.18E-09	2.24E-09	6.36E-09	1.60E-9
7.0	7.45E-09	2.37E-09	6.37E-09	2.50E-9
8.0	7.59E-09	2.45E-09	6.21E-09	3.65E-9
9.0	7.64E-09	2.52E-09	6.18E-09	4.90E-9
10.0	7.63E-09	2.51E-09	6.09E-09	6.30E-9
11.0	7.58E-09	2.51E-09	5.97E-09	7.80E-9

Table IX — Excitation and ionization rate coefficients for O (cm^3/sec)

<u>T</u>	<u>O 3P-1D</u>	<u>O 3P-1S</u>	<u>O 1D-1S</u>	<u>Ion.</u>
0.1	1.21E-18	1.09E-28	3.06E-19	-
0.2	3.41E-14	1.85E-19	1.71E-14	-
0.3	1.20E-12	2.36E-16	7.07E-13	-
0.4	7.74E-12	8.59E-15	4.62E-12	-
0.5	2.48E-11	7.48E-14	1.43E-11	1.55E-20
0.6	5.52E-11	3.17E-13	3.04E-11	1.46E-18
0.7	9.96E-11	8.94E-13	5.19E-11	3.81E-17
0.8	1.57E-10	1.95E-12	7.74E-11	4.43E-16
0.9	2.25E-10	3.57E-12	1.05E-10	3.01E-15
1.0	3.01E-10	5.81E-12	1.35E-10	1.40E-14
1.1	3.84E-10	8.67E-12	1.64E-10	4.95E-14
1.2	4.70E-10	1.21E-11	1.94E-10	1.42E-13
1.3	5.60E-10	1.61E-11	2.23E-10	3.50E-13
1.4	6.50E-10	2.05E-11	2.50E-10	7.58E-13
1.5	7.40E-10	2.53E-11	2.76E-10	1.49E-12
1.6	8.30E-10	3.04E-11	3.01E-10	2.69E-12
1.7	9.18E-10	3.58E-11	3.25E-10	4.54E-12
1.8	1.00E-09	4.14E-11	3.47E-10	7.26E-12
1.9	1.09E-09	4.70E-11	3.67E-10	1.11E-11
2.0	1.16E-09	5.29E-11	3.86E-10	1.62E-11
2.1	1.24E-09	5.85E-11	4.04E-10	2.29E-11
2.2	1.31E-09	6.43E-11	4.20E-10	3.14E-11
2.3	1.38E-09	7.12E-11	4.35E-10	4.20E-11
2.4	1.45E-09	7.56E-11	4.48E-10	5.49E-11
2.5	1.51E-09	8.11E-11	4.61E-10	7.03E-11

Table IX (Continued) — Excitation and ionization rate coefficients for O (cm^3/sec)

<u>T</u>	<u>O 3P-1D</u>	<u>O 3P-1S</u>	<u>O 1D-1S</u>	<u>Ion.</u>
2.6	1.57E-09	8.64E-11	4.72E-10	8.84E-11
2.7	1.63E-09	9.17E-11	4.83E-10	1.09E-10
2.8	1.68E-09	9.67E-11	4.92E-10	1.34E-10
2.9	1.73E-09	1.02E-10	5.00E-10	1.61E-10
3.0	1.77E-09	1.06E-10	5.08E-10	1.92E-10
3.1	1.82E-09	1.11E-10	5.15E-10	2.26E-10
3.2	1.86E-09	1.15E-10	5.21E-10	2.64E-10
3.3	1.89E-09	1.19E-10	5.26E-10	3.05E-10
3.4	1.93E-09	1.23E-10	5.31E-10	3.51E-10
3.5	1.96E-09	1.27E-10	5.35E-10	4.00E-10
3.6	1.99E-09	1.31E-10	5.39E-10	4.53E-10
3.7	2.01E-09	1.34E-10	5.42E-10	5.09E-10
3.8	2.04E-09	1.38E-10	5.45E-10	5.70E-10
3.9	2.07E-09	1.41E-10	5.47E-10	6.34E-10
4.0	2.09E-09	1.44E-10	5.49E-10	7.03E-10
4.1	2.11E-09	1.46E-10	5.50E-10	7.75E-10
4.2	2.12E-09	1.49E-10	5.51E-10	8.51E-10
4.3	2.14E-09	1.52E-10	5.52E-10	9.30E-10
4.4	2.15E-09	1.54E-10	5.52E-10	1.01E-9
4.5	2.17E-09	1.56E-10	5.52E-10	1.10E-9
4.6	2.18E-09	1.58E-10	5.52E-10	1.19E-9
4.7	2.19E-09	1.60E-10	5.47E-10	1.29E-9
4.8	2.20E-09	1.63E-10	5.51E-10	1.38E-9
4.9	2.20E-09	1.64E-10	5.50E-10	1.49E-9
5.0	2.21E-09	1.65E-10	5.49E-10	1.59E-9
6.0	2.23E-09	1.76E-10	5.31E-10	2.75E-9
7.0	2.19E-09	1.79E-10	5.05E-10	4.25E-9
8.0	2.11E-09	1.78E-10	4.77E-10	5.90E-9
9.0	2.03E-09	1.75E-10	4.48E-10	7.70E-9
10.0	1.93E-09	1.70E-10	4.21E-10	9.40E-9

Table X — Ionization rate coefficient of NO (cm^3/sec)

<u>T</u>	<u>Ion.</u>	<u>T</u>	<u>Ion.</u>
0.1	0.00E+00	2.6	3.19E-10
0.2	1.27E-29	2.7	3.77E-10
0.3	8.55E-23	2.8	4.41E-10
0.4	2.34E-19	2.9	5.11E-10
0.5	2.80E-17	3.0	5.87E-10
0.6	6.94E-16	3.1	6.69E-10
0.7	7.01E-15	3.2	7.57E-10
0.8	4.03E-14	3.3	8.52E-10
0.9	1.59E-13	3.4	9.52E-10
1.0	4.80E-13	3.5	1.06E-09
1.1	1.20E-12	3.6	1.17E-09
1.2	2.58E-12	3.7	1.29E-09
1.3	4.98E-12	3.8	1.41E-09
1.4	8.78E-12	3.9	1.54E-09
1.5	1.44E-11	4.0	1.68E-09
1.6	2.24E-11	4.1	1.82E-09
1.7	3.31E-11	4.2	1.97E-09
1.8	4.71E-11	4.3	2.12E-09
1.9	6.47E-11	4.4	2.28E-09
2.0	8.64E-11	4.5	2.44E-09
2.1	1.12E-10	4.6	2.61E-09
2.2	1.43E-10	4.7	2.78E-09
2.3	1.79E-10	4.8	2.96E-09
2.4	2.20E-10	4.9	3.15E-09
2.5	2.67E-10	5.0	3.33E-09

Table X (Continued) — Ionization rate coefficient of NO (cm^3/sec)

<u>T</u>	<u>Ion.</u>	<u>T</u>	<u>Ion.</u>
6.0	5.45E-09	31.0	8.09E-08
7.0	7.93E-09	32.0	8.34E-08
8.0	1.07E-08	33.0	8.59E-08
9.0	1.36E-08	34.0	8.83E-08
10.0	1.68E-08	35.0	9.07E-08
11.0	2.00E-08	36.0	9.30E-08
12.0	2.32E-08	37.0	9.53E-08
13.0	2.66E-08	38.0	9.75E-08
14.0	2.99E-08	39.0	9.96E-08
15.0	3.32E-08	40.0	1.02E-07
16.0	3.66E-08	41.0	1.04E-07
17.0	3.99E-08	42.0	1.06E-07
18.0	4.31E-08	43.0	1.08E-07
19.0	4.63E-08	44.0	1.10E-07
20.0	4.95E-08	45.0	1.12E-07
21.0	5.27E-08	46.0	1.14E-07
22.0	5.57E-08	47.0	1.15E-07
23.0	5.88E-08	48.0	1.17E-07
24.0	6.17E-08	49.0	1.19E-07
25.0	6.47E-08	50.0	1.21E-07
26.0	6.75E-08		
27.0	7.03E-08		
28.0	7.30E-08		
29.0	7.57E-08		
30.0	7.84E-08		

Table XI — Electron momentum transfer rate coefficients in N₂, O₂ (cm³/sec)

<u>T</u>	<u>N₂</u>	<u>O₂</u>	<u>O</u>
0.1	1.50E-08	6.76E-09	3.55E-09
0.2	2.53E-08	1.29E-08	7.08E-09
0.3	3.43E-08	1.86E-08	9.83E-09
0.4	4.41E-08	2.32E-08	1.22E-08
0.5	5.50E-08	2.67E-08	1.43E-08
0.6	6.63E-08	2.92E-08	1.62E-08
0.7	7.70E-08	3.12E-08	1.80E-08
0.8	8.69E-08	3.27E-08	1.97E-08
0.9	9.56E-08	3.40E-08	2.14E-08
1.0	1.03E-07	3.51E-08	2.29E-08
1.1	1.10E-07	3.62E-08	2.43E-08
1.2	1.16E-07	3.73E-08	2.57E-08
1.3	1.21E-07	3.83E-08	2.71E-08
1.4	1.25E-07	3.94E-08	2.84E-08
1.5	1.29E-07	4.06E-08	2.96E-08
1.6	1.32E-07	4.17E-08	3.08E-08
1.7	1.35E-07	4.30E-08	3.20E-08
1.8	1.37E-07	4.43E-08	3.31E-08
1.9	1.40E-07	4.56E-08	3.43E-08
2.0	1.42E-07	4.69E-08	3.54E-08
2.1	1.44E-07	4.83E-08	3.64E-08
2.2	1.45E-07	4.97E-08	3.75E-08
2.3	1.47E-07	5.11E-08	3.85E-08
2.4	1.49E-07	5.25E-08	3.95E-08
2.5	1.50E-07	5.39E-08	4.05E-08

Table XI (Continued) — Electron momentum transfer rate coefficients in N_2 , O_2 (cm^3/sec)

<u>T</u>	<u>N₂</u>	<u>O₂</u>	<u>O</u>
2.6	1.51E-07	5.53E-08	4.14E-08
2.7	1.53E-07	5.67E-08	4.22E-08
2.8	1.54E-07	5.81E-08	4.31E-08
2.9	1.55E-07	5.95E-08	4.40E-08
3.0	1.57E-07	6.09E-08	4.47E-08
3.1	1.58E-07	6.23E-08	4.55E-08
3.2	1.59E-07	6.36E-08	4.63E-08
3.3	1.60E-07	6.49E-08	4.71E-08
3.4	1.61E-07	6.62E-08	4.78E-08
3.5	1.62E-07	6.75E-08	4.85E-08
3.6	1.64E-07	6.88E-08	4.91E-08
3.7	1.65E-07	7.00E-08	4.98E-08
3.8	1.66E-07	7.16E-08	5.04E-08
3.9	1.67E-07	7.24E-08	5.11E-08
4.0	1.68E-07	7.35E-08	5.16E-08
4.1	1.70E-07	7.47E-08	5.22E-08
4.2	1.72E-07	7.58E-08	5.27E-08
4.3	1.72E-07	7.69E-08	5.32E-08
4.4	1.73E-07	7.79E-08	5.39E-08
4.5	1.74E-07	7.90E-08	5.44E-08
4.6	1.76E-07	7.99E-08	5.47E-08
4.7	1.77E-07	8.09E-08	5.52E-08
4.8	1.78E-07	8.19E-08	5.56E-08
4.9	1.79E-07	8.28E-08	5.61E-08
5.0	1.80E-07	8.37E-08	5.66E-08

Table XI (Continued) — Electron momentum transfer rate coefficients in N_2 , O_2 (cm^3/sec)

<u>T</u>	<u>N₂</u>	<u>O₂</u>	<u>O</u>
6.0	1.92E-07	9.17E-08	6.01E-08
7.0	2.04E-07	9.78E-08	6.26E-08
8.0	2.15E-07	1.02E-07	6.45E-08
9.0	2.25E-07	1.06E-07	6.58E-08
10.0	2.34E-07	1.09E-07	6.68E-08
11.0	2.42E-07	1.11E-07	6.75E-08
12.0	2.50E-07	1.13E-07	6.80E-08
13.0	2.57E-07	1.14E-07	6.83E-08
14.0	2.63E-07	1.15E-07	6.85E-08
15.0	2.68E-07	1.17E-07	6.86E-08
16.0	2.73E-07	1.16E-07	6.86E-08
17.0	2.77E-07	1.16E-07	6.86E-08
18.0	2.81E-07	1.17E-07	6.85E-08
19.0	2.84E-07	1.17E-07	6.84E-08
20.0	2.87E-07	1.17E-07	6.82E-08
21.0	2.84E-07	1.17E-07	6.80E-08
22.0	2.92E-07	1.17E-07	6.78E-08
23.0	2.94E-07	1.16E-07	6.76E-08
24.0	2.96E-07	1.16E-07	6.74E-08
25.0	2.97E-07	1.16E-07	6.72E-08
26.0	2.98E-07	1.16E-07	6.69E-08
27.0	2.99E-07	1.15E-07	6.66E-08
28.0	3.00E-07	1.15E-07	6.64E-08
29.0	3.01E-07	1.15E-07	6.61E-08
30.0	3.02E-07	1.14E-07	6.58E-08

Table XII — Parameters for equation (2)

Reaction	T(ev)	$E_{th}(ev)$	b_0	b_1	b_2
$e + N_2 \rightarrow N_2(A^3\Sigma) + e$	0-5	6.17	-6.11E-10	3.07E-9	-2.57E-10
	5-25	6.17	6.29E-9	4.99E-10	-1.58E-11
$e + N_2 \rightarrow N_2(B^3\Pi) + e$	0-5	7.35	-5.29E-10	6.01E-9	-5.59E-10
	5-25	7.35	1.27E-8	6.94E-10	-2.37E-11
$e + N_2 \rightarrow N_2(c^3\Pi) + e$	0-5	11.03	2.45E-9	1.04E-8	-1.25E-9
	5-25	11.03	2.50E-8	-3.59E-10	1.95E-13
$e + N_2 \rightarrow N_2(w^3\Delta) + e$	0-5	7.36	-1.20E-9	4.46E-9	-2.16E-10
	5-25	7.36	1.02E-8	1.32E-9	-4.15E-11
$e + N_2 \rightarrow N_2(a^1\Pi_g)$	0-5	8.54	-7.92E-10	3.95E-9	-1.25E-10
	5-25	8.54	5.68E-9	2.28E-9	-4.83E-11
$e + N_2 \rightarrow N + N$	0-5	9.76	-1.37E-9	2.92E-9	1.37E-9
	5-25	9.76	-3.63E-8	1.72E-8	-9.04E-11
$e + N_2 \rightarrow N_2^+ + 2e$	0-5	15.58	-7.87E-10	6.12E-9	1.04E-9
	5-25	15.58	-3.16E-8	1.70E-8	9.34E-11
$e + O_2 \rightarrow O_2(a^1\Delta) + e$	0-5	0.98	-2.35E-10	6.62E-10	-2.88E-11
	5-25	0.98	1.03E-9	-3.01E-10	-7.16E-12
$e + O_2 \rightarrow O_2(b^1\Sigma) + e$	0-5	1.63	-2.78E-11	1.99E-10	-1.31E-11
	5-25	1.63	2.44E-10	8.89E-11	-1.88E-12
$e + O_2 \rightarrow O_2(A^3\Sigma \text{ etc})^* + e$	0-5	4.3	-1.30E-10	5.49E-10	2.95E-11
	5-25	4.3	-1.15E-11	7.57E-10	-1.66E-11

Table XII (Continued) — Parameters for equation (2)

<u>Reaction</u>	<u>T(ev)</u>	<u>E_{th}(ev)</u>	<u>b₀</u>	<u>b₁</u>	<u>b₂</u>
$e + O_2 \rightarrow O_2(B^3\Sigma) + e$	0-5	6.10	-3.94E-9	5.79E-9	5.19E-10
	5-25	6.1	-5.27E-9	9.37E-9	-1.45E-10
$e + O_2 \rightarrow O_2^+ + 2e$	0-5	12.06	3.03E-10	1.46E-9	9.27E-10
	5-25	12.06	-2.95E-8	1.08E-8	2.45E-10
$e + O_2 \rightarrow O^- + O$	0-5	4.20	2.85E-11	1.16E-10	-1.75E-11
	5-25	4.20	2.41E-10	-1.63E-11	3.58E-13
$e + NO \rightarrow NO^+ + e$	0-5	9.30	-2.78E-10	4.56E-9	1.01E-9
	5-25	9.30	-3.09E-8	1.46E-8	2.2E-10

* ($A^3\Sigma$ etc) means ($A^3\Sigma + c^3\Delta + c^1\Sigma$)

REFERENCES

1. A. W. Ali and A. D. Anderson, "H₂ Vacuum UV Laser Rate Coefficients." NRL Report 7282 (1971).
2. A. W. Ali and A. D. Anderson "Low Energy Electron Impact Rate Coefficients for Some Atmospheric Species." NRL Report 7432 (1972)
3. A. W. Ali "Excitation and Ionization Cross Sections for Electron Beam and Microwave Energy Deposition in Air." NRL Memorandum Report 4598 (1981)
4. D. Spence, J. L. Mauer and G. J. Schulz, J. Chem. Phys. 57, 5516 (1972)
5. D. C. Cartwright, S. Trajmar, A. Chutjian and W. Williams, Phys. Rev. A16, 1041 (1977)
6. D. C. Cartwright, J. Appl. Phys. 49, 3855 (1978)
7. W. L. Borst, Phys Rev. A5, 648 (1972)
8. E. C. Zipf and R. W. McLaughlin, Planet Space Sci. 26, 449 (1978)
9. D. Rapp, P. Englander-Golden and D. D. Briglia, J. Chem. Phys. 42, 4081 (1965)
10. D. Rapp and P. Englander-Golden, J. Chem. Phys. 43, 1464 (1965)
11. D. Rapp and D. D. Briglia, J. Chem. Phys. 43, 1480 (1965)
12. K. Wakiya, J. Phys. B. Atom. Molec. Phys. 11, 3913 (1978)
13. C. C. Lin and S. Chung, AFGL-TR-78-0260 (1978)
14. A.E.S. Green and R. S. Stolarski, J. Atm., Terr. Phys. 34, 1703 (1972)
15. K. Wakiya, J. Phys. B. Atom. Molec. Phys. 11, 3931 (1978)
16. F. Linder and H. Schmidt, Z. Naturf 26A, 1617 (1971)
17. S. Trajmar, D. C. Cartwright and W. Williams, Phys. Rev. A4, 1482 (1971) and S. Trajmar, W. Williams and A. Kuppermann, J. Chem. Phys. 56, 3759 (1972)
18. K. A. Berrington, P. G. Burke and W. D. Robb, J. Phys. B. Atom. Molec. Phys. 8, 2500 (1975)
19. A. W. Ali, "Electron Impact Rate Coefficients for the low lying Metastable states of O, O⁺, N and N⁺", NRL Memo Report 3371 (1976).
20. L. D. Thomas and R. K. Nisbet, Phys. Rev. A11, 170 (1975)
21. A. G. Englehardt, A. V. Phelps and G. G. Risk, Phys. Rev. 135, A 1566 (1964)
22. R. D. Hake and A. V. Phelps, Phys. Rev. 158, 70 (1967)
23. L. D. Thomas and R. K. Nisbet, Phys. Rev. A 12 1729 (1975)

DISTRIBUTION LIST

Commander
Naval Sea Systems Command
Dept. of the Navy
Washington, D.C. 20363
ATTN: NAVSEA 03H (Dr. C. F. Sharn)

Central Intelligence Agency
P.O. Box 1925
Washington, D.C. 20013
ATTN: Dr. C. Miller/OSI

Air Force Weapons Laboratory
Kirtland Air Force Base
Albuquerque, New Mexico 87117
ATTN: Maj. H. Dogliani
Dr. K. Dreyer
Dr. D. Straw

U.S. Army Ballistics Research Laboratory
Aberdeen Proving Ground, Maryland 21005
ATTN: Dr. D. Eccleshall (DRXBR-BM)

Ballistic Missile Defense Advanced Technology Center
P.O. Box 1500
Huntsville, Alabama 35807
ATTN: Dr. L. Harvard (BMDSATC-1)

B-K Dynamics Inc.
15825 Shady Grove Road
Rockville, Maryland 20850
ATTN: Mr. I. Kuhn

Lawrence Livermore Laboratory University of California
Livermore, California 94550
ATTN: Dr. R. J. Briggs
Dr. T. Fessenden
Dr. E. P. Lee
Dr. S. Yu

Mission Research Corporation
735 State Street
Santa Barbara, California 93102
ATTN: Dr. C. Longmire
Dr. N. Carron

National Bureau of Standards
Gaithersburg, Maryland 20760
ATTN: Dr. Mark Wilson

Science Applications, Inc.
Security Office
5 Palo Alto Square, Suite 200
Palo Alto, California 94304
ATTN: Dr. R. R. Johnston
Dr. Leon Feinstein

Naval Surface Weapons Center
White Oak Laboratory
Silver Spring, Maryland 20910
ATTN: Mr. R. J. Biegalski
Dr. C. M. Huddleston
Dr. M. H. Cha
Dr. H. S. Uhm
Dr. R. B. Fiorito
Dr. R. Cawley

C. S. Draper Laboratories
Cambridge, Massachusetts 02139
ATTN: Dr. E. Olsson
Dr. L. Matson

Physical Dynamics, Inc.
P. O. Box 1883
La Jolla, California 92038
ATTN Dr. K. Brueckner

Office of Naval Research
Department of the Navy
Arlington, Virginia 22217
ATTN: Dr. W. J. Condell (Code 421)
Dr. T. Berlincourt (Code 464)

Avco Everett Research Laboratory
2385 Revere Beach Pkwy.
Everett, Massachusetts 02149
ATTN: Dr. R. Patrick
Dr. Dennis Reilly

Defense Technical Information Center
Cameron Station
5010 Duke Street
Alexandria, VA 22314 (12 copies)

Naval Research Laboratory

Washington, D.C. 20375

ATTN: M. Lampe - Code 4792

J. R. Greig - Code 4763

T. Coffey - Code 4000

S. Ossakow - Code 4700 (26 copies)

Library - Code 2628 (20 copies)

A. Ali - Code 4700.1 (30 copies)

B. Hui - Code 4790

S. Kainer - Code 4790

M. Piccone - 4040

Defense Advanced Research projects Agency

1400 Wilson Blvd.

Arlington, Virginia 22209

ATTN: Dr. J. Mangano

Dr. J. Bayless

JAYCOR

205 S. Whiting St.

Alexandria, Virginia 22304

ATTN: Drs. D. Tidman

R. Hubbard

S. Slinker

Mission Research Corp.

1400 San Mateo, S.E.

Albuquerque, NM 87108

ATTN: Dr. Brendan Godfrey

Pulse Sciences, Inc.

1615 Broadway, Suite 610

Oakland, CA 94612

ATTN: Dr. S. Putnum

McDonnell Douglas Research Laboratories

Dept. 223, Bldg. 33, Level 45

Box 516

St. Louis, MO 63166

ATTN: Dr. Michael Greenspan

Dr. C. Leader

Cornell University

Ithaca, NY 14853

ATTN: Prof. David Hammer

Sandia Laboratories
Albuquerque, NM 87185
ATTN: Dr. Bruce Miller
Dr. Barbara Epstein
Dr. John Olsen
Dr. Don Cook

Beers Associates, Inc.
P. O. Box 2549
Reston, VA 22090
ATTN: Dr. Douglas Strickland

R and D Associates
P.O. Box 9695
Marina del Rey, California 90291
ATTN: Dr. F. Gilmore

Director
Defense Nuclear Agency
Washington, D.C. 20305
ATTN: Dr. C. Fitz (RAAE)
Dr. P. Lunn (RAAE)