

AD-A111 968

ARMY ENGINEER WATERWAYS EXPERIMENT STATION VICKSBURG MS
USER'S GUIDE TO THE FLOOD DAMAGE ESTIMATION SYSTEM.(U)

F/6 13/2

JAN 82 W L ENETE

UNCLASSIFIED

WES-INSTRUCTION-K-82-1

NL


1 1 1

2 2 2


3 3 3

4 4 4

END
DATE
FILMED:
4 82
DTIC



2



INSTRUCTION REPORT K-82-1

USER'S GUIDE TO THE FLOOD DAMAGE ESTIMATION SYSTEM

by

Walter L. Enete

Automatic Data Processing Center
U. S. Army Engineer Waterways Experiment Station
P. O. Box 631, Vicksburg, Miss. 39180

January 1982


Final Report

Approved For Public Release; Distribution Unlimited

DTIC
ELECTE
S MAR 12 1982 D

B

ADA111968



DTIC FILE COPY

Prepared for U. S. Army Engineer Division, Lower Mississippi Valley
P. O. Box 80, Vicksburg, Miss. 39180

82 03 12 046

**Destroy this report when no longer needed. Do not return
it to the originator.**

**The findings in this report are not to be construed as an official
Department of the Army position unless so designated
by other authorized documents.**

**The contents of this report are not to be used for
advertising, publication, or promotional purposes.
Citation of trade names does not constitute an
official endorsement or approval of the use of
such commercial products.**

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Instruction Report K-82-1	2. GOVT ACCESSION NO. AD-A111 968	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) USER'S GUIDE TO THE FLOOD DAMAGE ESTIMATION SYSTEM		5. TYPE OF REPORT & PERIOD COVERED Final report
7. AUTHOR(s) Walter L. Enete		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS U. S. Army Engineer Waterways Experiment Station Automatic Data Processing Center P. O. Box 631, Vicksburg, Miss. 39180		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS U. S. Army Engineer Division, Lower Mississippi Valley P. O. Box 80, Vicksburg, Miss. 39180		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE January 1982
		13. NUMBER OF PAGES 38
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Available from National Technical Information Service, 5285 Port Royal Road, Springfield, Va. 22151.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Computer applications Computer programs Flood damage Flood estimates		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report presents instructions for using a computer program in support of the flood damage estimation system of the Lower Mississippi Valley Division (LMVD). The program computes flood effects over geographic regions within LMVD in terms of acres inundated, crop damages, property damages, and persons affected.		

(Continued)

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

20. ABSTRACT (Continued)

Some principal features are: \

- a. Classification of areas of each LMVD District in terms of a water resource unit (WRU).
- (b) Use of linear interpolation techniques in computing flood effects except for crop damages.
- (c) Use of percentage factors for crop damage calculations.
- (d) Output directed to the user's time-sharing terminal for immediate use.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

PREFACE

This report describes the general features of a computer program to estimate flood damages for the geographic regions of the U. S. Army Engineer Division, Lower Mississippi Valley (LMVD). The work in developing the computer program and preparing this report was done as part of the application support provided to LMVD by the Automatic Data Processing (ADP) Center of the U. S. Army Engineer Waterways Experiment Station (WES).

Mr. Walter L. Enete of the Computer-Aided Design Group (CADG), ADP Center, developed the program and prepared this report under the direction of Mr. Paul K. Senter, CADG. The work was done under the supervision of Mr. William A. Price, Chief, CADG, and Dr. N. Radhakrishnan, Special Technical Assistant, ADP Center, and under the general supervision of Mr. Donald L. Neumann, Chief, ADP Center.

Liaison was maintained between WES and LMVD by means of office conferences and telephone communications with Mr. Norwyn Johnson, Economics Branch, who was principal coordinator for LMVD.

Directors of WES during the preparation and publication of this report were COL Nelson P. Conover, CE, and COL Tilford C. Creel, CE. Technical Director was Mr. F. R. Brown.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	<input type="checkbox"/>
By	
Distribution	
Availability Codes	
Dist	Special
A	

DTIC
COPY
INSPECTED
2

CONTENTS

	<u>Page</u>
PREFACE	1
CONVERSION FACTORS, INCH-POUND TO METRIC (SI)	
UNITS OF MEASUREMENT	3
PART I: INTRODUCTION	4
Purpose	4
Computational Procedures	4
Scope of Work	4
PART II: METHODOLOGY	7
Water Resource Unit Specification	7
Types of Flood Effects	7
Stage Curves	7
Gage Curves--Specification and Relationships	8
PART III: DATA REQUIREMENTS PREPARATION	11
APPENDIX A: GAGE-GAGE ALGORITHM	A1
APPENDIX B: INTERACTIVE GRAPHICS	B1
Introduction	B1
Terminal Use	B1
Program Prompts	B3
Example Executions	B4

CONVERSION FACTORS, INCH-POUND TO METRIC (SI)
UNITS OF MEASUREMENT

Inch-pound units of measurement used in this report can be converted to metric (SI) units as follows:

<u>Multiply</u>	<u>By</u>	<u>To Obtain</u>
acres (U. S. survey)	4046.873	square metres
feet	0.3048	metres

USER'S GUIDE TO THE FLOOD DAMAGE
ESTIMATION SYSTEM

PART I: INTRODUCTION

Purpose

1. This report describes the general features of a computer program to estimate flood damages and presents instructions for its use. It is written for the Waterways Experiment Station (WES) computer and operates in time-sharing mode.

Computational Procedures

2. Basic computations in the program are performed using data taken from curves developed by plotting area inundated versus water height above mean sea level (msl). Flood impacts are computed in terms of acres flooded, crop losses, property damage, and persons affected. Crop losses are computed using the cleared acres flooded multiplied by the distribution of crops in the flooded area.

Scope of Work

Model

3. The program is designed for coverage of geographic regions within the Lower Mississippi Valley under control of the Lower Mississippi Valley Division (LMVD). Each District in LMVD is uniquely identified to permit consideration of flood damages within it independent of those within any other District or over the entire region. This is done by dividing each District into areas called water resource units (WRU). Damages for each WRU are computed in the program using a linear interpolation algorithm to determine damages from elevation-damage curves. Associated with each WRU are three gages for determining inundation

levels in the WRU. These gages are identified as the "local," "with project reference," and "without project reference" gages, respectively. More discussion of these gages follows in paragraphs 10 and 11.

Conditions considered

4. Two basic conditions are considered in the program: flooding under existing conditions in which all current flood control projects are assumed in place, and flooding under conditions in which all Corps projects are assumed to be removed. Gage readings for each of these conditions are required on input.*

Method

5. In the calculations of all flood effects except crop damages, a straight linear interpolation procedure is used. For crop damages, the cleared acres flooded are multiplied by the percentage distribution factors for each crop grown in the WRU. The resulting acres are then multiplied by dollar estimates of production and overhead costs lost per acre to give the dollar value of the crop losses. By adjusting the per acre dollar estimates based upon the time of year, crop losses may be determined at any time.

Generalized program flow

6. Figure 1 presents a generalized flow diagram of the program beginning with the request to mount the disk pack containing the programs and master data files and ending with final program termination. See Part III for instructions on using the program in the time-sharing mode.

* Note: Currently, the "without project" conditions and multiple floods are not considered.




Figure 1. General flow diagram

PART II: METHODOLOGY

Water Resource Unit Specification

7. WRU's are areas subject to flooding directly by the river or by backwater. Each WRU is identified as a protected or unprotected area (unprotected for example, is that area between a river and a levee). Its features are contained in the program in the form of data sets consisting of points from stage-area, stage-damage, and stage-persons curves and other data on the WRU's relationship to states, counties, congressional districts, streams, basins, and Districts.

Types of Flood Effects

8. Four types of flood effects are computed in the program: area inundated in terms of acres; crop damages by crop type, acres, and dollar value; property damage by type and dollar amount; and numbers of persons affected. Dollar damages are computed in current dollars by indexing the stage-damage curves to current year values.

Stage Curves

9. Stage curves can best be understood by referring to a typical one such as shown in Figure 2. This is a stage-area curve for an area inundated within a WRU. Note that the gage readings are converted to feet msl. The program requires the gage readings in feet msl; it does not convert them to msl. Points $p_0, p_1, p_2, \dots, p_6$ are picked off the curve in the form of ordered pairs and stored with their respective WRU. A maximum of 10 such points is used for each WRU. The curves are stored for area inundated, property values by type, and persons affected by flood.




Figure 2. Stage-area curve

Gage Curves--Specification and Relationships

10. As stated previously, each WRU has three gages associated with it: a local gage, a with project reference gage, and a without project reference gage.* These gages are related by gage relationships in the data files so that, using only those gages supplied at input, the local gages (if not given) may be computed for use in determining the appropriate flood effects.

11. The with project reference (W-P) gage is the gage used to obtain a reading for the local gage of the WRU when that gage reading is missing and flood effects are desired for the WRU with the Corps flood control project in place. The without project reference (W/O-P) gage is the gage used to compute a local gage reading when all Corps projects are assumed to be removed. The readings for the local gage are obtained through a linear interpolation process as described in Appendix A. Each reading is computed from stored "gage-gage" curves derived from known

* Currently, no without project reference gage is stored for each WRU.

hydraulic relationships between the local gage and the W-P gage, and the local gage and the W/O-P gage.

12. Specification of the local, W-P, and W/O-P gages for a WRU is very critical to proper processing in the program. These must be selected in such a way that each WRU is essentially locked in with its neighbors by the gages associated with it.

13. Proper program execution requires that for each WRU its local gage and reading be known in order to use the WRU stage curves for flood effects calculations. If this gage is not provided at input, it must be calculated from the appropriate gage relationship. Normally, the gages and their readings provided the program at run time are those on the mainstem river.

14. Determination of the local gage reading, when not given, will be made using the gage-gage curves provided by the Districts for all WRU's. These curves will relate the W-P and W/O-P gage readings to the local gage so that the local gage reading may be determined if not known. A typical curve for a W-P gage is shown in Figure 3. Use of such a curve in the computer program is by straight linear interpolation. The curve is stored by picking corresponding pairs (b,a) and inputting via




Figure 3. Typical gage-gage curve

cards the number of pairs and the values for each pair. The values $(b_0, b_1, b_2, \dots, b_i, i \leq 10)$ represent the water levels in feet msl for the W-P gage. The values $(a_0, a_1, a_2, \dots, a_i, i \leq 10)$ are the readings for the local gage at the predetermined W-P gage. Space is provided in the file for a maximum of 10 pairs for each gage-gage curve. After storage of the gage pairs, the user is only required to provide readings for any selected gages. The program will use them and compute the local gage readings for all WRU's for which an interdependence can be established between the given gages and the gages for the WRU. Those for which no interdependence can be established are omitted from any flood effects calculations. Refer to Appendix A for a more detailed discussion of the above concepts.

PART III: DATA REQUIREMENTS PREPARATION

15. Minimal data preparation by the user is required for program execution. The number of gages, each gage code and its associated reading, and the per acre crop costs for the seven crop types constitute all necessary data input for the program. These data are entered in free-field format with spaces or commas separating each data item.

16. Program output consists of terminal printer and stored file data. The data listed on the terminal printer are the detailed and summarized damages for the WRU's selected within the program. Selected WRU's are those for which a gage reading is input or computed using the gage-gage algorithm described in Appendix A. Additionally, these data are stored on disk pack files for use in a graphics display program. See Appendix B for instructions on use of this program. Figure 4a shows an example execution of the flood effects program. At this point the program will compute and print out flood damages for all WRU's affected. Results will also be stored for use in the graphics program.* See Figure 4b for an example of the flood damages printout.

17. At the user's option, damages may be accumulated and displayed by three geopolitical features: state, county, and congressional district. To permit this, each WRU code is stored in a random access master file along with a series of codes identifying the state, county, and congressional district containing it. A second random access file contains the associated names for the states, counties, and districts within LMVD. The first file is keyed to WRU codes and the second to the code of the state, county, and congressional district. Figure 5 is an example of the geopolitical output. As will be noted, the damages vary from one geopolitical entity to the next, reflecting the fact that each is different in composition; i.e., not all WRU's in one congressional district are in the same county.

* Note: This will cause data from previous runs to be destroyed.

LOG ON TO THE COMPUTER UNDER YOUR USERID AND PASSWORD.
 ACCESS THE PROGRAM, G100B, USING READ PERMISSION AS
 INDICATED. FOLLOW STEPS BELOW (RESPONSES ARE
 UNDERLINED):

```

♦PPA 9L18-51006,5
INPUT NUMBER OF GAGES.
=1
INPUT EACH GAGE CODE & PENDING.
=16653-02,145.
VED 1 145.00 16653-01
VED 2 145.00 16653-02
VED 3 145.00 16653-02
VED 4 139.20 16653-03
VED 5 139.20 16653-03
INPUT CROP PRODUCTION COST FACTORS:
  (A) PREHARVEST PRODUCTION COSTS PER ACRE.
  (B) OVERHEAD AND NET RETURN COSTS PER ACRE.
SELECT EACH CROP CODE FROM THE LIST BELOW:
  P01-COTTON      P02-CORN      P03-SOYBEANS   P04-RICE
  P05-SUGARCANE  P06-WHEAT    P07-PASTURE    P08-GRAIN SORGHUM
ENTER NUMBER OF CROPS.
=2
ENTER FOR EACH CROP: THE CROP CODE, PREHARVEST PRODUCTION
      COST PER ACRE, AND OVERHEAD COST PER ACRE.
=P01,5.0
=P02,3.5
  CROPS      ACREA FLOODED
VED 2      0      956      21462      734
P03      880. 1      6883
VED 3      0      1622      3033      1010
P01      480. 1      5978
P03      480. 1      3678
VED 4      0      476      16206      367
P03      386. 1      3083
P04      428. 1      3678
VED 5      0      4194      19569      2261
TOTALS      0      6648      65270      4972
  
```

a. Initial input and results

Figure 4. Example execution

COMPUTE DAMAGES USING PER/ACRE \$ CONSTANTS? (YES OR NO)

PROPERTY DAMAGES
WPU: VED 2
CODE AMOUNT
R15 \$ 0
R16 \$ 0
R17 \$ 0
R18 \$ 0
R19 \$ 0

TOTAL \$ 0

PROPERTY DAMAGES
WPU: VED 4
CODE AMOUNT
R15 \$ 0
R16 \$ 0
R17 \$ 0
R18 \$ 0
R19 \$ 0
R10 \$ 194066
R13 \$ 7932

TOTAL \$ 201999

PROPERTY DAMAGES
WPU: VED 5
CODE AMOUNT
R15 \$ 0
R16 \$ 0
R17 \$ 0
R18 \$ 0
R19 \$ 0
R10 \$ 2631600
R11 \$ 1167000
R13 \$ 3033

TOTAL \$ 3801633

GRAND TOTAL DAMAGES : \$ 4003632

REGIONS AFFECTED
VED0003 4
VED0005 48

TOTAL 102

b. Final results

Figure 4. (Concluded)

COMPUTE AND DISPLAY DAMAGES BY GEOPOLITICAL UNIT? (Y OR N)
 =Y

FLOOD EFFECTS FOR STATE : MISSISSIPPI

	URBAN	CLEARED	WOODED	OTHER	TOTAL	
ACRES FLOODED:		0	4670	35775	3228	43673
CROP DAMAGES						
TOTAL:	0					
PROPERTY DAMAGES						
TOTAL:	0					
PERSONS AFFECTED:		98				

FLOOD EFFECTS FOR COUNTY: BOLIVIA

	URBAN	CLEARED	WOODED	OTHER	TOTAL	
ACRES FLOODED:		0	4670	35775	3228	43673
CROP DAMAGES						
TOTAL:	0					
PROPERTY DAMAGES						
TOTAL:	0					
PERSONS AFFECTED:		98				

FLOOD EFFECTS FOR CONGRESSMAN : DAVID ROWEN

	URBAN	CLEARED	WOODED	OTHER	TOTAL	
ACRES FLOODED:		0	4670	35775	3228	43673
CROP DAMAGES						
TOTAL:	0					
PROPERTY DAMAGES						
TOTAL:	0					
PERSONS AFFECTED:		0				

FLOOD EFFECTS FOR CONGRESSMAN : B. ANTHONY

	URBAN	CLEARED	WOODED	OTHER	TOTAL	
ACRES FLOODED:		0	1978	29495	1744	33217
CROP DAMAGES						
TOTAL:	0					
PROPERTY DAMAGES						
TOTAL:	0					
PERSONS AFFECTED:		0				

Figure 5. Geopolitical results

APPENDIX A: GAGE-GAGE ALGORITHM

1. Figure A1 shows a list of WRU (water resource unit) codes, their local and reference gages, and a gage file of related gages and elevation data. These data come from Figures A2 and A3. These relations form the background for discussing the gage-gage algorithm and the example shown in the following paragraphs.

WRU	Local Gage	Reference Gage	WRU	Local Gage	Reference Gage
OXM0001	1	2	OXM0017	3	2
OXM0002	1	2	OXM0018	3	2
OXM0003	1	2	OXM0019	4	3
OXM0005	1	2	OXM0020	4	3
OXM0007	1	2	OXM0021	4	3
OXM0008	1	2	OXM0022	5	4
OXM0009	2	6	OXM0023	6	7
OXM0012	6	7	OXM0024	7	8
OXM0013	6	7	OXM0025	7	8
OXM0014	6	7	OXM0026	7	8
OXM0015	2	6	OXN0001	8	
OXM0016	2	6			

Gage master file (contains gage-gage data from Figure A3; shows only local-with project data):

GAGE FILE

LOCAL REF.	LOCAL ELEV.				REFERENCE ELEV.			
	1	20	25	30	35	40	44.7	49.5
2	2	15	20	25	30	35	42	46
6	6	19	29	38	42	45		

Figure A1. WRU codes, local and reference gages, and gage file




Figure A2. Typical WRU's

2. Data for the gage-gage curves are derived from curves similar to those shown in Figure A3 and are stored in the gage master file.




Figure A3. Gage-gage curves

3. Figure A4 illustrates the workings of the gage-gage algorithm. With input of gage data for gages 2 and 6, the program computes readings for gages 1, 3, 4, 5, 7, and 8, all of which are stored for subsequent use. Figure A5 illustrates the computational method used.




Figure A4. Flow diagram of gage-gage algorithm




Figure A5. Gage interpolation

- a. Assume R_I equals gage 2 with reading of 42.5.
- b. Compute interpolation ratio:

$$\text{Ratio} = \frac{R_I - R_L}{R_U - R_L} = \frac{42.5 - 42.0}{46.0 - 42.0} = \frac{0.5}{4.0} = 0.125$$

where

R_I = input gage reading of reference gage

R_L = lower gage reading from reference gage-gage curve (Figure A3)

R_U = upper reading of reference from gage-gage curve

- c. Compute local gage difference at points R_L and R_U for reference gage:

$$\text{Difference} = L_{R_U} - L_{R_L} = 49.5 - 44.7 = 4.8$$

where

L_{R_U} = upper local gage value for reference gage
value R_U

L_{R_L} = lower local gage value for reference gage
value R_L

d. Compute local gage reading:

$$\begin{aligned} L_{R_I} &= L_{R_L} + (\text{Ratio} \times \text{Difference}) = 44.7 + (0.125)(4.8) \\ &= 44.7 + 0.6 \\ &= 45.3 \text{ ft*} \end{aligned}$$

where L_{R_I} is the computed local gage reading for a given input reference gage R_I . This reading, 45.3, is recorded in the gage file for future use. The program stores local gage code 1 and the computed reading for use in computing readings for subsequent gages. At this point, the program loops back as before.

4. Flood effects are determined next, using the stage-damage curves and the stored gage data. Each WRU is processed in sequence. Its local and reference gages are compared with the stored gages. A match will cause the flood effects to be computed. No match causes the WRU to be passed over. For example, WRU OXM0002 has a local gage 1 and reference gage 2. Since gages 1 and 2 are both stored, the program uses the gage 1 reading for flood effects. Similarly, all the WRU effects are determined from the stored gages except for OXN0001. This WRU has no listed reference gage. If gage 8 was not stored, no effects could be computed and it would thus be bypassed.

* A table of factors for converting inch-pound units of measurement to metric (SI) units is presented on page 3.

APPENDIX B: INTERACTIVE GRAPHICS

Introduction

Purpose

1. This appendix describes a program designed to display flood effects on an interactive graphics terminal. It is emphasized that this is an interim and not the final version of the program. Additional features requested by LMVD have not yet been incorporated.

Scope

2. Discussion and illustrations have been limited to terminal-user interaction. More detailed information on the program can be obtained from WES.

Methodology

3. The basic purpose of the graphics program is to display flood effects in both graphical and tabulated modes. Tabulated results come from data retrieved from the data files produced in the flood damage estimation program. Graphical data are computed within the program using linear interpolation methods between selected contour intervals. This technique produces a flood line that delineates flooded from unflooded areas. These areas are displayed on the terminal with the flooded areas shaded to highlight them.

Terminal Use

Initiation sequence

4. To initiate program use, the user must log on under his userid and access the graphics program.

System request

5. Upon completion of a successful log on, the user must obtain the graphics program from the library. At the SYSTEM? prompt, he issues the command

```
GET R0KA0FDP/CSTAR,R <CR>
```

to call the program. Upon completing the GET operation, the computer issues another SYSTEM? prompt. The user responds to this with the command FORT for FORTRAN. The next request is for a file name. It appears as

OLD OR NEW?

and the user's response is NEW. This response allows the user to make use of previously compiled programs in binary form which reduce the execution time significantly. The computer next responds with

READY

Thus, the complete response is:

```
SYSTEM? GET RØKAØFDP/CSTAR, R <CR>
SYSTEM? FORT <CR>
OLD OR NEW? NEW <CR>
READY
```

This is followed by a display of

*

Upon display of the "*", the user enters

*GCS2D filename

This response calls in the graphics application package (GCS2D--the two-dimensional Graphics Compatibility System) and the binary program indicated by "filename." In this case, "filename" is CSTAR. Thus, the complete response is:

*GCS2D CSTAR

Note the required space between the two entries. After this entry, the GCS2D program asks for "device"; the user response is TK4.

Condensed, it looks like the following sample:

```
COBEME1 HIS TIME SHARING ON 09/21/81 AT 9.272 CHANNEL 2143 T31
USER ID --R0HAF0F0P
PROMPT--
*****
SUCCES=028 T31=1000 LMEM=00ED=45 CYC=0149F #PFD=2 000-WAIT-000F
•GCS2D R0HAF0F0P FLIB C1TAR*P
device=TK4
          09/22/81 9.291
```

```
DO YOU NEED HELP TO RUN THIS PROGRAM?YES OR NO
=NO
```

```
DO YOU WISH TO USE A FILE OF PREVIOUS RESPONSES?
YES,NO, OR HELP
=NO
```

```
DO YOU WISH TO RETAIN YOUR CURRENT SET OF RESPONSES?
YES, NO, OR HELP
```

Program Prompts

6. After initiating the graphics program, execution begins. The user is requested to respond to various requests for input via a question-answer sequence. Each prompt takes the form of an = sign. These appear immediately after each program query as illustrated below:

```
DO YOU NEED HELP TO RUN THIS PROGRAM? YES OR NO
=
```

7. Most prompts will require a YES or NO response or a response of HELP when more explicit directions are needed. Explanations are available at certain points in the program by typing in HELP or a given code for help. Those prompts that require something other than YES, NO, or HELP will be relatively self-explanatory. Once the last response has been entered, the graphics terminal display will blank out and begin displaying the selected geographical region and its associated flood effects. An example of HELP response is below:

DO YOU NEED HELP TO RUN THIS PROGRAM? YES OR NO
=YES

WELCOME◆
SINCE THIS IS YOUR FIRST TIME TO RUN THIS PROGRAM
IT IS SUGGESTED THAT YOU MAKE A COPY OF THIS PRINT-
OUT FOR FUTURE USE. THAT WAY YOU WILL NOT NEED IT
EVERY TIME.

THE GRAPHICS PROGRAM PERMITS YOU TO◆

DISPLAY A SELECTED AREA.
SHADE THE FLOODED PORTION OF THAT AREA.
SELECT AND DRAW GEOGRAPHICAL FEATURES.
SELECT AND PRINT OUT FLOOD DAMAGES.
USE A PREVIOUSLY SAVED FILE OF RESPONSES.
SAVE YOUR RESPONSES IN A NAMED FILE.

REQUESTED RESPONSES ARE USUALLY SELF-EXPLANATORY.
HOWEVER, SHOULD YOU NEED HELP AT ANY POINT
TYPE THE WORD, 'HELP', AND IT WILL BE PROVIDED.
DO YOU WISH TO USE A FILE OF PREVIOUS RESPONSES?
YES, NO, OR HELP

=HELP

USE OF A PREVIOUSLY CREATED AND RETAINED SET
OF RESPONSES MAY BE DONE BY ATTACHING THAT FILE
CONTAINING THOSE RESPONSES. THIS REQUIRES KNOWING
THE FILE NAME OF THE SAVED RESPONSE FILE.

TO USE RESPOND TO THE FOLLOWING:
DO YOU WISH TO USE A FILE OF PREVIOUS RESPONSES?
YES, NO, OR HELP

=NO

DO YOU WISH TO RETAIN YOUR CURRENT SET OF RESPONSES?
YES, NO, OR HELP

=HELP

USE OF RESPONSE RETENTION FILE.
ALL RESPONSES AND DATA VALUES MAY BE RETAINED ON
THIS FILE. WHEN REQUESTED SUPPLY A FILENAME OF
8 CHARACTERS OR LESS.
DO YOU WISH TO RETAIN YOUR CURRENT SET OF RESPONSES?
YES, NO, OR HELP

=NO

Example Executions

8. In the following examples all user responses are underlined
for clarity.

Basic request sequence

9. The basic request sequence is identified as one in which the
user desires the WRU to be displayed with its flood lines and detailed

flood effects. All other requests are variations of the responses made in this sequence. The basic request sequence is as follows:

DO YOU NEED HELP TO RUN THIS PROGRAM? YES OR NO
=NO

DO YOU WISH TO USE A FILE OF PREVIOUS RESPONSES?
YES, NO, OR HELP

=NO
DO YOU WISH TO RETAIN YOUR CURRENT SET OF RESPONSES?
YES, NO, OR HELP

=NO
USE FAST RESPONSE ROUTINE? YES OR NO

=NO
USER: PROVIDE RESPONSES AS DIRECTED.

HOW DO YOU WANT AREA DISPLAYED?
1--HALF SCREEN 2--FULL SCREEN 3--NO DISPLAY

=2
SELECT THE DESIRED DISPLAY AREA:
1---MRU 2---DISTRICT 3---LMVD 4---BASIN
5---STREAM 6---COUNTY 7---CONGRESSIONAL DISTRICT
8---STATE 9---OTHER 10---HELP

=1
ENTER NUMBER OF MRU TO BE SELECTED.

=1
INPUT EACH CODE, SEPARATE BY COMMA.

=NOOOOO
HOW DO YOU WANT DAMAGE DATA COMPUTED AND PRESENTED:
1--DETAILED/SCREEN 2--SUMMARY/SCREEN 5--NONE
3--DETAILED/OFFLINE 4--SUMMARY/OFFLINE 10--HELP

=1
DO YOU WISH FEATURES DISPLAYED? YES, NO OR HELP

=YES
INPUT DESIRED FLOOD NUMBER.

=1

THIS PROGRAM WILL PAUSE AT THE END OF OUTPUT
SO THAT YOU MAY COPY THE DISPLAY IF YOU DESIRE.
TO CONTINUE EXECUTION ENTER AN * AND GIVE A
CARRIAGE RETURN.

YOU HAVE THE OPTION OF COMPUTING FLOOD EFFECTS
WITH FLOOD CONTROL PROJECTS IN PLACE OR WITH THEM REMOVED.
SELECT THE DESIRED OPTION AS FOLLOWS:

1--WITH PROJECTS IN PLACE
2--WITH PROJECTS ASSUMED REMOVED

=1
ENTER TITLE DATA FOR OUTPUT. END WITH *.
=NEW ORLEANS DATA

Fast response

10. This routine shortens the time for program execution. It requires that the user know ahead of time the correct responses to make. The basic request sequence for fast response is as follows:

DO YOU NEED HELP TO RUN THIS PROGRAM? YES OR NO
=NO

DO YOU WISH TO USE A FILE OF PREVIOUS RESPONSES?
YES, NO, OR HELP
=NO

DO YOU WISH TO RETAIN YOUR CURRENT SET OF RESPONSES?
YES, NO, OR HELP

=NO
USE FAST RESPONSE ROUTINE? YES OR NO

=YES
GIVE ANSWERS AS DESIRED; SEPARATE BY COMMA.
DESIRED DISPLAY CODE (1,2,3)
DESIRED DISPLAY AREA
NUMBER OF CODES

=1,1,1
CODES FOR DISPLAY AREA

=NO00001
DAMAGE COMPUTATION/DISPLAY MODE
FEATURES DESIRED-YES OR NO
FLOOD NUMBER TO USE

=1,NO,1

THIS PROGRAM WILL PAUSE AT THE END OF OUTPUT
SO THAT YOU MAY COPY THE DISPLAY IF YOU DESIRE.
TO CONTINUE EXECUTION ENTER AN * AND GIVE A
CARRIAGE RETURN.

YOU HAVE THE OPTION OF COMPUTING FLOOD EFFECTS
WITH FLOOD CONTROL PROJECTS IN PLACE OR WITH THEM REMOVED.
SELECT THE DESIRED OPTION AS FOLLOWS:
1--WITH PROJECTS IN PLACE
2--WITH PROJECTS ASSUMED REMOVED

=1
ENTER TITLE DATA FOR OUTPUT. END WITH <><.

=NEW OPLEANS DATA

Addition of features to display

11. This sequence provides for adding features to the WRU display:

DO YOU WISH FEATURES DISPLAYED? YES ,NO OR HELP

=YES

INPUT DESIRED FLOOD NUMBER.

=1

THIS PROGRAM WILL PAUSE AT THE END OF OUTPUT
SO THAT YOU MAY COPY THE DISPLAY IF YOU DESIRE.
TO CONTINUE EXECUTION ENTER AN * AND GIVE A
CARRIAGE RETURN.

YOU HAVE THE OPTION OF COMPUTING FLOOD EFFECTS
WITH FLOOD CONTROL PROJECTS IN PLACE OR WITH THEM REMOVED.

SELECT THE DESIRED OPTION AS FOLLOWS:

1--WITH PROJECTS IN PLACE

2--WITH PROJECTS ASSUMED REMOVED

=1

ENTER TITLE DATA FOR OUTPUT. END WITH ^M.

=NDREW OFLEANS DATA

INPUT CODES FOR DESIRED FEATURES, ONE AT A TIME

CB COUNTY BOUNDARY

CD CONGRESSIONAL DISTRICT BOUNDARY

CI CONTOUR INTERVAL

DB DISTRICT BOUNDARY

MR MAINSTEM RIVER

SD STATE BOUNDARY

TR TRIBUTARY BOUNDARY

WHEN FINISHED, TYPE: BT

INPUT FEATURE CODE.

=CB

INPUT FEATURE CODE.

=DB

INPUT FEATURE CODE.

=D

INPUT FEATURE CODE.

=BT

Summary effects display

12. Summary effects are the summarized results of flooding in
the affected area. These may be displayed in lieu of detailed effects:

HOW DO YOU WANT DAMAGE DATA COMPUTED AND PRESENTED:

1--DETAILED/SCREEN 2--SUMMARY/SCREEN 5--NONE
3--DETAILED/OFFLINE 4--SUMMARY/OFFLINE 10--HELP

=10

FLOOD EFFECTS MAY BE COMPUTED IN DETAIL OR SUMMARY
FORM AND STORED IN A FILE FOR FUTURE PRINT OUT.
THESE GIVE THE FLOOD EFFECTS ON PROPERTY, CROPS, LAND,
AND PEOPLE.

HOW DO YOU WANT DAMAGE DATA COMPUTED AND PRESENTED:
1--DETAILED/SCREEN 2--SUMMARY/SCREEN 5--NONE
3--DETAILED/OFFLINE 4--SUMMARY/OFFLINE 10--HELP

=1

YOU HAVE SELECTED OPTIONS THAT CONFLICT WITH EACH OTHER-FULL SCREEN AND FLOOD EFFECTS DISPLAY CANNOT BE DONE SIMULTANEOUSLY, ONE HAS TO BE CHANGED.
PLEASE RESUBMIT RESPONSES AS DESIRED:

CHANGE SELECTION OF:

1--AREA DISPLAY
2--EFFECTS DISPLAY

SELECT ONE.

=1

HOW DO YOU WANT AREA DISPLAYED?

1--HALF SCREEN 2--FULL SCREEN 3--NO DISPLAY

=1

SELECT THE DESIRED DISPLAY AREA:

1---WRU 2---DISTRICT 3---LMVD 4---BASIN
5---STREAM 6---COUNTY 7---CONGRESSIONAL DISTRICT
8---STATE 9---OTHER 10---HELP

=1

Examples

13. Several examples of various combinations of options are included below to illustrate the various outputs to the program. Each is in two parts: a response and a results part. Example 1 is a normal beginning to program execution. Example 2 is a continuation showing selection of a different WRU. Example 3 is Example 2 changed to display selected features and effects. Example 4 is a change to display a different feature. Example 5 shows how more than one WRU may be displayed at once through the translation techniques used by the program. This allows for displaying large areas containing many WRU's.

Computer sign off

14. Upon completion of all desired operations, the program can be terminated according to the following sequence. Upon receiving the NO response, the program returns to the SYSTEM level and the user signs off the terminal by entering the command BYE.

RUN COMPLETE.

DO YOU WISH TO RUN AGAIN? YES OR NO

=NO

VE00001

FLOOD (1) EFFECTS IN DETAIL

UNIT-VE00001

URBAN	ACRES FLOODED			TOTAL
	CLEARED	WOODED	OTHER	
0	4734	0000	010	4844

TYPE	CROP DAMAGES	
	ACRES	COSTS
COTTON	0007	0
CORN	0007	00100
SOYBEANS	0	0
RICE	0	0
SUGARCANE	0	0
WHEAT	0	0
PASTURE	0	0

TOTAL CROP DAMAGES

ACRES	4734	DOLLAR VALUE \$	00100
-------	------	-----------------	-------

PROPERTY DAMAGES	COSTS	
	TYPE	
RURAL EQUIPMENT		0
RURAL SUPPLIES		0
RURAL FARM BORDS		14100
RURAL FENCES		0
RURAL SEWAGE SYSTEMS		22131
RURAL RESIDENTIAL		0
RURAL INDUSTRIAL AND COMMERCIAL		200000
RURAL PUBLIC PROPERTY		0
FARM BUILDINGS		0
PUBLIC ROADS		0
URBAN RESIDENTIAL		0
URBAN INDUSTRIAL AND COMMERCIAL		0
URBAN PUBLIC PROPERTY		0

TOTAL 0 044230

PERSONS AFFECTED 0



Example 1b

RUN COMPLETE.

DO YOU WISH TO RUN AGAIN? YES OR NO

-YES

DO YOU WISH TO USE A FILE OF PREVIOUS RESPONSES?

YES, NO, OR HELP

-NO

DO YOU WISH TO RETAIN YOUR CURRENT SET OF RESPONSES?

YES, NO, OR HELP

-NO

USE FAST RESPONSE ROUTINE? YES OR NO

-YES

GIVE ANSWERS AS DESIRED, SEPARATE BY COMMA.

DESIRED DISPLAY CODE(1,2,3)

DESIRED DISPLAY AREA

NUMBER OF CODES

-1,1,1

1,1,1

1,1,1

FILE CODE OF ILLEGAL CHAR, CORRECTION -1,1,1

CODES FOR DISPLAY AREA

-NO00001

DAMAGE COMPUTATION/DISPLAY MODE

FEATURES DESIRED-YES OR NO

FLOOD NUMBER TO USE

-1,NO,1

THIS PROGRAM WILL PAUSE AT THE END OF OUTPUT
SO THAT YOU MAY COPY THE DISPLAY IF YOU DESIRE.
TO CONTINUE EXECUTION ENTER AN 'Y' AND GIVE A
CARRIAGE RETURN.

YOU HAVE THE OPTION OF COMPUTING FLOOD EFFECTS
WITH FLOOD CONTROL PROJECTS IN PLACE OR WITH THEM REMOVED.
SELECT THE DESIRED OPTION AS FOLLOWS:

1--WITH PROJECTS IN PLACE

2--WITH PROJECTS ASSUMED REMOVED


-1

ENTER TITLE DATA FOR OUTPUT. END WITH '^'.

-NEW ORLEANS AREA\

Example 2a

NEW ORLEANS AREA



FLOOD (1) EFFECTS IN DETAIL

UNIT: NEW ORLEANS AREA

PROPERTY DAMAGES	ACRES FLOODED			TOTAL
	URBAN	CLEARED WOODS	OTHER	
RURAL EQUIPMENT				0.
RURAL SUPPLIES				0.
RURAL FARM ROADS				0.
RURAL FENCES				0.
RURAL DRAINAGE SYSTEMS				0.
RURAL RESIDENTIAL				0.
RURAL INDUSTRIAL AND COMMERCIAL				0.
RURAL PUBLIC PROPERTY				0.
FARM BUILDINGS				0.
PUBLIC BLDGS				0.
URBAN RESIDENTIAL				0.
URBAN INDUSTRIAL AND COMMERCIAL				0.
URBAN PUBLIC PROPERTY				0.
TOTAL				0.
PERSONS AFFECTED				0.

Example 2b

```

RUN COMPLETE.

DO YOU WISH TO RUN AGAIN? YES OR NO
-YES
DO YOU WISH TO USE A FILE OF PREVIOUS RESPONSES?
YES,NO, OR HELP
-NO
DO YOU WISH TO RETAIN YOUR CURRENT SET OF RESPONSES?
YES, NO, OR HELP
-NO
USE FAST RESPONSE ROUTINE? YES OR NO
-NO
USER:PROVIDE RESPONSES AS DIRECTED.

HOW DO YOU WANT AREA DISPLAYED?
1--HALF SCREEN 2--FULL SCREEN 3--NO DISPLAY
-1
SELECT THE DESIRED DISPLAY AREA:
1---URU 2---DISTRICT 3---LAUD 4---BASIN
5---STREAM 6---COUNTY 7---CONGRESSIONAL DISTRICT
8---STATE 9---OTHER 10---HELP
-1
ENTER NUMBER OF URU TO BE SELECTED.
-1
INPUT EACH CODE, SEPARATE BY COMMA.
-NO00001
HOW DO YOU WANT DAMAGE DATA COMPUTED AND PRESENTED?
1--DETAILED/SCREEN 2--SUMMARY/SCREEN 5--NONE
3--DETAILED/OFFLINE 4--SUMMARY/OFFLINE 10--HELP
-2
DO YOU WISH FEATURES DISPLAYED? YES ,NO OR HELP
-YES
INPUT DESIRED FLOOD NUMBER.
-1

THIS PROGRAM WILL PAUSE AT THE END OF OUTPUT
SO THAT YOU MAY COPY THE DISPLAY IF YOU DESIRE.
TO CONTINUE EXECUTION ENTER AN 'B' AND GIVE A
CARRIAGE RETURN.

YOU HAVE THE OPTION OF COMPUTING FLOOD EFFECTS
WITH FLOOD CONTROL PROJECTS IN PLACE OR WITH THEM REMOVED.
SELECT THE DESIRED OPTION AS FOLLOWS:
1--WITH PROJECTS IN PLACE
2--WITH PROJECTS ASSUMED REMOVED
-1
ENTER TITLE DATA FOR OUTPUT. END WITH '\'.
-NEW ORLEANS AREA\
INPUT CODES FOR DESIRED FEATURES, ONE AT A TIME


CB COUNTY BOUNDARY
CD CONGRESSIONAL DISTRICT BOUNDARY
CI CONTOUR INTERNAL
DB DISTRICT BOUNDARY
RR MAINSTEN RIVER
SD STATE BOUNDARY
TR TRIBUTARY BOUNDARY
WHEN FINISHED, TYPE: QT
INPUT FEATURE CODE.
-SD
INPUT FEATURE CODE.
-QT

```

Example 3a

NEW ORLEANS AREA

FLOOD (1) EFFECTS SUMMARY
NEW ORLEANS AREA
TOTAL ACRES FLOODED 0.
TOTAL CROP DAMAGES
ACRES 0. DOLLAR VALUE \$ 0.
TOTAL PROPERTY DAMAGES \$ 0.
PERSONS AFFECTED 0



Example 3b

```


RUN COMPLETE.
DO YOU WISH TO RUN AGAIN? YES OR NO
-YES
DO YOU WISH TO USE A FILE OF PREVIOUS RESPONSES?
YES, NO, OR HELP
-NO
DO YOU WISH TO RETAIN YOUR CURRENT SET OF RESPONSES?
YES, NO, OR HELP
-NO
USE FAST RESPONSE ROUTINE? YES OR NO
-NO
USER: PROVIDE RESPONSES AS DIRECTED.
HOW DO YOU WANT AREA DISPLAYED?
1--HALF SCREEN 2--FULL SCREEN 3--NO DISPLAY
-1
SELECT THE DESIRED DISPLAY AREA:
1---URU 2---DISTRICT 3---LRUD 4---BASIN
5---STREAM 6---COUNTY 7---CONGRESSIONAL DISTRICT
8---STATE 9---OTHER 10---HELP
-1
ENTER NUMBER OF URU TO BE SELECTED.
-1
INPUT EACH CODE, SEPARATE BY COMMA.
-NOOOO1
HOW DO YOU WANT DAMAGE DATA COMPUTED AND PRESENTED:
1--DETAILED/SCREEN 2--SUMMARY/SCREEN 5--NONE
3--DETAILED/OFFLINE 4--SUMMARY/OFFLINE 10--HELP
-2
DO YOU WISH FEATURES DISPLAYED? YES, NO OR HELP
-YES
INPUT DESIRED FLOOD NUMBER.
-1
THIS PROGRAM WILL PAUSE AT THE END OF OUTPUT
SO THAT YOU MAY COPY THE DISPLAY IF YOU DESIRE.
TO CONTINUE EXECUTION ENTER AN 'S' AND GIVE A
CARRIAGE RETURN.
YOU HAVE THE OPTION OF COMPUTING FLOOD EFFECTS
WITH FLOOD CONTROL PROJECTS IN PLACE OR WITH THEM REMOVED.
SELECT THE DESIRED OPTION AS FOLLOWS:
1--WITH PROJECTS IN PLACE
2--WITH PROJECTS ASSURED REMOVED
-1
ENTER TITLE DATA FOR OUTPUT. END WITH '^'.
-NEW ORLEANS AREA
INPUT CODES FOR DESIRED FEATURES, ONE AT A TIME
CB COUNTY BOUNDARY
CD CONGRESSIONAL DISTRICT BOUNDARY
CI CONTOUR INTERVAL
DB DISTRICT BOUNDARY
RR MAINSTEM RIVER
SB STATE BOUNDARY
TR TRIBUTARY BOUNDARY
WHEN FINISHED, TYPE: GT
INPUT FEATURE CODE.
-CB
INPUT FEATURE CODE.
-CI
INPUT FEATURE CODE.
-GT

```

Example 4a

NEW ORLEANS AREA

FLOOD (1) EFFECTS SUMMARY
UNIFIED NEW ORLEANS AREA-
TOTAL ACRES FLOODED 0.
TOTAL CROP DAMAGES
ACRES 0. DOLLAR VALUE \$ 0.
TOTAL PROPERTY DAMAGES \$ 0.
PERSONS AFFECTED 0



Example 4b


```

RUN COMPLETE.
DO YOU WISH TO RUN AGAIN? YES OR NO
*YES
DO YOU WISH TO USE A FILE OF PREVIOUS RESPONSES?
YES, NO, OR HELP
*NO
DO YOU WISH TO RETAIN YOUR CURRENT SET OF RESPONSES?
YES, NO, OR HELP
*NO
USE FAST RESPONSE ROUTINE? YES OR NO
*NO
USER: PROVIDE RESPONSES AS DIRECTED.
HOW DO YOU WANT AREA DISPLAYED?
1--HALF SCREEN 2--FULL SCREEN 3--NO DISPLAY
*2
SELECT THE DESIRED DISPLAY AREA:
1---URU 2---DISTRICT 3---LRUB 4---BASIN
5---STREAM 6---COUNTY 7---CONGRESSIONAL DISTRICT
8---STATE 9---OTHER 10---HELP
*1
ENTER NUMBER OF URU TO BE SELECTED.
*2
INPUT EACH CODE, SEPARATE BY COMMA.
*NO00001,UE00001
HOW DO YOU WANT DAMAGE DATA COMPUTED AND PRESENTED?
1--DETAILED/SCREEN 2--SUMMARY/SCREEN 5--NONE
3--DETAILED/OFFLINE 4--SUMMARY/OFFLINE 10--HELP
*5
DO YOU WISH FEATURES DISPLAYED? YES, NO OR HELP
*YES
INPUT DESIRED FLOOD NUMBER.
*1
THIS PROGRAM WILL PAUSE AT THE END OF OUTPUT
SO THAT YOU MAY COPY THE DISPLAY IF YOU DESIRE.
TO CONTINUE EXECUTION ENTER AN 'S' AND GIVE A
CARRIAGE RETURN.
YOU HAVE THE OPTION OF COMPUTING FLOOD EFFECTS
WITH FLOOD CONTROL PROJECTS IN PLACE OR WITH THEM REMOVED.
SELECT THE DESIRED OPTION AS FOLLOWS:
1--WITH PROJECTS IN PLACE
2--WITH PROJECTS ASSUMED REMOVED
*1
ENTER TITLE DATA FOR OUTPUT. END WITH '\'.
*NEW ORLEANS AND VICKSBURG AREAS\
INPUT CODES FOR DESIRED FEATURES, ONE AT A TIME
CB COUNTY BOUNDARY
CB CONGRESSIONAL DISTRICT BOUNDARY
CI CONTOUR INTERVAL
DB DISTRICT BOUNDARY
FR RAINTON RIVER
SB STATE BOUNDARY
TR TRIBUTARY BOUNDARY
WHEN FINISHED, TYPE: 0Y
INPUT FEATURE CODE.
*DB
INPUT FEATURE CODE.
*0Y

```

Example 5a

NEW ORLEANS AND VICKSBURG AREAS



Example 5b

In accordance with letter from DAEN-RDC, DAEN-ASI dated 22 July 1977, Subject: Facsimile Catalog Cards for Laboratory Technical Publications, a facsimile catalog card in Library of Congress MARC format is reproduced below.

Enete, Walter L.

User's guide to the flood damage estimation system / by Walter L. Enete (Automatic Data Processing Center, U.S. Army Engineer Waterways Experiment Station). -- Vicksburg, Miss. : The Station ; Springfield, Va. : available from NTIS, 1982.

38 p. in various pagings : ill. ; 27 cm. -- (Instruction report ; K-82-1)

Cover title.

"January 1982."

Final report.

"Prepared for U.S. Army Engineer Division, Lower Mississippi Valley."

1. Computer programs. 2. Flood damage prevention.
3. Flood forecasting. I. United States. Army. Corps of Engineers. Lower Mississippi Valley Division.
II. U.S. Army Engineer Waterways Experiment Station. Automatic Data Processing Center. III. Title IV. Series: Instruction report (U.S. Army Engineer Waterways Experiment Station) ; K-82-1.
TA7.W341 no.K-82-1