

AD-A118 577 TEXAS UNIV AT AUSTIN DEPT OF COMPUTER SCIENCES
FINAL REPORT ON GRANT AFOSR-81-0080.(U)
APR 82 L S DAVIS

F/G 9/2

UNCLASSIFIED

AFOSR-TR-82-0663

AFOSR-81-0080

NL

1-1



END

DATE

10-82

FILE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE

1. REPORT NUMBER AFOSR-TR- 82-0663		2. GOVT ACCESSION NO. AD-A118577	
3. TITLE (and Subtitle) FINAL REPORT/GRANT AFOSR-81-0080		4. TYPE OF REPORT & DATES COVERED FINAL, 1 MAR 81 - 31 MAR 82	
5. AUTHOR(s) Larry S. Davis		6. PERFORMING ORG. REPORT NUMBER	
7. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Computer Sciences University of Texas Austin TX 78712		8. CONTRACT OR GRANT NUMBER(s) AFOSR-81-0080	
9. CONTROLLING OFFICE NAME AND ADDRESS Mathematical & Information Sciences Directorate Air Force Office of Scientific Research Bolling AFB DC 20332		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS PE61102F; 2304/A2	
11. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE APR 82	
		13. NUMBER OF PAGES	
		14. SECURITY CLASS. (of this report) UNCLASSIFIED	
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18. SUPPLEMENTARY NOTES			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Image processing; texture; edge detection.			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report summarizes progress made under support of the grant; developing an image segmentation algorithm called NITES; and recovering the three-dimensional orientation of a planar textured surface from an image of that surface.			

DTIC
ELECTE
AUG 25 1982

S

D

E

AD A118577

DTIC FILE COPY

1. RESEARCH OBJECTIVES

This is the final report for Air Force Grant AFOSR-81-0080.

This grant was a logical continuation of Contract F49620-80-C-0043. The main research objectives of the project included:

- 1) Developing formal models for the detection of local features, such as edges, in natural textures.
- 2) Developing image segmentation models based on the spatial distributions of texture features in an image, and
- 3) Conducting empirical studies of the theoretical models developed in (1) and (2) to the analysis of natural textures.



tion For	
GRA&I	☒
AB	☐
inced	☐
location	☐
tion/	
ility Codes	
Dist	ail and/or Special
A	

2. FINAL STATUS OF THE RESEARCH PROJECT

The contributions in image texture analysis achieved during the first 24 months of this research program are documented in the final report for Contract F49620-79-C-0043. During the past 12 months we have concentrated on two research problems:

- 1) During 1980-1981 we developed an image segmentation algorithm called MITES. MITES is an iterative algorithm which performs non-linear smoothing of texture features based on determining, for each pixel in an image, whether that pixel is interior to a uniformly textured region, or is on an edge

Approved for public release;
distribution unlimited.

AIR FORCE OFFICE OF SCIENTIFIC INFORMATION REPORT
NOTICE OF TRANSMITTAL TO DTIC
This technical report has been reviewed and is
approved for public release IAW AFR 100-21.
Distribution is unlimited.
MATTHEW J. KEMPER
Chief, Technical Information Division

between two differently textured regions. We were able to successfully segment a variety of images containing several differently textured regions.

The MITES algorithm was computationally very expensive, because at each iteration one had to determine, for each pixel, whether that pixel was interior to a textured region or an edge pixel. This required a significant number of computations per pixel. Therefore, we decided that it would be worthwhile to investigate a parallel version of MITES. (Actually, MITES is, in principle, a parallel algorithm, but at the pixel level; for practical purposes, one would like to break the picture into blocks, and analyze a complete block.)

Therefore, in [1], Mitiche and Davis investigated an extension of a local thresholding algorithm first proposed by Chow and Kaneko [2]. This algorithm is based on a regular decomposition of the image into square blocks. Segmentations are computed for a subset of these blocks, and then the segmentations for these blocks are "interpolated" into the remaining blocks. In the original Chow and Kaneko paper, the segmentation was computed by a thresholding operation. In the experiments which we reported in [1], a thresholding segmentation operator was also used, but the control of this operator was

designed so that a variable, rather than fixed, resolution grid of blocks were the domains of the segmentation processes.

In [1] we describe the results of applying the algorithm to a variety of images (mostly containing textures composed of large, noisy primitives). In the future, this would should be extended to utilize the MITES segmentation algorithm as the segmentation process.

- 2) During the past year, we have started to give a considerable amount of attention to the problem of recovering the three-dimensional orientation of a planar textured surface from an image of that surface. When analyzing images of uniformly textured three-dimensional planar surfaces one would not expect their images to be uniformly textured because of foreshortening and distance effects. If we ignore distance effects (by assuming a parallel-projection), then one can concentrate on recovering surface orientation from textured-based on an analysis of the effects of the projection operator on surface textural features. In a recent paper, Witkin [3] suggested that the non-uniformities that one observes in images of textured surfaces are mostly due to the projection operation. More specifically, Witkin related the curvature of the surface to the distribution of gradient directions on the surface, and assumed that deviations from a uniform observed distribution of gradient directions is due to the

of a texture are a result of projection. Thus, one must determine how a uniform distribution of directions is transformed by the projection operation. Once this transformation is determined, then one can pose the problem of recovering the surface orientation of a small planar patch of texture based on observing the distribution of directions of gradients in an image as a maximum likelihood problem.

We have been studying several very efficient computational procedures for solving (approximations) to the maximum likelihood problem. Furthermore, we have been investigating other approaches to modelling the texture on a planar surface so that the effects of projection can be analyzed. Since this work was in progress at the termination of the grant, there are no written reports which describe the work. The work is currently being continued under a different source of support at the Computer Vision Laboratory, University of Maryland, College Park, MD.

REFERENCES

1. A. Mitiche and L. S. Davis, "Local Thresholding Using Convergent Evidence," University of Texas LISA TR-81-4, June 1981.
2. C. K. Chow and T. Kaneko, "Automated Boundary Detection of the Left Ventricle from Cineangiograms," Comp. Biomedical Res., 5, 1972, 388-410.

3. A. P. Witkin, "Recovering Surface Shape and Orientation from Texture," Artificial Intelligence, 17, 1981, 17-45.

3. WRITTEN PUBLICATIONS (which appeared or were accepted for publication during the past 12 months)

1. A. Mitiche and L. S. Davis, "Local Thresholding Using Convergent Evidence," University of Texas LISA TR-81-4, June 1981.
2. L. S. Davis and L. S. Davis, "MITES: A new tool of image segmentation," accepted for publication in Computer Graphics and Image Processing.
3. A. Mitiche and L. S. Davis, "Finding Edges in Natural Textures," accepted for publication in Signal Processing.

4. PROFESSIONAL PERSONNEL

1. Larry S. Davis, Associate Professor and Principal Investigator.
2. Amar Mitiche, Graduate Research Assistant (Ph.D. granted, May, 1981).
3. Davis Harwood, Graduate Research Assistant.
4. Larry Mahaffey, Graduate Research Assistant.

5. INTERACTIONS

1. Delivered lecture, "A survey of texture analysis" at NASA Johnson Space Center, June 1981.