

Research Note 81-26

STUDY OF EFFECTIVENESS OF ARMY
CONTINUING EDUCATION SYSTEM

J. R. Brink, S. Newman, M. Spurgeon and
J. R. Stock
Battelle Columbus Laboratories

BASIC SKILLS INSTRUCTIONAL SYSTEMS TECHNICAL AREA

AD A 126352

DTIC FILE COPY



U. S. Army

Research Institute for the Behavioral and Social Sciences

August 1981

Approved for public release; distribution unlimited.



85 07 00 013

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Research Note 81-26	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Study of Effectiveness of Army Continuing Education System		5. TYPE OF REPORT & PERIOD COVERED Research Note
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) J. R. Brink, S. Newman, M. Spurgeon, & J. R. Stock		8. CONTRACT OR GRANT NUMBER(s) MDA 903-79-C-0397
9. PERFORMING ORGANIZATION NAME AND ADDRESS BATTELLE Columbus Laboratories 505 King Avenue Columbus, Ohio 43201		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 2Q263731A770
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Research Institute for the Behavioral and Social Sciences 5001 Eisenhower Ave., Alexandria, VA 22333		12. REPORT DATE August 1981
		13. NUMBER OF PAGES 142
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES This project was monitored technically by Dr. Roberta W. Day, Dr. Zita M. Simutis & Dr. Melissa S. Berkowitz of the US Army Research Institute.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Army Continuing Education System Evaluation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The purpose of the research was to evaluate the impact of participation in the Army Continuing Education System (ACES) upon soldier performance. Four ACES programs were selected for evaluation: Basic Skills Education Program I, Literacy Phase (BSEP I-Lit); Basic Skills Program I English as a Second Language (BSEP I-ESL); Skill Development - General Vocational-Technical (Vo-Tech); and Veterans Educational Assistance Program (VEAP). Independent, dependent and control variables were selected and sample sizes were determined. Sources for-		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED


1 SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

obtaining the variable data were identified, including computerized sources and four installations were selected for manual collection of Vo-Tech data. A methodology was designed for the collection, storage and management of data. A comparative statistical analysis of the results was not completed due to problems encountered in accessing, obtaining and processing computerized and manual soldier performance data.

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	



Research Note 81-26

STUDY OF EFFECTIVENESS OF ARMY
CONTINUING EDUCATION SYSTEM

J. R. Brink, S. Newman, M. Spurgeon and
J. R. Stock
Battelle Columbus Laboratories

Submitted by:
Harold F. O'Neil, Acting Chief
BASIC SKILLS INSTRUCTIONAL SYSTEMS TECHNICAL AREA

Approved by:
Milton S. Katz, Acting Director
TRAINING RESEARCH LABORATORY

U.S. ARMY RESEARCH INSTITUTE FOR THE BEHAVIORAL AND SOCIAL SCIENCES
5001 Eisenhower Avenue, Alexandria, Virginia 22333

Office, Deputy Chief of Staff for Personnel
Department of the Army

August 1981

Army Project Number
2Q263731A770

Military Personnel Performance
Development and Assessment

Approved for public release; distribution unlimited.

EXECUTIVE SUMMARY

The Study of Effectiveness of Army Continuing Education System (ACES) was undertaken as part of the Army Research Institute for the Behavioral and Social Sciences' efforts to meet the need for an objective evaluation of ACES program participation effects on soldier performance. Part I of the study documented a methodology for conducting a cross-sectional and potential longitudinal research study designed to perform this evaluation. The objective of Part II was to conduct the cross-sectional study designed in Part I.

Four major tasks were completed in Part I which provided background for the conduct of Part II: (1) based on predetermined selection criteria, four ACES programs were chosen for evaluation: Basic Skills Education Program I, Literacy Phase (BSEP I-Lit), Basic Skills Program I, English as a Second Language (BSEP I-ESL), Skill Development - General Vocational-Technical (Vo-Tech), and Veterans Educational Assistance Program (VEAP); (2) potential independent, dependent, and control measurement variables were selected; (3) sources for obtaining the variable data were identified, including computerized sources and four installations selected for manual collection of the Vo-Tech program data: Forts Bliss, Bragg, Ord and Polk; and, (4) an evaluation design was developed for the comparative statistical analysis.

The Part II proposed methodology included three stages. The following two were completed at the conclusion of the project: (1) the final selection of measurement variables and estimation of the sample sizes and (2) the collection, storage and management of data. The third proposed stage, the comparative statistical analysis of the results, was not completed. The efforts required in accessing, obtaining, and processing soldier performance data from Army computerized data files exhausted the time schedule and resources available for the project.

The final variable selections were based on a preliminary examination of the data available from the identified sources and a refinement of the evaluation design. In addition, two efforts were eliminated from the planned methodology: the VEAP evaluation and Vo-Tech data collection from Fort Ord.

The collection, storage and management of data is documented according to the two data collection modes: manual and computerized. The manual data collection effort involved the development, pilot testing, and revision of forms and procedures; site visits; and tabulating and processing results. Problems encountered with education or personnel records which might have an impact on soldier record accuracy were noted and reported.

The computerized data collection and processing included developing a data accession plan, describing the data sought, procedure development, and describing procedures for performing the analysis. The data accession plan presented strategies for defining and selecting samples, collecting data for the four ACES programs, and obtaining control and dependent variables from the computerized sources. The data sought was based on the defined program sample. Requests for the data were made to the Training and Doctrine Command (TRADOC), Military Personnel Center (MILPERCEN), Defense Manpower Data Center (DMDC), and the Vo-Tech data were encoded on the computer.

The procedures developed for updating and creating records served three distinct purposes: (1) to add data to the master file, (2) to obtain data from the master file, and (3) the manipulation of tapes. The procedures were self-documenting and specifications for those implemented were developed. Ten files, envisioned during the design phase, and the basic purposes and procedures for these files are described. Several procedures for performing the analysis were implemented which simplified gaining access to the data and execution of an SPSS program (Statistical Package for the Social Sciences), including procedures to create or extract from the master file. A sample SPSS program is presented with the appropriate set of program variables appended. Problems encountered in the development and implementation of these procedures were noted.

A preliminary analysis was performed which demonstrated that the system operated as planned, but the quality of the data obtained was less than expected. The sample sizes obtained and matching birthdate and sex variable comparisons among the various data sources are presented and discussed. Low retrieval rates and low matching rates (53 to 76 percent) on the basic variables selected for quality checks, birthdate and sex, decreased confidence in the quality of the remaining data. Potential causes for the discrepancies and suggested actions required to overcome the problems are discussed.

A summary of problems encountered during the collection, storage and management of data is presented. The Vo-Tech data collection problems encountered included lack of standardization in data records, missing follow-up course data, and low incidence of recorded data on participation in ACES programs in general, which affects obtaining satisfactory sample sizes for groups of soldier participants.

The problems encountered in the computerized data collection efforts included the use of the not up-to-date Exec 8 operating system, arbitrary file limitations placed on the users, lack of direct access to personnel with expertise in using this system, the time expended in going through the "hierarchy" to execute requests or obtain answers to questions, and problems in signing-on due to overworked phone trunk lines. Suggested causes and a discussion of possible resolutions for overcoming these problems are discussed. These considerations present implications for any subsequent linking of ACES data and soldier performance data in an evaluation of ACES program impact.

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION.	1
BACKGROUND	4
ACES Programs Selected	4
Measurement Variables Identified	6
Primary Data Sources	6
Posts Selected for Vo-Tech Data	12
Evaluation Design.	12
METHODOLOGY	13
Final Selection of Measurement Variables And Estimated Sample Sizes	13
Collection, Storage, and Management of Data	13
Vo-Tech Program Data Collection	13
Problems Encountered	21
Computerized Data Collection and Processing	23
Data Accession Plan	23
Data Sought	26
Procedure Development	27
Procedures to Perform Analysis	29
Preliminary Analysis	36
Summary of Problems Encountered During Collection, Storage, and Management of Data	40
Vo-Tech Data Collection	40
Computerized Data Collection	41

APPENDICES

APPENDIX A. DATA PROCESSING PROCEDURES IMPLEMENTED	A-1
APPENDIX B. FUNCTIONAL DESIGN OF COMPUTER PROCESSING PROCEDURES IMPLEMENTED	B-1
APPENDIX C. SPSS PROGRAM VARIABLES DEVELOPED	C-1

LIST OF TABLES

Table 1.	Potential Independent Variables	7
Table 2.	Potential Dependent Variables and Related Identifiers	9
Table 3.	Selected Control Variables and Identifiers	11
Table 4.	Basic Skills Education Program - BSEP I Literacy Variables and Sources	14
Table 5.	Basic Skills Education Program - BSEP I ESL Variables and Sources	15
Table 6.	Skill Development - General Vocational Technical Program - Vo-Tech Variables and Sources	16
Table 7.	Approximate Sample Size Needed for Each Program Evaluation and Data Sources	17
Table 8.	Summary of Vo-Tech Data Collected	22
Table 9.	File Description Summary	31
Table 10.	Sample Sizes with DMDC and MILPERCEN Data Matches	37
Table 11.	Birthdate Comparisons	38
Table 12.	Sex Comparisons	39

LIST OF FIGURES

Figure 1.	Draft Final Report Outline	3
Figure 2.	ACES Program Selection Rating Form	5
Figure 3.	Vo-Tech Data Collection Form	20
Figure 4.	Data Access Flow	24
Figure 5.	Master File Status Report	30
Figure 6.	Sample SPSS Program	34

PART II TECHNICAL REPORT

on

STUDY OF EFFECTIVENESS OF ARMY
CONTINUING EDUCATION SYSTEM
(CONTRACT MDA903 79-C-0397)

to

U.S. ARMY RESEARCH INSTITUTE FOR THE
BEHAVIORAL AND SOCIAL SCIENCES

from

BATTELLE-COLUMBUS LABORATORIES

August 12, 1981

INTRODUCTION

The Army Continuing Education System (ACES) provides programs designed to enhance the educational development of active duty personnel as well as increase military job progression and skill proficiency. The Education Directorate, Adjutant General's Center, as the administering agency of ACES, has expressed a need for an objective evaluation of the relationship between participation in ACES and effects on soldier performance.

Factors contributing to the need for this evaluation include: (1) the General Educational Development (GED) program charter in 1956, which included education for increased military efficiency, (2) ACES' focus on personal development of individual service members, and (3) the increasing importance of the impact of ACES on Army career development and Army job progression.

In Part I of this project, Battelle designed a methodology for an empirical cross-sectional and potential longitudinal study to determine whether or not there is evidence that ACES has a statistically significant positive impact on duty performance of soldiers. The objective of Part II was to conduct the cross-sectional study designed in Part I. Figure 1 is a Draft Final Report Outline, developed during the last reporting period of the project, which describes the major steps anticipated to obtain and process the data, conduct the statistical analysis, and prepare a research report of the results. This report documents the implementation of the

study methodology through the summary of problems encountered during the collection, storage, and management of data. The comparative statistical analysis, and subsequent results, conclusions and recommendations based on the analysis were not completed because of the problems encountered in accessing, obtaining, and processing soldier performance data from the computerized data files at the Defense Manpower Data Center (DMDC) and the Military Personnel Center (MILPERCEN). Several extensions of the contract performance period were required because of these data accession and processing problems. Both the Battelle-Columbus staff and the Army Research Institute representatives extended their best efforts to overcome these problems. However, project time schedules and resources were exhausted in this effort. Moreover, the quality of the data accessed through these efforts precluded the performance of the planned comparative statistical analysis.

- I. SUMMARY
- II. INTRODUCTION
 - A. Problem -- ACES Program Benefits to the Army (Participation Effects on Soldier Performance)
 - B. Objectives of Part II
 - Conduct Cross-Sectional Study Designed in Part I
 - 1. Obtaining and Processing Data
 - 2. Conducting Statistical Analysis
 - 3. Prepare Research Report
- III. BACKGROUND -- Summary of Part I Results
 - A. ACES Programs Selected
 - B. Measurement Variables Selected
 - C. Army Posts Selected for Vo-Tech Data
 - D. Data Sources Identified
 - E. Evaluation Design
- IV. METHODOLOGY
 - A. Final Selection of Measurement Variables and Estimated Sample Sizes
 - B. Collection, Storage, and Management of Data
 - 1. Vo-Tech Data Collection
 - a. Development of Procedures and Forms
 - b. Pilot Test of Forms and Procedures
 - c. Data Collection Site Visits and Results
 - d. Problems Encountered
 - 2. Computerized Data Collection and Processing
 - a. Data Accession Plan
 - b. Data Sought
 - c. Procedure Development
 - d. General Comments of Data Processing
 - e. Procedures to Perform Analysis
 - f. Preliminary Analysis
 - 3. Summary of Problems Encountered During Collection, Storage and Management of Data
 - a. Vo-Tech Data Collection
 - b. Computerized Data Collection
 - C. Statistical Analysis
 - 1. Evaluation Measures and Research Hypothesis
 - 2. Sampling Plan
 - 3. Analysis
- V. RESULTS AND CONCLUSIONS
- VI. RECOMMENDATIONS
- VII. APPENDICES

FIGURE 1. FINAL REPORT OUTLINE ON STUDY OF EFFECTIVENESS OF ARMY CONTINUING EDUCATION SYSTEMS, PART II

BACKGROUND

Part I of this study involved completion of four major activities: (1) development of criteria for and selection of the ACES programs for evaluation, (2) selection of measurement variables for ACES participant versus nonparticipant comparisons, (3) identification of sources for needed data, and (4) creation of an evaluation design for the Part II cross-sectional analysis and the potential longitudinal analysis. The results of Part I are fully documented in the Part I Technical Report, dated January 25, 1980 and revised March 5, 1980. A summary of these results is presented below.

ACES Programs Selected

Eleven ACES programs were considered for potential evaluation. Program descriptions, data available, and potential problems with the evaluation were documented. Criteria for program selection were then developed and presented in a rating scale format. Rating scales were completed by ARI, TAGCEN, and Battelle staff representatives and then combined into a consensual rating, shown in Figure 2. Using the rating scale results and previously identified program evaluation problems, the following four ACES programs were selected.

- Basic Skills Education Program I - Literacy Phase (BSEP I - LIT)
- Basic Skills Education Program I - English as a Second Language (BSEP I - ESL)
- Skill Development - General Vocational Technical Program (Vo-Tech)
- Veteran's Educational Assistance Program (VEAP)

Five technologies within the Vo-Tech program area were selected for study: Automotive, Diesel, Welding, Electronics, and Construction. These particular Vo-Tech courses provide soldiers opportunities in MOS related skills as well as marketable civilian skills.

A decision was made during Part II not to analyze the VEAP program since these data are analyzed annually in an ongoing Department of Defense-wide study.

	Adequate Size of Participant Group	Adequate Size of Non-Participant Group	Available & Accurate Participant Data	Operational Indicator of Program Completion or Degree of Participation in the Program	Probable Impact on Military Proficiency	Ease of Data Collection	Perceived Significance	TOTAL	A Variety of ACES Programs; e.g., Academic, Skill Development, & Skill Documentation
1. Basic Skills Education Program I	+	+	+	+	+	+	+	8	1
2. Basic Skills Education Program II	+	+	0	+	+	+	+	7	
3. High School Completion Program	-	+	0	+	+	-	0	2	
4. Association Degree Program (SOCAD)	+	+	0	+	+	-	+	5	
5. Bachelor's Degree & Higher Degree Programs (SOC)	0	+	0	+	+	-	0	3	
6. Army Apprenticeship Program	+	+	+	+	-	-	+	0	3
7. Skill Development Program									
a. MOS Refresher Program	+	0	0	-	+	+	+	2	
b. Vo-Tech Program	+	+	0	+	0	0	+	3	4
8. HEADSTART/GATEWAY	+	-	+	+	0	0	+	2	
9. English as a Second Language	+	+	0	+	+	+	+	7	2
10. Veterans' Educational Assistance Program	+	+	+	+	0	0	+	6	3

FIGURE 2. ACES PROGRAM SELECTION RATING FORM

Measurement Variables Identified

Tables 1 through 3 present the potential measurement variables identified and documented in Part I of the study. The independent variables listed in Table 1 are program-specific factors such as participation/eligibility, completion status, length of instruction, pre- and post-test scores. The dependent variables presented in Table 2 are indicators of soldier value to the Army through measures such as performance on the job, career progression, and attitude. The selected control variables presented in Table 3 are used to compare the experimental groups on basic demographic, background, and aptitude characteristics. These potential measurement variables were further refined and selections were made in Part II based on such criteria as accessibility and accuracy of records.

Primary Data Sources

Also listed in Tables 1 through 3 are the potential sources identified for the variable data. The primary sources to be used from these lists are:

- TRADOC - Training and Doctrine Command, Fort Monroe, VA
- DMDC - Defense Manpower Data Center, Washington, DC
- MILPERCEN - Military Personnel Center, Alexandria, VA
- TSC - Training Support Center, Fort Eustis, VA
- EREC - Enlisted Records Evaluation Center, Fort Benjamin, Harrison, IN
- MPRJ - Military Personnel Records Jacket (DA Form 201), Military Personnel Offices (MILPOS) at selected Army posts
- Education Development Record (DA Form 669), Education Offices at selected Army posts.

Most of the measurement variables were available through computerized data sources with the exception of the Vo-Tech program. This information was only available in individual soldier education and personnel records and therefore had to be accessed manually.

TABLE 1. POTENTIAL INDEPENDENT VARIABLES

Variables	Data Sources			Records Kept At			
	DA Form 1821-2-R ⁽¹⁾	DA Form 1821-1-R ⁽²⁾	DA Form 669 ⁽³⁾	Post Ed Center ⁽⁴⁾	TAGCEN ⁽⁵⁾	DMDC ⁽⁶⁾	MILPERCEN ⁽⁷⁾ 201 File ⁽⁸⁾
BSEP I							
Participation/Eligibility							
• Successful Completion			X				
• Unsuccessful Completion			X				
• Incomplete Participation			X				
• No Participation	X		X				
Program Variables							
• Days Enrolled	X						
• Period of Enrollment	X						
• Pre/Post Scores	X						
• Primary Language	X						
BSEP II							
Participation/Eligibility							
• Successful Completion		X	X				
• Unsuccessful Completion		X	X				
• Incomplete Participation		X	X				
• No Participation		X	X				
Program Variables							
• Hours of Instruction		X					
• Period of Enrollment		X					
• Pre/Post Scores		X					
• GED Attempt		X	X				
HSCT							
Participation/Eligibility							
• Successful Completion			X	X			
• Unsuccessful Completion				X			
• Incomplete Participation				X			
• Participation-GED Comp.				X			
• BSEP II Participation			X	X			
• No Participation							
Program Variables							
• Highest Year of Education						X	X
• No. of Units Acquired By Subject			X				X
SOC/SOCAD							
Participation/Eligibility							
• Successful Completion AA			X			X	
• Successful Completion BA			X			X	
• Successful Completion Other			X			X	
• Non Participant but Eligible: HSD or GED			X			X	
Program Variables							
• Length of Time Since Eligible*							
• Presently Participating No. of Residential Credits							
• Period of Enrollment			X				
• Time Since Last Enrollment			X				

*to be computed from other data

(1) BSEP I data form kept at TRADOC

(2) BSEP II form kept at TRASANA

(3) A form which lists a soldier's civilian/military education and training, kept at the soldier's resident Education Center

(4) Post education center records

(5) The Adjutant General's Center

(6) Defense Manpower Data Center

(7) Military Personnel Center

(8) DA 201 File located at resident post - Master Personnel Records File

TABLE 1. (Continued)

Variables	Data Sources			Records Kept At Post Ed Center	TAGCEN	DMDC	MILPERCEN	201 File
	DA Form 1821-2-R	DA Form 1821-1-R	DA Form 669					
<u>ARMY APPRENTICESHIP</u>								
Participation/Eligibility By MOS								
• Successful Completion					X			
• Presently Participating					X			
• No Longer Participating					X			
• Non Participants								
Program Variables								
• Length of Time Since Awarded MOS					X			
• Hours Logged Training								
• Hours Logged On The Job								
• Period of Enrollment					X			
<u>SKILL DEVELOPMENT-GENERAL VOCATIONAL TECHNICAL</u>								
Participation/Eligibility								
• Degrees or Certificates Awarded			X					
Program Variables								
• Length of Time Since Acquired MOS (AIT Graduation Date)				X				
• Relevance of Course to Duty MOS							X	
• Period of Enrollment								
<u>SKILL DEVELOPMENT-MOS REFRESHER/DEVELOPMENT</u>								
Participation/Eligibility								
• Successful Completion					X			
• Non Successful Completion					X			
• Non Participants								
Program Variables								
• Length of Time Since Acquired MOS (AIT Graduation Date)							X	
• Amount of Time in MOS Before MOS Refresher			X					
• Amount of Time Since MOS Refresher			X					
• Hours of Instruction				X				
<u>HEADSTART/GATEWAY</u>								
Participation/Eligibility								
• Completed Program			X					
• Incomplete Participation			X					
Program Variables								
<u>ESL (ONLY BY TEST REFERRAL)</u>								
Participation/Eligibility								
• Eligibility Under 70 ECLT	X	X						
Program Variables								
• Time Enrolled	X	X						
• Period of Enrollment	X	X						
• Pre/Post ECLT	X	X						
<u>VEAP</u>								
Participation/Eligibility								
• Contributing (Entered After 12/31/76)					X			
• Non Contributing (Entered After 12/31/76)					X			
Program Variables								
• Length of Time Contributing					X			
• Reenlistment							X	X

TABLE 2. POTENTIAL DEPENDENT VARIABLES AND RELATED IDENTIFIERS

Variables	Data Sources						
	MILPERCEN ⁽¹⁾	DMDC ⁽²⁾	EER/SEER ⁽³⁾	201 ⁽⁴⁾	EREC ⁽⁵⁾	PPWS ⁽⁶⁾	TSC ⁽⁷⁾
JOB SKILL AND KNOWLEDGE PROFICIENCY							
• SQT - Performance Certification Component							X
• SQT - Written Component							X
• SQT - Hands-on Component							X
• SQT - Overall (X of "GO" units)	X				X		X
• SQT - Form Number							X
• Scope of Knowledge About Duties ⁽⁸⁾			X	X			
• Demonstrated Overall Performance ⁽⁸⁾			X	X			
• EER - Total Score			X	X	X		
• EER - Weighted Average	X		X	X	X		
• PMOS - in Which Tested (SQT)	X				X		X
• PMOS - Evaluation Score	X						
• PMOS - Evaluation Score Date	X						
• PMOS - in Which Tested	X						
• PMOS - Skill Level - SQ Identifier	X						
PROMOTION/ADVANCEMENT							
• Advancement Potential ⁽⁸⁾			X	X			
• Career Progression (Ranks and Dates)				X			
• Promotion Potential Score (1000 Pt. Rating)						X	
REENLISTMENT							
• Reenlistment Eligibility	X						
• Number of Times Enlisted/Reenlisted	X			X			
DISCIPLINE							
• Personal Conduct ⁽⁸⁾			X	X			
• Ability to Work in Harmony ⁽⁸⁾			X				
• Character of Separation (Discharge from service)	X			X			
• AWOL	X			X			
• Type of Last Return to Military Control	X						

(1) Military Personnel Center

(2) Defense Manpower Data Center

(3) Enlisted Evaluation Report/Senior Enlisted Evaluation Report, both located in 201 File

(4) DA 201 File located at resident base - Master Personnel Records File containing all personnel records for a soldier

(5) Enlisted Records Evaluation Center at Ft. Benjamin Harrison, Indiana (Official Master Personnel File plus some computerized SQT/EER data)

(6) Promotion Point Worksheet located in 201 File

(7) Training Support Center located at Ft. Eustis, VA.

(8) These scores are still under consideration and are found on the EER and/or SEER. They are the subscores from which the total EER score is based.

TABLE 2. (Continued)

Variables	MILPERCEN	Data Sources		201	ERIC	PPWS	TSC
		DMDC	HER/SEER				
<u>MOTIVATION</u>							
• Effort directed toward realization of potential (8)			X X	X			
• Agressive pursuit of methods to improve (8)			X	X			
• Awards and Decorations				X	X	X	
<u>ATTITUDE</u>							
• Attitude Toward Duties (8)			X X	X			
• Dependability (8)			X	X			
<u>LEADERSHIP</u>							
• Exerts Positive Influence on Others (8)			X X	X			
<u>MILITARY BEARING</u>							
• Military Bearing (8)			X X	X			
• Physically Fit (8)			X X	X			
<u>TRAINING RECEIVED</u>							
• NCO Education System	X						
• PMOS - Now Acquired	X						
• AIT Graduation Date	X						
• Military Education					X	X	

TABLE 3. SELECTED CONTROL VARIABLES AND IDENTIFIERS

Personal Characteristics

- Age
- Race and Ethnic Group
- Sex
- Marital Status
- Number Years of Education
- Native Language

Job-Related

- Duty MOS
- Career Management Field
- Number Years of Service
- Time Since AIT Completion
- Grade Level

Test Scores

- AFQT Score
 - GT Score (General Technical Aptitude)
 - Mental Category (General Mental Ability)
 - Specific Aptitude Test Scores from ASVAB
(as and if appropriate)
 - SelectABLE Scores
-
-

Posts Selected for Vo-Tech Data

Four CONUS installations were selected for manual collection of Vo-Tech data from soldier education and personnel records. The selection of the installations was based on the size of the military population (the largest posts were preferred), the number of Vo-Tech courses provided on-post (the larger number was preferred), type of command (both Forces Command (FORSCOM) and Training Doctrine Command (TRADOC) to be represented), and ease of data collection. Based on this criteria, the following four posts were selected in addition to Fort Knox, Kentucky, the site selected to pilot-test data collection procedures and forms.

- Fort Bragg, North Carolina
- Fort Bliss, Texas
- Fort Polk, Louisiana
- Fort Ord, California

Fort Ord was subsequently dropped as a data collection site. It was determined by the Battelle project team and ARI representatives that data collection from Forts Polk, Bragg, and Bliss would reflect an adequate mix of the FORSCOM and the TRADOC activities and the elimination of this site visit would conserve resources.

Evaluation Design

The basic study design called for comparisons of participant and nonparticipant groups for each of the four selected ACES programs, with respect to criteria reflecting a soldier's value to the Army. This design was intended to yield the "impact" each program has on soldiers' value to the Army. Two methods of analysis were anticipated: regression analysis and matched group comparisons. For the evaluation of a given ACES program, the data would be analyzed using both regression analysis and a matching design. If the results of the two analyses disagreed, then the reason for disagreement would be sought. If the results of the two analyses agreed, then a stronger conclusion could be drawn about the program.

METHODOLOGY

The proposed methodology involved three major tasks: (1) the final selection of measurement variables and estimation of the sample sizes, (2) the collection, storage, and management of data, and (3) a statistical analysis of the results. Tasks 1 and 2 were completed at the conclusion of the project and are discussed below. Task 3, the statistical analysis of results, was not conducted for reasons stated previously in the INTRODUCTION section of this report.

Final Selection of Measurement Variables And Estimated Sample Sizes

Tables 4 through 6 present the final variable selections based on a refinement of the evaluation design and preliminary examination of the data available from the identified sources. Table 7 lists the approximate sample sizes needed for the evaluation of each program. As reported in the Computerized Data Collection and Processing section of this report, additional refinement was made to the variable selections due to problems encountered after the sources were accessed. The Vo-Tech sample size was also redefined as the result of the elimination of the Fort Ord data-collection site.

Collection, Storage, and Management of Data

This section is presented according to the two data collection modes: manual and computerized. The Vo-Tech manual data collection efforts describe the development of data collection procedures and forms, pilot test of forms and procedures, data collection site visits and results, and problems encountered. The computerized data collection and processing documents the data accession plan, the data sought, procedure development, general comments on data processing, procedures to perform analysis, and preliminary analysis. The remainder of this section lists the problems encountered during the data collection, storage and management phase of the project.

Vo-Tech Program Data Collection

During the first stages of this task, arrangements were made to visit the selected posts, including setting dates for visits, obtaining names of individuals coordinating the on-site visits, and preparation of documentation for official permission to access files. The Vo-Tech program data were then collected manually from individual soldier's education and personnel records. Described below are the development of procedures and forms, pilot test, data collection site visits and results, and problems encountered.

TABLE 4. BASIC SKILLS EDUCATION PROGRAM
(BSEP I - LITERACY PHASE) -
VARIABLES AND SOURCES

<u>Control Variables</u>	<u>Primary Source</u>	<u>Alternate Source(s)*</u>
SSN	TRADOC	
AGE	DMDC	MILPERCEN
SEX	TRADOC	DMDC/MILPERCEN
RACE	TRADOC	DMDC/MILPERCEN
ETHNIC GROUP	DMDC	MILPERCEN
NUMBER YEARS OF EDUCATION	TRADOC	DMDC/MILPERCEN
NUMBER MONTHS OF SERVICE	MILPERCEN	
AFQT SCORES	DMDC	MILPERCEN
GT SCORES	MILPERCEN	
MENTAL CATEGORY	TRADOC	
SelectABLE SCORE	TRADOC	
<u>Dependent Variables</u>		
CAREER PROGRESSION		
-GRADE LEVEL ATTAINED	MILPERCEN	TSC
-TIME TO GRADE E2	MILPERCEN	
-TIME TO GRADE E3	MILPERCEN	
TRAINING SUCCESS		
-SUCCESSFUL COMPLETION OF AIT vs NOT	TRADOC	MILPERCEN
DISCHARGED FROM SERVICE (because of poor training performance) vs NOT	TRADOC	MILPERCEN

* For selected cases, data was obtained from both primary and alternate sources as a cross check for accuracy.

TABLE 5. BASIC SKILLS EDUCATION PROGRAM
(BSEP I - ESL PHASE) -
VARIABLES AND SOURCES

<u>Control Variables</u>	<u>Primary Source</u>	<u>Alternate Source(s)*</u>
SSN	TRADOC	
AGE	DMDC	MILPERCEN
SEX	TRADOC	DMDC/MILPERCEN
RACE	TRADOC	DMDC/MILPERCEN
ETHNIC GROUP	DMDC	MILPERCEN
NUMBER YEARS OF EDUCATION	TRADOC	DMDC/MILPERCEN
NUMBER MONTHS OF SERVICE	MILPERCEN	
AFQT SCORES	DMDC	MILPERCEN
GT SCORES	MILPERCEN	
MENTAL CATEGORY	TRADOC	
ECLT SCORE	TRADOC	
NATIVE LANGUAGE	TRADOC	
<u>Dependent Variables</u>		
CAREER PROGRESSION		
-GRADE LEVEL ATTAINED	MILPERCEN	TSC
-TIME TO GRADE E2	MILPERCEN	
-TIME TO GRADE E3	MILPERCEN	
TRAINING SUCCESS		
-SUCCESSFUL COMPLETION OF AIT vs NOT	TRADOC	MILPERCEN
DISCHARGED FROM SERVICE (because of poor training performance) vs NOT	TRADOC	MILPERCEN

*For selected cases, data, was obtained from both primary and alternate sources as a cross check for accuracy.

TABLE 6. SKILL DEVELOPMENT - GENERAL VOCATIONAL
TECHNICAL PROGRAM (VO-TECH) -
VARIABLES AND SOURCES

<u>Control Variables</u>	<u>Primary Source*</u>	<u>Alternate Source(s)**</u>
SSN	MPRJ Form 201	DMDC/MILPERCEN
AGE	MPRJ Form 201	DMDC/MILPERCEN
SEX	MPRJ Form 201	DMDC/MILPERCEN
RACE	MPRJ Form 201	DMDC/MILPERCEN
ETHNIC GROUP	MILPERCEN	
NUMBER OF YEARS OF EDUCATION	MPRJ Form 201	DMDC/MILPERCEN
NUMBER MONTHS OF SERVICE	MPRJ Form 201	DMDC/MILPERCEN
NATIVE LANGUAGE	MPRJ Form 201	TRADOC
CAREER MANAGEMENT FIELD	MPRJ Form 201	MILPERCEN
ACCESSION DATE	MPRJ Form 201	MILPERCEN
VO-TECH COURSE TITLES/HOURS	DA Form 669	
VO-TECH COURSE COMPLETIONS	DA Form 669	
BASIC PAY ENTRY DATE (BPED)	DA Form 669	MILPERCEN
ESTIMATED TIME OF SEPARATION(ETS)	DA Form 669	MILPERCEN
<u>One of the following:</u>		
AFQT SCORES	MPRJ Form 201	MILPERCEN
GT SCORES	MPRJ Form 201	MILPERCEN
MENTAL CATEGORY	MPRJ Form 201	TRADOC
<u>Dependent Variables</u>		
CAREER PROGRESSION		
-GRADE LEVEL ATTAINED	MPRJ Form 201	MILPERCEN
-TIME TO GRADE E5	MPRJ Form 201	MILPERCEN
-TIME TO GRADE E6	MPRJ Form 201	MILPERCEN
MOST RECENT EER (selected parts)	MPRJ Form 201	EREC
MOST RECENT SQT (selected parts)	MPRJ Form 201	MILPERCEN/TSC
MOST RECENT PROMOTION POINTS (selected parts)	MPRJ Form 201	
NUMBER OF DISCIPLINARY ACTIONS	MPRJ Form 201	
RE-ENLISTMENTS	MPRJ Form 201	MILPERCEN

* Data was collected from DA Form 669 and MPRJ Form 201 when not computerized. Form 669 is computerized at Fort Polk and the Standard Installation/Division Personnel System (SIDPERS) maintain some computerized data and this was utilized.

** For selected cases, data was obtained from both primary and alternate sources as a cross check for accuracy.

TABLE 7. APPROXIMATE SAMPLE SIZE NEEDED OR AVAILABLE
FOR EACH PROGRAM EVALUATION AND DATA SOURCES*

<u>Program</u>	<u>Sources</u>	<u>Approximate Number</u>	
BSEP I - Literacy Phase	TRADOC MILPERCEN DMDC	14,000	(includes participants and eligible nonpar- ticipants from 10/1/78)
BSEP I - ESL Phase	TRADOC MILPERCEN DMDC	3,400	(includes participants and eligible nonpar- ticipants from 10/1/78)
SKILL DEVELOPMENT (VO-TECH)	MILPERCEN TRADOC TSC DMDC MPRJ FORM 201 DA FORM 669	1,000	(includes 500 partici- pants and 500 nonparti- cipants - 200-300 from each post, depending on post size)
VEAP	VA MILPERCEN TRADOC DMDC	7,000	(includes all new accessions during April 1977 - approximately 1400 participants and 5600 nonparticipants)
TOTAL		25,000	

*For the total number of soldiers in the sample, Social Security Numbers
and Date of Birth from each source are required as identification variables.

Development of Data Collection Procedures and Forms. The number of enlisted personnel at each site for which data were to be collected was determined by dividing the number of enlisted personnel stationed at a given post by the total number of enlisted personnel at all selected posts, then multiplying the obtained decimal fraction by 1,000 (the original sample size for the Vo-Tech program). This operation provided an equal number of participants and nonparticipants from the enlisted personnel at a given post. Data were then collected in two stages.

The first stage involved collection of data from the DA Form 669 records. A systematic sampling with a random start procedure was used to select the sample. Sample selection and collection of data from the DA Form 669 records involved the following six steps:

- Step 1. Determine the physical length of DA 669 Forms stored at a given post by multiplying the number of drawers by the length of each full drawer containing records.
- Step 2. Determine the interval length to be used to select the sample by dividing the physical length of forms as determined in Step 1 by the desired number of program participants.
- Step 3. Determine the random starting point by counting the number of forms in the first interval and, using a table of random numbers, select a starting point which was less than or equal to the number of forms in that interval.
- Step 4. Select a participant for the sample by examining each DA Form 669 from the starting point until a form is found that meets the participant criteria in one of the five selected Vo-Tech courses: automotive, diesel, welding, electronics or construction technology on or after June 1977. Transcribe course data onto the data collection form.
- Step 5. Select the "matched" nonparticipant by choosing the next DA Form 669 for a soldier who has completed Advanced Individual Training but did not participate in a vocational-technical course. Transcribe demographic "control" data onto the data collection form.
- Step 6. Select each subsequent participant and nonparticipant by repeating Steps 4 and 5 at the designated intervals determined in Step 2. If no participant was found in a given interval, then two participants were selected from the next interval. The record selected in this manner for the second participant could come before or after the first nonparticipant selected.

The second stage involved collecting data from the DA Form 201 records for both participants and nonparticipants selected in Stage 1. At each installation, most of the 201 Jackets were located at a central location, either the Military Personnel Office (MILPO) or the Adjutant General Office (AG). When the selected 201 Jackets were obtained at this central location, data were transcribed onto the data collection form. When the 201 Jackets were not in the files, these data were not obtained. Records (201 Jackets) missing from the files were almost always attributable to the soldier being currently outprocessed or already having left the installation. Due to time constraints, no effort was made to locate the missing records.

Figure 3 presents the two-sided form developed for collection of the Vo-Tech participant/nonparticipant data, with the DA Form 669 data and the DA Form 201 data to be recorded on opposite sides. The Vo-Tech 669 data collection form consisted of identification information (SSN and ETS), Vo-Tech participation, description of courses taken, completion status, and other ACES program participation. The Vo-Tech 201 Data Collection form listed identification and demographic information (SSN, birthdate, Race, Sex and Education Level), grade rank, selected test and/or rating scores, disciplinary action events, and selected relevant dates.

Pilot Test of Forms and Procedures. The purpose of the Vo-Tech program pilot test was to rigorously test the data collection forms and procedures. This was done during a one-day site visit to Fort Knox, Kentucky. Using the procedures previously described, data were collected on 15 participants and 15 nonparticipants of the Vo-Tech program courses selected. The data were collected from two Education Centers and two Military Personnel Offices.

The results of the pilot test indicated that only minor modifications of the sampling and data collection procedures and the data collection forms were required. The sampling procedure had to be modified to the plan previously reported, i.e., matching nonparticipants were selected from the DA Form 669 files. It was originally planned to collect participant data from the 669 files, then proceed to the 201 Jackets to select nonparticipants. The modification was necessary because the data collectors were not given direct access to the DA Form 201 Jackets. The requested 201 Jackets had to be "pulled" by military personnel, which required selecting the nonparticipants as well as the participants in advance.

The data collection form was modified as a result of the pilot test to exclude Armed Forces Qualification Test (AFQT) scores, because this information could not be obtained from the 201 Jackets. Other minor modifications were also made to the form.

20
VO/TECH
669 DATA COLLECTION FORM

SSN ----- 9	ETS YR MO DAY 15	OTHER ACES PARTICIPATION None ----- 22 BSEP I II ESL ----- 23 HSCP ----- 24 SOCAD SOC ----- 25 APPRENTICESHIP ----- 26 MOS REFRESHER ----- 27 HEADSTART GATEWAY ESL ----- 28 VEAP ----- 29
VO/TECH PARTICIPATION 1. YES 2. NO ----- 16 TYPE: Automotive ----- 17 Diesel ----- 18 Welding ----- 19 Electronics ----- 20 Construction ----- 21		

VO/TECH COURSES				
Title	CCODE	BASE	HOURS	COMPLETED
1.	30-32	33-35	36-38	39
2.	40-42	43-45	46-48	49
3.	50-52	53-55	56-58	59
4.	60-62	63-65	66-68	69
5.	70-72	73-75	76-78	79

2 80 ----- 9

6.	10-12	13-15	16-18	19
7.	20-22	23-25	26-28	29
8.	30-32	33-35	36-38	39
9.	40-42	43-45	46-48	49
10.	50-52	53-55	56-58	59

FIGURE 3. VO-TECH DATA COLLECTION FORM

3 80

VO/TECH 201 DATA COLLECTION FORM

FORM

DA 2	2. SSN -----9	41. GT Score -- -- --12	42. Education Level --13	52. Date of Birth YR MO DAY 19	53. Race --20	54. Sex --21
DA 2-1	18. Grade --23	18. Appointment Date E5 YR MO DAY 29	18. Appointment Date E6 YR MO DAY 35	20. Basic Enlisted Service Date YR MO DAY 41		
35. Date of First MOS YR MO DAY 47		35. Duty MOS -----52		FORM		
DA 2166 or USAEREC 10A	EER Score (REPT Score or EERWA) 1. REPT -- 2. EERWA --68 DATE -- -- --67		DD 4	9. Previous Active Military Service YRS MOS DAYS 58	10. Agreement Date YR MO DAY 64	
38. Promotion Points -----72		DA 3355				
DA 268	Disciplinary Actions --73		DA 2627	Disciplinary Actions --74		1 --79 80

Data Collection Site Visits and Results. The Vo-Tech site visits to Fort Polk and Fort Bragg were made by two data collectors during the weeks of July 7-11, 1980 and July 14-18, 1980, respectively. Data from Fort Bliss were collected by one person during the week of August 10-15, 1980. A total of 675 cases were collected: 341 Vo-Tech participants and 334 Vo-Tech nonparticipants. Table 8 presents a summary of the Vo-Tech data collected by post. Since the starting point for all manual data collection was the DA Form 669, these data exist for all of the 675 cases. A 201 Jacket was not found for every previously collected 669 case. Partial "201" data were collected at two installations. At Fort Bragg, there were some cases where the 201 Jacket was not available, but a computer listing with some of the needed data was available. The partial data that could be obtained from the computer listing was used in these cases. At Fort Bliss, only partial 201 data were collected for each soldier. The 201 data that was collected was the information that was not available from any known computerized source.

Problems Encountered

As previously stated, data were collected manually for the Vo-Tech program at three installations and pre-tested at a fourth installation. In collecting data at four different bases, four problems were encountered at the Education Centers: (1) lack of standardization; (2) lack of follow-up; (3) missing demographic data; and (4) missing ACES program data.

Lack of Standardization. Each Education Center has its own coding techniques. The title for any Vo-Tech course only has meaning within the installation where the course was taught, and sometimes only within the particular education center. There is then no way of equating a course title with the level of difficulty or with the actual subject matter covered. For example, a notation might read "auto mechanics course" and could be an identifier for anything from Introduction to Auto Repair to Steering Suspension Systems. Lack of standardization in course content identifiers creates a problem for the soldier when he/she changes bases and for the next Education Center. It becomes impractical for the new Education Center to ascertain from the record exactly what the soldier has been taught in the past. One solution to this problem would be a post-wide uniformity of course titles, with the pertinent course descriptions included in each soldier's education record. Another is an Army-wide determination of what must be covered in each Vo-Tech course. This latter solution would make it easier for the soldier to document this type of coursework for the civilian community.

Lack of Follow-Up. The data collectors observed that in many cases, courses are recorded when a soldier enrolls, but the outcome of that course is not noted. From the record it is impossible to determine

TABLE 8. SUMMARY OF VO-TECH DATA COLLECTED

<u>Participants</u>	<u>INSTALLATION</u>			<u>Total</u>
	<u>Polk</u>	<u>Bragg</u>	<u>Bliss</u>	
Complete 201 data	84	101	-	185
Partial 201 data	-	3	66	69
No 201 data	25	42	20	87
Total	109	146	86	341
<u>Non-Participants</u>				
Complete 201 data	89	106	-	195
Partial 201 data	-	7	64	71
No 201 data	22	25	21	68
Total	111	138	85	334
TOTAL	220	284	171	675*

*The number of unique cases was 672 (3 of those collected were duplicates).

if that course was completed and, if completed, whether the soldier passed and with what grade, or if he/she completed the course and failed, or if the soldier dropped out before course completion. To correct this situation, counselors would probably have to institute some sort of flagging system for follow-up. The time required for this might make it prohibitive for most counselors. But, without this, any course lacking closure documentation is almost worthless to the soldier.

Missing Demographic Data. The only demographic data that was frequently found missing or expired was the ETS (Estimated Time of Separation). Since this datum is available on the Military Personal Records, it should be obtained and recorded on the Education Record.

Missing ACES Program Data. Examination of the Education Record revealed that participation in ACES programs such as SOCAD, SOC, Apprenticeship and VEAP was rarely recorded. Since it is known that these programs have greater participation than was recorded, it can be assumed that these Education Records are incomplete and that this incompleteness of recording is also true for the Vo-Tech program.

Most, if not all, of the problems mentioned could be corrected if reporting and recording educational data were mandatory during either inprocessing or outprocessing, or both.

There were only two minor problems that were encountered in collecting demographic data from the DA Form 201 Jackets. The first was that many forms in the jacket had to be examined in order to get the data for variables that were needed for this study. The second problem was that folders were occasionally missing from the file because they were being used for outprocessing, etc. These problems were encountered because of the type of data collection used in this study and do not appear to pose a problem for Army operations.

Computerized Data Collection and Processing

Data Accession Plan

During Part I of the project, the project team determined that data would be required from TRADOC, MILPERCEN, DMDC, VA, TSC, possibly EREC, and from the selected Army posts. Consequently, a plan for accessing these data was created that would minimize the number of requests required and, yet, acquire all desired data. That plan is presented pictorially in Figure 4. Basically, the plan can be summarized as follows:

ACES CROSS-SECTIONAL STUDY

SYSTEM FLOW




FIGURE 4. DATA ACCESS FLOW

1. Define and select BSEP I LIT and BSEP I ESL samples and capture data for several independent variables from TRADOC.
2. Define and select Vo-Tech sample and collect data manually at the selected Army posts.
3. Define and select VEAP sample by accessing the USAREC file at DMDC of all soldiers who entered the Army during a particular time period.
4. Obtain data for other control and dependent variables for the above samples from DMDC, MILPERCEN, EREC, TSC, and VA.
5. Merge these data into a computer file capable of being read by the Statistical Package for the Social Sciences* (SPSS).

The accession plan was not carried out quite as planned. Data were obtained from TRADOC and from the Army posts as planned in June through August, 1980. During August, a tape was received from MILPERCEN containing data on all soldiers who entered the Army after January, 1977. This tape was requested because the soldiers in the BSEP I study entered the Army after this date. Consequently, this tape should have satisfied most of the needs for data from MILPERCEN.

A decision to not study the VEAP program had been made in the interim. Therefore, the data requests to MILPERCEN and DMDC were simplified. After a list of SSN's (Social Security Numbers) had been constructed from the TRADOC and Vo-Tech sources, the list was sent to DMDC. The list was not immediately sent to MILPERCEN because a low match-rate on the earlier MILPERCEN tape (approximately 50 percent) indicated there might be problems either at TRADOC or at MILPERCEN. The list was not sent to TSC because TSC needed information on soldier accession dates to access their files.

Because of problems at DMDC, the data tape was not received until April, 1981. In the meantime, the SSN list was sent to MILPERCEN in spite of potential problems, and a tape was received, also in April, 1981.

At this point, all data was merged onto a file on the UNIVAC 1108 computer at Edgewood Arsenal and a preliminary analysis was performed. Because incomplete responses to the data requests were found, no further requests were made.

*Nie, N. H., et. al., "Statistical Package for the Social Sciences", McGraw Hill, 1970.

Data Sought

(1) TRADOC

- TRADOC was requested to send all data collected in connection with the BSEP I Literacy and BSEP I ESL programs. The variables available for study are located in the B-record.
- These data were dumped from tape ARI 162 to a disk file using the utility program ATX. The disk file was loaded into the Master file via procedure TRADOC.
- There were 9,418 records on the tape, of which 8,893 were eligible for inclusion in the Literacy or ESL study. A record was rejected if it was a duplicate or if the SelectABLE score was too high.

(2) Army Posts

- Data on the Vo-Tech program was collected manually at three Army posts. The data were encoded on computer cards and loaded into the T-record.
- The cards were loaded onto a disk file and from there loaded into the Master file via procedure VOTECH.
- There were 672 soldiers for whom data were collected for the Vo-Tech study.

(3) MILPERCEN

- MILPERCEN was requested to send data which would be used as control and dependent variables in the analysis. Two requests were made, one for all soldiers who entered the Army after January, 1977, the other for soldiers whose SSN's were on a list supplied to MILPERCEN. These data are located in columns 38-116 of the A-record.
- The first request was sent on tape ARI 182 which contained 380,490 records. The tape was dumped to disk using procedure TAPEDMP and from there loaded into the Master file via procedure MILPERCEN.
- This process resulted in approximately 50 percent matches between the TRADOC and Vo-Tech records and those from MILPERCEN, an unexpectedly low figure.

- The second request was sent on tape ARI 306 which contained 4,050 records (9,566 SSN's were submitted). This tape was dumped to disk via procedure TAPEDMP (which was modified because of a change in record length) and from there loaded into the Master file via the procedure MILPERCEN (also modified because of a change in record layout).
- 4,048 of these records were placed in the Master file (the others were duplicate).

(4) DMDC

- DMDC was also requested to supply data which would be used as control and independent variables. Some of these overlapped those requested from MILPERCEN for two reasons:
 1. There should be some measure of reliability between the two sources
 2. MILPERCEN purges soldiers who have left the Army, so those soldiers would only be present on DMDC's USAREC and Master and Loss files.

The variables available for study are located in columns 121 to 244 of the A-record.

- These data were dumped from tape ARI 317 to a disk file using the utility program ATX. One problem occurred in this dump in that ATX could not handle 133 character length records (132 is maximum). Fortunately, 133 = 17 x 19, so seven 19-character records were written for each logical record on the tape. The disk file was then loaded into the Master file via procedure DMDC.
- 5,627 of the DMDC records had data for the 9,566 requested (DMDC filled the record with zeros when a match wasn't possible).

Procedure Development

The procedures were designed in such a way that they could be used for updating or creation. This was deemed appropriate since numerous problems were expected. There are essentially three types of procedures:

1. Procedures to add data to the Master file. These include INITIALIZE, TRADOC, VOTECH, DMDC, MILPERCEN, EREC, TSC, and VEAP. All are very similar in that they merge a sequential file, ordered by SSN, into the Master file.

2. Procedures to obtain data from the Master file. These include SSN and SPSS ACCESS. They basically pass sequentially through the file and write data to a sequential file.
3. Procedures to manipulate tapes. The only one developed is TAPEDMP.

These procedures, which are located in Appendix A, are written in such a way as to be self-documenting. The specifications procedures which were implemented are located in Appendix B. The following comments were used as general rules in implementing the procedures.

- (1) All dates are stored in the format YYMMDD.
- (2) Whenever a record is added to the Master file, the birthdate and sex are placed into the control area if not already present. Consequently, the control birthdate and sex represent those items for the first sources accessed.
- (3) Whenever any of the four status flags are non-zero, there must be a corresponding B, T, or V record present.
- (4) Data from sources are moved via a MOVE CORRESPONDING so that
 - (a) Only required data are stored.
 - (b) If later, more data are needed, the procedure can be easily modified to add data, by just changing the layout in the Data Division.
- (5) Records in the ACES-STUDY-MASTER-FILE are accessed as though already present. If not present, they are initialized. The advantages to this scheme are:
 - (a) The same procedures can be used for record creation and updating (though initial processing will take slightly longer).
 - (b) The order of execution of the various procedures is less strict.
 - (c) Soldiers involved in more than one study are easy to process.
- (6) In all procedures, processing includes a dump of a sufficient number of records for sight verification, e.g.,

For the first 25 A-records updated, dump --

1. All records to that point on the input data tape
 2. The A-record before and after updating.
- (7) In the data division, levels are initially assigned odd numbers (01, 03, 05, etc.).
 - (8) Initialization phase always includes --
 - (a) A message identifying which procedure is beginning execution.
 - (b) A 1-line print of the 000 00 0000 2 record.
 - (9) All procedures begin and end by printing the Master File Status, Figure 5 on the following page, plus other information shown as appropriate.

There were 10 files envisioned during the design phase of the procedures. These are listed in Table 9 together with information on those that were accessed. Appendix B presents the basic purpose of each procedure together with the files needed and the general processing design.

Procedures to Perform Analysis

Several procedures have been implemented to simplify gaining access to the data and to execute an SPSS program (all are under project ID: ACES). The procedures are as follows:

- (1) To create an extract of the Master file which can be read by SPSS, enter:

@ ASG,A FILES

@ ADD FILES.CREATE

When prompted, enter the type of file desired.

- (2) To create an SPSS program, use the standard editor. Some examples are in filename SPSS.
- (3) To execute an SPSS program, whose control statements are in SPSS.ALL1, for instance, enter:

@ ASG,A FILES

@ ADD FILES. RUN

@ ADD SPSS.ALL1

I. MASTER FILE STATUS

	TIME	125314
	DATE	810701
TYPE RECORD	FREQUENCIES	
A	0	
R	0	
T	0	
V	0	

TOTAL	000	
DATE INITIALIZED	810701	
DATE LAST MODIFIED	810701	

II. PROCEDURE STATUS COUNTERS (procedure dependent)

e.g., A. Number of records on tape file -
 B. Number of B records written -
 C. Types of errors encountered -
 etc.

III. ACES PROCEDURE STATUS COUNTERS (procedure dependent)

e.g., A. Number of participants in BSEP I Literacy phase.

FIGURE 5. MASTER FILE STATUS REPORT

TABLE 9. FILE DESCRIPTION SUMMARY

1. ACES-STUDY-MASTER-FILE

This indexed-sequential file has a 10-character key constructed from the SSN/ASN and the record-type descriptor. It contains all data available for analysis for the cross-sectional study.

Record size: 300 characters, blocking factor: 30 records.

2. TRADOC-DATA-TAPE

This tape file is received from TRADOC and contains all data collected in conjunction with the BSEP I program. Record size: 80 characters, unblocked.

3. VO-TECH-DATA-TAPE

This card file contains the data collected at the posts to be used in studying the Vo-Tech program. Up to three cards per soldier.

4. SSN-LIST-TAPE

This tape file is created from the ACES-STUDY-MASTER-FILE. It contains the SSN/ASN of every soldier currently on file. This tape is sequentially ordered by SSN. Record size: 30 characters. Blocking factor: Variable, depending on destination.

5. DMDC-DATA-TAPE

This tape file is received from DMDC and it contains data requested on certain soldiers. This tape is sequentially ordered by SSN. Record size: 133 characters, blocking factor: 40 records.

6. MILPERCEN-DATA-TAPE

This tape file from MILPERCEN contains selected data on all soldiers currently in the service (enlisted personnel). This tape is sequentially ordered by SSN.

TABLE 9. (Continued)

ARI 182: Record size: 83 characters, blocking factor:
30 records.

ARI 306: Record size: 88 characters, blocking factor:
30 records.

7. TSC-DATA-TAPE

This tape from TSC contains the SQT component scores for all soldiers in the study. This tape is sequentially ordered by SSN. (This tape was not requested.)

8. VEAP-DATA-TAPE

This tape file contains all data available at the VA for soldiers in the study. This tape is sequentially ordered by SSN. (This tape was not requested.)

9. EREC-DATA-TAPE

If EREC is accessed, this file will contain the data. (This tape was not requested.)

10. SPSS-DATA-TAPE

This tape is created from the ACES-STUDY-MASTER-FILE. It contains all data needed for a particular study in a format compatible with SPSS. For each record type requested, 3 records of 120 characters each are written (UNIVAC SPSS has a maximum input record length of 132 characters).

A sample SPSS program using this system is described in the following pages (see Figure 6). Appendix C presents the set of SPSS program variables developed. This is the program used to define the sample sizes and calculate the discrepancies presented in this report. Only the first task control cards are described. This program was created using the UNIVAC editor on a file called SPSS.ALL1. It was executed as follows:

```
> @ ASG,A FILES
> @ ADD FILES.CREATE
> @ 2 (In response to the type of raw file to be created)
> @ ADD FILES.RUN
> @ ADD SPSS.ALL1.
```

There were numerous problems that had to be overcome in the development and implementation of these procedures. Some of the more noteworthy include:

- The use of an outdated, overworked computer system, the Edgewood Arsenal UNIVAC 1108 under the EXEC 8 operating system.
- The arbitrary limitations placed on the user in the, supposedly, ANSI COBOL and SPSS on this computer. (Especially, on records sizes of files used for I/O (input/output)).
- The lack of expert assistance of the staff operating this computer. For instance, apparently few personnel operating this computer have used random access files or COBOL.
- The inability to contact directly those personnel who supply the requested data. Requests for data had to be routed through intermediaries. This process caused communication problems and loss of time.
- The necessity to go through a hierarchy of contacts to get even a simple question answered.
- Problems of signing on the computer because of overused phone trunk lines into Edgewood Arsenal.

SPSS BATCH SYSTEM

07/01/81

SPSS FOR SPERRY UNIVAC 1100 EXEC 8, VERSION H, RELEASE 8.1-UW1.1, DECEMBER 1980
>

SPACE ALLOCATION..	ALLOWS FOR..	83 TRANSFORMATIONS
WORKSPACE 17500 WORDS		332 RECODE VALUES + LAG VARIABLES
TRANSPACE 2500 WORDS		664 IF/COMPUTE OPERATIONS

1. RUN NAME ALL1 - GENERAL STATS AND SAMPLE SIZES
2. FILE NAME ALL1
3. VARIABLE LIST SSN, LITFLG, ESLFLG, TECHFLG, MILPFLG, DMDCFLG,
4. DOBYI, DOBMM, DOBDD, SEXCNTRL, SEXMILP, MYI, MM, MDD,
5. PQDES, PSQDT, PQSCR, PQPER,
6. DII, DMM, DDD, SEXDMDC,
7. SSNTRAD, SEXTRAD, SSNTECH, TII, TMM, TDD, SEXTECH
8. INPUT MEDIUM TAPE
9. INPUT FORMAT FIXED (F9.0,1X,3F1.0,1X,2F1.0,14X,3F2.0,2A1,2X,3A2,
10. 52X,A4,A4,A3,A2,/,
11. 3F2.0,2X,A1,/,F9.0,26X,A1,/,F9.0,5X,3F2.0,1X,A1,/,)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
SSN	F 9. 0	1	1- 9
LITFLG	F 1. 0	1	11- 11
ESLFLG	F 1. 0	1	12- 12
TECHFLG	F 1. 0	1	13- 13
MILPFLG	F 1. 0	1	15- 15
DMDCFLG	F 1. 0	1	16- 16
DOBYI	F 2. 0	1	31- 32
DOBMM	F 2. 0	1	33- 34
DOBDD	F 2. 0	1	35- 36
SEXCNTRL	A 1	1	37- 37
SEXMILP	A 1	1	38- 38
MYI	A 2	1	41- 42
MM	A 2	1	43- 44
MDD	A 2	1	45- 46
PQDES	A 4	1	99- 102
PSQDT	A 4	1	103- 106
PQSCR	A 3	1	107- 109
PQPER	A 2	1	110- 111
DII	F 2. 0	2	1- 2
DMM	F 2. 0	2	3- 4
DDD	F 2. 0	2	5- 6
SEXDMDC	A 1	2	9- 9
SSNTRAD	F 9. 0	4	1- 9
SEXTRAD	A 1	4	36- 36
SSNTECH	F 9. 0	7	1- 9
TII	F 2. 0	7	15- 16
TMM	F 2. 0	7	17- 18
TDD	F 2. 0	7	19- 20

ALL1 - GENERAL STATS AND SAMPLE SIZES

FIGURE 6. SAMPLE SPSS PROGRAM

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE FORMAT RECORD COLUMNS

SEXTECH A 1 7 22- 22

THE INPUT FORMAT PROVIDES FOR 29 VARIABLES. 29 WILL BE READ
IT PROVIDES FOR 9 RECORDS ('CARDS') PER CASE. A MAXIMUM OF 111 'COLUMNS' ARE USED ON A RECORD.

```

12. N OF CASES      UNKNOWN
13. RECODE          MYY, MMM, MDD (' ' = '00')
14. RECODE          MYY, MMM, MDD (CONVERT)
15. COMPUTE         BOTHFLG = 0
16. IF              (MILPFLG EQ 1 AND DMDCFLG EQ 1) BOTHFLG = 1
17. IF              (SSNTRAD GT 0) TRAHERE = 1
18. IF              (SSNTECH GT 0) TECHHERE = 1
19. COMPUTE         CNTDAYS = YRMODA (DOBY, DOBMM, DOBDD)
20. COMPUTE         MILPDAYS = YRMODA (MY, MM, MDD)
21. COMPUTE         DMDCDAYS = YRMODA (DYY, DMM, DDD)
22. COMPUTE         TECHDAYS = YRMODA (TYY, TMM, TDD)
23. COMPUTE         CNTMIL = ABS (CNTDAYS - MILPDAYS)
24. COMPUTE         CNTDMD = ABS (CNTDAYS - DMDCDAYS)
25. COMPUTE         CNTTEC = ABS (CNTDAYS - TECHDAYS)
26. COMPUTE         MILDND = ABS (MILPDAYS - DMDCDAYS)
27. COMPUTE         MILTEC = ABS (MILPDAYS - TECHDAYS)
28. COMPUTE         DMDTEC = ABS (DMDCDAYS - TECHDAYS)
29. RECODE          CNTMIL TO DMDTEC (0 THRU 30 = 1) (31 THRU HI = 2)
30. RECODE          SEXDMDC ('1' = 'M') ('2' = 'F')
31. DO REPEAT       IN = SEXMILP, SEXDMDC, SEXTECH /
32.                  OUT = SCNTMIL, SCNTDMD, SCNTECH /
33. COMPUTE         OUT = 0
34. IF              (SEXCNTRL EQ 'M' OR 'F' AND IN EQ 'M' OR 'F') OUT = 1
35. IF              (OUT EQ 1 AND SEXCNTRL EQ IN) OUT = 2
36. END REPEAT

37. DO REPEAT       IN = SEXDMDC, SEXTECH /
38.                  OUT = SMILDMD, SMILTECH /
39. COMPUTE         OUT = 0
40. IF              (SEXMILP EQ 'M' OR 'F' AND IN EQ 'M' OR 'F') OUT = 1
41. IF              (OUT EQ 1 AND SEXMILP EQ IN) OUT = 2
42. END REPEAT

43. COMPUTE         SMDMTECH = 0
44. IF              (SEXDMDC EQ 'M' OR 'F' AND SEXTECH EQ 'M' OR 'F') SMDMTECH = 1
45. IF              (SMDMTECH EQ 1 AND SEXDMDC EQ SEXTECH) SMDMTECH = 2
46. ASSIGN MISSING  CNTDAYS TO DMDTEC (-1)
47. PRINT FORMATS   SEXCNTRL, SEXDMDC, SEXMILP, SEXTRAD, SEXTECH (A)
48.                PQDES, PQQDT, PQSCR, PQPER (A)
49. TASK NAME       INTEGRITY CHECK
50. *SELECT IF      (SSN NE SSNTRAD AND SSNTECH)
51. LIST CASES      CASES=3 / VARIABLES = ALL

```

ALL! - GENERAL STATS AND SAMPLE SIZES
INTEGRITY CHECK

07/01/81

52. FREQUENCIES GENERAL = SEXCNTRL
53. OPTIONS 5

GIVEN WORKSPACE ALLOWS FOR 4375 VALUES AND 1749 LABELS PER VARIABLE FOR 'FREQUENCIES'

EXECUTION TERMINATED

Preliminary Analysis

Only a very rudimentary analysis was performed. The purpose of this analysis was to verify that the system operated properly and to determine the quality of some of the data obtained.

The analysis demonstrated that the system operated as planned. However, the quality of the data obtained was less than was expected. The first indicator of poor quality was the low retrieval rate at both DMDC and MILPERCEN. The achieved sample sizes of each study, broken out by the number of matches at DMDC and MILPERCEN, is presented in Table 10. The table reveals that only 34 percent of the BSEP I Literacy sample have both records, 54 percent of the BSEP I ESL sample have both records, and 68 percent of the Vo-Tech sample have both records. Because almost all of these soldiers entered the Army after January, 1977, it was expected that the match rate at DMDC would approach 100 percent. Data for soldiers who have dropped out of the Army should be missing at MILPERCEN, so 100 percent retrieval was not expected. However, almost 100 percent retrieval of the data for the Vo-Tech sample was expected.

The next quality check performed was to conduct a comparison between the birthdates available at the various sources. The results are presented in Table 11. As can be seen in the table, there is some disagreement even when permitting a 30-day error in birthdate matches. A similar check was performed on the sex designation of the soldier by source and those results are presented in Table 12. The discrepancy numbers, i.e., cases for which both sources have data on birthdate or sex but the data do not match, in these two tables are not large, but any discrepancy on basic variables like birthdate and sex decreases confidence in the quality of the remaining data. It is especially disappointing to observe the disagreement between MILPERCEN and DMDC (DMDC files contain refined MILPERCEN raw data).

The other check performed was to determine the quality of the SQT data provided by MILPERCEN. This check was made to determine if accessing TSC for SQT data would be necessary. For the Vo-Tech sample of 672 shown in Table 10, only 139 SQT scores were recorded in the MILPERCEN data. Thus, MILPERCEN does not appear to be a good source of SQT data.

It was not possible to identify the causes of the missing and discrepant data. However, some questions concerning potential causes are appropriate:

- Are the SSN's supplied by TRADOC accurate? There is some doubt that the TRADOC SSN's are accurate because they did not match SSN's supplied by MILPERCEN using two different access methods.

TABLE 10. SAMPLE SIZES WITH DMDC AND MILPERCEN DATA MATCHES

	Sample Size	Those With DMDC Data	%	Those With MILPERCEN Data	%	Those With Both	%
BSEP I LITERACY	6482	3453	53.3	2291	35.3	2185	33.7
Participant	2138	1307	61.1	879	41.1	845	39.5
Non-Participant	4344	2146	49.4	1412	32.5	1340	30.8
BSEP I ESL	2411	1667	69.1	1352	56.1	1304	54.1
Participant	1395	1068	76.6	897	64.3	864	61.9
Non-Participant	1016	599	59.0	455	44.8	440	43.3
Vo-Tech	672	508	75.6	581	86.5	454	67.6
Participant	338	248	73.4	283	83.7	213	63.0
Non-Participant	334	260	77.8	298	89.2	241	72.2

TABLE 11. BIRTHDATE COMPARISONS

	Sample Size	Dates Within 30 Days	Dates Not Within 30 Days	Comparison Not Possible**
CONTROL* vs. MILPERCEN	9564	4194	9	5361
CONTROL vs. DMDC	9564	5537	89	3938
MILPERCEN vs. DMDC	9564	3850	91	5623
MILPERCEN vs. Vo-Tech	672	352	4	9208
DMDC vs. Vo-Tech	672	295	6	9263

* CONTROL is from either TRADOC or Vo-Tech.

** Not computable because one or both birthdates are not present or not a valid date.

TABLE 12. SEX COMPARISONS

	Sample Size	Sex Matches	Sex Mismatch	Not Comparable**
CONTROL* vs. MILPERCEN	9564	4217	6	5341
CONTROL vs. DMDC	9564	5618	9	3937
MILPERCEN vs. DMDC	9564	3938	64	5562
MILPERCEN vs. Vo-Tech	672	367	0	9197
DMDC vs. Vo-Tech	672	309	0	9255

*CONTROL is either from TRADOC or Vo-Tech.

**Not comparable means one or both sex data are missing or not a valid type

- Which data source is more reliable? (Accessing still other sources might shed some light on this.)
- If the SSN's are accurate, has DMDC been unable to properly respond to Battelle's data request? (DMDC recently installed a new computer system, and some of the problems encountered indirectly demonstrate staff inexperience.)
- Other data were also collected from both sources, do these data indicate similar problems?

The actions required to overcome the problems would be as follows. An attempt could be made to resolve the problems encountered and perform an analysis along the lines planned. More work on the data file could overcome or alleviate the discrepancies found thus far and permit an analysis of data. Certainly, the sample sizes are large enough. The comparative statistical analysis would be performed as specified in the Part I Technical Report using SPSS routines. Planned analysis using SQT scores would be eliminated.

Summary of Problems Encountered During Collection, Storage, and Management of Data

It is appropriate to examine, in summary, the problems encountered by the Battelle staff during collection, storage, and management of Vo-Tech Program and computerized soldier performance data and the implications for subsequent linking of ACES data and soldier performance data in the evaluation of program impact. These considerations will provide an opportunity to assess what was learned in the efforts to resolve these problems.

Vo-Tech Data Collection

The data recorded on the Form 669's regarding Vo-Tech course identification and content was not standardized either within Army posts or between posts. This lack of standardization in course identification and content makes the classification of soldier participants into groups with homogeneous educational experiences extremely difficult. Therefore, the formation of such groups for comparative analysis of program impact is experimentally specious.

The lack of standardization in data records is further compounded by the observed missing data on course follow-up. In a significant number of instances, data were not recorded on the Form 669's regarding course completion, course grade, and course drop-out. Hence, the extent of the educational experience for these soldier participants with missing

data could not be determined. This circumstance further complicates the classification of soldiers to the ACES program participation - non-participation categories for comparative analysis.

The further observation during manual data collection from the Form 669's of a spuriously low incidence of recorded data on participation in other ACES programs such as SOC, SOCAD, and Apprenticeship Training indicates potential problems for evaluating impact across ACES programs. Significant incidence of missing data on participation in these other ACES programs may preclude, or make costly, obtaining satisfactory sample sizes for groups of soldier participants. The levels of precision and validity of participant versus nonparticipant comparisons may be less than desired to the extent they are affected by the missing data.

Computerized Data Collection

The development and implementation of procedures for processing and storage of data on the UNIVAC 1108 computer at Edgewood, Maryland did not progress as rapidly as planned because of the age and perceived "overworked" circumstance of the computer system. The EXEC 8 operating system was judged not to be as "up-to-date" as is possible. Delays were experienced in getting on to the system, seemingly unexpected "bugs" were encountered that were not explained by system documentation, and limitations on input-output file sizes hampered procedures development and subsequent processing. The random access files and COBOL routines used in the data storage and management procedures were not familiar to some of the UNIVAC 1108 operating staff. These staff members could not provide assistance when developmental and operational problems were encountered. For these reasons, it is anticipated that not infrequent operational problems would be encountered in conducting an ongoing ACES program impact analysis on the UNIVAC 1108 computer at Edgewood, Maryland. The assignment of a contractor employed, data processing and analysis specialist to the UNIVAC 1108 computer site could eliminate, or resolve, some of the anticipated problems. (The Battelle staff accessed the UNIVAC 1108 computer by means of telephone lines from Columbus, Ohio.)

Requesting and obtaining data from multiple, computerized data sources was hampered by the lack of direct contact between the Battelle staff and the person from each agency supplying the data. All questions concerning uncertainties in formats and specifications of both the request and the source had to be resolved by means of contacts through several intermediaries. This mode of contact caused delays in resolving these questions, introduced errors in interpretation, and degraded the value of feedback. It is recognized that this mode of contact is necessary for the initial cycle of contacts in order to legitimize the request for

data and to establish the authorization for supply of data. In subsequent contact cycles, however, the contacts should be made directly between requesting and source personnel, with notification and explanation of contacts sent to cognizant intermediaries. It is believed that this latter mode of contact is more efficient and effective in requesting and obtaining data from computerized sources.

The specific cause(s) for the perceived, low matching and/or retrieval rates on SSN's, birthdates, and sex among the TRADOC data tape, manually collected Vo-Tech Program data, DMDC data tape, and MILPERCEN data tape is (are) not known. It was anticipated that the matching and/or retrieval rates would be much higher than those achieved, e.g., it was expected that the match rate on SSN's between TRADOC and Vo-Tech data and DMDC data would approach 100 percent, but the achieved rates ranged from about 53 percent to about 76 percent. It is not known which data source is most reliable. The cause(s) of the low matching and/or retrieval rates must be isolated and the mechanism understood (perhaps, it (they) need not be corrected) before the data can be used for comparative statistical analysis of ACES program impact. The sample sizes of the program groups for which matches and/or retrievals were obtained are large enough to justify comparative analysis. Therefore, direct contacts between the personnel performing the comparative analysis and the TRADOC, DMDC, and MILPERCEN operating personnel would likely result in isolating and defining the mechanism(s) causing the low matching and/or retrieval rates. The need for and nature of appropriate corrective actions could then be determined. Then, the comparative statistical analysis of program impact could be performed consistent with the Part I Technical Report analysis plans. Of course, analysis involving SQT scores would have to be eliminated unless the appropriate SQT data were requested and obtained from the TSC.

APPENDIX A

DATA PROCESSING PROCEDURES IMPLEMENTED

APPENDIX A

DATA PROCESSING PROCEDURES IMPLEMENTED

1: IDENTIFICATION DIVISION.
2: PROGRAM-ID. INITIALIZ.
3: INSTALLATION. ABERDEEN PROVING GROUND, MD , 21010.
4: DATE-WRITTEN. MAY 1960.
5: REMARKS. THE PURPOSE OF THIS PROGRAM IS
6: I TO GENERATE ONE Z TYPE RECORD
7: INDEXED BY 000000000Z
8: THE Z RECORD CONTAINS THE FREQUENCIES
9: OF THE A,B,T, AND Z TYPE RECORDS
10: AND IS FOUND ON ACES-MASTER-FILE
11: II TO ESTABLISH AN INTIAL DATA BASE TO
12: ACCEPT VARIOUS INFORMATION AND BE
13: PLACED INTO THE DATA BASE VIA A SPECIFIC
14: RECORD TYPE
15: A-TYPE
16: B-TYPE
17: T-TYPE
18: V-TYPE
19: III TO GENERATE A STATUS REPORT
20: WITH FREQUENCY OF A,B,T,V, RECORDS.
21: ENVIRONMENT DIVISION.
22: CONFIGURATION SECTION.
23: SOURCE-COMPUTER. UNIVAC-1108.
24: OBJECT-COMPUTER. UNIVAC-1108.
25: INPUT-OUTPUT SECTION.
26: FILE-CONTROL.
27: SELECT ACES-MASTER-FILE ASSIGN TO MASS-STORAGE MASTER
28: ORGANIZATION IS INDEXED
29: ACCESS MODE IS RANDOM
30: FILE-LIMIT IS 20000
31: ACTUAL KEY IS MASTER-SEARCH-KEY.
32: SELECT PRINTER1 ASSIGN TO PRINTER.
33: DATA DIVISION.
34: FILE SECTION.
35: *
36: FD ACES-MASTER-FILE,
37: LABEL RECORDS ARE STANDARD,
38: RECORD CONTAINS 300 CHARACTERS,
39: BLOCK CONTAINS 30 RECORDS.
40: *

```

41:      01 MASTER-RECORD.
42:      03 SEARCH-KEY.
43:      05 SSN PIC 9(9).
44:      05 RECORD-TYPE PIC X.
45:      03 DATA-AREA PIC X(290).
46:      FD PRINTER1
47:      LABEL RECORDS ARE OMITTED
48:      DATA RECORD IS PRINT-LINE.
49:      01 PRINT-LINE.
50:      03 CARRIAGE-CONTROL-CHARACTER PIC X.
51:      03 PRINT-DATA PIC X(121).
52:      WORKING-STORAGE SECTION.
53:      77 MASTER-SEARCH-KEY PIC X(10).
54:      *
55:      * MACHINE DATE-TIME IS ACCEPTED FROM THE SYSTEM AND
56:      * IS PRINTED OUT WHEN FILES ARE OPENED AND CLOSED
57:      *
58:      01 MACHINE-DATE-TIME.
59:      03 MACHINE-DATE.
60:      05 MM-DATE PIC XX.
61:      05 DD-DATE PIC XX.
62:      05 YY-DATE PIC XX.
63:      03 MACHINE-TIME.
64:      05 HOUR-DATE PIC XX.
65:      05 MIN-DATE PIC XX.
66:      05 SEC-DATE PIC XX.
67:      *
68:      * SEQUENCED DATE IS THE DATE IN THE FORM YYMMDD TO ALLOWN
69:      * FOR SORTING ON THE 6 FIELD CODE
70:      *
71:      01 SEQUENCED-DATE.
72:      03 YY-DATE PIC XX.
73:      03 MM-DATE PIC XX.
74:      03 DD-DATE PIC XX.
75:      *
76:      * SEARCH KEY IS THE INDEX INTO THE INDEXED SEQUENTIAL
77:      * DATA BASE IT CONSISTS OF A SOCIAL SECURITY NUMBER
78:      * AND SOME RECORD TYPE (A,B,T, OR V)
79:      *
80:      *
81:      * THE A RECORD IS THE MASTER RECORD FOR THE ACES FILE
82:      * A SOLDIER MUST HAVE AN A RECORD TO HAVE A B,T, OR V
83:      * TYPE OF RECORD INDEXED BY NNNNNNNNA WHERE N IS A
84:      * NUMERIC VALUE
85:      *
86:      * THE Z-RECORD IS ALWAYS MAINTAINED ON THE ACES MASTER FILE
87:      * IT CARRIES THE RECORDS COUNTS, AND OTHER FILE INFORMATION
88:      * CONSULT SYSTEM DOCUMENTATION FOR RECORD LAYOUT
89:      * INDEX FOR Z RECORD IS 00000000Z
90:      *

```

```

91:      01  Z-RECORD.
92:      03  SSN-TYPE.
93:          05  SSN PIC 9(9).
94:          05  RECORD-TYPE PIC X VALUE 'Z'.
95:      03  INTIALIZED-DATE.
96:          05  INTIALIZED-YY PIC 99.
97:          05  INTIALIZED-MM PIC 99.
98:          05  INTIALIZED-DD PIC 99.
99:      03  LAST-MODIFIED-DATE.
100:          05  LAST-MODIFIED-YY PIC 99.
101:          05  LAST-MODIFIED-MM PIC 99.
102:          05  LAST-MODIFIED-DD PIC 99.
103:      03  RECORD-COUNTS.
104:          05  NUMBER-OF-A-RECORDS PIC 9(7).
105:          05  NUMBER-OF-B-RECORDS PIC 9(7).
106:          05  NUMBER-OF-T-RECORDS PIC 9(7).
107:          05  NUMBER-OF-V-RECORDS PIC 9(7).
108:          05  TOTAL-RECORDS PIC 9(11).
109:      *
110:      * THE FOLLOWING ARE THE PRINT LINES FOR THE STATUS REPORT
111:      *
112:      01  STATUS-REPORT.
113:          03  LINE-1.
114:              05  FILLER PIC X(40) VALUE SPACES.
115:              05  FILLER PIC X(40) VALUE 'STATUS REPORT ON ACES MASTER
116:              - ' FILE'.
117:          03  LINE-2.
118:              05  FILLER PIC X(50) VALUE SPACES.
119:              05  FILLER PIC X(8) VALUE 'TIME '.
120:              05  SHOW-TIME PIC X(6).
121:          03  LINE-3.
122:              05  FILLER PIC X(50) VALUE SPACES.
123:              05  FILLER PIC X(8) VALUE 'DATE '.
124:              05  SHOW-DATE PIC 99/99/99.
125:          03  LINE-4.
126:              05  FILLER PIC X(23) VALUE SPACES.
127:              05  FILLER PIC X(11) VALUE 'TYPE RECORD'.
128:              05  FILLER PIC X(9) VALUE SPACES.
129:              05  FILLER PIC X(13) VALUE 'FREQUENCIES'.
130:              05  FILLER PIC X(23) VALUE SPACES.
131:              05  FILLER PIC X(23) VALUE 'DATE INTIALIZED '.
132:              05  SHOW-INTIALIZED-DATE PIC 99/99/99.
133:          03  LINE-5.
134:              05  FILLER PIC X(32) VALUE SPACES.
135:              05  FILLER PIC X(15) VALUE 'A'.
136:              05  SHOW-A-COUNT PIC ZZZ,ZZ9.
137:          03  LINE-6.
138:              05  FILLER PIC X(32) VALUE SPACES.
139:              05  FILLER PIC X(15) VALUE 'B'.
140:              05  SHOW-B-COUNT PIC ZZZ,ZZ9.

```

```

141:      03 LINE-7.
142:      05 FILLER PIC X(32) VALUE SPACES.
143:      05 FILLER PIC X(15) VALUE 'T'.
144:      05 SHOW-T-COUNT PIC ZZZ,ZZ9.
145:      05 FILLER PIC X(25) VALUE SPACES.
146:      05 FILLER PIC X(20) VALUE 'DATE LAST MODIFIED '.
147:      05 SHOW-MODIFY-DATE PIC 99/99/99.
148:      03 LINE-8.
149:      05 FILLER PIC X(32) VALUE SPACES.
150:      05 FILLER PIC X(15) VALUE 'V'.
151:      05 SHOW-V-COUNT PIC ZZZ,ZZ9.
152:      03 LINE-9.
153:      05 FILLER PIC X(48) VALUE SPACES.
154:      05 FILLER PIC X(6) VALUE '-----'.
155:      03 LINE-10.
156:      05 FILLER PIC X(29) VALUE SPACES.
157:      05 FILLER PIC X(15) VALUE 'TOTAL'.
158:      05 SHOW-SUM-ABTV-RECORDS PIC ZZZ,ZZ9,999.
159:  PROCEDURE DIVISION.
160:  MAIN-LINE.
161:      PERFORM OPEN-FILE-WRITE-Z-RECORD.
162:      PERFORM SET-UP-ACES-MASTER-FILE.
163:      PERFORM SHUT-DOWN-ACES-MASTER-FILE.
164:      STOP RUN.
165:  *
166:  INITIALIZE-DATE-TIME.
167:  * *****
168:  * WHEN RUN ON A UNIVAC THE FOLLOWING TWO STATEMENTS
169:  * SHOULD BE DELETED THEN SUBSTITUTE THIS
170:  * ACCEPT MACHINE-DATE-TIME FROM DATE-TIME.
171:  * *****
172:  *
173:      MOVE CORRESPONDING MACHINE-DATE TO SEQUENCED-DATE.
174:  *
175:  *
176:  OPEN-FILE-WRITE-Z-RECORD.
177:      PERFORM INITIALIZE-DATE-TIME.
178:      OPEN OUTPUT ACES-MASTER-FILE,
179:          PRINTER1.
180:      MOVE ZEROES TO SSN OF Z-RECORD, RECORD-COUNTS OF Z-RECORD,
181:          SSN OF SEARCH-KEY.
182:      MOVE 'Z' TO RECORD-TYPE OF SEARCH-KEY.
183:      MOVE SEQUENCED-DATE TO LAST-MODIFIED-DATE, INITIALIZED-DATE
184:          OF Z-RECORD.
185:      MOVE SEARCH-KEY TO MASTER-SEARCH-KEY.
186:      DISPLAY ' Z WRITTEN - ', Z-RECORD UPON PRINTER.
187:      WRITE MASTER-RECORD FROM Z-RECORD,
188:          INVALID KEY DISPLAY 'ERROR ON Z WRITE' UPON PRINTER.
189:      CLOSE ACES-MASTER-FILE.
190:      DISPLAY ' ACES MASTER SHUT DOWN' UPON PRINTER.

```

```

191:      *
192:      OPEN INPUT ACES-MASTER-FILE.
193:      MOVE ZEROES TO SSN OF SEARCH-KEY.
194:      MOVE 'Z' TO RECORD-TYPE OF SEARCH-KEY.
195:      MOVE SEARCH-KEY TO MASTER-SEARCH-KEY.
196:      READ ACES-MASTER-FILE INTO Z-RECORD,
197:          INVALID KEY DISPLAY 'Z READ ERROR' UPON PRINTER.
198:      DISPLAY Z-RECORD, 'TESTER' UPON PRINTER.
199:      CLOSE ACES-MASTER-FILE.
200:      SET-UP-ACES-MASTER-FILE.
201:      * THIS ROUTINE WILL BE THE FIRST STEP IN ANY RUN
202:      * INVOLVING THE ACES-MASTER-FILE.
203:      *
204:      OPEN I-O          ACES-MASTER-FILE.
205:      MOVE ZEROES TO SSN OF SEARCH-KEY.
206:      MOVE 'Z' TO RECORD-TYPE OF SEARCH-KEY.
207:      MOVE SEARCH-KEY TO MASTER-SEARCH-KEY.
208:      READ ACES-MASTER-FILE INTO Z-RECORD,
209:          INVALID KEY DISPLAY 'Z READ ERROR' UPON PRINTER.
210:      PERFORM PRINT-STATUS-REPORT.
211:      *
212:      PRINT-STATUS-REPORT.
213:      * MOVE THE DATA OFF Z-RECORD TO REPORT PRINT LINES
214:      *
215:      MOVE INITIALIZED-DATE OF Z-RECORD TO SHOW-INITIALIZED-DATE
216:          OF STATUS-REPORT.
217:      MOVE LAST-MODIFIED-DATE TO SHOW-MODIFY-DATE.
218:      MOVE NUMBER-OF-A-RECORDS TO SHOW-A-COUNT.
219:      MOVE NUMBER-OF-B-RECORDS TO SHOW-B-COUNT.
220:      MOVE NUMBER-OF-T-RECORDS TO SHOW-T-COUNT.
221:      MOVE NUMBER-OF-V-RECORDS TO SHOW-V-COUNT.
222:      MOVE TOTAL-RECORDS TO SHOW-SUM-ABTV-RECORDS.
223:      *
224:      * GET THE CORRECT TIME AND DATE
225:      * PLACE TIME, DATE INTO REPORT PAGE
226:      *

```

```

227:      PERFORM INITIALIZE-DATE-TIME.
228:      MOVE  MACHINE-TIME TO SHOW-TIME OF STATUS-REPORT .
229:      MOVE  SEQUENCED-DATE TO SHOW-DATE OF STATUS-REPORT.
230:      *   WRITE THE STATUS REPORT
231:      *   WRITE PRINT-LINE FROM LINE-1 OF STATUS-REPORT AFTER
232:      *   HEAD-OF-FORM.
233:      WRITE PRINT-LINE FROM LINE-2 OF STATUS-REPORT AFTER 2 LINES.
234:      WRITE PRINT-LINE FROM LINE-3 OF STATUS-REPORT AFTER 2 LINES.
235:      WRITE PRINT-LINE FROM LINE-4 OF STATUS-REPORT AFTER 2 LINES.
236:      WRITE PRINT-LINE FROM LINE-5 OF STATUS-REPORT AFTER 2 LINES.
237:      WRITE PRINT-LINE FROM LINE-6 OF STATUS-REPORT AFTER 2 LINES.
238:      WRITE PRINT-LINE FROM LINE-7 OF STATUS-REPORT AFTER 2 LINES.
239:      WRITE PRINT-LINE FROM LINE-8 OF STATUS-REPORT AFTER 2 LINES.
240:      WRITE PRINT-LINE FROM LINE-9 OF STATUS-REPORT AFTER 2 LINES.
241:      WRITE PRINT-LINE FROM LINE-10 OF STATUS-REPORT AFTER 2 LINES.
242:      SHUT-DOWN-ACES-MASTER-FILE.
243:      *   A STATUS REPORT WILL BE GENERATED
244:      *   A MODIFIED Z-RECORD WILL BE REWRITTEN
245:      *   ACES-MASTEFIL WILL BE CLOSED
246:      PERFORM PRINT-STATUS-REPORT.
247:      PERFORM RE-WRITE-Z-RECORD.
248:      CLOSE ACES-MASTER-FILE, PRINTER1.
249:      *
250:      RE-WRITE-Z-RECORD.
251:      MOVE  SEQUENCED-DATE TO LAST-MODIFIED-DATE OF Z-RECORD.
252:      MOVE  ZEROES TO SSN OF SEARCH-KEY.
253:      MOVE  'Z' TO RECORD-TYPE OF SEARCH-KEY.
254:      MOVE  SEARCH-KEY TO MASTER-SEARCH-KEY.
255:      REWRITE MASTER-RECORD FROM Z-RECORD
256:      INVALID KEY  DISPLAY 'Z RECORD NOT WRITTEN'
257:      UPON PRINTER.
258:      WRITE-EOF-MARKER.
259:      MOVE  SPACES TO MASTER-RECORD.
260:      MOVE  999999999 TO SSN OF SEARCH-KEY.
261:      MOVE  'Z' TO RECORD-TYPE OF SEARCH-KEY.
262:      MOVE  SEARCH-KEY TO MASTER-SEARCH-KEY.
263:      WRITE MASTER-RECORD
264:      INVALID KEY  DISPLAY 'EOF NOT WRITTEN' UPON PRINTER.
265:      MOVE  SEARCH-KEY TO MASTER-SEARCH-KEY.
266:      *   THIS CREATES AN END OF FILE MARKER RECORD
267:      *   DENOTED BY RECORD KEY 999999999Z
EOF:267
O:>

```

1: IDENTIFICATION DIVISION.
 2: PROGRAM-ID. TRADOC.
 3: INSTALLATION. ABERDEEN PROVING GROUND, MD , 21010.
 4: DATE-WRITTEN. MAY 1980.
 5: SECURITY. NO SECURITY CLEARANCE.
 6: REMARKS. THE PURPOSE OF THIS PROGRAM IS
 7: PRODUCE TWO TYPES OF OUTPUT
 8: I) THOSE SOLDIERS WHO HAVE BEEN ACCEPTED INTO
 9: THE PROGRAM IE SELECTABLE-ABLE-TEST-SCORE
 10: OF LESS THAN 50 OR ECL-PRETEST
 11: OF LESS THAN 70
 12: II) THOSE SOLDIERS WHO HAVE NOT BEEN ACCEPTED
 13: INTO THE PROGRAM (WHICH SHOULD BE FEW)
 14: AND HAVE HIGHER ECL PRE TEST SCORES
 15: AND SELECT-ABLE-TEST-SCORES
 16: ENVIRONMENT DIVISION.
 17: CONFIGURATION SECTION.
 18: SOURCE-COMPUTER. UNIVAC-1108.
 19: OBJECT-COMPUTER. UNIVAC-1108.
 20: INPUT-OUTPUT SECTION.
 21: FILE-CONTROL.
 22: SELECT ACES-MASTER-FILE ASSIGN TO MASS-STORAGE MASTER
 23: ORGANIZATION IS INDEXED,
 24: ACCESS MODE IS RANDOM
 25: FILE-LIMIT IS 20000
 26: ACTUAL KEY IS SEARCH-KEY.
 27: SELECT PRINTER1 ASSIGN TO PRINTER.
 28: SELECT TRADOC ASSIGN TO CARD-READER TRDATA.
 29: DATA DIVISION.
 30: FILE SECTION.
 31: *
 32: FD ACES-MASTER-FILE
 33: LABEL RECORDS ARE STANDARD,
 34: RECORD CONTAINS 300 CHARACTERS,
 35: BLOCK CONTAINS 30 RECORDS.
 36: *
 37: 01 MASTER-RECORD.
 38: 03 SEARCH-KEY.
 39: 05 SSN PIC 9(9).
 40: 05 RECORD-TYPE PIC X.
 41: 03 DATA-AREA PIC X(290).
 42: FD TRADOC
 43: LABEL RECORDS ARE STANDARD,
 44: RECORD CONTAINS 80 CHARACTERS.
 45: 01 TRADOC-RECORD.
 46: 02 TRADOC-RECORD-DUMMY.
 47: 05 LAST-NAME PIC X(12).
 48: 05 FIRST-INIT PIC XX.
 49: 05 SSN PIC 9(9).

50: 02 TRADOC-DATA-AREA.
 51: 05 SEX PIC X.
 52: 05 RACE PIC X.
 53: 05 PRIMARY-LANGUAGE PIC X.
 54: 05 ESL PIC X.
 55: 05 EDUCATION-LEVEL PIC X.
 56: 05 MILITARY-COMPONENT PIC X.
 57: 05 MENTAL-CATEGORY PIC X.
 58: 05 MOS PIC X(3).
 59: 05 SELECT-ABLE-TEST-SCORE PIC XX.
 60: 05 SELECTABLE-SUB-SCORE.
 61: 07 SS-1 PIC 99.
 62: 07 SS-2 PIC 99.
 63: 07 SS-3 PIC 99.
 64: 07 SS-4 PIC 99.
 65: 07 SS-5 PIC 99.
 66: 07 SS-6 PIC 99.
 67: 07 SS-7 PIC 99.
 68: 07 SS-8 PIC 99.
 69: 07 SS-9 PIC 99.
 70: 07 SS-10 PIC 99.
 71: 07 SS-11 PIC 99.
 72: 07 SS-12 PIC 99.
 73: 07 SS-13 PIC 99.
 74: 07 SS-14 PIC 99.
 75: 07 SS-15 PIC 99.
 76: 05 GRADE-LEVEL-CHANGE PIC X.
 77: 05 CHANGE-IN-GRADE PIC 99.
 78: 05 ECL-PRE-TEST PIC 99.
 79: 05 ECL-POST-TEST PIC 99.
 80: 05 DAYS-ENROLLED PIC XX.
 81: 05 SUCCESS PIC X.
 82: 05 DISCHARGE PIC X.
 83: 05 INSTALATION-IDENT PIC 99.
 84: 05 MONTH PIC X.
 85: 05 YEAR PIC X.
 86: FD PRINTER1
 87: LABEL RECORDS ARE OMITTED
 88: DATA RECORD IS PRINT-LINE.
 89: 01 PRINT-LINE.
 90: 03 CARRIAGE-CONTROL-CHARACTER PIC X.
 91: 03 MESSAGE-1 PIC X(20).
 92: 03 PRINT-DATA PIC X(101).
 93: WORKING-STORAGE SECTION.
 94: 77 DUMMY-COUNTER PIC 9(5) VALUE 0.
 95: *

```

96:      77 R-MESSAGE PIC X(20) VALUE 'REJECTED- '.
97:      * THESE ARE THE COUNTERS FOR THE RECORDS
98:      01 A-RECORD-COUNTERS.
99:         05 NEW-A-RECORDS-WRITTEN PIC 9(9) VALUE 0.
100:        05 OLD-A-RECORDS-REWRITTEN PIC 9(9) VALUE 0.
101:      01 B-RECORD-COUNTERS.
102:         05 NEW-B-RECORDS-WRITTEN PIC 9(9) VALUE 0.
103:         05 OLD-B-RECORDS-REWRITTEN PIC 9(9) VALUE 0.
104:      *
105:      01 PATICIPANT-COUNTERS.
106:         05 BSEP-LIT-STATUS-1 PIC 9(9) VALUE 0.
107:         05 BSEP-LIT-STATUS-2 PIC 9(9) VALUE 0.
108:         05 BSEP-ESL-STATUS-1 PIC 9(9) VALUE 0.
109:         05 BSEP-ESL-STATUS-2 PIC 9(9) VALUE 0.
110:      * MACHINE DATE-TIME IS ACCEPTED FROM THE SYSTEM AND
111:      * IS PRINTED OUT WHEN FILES ARE OPENED AND CLOSED
112:      *
113:      01 MACHINE-DATE-TIME.
114:         03 MACHINE-DATE.
115:            05 MM-DATE PIC 99.
116:            05 DD-DATE PIC 99.
117:            05 YY-DATE PIC 99.
118:         03 MACHINE-TIME.
119:            05 HOUR-DATE PIC 99.
120:            05 MIN-DATE PIC 99.
121:            05 SEC-DATE PIC 99.
122:      *
123:      * SEQUENCED DATE IS THE DATE IN THE FORM YYMMDD TO ALLOWN
124:      * FOR SORTING ON THE 6 FIELD CODE
125:      *
126:      01 SEQUENCED-DATE.
127:         03 YY-DATE PIC 99.
128:         03 MM-DATE PIC 99.
129:         03 DD-DATE PIC 99.
130:      *
131:      * SEARCH KEY IS THE INDEX INTO THE INDEXED SEQUENTIAL
132:      * DATA BASE IT CONSISTS OF A SOCIAL SECURITY NUMBER
133:      * AND SOME RECORD TYPE (A,B,T, OR V)
134:      *
135:      *
136:      * THE A RECORD IS THE MASTER RECORD FOR THE ACES FILE
137:      * A SOLDIER MUST HAVE AN A RECORD TO HAVE A B,T, OR V
138:      * TYPE OF RECORD INDEXED BY NNNNNNNNNA WHERE N IS A
139:      * NUMERIC VALUE
140:      *

```

```

141: 01 A-RECORD.
142: 02 A-RECORD-DUMMY.
143: 03 SSN-TYPE .
144: 05 SSN PIC 9(9).
145: 05 RECORD-TYPE PIC X VALUE 'A'.
146: 03 MASTER-FLAGS.
147: 05 BSEP-LIT-STATUS PIC 9.
148: 88 NO-B-RECORD VALUE 0.
149: 88 BSEP-LIT-PARTIC VALUE 1.
150: 88 BSEP-LIT-NON-PARTIC VALUE 2.
151: 05 BSEP-ESL-STATUS PIC 9.
152: 88 NO-B-RECORD VALUE 0.
153: 88 BSEP-ESL-PARTIC VALUE 1.
154: 88 BSEP-ESL-NON-PARTIC VALUE 2.
155: 05 VO-TECH-STATUS PIC 9.
156: 88 NO-T-RECORD VALUE 0.
157: 88 VO-TECH-PARTIC VALUE 1.
158: 88 VO-TECH-NON-PARTIC VALUE 2.

158: 88 VO-TECH-NON-PARTIC VALUE 2.
159: 05 VEAP-STATUS PIC 9.
160: 88 NO-V-RECORD VALUE 0.
161: 88 VEAP-PARTIC VALUE 1.
162: 88 VEAP-WITHDRAW-RETURN VALUE 2.
163: 88 VEAP-WITHDRAW-NO-RETURN VALUE 3.
164: 88 VEAP-NON-PARTIC VALUE 4.
165: 03 A-RECORD-STATUS.
166: 05 MILPERCEN-FLAG PIC 9.
167: 88 MILPERCEN-PRESENT VALUE 1.
168: 05 DMDC-FLAG PIC 9.
169: 88 DMDC-PRESENT VALUE 1.
170: 05 TSC-FLAG PIC 9.
171: 88 TSC-PRESENT VALUE 1.
172: 05 EREC-FLAG PIC 9.
173: 88 EREC-PRESENT VALUE 1.
174: 05 CREATE-DATE.
175: 07 CREATE-YY PIC 99.
176: 07 CREATE-MM PIC 99.
177: 07 CREATE-DD PIC 99.
178: 05 LAST-MOD-DATE.
179: 07 LAST-MOD-YY PIC 99.
180: 07 LAST-MOD-MM PIC 99.
181: 07 LAST-MOD-DD PIC 99.
182: 03 CONTROL-INFORMATION.
183: 05 DOB.
184: 07 DOB-YY PIC 99.
185: 07 DOB-MM PIC 99.
186: 07 DOB-DD PIC 99.
187: 05 SEX PIC X.
188: 88 MALE VALUE 'M'.
189: 88 FEMALE VALUE 'F'.

```

```

190:      03 MILPERCEN-DATA.
191:      07 SEX PIC X.
192:      07 RACE PIC X.
193:      07 MARST PIC X.
194:      07 DOB PIC X(6).
195:      07 TERMS PIC X.
196:      07 ETSDT PIC X(6).
197:      07 EGPCD PIC X.
198:      07 BPEDT PIC XXXX.
199:      07 PAYGR PIC X.
200:      07 DOR PIC X(6).
201:      07 AFQSC PIC XX.
202:      07 CIVED PIC X.
203:      07 PHOS PIC X(5).
204:      07 DMOS PIC X(5).
205:      07 TYPLA PIC XX.
206:      07 DATLA PIC X(6).
207:      07 PSVCI PIC X.
208:      07 EERWA PIC XXX.
209:      07 CMF PIC XX.
210:      07 AITDT PIC XXX.
211:      07 GTSCR PIC XXX.
212:      07 PQDES PIC X(4).

212:      07 PQDES PIC X(4).
213:      07 PSQDT PIC X(4).
214:      07 PQSCR PIC XXX.
215:      07 PQPER PIC XX.
216:      07 SMOS PIC X(5).
217:      07 FILLER PIC X(4).
218:      03 DMDC-DATA PIC X(124).
219:      03 TSC-DATA PIC X(56).
220:      *
221:      *
222:      * CONSULT DOCUMENTATION FOR FILE LAYOUT
223:      * ALL ARE REFERENCED BY NNNNNNNNNB WHERE N IS A
224:      * NUMERIC VALUE
225:      *
226:      01 B-RECORD.
227:      02 B-RECORD-DUMMY.
228:      03 SSN-TYPE.
229:      05 SSN PIC 9(9).
230:      05 RECORD-TYPE PIC X VALUE 'B'.
231:      03 B-RECORD-STATUS.
232:      05 CREATE-DATE.
233:      07 CREATE-YY PIC 99.
234:      07 CREATE-MM PIC 99.
235:      07 CREATE-DD PIC 99.
236:      05 MODIFY-DATE.
237:      07 MODIFY-YY PIC 99.
238:      07 MODIFY-MM PIC 99.
239:      07 MODIFY-DD PIC 99.
240:      05 LAST-NAME PIC X(12).
241:      05 FIRST-INIT PIC X.

```

242: 03 BSEP-DATA.
 243: 05 SEX PIC 9.
 244: 05 RACE PIC X.
 245: 05 PRIMARY-LANGUAGE PIC X.
 246: 05 ESI. PIC X.
 247: 05 EDUCATION-LEVEL PIC X.
 248: 05 MILITARY-COMPONENT PIC X.
 249: 05 MENTAL-CATEGORY PIC X.
 250: 05 MOS PIC X(3).
 251: 05 SELECT-ABLE-TEST-SCORE PIC XX.
 252: 05 SELECTABLE-SUB-SCORE.
 253: 07 SS-1 PIC 99.
 254: 07 SS-2 PIC 99.
 255: 07 SS-3 PIC 99.
 256: 07 SS-4 PIC 99.
 257: 07 SS-5 PIC 99.
 258: 07 SS-6 PIC 99.
 259: 07 SS-7 PIC 99.
 260: 07 SS-8 PIC 99.
 261: 07 SS-9 PIC 99.
 262: 07 SS-10 PIC 99.
 263: 07 SS-11 PIC 99.
 264: 07 SS-12 PIC 99.
 265: 07 SS-13 PIC 99.

 266: 07 SS-14 PIC 99.
 267: 07 SS-15 PIC 99.
 268: 05 GRADE-LEVEL-CHANGE PIC X.
 269: 05 CHANGE-IN-GRADE PIC 99.
 270: 05 ECL-PRE-TEST PIC 99.
 271: 05 ECL-POST-TEST PIC 99.
 272: 05 DAYS-ENROLLED PIC XX.
 273: 05 SUCCESS PIC X.
 274: 05 DISCHARGE PIC X.
 275: 05 INSTALLATION-IDENT PIC XX.
 276: 05 MONTH PIC X.
 277: 05 YEAR PIC X.
 278: *
 279: * THE Z-RECORD IS ALWAYS MAINTAINED ON THE ACES MASTER FILE
 280: * IT CARRIES THE RECORDS COUNTS, AND OTHER FILE INFORMATION
 281: * CONSULT SYSTEM DOCUMENTATION FOR RECORD LAYOUT
 282: * INDEX FOR Z RECORD IS 00000000Z
 283: *
 284: 01 Z-RECORD.
 285: 03 SSN-TYPE.
 286: 05 SSN PIC 9(9).
 287: 05 RECORD-TYPE PIC X VALUE 'Z'.
 288: 03 INTIALIZED-DATE.
 289: 05 INTIALIZED-YY PIC 99.
 290: 05 INTIALIZED-MM PIC 99.
 291: 05 INTIALIZED-DD PIC 99.

```

292:      03 LAST-MODIFIED-DATE.
293:      05 LAST-MODIFIED-YY PIC 99.
294:      05 LAST-MODIFIED-MM PIC 99.
295:      05 LAST-MODIFIED-DD PIC 99.
296:      03 RECORD-COUNTS.
297:      05 NUMBER-OF-A-RECORDS PIC 9(7).
298:      05 NUMBER-OF-B-RECORDS PIC 9(7).
299:      05 NUMBER-OF-T-RECORDS PIC 9(7).
300:      05 NUMBER-OF-V-RECORDS PIC 9(7).
301:      05 TOTAL-RECORDS PIC 9(11).
302:
303:      * THE FOLLOWING ARE THE PRINT LINES FOR THE STATUS REPORT
304:      *
305:      01 STATUS-REPORT.
306:      03 LINE-1.
307:      05 FILLER PIC X(20) VALUE SPACES.
308:      05 FILLER PIC X(40) VALUE 'STATUS REPORT ON ACES MASTER
309:      - ' FILE'.
310:      03 LINE-2.
311:      05 FILLER PIC X(30) VALUE SPACES.
312:      05 FILLER PIC X(8) VALUE 'TIME '.
313:      05 SHOW-TIME PIC X(6).
314:      03 LINE-3.
315:      05 FILLER PIC X(30) VALUE SPACES.
316:      05 FILLER PIC X(8) VALUE 'DATE '.
317:      05 SHOW-DATE PIC 99/99/99.
318:      03 LINE-4.
319:      05 FILLER PIC X(3) VALUE SPACES.
320:      05 FILLER PIC X(11) VALUE 'TYPE RECORD'.

321:      05 FILLER PIC X(9) VALUE SPACES.
322:      05 FILLER PIC X(13) VALUE 'FREQUENCIES'.
323:      05 FILLER PIC X(23) VALUE SPACES.
324:      05 FILLER PIC X(23) VALUE 'DATE INTIALIZED '.
325:      05 SHOW-INTIALIZED-DATE PIC 99/99/99.
326:      03 LINE-5.
327:      05 FILLER PIC X(12) VALUE SPACES.
328:      05 FILLER PIC X(15) VALUE 'A'.
329:      05 SHOW-A-COUNT PIC ZZZ,ZZ9.
330:      03 LINE-6.
331:      05 FILLER PIC X(12) VALUE SPACES.
332:      05 FILLER PIC X(15) VALUE 'B'.
333:      05 SHOW-B-COUNT PIC ZZZ,ZZ9.
334:      03 LINE-7.
335:      05 FILLER PIC X(12) VALUE SPACES.
336:      05 FILLER PIC X(15) VALUE 'T'.
337:      05 SHOW-T-COUNT PIC ZZZ,ZZ9.
338:      05 FILLER PIC X(25) VALUE SPACES.
339:      05 FILLER PIC X(20) VALUE 'DATE LAST MODIFIED '.
340:      05 SHOW-MODIFY-DATE PIC 99/99/99.

```

```

341:      03 LINE-8.
342:      05 FILLER PIC X(12) VALUE SPACES.
343:      05 FILLER PIC X(15) VALUE 'V'.
344:      05 SHOW-V-COUNT PIC ZZZ,ZZ9.
345:      03 LINE-9.
346:      05 FILLER PIC X(28) VALUE SPACES.
347:      05 FILLER PIC X(6) VALUE '-----'.
348:      03 LINE-10.
349:      05 FILLER PIC X(9) VALUE SPACES.
350:      05 FILLER PIC X(15) VALUE 'TOTAL'.
351:      05 SHOW-SUM-ABTV-RECORDS PIC ZZZ,ZZZ,999.
352: 01 CREATED-A-RECORD-FLAG PIC 9.
353:      88 OLD-A-RECORD VALUE 0.
354:      88 NEW-A-RECORD VALUE 1.
355: 01 CREATED-B-RECORD-FLAG PIC 9.
356:      88 OLD-B-RECORD VALUE 0.
357:      88 NEW-B-RECORD VALUE 1.
358: 01 TRADOC-FILE-FLAG PIC 9.
359:      88 EOF-TRADOC-DATA-TAPE VALUE 1.
360: 01 RECORD-COUNTERS.
361:      03 TRADOC-RECORD-COUNTER PIC 9(9) VALUE 0.
362:      03 REJECTED-TRADOC-COUNTER PIC 9(9) VALUE 0.
363:      03 CREATED-A-COUNTER PIC 9(9) VALUE 0.
364:      03 CREATED-B-COUNTER PIC 9(9) VALUE 0.
365: 01 TRADOC-RECORD-FLAG PIC 9.
366:      88 RECORD-REJECTED VALUE 1.
367: PROCEDURE DIVISION.
368: MAIN-LINE.
369:     OPEN OUTPUT PRINTER1.
370:     PERFORM SET-UP-ACES-MASTER-FILE.
371:     CLOSE ACES-MASTER-FILE.
372:     OPEN OUTPUT ACES-MASTER-FILE.
373:     PERFORM SET-UP-TRADOC-DATA-TAPE.

374:     PERFORM PROCESS-SOLDIER THROUGH INPUT-TRADOC-RECORD
375:           UNTIL EOF-TRADOC-DATA-TAPE.
376:     CLOSE ACES-MASTER-FILE.
377:     OPEN I-O ACES-MASTER-FILE.
378: * CHANGE THE 10 TIMES TO EOF MARKER AFTER TESTING JNH
379:     PERFORM SHUT-DOWN-ACES-MASTER-FILE.
380:     CLOSE TRADOC.
381:     STOP RUN.
382: SET-UP-TRADOC-DATA-TAPE.
383:     OPEN INPUT TRADOC.
384:     CLOSE TRADOC.
385:     OPEN INPUT TRADOC.
386:     MOVE 0 TO TRADOC-FILE-FLAG.
387:     PERFORM INPUT-TRADOC-RECORD.
388:
389: * *****

```

```

390:      SET-UP-ACES-MASTER-FILE.
391:      *   THIS ROUTINE WILL BE THE FIRST STEP IN ANY RUN
392:      *   INVOLVING THE ACES-MASTER-FILE.
393:      *
394:      OPEN I-O          ACES-MASTER-FILE.
395:      MOVE ZEROES TO SSN OF SEARCH-KEY.
396:      MOVE 'Z' TO RECORD-TYPE OF SEARCH-KEY.
397:      READ ACES-MASTER-FILE INTO Z-RECORD,
398:      INVALID KEY DISPLAY ' NO Z RECORD', Z-RECORD
399:      UPON PRINTER.
400:      PERFORM PRINT-STATUS-REPORT.
401:      PRINT-STATUS-REPORT.
402:      *   MOVE THE DATA OFF Z-RECORD TO REPORT PRINT LINES
403:      *
404:      MOVE INITIALIZED-DATE OF Z-RECORD TO SHOW-INITIALIZED-DATE
405:      OF STATUS-REPORT.
406:      MOVE LAST-MODIFIED-DATE TO SHOW-MODIFY-DATE.
407:      MOVE NUMBER-OF-A-RECORDS TO SHOW-A-COUNT.
408:      MOVE NUMBER-OF-B-RECORDS TO SHOW-B-COUNT.
409:      MOVE NUMBER-OF-T-RECORDS TO SHOW-T-COUNT.
410:      MOVE NUMBER-OF-V-RECORDS TO SHOW-V-COUNT.
411:      MOVE TOTAL-RECORDS TO SHOW-SUM-ABTV-RECORDS.
412:      *
413:      *   GET THE CORRECT TIME AND DATE
414:      *   PLACE TIME, DATE INTO REPORT PAGE
415:      PERFORM INITIALIZE-DATE-TIME.
416:      MOVE MACHINE-TIME TO SHOW-TIME OF STATUS-REPORT .
417:      MOVE SEQUENCED-DATE TO SHOW-DATE OF STATUS-REPORT.
418:      *   WRITE THE STATUS REPORT
419:      *   WRITE PRINT-LINE FROM LINE-1 OF STATUS-REPORT AFTER
420:      *   PAGE-TOP LINES.
421:      WRITE PRINT-LINE FROM LINE-2 OF STATUS-REPORT AFTER 2 LINES.
422:      WRITE PRINT-LINE FROM LINE-3 OF STATUS-REPORT AFTER 2 LINES.
423:      WRITE PRINT-LINE FROM LINE-4 OF STATUS-REPORT AFTER 2 LINES.
424:      WRITE PRINT-LINE FROM LINE-5 OF STATUS-REPORT AFTER 2 LINES.
425:      WRITE PRINT-LINE FROM LINE-6 OF STATUS-REPORT AFTER 2 LINES.

```

```

426:      WRITE PRINT-LINE FROM LINE-7 OF STATUS-REPORT AFTER 2 LINES.
427:      WRITE PRINT-LINE FROM LINE-8 OF STATUS-REPORT AFTER 2 LINES.
428:      WRITE PRINT-LINE FROM LINE-9 OF STATUS-REPORT AFTER 2 LINES.
429:      WRITE PRINT-LINE FROM LINE-10 OF STATUS-REPORT AFTER 2 LINES.
430:      *
431:      INITIALIZE-DATE-TIME.
432:      *
433:      ACCEPT MACHINE-DATE-TIME FROM DATE-TIME.
434:      MOVE CORRESPONDING MACHINE-DATE TO SEQUENCED-DATE.
435:      *
436:      *
437:      SHUT-DOWN-ACES-MASTER-FILE.
438:      *   A STATUS REPORT WILL BE GENERATED
439:      *   ALL COUNTERS WILL BE UPDATED
440:      *   A MODIFIED Z-RECORD WILL BE REWRITTEN
441:      *   ACES-MASTEFIL WILL BE CLOSED
442:      PERFORM UPDATE-COUNTERS.
443:      PERFORM PRINT-STATUS-REPORT.
444:      PERFORM WRITE-Z-RECORD.
445:      CLOSE ACES-MASTER-FILE.
446:      *
447:      UPDATE-COUNTERS.
448:      * THE PURPOSE OF THIS ROUTINE IS TO UPDATE THE Z-RECORD
449:      * COUNTERS
450:      ADD NEW-A-RECORDS-WRITTEN TO NUMBER-OF-A-RECORDS.
451:      ADD NEW-B-RECORDS-WRITTEN TO NUMBER-OF-B-RECORDS.
452:      DISPLAY ' ', NEW-A-RECORDS-WRITTEN, 'NEW A RECS'
453:      UPON PRINTER.
454:      DISPLAY ' ', OLD-A-RECORDS-REWRITTEN, 'OLD A RECS'
455:      UPON PRINTER.
456:      DISPLAY ' ', NEW-B-RECORDS-WRITTEN, 'NEW B RECS'
457:      UPON PRINTER.
458:      DISPLAY ' ', OLD-B-RECORDS-REWRITTEN, 'OLD B RECS'
459:      UPON PRINTER.
460:      DISPLAY ' ', BSEP-LIT-STATUS-1, 'BSEP LIT STATUS 1'
461:      UPON PRINTER.
462:      DISPLAY ' ', BSEP-LIT-STATUS-2, 'BSEP LIT STATUS 2'
463:      UPON PRINTER.
464:      DISPLAY ' ', BSEP-ESL-STATUS-1, 'BSEP ESL STATUS 1'
465:      UPON PRINTER.
466:      DISPLAY ' ', BSEP-ESL-STATUS-2, 'BSEP ESL STATUS 2'
467:      UPON PRINTER.
468:      MOVE 0 TO TOTAL-RECORDS.
469:      ADD NUMBER-OF-A-RECORDS TO TOTAL-RECORDS.
470:      ADD NUMBER-OF-B-RECORDS TO TOTAL-RECORDS.
471:      ADD NUMBER-OF-T-RECORDS TO TOTAL-RECORDS.
472:      ADD NUMBER-OF-V-RECORDS TO TOTAL-RECORDS.
473:      WRITE-Z-RECORD.
474:      MOVE SEQUENCED-DATE TO LAST-MODIFIED-DATE OF Z-RECORD.
475:      MOVE Z-RECORD TO MASTER-RECORD.

```

```

476:      REWRITE MASTER-RECORD
477:      INVALID KEY  DISPLAY 'Z RECORD NOT WRITTEN'
478:      UPON PRINTER.
479:      * *****
480:      *   THE FOLLOWING PORTION OF THE  PROGRAM IS STRICTLY FOR TRADOC
481:      *   FILE PROCESSING
482:      *   *****
483:      * THIS IS THE TOP OF THE TRADOC PROCESSING LOOP
484:      * IT WILL BE REPEATED A NUMER OF TIMES EQUAL TO THE
485:      * NUMBER OF TRADOC DATA RECORDS
486:      * *****
487:      PROCESS-SOLDIER.
488:      * HERE WE WILL CHECK TO SEE IF THE TRADOC RECORD MEETS MINIMUM
489:      * REQUIREMENTS OTHERWISE WE WILL REJECT THE RECORD
490:      *   PERFORM EXAMINE-TRADOC-RECORD.
491:      *
492:      * NEXT WE WILL SEE IF THERE IS AN A-RECORD ON THIS SOLDIER AND
493:      * DETERMINE BY MEANS OF A SEX COMPARISON IF THE TWO ARE THE
494:      * SAME IE TRADOC INPUT AND THE A-RECORD
495:      *   IF NOT RECORD-REJECTED
496:      *       PERFORM FIND-CREATE-A-RECORD.
497:      *
498:      * NOW IF WE HAVE FOUND-VERIFIED THE A-RECORD OR CREATED IT
499:      * WE WILL TRY TO FIND  OR CREATE THE B-RECORD
500:      * NOTE THAT IF THE A-RECORD IS VERIFIED THE B-RECORD IS
501:      * IPSO FACTO VERIFIED
502:      *   IF NOT RECORD-REJECTED,
503:      *       PERFORM FIND-CREATE-B-RECORD,
504:      *       PERFORM EXAMINE-B-RECORD,
505:      *       PERFORM REWRITE-WRITE-A-RECORD,
506:      *       PERFORM REWRITE-WRITE-B-RECORD.
507:      INPUT-TRADOC-RECORD.
508:      *   READ TRADOC AT END MOVE 1 TO TRADOC-FILE-FLAG,
509:      *       SUBTRACT 1 FROM TRADOC-RECORD-COUNTER.
510:      *   ADD 1 TO TRADOC-RECORD-COUNTER.
511:      *   ADD 1 TO DUMMY-COUNTER.
512:      *   IF DUMMY-COUNTER EQUALS 100
513:      *       MOVE ZEROS TO DUMMY-COUNTER,
514:      *       DISPLAY TRADOC-RECORD-COUNTER, ' '
515:      *       SSN OF TRADOC-RECORD UPON PRINTER.
516:      * *****
517:      * THIS IS THE BOTOM OF THE LOOP FOR TRADOC PROCESSING
518:      * *****

```

519: EXAMINE-TRADOC-RECORD.

```

520:         MOVE 0 TO TRADOC-RECORD-FLAG.
521:         IF SSN OF TRADOC-RECORD NOT NUMERIC
522:             MOVE 1 TO TRADOC-RECORD-FLAG.
523:         IF SELECT-ABLE-TEST-SCORE OF TRADOC-RECORD
524:             EQUALS 'CR' MOVE 1 TO TRADOC-RECORD-FLAG.
525:         IF RECORD-REJECTED
526:             ADD 1 TO REJECTED-TRADOC-COUNTER,
527:             MOVE SPACES TO PRINT-LINE
528:             MOVE R-MESSAGE TO MESSAGE-1,
529:             MOVE TRADOC-RECORD TO PRINT-DATA,
530:             WRITE PRINT-LINE AFTER 1 LINES.
531:     FIND-CREATE-A-RECORD.
532:         MOVE 0 TO CREATED-A-RECORD-FLAG.
533:         MOVE SSN OF TRADOC-RECORD TO SSN OF SEARCH-KEY.
534:         MOVE 'A' TO RECORD-TYPE OF SEARCH-KEY.
535:     *     READ ACES-MASTER-FILE INTO A-RECORD
536:     *         INVALID KEY PERFORM CREATE-A-RECORD-FROM-TRADOC.
537:             PERFORM CREATE-A-RECORD-FROM-TRADOC.
538:         IF NOT NEW-A-RECORD
539:             PERFORM VERIFY-A-RECORD.
540:     VERIFY-A-RECORD.
541:         MOVE 0 TO TRADOC-RECORD-FLAG.
542:         IF SEX OF TRADOC-RECORD
543:             NOT EQUAL SEX OF A-RECORD
544:             DISPLAY 'BAD MATCH ON TRADOC RECORD A EXISTS '
545:             UPON PRINTER,
546:             MOVE 1 TO TRADOC-RECORD-FLAG.
547:     FIND-CREATE-B-RECORD.
548:         MOVE 0 TO CREATED-B-RECORD-FLAG.
549:         MOVE 'B' TO RECORD-TYPE OF SEARCH-KEY.
550:     *     READ ACES-MASTER-FILE INTO B-RECORD,
551:     *         INVALID KEY PERFORM CREATE-A-RECORD-FROM-TRADOC.
552:             PERFORM CREATE-B-RECORD-FROM-TRADOC.
553:     CREATE-A-RECORD-FROM-TRADOC.
554:         MOVE 1 TO CREATED-A-RECORD-FLAG.
555:         PERFORM BLANK-OUT-A-RECORD.
556:         MOVE SSN OF TRADOC-RECORD TO SSN OF A-RECORD.
557:         ADD 1 TO CREATED-A-COUNTER.
558:         MOVE SEQUENCED-DATE TO CREATE-DATE OF A-RECORD,
559:             LAST-MOD-DATE OF A-RECORD.
560:         MOVE 999999 TO DOB OF CONTROL-INFORMATION.
561:         MOVE SEX OF TRADOC-RECORD TO SEX OF CONTROL-INFORMATION.

```

```

562:      CREATE-B-RECORD-FROM-TRADOC.
563:      MOVE 1 TO CREATED-B-RECORD-FLAG.
564:      PERFORM BLANK-OUT-B-RECORD.
565:      MOVE TRADOC-DATA-AREA TO BSEP-DATA.
566:      MOVE SSN OF TRADOC-RECORD TO SSN OF B-RECORD.
567:      ADD 1 TO CREATED-B-COUNTER.
568:      MOVE SEQUENCED-DATE TO CREATE-DATE OF B-RECORD.
569:      EXAMINE-B-RECORD.
570:      IF SELECT-ABLE-TEST-SCORE OF TRADOC-RECORD NOT EQUAL 'ER'
571:      IF( DAYS-ENROLLED OF B-RECORD EQUALS '--' OR
572:      DAYS-ENROLLED OF B-RECORD EQUALS 'OO' OR
573:      DAYS-ENROLLED OF B-RECORD EQUALS '-' OR
574:      DAYS-ENROLLED OF B-RECORD EQUALS '-O')

574:      DAYS-ENROLLED OF B-RECORD EQUALS '-O')
575:      MOVE 2 TO BSEP-LIT-STATUS OF A-RECORD
576:      ADD 1 TO BSEP-LIT-STATUS-2,
577:      ELSE
578:      ADD 1 TO BSEP-LIT-STATUS-1,
579:      MOVE 1 TO BSEP-LIT-STATUS OF A-RECORD
580:      ELSE
581:      IF ESL OF TRADOC-RECORD EQUALS 'E'
582:      MOVE 1 TO BSEP-ESL-STATUS OF A-RECORD
583:      ADD 1 TO BSEP-ESL-STATUS-1,
584:      ELSE
585:      ADD 1 TO BSEP-ESL-STATUS-2,
586:      MOVE 2 TO BSEP-ESL-STATUS OF A-RECORD.
587:      MOVE SEX OF B-RECORD TO SEX OF CONTROL-INFORMATION.
588:      REWRITE-WRITE-A-RECORD.
589:      MOVE SSN OF TRADOC-RECORD TO SSN OF SEARCH-KEY.
590:      MOVE 'A' TO RECORD-TYPE OF SEARCH-KEY.
591:      MOVE SEQUENCED-DATE TO LAST-MOD-DATE OF A-RECORD.
592:      IF OLD-A-RECORD
593:      ADD 1 TO OLD-A-RECORDS-REWRITTEN,
594:      REWRITE MASTER-RECORD FROM A-RECORD
595:      INVALID KEY DISPLAY
596:      ' INVALID ATTEMPT REWRI *A* REC - ',
597:      SSN OF TRADOC-RECORD UPON PRINTER,
598:      SUBTRACT 1 FROM OLD-A-RECORDS-REWRITTEN,
599:      ELSE
600:      ADD 1 TO NEW-A-RECORDS-WRITTEN,
601:      WRITE MASTER-RECORD FROM A-RECORD
602:      INVALID KEY DISPLAY
603:      ' INVALID ATTEMPT WRI *A* REC - ',
604:      SSN OF TRADOC-RECORD UPON PRINTER,
605:      SUBTRACT 1 FROM NEW-A-RECORDS-WRITTEN.

```

```

606: REWRITE-WRITE-B-RECORD.
607:     MOVE SSN OF TRADOC-RECORD TO SSN OF SEARCH-KEY.
608:     MOVE SEQUENCED-DATE TO MODIFY-DATE OF B-RECORD.
609:     MOVE 'B' TO RECORD-TYPE OF SEARCH-KEY.
610:     IF OLD-B-RECORD
611:         ADD 1 TO OLD-B-RECORDS-REWRITTEN
612:         REWRITE MASTER-RECORD FROM B-RECORD
613:         INVALID KEY DISPLAY
614:         ' INVALID ATTEMPT REWRI *B* REC - ',
615:         SSN OF TRADOC-RECORD UPON PRINTER,
616:         SUBTRACT 1 FROM OLD-B-RECORDS-REWRITTEN,
617:     ELSE
618:         ADD 1 TO NEW-B-RECORDS-WRITTEN,
619:         WRITE MASTER-RECORD FROM B-RECORD
620:         INVALID KEY DISPLAY
621:         ' INVALID ATTEMPT WRI *B* REC - ',
622:         SSN OF TRADOC-RECORD UPON PRINTER,
623:         SUBTRACT 1 FROM NEW-B-RECORDS-WRITTEN.
624: BLANK-OUT-A-RECORD.
625:     MOVE SPACES TO MILPERCEN-DATA OF A-RECORD.
626:     MOVE 0 TO MASTER-FLAGS OF A-RECORD,
627:     A-RECORD-STATUS.

```

```

628: BLANK-OUT-B-RECORD.
629:     MOVE SPACES TO BSEP-DATA OF B-RECORD.
630:     MOVE 0 TO B-RECORD-STATUS.

```

```

EOF:630 SCAN:2
0:>

```

```

1:  IDENTIFICATION DIVISION.
2:  PROGRAM-ID. VOTECH.
3:  INSTALLATION. ABERDEEN PROVING GROUND, MD , 21010.
4:  DATE-WRITTEN. MAY 1960.
5:  SECURITY. NO SECURITY CLEARANCE.
6:  ENVIRONMENT DIVISION.
7:  CONFIGURATION SECTION.
8:  SOURCE-COMPUTER. UNIVAC-1108.
9:  OBJECT-COMPUTER. UNIVAC-1108.
10: INPUT-OUTPUT SECTION.
11: FILE-CONTROL.
12:     SELECT  ACES-MASTER-FILE ASSIGN TO
13:     MASS-STORAGE MASTER,
14:     ACCESS MODE IS RANDOM
15:     ORGANIZATION IS INDEXED,
16:     FILE-LIMIT IS 20000
17:     ACTUAL KEY IS  SEARCH-KEY,
18:     PROCESSING MODE IS RANDOM.
19: *
20: SELECT PRINTER1 ASSIGN TO PRINTER.
21: *
22:     SELECT RAW-VOTECH-FILE ASSIGN TO
23:     CARD-READER POSTS.
24: SELECT VOTECH-FILE ASSIGN TO CARD-READER VSRT.
25: *
26: *
27:     SELECT TEMP-SORT ASSIGN TO
28:     MASS-STORAGE XA.
29: *
30: DATA DIVISION.
31: FILE SECTION.
32: *
33: FD  ACES-MASTER-FILE
34: LABEL RECORDS ARE STANDARD,
35: RECORD CONTAINS 300 CHARACTERS,
36: BLOCK CONTAINS 30 RECORDS.
37: *
38: 01 MASTER-RECORD.
39: 03 SEARCH-KEY.
40: 05 SSN PIC 9(9).
41: 05 RECORD-TYPE PIC X.
42: 03 DATA-AREA PIC X(290).
43: *
44: *
45: FD  VOTECH-FILE
46: LABEL RECORDS ARE STANDARD,
47: RECORD CONTAINS 80 CHARACTERS.
48: 01 RAW-INPUT-CARD PIC X(80).
49: *
50: *

```

```

51: SD TEMP-SORT
52: DATA RECORD IS SORT-CARD.
53: 01 SORT-CARD.
54: 03 SSN PIC 9(9).
55: 03 FILLER PIC X(70).
56: 03 CARD-CODE PIC 9.
57: *
58: *
59: *
60: *
61: FD RAW-VOTECH-FILE
62: LABEL RECORDS ARE STANDARD,
63: RECORD CONTAINS 80 CHARACTERS.
64: 01 RAW-VOTECH-RECORD PIC X(80).
65: *
66: FD PRINTER1
67: LABEL RECORDS ARE OMITTED
68: DATA RECORD IS PRINT-LINE.
69: 01 PRINT-LINE.
70: 03 CARRIAGE-CONTROL-CHARACTER PIC X.
71: 03 PRINT-DATA PIC X(121).
72: WORKING-STORAGE SECTION.
73: *
74: *
75: 77 OLD-SSN PIC 9(9).
76: 77 DIFFERENCE PIC S9(6).
77: 77 DUMMY-COUNTER PIC 9(11) VALUE 0.
78: *
79: 01 ACES-RECORD-COUNTERS.
80: 05 NEW-A-RECORDS-WRITTEN PIC 9(5) VALUE 0.
81: 05 OLD-A-RECORDS-REWRITTEN PIC 9(5) VALUE 0.
82: 05 NEW-T-RECORDS-WRITTEN PIC 9(5) VALUE 0.
83: 05 OLD-T-RECORDS-REWRITTEN PIC 9(5) VALUE 0.
84: * MACHINE DATE-TIME IS ACCEPTED FROM THE SYSTEM AND
85: * IS PRINTED OUT WHEN FILES ARE OPENED AND CLOSED
86: 01 MACHINE-DATE-TIME.
87: 03 MACHINE-DATE.
88: 05 MM-DATE PIC 99.
89: 05 DD-DATE PIC 99.
90: 05 YY-DATE PIC 99.
91: 03 MACHINE-TIME.
92: 05 HOUR-DATE PIC 99.
93: 05 MIN-DATE PIC 99.
94: 05 SEC-DATE PIC 99.
95: *
96: * SEQUENCED DATE IS THE DATE IN THE FORM YYMMDD TO ALLOW
97: * FOR SORTING ON THE 6 FIELD CODE
98: *

```

```

99:      01 SEQUENCED-DATE.
100:      03 YY-DATE   PIC 99.
101:      03 MM-DATE   PIC 99.
102:      03 DD-DATE   PIC 99.
103:      *
104:      * SEARCH KEY IS THE INDEX INTO THE INDEXED SEQUENTIAL
105:      * DATA BASE IT CONSISTS OF A SOCIAL SECURITY NUMBER
106:      * AND SOME RECORD TYPE (A,B,T, OR V)
107:      *
108:      *
109:      01 DUMMY .
110:          05 SSN PIC 9(9).
111:          05 RECORD-TYPE PIC X.
112:      *
113:      * THE INPUT CARD IS THE COMMON RECORD
114:      * FORMAT OF ALL OF THE VOTECH INPUT CARDS
115:      * IE THERE COMMON FIELDS (SSN,CARD-CODE)
116:      *
117:      01 INPUT-CARD.
118:          03 SSN PIC 9(9).
119:          03 DATA-AREA.
120:              05 FILLER PIC X(4).
121:              05 DOP PIC 9(6).
122:              05 FILLER PIC X(60).
123:          03 CARD-CODE PIC 9.
124:              88 FIRST-CARD VALUE 1.
125:              88 SECOND-CARD VALUE 2.
126:              88 THIRD-CARD VALUE 3.
127:              88 FOURTH-CARD VALUE 4.
128:      *
129:      * THE A RECORD IS THE MASTER RECORD FOR THE ACES FILE
130:      * A SOLDIER MUST HAVE AN A RECORD TO HAVE A B,T, OR V
131:      * TYPE OF RECORD INDEXED BY NNNNNNNNA WHERE N IS A
132:      * NUMERIC VALUE
133:      *
134:      01 A-RECORD.
135:          02 A-RECORD-DUMMY.
136:          03 SSN-TYPE .
137:              05 SSN PIC 9(9).
138:              05 RECORD-TYPE PIC X VALUE 'A'.
139:          03 MASTER-FLAGS.
140:              05 BSEP-LIT-STATUS PIC 9.
141:                  88 NO-B-RECORD VALUE 0.
142:                  88 BSEP-LIT-PARTIC VALUE 1.
143:                  88 BSEP-LIT-NON-PARTIC VALUE 2.
144:              05 BSEP-ESL-STATUS PIC 9.
145:                  88 NO-B-RECORD VALUE 0.
146:                  88 BSEP-ESL-PARTIC VALUE 1.
147:                  88 BSEP-ESL-NON-PARTIC VALUE 2.

```

148:	05	VO-TECH-STATUS PIC 9.	
149:	88	NO-T-RECORD	VALUE 0.
150:	88	VO-TECH-PARTIC	VALUE 1.
151:	88	VO-TECH-NON-PARTIC	VALUE 2.
152:	05	VEAP-STATUS PIC 9.	
153:	88	NO-V-RECORD	VALUE 0.
154:	88	VEAP-PARTIC	VALUE 1.
155:	88	VEAP-WITHDRAW-RETURN	VALUE 2.
156:	88	VEAP-WITHDRAW-NO-RETURN	VALUE 3.
157:	88	VEAP-NON-PARTIC	VALUE 4.
158:	03	A-RECORD-STATUS.	
159:	05	MILPERCEN-FLAG PIC 9.	
160:	88	MILPERCEN-PRESENT	VALUE 1.
161:	05	DMDC-FLAG PIC 9.	
162:	88	DMDC-PRESENT	VALUE 1.
163:	05	TSC-FLAG PIC 9.	
164:	88	TSC-PRESENT	VALUE 1.
165:	05	EREC-FLAG PIC 9.	
166:	88	EREC-PRESENT	VALUE 1.
167:	05	CREATE-DATE.	
168:	07	CREATE-YY PIC 99.	
169:	07	CREATE-MM PIC 99.	
170:	07	CREATE-DD PIC 99.	
171:	05	LAST-MOD-DATE.	
172:	07	LAST-MOD-YY PIC 99.	
173:	07	LAST-MOD-MM PIC 99.	
174:	07	LAST-MOD-DD PIC 99.	
175:	03	CONTROL-INFORMATION.	
176:	05	DOB.	
177:	07	DOB-YY PIC 99.	
178:	07	DOB-MM PIC 99.	
179:	07	DOB-DD PIC 99.	
180:	05	SEX PIC X.	
181:	88	MALE	VALUE 'M'.
182:	88	FEMALE	VALUE 'F'.

```

183:      03  MILPERCEN-DATA.
184:          07  SEX PIC X.
185:          07  RACE PIC X.
186:          07  MARST PIC X.
187:          07  DOB PIC X(6).
188:          07  TERMS PIC X.
189:          07  ETSDT PIC X(6).
190:          07  EGPCD PIC X.
191:          07  BPEDT PIC XXXX.
192:          07  PAYGR PIC X.
193:          07  DOR PIC X(6).
194:          07  AFQSC PIC XX.
195:          07  CIVED PIC X.
196:          07  PMOS PIC X(5).
197:          07  DMOS PIC X(5).
198:          07  TYPLA PIC XX.
199:          07  DATLA PIC X(6).
200:          07  PSVCI PIC X.
201:          07  EERWA PIC XXX.
202:          07  CMF PIC XX.
203:          07  AITDT PIC XXX.
204:          07  GTSCR PIC XXX.
205:          07  PQDES PIC X(4).
206:          07  PSQDT PIC X(4).
207:          07  PQSCR PIC XXX.
208:          07  PQPER PIC XX.
209:          07  SMOS PIC X(5).
210:          07  FILLER PIC X(4).
211:      03  DMDC-DATA PIC X(124).
212:      03  TSC-DATA PIC X(56).
213:  *
214:  *
215:  * CONSULT DOCUMENTATION FOR FILE LAYOUT
216:  * ALL ARE REFERENCED BY NNNNNNNNNB WHERE N IS A
217:  * NUMERIC VALUE
218:  *
219:  *
220:  * THE Z-RECORD IS ALWAYS MAINTAINED ON THE ACES MASTER FILE
221:  * IT CARRIES THE RECORDS COUNTS, AND OTHER FILE INFORMATION
222:  * CONSULT SYSTEM DOCUMENTATION FOR RECORD LAYOUT
223:  * INDEX FOR Z RECORD IS 00000000Z
224:  *
225:  01  Z-RECORD.
226:      03  SSN-TYPE.
227:          05  SSN PIC 9(9).
228:          05  RECORD-TYPE PIC X VALUE 'Z'.
229:      03  INTIALIZED-DATE.
230:          05  INTIALIZED-YY PIC 99.
231:          05  INTIALIZED-MM PIC 99.
232:          05  INTIALIZED-DD PIC 99.

```

```

233:      03 LAST-MODIFIED-DATE.
234:      05 LAST-MODIFIED-YY PIC 99.
235:      05 LAST-MODIFIED-MM PIC 99.
236:      05 LAST-MODIFIED-DD PIC 99.
237:      03 RECORD-COUNTS.
238:      05 NUMBER-OF-A-RECORDS PIC 9(7).
239:      05 NUMBER-OF-B-RECORDS PIC 9(7).
240:      05 NUMBER-OF-T-RECORDS PIC 9(7).
241:      05 NUMBER-OF-V-RECORDS PIC 9(7).
242:      05 TOTAL-RECORDS PIC 9(11).
243:      *
244:      * THE FOLLOWING ARE THE PRINT LINES FOR THE STATUS REPORT
245:      *
246:      01 STATUS-REPORT.
247:      03 LINE-1.
248:      05 FILLER PIC X(20) VALUE SPACES.
249:      05 FILLER PIC X(40) VALUE 'STATUS REPORT ON ACES MASTER
250:      ' FILE'.
251:      03 LINE-2.
252:      05 FILLER PIC X(30) VALUE SPACES.
253:      05 FILLER PIC X(8) VALUE 'TIME '.
254:      05 SHOW-TIME PIC X(6).
255:      03 LINE-3.
256:      05 FILLER PIC X(30) VALUE SPACES.
257:      05 FILLER PIC X(8) VALUE 'DATE '.
258:      05 SHOW-DATE PIC 99/99/99.
259:      03 LINE-4.
260:      05 FILLER PIC X(3) VALUE SPACES.
261:      05 FILLER PIC X(11) VALUE 'TYPE RECORD'.
262:      05 FILLER PIC X(9) VALUE SPACES.
263:      05 FILLER PIC X(13) VALUE 'FREQUENCIES'.
264:      05 FILLER PIC X(23) VALUE SPACES.
265:      05 FILLER PIC X(23) VALUE 'DATE INTIALIZED '.
266:      05 SHOW-INTIALIZED-DATE PIC 99/99/99.
267:      03 LINE-5.
268:      05 FILLER PIC X(12) VALUE SPACES.
269:      05 FILLER PIC X(15) VALUE 'A'.
270:      05 SHOW-A-COUNT PIC ZZZ,ZZ9.
271:      03 LINE-6.
272:      05 FILLER PIC X(12) VALUE SPACES.
273:      05 FILLER PIC X(15) VALUE 'B'.
274:      05 SHOW-B-COUNT PIC ZZZ,ZZ9.
275:      03 LINE-7.
276:      05 FILLER PIC X(12) VALUE SPACES.
277:      05 FILLER PIC X(15) VALUE 'T'.
278:      05 SHOW-T-COUNT PIC ZZZ,ZZ9.
279:      05 FILLER PIC X(25) VALUE SPACES.
280:      05 FILLER PIC X(20) VALUE 'DATE LAST MODIFIED '.
281:      05 SHOW-MODIFY-DATE PIC 99/99/99.

```

282: 03 LINE-8.
 283: 05 FILLER PIC X(12) VALUE SPACES.
 284: 05 FILLER PIC X(15) VALUE 'V'.
 285: 05 SHOW-V-COUNT PIC ZZZ,ZZ9.
 286: 03 LINE-9.
 287: 05 FILLER PIC X(28) VALUE SPACES.
 288: 05 FILLER PIC X(6) VALUE '-----'.
 289: 03 LINE-10.
 290: 05 FILLER PIC X(9) VALUE SPACES.
 291: 05 FILLER PIC X(15) VALUE 'TOTAL'.
 292: 05 SHOW-SUM-ABTV-RECORDS PIC ZZZ,ZZZ,999.
 293: 01 CREATED-A-RECORD-FLAG PIC 9.
 294: 88 OLD-A-RECORD VALUE 0.
 295: 88 NEW-A-RECORD VALUE 1.
 296: 88 REJECTED-A-RECORD VALUE 2.
 297: 01 CREATED-T-RECORD-FLAG PIC 9.
 298: 88 OLD-T-RECORD VALUE 0.
 299: 88 NEW-T-RECORD VALUE 1.
 300: 88 REJECTED-VOTECH-DATA VALUE 2.
 301: 01 VOTECH-FILE-FLAG PIC 9.
 302: 88 EOF-VOTECH-FILE VALUE 1.
 303: 01 RECORD-COUNTERS.
 304: 03 VOTECH-RECORD-COUNTER PIC 9(9) VALUE 0.
 305: 03 CARD-IMAGES-READ PIC 9(9) VALUE 0.
 306: 03 IMPROPER-MATCH-DOB PIC 9(9) VALUE 0.
 307: 03 IMPROPER-MATCH-SEX PIC 9(9) VALUE 0.
 308: 03 SOLDIERS-IN-RAW-DATA-FILE PIC 9(9) VALUE 0.
 309: 03 REJECTED-VOTECH-COUNTER PIC 9(9) VALUE 0.
 310: 03 CREATED-A-COUNTER PIC 9(9) VALUE 0.
 311: 03 CREATED-T-COUNTER PIC 9(9) VALUE 0.
 312: 03 UPDATED-T-RECORD-COUNTER PIC 9(9) VALUE 0.
 313: 01 VOTECH-INPUT-DATA.
 314: 03 CARD-1.
 315: 05 SSN PIC 9(9).
 316: 05 GT-SCORE PIC 999.
 317: 05 EDU-LEVEL PIC X.
 318: 05 DOB PIC 9(6).
 319: 05 RACE PIC X.
 320: 05 SEX PIC X.
 321: 05 GRADE PIC XX.
 322: 05 APPT-DATE-E5 PIC 9(6).
 323: 05 APPT-DATE-E6 PIC 9(6).
 324: 05 BASIC-ENLIST-SERV-DATE PIC 9(6).
 325: 05 DATE-FIRST-MOS PIC X(5).
 326: 05 DUTY-MOS PIC X(5).
 327: 05 PREVIOUS-ACTIVE-MILITARY-SERV PIC 9(6).
 328: 05 AGREEMENT-DATE PIC 9(6).
 329: 05 EER-EERWA-SCORE PIC 9(3).
 330: 05 EER-EERWA-FORM PIC 9.

331: 05 PROMOTION-POINTS PIC 9(4).
 332: 05 DISCIPLINARY-ACTIONS PIC 9.
 333: 05 DISCIPLINARY-ACTIONS-2627 PIC 9.
 334: 05 FILLER PIC XX.
 335: 05 CARDS-PER-CASE PIC 9.
 336: 05 TWO-O-1-COMplete PIC 9.
 337: 05 POST-BASE-ED-CENTER PIC X.
 338: 05 CARD-CODE PIC 9.
 339: 03 CARD-2.
 340: 05 SSN PIC 9(9).
 341: 05 ETS PIC 9(6).
 342: 05 VOTECH-PARTICIP PIC 9.
 343: 05 VOTECH-PARTICIPANT-TYPE.
 344: 07 AUTO PIC 9.
 345: 07 DIESEL PIC 9.
 346: 07 WELDING PIC 9.
 347: 07 ELECTRONICS PIC 9.
 348: 07 CONSTRUCTION PIC 9.
 349: 05 OTHER-ACES-PARTICIPANT.
 350: 07 NONE PIC 9.
 351: 07 BSEP-I-II-ESL PIC 9.
 352: 07 HSCP PIC 9.
 353: 07 SOCAD-SOC PIC 9.
 354: 07 APPRENTICISHIP PIC 9.
 355: 07 MOS-REFRESHER PIC 9.
 356: 07 HEAD-GATE-ESL PIC 9.
 357: 07 VEAP PIC 9.
 358: 05 VOTECH-COURSES.
 359: 07 COURSE-1.
 360: 09 COURSE-CODE PIC 999.
 361: 09 BASE PIC 999.
 362: 09 HOURS PIC 999.
 363: 09 FINISHED PIC 9.
 364: 07 COURSE-2.
 365: 09 COURSE-CODE PIC 999.
 366: 09 BASE PIC 999.
 367: 09 HOURS PIC 999.
 368: 09 FINISHED PIC 9.
 369: 07 COURSE-3.
 370: 09 COURSE-CODE PIC 999.
 371: 09 BASE PIC 999.
 372: 09 HOURS PIC 999.
 373: 09 FINISHED PIC 9.
 374: 07 COURSE-4.
 375: 09 COURSE-CODE PIC 999.
 376: 09 BASE PIC 999.
 377: 09 HOURS PIC 999.
 378: 09 FINISHED PIC 9.

379: 07 COURSE-5.
380: 09 COURSE-CODE PIC 999.
381: 09 BASE PIC 999.
382: 09 HOURS PIC 999.
383: 09 FINISHED PIC 9.
384: 05 CARD-CODE PIC 9.
385: 03 CARD-3.
386: 05 SSN PIC 9(9).
387: 05 VOTECH-COURSES.
388: 07 COURSE-6.
389: 09 COURSE-CODE PIC 999.
390: 09 BASE PIC 999.
391: 09 HOURS PIC 999.
392: 09 FINISHED PIC 9.
393: 07 COURSE-7.
394: 09 COURSE-CODE PIC 999.
395: 09 BASE PIC 999.
396: 09 HOURS PIC 999.
397: 09 FINISHED PIC 9.
398: 07 COURSE-8.
399: 09 COURSE-CODE PIC 999.
400: 09 BASE PIC 999.
401: 09 HOURS PIC 999.
402: 09 FINISHED PIC 9.
403: 07 COURSE-9.
404: 09 COURSE-CODE PIC 999.
405: 09 BASE PIC 999.
406: 09 HOURS PIC 999.
407: 09 FINISHED PIC 9.
408: 07 COURSE-10.
409: 09 COURSE-CODE PIC 999.
410: 09 BASE PIC 999.
411: 09 HOURS PIC 999.
412: 09 FINISHED PIC 9.
413: 03 CARD-4.
414: 05 SSN PIC 9(9).
415: 05 VOTECH-COURSES.
416: 07 COURSE-11.
417: 09 COURSE-CODE PIC 999.
418: 09 BASE PIC 999.
419: 09 HOURS PIC 999.
420: 09 FINISHED PIC 9.
421: 07 COURSE-12.
422: 09 COURSE-CODE PIC 999.
423: 09 BASE PIC 999.
424: 09 HOURS PIC 999.
425: 09 FINISHED PIC 9.

426: 07 COURSE-13.
 427: 09 COURSE-CODE PIC 999.
 428: 09 BASE PIC 999.
 429: 09 HOURS PIC 999.
 430: 09 FINISHED PIC 9.
 431: 07 FILLER PIC X(40).
 432: 05 CARD-CODE PIC 9.
 433: *
 434: 01 T-RECORD.
 435: 03 SSN PIC 9(9).
 436: 03 RECORD-TYPE PIC X VALUE 'T'.
 437: 03 CARD-1.
 438: 05 GT-SCORE PIC 999.
 439: 05 EDU-LEVEL PIC X.
 440: 05 DOB PIC 9(6).
 441: 05 RACE PIC X.
 442: 05 SEX PIC X.
 443: 05 GRADE PIC XX.
 444: 05 APPT-DATE-E5 PIC 9(5).
 445: 05 APPT-DATE-E6 PIC 9(6).
 446: 05 BASIC-ENLIST-SERV-DATE PIC 9(6).
 447: 05 DATE-FIRST-MOS PIC X(5).
 448: 05 DUTY-MOS PIC X(5).
 449: 05 PREVIOUS-ACTIVE-MILITARY-SERV PIC 9(6).
 450: 05 AGREEMENT-DATE PIC 9(6).
 451: 05 EER-EERWA-SCORE PIC 9(3).
 452: 05 EER-EERWA-FORM PIC 9.
 453: 05 PROMOTION-POINTS PIC 9(4).
 454: 05 DISCIPLINARY-ACTIONS PIC 9.
 455: 05 DISCIPLINARY-ACTIONS-2627 PIC 9.
 456: 05 FILLER PIC XX.
 457: 05 CARDS-PER-CASE PIC 9.
 458: 05 TWO-O-1-COMPLETE PIC 9.
 459: 05 POST-BASE-ED-CENTER PIC X.
 460: 03 CARD-2.
 461: 05 ETS PIC 9(6).
 462: 05 VOTECH-PARTICIP PIC 9.
 463: 05 VOTECH-PARTICIPANT-TYPE.
 464: 07 AUTO PIC 9.
 465: 07 DIESEL PIC 9.
 466: 07 WELDING PIC 9.
 467: 07 ELECTRONICS PIC 9.
 468: 07 CONSTRUCTION PIC 9.
 469: 05 OTHER-ACES-PARTICIPANT.
 470: 07 NONE PIC 9.
 471: 07 BSEP-I-II-ESL PIC 9.
 472: 07 HSCP PIC 9.
 473: 07 SOCAD-SOC PIC 9.
 474: 07 APPRENTICESHIP PIC 9.
 475: 07 MOS-REFRESHER PIC 9.
 476: 07 HEAD-GATE-ESL PIC 9.
 477: 07 VEAP PIC 9.

478: 05 VOTECH-COURSES.
479: 07 COURSE-1.
480: 09 COURSE-CODE PIC 999.
481: 09 BASE PIC 999.
482: 09 HOURS PIC 999.
483: 09 FINISHED PIC 9.
484: 07 COURSE-2.
485: 09 COURSE-CODE PIC 999.
486: 09 BASE PIC 999.
487: 09 HOURS PIC 999.
488: 09 FINISHED PIC 9.
489: 07 COURSE-3.
490: 09 COURSE-CODE PIC 999.
491: 09 BASE PIC 999.
492: 09 HOURS PIC 999.
493: 09 FINISHED PIC 9.
494: 07 COURSE-4.
495: 09 COURSE-CODE PIC 999.
496: 09 BASE PIC 999.
497: 09 HOURS PIC 999.
498: 09 FINISHED PIC 9.
499: 07 COURSE-5.
500: 09 COURSE-CODE PIC 999.
501: 09 BASE PIC 999.
502: 09 HOURS PIC 999.
503: 09 FINISHED PIC 9.
504: 03 CARD-3.
505: 05 VOTECH-COURSES.
506: 07 COURSE-6.
507: 09 COURSE-CODE PIC 999.
508: 09 BASE PIC 999.
509: 09 HOURS PIC 999.
510: 09 FINISHED PIC 9.
511: 07 COURSE-7.
512: 09 COURSE-CODE PIC 999.
513: 09 BASE PIC 999.
514: 09 HOURS PIC 999.
515: 09 FINISHED PIC 9.
516: 07 COURSE-8.
517: 09 COURSE-CODE PIC 999.
518: 09 BASE PIC 999.
519: 09 HOURS PIC 999.
520: 09 FINISHED PIC 9.
521: 07 COURSE-9.
522: 09 COURSE-CODE PIC 999.
523: 09 BASE PIC 999.
524: 09 HOURS PIC 999.
525: 09 FINISHED PIC 9.

```

526:          07 COURSE-10.
527:          09 COURSE-CODE PIC 999.
528:          09 BASE PIC 999.
529:          09 HOURS PIC 999.
530:          09 FINISHED PIC 9.
531:      03 CARD-4.
532:          05 VOTECH-COURSES.
533:          07 COURSE-11.
534:          09 COURSE-CODE PIC 999.
535:          09 BASE PIC 999.
536:          09 HOURS PIC 999.
537:          09 FINISHED PIC 9.
538:          07 COURSE-12.
539:          09 COURSE-CODE PIC 999.
540:          09 BASE PIC 999.
541:          09 HOURS PIC 999.
542:          09 FINISHED PIC 9.
543:          07 COURSE-13.
544:          09 COURSE-CODE PIC 999.
545:          09 BASE PIC 999.
546:          09 HOURS PIC 999.
547:          09 FINISHED PIC 9.
548:      *
549:      PROCEDURE DIVISION.
550:      MAINLINE.
551:          PERFORM SET-UP-ACES-MASTER-FILE.
552:      *          PERFORM SORT-VOTECH-DATA.
553:          PERFORM SET-UP-VOTECH-DATA-TAPE.
554:          PERFORM PROCESS-VOTECH-FILE.
555:          PERFORM SHUT-DOWN-ACES-MASTER-FILE.
556:          PERFORM SUMMARY-STATISTICS.
557:          STOP RUN.
558:      * *****
559:          SET-UP-ACES-MASTER-FILE.
560:      *          THIS ROUTINE WILL BE THE FIRST STEP IN ANY RUN
561:      *          INVOLVING THE ACES-MASTER-FILE.
562:      *
563:          OPEN I-O          ACES-MASTER-FILE.
564:          MOVE ZEROES TO SSN OF SEARCH-KEY.
565:          MOVE 'Z' TO RECORD-TYPE OF SEARCH-KEY.
566:          READ ACES-MASTER-FILE INTO Z-RECORD,
567:              INVALID KEY DISPLAY ' NO Z RECORD', UPON PRINTER
568:              STOP RUN.
569:          OPEN OUTPUT PRINTER1.
570:          PERFORM PRINT-STATUS-REPORT.
571:          PRINT-STATUS-REPORT.
572:      *          MOVE THE DATA OFF Z-RECORD TO REPORT PRINT LINES
573:      *

```

```

574:      MOVE  INITIALIZED-DATE OF Z-RECORD TO
575:           SHOW-INITIALIZED-DATE OF STATUS-REPORT.
576:      MOVE  LAST-MODIFIED-DATE TO SHOW-MODIFY-DATE.
577:      MOVE  NUMBER-OF-A-RECORDS TO SHOW-A-COUNT.
578:      MOVE  NUMBER-OF-B-RECORDS TO SHOW-B-COUNT.
579:      MOVE  NUMBER-OF-T-RECORDS TO SHOW-T-COUNT.
580:      MOVE  NUMBER-OF-V-RECORDS TO SHOW-V-COUNT.
581:      MOVE  TOTAL-RECORDS TO  SHOW-SUM-ABTV-RECORDS.
582:      *
583:      *  GET THE CORRECT TIME AND DATE
584:      *  PLACE TIME, DATE INTO REPORT PAGE
585:      *  PERFORM INITIALIZE-DATE-TIME.
586:      *  MOVE MACHINE-TIME TO SHOW-TIME OF STATUS-REPORT.
587:      *  MOVE SEQUENCED-DATE TO SHOW-DATE OF STATUS-REPORT.
588:      *  WRITE THE STATUS REPORT
589:      *  WRITE PRINT-LINE FROM LINE-1 OF STATUS-REPORT AFTER
590:      *      PAGE-TOP LINES.

590:      *      PAGE-TOP LINES.
591:      *  WRITE PRINT-LINE FROM LINE-2 OF STATUS-REPORT AFTER 2 LINES.
592:      *  WRITE PRINT-LINE FROM LINE-3 OF STATUS-REPORT AFTER 2 LINES.
593:      *  WRITE PRINT-LINE FROM LINE-4 OF STATUS-REPORT AFTER 2 LINES.
594:      *  WRITE PRINT-LINE FROM LINE-5 OF STATUS-REPORT AFTER 2 LINES.
595:      *  WRITE PRINT-LINE FROM LINE-6 OF STATUS-REPORT AFTER 2 LINES.
596:      *  WRITE PRINT-LINE FROM LINE-7 OF STATUS-REPORT AFTER 2 LINES.
597:      *  WRITE PRINT-LINE FROM LINE-8 OF STATUS-REPORT AFTER 2 LINES.
598:      *  WRITE PRINT-LINE FROM LINE-9 OF STATUS-REPORT AFTER 2 LINES.
599:      *  WRITE PRINT-LINE FROM LINE-10 OF STATUS-REPORT AFTER 2 LINES.
600:      *
601:      *  INITIALIZE-DATE-TIME.
602:      *  THIS WILL CHANGE DATE TO FORM YYMMDD
603:      *  ACCEPT MACHINE-DATE-TIME FROM DATE-TIME.
604:      *  MOVE CORRESPONDING MACHINE-DATE TO  SEQUENCED-DATE.
605:      *
606:      *
607:      *  SHUT-DOWN-ACES-MASTER-FILE.
608:      *  A STATUS REPORT WILL BE GENERATED
609:      *  A MODIFIED Z-RECORD WILL BE REWRITTEN
610:      *  ACES-MASTEFIL WILL BE CLOSED
611:      *  FIRST WE UPDATE THE COUNTERS
612:      *  PERFORM UPDATE-COUNTERS.
613:      *  PERFORM PRINT-STATUS-REPORT.
614:      *  PERFORM WRITE-Z-RECORD.
615:      *  CLOSE ACES-MASTER-FILE.
616:      *

```

```

617: UPDATE-COUNTERS.
618: ADD NEW-A-RECORDS-WRITTEN TO NUMBER-OF-A-RECORDS.
619: ADD NEW-T-RECORDS-WRITTEN TO NUMBER-OF-T-RECORDS.
620: DISPLAY ' NEW A RECORDS', NEW-A-RECORDS-WRITTEN
621: UPON PRINTER.
622: DISPLAY ' OLD A RECORDS', OLD-A-RECORDS-REWRITTEN
623: UPON PRINTER.
624: DISPLAY ' NEW T RECORDS', NEW-T-RECORDS-WRITTEN
625: UPON PRINTER.
626: DISPLAY ' OLD T RECORDS', OLD-T-RECORDS-REWRITTEN
627: UPON PRINTER.
628: MOVE O TO TOTAL-RECORDS.
629: ADD NUMBER-OF-A-RECORDS TO TOTAL-RECORDS.
630: ADD NUMBER-OF-B-RECORDS TO TOTAL-RECORDS.
631: ADD NUMBER-OF-T-RECORDS TO TOTAL-RECORDS.
632: ADD NUMBER-OF-V-RECORDS TO TOTAL-RECORDS.
633: WRITE-Z-RECORD.
634: MOVE SEQUENCED-DATE TO LAST-MODIFIED-DATE OF Z-RECORD.
635: MOVE Z-RECORD TO MASTER-RECORD.
636: REWRITE MASTER-RECORD
637: INVALID KEY DISPLAY 'Z RECORD NOT WRITTEN'
638: UPON PRINTER.
639: * *****
640: * THE FOLLOWING PORTION OF THE PROGRAM IS STRICTLY FOR
641: * FILE PROCESSING OF VOTECH DATA
642: *SORT-VOTECH-DATA SECTION. *
643: *DUMMY-PARAGRAPH-NAME.
644: * SORT TEMP-SORT
645: * ON ASCENDING
646: * SSN OF SORT-CARD
647: * ASCENDING
648: * CARD-CODE OF SORT-CARD
649: * USING RAW-VOTECH-FILE
650: * GIVING VOTECH-FILE.
651: * *****
652: ANOTHER-BIG SECTION.
653: SET-UP-VOTECH-DATA-TAPE.
654: OPEN INPUT VOTECH-FILE.
655: MOVE O TO VOTECH-FILE-FLAG.
656: PROCESS-VOTECH-FILE.
657: PERFORM INPUT-SORTED-VOTECH-CARD-IMAGE.
658: PERFORM PROCESS-SOLDIER
659: UNTIL EOF-VOTECH-FILE.
660: PROCESS-SOLDIER.
661: MOVE SSN OF INPUT-CARD TO OLD-SSN.
662: MOVE O TO CREATED-A-RECORD-FLAG,
663: CREATED-T-RECORD-FLAG.
664: *

```

```

665:      * CHECK TO SEE THAT THE SSN OF DATA IS NUMERIC
666:      * IF IT IS THEN TRY TO FIND-VERIFY THE A-RECORD
667:      *
668:      PERFORM EXAMINE-DATA.
669:      *
670:      IF NOT REJECTED-VOTECH-DATA
671:          PERFORM FIND-CREATE-A-RECORD.
672:      *
673:      IF NOT REJECTED-VOTECH-DATA
674:          PERFORM FIND-CREATE-T-RECORD,
675:          PERFORM EXAMINE-T-RECORD,
676:          PERFORM WRITE-REWRITE-A-RECORD,
677:          PERFORM WRITE-REWRITE-T-RECORD.
678:      *
679:      * IF THE DATA WAS REJECTED WE MUST PLACE A NEW CARD IN THE
680:      * THE INPUT STREAM NORMALLY THIS IS DONE IN *PROCESS-CARDS*
681:      *
682:      IF REJECTED-VOTECH-DATA
683:          PERFORM INPUT-SORTED-VOTECH-CARD-IMAGE.
684:      * *****
685:      *
686:      EXAMINE-DATA.
687:      * HERE WE WILL CHECK ANY PRELIMINARY REQUIREMENTS TO
688:      * WILL MOVE 2 TO CREATED-T-RECORD-FLAG
689:      IF SSN OF INPUT-CARD IS NOT NUMERIC
690:          OR CARD-CODE OF INPUT-CARD IS NOT NUMERIC
691:              MOVE 2 TO CREATED-T-RECORD-FLAG,
692:              ADD 1 TO REJECTED-VOTECH-COUNTER,
693:              DISPLAY SSN OF INPUT-CARD, 'BAD INPUT CARD'
694:              UPON PRINTER.
695:      *
696:      *
697:      FIND-CREATE-A-RECORD.
698:      MOVE SSN OF INPUT-CARD TO SSN OF SEARCH-KEY.
699:      MOVE 'A' TO RECORD-TYPE OF SEARCH-KEY.
700:      READ ACES-MASTER-FILE INTO A-RECORD,
701:      INVALID KEY PERFORM CREATE-A-RECORD.
702:      IF NOT NEW-A-RECORD PERFORM
703:          VERIFY-A-RECORD-MATCH.
704:      CREATE-A-RECORD.
705:      MOVE 1 TO CREATED-A-RECORD-FLAG.
706:      MOVE SPACES TO A-RECORD.
707:      MOVE 'A' TO RECORD-TYPE OF A-RECORD.
708:      MOVE 0 TO MASTER-FLAGS OF A-RECORD.
709:      MOVE SEQUENCED-DATE TO CREATE-DATE OF A-RECORD.
710:      MOVE SSN OF INPUT-CARD TO SSN OF A-RECORD.
711:      MOVE DOB OF INPUT-CARD TO
712:          DOB OF CONTROL-INFORMATION.
713:      *

```

```

714:    VERIFY-A-RECORD-MATCH.
715:    MOVE INPUT-CARD TO CARD-1 OF VOTECH-INPUT-DATA.
716:    * THE PURPOSE HERE IS TO VERIFY THAT THE A-RECORD IS THE
717:    * SAME, HOWEVER IF THE A-RECORD WAS CREATED FROM BSEP DAT
718:    * THERE WILL BE NO DOB ONLY 999999 IN THAT PLACE
719:    * THE IDEA HERE IS TO LET THE VERIFICATION CHECK BE
720:    * DONE ON THE SEX COMPARISON
721:    IF DOB OF CONTROL-INFORMATION NOT EQUAL TO 999999
722:    MOVE DOB OF CONTROL-INFORMATION TO DIFFERENCE,
723:    SUBTRACT DOB OF VOTECH-INPUT-DATA FROM DIFFERENCE,
724:    IF DIFFERENCE IS GREATER THAN 9 OR LESS THAN -9
725:    DISPLAY 'SSN MATCH REJECT ON DOB', SSN OF INPUT-CARD,
726:    UPON PRINTER,
727:    ADD 1 TO IMPROPER-MATCH-DOB,
728:    MOVE 2 TO CREATED-T-RECORD-FLAG.
729:    *
730:    IF DOB OF VOTECH-INPUT-DATA EQUAL 999999
731:    AND SEX OF CONTROL-INFORMATION NOT EQUAL SEX
732:    OF VOTECH-INPUT-DATA
733:    MOVE 2 TO CREATED-T-RECORD-FLAG,
734:    DISPLAY 'SSN MATCH REJECT ON SEX', SSN OF INPUT-CARD,
735:    UPON PRINTER,
736:    ADD 1 TO IMPROPER-MATCH-SEX.
737:    FIND-CREATE-T-RECORD.
738:    MOVE 'T' TO RECORD-TYPE OF SEARCH-KEY.
739:    READ ACES-MASTER-FILE INTO T-RECORD,
740:    INVALID KEY PERFORM CREATE-T-RECORD.
741:    PERFORM INCORPORATE-DATA-CARDS.
742:    CREATE-T-RECORD.
743:    MOVE SPACES TO T-RECORD.
744:    MOVE 1 TO CREATED-T-RECORD-FLAG.
745:    PERFORM INCORPORATE-DATA-CARDS.
746:    MOVE SSN OF INPUT-CARD TO SSN OF T-RECORD.
747:    MOVE 'T' TO RECORD-TYPE OF T-RECORD.
748:    *
749:    INCORPORATE-DATA-CARDS.
750:    PERFORM PROCESS-CARDS
751:    THROUGH INPUT-SORTED-VOTECH-CARD-IMAGE
752:    UNTIL SSN OF INPUT-CARD NOT
753:    EQUAL OLD-SSN
754:    OR
755:    EOF-VOTECH-FILE.
756:    *

```

```

757:      EXAMINE-T-RECORD.
758:      * HERE WE WILL SENT THE FLAGS IN THE A-RECORD DEPENDING
759:      * UPON WETHER A VOTECH PART, OR NOT IT MUST BE ONE OR OTHER
760:      MOVE SEX OF T-RECORD TO
761:      SEX OF CONTROL-INFORMATION OF A-RECORD.
762:      IF VOTECH-PARTICIP OF T-RECORD EQUAL 1
763:      MOVE 1 TO VO-TECH-STATUS OF A-RECORD
764:      ELSE
765:      MOVE 2 TO VO-TECH-STATUS OF A-RECORD.
766:      *
767:      WRITE-REWRITE-A-RECORD.
768:      *
769:      MOVE 'A' TO RECORD-TYPE OF SEARCH-KEY.
770:      MOVE 'A' TO RECORD-TYPE OF A-RECORD.
771:      MOVE SEQUENCED-DATE TO LAST-MOD-DATE OF A-RECORD.
772:      IF NEW-A-RECORD
773:      ADD 1 TO NEW-A-RECORDS-WRITTEN, DUMMY-COUNTER,
774:      WRITE MASTER-RECORD FROM A-RECORD,
775:      INVALID KEY DISPLAY 'BAD WRITE ON A RECORD',
776:      UPON PRINTER,
777:      ELSE
778:      ADD 1 TO OLD-A-RECORDS-REWRITTEN,
779:      DISPLAY ' ', SSN OF SEARCH-KEY, 'OLD A RECORD REWRIT',
780:      UPON PRINTER,
781:      REWRITE MASTER-RECORD FROM A-RECORD,
782:      INVALID KEY DISPLAY 'BAD REWRITE ON A RECORD',
783:      UPON PRINTER.
784:      *
785:      IF DUMMY-COUNTER EQUALS 75,
786:      MOVE 0 TO DUMMY-COUNTER,
787:      DISPLAY ' NEW-A-RECORDS', NEW-A-RECORDS-WRITTEN,
788:      UPON PRINTER.
789:      WRITE-REWRITE-T-RECORD.
790:      MOVE 'T' TO RECORD-TYPE OF SEARCH-KEY.
791:      MOVE 'T' TO RECORD-TYPE OF T-RECORD.
792:      MOVE OLD-SSN TO SSN OF T-RECORD.
793:      IF NEW-T-RECORD
794:      ADD 1 TO NEW-T-RECORDS-WRITTEN,
795:      WRITE MASTER-RECORD FROM T-RECORD,
796:      INVALID KEY DISPLAY 'BAD WRITE ON T REC',
797:      UPON PRINTER,
798:      ELSE
799:      ADD 1 TO OLD-T-RECORDS-REWRITTEN,
800:      REWRITE MASTER-RECORD FROM T-RECORD,
801:      INVALID KEY DISPLAY 'BAD REWRITE ON T REC',
802:      UPON PRINTER.
803:      * *****

```

```

804:    PROCESS-CARDS.
805:        IF FIRST-CARD PERFORM HANDLE-CARD-1,
806:        ELSE
807:        IF SECOND-CARD PERFORM HANDLE-CARD-2,
808:        ELSE
809:        IF THIRD-CARD PERFORM HANDLE-CARD-3,
810:        ELSE
811:        IF FOURTH-CARD PERFORM HANDLE-CARD-4,
812:        ELSE
813:        PERFORM BAD-CARD-NUMBER.
814:    *
815:    *
816:    INPUT-SORTED-VOTECH-CARD-IMAGE.
817:        READ VOTECH-FILE INTO INPUT-CARD AT END MOVE 1
818:        TO VOTECH-FILE-FLAG.
819:        ADD 1 TO CARD-IMAGES-READ.
820:    *
821:    * *****
822:    HANDLE-CARD-1.
823:        MOVE DATA-AREA OF INPUT-CARD TO CARD-1 OF T-RECORD.
824:    HANDLE-CARD-2.
825:        MOVE DATA-AREA OF INPUT-CARD TO CARD-2 OF T-RECORD.
826:    HANDLE-CARD-3.
827:        MOVE DATA-AREA OF INPUT-CARD TO CARD-3 OF T-RECORD.
828:    HANDLE-CARD-4.
829:        MOVE DATA-AREA OF INPUT-CARD TO CARD-4 OF T-RECORD.
830:    BAD-CARD-NUMBER.
831:        DISPLAY ' BAD CARD NUMBER', INPUT-CARD UPON PRINTER.
832:    SUMMARY-STATISTICS.
833:        DISPLAY 'CARDS IMAGES READ' CARD-IMAGES-READ
834:        UPON PRINTER.
835:        DISPLAY 'NEW A RECORDS' NEW-A-RECORDS-WRITTEN
836:        UPON PRINTER.
837:        DISPLAY 'NEW T RECORDS' NEW-T-RECORDS-WRITTEN
838:        UPON PRINTER.
839:        DISPLAY 'OLD A RECORDS' OLD-A-RECORDS-REWRITTEN
840:        UPON PRINTER.
841:        DISPLAY 'OLD T RECORDS' OLD-T-RECORDS-REWRITTEN
842:        UPON PRINTER.

```

EOF:842 SCAN:252

O:>

```

1:  IDENTIFICATION DIVISION.
2:  PROGRAM-ID. MILPERCEN.
3:  AUTHOR. JOHN HAMILL.
4:  INSTALLATION. ABERDEEN PROVING GROUND, MD , 21010.
5:  DATE-WRITTEN. MAY 1980.
6:  DATE-COMPILED.
7:  SECURITY. NO SECURITY CLEARANCE.
8:  REMARKS.  THE PURPOSE OF THIS PROGRAM IS
9:            INCORPORATE MILPERCEN DATA ON TO A-RECORDS.
10: ENVIRONMENT DIVISION.
11: CONFIGURATION SECTION.
12: SOURCE-COMPUTER. UNIVAC-1108.
13: OBJECT-COMPUTER. UNIVAC-1108.
14: INPUT-OUTPUT SECTION.
15: FILE-CONTROL.
16:     SELECT ACES-MASTER-FILE ASSIGN TO MASS-STORAGE MASTER
17:           ORGANIZATION IS INDEXED,
18:           ACCESS MODE IS SEQUENTIAL
19:           PROCESSING MODE IS SEQUENTIAL,
20:           FILE-LIMIT IS 20000
21:           ACTUAL KEY IS  SEARCH-KEY.
22:     SELECT PRINTER1 ASSIGN TO PRINTER.
23:     SELECT MILPERCEN ASSIGN TO CARD-READER EMFDATA.
24: DATA DIVISION.
25: FILE SECTION.
26: *
27: FD  ACES-MASTER-FILE
28:     LABEL RECORDS ARE STANDARD,
29:     RECORD CONTAINS 300 CHARACTERS,
30:     BLOCK CONTAINS 30 RECORDS.
31: *
32: 01  MASTER-RECORD.
33:     03  SEARCH-KEY.
34:         05  SSN  PIC 9(9).
35:         05  RECORD-TYPE PIC X.
36:     03  DATA-AREA PIC X(290).
37: FD  MILPERCEN
38:     LABEL RECORDS ARE STANDARD,
39:     RECORD CONTAINS 90 CHARACTERS.
40: 01  MILPERCEN-RECORD.
41:     02  MILPERCEN-RECORD-DUMMY.
42:         05  SSN PIC 9(9).
43:         05  MILPERCEN-DATA.
44:             07  SEX PIC X.
45:             07  RACE PIC X.
46:             07  MARST PIC X.
47:             07  DOB PIC X(6).
48:             07  TERMS PIC X.
49:             07  ETSDT PIC X(6).
50:             07  EGPCD PIC X.
51:             07  BPEDT PIC XXXX.

```

```

52:      07 PAYGR PIC X.
53:      07 LOR PIC X(6).
54:      07 AFQSC PIC XX.
55:      07 CIVED PIC X.
56:      07 PMOS PIC X(5).
57:      *
58:      * THE SMOS FIELD WAS SENT ON THE REQUEST TAPE
59:      * HOWEVER IT WAS NOT ON THE ORIGINAL TAPE OF
60:      * ALL SOLDIERS
61:      *
62:      07 SMOS PIC X(5).
63:      *
64:      07 DMOS PIC X(5).
65:      07 TYPLA PIC XX.
66:      07 DATLA PIC X(6).
67:      07 PSVCI PIC X.
68:      07 EERWA PIC XXX.
69:      07 CMF PIC XX.
70:      07 AITDT PIC XXX.
71:      07 GTSCR PIC XXX.
72:      07 PQDES PIC X(4).
73:      07 PSQDT PIC X(4).
74:      07 PQSCR PIC XXX.
75:      07 PQPER PIC XX.
76:      07 FILLER PIC XX.
77:      FD PRINTER1
78:      LABEL RECORDS ARE OMITTED
79:      DATA RECORD IS PRINT-LINE.
80:      01 PRINT-LINE.
81:      03 CARRIAGE-CONTROL-CHARACTER PIC X.
82:      03 PRINT-DATA PIC X(121).
83:      WORKING-STORAGE SECTION.
84:      77 DUMMY-COUNTER PIC 9(6) VALUE 0.
85:      *
86:      77 NO-MIL-DATA-COUNTER PIC 9(11) VALUE 0.
87:      77 SEQ-CHECK PIC 9(9) VALUE 0.
88:      *
89:      * MACHINE DATE-TIME IS ACCEPTED FROM THE SYSTEM AND
90:      * IS PRINTED OUT WHEN FILES ARE OPENED AND CLOSED
91:      *
92:      01 MACHINE-DATE-TIME.
93:      03 MACHINE-DATE.
94:      05 MM-DATE PIC 99.
95:      05 DD-DATE PIC 99.
96:      05 YY-DATE PIC 99.
97:      03 MACHINE-TIME.
98:      05 HOUR-DATE PIC 99.
99:      05 MIN-DATE PIC 99.
100:      05 SEC-DATE PIC 99.
101:      *

```

102: * SEQUENCED DATE IS THE DATE IN THE FORM YYMMDD TO ALLOWN
 103: * FOR SORTING ON THE 6 FIELD CODE
 104: *
 105: 01 SEQUENCED-DATE.
 106: 03 YY-DATE PIC 99.
 107: 03 MM-DATE PIC 99.
 108: 03 DD-DATE PIC 99.
 109: *
 110: * SEARCH KEY IS THE INDEX INTO THE INDEXED SEQUENTIAL
 111: * DATA BASE IT CONSISTS OF A SOCIAL SECURITY NUMBER
 112: * AND SOME RECORD TYPE (A,B,T, OR V)
 113: *
 114: *
 115: * THE A RECORD IS THE MASTER RECORD FOR THE ACES FILE
 116: * A SOLDIER MUST HAVE AN A RECORD TO HAVE A B,T, OR V
 117: * TYPE OF RECORD INDEXED BY NNNNNNNNA WHERE N IS A
 118: * NUMERIC VALUE
 119: *
 120: 01 A-RECORD.
 121: 02 A-RECORD-DUMMY.
 122: 03 SSN-TYPE .
 123: 05 SSN PIC 9(9).
 124: 05 RFCORD-TYPE PIC X VALUE 'A'.
 125: 03 MASTER-FLAGS.
 126: 05 BSEP-LIT-STATUS PIC 9.
 127: 88 NO-B-RECORD VALUE 0.
 128: 88 BSEP-LIT-PARTIC VALUE 1.
 129: 88 BSEP-LIT-NON-PARTIC VALUE 2.
 130: 05 BSEP-ESL-STATUS PIC 9.
 131: 88 NO-B-RECORD VALUE 0.
 132: 88 BSEP-ESL-PARTIC VALUE 1.
 133: 88 BSEP-ESL-NON-PARTIC VALUE 2.
 134: 05 VO-TECH-STATUS PIC 9.
 135: 88 NO-T-RECORD VALUE 0.
 136: 88 VO-TECH-PARTIC VALUE 1.
 137: 88 VO-TECH-NON-PARTIC VALUE 2.
 138: 05 VEAP-STATUS PIC 9.
 139: 88 NO-V-RECORD VALUE 0.
 140: 88 VEAP-PARTIC VALUE 1.
 141: 88 VEAP-WITHDRAW-RETURN VALUE 2.
 142: 88 VEAP-WITHDRAW-NO-RETURN VALUE 3.
 143: 88 VEAP-NON-PARTIC VALUE 4.
 144: 03 A-RECORD-STATUS.
 145: 05 MILPERCEN-FLAG PIC 9.
 146: 88 MILPERCEN-PRESENT VALUE 1.
 147: 05 DMDC-FLAG PIC 9.
 148: 88 DMDC-PRESENT VALUE 1.
 149: 05 TSC-FLAG PIC 9.
 150: 88 TSC-PRESENT VALUE 1.
 151: 05 EREC-FLAG PIC 9.
 152: 88 EREC-PRESENT VALUE 1.

```

153:      05  CREATE-DATE.
154:          07  CREATE-YY  PIC 99.
155:          07  CREATE-MM  PIC 99.
156:          07  CREATE-DD  PIC 99.
157:      05  LAST-MOD-DATE.
158:          07  LAST-MOD-YY PIC 99.
159:          07  LAST-MOD-MM PIC 99.
160:          07  LAST-MOD-DD PIC 99.
161:      03  CONTROL-INFORMATION.
162:          05  DOB.
163:              07  DOB-YY  PIC 99.
164:              07  DOB-MM  PIC 99.
165:              07  DOB-DD  PIC 99.
166:          05  SEX  PIC X.
167:              88  MALE  VALUE 'M'.
168:              88  FEMALE VALUE 'F'.
169:      03  MILPERCEN-DATA.
170:          07  SEX  PIC X.
171:          07  RACE  PIC X.
172:          07  MARST  PIC X.
173:          07  DOB  PIC X(6).
174:          07  TERMS  PIC X.
175:          07  ETSDT  PIC X(6).
176:          07  EGPCD  PIC X.
177:          07  BPEDT  PIC XXXX.
178:          07  PAYGR  PIC X.
179:          07  DOR  PIC X(6).
180:          07  AFQSC  PIC XX.
181:          07  CIVED  PIC X.
182:          07  PMOS  PIC X(5).
183:          07  DMOS  PIC X(5).
184:          07  TYPLA  PIC XX.
185:          07  DATLA  PIC X(6).
186:          07  PSVCI  PIC X.
187:          07  EERWA  PIC XXX.
188:          07  CMF  PIC XX.
189:          07  AITDT  PIC XXX.
190:          07  GTSCR  PIC XXX.
191:          07  PQDES  PIC X(4).
192:          07  PSQDT  PIC X(4).
193:          07  PQSCR  PIC XXX.
194:          07  PQPER  PIC XX.
195:          07  SMOS  PIC X(5).
196:          07  FILLER  PIC X(4).
197:      03  DMDC-DATA      PIC X(124).
198:      03  TSC-DATA      PIC X(56).
199:      *
200:      *

```

```

201: * THE Z-RECORD IS ALWAYS MAINTAINED ON THE ACES MASTER FILE
202: * IT CARRIES THE RECORDS COUNTS, AND OTHER FILE INFORMATION
203: * CONSULT SYSTEM DOCUMENTATION FOR RECORD LAYOUT
204: * INDEX FOR Z RECORD IS 000000000Z
205: *
206: 01 Z-RECORD.
207: 03 SSN-TYPE.
208: 05 SSN PIC 9(9).
209: 05 RECORD-TYPE PIC X VALUE 'Z'.
210: 03 INITIALIZED-DATE.
211: 05 INITIALIZED-YY PIC 99.
212: 05 INITIALIZED-MM PIC 99.
213: 05 INITIALIZED-DD PIC 99.
214: 03 LAST-MODIFIED-DATE.
215: 05 LAST-MODIFIED-YY PIC 99.
216: 05 LAST-MODIFIED-MM PIC 99.
217: 05 LAST-MODIFIED-DD PIC 99.
218: 03 RECORD-COUNTS.
219: 05 NUMBER-OF-A-RECORDS PIC 9(7).
220: 05 NUMBER-OF-B-RECORDS PIC 9(7).
221: 05 NUMBER-OF-T-RECORDS PIC 9(7).
222: 05 NUMBER-OF-V-RECORDS PIC 9(7).
223: 05 TOTAL-RECORDS PIC 9(11).
224: *
225: * THE FOLLOWING ARE THE PRINT LINES FOR THE STATUS REPORT
226: *
227: 01 STATUS-REPORT.
228: 03 LINE-1.
229: 05 FILLER PIC X(20) VALUE SPACES.
230: 05 FILLER PIC X(40) VALUE 'STATUS REPORT ON ACES MASTER
231: ' FILE'.
232: 03 LINE-2.
233: 05 FILLER PIC X(30) VALUE SPACES.
234: 05 FILLER PIC X(8) VALUE 'TIME '.
235: 05 SHOW-TIME PIC X(6).
236: 03 LINE-3.
237: 05 FILLER PIC X(30) VALUE SPACES.
238: 05 FILLER PIC X(8) VALUE 'DATE '.
239: 05 SHOW-DATE PIC 99/99/99.
240: 03 LINE-4.
241: 05 FILLER PIC X(3) VALUE SPACES.
242: 05 FILLER PIC X(11) VALUE 'TYPE RECORD'.
243: 05 FILLER PIC X(9) VALUE SPACES.
244: 05 FILLER PIC X(13) VALUE 'FREQUENCIES'.
245: 05 FILLER PIC X(23) VALUE SPACES.
246: 05 FILLER PIC X(23) VALUE 'DATE INITIALIZED '.
247: 05 SHOW-INITIALIZED-DATE PIC 99/99/99.
248: 03 LINE-5.
249: 05 FILLER PIC X(12) VALUE SPACES.
250: 05 FILLER PIC X(15) VALUE 'A'.
251: 05 SHOW-A-COUNT PIC ZZZ,ZZ9.

```

```

252:      03 LINE-6.
253:      05 FILLER PIC X(12) VALUE SPACES.
254:      05 FILLER PIC X(15) VALUE 'B'.
255:      05 SHOW-B-COUNT PIC ZZZ,ZZ9.
256:      03 LINE-7.
257:      05 FILLER PIC X(12) VALUE SPACES.
258:      05 FILLER PIC X(15) VALUE 'T'.
259:      05 SHOW-T-COUNT PIC ZZZ,ZZ9.
260:      05 FILLER PIC X(25) VALUE SPACES.
261:      05 FILLER PIC X(20) VALUE 'DATE LAST MODIFIED '.
262:      05 SHOW-MODIFY-DATE PIC 99/99/99.
263:      03 LINE-8.
264:      05 FILLER PIC X(12) VALUE SPACES.
265:      05 FILLER PIC X(15) VALUE 'V'.
266:      05 SHOW-V-COUNT PIC ZZZ,ZZ9.
267:      03 LINE-9.
268:      05 FILLER PIC X(28) VALUE SPACES.
269:      05 FILLER PIC X(6) VALUE '-----'.
270:      03 LINE-10.
271:      05 FILLER PIC X(9) VALUE SPACES.
272:      05 FILLER PIC X(15) VALUE 'TOTAL'.
273:      05 SHOW-SUM-ABTV-RECORDS PIC ZZZ,ZZZ,999.
274:      01 RECORD-COUNTERS.
275:      03 MILPERCEN-RECORDS-READ PIC 9(9) VALUE 0.
276:      03 UPDATED-A-RECORDS PIC 9(9) VALUE 0.
277:      01 MILPERCEN-RECORD-FLAG PIC 9.
278:          88 MILPERCEN-RECORD-MATCHES VALUE 0.
279:          88 RECORD-REJECTED VALUE 1.
280:      01 ACES-FILE-FLAG PIC 9 VALUE 0.
281:          88 EOF-ACES-MASTER-FILE VALUE 1.
282:      01 MILPERCEN-FILE-FLAG PIC 9 VALUE 0.
283:          88 EOF-MILPERCEN-FILE VALUE 1.
284:      PROCEDURE DIVISION.
285:      MAIN-LINE.
286:          OPEN OUTPUT PRINTER1.
287:          PERFORM SET-UP-ACES-MASTER-FILE.
288:          PERFORM SET-UP-MILPERCEN-DATA-TAPE.
289:          PERFORM INPUT-NEXT-A-RECORD.
290:          DISPLAY ' BEGIN MILPERCEN UPDATE, PRIMING RECORDS ARE '
291:              UPON PRINTER.
292:          DISPLAY ' MASTER-RECORD - ' MASTER-RECORD.
293:          DISPLAY ' MILPERCEN-DATA - ' MILPERCEN-RECORD.
294:          PERFORM PROCESS-SOLDIER THROUGH INPUT-NEXT-A-RECORD
295:              UNTIL EOF-ACES-MASTER-FILE OR EOF-MILPERCEN-FILE.
296:          * CHANGE THE 10 TIMES TO EOF-ACES-MASTER-FILE MARKER AFTER TESTING JNH
297:          * AND EOF-MILPERCEN-FILE NOTE THAT BOTH WILL SHUT OFF PROCESS
298:          PERFORM SHUT-DOWN-ACES-MASTER-FILE.
299:          PERFORM SUMMARY-STATS.
300:          STOP RUN.

```

```

301:      SET-UP-MILPERCEN-DATA-TAPE.
302:      OPEN INPUT MILPERCEN.
303:      CLOSE MILPERCEN.
304:      OPEN INPUT MILPERCEN.
305:      MOVE 0 TO MILPERCEN-FILE-FLAG.
306:      PERFORM INPUT-MILPERCEN-RECORD.
307:      * *****
308:      SET-UP-ACES-MASTER-FILE.
309:      * THIS ROUTINE WILL BE THE FIRST STEP IN ANY RUN
310:      * INVOLVING THE ACES-MASTER-FILE.
311:      *
312:      OPEN I-O          ACES-MASTER-FILE.
313:      MOVE ZEROES TO SSN OF SEARCH-KEY.
314:      MOVE 'Z' TO RECORD-TYPE OF SEARCH-KEY.
315:      READ ACES-MASTER-FILE INTO Z-RECORD,
316:      AT END MOVE 1 TO ACES-FILE-FLAG.
317:      PERFORM PRINT-STATUS-REPORT.
318:      PRINT-STATUS-REPORT.
319:      * MOVE THE DATA OFF Z-RECORD TO REPORT PRINT LINES
320:      *
321:      MOVE INITIALIZED-DATE OF Z-RECORD TO SHOW-INITIALIZED-DATE
322:      OF STATUS-REPORT.
323:      MOVE LAST-MODIFIED-DATE TO SHOW-MODIFY-DATE.
324:      MOVE NUMBER-OF-A-RECORDS TO SHOW-A-COUNT.
325:      MOVE NUMBER-OF-B-RECORDS TO SHOW-B-COUNT.
326:      *
327:      MOVE INITIALIZED-DATE OF Z-RECORD TO SHOW-INITIALIZED-DATE
328:      OF STATUS-REPORT.
329:      MOVE LAST-MODIFIED-DATE TO SHOW-MODIFY-DATE.
330:      MOVE NUMBER-OF-A-RECORDS TO SHOW-A-COUNT.
331:      MOVE NUMBER-OF-B-RECORDS TO SHOW-B-COUNT.
332:      MOVE NUMBER-OF-T-RECORDS TO SHOW-T-COUNT.
333:      MOVE NUMBER-OF-V-RECORDS TO SHOW-V-COUNT.
334:      MOVE TOTAL-RECORDS TO SHOW-SUM-ABTV-RECORDS.
335:      *
336:      * GET THE CORRECT TIME AND DATE
337:      * PLACE TIME, DATE INTO REPORT PAGE
338:      * PERFORM INITIALIZE-DATE-TIME.
339:      * MOVE MACHINE-TIME TO SHOW-TIME OF STATUS-REPORT.
340:      * MOVE SEQUENCED-DATE TO SHOW-DATE OF STATUS-REPORT.
341:      * WRITE THE STATUS REPORT
342:      * WRITE PRINT-LINE FROM LINE-1 OF STATUS-REPORT AFTER
      PAGE-TOP LINES.
      WRITE PRINT-LINE FROM LINE-2 OF STATUS-REPORT AFTER 2 LINES.
      WRITE PRINT-LINE FROM LINE-3 OF STATUS-REPORT AFTER 2 LINES.
      WRITE PRINT-LINE FROM LINE-4 OF STATUS-REPORT AFTER 2 LINES.
      WRITE PRINT-LINE FROM LINE-5 OF STATUS-REPORT AFTER 2 LINES.
      WRITE PRINT-LINE FROM LINE-6 OF STATUS-REPORT AFTER 2 LINES.

```

```

343:      WRITE PRINT-LINE FROM LINE-7 OF STATUS-REPORT AFTER 2 LINES.
344:      WRITE PRINT-LINE FROM LINE-8 OF STATUS-REPORT AFTER 2 LINES.
345:      WRITE PRINT-LINE FROM LINE-9 OF STATUS-REPORT AFTER 2 LINES.
346:      WRITE PRINT-LINE FROM LINE-10 OF STATUS-REPORT AFTER 2 LINES.
347:      *
348:      INITIALIZE-DATE-TIME.
349:      *
350:      ACCEPT MACHINE-DATE-TIME FROM DATE-TIME.
351:      MOVE CORRESPONDING MACHINE-DATE TO SEQUENCED-DATE.
352:      *
353:      *
354:      SHUT-DOWN-ACES-MASTER-FILE.
355:      *      A STATUS REPORT WILL BE GENERATED
356:      *      ALL COUNTERS WILL BE UPDATED
357:      *      A MODIFIED Z-RECORD WILL BE REWRITTEN
358:      *      ACES-MASTEFIL WILL BE CLOSED
359:      PERFORM PRINT-STATUS-REPORT.
360:      PERFORM WRITE-Z-RECORD.
361:      CLOSE ACES-MASTER-FILE, MILPERCEN.
362:      *
363:      WRITE-Z-RECORD.
364:      MOVE SEQUENCED-DATE TO LAST-MODIFIED-DATE OF Z-RECORD.
365:      MOVE Z-RECORD TO MASTER-RECORD.
366:      REWRITE MASTER-RECORD
367:      INVALID KEY DISPLAY 'Z RECORD NOT WRITTEN'
368:      UPON PRINTER.
369:      * *****
370:      *      THE FOLLOWING PORTION OF THE PROGRAM IS STRICTLY FOR MILPERCEN
371:      *      FILE PROCESSING
372:      *      *****
373:      *      THIS IS THE TOP OF THE MILPERCEN PROCESSING LOOP
374:      *      IT WILL BE REPEATED A NUMBER OF TIMES EQUAL TO THE
375:      *      NUMBER OF MILPERCEN DATA RECORDS
376:      *      *****
377:      PROCESS-SOLDIER.
378:      *
379:      ADD 1 TO DUMMY-COUNTER.
380:      IF DUMMY-COUNTER EQUALS 200
381:      MOVE ZEROS TO DUMMY-COUNTER
382:      DISPLAY ' ', SSN OF MASTER-RECORD, ' AT MIL - ',
383:      MILPERCEN-RECORDS-READ UPON PRINTER.
384:      * NEXT WE WILL SEE IF THERE IS MILPERCEN A-RECORD ON THIS SOLDIER AND
385:      * DETERMINE BY MEANS OF A SEX COMPARISON IF THE TWO ARE THE
386:      * SAME IE MILPERCEN INPUT AND THE A-RECORD
387:      PERFORM INPUT-MILPERCEN-RECORD UNTIL
388:      SSN OF MILPERCEN-RECORD IS NOT LESS THAN
389:      SSN OF MASTER-RECORD.
390:      *

```

```

391:      * IF THERE IS A MILPERCEN RECORD IT WILL NOW BE IN
392:      * CORE NEXT WE CHECK TO SEE IF THEY MATCH
393:      *   PERFORM VERIFY-MILPERCEN-MATCH.
394:      *
395:      *   NOW IF THE A-RECORD WAS MATCHED WITH MILPERCEN
396:      *   THE A-RECORD CAN BE UPDATED AND REWRITTEN
397:      *   OTHERWISE WE WILL PRINT THE A-RECORD FOR NOT
398:      *   NOT HAVING A MILPERCEN RECORD
399:      *   IF MILPERCEN-RECORD-MATCHES
400:      *       PERFORM UPDATE-A-RECORD,
401:      *       PERFORM REWRITE-A-RECORD,
402:      *   ELSE
403:      *       ADD 1 TO NO-MIL-DATA-COUNTER.
404:      *   INPUT-NEXT-A-RECORD.
405:      *   * SINCE THERE IS MORE THAN ONE TYPE OF RECORD WE SELECT ONLY
406:      *   * THE MASTER RECORD FOR EACH SOLDIER
407:      *   *   PERFORM INPUT-NEXT-LOGICAL-RECORD.
408:      *   *   PERFORM INPUT-NEXT-LOGICAL-RECORD UNTIL
409:      *   *   EOF-ACES-MASTER-FILE
410:      *   *   OR
411:      *   *   RECORD-TYPE OF MASTER-RECORD EQUALS 'A'.
412:      *   *   INPUT-NEXT-LOGICAL-RECORD.
413:      *   *   READ ACES-MASTER-FILE INTO A-RECORD
414:      *   *   AT END MOVE 1 TO ACES-FILE-FLAG.
415:      *   *   IF SSN OF A-RECORD EQUALS 999999999
416:      *   *   MOVE 1 TO ACES-FILE-FLAG.
417:      *   *   VERIFY-MILPERCEN-MATCH.
418:      *   *   * NOTE THAT ANY VALIDATION OF THE RECORDS SHOULD BE DONE HERE
419:      *   *   *   MOVE 0 TO MILPERCEN-RECORD-FLAG.
420:      *   *   *   IF SSN OF MILPERCEN-RECORD NOT EQUAL
421:      *   *   *   *   SSN OF MASTER-RECORD MOVE 1 TO MILPERCEN-RECORD-FLAG,
422:      *   *   *   *   DISPLAY ' NO DATA - ', SSN OF MASTER-RECORD,
423:      *   *   *   *   ' - NEXT MIL - ', SSN OF MILPERCEN-RECORD
424:      *   *   *   *   UPON PRINTER.
425:      *   *   *   IF MILPERCEN-RECORD-MATCHES
426:      *   *   *   *   AND SEX OF MILPERCEN-RECORD
427:      *   *   *   *   *   NOT EQUAL SEX OF CONTROL-INFORMATION OF A-RECORD
428:      *   *   *   *   *   DISPLAY ' BAD MATCH ON SEX',
429:      *   *   *   *   *   SEX OF MILPERCEN-RECORD, 'MIL',
430:      *   *   *   *   *   SEX OF CONTROL-INFORMATION OF A-RECORD,
431:      *   *   *   *   *   'A' UPON PRINTER.
432:      *   *   *   *   *   MOVE 1 TO MILPERCEN-RECORD-FLAG.
433:      *   *   *   *   *
434:      *   *   *   *   UPDATE-A-RECORD.
435:      *   *   *   *   *   HERE WE WILL MOVE ALL THE DATA WE WISH OFF THE MIL RECORD
436:      *   *   *   *   *   AND INTO THE A-RECORD
437:      *   *   *   *   *   MOVE CORRESPONDING MILPERCEN-DATA OF MILPERCEN-RECORD
438:      *   *   *   *   *   TO MILPERCEN-DATA OF A-RECORD.
439:      *   *   *   *   *

```

```

440:      * PLACE BIRTH DATE AND SEX IN CONTROL IF NOT THERE ALREADY
441:      *
442:      IF DOB-YY OF CONTROL-INFORMATION LESS THAN 20
443:      OR GREATER 70
444:      MOVE DOB OF MILPERCEN-RECORD TO DOB OF
445:      CONTROL-INFORMATION.
446:      IF SEX OF CONTROL-INFORMATION EQUAL SPACES
447:      MOVE SEX OF MILPERCEN-RECORD TO
448:      SEX OF CONTROL-INFORMATION.
449:      ADD 1 TO UPDATED-A-RECORDS.
450:      MOVE 1 TO MILPERCEN-FLAG.
451:      REWRITE-A-RECORD.
452:      MOVE 'A' TO RECORD-TYPE OF SEARCH-KEY.
453:      MOVE SEQUENCED-DATE TO LAST-MOD-DATE OF A-RECORD.
454:      MOVE A-RECORD TO MASTER-RECORD.
455:      REWRITE MASTER-RECORD
456:      INVALID KEY DISPLAY
457:      ' INVALID ATTEMPT REWRI *A* REC '
458:      UPON PRINTER.
459:      INPUT-MILPERCEN-RECORD.
460:      READ MILPERCEN AT END MOVE 1 TO MILPERCEN-FILE-FLAG.
461:      ADD 1 TO MILPERCEN-RECORDS-READ.
462:      *
463:      * WANT TO DO A SEQUENCE CHECK ON THESE RECORDS
464:      *
465:      IF SSN OF MILPERCEN-RECORD NOT GREATER THAN SEQ-CHECK
466:      DISPLAY 'SEQUENCE PROBLEM - NEW REC ' SSN OF
467:      MILPERCEN-RECORD
468:      DISPLAY ' OLD REC ' SEQ-CHECK.
469:      MOVE SSN OF MILPERCEN-RECORD TO SEQ-CHECK.
470:      * IF MILPERCEN-RECORDS-READ GREATER THAN 119200
471:      * MOVE 1 TO MILPERCEN-FILE-FLAG.
472:      SUMMARY-STATS.
473:      DISPLAY MILPERCEN-RECORDS-READ, 'MIL RECS READ'
474:      UPON PRINTER.
475:      DISPLAY NO-MIL-DATA-COUNTER, 'NO MIL DATA'
476:      UPON PRINTER.
477:      DISPLAY UPDATED-A-RECORDS, 'UPDATED A RECS'
478:      UPON PRINTER.

```

EOF:478 SCAN:135

O:>

1: IDENTIFICATION DIVISION.
 2: PROGRAM-ID. SSN.
 3: AUTHOR. JOHN HAMILL.
 4: INSTALLATION. ABERDEEN PROVING GROUND, MD , 21010.
 5: DATE-WRITTEN. MAY 1980.
 6: DATE-COMPILED.
 7: SECURITY. NO SECURITY CLEARANCE.
 8: REMARKS. THE PURPOSE OF THIS PROGRAM IS
 9: PRODUCE TWO TYPES OF OUTPUT
 10: I) THOSE SOLDIERS WHO HAVE BEEN ACCEPTED INTO
 11: THE PROGRAM IE SELECTABLE-ABLE-TEST-SCORE
 12: OF LESS THAN 50 OR ECL-PRETEST
 13: OF LESS THAN 70
 14: II) THOSE SOLDIERS WHO HAVE NOT BEEN ACCEPTED
 15: INTO THE PROGRAM (WHICH SHOULD BE FEW)
 16: AND HAVE HIGHER ECL PRE TEST SCORES
 17: AND SELECT-ABLE-TEST-SCORES
 18: ENVIRONMENT DIVISION.
 19: CONFIGURATION SECTION.
 20: SOURCE-COMPUTER. UNIVAC-1108.
 21: OBJECT-COMPUTER. UNIVAC-1108.
 22: INPUT-OUTPUT SECTION.
 23: FILE-CONTROL.
 24: SELECT ACES-MASTER-FILE
 25: ASSIGN TO MASS-STORAGE MASTER
 26: ORGANIZATION IS INDEXED,
 27: ACCESS MODE IS SEQUENTIAL,
 28: FILE-LIMIT IS 2300
 29: ACTUAL KEY IS DUM-SEARCH-KEY.
 30: SELECT PRINTER1 ASSIGN TO PRINTER.
 31: SELECT SSN-LIST ASSIGN TO PRINTER SSNLIST.
 32: *
 33: DATA DIVISION.
 34: FILE SECTION.
 35: *
 36: FD ACES-MASTER-FILE
 37: LABEL RECORDS ARE STANDARD,
 38: RECORD CONTAINS 300 CHARACTERS,
 39: BLOCK CONTAINS 30 RECORDS.
 40: *
 41: 01 MASTER-RECORD.
 42: 03 SEARCH-KEY.
 43: 05 SSN PIC 9(9).
 44: 05 RECORD-TYPE PIC X.
 45: 03 DATA-AREA PIC X(290).
 46: FD PRINTER1
 47: LABEL RECORDS ARE OMITTED
 48: DATA RECORD IS PRINT-LINE.
 49: 01 PRINT-LINE.
 50: 03 CARRIAGE-CONTROL-CHARACTER PIC X.
 51: 03 PRINT-DATA PIC X(121).

```

52:      FD  SSN-LIST
53:          LABEL RECORDS ARE OMITTED
54:          DATA RECORD IS SSN-DATA.
55:      01  SSN-DATA.
56:          03  SSN-CODE      PIC  9(9).
57:          03  REST         PIC  X(71).
58:      WORKING-STORAGE SECTION.
59:      77  DUM-SEARCH-KEY    PIC  X(10).
60:      77  DUMMY-COUNTER     PIC  9(6) VALUE 0.
61:      01  SOLDIER-PRINT-AREA.
62:          03  PRINT-AREA-1.
63:          05  SSN PIC 9(9).
64:          05  FILLER PIC X(10) VALUE 'DOB'.
65:          05  FILLER PIC X(3) VALUE SPACES.
66:          05  DOB PIC XX/XX/XX .
67:      *
68:      *  MACHINE DATE-TIME IS ACCEPTED FROM THE SYSTEM AND
69:      *  IS PRINTED OUT WHEN FILES ARE OPENED AND CLOSED
70:      *
71:      01  MACHINE-DATE-TIME.
72:          03  MACHINE-DATE.
73:              05  MM-DATE PIC 99.
74:              05  DD-DATE PIC 99.
75:              05  YY-DATE PIC 99.
76:          03  MACHINE-TIME.
77:              05  HOUR-DATE PIC 99.
78:              05  MIN-DATE PIC 99.
79:              05  SEC-DATE PIC 99.
80:      *
81:      *  SEQUENCED DATE IS THE DATE IN THE FORM YYMMDD TO ALLOWN
82:      *  FOR SORTING ON THE 6 FIELD CODE
83:      *
84:      01  SEQUENCED-DATE.
85:          03  YY-DATE PIC 99.
86:          03  MM-DATE PIC 99.
87:          03  DD-DATE PIC 99.
88:      *
89:      *  SEARCH KEY IS THE INDEX INTO THE INDEXED SEQUENTIAL
90:      *  DATA BASE IT CONSISTS OF A SOCIAL SECURITY NUMBER
91:      *  AND SOME RECORD TYPE (A,B,T, OR V)
92:      *
93:      *
94:      *  THE A RECORD IS THE MASTER RECORD FOR THE ACES FILE
95:      *  A SOLDIER MUST HAVE AN A RECORD TO HAVE A B,T, OR V
96:      *  TYPE OF RECORD INDEXED BY NNNNNNNNA WHERE N IS A
97:      *  NUMERIC VALUE
98:      *

```

```

99:      01 A-RECORD.
100:      02 A-RECORD-DUMMY.
101:      03 SSN-TYPE .
102:          05 SSN PIC 9(9).
103:          05 RECORD-TYPE PIC X VALUE 'A'.
104:      03 MASTER-FLAGS.
105:          05 BSEP-LIT-STATUS PIC 9.
106:              88 NO-B-RECORD VALUE 0.
107:              88 BSEP-LIT-PARTIC VALUE 1.
108:              88 BSEP-LIT-NON-PARTIC VALUE 2.
109:          05 BSEP-ESL-STATUS PIC 9.
110:              88 NO-B-RECORD VALUE 0.
111:              88 BSEP-ESL-PARTIC VALUE 1.
112:              88 BSEP-ESL-NON-PARTIC VALUE 2.
113:          05 VO-TECH-STATUS PIC 9.
114:              88 NO-T-RECORD VALUE 0.
115:              88 VO-TECH-PARTIC VALUE 1.
116:              88 VO-TECH-NON-PARTIC VALUE 2.
117:          05 VEAP-STATUS PIC 9.
118:              88 NO-V-RECORD VALUE 0.
119:              88 VEAP-PARTIC VALUE 1.
120:              88 VEAP-WITHDRAW-RETURN VALUE 2.
121:              88 VEAP-WITHDRAW-NO-RETURN VALUE 3.
122:              88 VEAP-NON-PARTIC VALUE 4.
123:      03 A-RECORD-STATUS.
124:          05 MILPERCEN-FLAG PIC 9.
125:              88 MILPERCEN-PRESENT VALUE 1.
126:          05 DMDC-FLAG PIC 9.
127:              88 DMDC-PRESENT VALUE 1.
128:          05 TSC-FLAG PIC 9.
129:              88 TSC-PRESENT VALUE 1.
130:          05 EREC-FLAG PIC 9.
131:              88 EREC-PRESENT VALUE 1.
132:          05 CREATE-DATE.
133:              07 CREATE-YY PIC 99.
134:              07 CREATE-MM PIC 99.
135:              07 CREATE-DD PIC 99.
136:          05 LAST-MOD-DATE.
137:              07 LAST-MOD-YY PIC 99.
138:              07 LAST-MOD-MM PIC 99.
139:              07 LAST-MOD-DD PIC 99.
140:      03 CONTROL-INFORMATION.
141:          05 DOB.
142:              07 DOB-YY PIC 99.
143:              07 DO.-MM PIC 99.
144:              07 DOB-DD PIC 99.
145:          05 SEX PIC X.
146:              88 MALE VALUE 'M'.
147:              88 FEMALE VALUE 'F'.

```

```

148:      03 MILPERCEN-DATA.
149:      07 SEX PIC X.
150:      07 RACE PIC X.
151:      07 MARST PIC X.
152:      07 DOB PIC X(6).
153:      07 TERMS PIC X.
154:      07 ETSDT PIC X(6).
155:      07 EGPCD PIC X.
156:      07 BPEDT PIC XXXX.
157:      07 PAYGR PIC X.
158:      07 DOR PIC X(6).
159:      07 AFQSC PIC XX.
160:      07 CIVED PIC X.
161:      07 PMOS PIC X(5).
162:      07 DMOS PIC X(5).
163:      07 TYPLA PIC XX.
164:      07 DATLA PIC X(6).
165:      07 PSVCI PIC X.
166:      07 EERWA PIC XXX.
167:      07 CMF PIC XX.
168:      07 AITDT PIC XXX.
169:      07 GTSCR PIC XXX.
170:      07 PQDES PIC X(4).
171:      07 PSQDT PIC X(4).
172:      07 PQSCR PIC XXX.
173:      07 PQPER PIC XX.
174:      07 SMOS PIC X(5).
175:      07 FILLER PIC X(4).
176:      03 DMDC-DATA PIC X(124).
177:      03 TSC-DATA PIC X(56).
178:      *
179:      *
180:      *
181:      * THE Z-RECORD IS ALWAYS MAINTAINED ON THE ACES MASTER FILE
182:      * IT CARRIES THE RECORDS COUNTS, AND OTHER FILE INFORMATION
183:      * CONSULT SYSTEM DOCUMENTATION FOR RECORD LAYOUT
184:      * INDEX FOR Z RECORD IS 000000000Z
185:      *
186:      01 Z-RECORD.
187:      03 SSN-TYPE.
188:      05 SSN PIC 9(9).
189:      05 RECORD-TYPE PIC X VALUE 'Z'.
190:      03 INTIALIZED-DATE.
191:      05 INTIALIZED-YY PIC 99.
192:      05 INTIALIZED-MM PIC 99.
193:      05 INTIALIZED-DD PIC 99.
194:      03 LAST-MODIFIED-DATE.
195:      05 LAST-MODIFIED-YY PIC 99.
196:      05 LAST-MODIFIED-MM PIC 99.
197:      05 LAST-MODIFIED-DD PIC 99.

```

```

198:      03 RECORD-COUNTS.
199:      05  NUMBER-OF-A-RECORDS PIC  9(7).
200:      05  NUMBER-OF-B-RECORDS PIC  9(7).
201:      05  NUMBER-OF-T-RECORDS PIC  9(7).
202:      05  NUMBER-OF-V-RECORDS PIC  9(7).
203:      05  TOTAL-RECORDS      PIC  9(11).
204:      *
205:      01 SOLDIER-LINE.
206:      03 FILLER PIC X  VALUE SPACES.
207:      03 SSN PIC 9(9).
208:      03 FILLER PIC X(5) VALUE SPACES.
209:      03 DOB PIC 9(6).
210:      * THE FOLLOWING ARE THE PRINT LINES FOR THE STATUS REPORT
211:      *
212:      01 STATUS-REPORT.
213:      03 LINE-1.
214:      05  FILLER PIC X(20) VALUE SPACES.
215:      05  FILLER PIC X(40) VALUE  'STATUS REPORT  ON  ACES MASTER
216:      ' FILE'.
217:      03 LINE-2.
218:      05  FILLER PIC X(30) VALUE SPACES.
219:      05  FILLER PIC X(8)  VALUE 'TIME  '.
220:      05  SHOW-TIME  PIC  X(6).
221:      03 LINE-3.
222:      05  FILLER PIC X(30) VALUE SPACES.
223:      05  FILLER PIC X(8)  VALUE 'DATE  '.
224:      05  SHOW-DATE  PIC  99/99/99.
225:      03 LINE-4.
226:      05  FILLER PIC  X(3) VALUE SPACES.
227:      05  FILLER PIC  X(11) VALUE 'TYPE RECORD'.
228:      05  FILLER PIC  X(9) VALUE SPACES.
229:      05  FILLER PIC  X(13) VALUE 'FREQUENCIES'.
230:      05  FILLER PIC  X(23) VALUE  SPACES.
231:      05  FILLER PIC  X(23) VALUE 'DATE INTIALIZED  '.
232:      05  SHOW-INITIALIZED-DATE PIC  99/99/99.
233:      03 LINE-5.
234:      05  FILLER PIC  X(12) VALUE SPACES.
235:      05  FILLER PIC  X(15) VALUE 'A'.
236:      05  SHOW-A-COUNT  PIC  ZZZ,ZZ9.
237:      03 LINE-6.
238:      05  FILLER PIC  X(12) VALUE SPACES.
239:      05  FILLER PIC  X(15) VALUE 'B'.
240:      05  SHOW-B-COUNT  PIC  ZZZ,ZZ9.
241:      03 LINE-7.
242:      05  FILLER  PIC  X(12) VALUE SPACES.
243:      05  FILLER  PIC  X(15) VALUE  'T'.
244:      05  SHOW-T-COUNT  PIC  ZZZ,ZZ9.
245:      05  FILLER  PIC  X(25) VALUE SPACES.
246:      05  FILLER  PIC  X(20) VALUE  'DATE LAST MODIFIED '.
247:      05  SHOW-MODIFY-DATE  PIC  99/99/99.

```

```

248:      03 LINE-8.
249:          05 FILLER PIC X(12) VALUE SPACES.
250:          05 FILLER PIC X(15) VALUE 'V'.
251:          05 SHOW-V-COUNT PIC ZZZ,ZZ9.
252:      03 LINE-9.
253:          05 FILLER PIC X(28) VALUE SPACES.
254:          05 FILLER PIC X(6) VALUE '-----'.
255:      03 LINE-10.
256:          05 FILLER PIC X(9) VALUE SPACES.
257:          05 FILLER PIC X(15) VALUE 'TOTAL'.
258:          05 SHOW-SUM-ABTV-RECORDS PIC ZZZ,ZZZ,999.
259: 01 CREATED-A-RECORD-FLAG PIC 9.
260:      88 OLD-A-RECORD VALUE 0.
261:      88 NEW-A-RECORD VALUE 1.
262: 01 CREATED-B-RECORD-FLAG PIC 9.
263:      88 OLD-B-RECORD VALUE 0.
264:      88 NEW-B-RECORD VALUE 1.
265: 01 TRADOC-FILE-FLAG PIC 9.
266:      88 EOF-TRADOC-DATA-TAPE VALUE 1.
267: 01 RECORD-COUNTERS.
268:      03 NUMBER-RECORDS-READ PIC 9(9) .
269:      03 NUMBER-RECORDS-PRINTED PIC 9(9).
270: 01 ACES-FILE-FLAG PIC 9 VALUE 0.
271:      88 EOF-ACES-FILE VALUE 1.
272: PROCEDURE DIVISION.
273: MAIN-LINE.
274:     OPEN OUTPUT PRINTER1, SSN-LIST.
275:     DISPLAY ' BEGIN EXECUTION OF SSN DUMP' UPON PRINTER.
276:     PERFORM SET-UP-ACES-MASTER-FILE.
277:     PERFORM INITIALIZE-SOLDIER-COUNTERS.
278:     PERFORM PROCESS-SOLDIERS
279:         UNTIL EOF-ACES-FILE.
280:     PERFORM SHUT-DOWN-ACES-MASTER-FILE.
281:     CLOSE SSN-LIST, PRINTER1.
282:     DISPLAY ' ' UPON PRINTER.
283:     DISPLAY ' RECORDS READ - ', NUMBER-RECORDS-READ
284:         UPON PRINTER.
285:     DISPLAY NUMBER-RECORDS-PRINTED, ' RECORDS WRITTEN TO '
286:         ' FILE SSN-LIST ' UPON PRINTER.
287:     DISPLAY ' END OF EXECUTION SSN.' UPON PRINTER.
288:     STOP RUN.
289: * *****
290: SET-UP-ACES-MASTER-FILE.
291: * THIS ROUTINE WILL BE THE FIRST STEP IN ANY RUN
292: * INVOLVING THE ACES-MASTER-FILE.
293: *
294: OPEN INPUT ACES-MASTER-FILE.
295: READ ACES-MASTER-FILE INTO Z-RECORD,
296:     AT END DISPLAY ' NO Z RECORD' UPON PRINTER,
297:     STOP RUN.
298: PERFORM PRINT-STATUS-REPORT.

```

```

299: PRINT-STATUS-REPORT.
300: * MOVE THE DATA OFF Z-RECORD TO REPORT PRINT LINES
301: *
302: MOVE INITIALIZED-DATE OF Z-RECORD TO SHOW-INITIALIZED-DATE
303: OF STATUS-REPORT.
304: MOVE LAST-MODIFIED-DATE TO SHOW-MODIFY-DATE.
305: MOVE NUMBER-OF-A-RECORDS TO SHOW-A-COUNT.
306: MOVE NUMBER-OF-B-RECORDS TO SHOW-B-COUNT.
307: MOVE NUMBER-OF-T-RECORDS TO SHOW-T-COUNT.
308: MOVE NUMBER-OF-V-RECORDS TO SHOW-V-COUNT.
309: MOVE TOTAL-RECORDS TO SHOW-SUM-ABTV-RECORDS.
310: *
311: * GET THE CORRECT TIME AND DATE
312: * PLACE TIME, DATE INTO REPORT PAGE
313: * PERFORM INITIALIZE-DATE-TIME.
314: MOVE MACHINE-TIME TO SHOW-TIME OF STATUS-REPORT.
315: MOVE SEQUENCED-DATE TO SHOW-DATE OF STATUS-REPORT.
316: * WRITE THE STATUS REPORT
317: * WRITE PRINT-LINE FROM LINE-1 OF STATUS-REPORT AFTER
318: * PAGE-TOP LINES.
319: WRITE PRINT-LINE FROM LINE-2 OF STATUS-REPORT AFTER 2 LINES.
320: WRITE PRINT-LINE FROM LINE-3 OF STATUS-REPORT AFTER 2 LINES.
321: WRITE PRINT-LINE FROM LINE-4 OF STATUS-REPORT AFTER 2 LINES.
322: WRITE PRINT-LINE FROM LINE-5 OF STATUS-REPORT AFTER 2 LINES.
323: WRITE PRINT-LINE FROM LINE-6 OF STATUS-REPORT AFTER 2 LINES.
324: WRITE PRINT-LINE FROM LINE-7 OF STATUS-REPORT AFTER 2 LINES.
325: WRITE PRINT-LINE FROM LINE-8 OF STATUS-REPORT AFTER 2 LINES.
326: WRITE PRINT-LINE FROM LINE-9 OF STATUS-REPORT AFTER 2 LINES.
327: WRITE PRINT-LINE FROM LINE-10 OF STATUS-REPORT AFTER 2 LINES.
328: *
329: INITIALIZE-DATE-TIME.
330: *
331: ACCEPT MACHINE-DATE FROM DATE.
332: ACCEPT MACHINE-TIME FROM TIME.
333: MOVE CORRESPONDING MACHINE-DATE TO SEQUENCED-DATE.
334: *
335: *
336: SHUT-DOWN-ACES-MASTER-FILE.
337: * ACES-MASTEFIL WILL BE CLOSED
338: * CLOSE ACES-MASTER-FILE.
339: *
340: * *****
341: * THE FOLLOWING PORTION OF THE PROGRAM IS STRICTLY FOR SSN
342: * FILE PROCESSING
343: * *****
344: * THIS IS THE TOP OF THE SSN PROCESSING LOOP
345: * IT WILL BE REPEATED A NUMER OF TIMES EQUAL TO THE
346: * NUMBER OF DATA RECORDS
347: * *****

```

```

348:      INITIALIZE-SOLDIER-COUNTERS.
349:      MOVE ZEROS TO RECORD-COUNTERS.
350:      PROCESS-SOLDIERS.
351:      * IF JUST A LISTING OF SSN IS DESIRED THE FOLLOWING
352:      * CODE SHOULD BE LEFT IN
353:      PERFORM INPUT-ACES-RECORD UNTIL
354:      RECORD-TYPE OF MASTER-RECORD EQUAL 'A'
355:      OR
356:      EOF-ACES-FILE.
357:      IF RECORD-TYPE OF MASTER-RECORD IS EQUAL TO 'A'
358:      MOVE MASTER-RECORD TO A-RECORD
359:      PERFORM PRINT-SOLDIER.
360:      IF NOT EOF-ACES-FILE PERFORM INPUT-ACES-RECORD.
361:      *
362:      * IN THE EVENT THAT A PARTICULAR CONDITION IS REQUESTED
363:      * IS SATISFIES ONE OF THE STATUS FLAGS IT WILL
364:      * BE IMPLEMENTED HERE
365:      * NOTE THE REMAINING LINES ARE CODED IN ANSI BUT ARE
366:      * ENTRIES MERELY PULL THE * COMMENT CHARACTER
367:      * THE REST WERE NOT IMPLEMENTED AS DEEMED UNNESECARY
368:      INPUT-ACES-RECORD.
369:      READ ACES-MASTER-FILE
370:      AT END MOVE 1 TO ACES-FILE-FLAG
371:      MOVE 999999999 TO SSN OF MASTER-RECORD
372:      MOVE 'X' TO RECORD-TYPE OF MASTER-RECORD.
373:      IF SSN OF MASTER-RECORD EQUALS 999999999 MOVE
374:      1 TO ACES-FILE-FLAG.
375:      ADD 1 TO NUMBER-RECORDS-READ.
376:      ADD 1 TO DUMMY-COUNTER.
377:      IF DUMMY-COUNTER GREATER THAN 500
378:      DISPLAY ' COUNT - ', NUMBER-RECORDS-PRINTED
379:      UPON PRINTER,
380:      MOVE ZEROS TO DUMMY-COUNTER.
381:      IF RECORD-TYPE OF MASTER-RECORD NOT EQUAL
382:      'A' AND 'B' AND 'T'
383:      DISPLAY ' UNKNOWN RECORD TYPE FOUND - ' SEARCH-KEY OF
384:      MASTER-RECORD.
385:      PRINT-SOLDIER.
386:      ADD 1 TO NUMBER-RECORDS-PRINTED.
387:      MOVE SSN OF A-RECORD TO SSN-CODE.
388:      MOVE SPACES TO REST.
389:      WRITE SSN-DATA .
EOF:389
0:>

```

```

1:      IDENTIFICATION DIVISION.
2:      PROGRAM-ID. DMDC.
3:      AUTHOR. JOHN HAMILL.
4:      INSTALLATION. ABERDEEN PROVING GROUND, MD , 21010.
5:      DATE-WRITTEN. MAY 1980.
6:      DATE-COMPILED.
7:      SECURITY. NO SECURITY CLEARANCE.
8:      REMARKS.  THE PURPOSE OF THIS PROGRAM IS
9:                INCORPORATE DMDC DATA ON TO A-RECORDS.
10:     ENVIRONMENT DIVISION.
11:     CONFIGURATION SECTION.
12:     SOURCE-COMPUTER. UNIVAC-1108.
13:     OBJECT-COMPUTER. UNIVAC-1108.
14:     INPUT-OUTPUT SECTION.
15:     FILE-CONTROL.
16:         SELECT ACES-MASTER-FILE ASSIGN TO MASS-STORAGE MASTER
17:                ORGANIZATION IS INDEXED,
18:                ACCESS MODE IS SEQUENTIAL
19:                PROCESSING MODE IS SEQUENTIAL,
20:                FILE-LIMIT IS 20000
21:                ACTUAL KEY IS SEARCH-KEY.
22:         SELECT PRINTER1 ASSIGN TO PRINTER.
23:         SELECT DMDC ASSIGN TO CARD-READER DMDATA.
24:     DATA DIVISION.
25:     FILE SECTION.
26:     *
27:     FD ACES-MASTER-FILE
28:        LABEL RECORDS ARE STANDARD,
29:        RECORD CONTAINS 300 CHARACTERS,
30:        BLOCK CONTAINS 30 RECORDS.
31:     *
32:     01 MASTER-RECORD.
33:        03 SEARCH-KEY.
34:        05 SSN PIC 9(9).
35:        05 RECORD-TYPE PIC X.
36:        03 DATA-AREA PIC X(290).
37:     *
38:     * THE RECORD LENGTH ON THE ORIGINAL DMDC TAPE WAS 133
39:     * WHICH WAS TOO LARGE FOR THE ATX TAPE CONVERSION
40:     * UTILITY TO HANDLE PROPERLY.  SINCE 133 = 7 * 19,
41:     * I USED 7 19 CHARACTER RECORDS FOR EACH DMDC RECORD
42:     * ON OUTPUT.  THIS MUST BE PLACED TOGETHER AGAIN IN
43:     * THIS PROGRAM.
44:     *
45:     FD DMDC
46:        LABEL RECORDS ARE STANDARD,
47:        RECORD CONTAINS 19 CHARACTERS.
48:     01 DMDC-RECORD-DUMMY.
49:        02 DMDC-DUMMY PIC X(19).
50:        02 DUMMY-SUB REDEFINES DMDC-DUMMY.
51:        03 SSN PIC X(9).
52:        03 DMDC-SUB-10 PIC X(10).

```

```

53:      FD  PRINTER1
54:          LABEL RECORDS ARE OMITTED
55:          DATA RECORD IS PRINT-LINE.
56:      01  PRINT-LINE.
57:          03  CARRIAGE-CONTROL-CHARACTER  PIC  X.
58:          03  PRINT-DATA  PIC  X(121).
59:      WORKING-STORAGE SECTION.
60:      77  DUMMY-COUNTER  PIC 9(6) VALUE 0.
61:      *
62:      77  NO-DMDC-DATA-COUNTER PIC 9(11) VALUE 0.
63:      77  INDX  PIC 9 VALUE 0.
64:      77  SSN-HOLD  PIC 9(9) VALUE 0.
65:      *
66:      *  MACHINE DATE-TIME IS ACCEPTED FROM THE SYSTEM AND
67:      *  IS PRINTED OUT WHEN FILES ARE OPENED AND CLOSED
68:      *
69:      01  MACHINE-DATE-TIME.
70:          03  MACHINE-DATE.
71:              05  MM-DATE  PIC 99.
72:              05  DD-DATE  PIC 99.
73:              05  YY-DATE  PIC 99.
74:          03  MACHINE-TIME.
75:              05  HOUR-DATE PIC 99.
76:              05  MIN-DATE PIC 99.
77:              05  SEC-DATE PIC 99.
78:      *
79:      *  SEQUENCED DATE IS THE DATE IN THE FORM YYMMDD TO ALLOWN
80:      *  FOR SORTING ON THE 6 FIELD CODE
81:      *
82:      01  SEQUENCED-DATE.
83:          03  YY-DATE  PIC 99.
84:          03  MM-DATE  PIC 99.
85:          03  DD-DATE  PIC 99.
86:      *
87:      *  THIS RECORD HOLDS THE DMDC RECORD TO BE BUILT
88:      *
89:      01  DMDC-RECORD.
90:          02  SSN  PIC 9(9).
91:          02  DMDC-DATA.
92:          03  DMDC-PART-0.
93:              05  DMDC-BIRTH  PIC 9(6).
94:              05  FILLER  PIC X(2).
95:              05  SEX  PIC X.
96:              05  FILLER  PIC X.
97:          03  DMDC-PART  OCCURS 6 TIMES  PIC X(19).
98:      *
99:      *  SEARCH KEY IS THE INDEX INTO THE INDEXED SEQUENTIAL
100:      *  DATA BASE IT CONSISTS OF A SOCIAL SECURITY NUMBER
101:      *  AND SOME RECORD TYPE (A,B,T, OR V)
102:      *
103:      *

```

```

104: * THE A RECORD IS THE MASTER RECORD FOR THE ACES FILE
105: * A SOLDIER MUST HAVE AN A RECORD TO HAVE A B,T, OR V
106: * TYPE OF RECORD INDEXED BY NNNNNNNNA WHERE N IS A
107: * NUMERIC VALUE
108: *
109: 01 A-RECORD.
110: 02 A-RECORD-DUMMY.
111: 03 SSN-TYPE .
112: 05 SSN PIC 9(9).
113: 05 RECORD-TYPE PIC X VALUE 'A'.
114: 03 MASTER-FLAGS.
115: 05 BSEP-LIT-STATUS PIC 9.
116: 88 NO-B-RECORD VALUE 0.
117: 88 BSEP-LIT-PARTIC VALUE 1.
118: 88 BSEP-LIT-NON-PARTIC VALUE 2.
119: 05 BSEP-ESL-STATUS PIC 9.
120: 88 NO-B-RECORD VALUE 0.
121: 88 BSEP-ESL-PARTIC VALUE 1.
122: 88 BSEP-ESL-NON-PARTIC VALUE 2.
123: 05 VO-TECH-STATUS PIC 9.
124: 88 NO-T-RECORD VALUE 0.
125: 88 VO-TECH-PARTIC VALUE 1.
126: 88 VO-TECH-NON-PARTIC VALUE 2.
127: 05 VEAP-STATUS PIC 9.
128: 88 NO-V-RECORD VALUE 0.
129: 88 VEAP-PARTIC VALUE 1.
130: 88 VEAP-WITHDRAW-RETURN VALUE 2.
131: 88 VEAP-WITHDRAW-NO-RETURN VALUE 3.
132: 88 VEAP-NON-PARTIC VALUE 4.
133: 03 A-RECORD-STATUS.
134: 05 MILPERCEN-FLAG PIC 9.
135: 88 MILPERCEN-PRESENT VALUE 1.
136: 05 DMDC-FLAG PIC 9.
137: 88 DMDC-PRESENT VALUE 1.
138: 05 TSC-FLAG PIC 9.
139: 88 TSC-PRESENT VALUE 1.
140: 05 EREC-FLAG PIC 9.
141: 88 EREC-PRESENT VALUE 1.
142: 05 CREATE-DATE.
143: 07 CREATE-YY PIC 99.
144: 07 CREATE-MM PIC 99.
145: 07 CREATE-DD PIC 99.
146: 05 LAST-MOD-DATE.
147: 07 LAST-MOD-YY PIC 99.
148: 07 LAST-MOD-MM PIC 99.
149: 07 LAST-MOD-DD PIC 99.
150: 03 CONTROL-INFORMATION.
151: 05 DOB.
152: 07 DOB-YY PIC 99.
153: 07 DOB-MM PIC 99.
154: 07 DOB-DD PIC 99.

```

```

155:      05 SEX PIC X.
156:          88 MALE VALUE 'M'.
157:          88 FEMALE VALUE 'F'.
158:      03 MILPERCEN-DATA.
159:          07 SEX PIC X.
160:          07 RACE PIC X.
161:          07 MARST PIC X.
162:          07 DOB PIC X(6).
163:          07 TERMS PIC X.
164:          07 ETSDT PIC X(6).
165:          07 EGPCD PIC X.
166:          07 BPEDT PIC XXXX.
167:          07 PAYGR PIC X.
168:          07 DOR PIC X(6).
169:          07 AFQSC PIC XX.
170:          07 CIVED PIC X.
171:          07 PMOS PIC X(5).
172:          07 DMOS PIC X(5).
173:          07 TYPLA PIC XX.
174:          07 DATLA PIC X(6).
175:          07 PSVCI PIC X.
176:          07 EERWA PIC XXX.
177:          07 CMF PIC XX.
178:          07 AITDT PIC XXX.
179:          07 GTSCR PIC XXX.
180:          07 PQDES PIC X(4).
181:          07 PSQDT PIC X(4).
182:          07 PQSCR PIC XXX.
183:          07 PQPER PIC XX.
184:          07 SMOS PIC X(5).
185:          07 FILLER PIC X(4).
186:      03 DMDC-DATA PIC X(124).
187:      03 TSC-DATA PIC X(56).
188:      *
189:      *
190:      *
191:      *
192:      * THE Z-RECORD IS ALWAYS MAINTAINED ON THE ACES MASTER FILE
193:      * IT CARRIES THE RECORDS COUNTS, AND OTHER FILE INFORMATION
194:      * CONSULT SYSTEM DOCUMENTATION FOR RECORD LAYOUT
195:      * INDEX FOR Z RECORD IS 000000000Z
196:      *
197:      01 Z-RECORD.
198:          03 SSN-TYPE.
199:              05 SSN PIC 9(9).
200:              05 RECORD-TYPE PIC X VALUE 'Z'.
201:          03 INITIALIZED-DATE.
202:              05 INITIALIZED-YY PIC 99.
203:              05 INITIALIZED-MM PIC 99.
204:              05 INITIALIZED-DD PIC 99.

```

```

205:      03 LAST-MODIFIED-DATE.
206:          05 LAST-MODIFIED-YY PIC 99.
207:          05 LAST-MODIFIED-MM PIC 99.
208:          05 LAST-MODIFIED-DD PIC 99.
209:      03 RECORD-COUNTS.
210:          05 NUMBER-OF-A-RECORDS PIC 9(7).
211:          05 NUMBER-OF-B-RECORDS PIC 9(7).
212:          05 NUMBER-OF-T-RECORDS PIC 9(7).
213:          05 NUMBER-OF-V-RECORDS PIC 9(7).
214:          05 TOTAL-RECORDS      PIC 9(11).
215:      *
216:      * THE FOLLOWING ARE THE PRINT LINES FOR THE STATUS REPORT
217:      *
218:      01 STATUS-REPORT.
219:          03 LINE-1.
220:              05 FILLER PIC X(20) VALUE SPACES.
221:              05 FILLER PIC X(40) VALUE 'STATUS REPORT ON ACES MASTER
222:              - ' FILE'.
223:          03 LINE-2.
224:              05 FILLER PIC X(30) VALUE SPACES.
225:              05 FILLER PIC X(8) VALUE 'TIME '.
226:              05 SHOW-TIME PIC X(6).
227:          03 LINE-3.
228:              05 FILLER PIC X(30) VALUE SPACES.
229:              05 FILLER PIC X(8) VALUE 'DATE '.
230:              05 SHOW-DATE PIC 99/99/99.
231:          03 LINE-4.
232:              05 FILLER PIC X(3) VALUE SPACES.
233:              05 FILLER PIC X(11) VALUE 'TYPE RECORD'.
234:              05 FILLER PIC X(9) VALUE SPACES.
235:              05 FILLER PIC X(13) VALUE 'FREQUENCIES'.
236:              05 FILLER PIC X(23) VALUE SPACES.
237:              05 FILLER PIC X(23) VALUE 'DATE INTIALIZED '.
238:              05 SHOW-INITIALIZED-DATE PIC 99/99/99.
239:          03 LINE-5.
240:              05 FILLER PIC X(12) VALUE SPACES.
241:              05 FILLER PIC X(15) VALUE 'A'.
242:              05 SHOW-A-COUNT PIC ZZZ,ZZ9.
243:          03 LINE-6.
244:              05 FILLER PIC X(12) VALUE SPACES.
245:              05 FILLER PIC X(15) VALUE 'B'.
246:              05 SHOW-B-COUNT PIC ZZZ,ZZ9.
247:          03 LINE-7.
248:              05 FILLER PIC X(12) VALUE SPACES.
249:              05 FILLER PIC X(15) VALUE 'T'.
250:              05 SHOW-T-COUNT PIC ZZZ,ZZ9.
251:              05 FILLER PIC X(25) VALUE SPACES.
252:              05 FILLER PIC X(20) VALUE 'DATE LAST MODIFIED '.
253:              05 SHOW-MODIFY-DATE PIC 99/99/99.

```

```

254:      03 LINE-8.
255:          05 FILLER PIC X(12) VALUE SPACES.
256:          05 FILLER PIC X(15) VALUE 'V'.
257:          05 SHOW-V-COUNT PIC ZZZ,ZZ9.
258:      03 LINE-9.
259:          05 FILLER PIC X(28) VALUE SPACES.
260:          05 FILLER PIC X(6) VALUE '-----'.
261:      03 LINE-10.
262:          05 FILLER PIC X(9) VALUE SPACES.
263:          05 FILLER PIC X(15) VALUE 'TOTAL'.
264:          05 SHOW-SUM-ABTV-RECORDS PIC ZZZ,ZZZ,999.
265:      01 RECORD-COUNTERS.
266:          03 DMDC-RECCRDS-READ PIC 9(9) VALUE 0.
267:          03 UPDATED-A-RECORDS PIC 9(9) VALUE 0.
268:      01 DMDC-RECORD-FLAG PIC 9.
269:          88 DMDC-RECORD-MATCHES VALUE 0.
270:          88 RECORD-REJECTED VALUE 1.
271:      01 ACES-FILE-FLAG PIC 9 VALUE 0.
272:          88 EOF-ACES-MASTER-FILE VALUE 1.
273:      01 DMDC-FILE-FLAG PIC 9 VALUE 0.
274:          88 EOF-DMDC-FILE VALUE 1.
275:      PROCEDURE DIVISION.
276:      MAIN-LINE.
277:          OPEN OUTPUT PRINTER1.
278:          PERFORM SET-UP-ACES-MASTER-FILE.
279:          PERFORM SET-UP-DMDC-DATA-TAPE.
280:          PERFORM INPUT-NEXT-A-RECORD.
281:          DISPLAY ' DMDC EXECUTION PRIMING RECORDS '.
282:          DISPLAY '      DMDC-RECORD - ' DMDC-RECORD-DUMMY.
283:          DISPLAY '      MASTER-RECORD - ' MASTER-RECORD.
284:          PERFORM PROCESS-SOLDIER THROUGH INPUT-NEXT-A-RECORD
285:              UNTIL EOF-ACES-MASTER-FILE OR EOF-DMDC-FILE.
286:      * CHANGE THE 10 TIMES TO EOF-ACES-MASTER-FILE MARKER AFTER TESTING JNH
287:      * AND EOF-DMDC-FILE NOTE THAT BOTH WILL SHUT OFF PROCESS
288:          PERFORM SHUT-DOWN-ACES-MASTER-FILE.
289:          PERFORM SUMMARY-STATS.
290:          STOP RUN.
291:      SET-UP-DMDC-DATA-TAPE.
292:          OPEN INPUT DMDC.
293:          CLOSE DMDC.
294:          OPEN INPUT DMDC.
295:          MOVE 0 TO DMDC-FILE-FLAG.
296:          PERFORM INPUT-DMDC-RECORD.
297:      * *****
298:      SET-UP-ACES-MASTER-FILE.
299:      * THIS ROUTINE WILL BE THE FIRST STEP IN ANY RUN
300:      * INVOLVING THE ACES-MASTER-FILE.
301:      *

```

```

302:      OPEN I-O      ACES-MASTER-FILE.
303:      MOVE ZEROES TO SSN OF SEARCH-KEY.
304:      MOVE 'Z' TO RECORD-TYPE OF SEARCH-KEY.
305:      READ ACES-MASTER-FILE INTO Z-RECORD,
306:      AT END MOVE 1 TO ACES-FILE-FLAG.
307:      PERFORM PRINT-STATUS-REPORT.
308:      PRINT-STATUS-REPORT.
309:      * MOVE THE DATA OFF Z-RECORD TO REPORT PRINT LINES
310:      *
311:      MOVE INITIALIZED-DATE OF Z-RECORD TO SHOW-INITIALIZED-DATE
312:      OF STATUS-REPORT.
313:      MOVE LAST-MODIFIED-DATE TO SHOW-MODIFY-DATE.
314:      MOVE NUMBER-OF-A-RECORDS TO SHOW-A-COUNT.
315:      MOVE NUMBER-OF-B-RECORDS TO SHOW-B-COUNT.
316:      MOVE NUMBER-OF-T-RECORDS TO SHOW-T-COUNT.
317:      MOVE NUMBER-OF-V-RECORDS TO SHOW-V-COUNT.
318:      MOVE TOTAL-RECORDS TO SHOW-SUM-ABTV-RECORDS.
319:      *
320:      * GET THE CORRECT TIME AND DATE
321:      * PLACE TIME, DATE INTO REPORT PAGE
322:      PERFORM INITIALIZE-DATE-TIME.
323:      MOVE MACHINE-TIME TO SHOW-TIME OF STATUS-REPORT .
324:      MOVE SEQUENCED-DATE TO SHOW-DATE OF STATUS-REPORT.
325:      * WRITE THE STATUS REPORT
326:      * WRITE PRINT-LINE FROM LINE-1 OF STATUS-REPORT AFTER
327:      * PAGE-TOP LINES.
328:      WRITE PRINT-LINE FROM LINE-2 OF STATUS-REPORT AFTER 2 LINES.
329:      WRITE PRINT-LINE FROM LINE-3 OF STATUS-REPORT AFTER 2 LINES.
330:      WRITE PRINT-LINE FROM LINE-4 OF STATUS-REPORT AFTER 2 LINES.
331:      WRITE PRINT-LINE FROM LINE-5 OF STATUS-REPORT AFTER 2 LINES.
332:      WRITE PRINT-LINE FROM LINE-6 OF STATUS-REPORT AFTER 2 LINES.
333:      WRITE PRINT-LINE FROM LINE-7 OF STATUS-REPORT AFTER 2 LINES.
334:      WRITE PRINT-LINE FROM LINE-8 OF STATUS-REPORT AFTER 2 LINES.
335:      WRITE PRINT-LINE FROM LINE-9 OF STATUS-REPORT AFTER 2 LINES.
336:      WRITE PRINT-LINE FROM LINE-10 OF STATUS-REPORT AFTER 2 LINES.
337:      *
338:      INITIALIZE-DATE-TIME.
339:      *
340:      ACCEPT MACHINE-DATE-TIME FROM DATE-TIME.
341:      MOVE CORRESPONDING MACHINE-DATE TO SEQUENCED-DATE.
342:      *
343:      *
344:      SHUT-DOWN-ACES-MASTER-FILE.
345:      * A STATUS REPORT WILL BE GENERATED
346:      * ALL COUNTERS WILL BE UPDATED
347:      * A MODIFIED Z-RECORD WILL BE REWRITTEN
348:      * ACES-MASTEFIL WILL BE CLOSED
349:      PERFORM PRINT-STATUS-REPORT.
350:      PERFORM WRITE-Z-RECORD.
351:      CLOSE ACES-MASTER-FILE, DMDC.
352:      *

```

```

353:    WRITE-Z-RECORD.
354:    MOVE SEQUENCED-DATE TO LAST-MODIFIED-DATE OF Z-RECORD.
355:    MOVE Z-RECORD TO MASTER-RECORD.
356:    REWRITE MASTER-RECORD
357:    INVALID KEY DISPLAY 'Z RECORD NOT WRITTEN'
358:    UPON PRINTER.
359:    * *****
360:    * THE FOLLOWING PORTION OF THE PROGRAM IS STRICTLY FOR DMDC
361:    * FILE PROCESSING
362:    * *****
363:    * THIS IS THE TOP OF THE DMDC PROCESSING LOOP
364:    * IT WILL BE REPEATED A NUMBER OF TIMES EQUAL TO THE
365:    * NUMBER OF DMDC DATA RECORDS
366:    * *****
367:    PROCESS-SOLDIER.
368:    *
369:    ADD 1 TO DUMMY-COUNTER.
370:    IF DUMMY-COUNTER EQUALS 200
371:    MOVE ZEROS TO DUMMY-COUNTER
372:    DISPLAY ' ', SSN OF MASTER-RECORD, ' AT DMDC - ',
373:    DMDC-RECORDS-READ UPON PRINTER.
374:    * NEXT WE WILL SEE IF THERE IS A DMDC-RECORD ON THIS SOLDIER
375:    PERFORM INPUT-DMDC-RECORD UNTIL
376:    SSN OF DMDC-RECORD IS NOT LESS THAN
377:    SSN OF MASTER-RECORD.
378:    *
379:    * IF THERE IS A DMDC RECORD IT WILL NOW BE IN
380:    * MEMORY NEXT WE CHECK TO SEE IF THEY MATCH
381:    PERFORM VERIFY-DMDC-MATCH.
382:    *
383:    IF DMDC-RECORD-MATCHES
384:    PERFORM UPDATE-A-RECORD,
385:    PERFORM REWRITE-A-RECORD,
386:    ELSE
387:    ADD 1 TO NO-DMDC-DATA-COUNTER.
388:    INPUT-NEXT-A-RECORD.
389:    * SINCE THERE IS MORE THAN ONE TYPE OF RECORD WE SELECT ONLY
390:    * THE MASTER RECORD FOR EACH SOLDIER
391:    PERFORM INPUT-NEXT-LOGICAL-RECORD.
392:    PERFORM INPUT-NEXT-LOGICAL-RECORD UNTIL
393:    EOF-ACES-MASTER-FILE
394:    OR
395:    RECORD-TYPE OF MASTER-RECORD EQUALS 'A'.
396:    INPUT-NEXT-LOGICAL-RECORD.
397:    READ ACES-MASTER-FILE INTO A-RECORD
398:    AT END MOVE 1 TO ACES-FILE-FLAG.
399:    IF SSN OF A-RECORD EQUALS 999999999
400:    MOVE 1 TO ACES-FILE-FLAG.

```

```

401:    VERIFY-DMDC-MATCH.
402:    * NOTE THAT ANY VALIDATION OF THE RECORDS SHOULD BE DONE HERE
403:      MOVE 0 TO DMDC-RECORD-FLAG.
404:    *
405:      IF SSN OF A-RECORD NOT EQUAL TO SSN OF DMDC-RECORD,
406:        MOVE 1 TO DMDC-RECORD-FLAG.
407:    *
408:    * DMDC SENT BACK ALL SSN S SENT BY FILLING NON-MATCHES
409:    * WITH ZEROS. CONSEQUENTLY, A MATCH WILL BE DECIDED
410:    * BY THE PRESENCE OF A NONZERO DATE OF BIRTH
411:    *
412:      IF DMDC-BIRTH EQUAL ZERO.
413:        MOVE 1 TO DMDC-RECORD-FLAG.
414:    UPDATE-A-RECORD.
415:    * HERE WE WILL MOVE ALL THE DATA WE WISH OFF THE DMDC RECORD
416:    * AND INTO THE A-RECORD
417:      MOVE DMDC-DATA OF DMDC-RECORD
418:      TO DMDC-DATA OF A-RECORD.
419:    *
420:    * PLACE BIRTH DATE AND SEX IN CONTROL IF NOT THERE ALREADY
421:    *
422:      IF DOB-YY OF CONTROL-INFORMATION LESS THAN 20
423:        OR GREATER 70
424:        MOVE DMDC-BIRTH TO DOB OF
425:        CONTROL-INFORMATION.
426:      IF SEX OF CONTROL-INFORMATION EQUAL SPACES
427:        IF SEX OF DMDC-RECORD EQUALS '1'
428:          MOVE 'M' TO SEX OF CONTROL-INFORMATION
429:        ELSE IF SEX OF DMDC-RECORD EQUALS '2'
430:          MOVE 'F' TO SEX OF CONTROL-INFORMATION.
431:      ADD 1 TO UPDATED-A-RECORDS.
432:      MOVE 1 TO DMDC-FLAG OF A-RECORD.
433:    REWRITE-A-RECORD.
434:      MOVE 'A' TO RECORD-TYPE OF SEARCH-KEY.
435:      MOVE SEQUENCED-DATE TO LAST-MOD-DATE OF A-RECORD.
436:      MOVE A-RECORD TO MASTER-RECORD.
437:      REWRITE MASTER-RECORD
438:        INVALID KEY DISPLAY
439:        ' INVALID ATTEMPT REWRI *A* REC '
440:      UPON PRINTER.
441:    INPUT-DMDC-RECORD.
442:    *
443:    * THE DMDC FILE MUST BE READ 7 TIMES TO BUILD
444:    * ONE DMDC RECORD.
445:    *

```

```
446:      READ DMDC  AT END MOVE 1 TO DMDC-FILE-FLAG.
447:      MOVE SSN OF DMDC-RECORD-DUMMY TO
448:          SSN OF DMDC-RECORD.
449:      MOVE DMDC-SUB-10 TO DMDC-PART-0.
450:      IF SSN OF DMDC-RECORD NOT GREATER THAN SSN-HOLD
451:          DISPLAY ' SEQUENCING PROBLEM - HOLD SNN - ' SSN-HOLD
452:          DISPLAY ' NEW DMDC RECORD - ', DMDC-DUMMY.
453:      MOVE SSN OF DMDC-RECORD TO SSN-HOLD.
454:      PERFORM GET-DMDC-PARTS VARYING INDX FROM 1 BY 1
455:          UNTIL INDX GREATER 6.
456:
457:      ADD 1 TO DMDC-RECORDS-READ.
458:
459:      GET-DMDC-PARTS.
460:      READ DMDC AT END MOVE 1 TO DMDC-FILE-FLAG.
461:      MOVE DMDC-DUMMY TO DMDC-PART (INDX).
462:
463:      SUMMARY-STATS.
464:          DISPLAY DMDC-RECORDS-READ, 'DMDC RECS READ'
465:              UPON PRINTER.
466:          DISPLAY NO-DMDC-DATA-COUNTER, 'NO DMDC DATA'
467:              UPON PRINTER.
468:          DISPLAY UPDATED-A-RECORDS, 'UPDATED A RECS'
469:              UPON PRINTER.
EOF:469
O:>
```

```

1: IDENTIFICATION DIVISION.
2: PROGRAM-ID. ACES.
3: AUTHOR. JOHN HAMILL.
4: INSTALLATION. ABERDEEN PROVING GROUND, MD , 21010.
5: DATE-WRITTEN. MAY 1980.
6: DATE-COMPILED.
7: SECURITY. NO SECURITY CLEARANCE.
8: REMARKS. THE PURPOSE OF THIS PROGRAM IS
9: GENERATE AN SPSS READABLE FILE
10: INPUTS ARE SOLICITED FROM THE TERMINAL
11: VALID INPUTS ARE
12: 1 ALL A-RECORDS
13: 3 ESL PARTICIPANTS (A+B) RECORDS
14: 4 LIT PARTICIPANTS A+B RECORDS
15: 5 VOTECH PARTICIPANTS (A+T) RECORDS
16: 2 ALL RECORDS (A+B+T)
17: ONLY THESE INPUTS ALLOWED (1,3,4,5,2).
18: ENVIRONMENT DIVISION.
19: CONFIGURATION SECTION.
20: SOURCE-COMPUTER. UNIVAC-1108.
21: OBJECT-COMPUTER. UNIVAC-1108.
22: INPUT-OUTPUT SECTION.
23: FILE-CONTROL.
24: SELECT ACES-MASTER-FILE
25: ASSIGN TO MASS-STORAGE MASTER
26: ORGANIZATION IS INDEXED,
27: ACCESS MODE IS SEQUENTIAL,
28: FILE-LIMIT IS 2300
29: ACTUAL KEY IS DUM-SEARCH-KEY.
30: SELECT PRINTER1 ASSIGN TO PRINTER.
31: SELECT SPSS-FILE ASSIGN TO PRINTER SPFILE.
32: *
33: DATA DIVISION.
34: FILE SECTION.
35: *
36: FD ACES-MASTER-FILE
37: LABEL RECORDS ARE STANDARD,
38: RECORD CONTAINS 300 CHARACTERS,
39: BLOCK CONTAINS 30 RECORDS.
40: *
41: 01 MASTER-RECORD.
42: 03 SEARCH-KEY.
43: 05 SSN PIC 9(9).
44: 05 RECORD-TYPE PIC X.
45: 03 DATA-AREA PIC X(290).
46: FD PRINTER1
47: LABEL RECORDS ARE OMITTED
48: DATA RECORD IS PRINT-LINE.
49: 01 PRINT-LINE.
50: 03 CARRIAGE-CONTROL-CHARACTER PIC X.
51: 03 PRINT-DATA PIC X(121).

```

```

52:      FD   SPSS-FILE
53:          LABEL RECORDS ARE OMITTED
54:          DATA RECORD IS SPSS-DATA.
55:      01   SPSS-LINE.
56:          03  REST          PIC  X(132).
57:      WORKING-STORAGE SECTION.
58:      77  DUN-SEARCH-KEY    PIC  X(10).
59:      77  DUNNY-COUNTER    PIC  9(6) VALUE 0.
60:      77  OLD-SSN PIC 9(9) VALUE 0.
61:      01   RECORD-TABLE .
62:          03  RECORD-TABLE1 PIC  X(300).
63:          03  RECORD-TABLE2 PIC  X(300).
64:          03  RECORD-TABLE3 PIC  X(300).
65:          03  RECORD-TABLE4 PIC  X(300).
66:      *
67:      *  MACHINE DATE-TIME IS ACCEPTED FROM THE SYSTEM AND
68:      *  IS PRINTED OUT WHEN FILES ARE OPENED AND CLOSED
69:      *
70:      01   MACHINE-DATE-TIME.
71:          03  MACHINE-DATE.
72:              05  MM-DATE PIC  99.
73:              05  DD-DATE PIC  99.
74:              05  YY-DATE PIC  99.
75:          03  MACHINE-TIME.
76:              05  HOUR-DATE PIC  99.
77:              05  MIN-DATE PIC  99.
78:              05  SEC-DATE PIC  99.
79:      *
80:      *  SEQUENCED DATE IS THE DATE IN THE FORM YYMMDD TO ALLOW
81:      *  FOR SORTING ON THE 6 FIELD CODE
82:      *
83:      01   SEQUENCED-DATE.
84:          03  YY-DATE PIC  99.
85:          03  MM-DATE PIC  99.
86:          03  DD-DATE PIC  99.
87:      *
88:      *  THIS DUMMY HOLD ERROR IS BECAUSE NO WAY WAS FOUND
89:      *  TO WRITE A 300 CHARACTER RECORD AND READ IT USING
90:      *  THE SPSS PACKAGE
91:      *
92:      01   HOLD-OUT.
93:          03  SUBSET-1 PIC  X(120).
94:          03  SUBSET-2 PIC  X(120).
95:          03  SUBSET-3 PIC  X(120).
96:
97:      *  SEARCH KEY IS THE INDEX INTO THE INDEXED SEQUENTIAL
98:      *  DATA BASE IT CONSISTS OF A SOCIAL SECURITY NUMBER
99:      *  AND SOME RECORD TYPE (A,B,T, OR V)
100:      *
101:      *

```

102: * THE A RECORD IS THE MASTER RECORD FOR THE ACES FILE
 103: * A SOLDIER MUST HAVE AN A RECORD TO HAVE A B,T, OR V
 104: * TYPE OF RECORD INDEXED BY NNNNNNNNA WHERE N IS A
 105: * NUMERIC VALUE
 106: *
 107: 01 A-RECORD.
 108: 02 A-RECORD-DUMMY.
 109: 05 SSN-TYPE .
 110: 05 SSN PIC 9(9).
 111: 05 RECORD-TYPE PIC X VALUE 'A'.
 112: 03 MASTER-FLAGS.
 113: 05 BSEP-LIT-STATUS PIC 9.
 114: 88 NO-B-RECORD VALUE 0.
 115: 88 BSEP-LIT-PARTIC VALUE 1.
 116: 88 BSEP-LIT-NON-PARTIC VALUE 2.
 117: 05 BSEP-ESL-STATUS PIC 9.
 118: 88 NO-B-RECORD VALUE 0.
 119: 88 BSEP-ESL-PARTIC VALUE 1.
 120: 88 BSEP-ESL-NON-PARTIC VALUE 2.
 121: 05 VO-TECH-STATUS PIC 9.
 122: 88 NO-T-RECORD VALUE 0.
 123: 88 VO-TECH-PARTIC VALUE 1.
 124: 88 VO-TECH-NON-PARTIC VALUE 2.
 125: 05 VEAP-STATUS PIC 9.
 126: 88 NO-V-RECORD VALUE 0.
 127: 88 VEAP-PARTIC VALUE 1.
 128: 88 VEAP-WITHDRAW-RETURN VALUE 2.
 129: 88 VEAP-WITHDRAW-NO-RETURN VALUE 3.
 130: 88 VEAP-NON-PARTIC VALUE 4.
 131: 03 A-RECORD-STATUS.
 132: 05 MILPERCEN-FLAG PIC 9.
 133: 88 MILPERCEN-PRESENT VALUE 1.
 134: 05 DMDC-FLAG PIC 9.
 135: 88 DMDC-PRESENT VALUE 1.
 136: 05 TSC-FLAG PIC 9.
 137: 88 TSC-PRESENT VALUE 1.
 138: 05 EREC-FLAG PIC 9.
 139: 88 EREC-PRESENT VALUE 1.
 140: 05 CREATE-DATE.
 141: 07 CREATE-YY PIC 99.
 142: 07 CREATE-MM PIC 99.
 143: 07 CREATE-DD PIC 99.
 144: 05 LAST-MOD-DATE.
 145: 07 LAST-MOD-YY PIC 99.
 146: 07 LAST-MOD-MM PIC 99.
 147: 07 LAST-MOD-DD PIC 99.
 148: 03 CONTROL-INFORMATION.
 149: 05 DOB.
 150: 07 DOB-YY PIC 99.
 151: 07 DOB-MM PIC 99.
 152: 07 DOB-DD PIC 99.

```

153:      05 SEX PIC X.
154:      88 MALE VALUE 'M'.
155:      88 FEMALE VALUE 'F'.
156:      03 MILPERCEN-DATA.
157:      07 SEX PIC X.
158:      07 RACE PIC X.
159:      07 MARST PIC X.
160:      07 DOB PIC X(6).
161:      07 TERMS PIC X.
162:      07 ETSDT PIC X(6).
163:      07 EGPCD PIC X.
164:      07 BPEDT PIC XXXX.
165:      07 PAYGR PIC X.
166:      07 DOR PIC X(6).
167:      07 AFQSC PIC XX.
168:      07 CIVED PIC X.
169:      07 PMOS PIC X(5).
170:      07 DMOS PIC X(5).
171:      07 TIPLA PIC XX.
172:      07 DATLA PIC X(6).
173:      07 PSVCI PIC X.
174:      07 EERWA PIC XXX.
175:      07 CMF PIC XX.
176:      07 AITDT PIC XXX.
177:      07 GTSCR PIC XXX.
178:      07 PQDES PIC X(4).
179:      07 PSQDT PIC X(4).
180:      07 PQSCR PIC XXX.
181:      07 PQPER PIC XX.
182:      07 SMOS PIC X(5).
183:      07 FILLER PIC X(4).
184:      03 DMDC-DATA PIC X(124).
185:      03 TSC-DATA PIC X(56).
186:      *
187:      *
188:      *
189:      * THE Z-RECORD IS ALWAYS MAINTAINED ON THE ACES MASTER FILE
190:      * IT CARRIES THE RECORDS COUNTS, AND OTHER FILE INFORMATION
191:      * CONSULT SYSTEM DOCUMENTATION FOR RECORD LAYOUT
192:      * INDEX FOR Z RECORD IS 000000000Z
193:      *
194:      01 Z-RECORD.
195:      03 SSN-TYPE.
196:      05 SSN PIC 9(9).
197:      05 RECORD-TYPE PIC X VALUE 'Z'.
198:      03 INTIALIZED-DATE.
199:      05 INTIALIZED-YY PIC 99.
200:      05 INTIALIZED-MM PIC 99.
201:      05 INTIALIZED-DD PIC 99.

```

```

202:      03 LAST-MODIFIED-DATE.
203:      05 LAST-MODIFIED-YY PIC 99.
204:      05 LAST-MODIFIED-MM PIC 99.
205:      05 LAST-MODIFIED-DD PIC 99.
206:      03 RECORD-COUNTS.
207:      05 NUMBER-OF-A-RECORDS PIC 9(7).
208:      05 NUMBER-OF-B-RECORDS PIC 9(7).
209:      05 NUMBER-OF-T-RECORDS PIC 9(7).
210:      05 NUMBER-OF-V-RECORDS PIC 9(7).
211:      05 TOTAL-RECORDS PIC 9(11).
212:      *
213:      * THE FOLLOWING ARE THE PRINT LINES FOR THE STATUS REPORT
214:      *
215:      01 STATUS-REPORT.
216:      03 LINE-1.
217:      05 FILLER PIC X(20) VALUE SPACES.
218:      05 FILLER PIC X(40) VALUE 'STATUS REPORT ON ACES MASTER
219:      - ' FILE'.
220:      03 LINE-2.
221:      05 FILLER PIC X(30) VALUE SPACES.
222:      05 FILLER PIC X(8) VALUE 'TIME '.
223:      05 SHOW-TIME PIC X(6).
224:      03 LINE-3.
225:      05 FILLER PIC X(30) VALUE SPACES.
226:      05 FILLER PIC X(8) VALUE 'DATE '.
227:      05 SHOW-DATE PIC 99/99/99.
228:      03 LINE-4.
229:      05 FILLER PIC X(3) VALUE SPACES.
230:      05 FILLER PIC X(11) VALUE 'TYPE RECORD'.
231:      05 FILLER PIC X(9) VALUE SPACES.
232:      05 FILLER PIC X(13) VALUE 'FREQUENCIES'.
233:      05 FILLER PIC X(23) VALUE SPACES.
234:      05 FILLER PIC X(23) VALUE 'DATE INTIALIZED '.
235:      05 SHOW-INTIALIZED-DATE PIC 99/99/99.
236:      03 LINE-5.
237:      05 FILLER PIC X(12) VALUE SPACES.
238:      05 FILLER PIC X(15) VALUE 'A'.
239:      05 SHOW-A-COUNT PIC ZZZ,ZZ9.
240:      03 LINE-6.
241:      05 FILLER PIC X(12) VALUE SPACES.
242:      05 FILLER PIC X(15) VALUE 'B'.
243:      05 SHOW-B-COUNT PIC ZZZ,ZZ9.
244:      03 LINE-7.
245:      05 FILLER PIC X(12) VALUE SPACES.
246:      05 FILLER PIC X(15) VALUE 'T'.
247:      05 SHOW-T-COUNT PIC ZZZ,ZZ9.
248:      05 FILLER PIC X(25) VALUE SPACES.
249:      05 FILLER PIC X(20) VALUE 'DATE LAST MODIFIED '.
250:      05 SHOW-MODIFY-DATE PIC 99/99/99.

```

```

251:      03 LINE-8.
252:      05 FILLER PIC X(12) VALUE SPACES.
253:      05 FILLER PIC X(15) VALUE 'V'.
254:      05 SHOW-V-COUNT PIC ZZZ,ZZ9.
255:      03 LINE-9.
256:      05 FILLER PIC X(28) VALUE SPACES.
257:      05 FILLER PIC X(6) VALUE '-----'.
258:      03 LINE-10.
259:      05 FILLER PIC X(9) VALUE SPACES.
260:      05 FILLER PIC X(15) VALUE 'TOTAL'.
261:      05 SHOW-SUM-ABTV-RECORDS PIC ZZZ,ZZZ,999.
262: 01 RECORD-COUNTERS.
263:      03 NUMBER-RECORDS-READ PIC 9(9) .
264:      03 LIT-COUNT PIC 9(9) VALUE 0.
265:      03 ESL-COUNT PIC 9(9) VALUE 0.
266:      03 VOTECH-COUNT PIC 9(9) VALUE 0.
267:      03 ALL-COUNT PIC 9(9) VALUE 0.
268:      03 A-COUNT PIC 9(9) VALUE 0.
269: 01 WANT-CRITERIA-SETUP.
270:      03 WANT-CRITERIA PIC 9.
271:      88 WANT-A VALUE 1.
272:      88 WANT-ALL VALUE 2.
273:      88 WANT-ESL VALUE 3.
274:      88 WANT-LIT VALUE 4.
275:      88 WANT-VOTECH VALUE 5.
276:      03 NUMBER-RECORDS-PRINTED PIC 9(9).
277: 01 ACES-FILE-FLAG PIC 9 VALUE 0.
278:      88 EOF-ACES-FILE VALUE 1.
279: PROCEDURE DIVISION.
280: MAIN-LINE.
281:      OPEN OUTPUT PRINTER1, SPSS-FILE.
282:      PERFORM SET-UP-ACES-MASTER-FILE.
283:      PERFORM GET-WRITE-CRITERIA.
284:      DISPLAY ' WANT CRITERIA - ', WANT-CRITERIA.
285:      PERFORM PROCESS-FILE.
286:      DISPLAY 'END OF FILE PROCESSING'.
287:      PERFORM SHUT-DOWN-ACES-MASTER-FILE.
288:      CLOSE SPSS-FILE, PRINTER1.
289:      DISPLAY ' RECORDS READ - ', NUMBER-RECORDS-READ.
290:      DISPLAY ' END OF EXECUTION ACES.' .
291:      DISPLAY ' LIT COUNT - ', LIT-COUNT.
292:      DISPLAY ' VOTECH-COUNT - ', VOTECH-COUNT.
293:      DISPLAY ' A COUNT - ', A-COUNT.
294:      DISPLAY ' ESL COUNT - ', ESL-COUNT.
295:      DISPLAY ' ALL COUNT - ', ALL-COUNT.
296:      STOP RUN.
297: * *****
298: SET-UP-ACES-MASTER-FILE.
299: * THIS ROUTINE WILL BE THE FIRST STEP IN ANY RUN
300: * INVOLVING THE ACES-MASTER-FILE.
301: *

```

```

302:      OPEN INPUT      ACES-MASTER-FILE.
303:      READ ACES-MASTER-FILE INTO Z-RECORD,
304:          AT END DISPLAY ' NO Z RECORD' UPON PRINTER,
305:          STOP RUN.
306:      PERFORM PRINT-STATUS-REPORT.
307:      PRINT-STATUS-REPORT.
308:      *      MOVE THE DATA OFF Z-RECORD TO REPORT PRINT LINES
309:      *
310:      MOVE INITIALIZED-DATE OF Z-RECORD TO SHOW-INITIALIZED-DATE
311:          OF STATUS-REPORT.
312:      MOVE LAST-MODIFIED-DATE TO SHOW-MODIFY-DATE.
313:      MOVE NUMBER-OF-A-RECORDS TO SHOW-A-COUNT.
314:      MOVE NUMBER-OF-B-RECORDS TO SHOW-B-COUNT.
315:      MOVE NUMBER-OF-T-RECORDS TO SHOW-T-COUNT.
316:      MOVE NUMBER-OF-V-RECORDS TO SHOW-V-COUNT.
317:      MOVE TOTAL-RECORDS TO SHOW-SUM-ABTV-RECORDS.
318:      *
319:      *      GET THE CORRECT TIME AND DATE
320:      *      PLACE TIME, DATE INTO REPORT PAGE
321:      PERFORM INITIALIZE-DATE-TIME.
322:      MOVE MACHINE-TIME TO SHOW-TIME OF STATUS-REPORT.
323:      MOVE SEQUENCED-DATE TO SHOW-DATE OF STATUS-REPORT.
324:      *      WRITE THE STATUS REPORT
325:      *      WRITE PRINT-LINE FROM LINE-1 OF STATUS-REPORT AFTER
326:      *          PAGE-TOP LINES.
327:      WRITE PRINT-LINE FROM LINE-2 OF STATUS-REPORT AFTER 2 LINES.
328:      WRITE PRINT-LINE FROM LINE-3 OF STATUS-REPORT AFTER 2 LINES.
329:      WRITE PRINT-LINE FROM LINE-4 OF STATUS-REPORT AFTER 2 LINES.
330:      WRITE PRINT-LINE FROM LINE-5 OF STATUS-REPORT AFTER 2 LINES.
331:      WRITE PRINT-LINE FROM LINE-6 OF STATUS-REPORT AFTER 2 LINES.
332:      WRITE PRINT-LINE FROM LINE-7 OF STATUS-REPORT AFTER 2 LINES.
333:      WRITE PRINT-LINE FROM LINE-8 OF STATUS-REPORT AFTER 2 LINES.
334:      WRITE PRINT-LINE FROM LINE-9 OF STATUS-REPORT AFTER 2 LINES.
335:      WRITE PRINT-LINE FROM LINE-10 OF STATUS-REPORT AFTER 2 LINES.
336:      *
337:      INITIALIZE-DATE-TIME.
338:      *
339:      ACCEPT MACHINE-DATE FROM DATE.
340:      ACCEPT MACHINE-TIME FROM TIME.
341:      MOVE CORRESPONDING MACHINE-DATE TO SEQUENCED-DATE.
342:      *
343:      *
344:      SHUT-DOWN-ACES-MASTER-FILE.
345:      *      ACES-MASTEFIL WILL BE CLOSED
346:      CLOSE ACES-MASTER-FILE.
347:      *

```

```

348:  * *****
349:  *   THE FOLLOWING PORTION OF THE PROGRAM IS STRICTLY FOR ACES
350:  *   FILE PROCESSING
351:  *   *****
352:  * THIS IS THE TOP OF THE SSN PROCESSING LOOP
353:  * IT WILL BE REPEATED A NUMBER OF TIMES EQUAL TO THE
354:  * NUMBER OF DATA RECORDS
355:  * *****
356:  GET-WRITE-CRITERIA.
357:      MOVE ZEROS TO RECORD-COUNTERS.
358:      DISPLAY 'ENTER EXTRACT TYPE DESIRED AS FOLLOWS '.
359:      DISPLAY ' 1 - FOR ALL A RECORDS '.
360:      DISPLAY ' 2 - FOR ALL RECORDS '.
361:      DISPLAY ' 3 - FOR ESL RECORDS '.
362:      DISPLAY ' 4 - FOR LIT RECORDS '.
363:      DISPLAY ' 5 - FOR VO-TECH RECORDS '.
364:      ACCEPT WANT-CRITERIA.
365:      IF WANT-CRITERIA LESS THAN 1 OR GREATER THAN 5
366:          DISPLAY ' *****INVALID CRITERIA*****TRY AGAIN - '
367:          WANT-CRITERIA
368:          GO TO GET-WRITE-CRITERIA.
369:  PROCESS-FILE.
370:      DISPLAY 'FILE PROCESSING INITIATED '.
371:      PERFORM INPUT-ACES-RECORD UNTIL
372:          RECORD-TYPE OF MASTER-RECORD EQUAL 'A'
373:      OR
374:      EOF-ACES-FILE.
375:      DISPLAY ' RECORD KEY OF PRIMING RECORD - ', SEARCH-KEY
376:          OF MASTER-RECORD.
377:      PERFORM PROCESS-SOLDIER
378:          UNTIL EOF-ACES-FILE.
379:  PROCESS-SOLDIER.
380:      PERFORM BLANK-OUT-TABLE.
381:      MOVE SSN OF MASTER-RECORD TO OLD-SSN.
382:      ADD 1 TO DUMMY-COUNTER.
383:      IF DUMMY-COUNTER GREATER 200
384:          MOVE ZEROS TO DUMMY-COUNTER
385:          DISPLAY ' CURRENTLY EXECUTING SSN ', OLD-SSN.
386:      IF RECORD-TYPE OF MASTER-RECORD EQUAL 'A'
387:          PERFORM LOAD-INPUT-TABLE UNTIL SSN OF
388:              MASTER-RECORD NOT EQUAL OLD-SSN
389:          OR EOF-ACES-FILE
390:          PERFORM UNLOAD-INPUT-TABLE
391:      ELSE DISPLAY ' A-RECORD MISSING - '
392:          SEARCH-KEY OF MASTER-RECORD
393:          PERFORM INPUT-ACES-RECORD.
394:  BLANK-OUT-TABLE.
395:      MOVE ZEROS TO RECORD-TABLE1.
396:      MOVE ZEROS TO RECORD-TABLE2.
397:      MOVE ZEROS TO RECORD-TABLE3.
398:      MOVE ZEROS TO RECORD-TABLE4.

```

```

399:      LOAD-INPUT-TABLE.
400:      IF RECORD-TYPE OF MASTER-RECORD EQUAL 'A'
401:          MOVE MASTER-RECORD TO A-RECORD
402:          MOVE MASTER-RECORD TO RECORD-TABLE1
403:      ELSE
404:      IF RECORD-TYPE OF MASTER-RECORD EQUAL 'B'
405:          MOVE MASTER-RECORD TO RECORD-TABLE2
406:      ELSE
407:      IF RECORD-TYPE OF MASTER-RECORD EQUAL 'T'
408:          MOVE MASTER-RECORD TO RECORD-TABLE3
409:      ELSE
410:          DISPLAY ' UNKNOWN RECORD TYPE ' SEARCH-KEY
411:              OF MASTER-RECORD.
412:      PERFORM INPUT-ACES-RECORD.
413:      UNLOAD-INPUT-TABLE.
414:      IF WANT-A
415:          MOVE RECORD-TABLE1 TO HOLD-OUT
416:          PERFORM WRITE-SPSS-FILE
417:          ADD 1 TO A-COUNT.
418:      IF WANT-ALL
419:          MOVE RECORD-TABLE1 TO HOLD-OUT
420:          PERFORM WRITE-SPSS-FILE
421:          MOVE RECORD-TABLE2 TO HOLD-OUT
422:          PERFORM WRITE-SPSS-FILE
423:          MOVE RECORD-TABLE3 TO HOLD-OUT
424:          PERFORM WRITE-SPSS-FILE
425:          ADD 1 TO ALL-COUNT.
426:      IF WANT-ESL
427:          AND (BSEP-ESL-PARTIC OR BSEP-ESL-NON-PARTIC)
428:          MOVE RECORD-TABLE1 TO HOLD-OUT
429:          PERFORM WRITE-SPSS-FILE
430:          MOVE RECORD-TABLE2 TO HOLD-OUT
431:          PERFORM WRITE-SPSS-FILE
432:          ADD 1 TO ESL-COUNT.
433:      IF WANT-LIT
434:          AND (BSEP-LIT-PARTIC OR BSEP-LIT-NON-PARTIC)
435:          MOVE RECORD-TABLE1 TO HOLD-OUT
436:          PERFORM WRITE-SPSS-FILE
437:          MOVE RECORD-TABLE2 TO HOLD-OUT
438:          PERFORM WRITE-SPSS-FILE
439:          ADD 1 TO LIT-COUNT.
440:      IF WANT-VOTECH
441:          AND (VO-TECH-PARTIC OR VO-TECH-NON-PARTIC)
442:          MOVE RECORD-TABLE1 TO HOLD-OUT
443:          PERFORM WRITE-SPSS-FILE
444:          MOVE RECORD-TABLE3 TO HOLD-OUT
445:          PERFORM WRITE-SPSS-FILE
446:          ADD 1 TO VOTECH-COUNT.
447:      INPUT-ACES-RECORD.
448:          READ ACES-MASTER-FILE
449:          AT END MOVE 1 TO ACES-FILE-FLAG
450:          MOVE 999999999 TO SSN OF MASTER-RECORD
451:          MOVE 'X' TO RECORD-TYPE OF MASTER-RECORD.
452:          IF SSN OF MASTER-RECORD EQUALS 999999999 MOVE
453:              1 TO ACES-FILE-FLAG.
454:          ADD 1 TO NUMBER-RECORDS-READ.
455:      WRITE-SPSS-FILE.
456:          WRITE SPSS-LINE FROM SUBSET-1.
457:          WRITE SPSS-LINE FROM SUBSET-2.
458:          WRITE SPSS-LINE FROM SUBSET-3.

```

EOF:458

```

1:  DIMENSION IBLK(700), IREC(100)
2:  INTEGER BLKSIZ, NUMREC, WRTREC, RECSIZ, PADSIZ
3:C
4:C      SET UP VARIABLE BLOCK SIZE AND WORD SIZE
5:C
6:  BLKSIZ = 482
7:10  FORMAT(482A6)
8:  RECSIZ = 16
9:  WRTREC = 15
10:20  FORMAT(15A6)
11:  PADSIZ = 3
12:  NUMREC = 30
13:  IN = 0
14:  IOUT = 0
15:  ISKIP = 0
16:  READ(5,3) ISTRT
17: 3  FORMAT(I6)
18:  IF(ISTRT.LE.0) GO TO 900
19:  ISKIP = ISTRT / NUMREC
20:  IOUT = ISKIP * NUMREC + 1
21:  WRITE (6,4) ISTRT, ISKIP, IOUT
22: 4  FORMAT(' SKIP ',I6,' RECORDS, ',I6,' BLOCKS WILL BE SKIPPED ',
23:  +  /, ' RECORDING STARTS WITH RECORD ', I6)
24:  DO 850 I = 1,ISKIP
25:      IN = IN + 1
26:      CALL NTRAN(11,2,BLKSIZ,IBLK,IST,22)
27:      IF(IST.EQ.-2) GO TO 5000
28: 850  CONTINUE
29: 900  CONTINUE
30:  WRITE(6,5) IN
31: 5  FORMAT(' BEGIN EXECUTION OF TAPE DUMP',I6,' BLOCKS SKIPPED')
32:1000 CONTINUE
33:  CALL NTRAN(11,2,BLKSIZ,IBLK,IST,22)
34:  IF(IST.EQ.-2) GO TO 5000
35:  IN = IN + 1
36:C
37:C  UNBLOCK THE RECORD AND WRITE
38:C
39:  DO 1020 I = 1,NUMREC
40:      DO 1010 J = 1,WRTREC
41:          ISPOT = PADSIZ + (I-1) * RECSIZ + J
42:          IREC(J) = IBLK(ISPOT)
43:1010  CONTINUE
44:  WRITE(12,20) (IREC(KK), KK=1,WRTREC)
45:  IOUT = IOUT + 1
46:  III = IOUT / 400
47:  III = IOUT - III * 400
48:  IF(III.EQ.0.OR.IOUT.LE.15) WRITE(6,25) IOUT, IN,
49:  +  (IREC(KK), KK = 1,3)
50: 25  FORMAT(' RECORD - ',I7,' (',I7,') - ',3A6)
51:1020 CONTINUE
52:  GO TO 1000
53:5000 CONTINUE
54:  DO 6000 I = 1,RECSIZ
55:6000  IREC (I) = 6H999999
56:  WRITE(12,20) (IREC(KK), KK=1,WRTREC)
57:  WRITE(6,30) IN, IOUT
58:30  FORMAT(' IN - ', I7, ' ---- OUT - ',I7)
59:  STOP
60:  END

```

APPENDIX B

FUNCTIONAL DESIGN OF COMPUTER PROCESSING PROCEDURES IMPLEMENTED

APPENDIX B

FUNCTIONAL DESIGN OF COMPUTER PROCESSING PROCEDURES IMPLEMENTED

PROCEDURE: INITIALIZE (INIT. CODE)

PURPOSE: Initialize the main system data base:
ACES-STUDY-MASTER-FILE

INPUT: None

OUTPUT:

1. ACES-STUDY-MASTER-FILE
2. One record on this file, key: 000 00 0000 Z
containing:
 - 1) Number of A records
 - 2) Number of B records
 - 3) Number of T records
 - 4) Number of V records
 - 5) Date initialized (YYMMDD)
 - 6) Date last modified (YYMMDD)
3. STATUS-REPORT

PROCESSING: Create record 000 00 0000 Z
Print STATUS-REPORT
Close files.

PROCEDURE: TRADOC (TRADOC. CODE)

PURPOSES:

1. Incorporate TRADOC data on BSEP I into the data base (create/modify the B-record)
2. Create the A-record if necessary
3. Determine whether participant or non-participant in BSEP I - Literacy Phase and BSEP I - ESL Phase for each soldier.

INPUT:

1. TRADOC-DATA-TAPE
2. ACES-STUDY-MASTER-FILE

OUTPUT:

1. ACES-STUDY-MASTER-FILE
2. STATUS-REPORT
3. REJECTED-RECORDS-LIST

TABULATIONS FOR STATUS-REPORT:

- A. Records counts
 1. Number of records on TRADOC-DATA-TAPE
 2. Number of A-records written (rewritten)
 3. Number of B-records written (rewritten)
- B. Study counts
 1. Number of participants in BSEP I - Literacy Phase
 2. Number of non-participants in BSEP I - Literacy Phase
 3. Number of participants in BSEP I - ESL Phase
 4. Number of non-participants in BSEP I - ESL Phase
- C. Error Count
 1. Number of records rejected from study.

PROCESSING: Initialization

For each record on the TRADOC-DATA-TAPE

1. Validate that the SSN/ASN is numeric
2. Retrieve/initialize the A-record
3. Retrieve/initialize the B-record
4. Determine BSEP I status

If SELECT-ABLE-TEST-SCORE = "CR"

reject record, not in BSEP study.

If SELECT-ABLE-TEST-SCORE not = "ER"

then BSEP - LIT participant if DAYS enrolled
is positive. Else BSEP - LIT non-participant

If SELECT-ABLE-TEST-SCORE = "ER"

then BSEP - ESL participant if ESL = "E"

Else non-participant

5. Move the appropriate data to the B-record via a
MOVE CORRESPONDING command
6. Set appropriate flags and dates
7. If record accepted, rewrite/write the A- and B-records

Update record 000 00 0000 Z

Print STATUS-REPORT

Close files.

PROCEDURE: VOTECH (VOTECH. CODE)

- PURPOSES:
1. Incorporate the VO-TECH data obtained in the field into the data base (create/modify the T-record)
 2. Create the A-record if necessary
 3. Determine whether participant or non-participant in the VO-TECH study

- INPUT:
1. VO-TECH-DATA-TAPE
 2. ACES-STUDY-MASTER-FILE

- OUTPUT:
1. ACES-STUDY-MASTER-FILE
 2. STATUS-REPORT
 3. ERROR-REPORT

TABULATIONS FOR STATUS-REPORT:

- A. Record counts
 1. Number of records on VO-TECH-DATA-TAPE
 2. Number of A-records written (rewritten)
 3. Number of T-records written (rewritten)
- B. Study counts
 1. Number of participants in VO-TECH
 2. Number of non-participants in VO-TECH
- C. Error counts
 1. Number of records with some type of error

PROCESSING:**Initialisation****For each record on the VO-TECH-DATA-TAPE**

1. Validate that the SSN/ASN is numeric
2. Retrieve/initialize the A-record
3. Retrieve/initialize the T-record
4. Move the appropriate data to the T-record via a
MOVE CORRESPONDING command
5. Set the appropriate flags and dates
6. Rewrite/write the A- and T-records
7. Perform checks on the data. If any check fails,
print the record and underline the invalid data.

Update record 000 00 0000 Z**Print STATUS-REPORT****Close files.**

PROCEDURE: MILPERCEN (MILPERCEN. CODE)

PURPOSES:

1. Incorporate MILPERCEN data into the data base (modify the A-record)
2. Get a preliminary idea of the degree of discrepancy between this source and earlier sources

INPUT:

1. MILPERCEN-DATA-TAPE (Sequentially ordered by SSN)
2. ACES-STUDY-MASTER-FILE

OUTPUT:

1. ACES-STUDY-MASTER-FILE
2. STATUS-REPORT
3. DISCREPANCY-REPORT
4. MISSING-MILPERCEN-DATA-REPORT

TABULATIONS FOR STATUS REPORT:

- A. Record counts
 1. Number of records on MILPERCEN-DATA-TAPE
 2. Number of A-records rewritten
- B. Error counts
 1. Number of A-records with no MILPERCEN match
 2. Number of MILPERCEN records rejected because of no match

CONTENTS OF DISCREPANCY REPORT:

1. For selected variables, degree of difference between various sources: frequency of difference

PROCESSING:**Initialization**

Sequentially pass through the ACES-STUDY-MASTER-FILE and for each A-record,

1. Pass through the MILPERCEN-DATA-TAPE until its SSN is not less than the SSN on the A-record

2. If match,

Move appropriate data to the A-record via MOVE CORRESPONDING

Set its appropriate flags and dates

Rewrite the A-record

Calculate discrepancies

Else

Write MISSING-MILPERCEN-DATA-REPORT

Process any remaining records on MILPERCEN-DATA-TAPE

Update record 000 00 0000 Z

Print STATUS-REPORT

Close files.

PROCEDURE: SSNLIST (SSN. CONT.)

PURPOSE: Generate a list of SSN/ASN's from the data base

INPUT:

1. ACES-STUDY-MASTER-FILE
2. Control-cards to control list generation

OUTPUT:

1. SSN-LIST-TAPE
2. STATUS-REPORT

TABULATIONS FOR STATUS-REPORT:

A. Number of SSN's written

PROCESSING: Initialization

Sequentially retrieve A-records and for each A-record,

Move data to output file via MOVE CORRESPONDING

Write the output record

Print STATUS-REPORT

Close files.

PROCEDURE: DMDC (DMDC. CODE)

PURPOSES:

1. Incorporate DMDC data into the data base (create/modify the A, V-record)
2. Determine participant status in the VEAP program

INPUT:

1. DMDC-DATA-TAPE
2. ACES-STUDY-MASTER-FILE

OUTPUT:

1. ACES-STUDY-MASTER-FILE
2. STATUS-REPORT
3. ERROR-LIST

TABULATIONS FOR STATUS REPORT:

- A. Record counts
 1. Number of records on DMDC-DATA-TAPE
 2. Number of A-records written (rewritten)
 3. Number of V-records written (rewritten)
- B. Study counts for VEAP (if available)*
 1. Number of participants
 2. Number of non-participants

PROCESSING: Initialization

For each record on the DMDC-DATA-TAPE

1. Retrieve/initialize the A-record
2. Retrieve/initialize the V-record
3. Determine the VEAP-STATUS*

If the ACCESSION-DATE is in June, 1977.

Set the VEAP-STATUS flag

Else

The person is not part of the VEAP study and
will require no V-record

4. Move the appropriate data to the A-record via a
MOVE CORRESPONDING command
5. If V-record, move the appropriate data to the V-record
via a MOVE CORRESPONDING command
6. Set appropriate dates and flags
7. Rewrite/write the A-record
8. If V-record, rewrite/write V-record

Update record 000 00 0000 Z

Print STATUS-REPORT

Close files.

*VEAP study was cancelled, consequently all references to VEAP updating
were not implemented.

PROCEDURE: TSC (Not Implemented)

PURPOSE: 1. Incorporate the TSC data on test scores into the data base (modify the A-record)

INPUT: 1. TSC-DATA-TAPE
2. ACES-STUDY-MASTER-FILE

OUTPUT: 1. ACES-STUDY-MASTER-FILE
2. STATUS-REPORT
3. MISSING-TSC-DATA-REPORT

TABULATIONS FOR STATUS REPORT:

- A. Record count
 - 1. Number of records on TSC-DATA-TAPE
 - 2. Number of A-records updated
- B. Error counts
 - 1. Number of A-records with no TSC match
 - 2. Number of TSC records rejected because of no match

PROCESSING: Initialization
Sequentially pass through the ACES-STUDY-MASTER-FILE and for each A-record,
1. Pass through the TSC-DATA-TAPE until its SSN is not less than the SSN on the A-record
2. If match,
Move appropriate data to the A-record via MOVE CORRESPONDING
Set appropriate flags and dates
Rewrite the A-record

B-12

TSC (2)

Else,

Write MISSING-TSC-DATA-REPORT

Process any remaining records on TSC-DATA-TAPE

Print STATUS-REPORT

Close files.

PROCEDURE: VEAP (Not Implemented)

PURPOSES:

1. Incorporate VEAP data into the data base (modify the V-record
2. Update the A-record

INPUT:

1. VEAP-DATA-TAPE
2. ACES-STUDY-MASTER-FILE

OUTPUT:

1. ACES-STUDY-MASTER-FILE
2. STATUS-REPORT

TABULATIONS FOR STATUS REPORT:

- A. Record counts
1. Number of records on VEAP-DATA-TAPE
 2. Number of V-records rewritten
 3. Number of A-records rewritten

PROCESSING:

Initialization

For each record on the VEAP-DATA-TAPE

1. Validate that the SSN/ASN is numeric
2. Retrieve the A-record
3. Retrieve the V-record
4. Determine the VEAP status
5. Move the appropriate data to the V-record via a
MOVE CORRESPONDING command
6. Set the appropriate flags and dates
7. If record accepted, rewrite the A- and V-records

Update record 000 00 0000 Z

Print STATUS-REPORT

Close files.

PROCEDURE: SPSS ACCESS (ACCESS. CODE)

PURPOSES:

1. To create a file easily read by SPSS containing program specific data
2. To create a backup copy on tape of the ACES-STUDY-MASTER-FILE

INPUT:

1. ACES-STUDY-MASTER-FILE
2. Control cards

OUTPUT:

1. SPSS-DATA-TAPE
2. STATUS-REPORT

TABULATIONS FOR STATUS-REPORTS:

- A. Count of records written
- B. Breakdown by type

PROCESSING: Initialization
Accept the control card parameters
Necessary options:

1. All A-records
2. All records
3. ESL sample (A & B records)
4. LIT sample (A & B records)
5. VOTECH sample (A & T records)

Sequentially pass through the file and for each A-record
If the soldier satisfies the options,
write the A-record
write the other records (if any)
Print STATUS-REPORT
Close files.

APPENDIX C

SPSS PROGRAM VARIABLES DEVELOPED

FIELD LOCATION	FIELD NAME	SPSS NAME	DATA FORM	NO. OF CHAR.	SOURCE OF DATA	COMMENT OR DATA DESCRIPTION
1-9	Social Security Number	SSNA	N	9	-	
10	Record Type	RECORDA	A	1		Value A
11	BSEP-LIT Status	BSEP	N	1	C	Codes: 0 No BSEP Data 1 Participant 2 Non-Participant
12	BSEP-ESL Status	ESL	N	1	C	Codes: 0 No BSEP Data 1 Participant 2 Non-Participant
13	VO-TECH Status	VOTECH	N	1	T	Codes: 0 No T-Record 1 Participant 2 Non-Participant
14	VEAP Status	VEAP	N	1		Codes: 0 No V-Record 1 Participant 2 Withdraw and Returned Participant 3 Withdraw and Did Not Return Participant 4 Non-Participant
15	MILPERCEN	MILPER	N	1	M	1 Record Present
16	DMDC	DMDC	N	1	D	1 Record Present
17	TSC	TSC	N	1	S	1 Record Present
18	EREC	EREC	N	1		1 Record Present
19-24	Date Record Created	DATARC	N	6		
25-30	Date Record Last Modified	DATARM	N	6		
31-36	Date of Birth	DOBA	N	6	-	
37	Sex	SEXA	A	1		
38	Sex	SEXM	A	1	M	

FIELD LOCATION	FIELD NAME	SPSS NAME	DATA FORM	NO. OF CHAR.	SOURCE OF DATA	COMMENT OR DATA DESCRIPTION
39	Race	RACEM	A	1	M	
40	Marital Status	MARSTM	A	1	M	
41-46	Date of Birth	DOB	N	6	M	
47	Term of Service of Enlistment	TERMS	AN	1	M	
48-53	Date-Expiration of Term of Service	ETSDT	N	6	M	
54	Ethnic Group	EGPCD	AN	1	M	
55-58	Yo-Mo Basic Pay Entry Date	BPEPT	N	4	M	
59	Pay Grade	PAYGRM	N	1	M	
60-65	Date of Rank	DOR	N	6	M	
66-67	AFQT Percentile Score	AFQSC	AN	2	M	
68	Academic Education Level	CIVEDM	AN	1	M	
69-73	Primary MOS	PMOS	AN	5	M	
74-78	Duty MOS	DMOSM	AN	5	M	
79-80	Type of Last Accession	TYPLA	AN	2	M	
81-86	Date of Last Accession	DATLA	N	6	M	
87	Number of Times Enl/Reenl	PSVCI	N	1	M	
88-90	Enlisted Evaluation	EERWA	N	3	M	
	Weighted Average					
91-92	Career Management Field	CMF	AN	2	M	
93-95	AIT Graduation Date	AITDT	N	3	M	
96-98	General Technical Test Score	GTSCR	N	3	M	
99-102	SQ Designator-Primary MOS	PQDES	AN	4	M	
	Tested					
103-106	SQ Date Primary MOS Tested	PSQDT	N	4	M	
107-109	SQ Source-Primary MOS Tested	PSQCR	N	3	M	
110-111	SQ Percentile Score-Primary	PQPER	N	2	M	

MOS Tested

FIELD LOCATION	FIELD NAME	SPSS NAME	DATA FORM	NO. OF CHAR.	SOURCE OF DATA	COMMENT OR DATA DESCRIPTION
112-116	Secondary MOS	SMOS	AN	5	M	
117-120	Blank	-	-	4	-	
121-126	Date of Birth	DOBU	N	6	D	
127-128		HYEC	N	2	D	
129	Sex	SEXU	N	1	D	
130	Race	RACED	N	1	D	
131-132	Ethnic	ETH	N	2	D	
133-134	Marital Status	MSU	N	2	D	
135-136	Test Form	TESTFM	N	2	D	
137-138	AFQT Score	AFQTSC	N	2	D	
139-141	Aptitude Area Score 1	AASC1	N	3	D	
142-144	Aptitude Area Score 2	AASC2	N	3	D	
145-147	Aptitude Area Score 3	AASC3	N	3	D	
148-150	Aptitude Area Score 4	AASC4	N	3	D	
151-153	Aptitude Area Score 5	AASC5	N	3	D	
154-156	Aptitude Area Score 6	AASC6	N	3	D	
157-159	Aptitude Area Score 7	AASC7	N	3	D	
160-162	Aptitude Area Score 8	AASC8	N	3	D	
163-165	Aptitude Area Score 9	AASC9	N	3	D	
166-168	Aptitude Area Score 10	AASC10	N	3	D	
169-171	Aptitude Area Score 11	AASC11	N	3	D	
172-174	Aptitude Area Score 12	AASC12	N	3	D	
175-177	Composite Test Score 1	CTSC1	N	3	D	
178-180	Composite Test Score 2	CTSC2	N	3	D	
181-183	Composite Test Score 3	CTSC3	N	3	D	
184-186	Composite Test Score 4	CTSC4	N	3	D	
187-192	Date of Entry	DOE	N	6	D	

FIELD LOCATION	FIELD NAME	SPSS NAME	DATA FORM	NO. OF CHAR.	SOURCE OF DATA	COMMENT OR DATA DESCRIPTION
1-9	Social Security Number	SSNB	N	9	-	
10	Record Type	RECORDB	A	1		Value B
11-16	Date Record Created	DATBRC	N	6		
17-22	Date Record Last Modified	DATBRM	N	6		
23-34	Last Name	NAME	A	12	B	
35	First Initial	NAME11	A	1	B	
36	Sex	SEXB	A	1	B	
37	Race	RACEB	N	1	B	
38	Primary Language	PLANG	AN	1	B	
39	ESL	ESLENR	A	1	B	Codes: E-Enrolled N-Not Enrolled
40	Education Level	CIVEDB	N	1	B	
41	Military Component	MILCOM	A	1	B	
42	Mental Category	MENTAL	AN	1	B	
43-45	MOS	MOSB	AN	3	B	
46-47	Select ABLE Score	SABLES	AN	2	B	
48-49	Vocabulary Grade ABLE IA	AIIVOC	N	2	B	
50-51	Vocabulary Grade ABLE IB	AIBVOC	N	2	B	
52-53	Vocabulary Grade ABLE IIA	AIIVOC	N	2	B	
54-55	Reading Grade ABLE IA	AIARD	N	2	B	
56-57	Reading Grade ABLE IB	AIBRD	N	2	B	
58-59	Reading Grade ABLE IIA	AIARD	N	2	B	
60-61	Spelling Grade ABLE IA	AIASP	N	2	B	
62-63	Spelling Grade ABLE IB	AIBSP	N	2	B	
64-65	Spelling Grade ABLE IIA	AIASP	N	2	B	
66-67	Arithmetic Computation IA	ATAAC	N	2	B	
68-69	Arithmetic Computation IB	AIBAC	N	2	B	

[illegible]

FIELD LOCATION	FIELD NAME	SPSS NAME	DATA FORM	NO. OF CHAR.	SOURCE OF DATA	COMMENT OR DATA DESCRIPTION
1-9	Social Security Number	SSN	N	9	-	
10	Record Type	RECORDT	A	1		Value T
11-13	GT Score	GTSC	N	3	T	
14	Education Level	CIVEDT	AN	1	T	
15-20	Date of Birth	DOBT	N	6	T	
21	Race	RACET	A	1	T	
22	Sex	SEXT	A	1	T	
23-24	Grade (Rank)	PAYGRT	AN	2	T	Codes: E1-E9
25-30	Appointment Date E-5	DATEE5	N	6	T	
31-36	Appointment Date E-6	DATEE6	N	6	T	
37-42	Basic Enlisted Service Date	BESD	N	6	T	
43-48	Date of First MOS	DIMOS	N	6	T	
49-53	Duty MOS	DMOST	AN	5	T	
54-59	Previous Active Military	PAMS	N	6	T	
	Service					
60-65	Agreement Date	AGDATE	N	6	T	
66-68	EER Score	EERSC	N	3	T	
69	Source of EER Score	SEERSC	N	1	T	Codes: 1=REPT 2=EERWA
70-73	Promotion Points	PROMPT	N	4	T	Valid for Current E-4 & E-5's
74	Disciplinary Actions-Number of from DA268	DA268	N	1	T	
75	Disciplinary Actions-Number of from DA2627	DA2627	N	1	T	
76-77	Blank	-	-	2	-	
78	Number of Cards per Case	CARDS	N	1	T	Codes: 2=2 Cards 3=3 Cards

FIELD LOCATION	FIELD NAME	SPSS NAME	DATA FORM	NO. OF CHAR.	SOURCE OF DATA	COMMENT OR DATA DESCRIPTION
79	201 Data Completeness	COMPLETE	N	1	T	Codes: 0=201 Data Complete 1=Bragg Partial 201
						Data
						2=No 201 Data Obtained
						3=Bliss Partial 201
						Data
80	Post-Education Center	EDCENTER	AN	1	T	Codes: 1=Bragg - Cos Com 2=Bragg - 82 Div 3=Bragg - Gruber 4=Bragg - Main 5=Polk 6=Bliss - Main 7=Bliss - 3rd Armor Cavalry 8=Bliss - 11th Gp 9=Bliss - Biggs 0=Bliss - McGregor A=Bliss - Sgt Major Academy
81-86	Estimated Time of Separation	ETS	N	6	T	
87	VQ-TECH Participation	VTPART	N	1	T	Codes: 1=Yes 2=No
88	Participation-Automotive	VTPARTA	N	1	T	
89	Participation-Diesel	VTPARTD	N	1	T	
90	Participation-Welding	VTPARTW	N	1	T	
91	Participation-Electronics	VTPARTE	N	1	T	
92	Participation-Construction	VTPARTC	N	1	T	

FIELD LOCATION	FIELD NAME	SPSS NAME	DATA FORM	NO. OF CHAR.	SOURCE OF DATA	COMMENT OR DATA DESCRIPTION
93	Other Participation-None	OPART	N	1	T	
94	Other Participation-BSEP	PARTB	N	1	T	
95	Other Participation-HSCP	PARTHS	N	1	T	
96	Other Participation-SOCAD/	PARTSOC	N	1	T	
	SOC					
97	Other Participation-Appren-	PARTA	N	1	T	
	ticeship					
98	Other Participation-MOS	PARTMOS	N	1	T	
	Refresher					
99	Other Participation-Head-	PARTHEAD	N	1	T	
	start: Gateway/ESL					
100	Other Participation-VEAP	PARTVEAP	N	1	T	
101-103	VO-TEC Course 1 Title	VT1TITLE	AN	3	T	
104-106	VO-TEC Course 1 Base	VT1BASE	N	3	T	
107-109	VO-TEC Course 1 Hours	VT1HR	AN	3	T	
110	VO-TEC Course 1 Completed	VT1COMP	N	1	T	
111-113	VO-TEC Course 2 Title	VT2TITLE	AN	3	T	
114-116	VO-TEC Course 2 Base	VT2BASE	N	3	T	
117-119	VO-TEC Course 2 Hours	VT2HR	AN	3	T	
120	VO-TEC Course 2 Completed	VT2COMP	N	1	T	
121-123	VO-TEC Course 3 Title	VT3TITLE	AN	3	T	
124-126	VO-TEC Course 3 Base	VT3BASE	N	3	T	
127-129	VO-TEC Course 3 Hours	VT3HR	AN	3	T	
130	VO-TEC Course 3 Completed	VT3COMP	N	1	T	
131-133	VO-TEC Course 4 Title	VT4TITLE	AN	3	T	
134-136	VO-TEC Course 4 Base	VT4BASE	N	3	T	
137-139	VO-TEC Course 4 Hours	VT4HR	AN	3	T	

FIELD LOCATION	FIELD NAME	SPSS NAME	DATA FORM	NO. OF CHAR.	SOURCE OF DATA	COMMENT OR DATA DESCRIPTION
140	VO-TEC Course 4 Completed	VT4COMP	N	1	T	
141-143	VO-TEC Course 5 Title	VT5TITLE	AN	3	T	
144-146	VO-TEC Course 5 Base	VT5BASE	N	3	T	
147-149	VO-TEC Course 5 Hours	VT5HR	AN	3	T	
150	VO-TEC Course 5 Completed	VT5COMP	N	1	T	
151-153	VO-TEC Course 6 Title	VT6TITLE	AN	3	T	
154-156	VO-TEC Course 6 Base	VT6BASE	N	3	T	
157-159	VO-TEC Course 6 Hours	VT6HR	AN	3	T	
160	VO-TEC Course 6 Completed	VT6COMP	N	1	T	
161-163	VO-TEC Course 7 Title	VT7TITLE	AN	3	T	
164-166	VO-TEC Course 7 Base	VT7BASE	N	3	T	
167-169	VO-TEC Course 7 Hours	VT7HR	AN	3	T	
170	VO-TEC Course 7 Completed	VT7COMP	N	1	T	
171-173	VO-TEC Course 8 Title	VT8TITLE	AN	3	T	
174-176	VO-TEC Course 8 Base	VT8BASE	N	3	T	
177-179	VO-TEC Course 8 Hours	VT8HR	AN	3	T	
180	VO-TEC Course 8 Completed	VT8COMP	N	1	T	
181-183	VO-TEC Course 9 Title	VT9TITLE	AN	3	T	
184-186	VO-TEC Course 9 Base	VT9BASE	N	3	T	
187-189	VO-TEC Course 9 Hours	VT9HR	AN	3	T	
190	VO-TEC Course 9 Completed	VT9COMP	N	1	T	
191-193	VO-TEC Course 10 Title	VT10TITLE	AN	3	T	
194-196	VO-TEC Course 10 Base	VT10BASE	N	3	T	
197-199	VO-TEC Course 10 Hours	VT10HR	AN	3	T	
200	VO-TEC Course 10 Completed	VT10COMP	N	1	T	