

AD-A127 272

193188 MLRS MISSILE NUMBER BN-207 BN-205 BN-190 ROUND
NUMBER V-408/POT-10..(U) ARMY ELECTRONICS RESEARCH AND
DEVELOPMENT COMMAND WSMR NM ATM.. D C KELLER JAN 83
ERADCOM/ASL-DR-1287

1/1


UNCLASSIFIED

F/G 4/2

NL



END
DATE
FILMED
5 - 85
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963-A

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

Jan 83

DR 12

AD

12

METEOROLOGICAL DATA REPORT

19318B MLRS

Missile Number BN-207, BN-205, BN-190

Round Number V-408/PQT-106,

V-409/PQ-107, V-410/PQ-108

28 January 1983

by

DONALD C. KELLER

Program Support Coordinator

Phone Number (505) 679-9568

AVN Number 349-9563

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

.....
ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

DTIC
ELECTE
S APR 26 1983 **D**
D

83 04 21 087

DTIC FILE COPY

AD 1218

DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return to the originator.

DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

Disposition For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DR 1287	2. GOVT ACCESSION NO. AD-A127272	3. RECIPIENT'S CATALOG NUMBER 72
4. TITLE (and Subtitle) 193188 MLRS Missile Number BU-207, BU-205, BU-190 Round Number V-400/POT-106, V-400/PQ-107		5. TYPE OF REPORT & PERIOD COVERED
7. AUTHOR(s) White Sands Meteorological Team		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS		8. CONTRACT OR GRANT NUMBER(s) DA Task 1F6657020127-02
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research and Development Cnd Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico 88002		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Research and Development Cnd Adelphi, MD 20783		12. REPORT DATE January 1983
		13. NUMBER OF PAGES 26
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Approved for public release; distribution unlimited.		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of the 193188 MLRS, Missile Number BU-207, BU-205, BU-190, Round Number V-400/POT-106, V-400/PQ-107, V-410/PQ-108, are presented in tabular form.		


DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)



SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

INTRODUCTION

103120 WBS, Missile Numbers RM-207, RM-208, RM-209, Round Numbers M-410/POT-100, M-410/POT-101, and M-410/POT-102, were launched from LC-33, White Sands Missile Range (WSR), New Mexico, at 1549:40, 1549:54, and 1549:58 MST, respectively. The scheduled launch times were 1549:00, 1549:04.5, and 1549:09 MST.

DISCUSSION

Meteorological data were recorded and reduced by the White Sands Meteorological Team, Atmospheric Sciences Laboratory (ASL), White Sands Missile Range, New Mexico. The data were obtained by the following methods:

1. Observations

a. Surface

(1) Standard surface observations to include pressure, temperature ($^{\circ}\text{C}$), relative humidity, dew point ($^{\circ}\text{C}$), density (gm/m^3), wind direction and speed, and cloud cover were made at the LC-33 Wet Site at T-0 Minutes.

(2) Anemometer data were provided from existing pole-mounted and tower-mounted anemometers at LC-33. Monitor of wind speed and direction from one anemometer was also provided in the launch control room.

b. Upper Air

(1) Low level wind data were obtained from Pilot-balloon observations at:

SITE AND ALTITUDE


WSR 1550 MST
WSR 1540 MST


(2) Air structure data (rawinsonde) were collected at the following Wet Sites:

SITE AND TIME

WSR 1130 MST
WSR 1330 MST
WSR 1530 MST

WSMR METEOROLOGICAL SITES





PROJECT AIRCRAFT OBSERVATION

TABLE 1									
DATE 28 JAN 83									
STATION LC-33 E & A									
E = 484,282.64 V = 185,957.33 H = 3995.00									
TIME	PRESSURE HRS	TEMPERATURE C	DEW POINT C	RELATIVE HUMIDITY %	WIND SPEED KTS	WIND DIRECTION DEGS IN	WIND GUST KTS	WIND SPEED KTS	VISIBILITY
1550	375.4	14.0	-1.2	35	13	282			35

OBSTRUCTIONS TO VISIBILITY	CLOUDS						REMARKS			
	1st LAYER		2nd LAYER		3rd LAYER					
	AMT	TYPE	AMT	TYPE	AMT	TYPE				
	.2	Sc	6,500	.2	Ac	12,000	.5	CS	25,000	H ALQDS

PSYCHROMETRIC COMPUTATION

TIME:	1550
DRY BULB TEMP.	14.0
WET BULB TEMP.	6.6
WET BULB DEPR.	7.4
DEW POINT	-1.2
RELATIVE HUMID.	35

TABLE 2

10-30 FIRED POLE ANEMOMETER MEASUREMENTS

ELEVATION 100 FEET			ELEVATION 50 FEET		
TIME TO FLY			TIME TO FLY		
SEC	KTS	DEG	SEC	KTS	DEG
T-10	268	11	-10	255	09
T-10	270	10	-10	266	09
T-10	282	09	-10	275	09
T-10	275	09	-10	276	07
T-10	265	10	+10	262	10
				252	10
				269	10
				270	11
				272	14
				267	14

TABLE 3

10-30 FIRED POLE ANEMOMETER MEASUREMENTS

ELEVATION 100 FEET			ELEVATION 50 FEET		
TIME TO FLY			TIME TO FLY		
SEC	KTS	DEG	SEC	KTS	DEG
T-10	278	09	-10	261	10
T-10	275	08	-10	274	10
T-10	274	10	-10	263	12
T-10	280	13	-10	260	17
T-10	242	10	+10	259	13

ELEVATION 100 FEET			ELEVATION 50 FEET		
TIME TO FLY			TIME TO FLY		
SEC	KTS	DEG	SEC	KTS	DEG
T-10	276	10	-10	266	10
T-10	273	09	-10	268	13
T-10	271	13	-10	269	18
T-10	270	17	-10	254	19
T-10	265	16	+10	267	21

TIME PILOT-BALLOON MEASURED WIND DATA

DATE 28 January 1983

TIME WSP
TIME 1550 MST
WSIM COORDINATES:
X= 480,052.29
Y= 184,982.45
H= 3,993.75

TIME WSP
TIME 1540 MST
WSIM COORDINATES:
X= 511,988.37
Y= 247,396.36
H= 3,996.83

LAYER MID-POINT METERS AGL	DIRECTION DEGREES	SPEED KNOTS
100	240	16
150	245	23
200	256	23
250	262	24
300	272	20
350	269	29
400	268	24
450	272	26
500	277	27
550	276	27
600	289	28
650	304	30
700	322	34
750	331	44
800	327	56

Data obtained from a Nike Hercules Radar
Tracked pilot-balloon observation

LAYER MID-POINT METERS AGL	DIRECTION DEGREES	SPEED KNOTS
SURFACE	260	10
150	269	21
210	272	23
270	275	23
330	278	22
390	280	24
500	283	27
600	288	33
800	294	34
950	298	31
1150	308	25
1350	316	25
1550	323	26
1750	334	30
2000	346	28

Data obtained from a Single Theodolite
Tracked pilot-balloon observation.

TABLE 5

AIMING AND T-TIME COMPUTER MET MESSAGES

28 January 1983

WSD 1130 MST

METCM1324064

231850122875

00480020 28680375

01485024 28420864

02494025 28100838

03503023 27720798

04531026 27270750

05545041 27040705

06530044 26380662

07524047 26460621

08541043 26060582

09530062 26030545

10503074 25970510

11514086 25520478

12525087 24910431

WSD 1330 MST

METCM1324064

282050122873

00444030 28960873

01485033 28600863

02496022 28320837

03498026 27990798

04528031 27590750

05533037 27330705

06524037 26920662

07525045 26490621

08537066 26350582

09539067 26330546

10540062 25950512

11529067 25430479

12519080 24770432

WSD 1530 MST

METCM1324064

232250122874

00462018 28380874

01469021 28650864

02493018 28360838

03486026 27950799

04542029 27530751

05588039 27320706

06574063 2758066

07555061 2723062

08541063 2631058

09531072 2633054

10525072 2536051

11521069 2533046

12509072 2474043

STATION ALTITUDE 3989.00 FEET JSL
28 JAN. 83 1130 HRS MST
ASCENSION NO. 44

SIGNIFICANT LEVEL DATA

0200020044
WHITE SANDS
TABLE C

GEODETIC COORDINATES
32-40043 LAT DEG
106-37033 LONG DEG

PRESSURE GEOMETRIC ALTITUDE MILLIBARS MSL FEET	TEMPERATURE		REL. HUM. PERCENT
	AIR DEGREES 12.5	DEWPOINT -5.1	
874.6	3989.0	11.4	45.0
871.4	4089.7	8.6	31.0
850.0	4768.3	6.6	42.0
834.0	5282.6	2.9	44.0
793.0	6633.2	-1.9	63.0
742.5	8369.5	-3.9	80.0
713.5	9407.6	-2.8	69.0
700.0	9704.4	-11.0	53.0
687.3	10381.3	-14.2	41.0
665.5	11219.1	-19.3	29.0
627.9	12715.9	-8.0	26.0
571.0	15079.9	-13.8	23.0
531.1	16029.4	-12.4	17.0
522.2	17354.5	-11.7	16.0
500.0	18441.8	-15.0	17.0
457.0	20609.8	-20.9	19.0
400.0	23843.9	-28.1	25.0
369.5	25785.2	-27.1	21.0
361.7	26226.6	-27.6	21.0
328.0	28516.9	-32.9	20.0
320.7	29038.3	-32.9	19.0
314.3	29508.1	-30.0	19.0
307.3	29792.0	-28.5	19.0
300.0	30606.0	-27.9	19.0
276.9	32492.4	-30.2	19.0
270.9	33006.0	-30.0	19.0
250.0	34878.9	-32.7	19.0
241.0	35650.4	-34.1	19.0
200.0	39444.8	-42.7	19.0
174.0	42992.0	-51.0	19.0
150.0	46119.0	-58.9	19.0
138.1	47814.7	-62.6	19.0
122.7	50206.3	-64.9	19.0
120.3	50605.4	-63.2	19.0
114.1	51679.3	-63.0	19.0
112.6	51648.7	-61.9	19.0
106.5	53086.7	-61.5	19.0
100.0	54367.2	-64.0	19.0
84.9	57410.6	-68.0	19.0
81.1	58550.0	-68.4	19.0

GEOLOGIC COORDINATES
 32.40043 LAT DEG
 106.37033 LONG DEG

SIGNIFICANT LEVEL DATA
 020020044
 WHITE SANDS
 TABLE C
 cont'd

STATION ALTITUDE 3989.00 FEET SL
 28 JAN. 83
 ASCENSION NO. 44

PRESSURE GEOMETRIC ALTITUDE MILLIBARS MSL FEET	TEMPERATURE		REL. HUM. PERCENT
	AIR DEGREES	DEWPOINT CENTIGRADE	
78.0 59326.3	-65.9		
72.0 60920.8	-68.4		
70.0 61481.2	-66.5		
66.8 62423.0	-63.6		
61.2 64202.0	-62.6		
58.2 65225.9	-62.6		
50.0 68319.9	-62.6		
42.2 71793.6	-60.5		

STATION ALTITUDE 3900.00 FEET MSL
28 JAN. 83 1130 HRS PST
ASCENSION NO. 44

UPPER AIR DATA
0200020044
WHITE SAUS
TABLE 7

GEOMETRIC COORDINATES
32.40043 LAT DEG
106.57633 LONG DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUMIDITY PERCENT	DENSITY GM/CM ³ METER	SPEED OF SOUND KNOTS	* WIND DATA DIRECTION DEGREES (TN)	SPEED KNOTS	INDEX OF REFRACTION
3909.0	874.6	12.5	43.0	1063.7	659.3	270.0	20.0	1.000266
4000.0	874.3	12.4	41.7	1063.9	659.1	270.1	20.0	1.000265
4500.0	859.4	9.7	37.7	1055.1	655.9	273.5	21.9	1.000257
5000.0	842.8	7.7	45.2	1043.1	653.0	276.4	23.8	1.000255
5500.0	827.3	6.0	51.3	1030.1	651.6	278.9	25.7	1.000253
6000.0	812.0	4.6	56.4	1016.0	650.0	281.2	25.8	1.000250
6500.0	797.0	3.3	61.6	1002.1	648.4	284.0	23.4	1.000247
7000.0	782.1	1.9	66.6	988.3	646.8	285.0	22.9	1.000244
7500.0	767.4	.5	71.5	974.7	645.2	292.3	23.1	1.000240
8000.0	753.0	-.9	76.4	961.3	643.5	297.7	25.3	1.000237
8500.0	738.8	-2.2	78.6	947.7	642.0	302.2	27.8	1.000232
9000.0	724.7	-3.1	73.3	933.2	640.8	304.5	32.3	1.000226
9500.0	711.0	-3.7	66.0	917.7	640.0	306.2	36.8	1.000220
10000.0	697.4	-2.8	50.6	897.5	641.0	304.7	40.4	1.000213
10500.0	684.2	-3.0	39.3	881.2	640.7	303.1	43.7	1.000206
11000.0	671.1	-3.6	32.1	866.7	639.9	300.1	44.2	1.000201
11500.0	658.5	-4.7	28.4	853.5	638.6	297.1	45.0	1.000197
12000.0	645.6	-6.0	27.4	841.5	636.9	294.3	46.4	1.000193
12500.0	633.2	-7.4	26.4	829.6	635.2	293.5	48.3	1.000190
13000.0	620.9	-8.7	25.6	817.5	633.7	294.2	49.3	1.000186
13500.0	608.7	-9.9	25.0	805.2	632.2	298.2	44.9	1.000183
14000.0	596.8	-11.2	24.4	793.2	630.7	301.8	40.7	1.000180
14500.0	585.1	-12.4	23.7	781.3	629.2	303.9	40.7	1.000177
15000.0	573.6	-13.6	23.1	769.7	627.7	303.5	47.2	1.000174
15500.0	562.3	-13.5	21.6	754.1	627.3	302.6	54.3	1.000171
16000.0	551.2	-13.1	20.0	738.1	628.3	302.2	61.6	1.000167
16500.0	540.3	-12.7	18.4	722.5	628.8	297.0	64.9	1.000163
17000.0	529.6	-12.3	16.0	707.1	629.3	289.8	66.3	1.000160
17500.0	519.2	-12.1	16.1	692.7	629.5	284.2	70.0	1.000156
18000.0	508.9	-13.7	16.0	683.0	627.6	284.5	76.2	1.000154
18500.0	498.8	-15.2	17.1	673.4	625.8	285.7	79.3	1.000152
19000.0	488.8	-16.3	17.5	663.3	624.2	280.8	80.4	1.000149
19500.0	478.9	-17.9	18.0	653.3	622.5	287.6	79.1	1.000147
20000.0	469.1	-19.2	18.4	643.8	620.8	288.8	77.7	1.000145
20500.0	459.8	-20.6	18.9	634.2	619.2	290.1	76.4	1.000143
21000.0	450.4	-21.8	19.7	624.1	617.7	291.4	80.7	1.000140
21500.0	441.1	-22.9	20.7	613.9	616.4	292.5	85.1	1.000138
22000.0	432.0	-24.0	21.6	603.9	615.0	292.9	89.1	1.000136
22500.0	423.1	-25.1	22.5	594.1	613.0	293.3	92.4	1.000133
23000.0	414.3	-26.2	23.4	584.5	612.2	293.5	92.0	1.000131

STATION ALTITUDE 3989.00 F (1 MSL)
28 JAN. 83 1130 HRS MST
ASCENSION NO. 44

UPPER AIR DATA
0280020044
WHITE SANDS

GEODETIC COORDINATES
32-40043 LAT DEG
106-37033 LONG DEG

TABLE 7
Cont'd

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES TRUE	INDEX OF REFRACTION
23500.0	405.0	-27.3	24.4	575.0	610.8	293.7	1.000129
24000.0	397.4	-28.0	24.7	564.6	610.0	293.7	1.000127
24500.0	389.1	-27.8	23.6	552.3	610.3	293.9	1.000124
25000.0	380.4	-27.5	22.6	540.1	610.6	294.5	1.000121
25500.0	373.0	-27.2	21.6	528.3	611.0	295.4	1.000119
26000.0	365.2	-27.3	21.0	517.5	610.8	296.0	1.000116
26500.0	357.5	-28.2	20.9	508.4	609.7	296.8	1.000114
27000.0	349.9	-29.4	20.7	500.1	608.3	294.2	1.000112
27500.0	342.6	-30.5	20.4	491.6	606.8	274.6	1.000110
28000.0	335.3	-31.7	20.2	483.8	605.4		1.000108
28500.0	328.2	-32.9	20.0	475.8	603.9		1.000106
29000.0	321.2	-32.9	19.1	465.7	603.9		1.000104
29500.0	314.4	-30.0	19.0	450.5	607.5		1.000101
30000.0	307.8	-28.5	19.0	438.2	609.4		1.000098
30500.0	301.3	-28.0	19.0	428.2	610.0		1.000096
31000.0	295.0	-28.4	19.0	419.8	609.5		1.000094
31500.0	288.8	-29.0	19.0	412.0	608.8		1.000092
32000.0	282.8	-29.6	19.0	404.4	608.0		1.000091
32500.0	276.8	-30.2	19.0	396.9	607.3		1.000089
33000.0	271.0	-30.0	19.0	388.2	607.5		1.000087
33500.0	265.2	-30.7	19.0	381.1	606.6		1.000085
34000.0	259.6	-31.4	19.0	374.1	605.7		1.000084
34500.0	254.1	-32.2	19.0	367.3	604.6		1.000082
35000.0	248.7	-32.9	19.0	360.6	603.9		1.000081
35500.0	243.4	-33.8	19.0	354.2	602.7		1.000079
36000.0	238.1	-34.8	17.5**	348.0	601.5		1.000078
36500.0	232.9	-35.8	15.2**	341.8	600.2		1.000076
37000.0	227.8	-36.8	13.0**	335.8	598.9		1.000075
37500.0	222.4	-37.8	10.8**	329.8	597.7		1.000074
38000.0	218.0	-38.8	8.6**	324.0	596.4		1.000072
38500.0	213.2	-39.8	6.4**	318.3	595.1		1.000071
39000.0	208.5	-40.9	4.2**	312.7	593.3		1.000070
39500.0	204.0	-41.8	2.0**	307.2	592.0		1.000068
40000.0	199.5	-42.8		301.8	591.2		1.000067
40500.0	195.0	-44.2		296.7	589.5		1.000066
41000.0	190.6	-45.5		291.8	587.7		1.000065
41500.0	186.3	-46.9		286.9	586.0		1.000064
42000.0	182.1	-48.3		282.1	584.2		1.000063
42500.0	178.0	-49.7		277.4	582.4		1.000062
43000.0	173.9	-51.0		272.6	580.6		1.000061

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

XX WIND DATA IN ALL DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES.

GEODETIC COORDINATES
32.40043 LAT DEG
106.37033 LON DEG

UPPER AIR DATA
0280020044
WHITE SANDS

TABLE 7
CONT'D

STATION ALTITUDE 3989.00 FEET MSL
28 JAN. 93 1130 HRS MST
ASCENSION NO. 44

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION (TN) SPEED KNOTS	INDEX OF REFRACTION
43500.0	169.9	-52.3		267.9	579.0		1.000060
44000.0	165.9	-53.5		263.1	577.3		1.000059
44500.0	162.0	-54.8		258.4	575.7		1.000058
45000.0	158.2	-56.1		253.9	574.0		1.000057
45500.0	154.5	-57.3		249.3	572.3		1.000056
46000.0	150.8	-58.6		244.9	570.6		1.000055
46500.0	147.2	-59.7		240.3	569.1		1.000054
47000.0	143.7	-60.8		235.8	567.7		1.000053
47500.0	140.2	-61.9		231.3	566.2		1.000052
48000.0	136.8	-62.8		226.6	565.1		1.000050
48500.0	133.5	-63.3		221.6	564.4		1.000049
49000.0	130.2	-63.7		216.7	563.8		1.000048
49500.0	127.1	-64.2		211.9	563.1		1.000047
50000.0	124.0	-64.7		207.2	562.5		1.000046
50500.0	120.9	-65.6		201.1	563.9		1.000045
51000.0	118.0	-63.1		195.7	564.0		1.000044
51500.0	115.1	-63.0		190.9	564.7		1.000042
52000.0	112.3	-61.9		185.2	566.3		1.000041
52500.0	109.6	-61.7		180.6	566.5		1.000040
53000.0	107.0	-61.5		176.1	566.7		1.000039
53500.0	104.4	-62.3		172.4	565.7		1.000038
54000.0	101.8	-63.3		169.0	564.4		1.000038
54500.0	99.3	-64.2		165.6	563.2		1.000037
55000.0	96.9	-64.8		162.0	562.3		1.000036
55500.0	94.5	-65.5		158.5	561.4		1.000035
56000.0	92.2	-66.1		155.1	560.5		1.000035
56500.0	89.9	-66.8		151.8	559.6		1.000034
57000.0	87.7	-67.5		148.5	558.7		1.000033
57500.0	85.3	-68.0		145.2	558.0		1.000032
58000.0	83.4	-68.2		141.7	557.7		1.000032
58500.0	81.3	-68.4		138.3	557.5		1.000031
59000.0	79.3	-67.0		134.0	559.4	251.2	1.000030
59500.0	77.1	-66.2		130.1	560.5	80.0	1.000029
60000.0	75.4	-67.0		127.4	559.4	73.0	1.000029
60500.0	73.5	-67.7		124.7	558.4	209.4	1.000028
61000.0	71.7	-68.1		121.9	557.8	274.8	1.000028
61500.0	69.9	-66.4		117.9	560.1	270.9	1.000027
62000.0	68.2	-64.9		114.1	562.2	279.1	1.000026
62500.0	66.5	-63.6		110.6	561.0	281.1	1.000025
63000.0	64.9	-63.3		107.8	564.4	282.9	1.000025
						283.4	1.000024

XX WIND DATA INVALID DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES.

STATION ALTITUDE: 9889.00 FEET MSL
28 JAN. 43 1130 HRS MST
ASCENSION NO. 44

UPPER AIR DATA
0280020044
WHITE SAIDS
TABLE 7
Cont'd

GEODETIC COORDINATES
32.40043 LAT DEG
106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES (TN)	SPEED KNOTS	INDEX OF REFRACTION
63500.0	63.4	-63.0		105.0	564.8	283.9	37.8	1.000023
64000.0	61.8	-62.7		102.3	565.1	283.0	27.1	1.000023
64500.0	60.3	-62.6		99.8	565.3	280.6	15.7	1.000022
65000.0	58.8	-62.5		97.4	565.3	271.7	7.0	1.000022
65500.0	57.4	-62.6		95.0	565.3	160.1	2.5	1.000021
66000.0	56.0	-62.6		92.7	565.3	117.8	11.5	1.000021
66500.0	54.7	-62.6		90.5	565.3	113.1	21.7	1.000020
67000.0	53.3	-62.6		88.3	565.3	110.7	34.2	1.000020
67500.0	52.1	-62.6		86.1	565.3	109.2	48.1	1.000019
68000.0	50.8	-62.6		84.0	565.3	109.6	49.1	1.000019
68500.0	49.6	-62.5		82.0	565.4	111.9	37.6	1.000018
69000.0	48.4	-62.2		79.9	565.8	124.2	15.9	1.000018
69500.0	47.2	-61.9		77.8	566.2	271.2	25.4	1.000017
70000.0	46.1	-61.6		75.8	566.7			1.000017
70500.0	45.0	-61.3		73.9	567.1			1.000016
71000.0	43.9	-61.0		72.0	567.5			1.000016
71500.0	42.8	-60.7		70.2	567.9			1.000016

STATION ALTITUDE 3983.00 FEET MSL
28 JAN. 63 1130 HRS MST
ASCENSION NO. 44

MANDATORY LEVELS
0280020044
WHITE SANDS
TABLE C

GEODETIC COORDINATES
32.40083 LAT DEG
106.37033 LON DEG

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM. PERCENT	WIND DATA	
MILLIBARS	FEET	AIR DEGREES CENTIGRADE	DEWPOINT CENTIGRADE		DIRECTION DEGREES (TN)	SPEED KNOTS
850.0	4765.	8.6	-3.6	42.	275.1	22.9
800.0	6394.	3.5	-3.4	61.	283.4	23.9
750.0	8099.	-1.2	-4.6	77.	298.7	25.8
700.0	9875.	-2.8	-11.0	53.	305.0	32.7
650.0	11816.	-5.6	-21.2	28.	295.3	45.9
600.0	13854.	-10.8	-27.1	25.	300.0	41.8
550.0	16032.	-13.1	-31.3	20.	302.1	62.3
500.0	16416.	-15.0	-34.5	17.	285.5	78.9
450.0	20975.	-21.8	-38.7	20.	291.5	80.9
400.0	23805.	-28.1	-41.9	25.	293.7	99.4
350.0	26954.	-29.4	-44.8	21.	294.7	70.8
300.0	30546.	-27.9	-44.3	19.	9999.0XX	9999.0XX
250.0	34803.	-32.7	-48.4	19.	9999.0	9999.0XX
200.0	39854.	-42.7			9999.0	9999.0XX
175.0	42760.	-50.7			9999.0	9999.0XX
150.0	45994.	-58.9			9999.0	9999.0XX
125.0	49689.	-64.5			9999.0	9999.0XX
100.0	54193.	-64.0			9999.0	9999.0XX
80.0	58626.	-67.5			9999.0	9999.0XX
70.0	61270.	-67.5			240.0	84.3
60.0	64374.	-66.5			278.9	43.2
50.0	68063.	-62.6			279.9	14.0
		-62.6			110.8	42.5

* AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

XX WIND DATA INVALID DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES.

GEODETIC COORDINATES
32.40043 LAT DEG
106.37033 LON DEG

SIGNIFICANT LEVEL DATA
0280020045
WHITE SANDS

STATION ALTITUDE 3989.00 FEET MSL
28 JAN. 83 1330 HRS MST
ASCENSION NO. 45

TABLE 9

PRESSURE	GEOMETRIC ALTITUDE	TEMPERATURE	REL. HUM.
MILLIBARS	MSL FEET	AIR DEWPOINT DEGREES CENTIGRADE	PERCENT
873.3	3989.0	15.5	37.0
869.2	4119.4	12.4	27.0
850.0	4732.3	10.3	37.0
780.7	6725.9	5.5	40.0
763.3	7634.8	2.7	57.0
733.7	8684.4	1.7	34.0
700.0	9924.7	-0.3	20.0
603.7	13742.3	-10.3	17.0
586.3	14481.7	-10.9	14.0
574.9	14979.8	-8.6	14.0
566.3	15364.1	-8.3	14.0
526.5	17211.6	-11.6	14.0
500.0	18503.1	-15.5	15.0
406.6	23495.1	-29.7	22.0
400.0	23879.0	-29.8	36.0
394.1	24226.8	-30.8	60.0
392.0	24351.7	-30.5	64.0
387.1	24645.8	-30.8	49.0
377.6	25226.4	-30.7	49.0
365.7	25973.9	-31.3	41.0
351.9	26673.4	-29.9	25.0
345.1	27330.4	-30.5	21.0
		-45.6	

STATION ALTITUDE 3989.00 FEET MSL
28 JAN. 83 1330 HRC MST
ASCENSION NO. 45

UPPER AIR DATA
02R0020045
WHITE SANDS
TABLE 10

GEOGETIC COORDINATES
32.40043 LAT DEG
106.37033 LONG DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	AIR TEMPERATURE DEGREES CENTIGRADE	TEMPERATURE DEWPOINT CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION (STN) SPEED KNOTS	INDEX OF REFRACTION
3989.0	873.3	15.5	.9	37.0	1051.0	662.8	290.0	1.000264
4000.0	873.0	15.3	.4	36.2	1051.5	662.5	290.1	1.000263
4500.0	857.2	11.3	-4.3	33.2	1047.8	657.7	295.9	1.000284
5000.0	841.6	9.7	-3.8	33.5	1034.6	655.6	282.2	1.000252
5500.0	826.3	8.5	-3.9	41.2	1020.0	654.4	269.1	1.000249
6000.0	811.1	7.2	-4.2	44.0	1005.7	653.0	276.3	1.000246
6500.0	796.3	6.0	-4.5	46.8	991.5	651.6	283.4	1.000242
7000.0	781.6	4.7	-4.7	50.7	978.1	650.0	287.5	1.000239
7500.0	767.2	3.1	-4.9	55.7	965.3	648.2	291.2	1.000236
8000.0	752.9	2.4	-7.2	49.0	950.3	647.2	294.5	1.000229
8500.0	738.8	1.9	-10.9	38.0	934.6	646.5	296.5	1.000222
9000.0	725.0	1.2	-14.2	30.4	919.6	645.6	298.2	1.000215
9500.0	711.4	.4	-17.4	24.8	905.2	644.6	299.8	1.000210
10000.0	698.0	-.5	-20.7	19.9	891.2	643.5	298.9	1.000205
10500.0	684.6	-1.8	-22.0	19.5	878.4	641.9	297.7	1.000201
11000.0	671.4	-3.1	-23.3	19.2	865.7	640.3	296.6	1.000198
11500.0	658.5	-4.4	-24.6	18.8	853.3	638.8	296.4	1.000194
12000.0	645.9	-5.7	-26.0	18.4	841.1	637.2	296.8	1.000191
12500.0	633.5	-7.0	-27.3	18.0	829.0	635.6	297.2	1.000188
13000.0	621.3	-8.4	-28.6	17.6	817.1	634.1	298.7	1.000185
13500.0	609.4	-9.7	-29.9	17.2	805.5	632.5	301.3	1.000182
14000.0	597.6	-10.5	-31.4	16.0	792.4	631.4	301.7	1.000179
14500.0	585.9	-10.8	-33.0	14.0	777.8	631.1	300.9	1.000175
15000.0	574.4	-8.6	-31.2	14.0	756.2	633.8	300.7	1.000171
15500.0	563.3	-8.5	-31.2	14.0	741.3	633.8	301.4	1.000168
16000.0	552.3	-9.4	-31.9	14.0	729.3	632.7	302.6	1.000165
16500.0	541.5	-10.3	-32.6	14.0	717.5	631.7	303.3	1.000162
17000.0	530.9	-11.2	-33.3	14.0	705.9	630.6	303.4	1.000159
17500.0	520.5	-11.5	-34.2	14.2	695.4	629.1	303.1	1.000157
18000.0	510.2	-14.0	-35.2	14.6	685.6	627.2	301.9	1.000154
18500.0	500.1	-15.5	-36.1	15.0	676.0	625.4	300.9	1.000152
19000.0	489.8	-16.3	-36.9	15.7	665.8	623.7	299.7	1.000150
19500.0	479.0	-18.3	-37.6	16.4	655.8	621.9	298.2	1.000147
20000.0	469.9	-19.8	-38.4	17.1	646.0	620.2	296.8	1.000145
20500.0	460.3	-21.2	-39.2	17.8	636.3	618.4	295.6	1.000143
21000.0	450.9	-22.6	-40.0	18.5	626.8	616.7	294.5	1.000141
21500.0	441.6	-24.0	-40.9	19.2	617.5	614.9	293.5	1.000139
22000.0	432.6	-25.4	-41.8	19.9	608.3	613.2	292.7	1.000136
22500.0	423.7	-25.9	-42.7	20.6	599.3	611.4	292.0	1.000134
23000.0	415.0	-28.3	-43.6	21.3	590.4	609.5	291.1	1.000132

STATION ALTITUDE 5989.00 FEET MSL		UPPER AIR DATA		GEODETIC COORDINATES	
28 JAN. 83		0280020045		32.40043 LAT DEG	
ASCENSION NO. 45		WHITE SANDS		106.37033 LON DEG	
		TABLE 10			
		Cont'd			

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES DEWPOINT CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION (DEGREES TN)	SPEED KNOTS	INDEX OF REFRACTION
23500.0	496.5	-29.7	22.2	581.6	607.9	289.8	82.0	1.000130
24000.0	597.9	-30.1	44.3	570.4	607.4	298.5	91.9	1.000128
24500.0	584.5	-30.7	56.4	559.4	606.7	287.4	97.7	1.000126
25000.0	581.3	-30.7	49.0	547.8	606.6	286.0	89.2	1.000123
25500.0	573.2	-30.9	46.1	536.6	606.4	287.0	99.9	1.000121
26000.0	565.3	-31.3	40.5	526.0	606.0			1.000118
26500.0	557.6	-30.5	31.6	513.2	606.9			1.000115
27000.0	550.0	-30.1	23.9	501.5	607.4			1.000112

STATION ALTITUDE 3989.00 FEET MSL
28 JAN. 83 1330 HRS MST
ASCENSION NO. 45

MANDATORY LEVELS
0280020045
WHITE SANDS
TABLE 11

GEODETI. COORDINATES
32.40043 LAT DEG
106.37033 LON DEG

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM.		WIND DATA	
MILLIBARS	FEET	AIR DEGREES	DEWPOINT CENTIGRADE	PERCENT		DIRECTION DEGREES(TN)	SPEED KNOTS
850.0	4729.	10.3	-3.7	37.		250.7	27.7
800.0	6372.	6.3	-4.4	46.		281.9	25.5
750.0	8095.	2.3	-7.9	47.		294.9	30.3
700.0	9915.	-3.3	-20.5	20.		299.1	37.3
650.0	11841.	-5.3	-25.5	18.		296.6	39.4
600.0	13882.	-10.4	-31.1	16.		301.9	46.9
550.0	16087.	-9.6	-32.0	14.		302.8	76.1
500.0	18478.	-15.5	-36.2	15.		300.9	64.5
450.0	21050.	-22.7	-40.1	19.		294.4	69.7
400.0	23840.	-29.8	-40.0	36.		288.8	88.5
350.0	26952.	-30.1	-44.1	24.			

STATION ALTITUDE 3989.00 FEET MSL
24 JAN. 83
ASCENSION NO. 46

SIGNIFICANT LEVEL DATA
023000Z0046
WHITE SANDS

GEODETIC COORDINATES
32.40043 LAT DEG
106.57033 LON DEG

TABLE 12

PRESSURE GEOMETRIC ALTITUDE MILLIBARS MSL FEET	TEMPERATURE AIR DEWPOINT DEGREES CENTIGRADE	REL. HUM. PERCENT
874.1 3989.0	14.6 -.7	35.0
866.8 4220.9	12.7 -.5	40.0
850.0 4758.7	10.9 -1.5	42.0
806.0 6202.7	6.3 -3.6	49.0
764.6 7614.0	2.6 -5.5	55.0
723.6 9071.3	-.3 -9.4	50.0
700.0 9942.4	-.7 -14.6	34.0
697.2 10047.6	-1.0 -15.2	33.0
674.0 10941.9	3.4 -18.6	10.0
668.5 11160.2	3.4 -18.6	10.0
604.8 13797.4	-2.9 -24.5	17.0
500.0 18625.8	-16.6 -34.2	20.0
470.5 20116.1	-21.0 -37.5	21.0
439.2 21772.8	-25.8 -38.2	30.0
413.7 23192.3	-28.0 -32.8	63.0
400.0 23986.7	-28.9 -32.6	70.0
380.3 25168.9	-31.8 -37.6	56.0
352.3 26930.2	-36.7 -41.9	58.0
338.7 27624.3	-38.5 -43.3	60.0

UPPER AIR DATA
0290020040
WHITE SANDS

STATION ALTITUDE 3989.00 FEET MSL
24 JAN. 83
ASCENSION NO. 46

GEOMETRIC ALTITUDE 3989.00 FEET MSL
24 JAN. 83
ASCENSION NO. 46

GEODETIC COORDINATES
32-40043 LAT DEG
106-37033 LONG DEG

TABLE 13

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	TEMPERATURE DEWPOINT CENTIGRADE	REL HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION (DEGREES TRUE)	SPEED KNOTS	INDEX OF REFRACTION
3989.0	874.1	14.6	-7	35.0	1055.6	661.7	280.0	18.1	1.000262
4000.0	873.8	14.5	-7	35.2	1055.5	661.6	280.1	18.1	1.000262
4500.0	850.0	11.8	-1.0	41.0	1046.5	658.4	280.3	18.7	1.000260
5000.0	842.5	10.1	-1.8	43.2	1033.6	656.5	272.1	19.5	1.000256
5500.0	827.1	8.5	-2.5	45.6	1020.5	654.6	277.0	20.5	1.000252
6000.0	812.0	6.9	-3.3	48.0	1007.7	652.7	273.3	23.2	1.000248
6500.0	797.1	5.5	-4.0	50.3	994.3	651.0	273.0	25.6	1.000244
7000.0	782.3	4.2	-4.7	52.4	980.6	649.5	278.0	27.3	1.000240
7500.0	767.9	2.9	-5.3	54.5	967.1	647.9	269.0	28.8	1.000236
8000.0	753.5	1.8	-6.5	53.7	952.8	646.6	300.6	30.4	1.000231
8500.0	739.4	.8	-7.9	52.0	938.5	645.4	310.6	31.1	1.000226
9000.0	725.6	-2	-9.2	50.2	924.4	644.2	320.9	32.5	1.000221
9500.0	711.9	-5	-11.8	42.1	908.4	643.7	328.6	36.2	1.000215
10000.0	698.5	-9	-14.9	33.5	892.7	643.2	331.7	42.4	1.000209
10500.0	685.4	1.2	-16.4	25.4	869.4	645.0	330.7	47.4	1.000202
11000.0	672.5	3.4	-18.6	18.0	846.5	648.1	328.7	51.9	1.000196
11500.0	659.9	2.6	-19.4	17.9	833.1	647.2	323.6	55.3	1.000192
12000.0	647.5	1.4	-20.5	17.7	821.1	645.7	319.2	59.0	1.000189
12500.0	635.5	.2	-21.6	17.5	809.2	644.3	315.3	62.7	1.000186
13000.0	623.4	-1.0	-22.7	17.3	797.5	642.9	311.8	66.7	1.000183
13500.0	611.7	-2.2	-23.8	17.1	786.0	641.5	309.3	69.3	1.000180
14000.0	600.0	-3.5	-24.9	17.1	774.7	639.9	307.3	71.0	1.000177
14500.0	588.3	-4.9	-25.8	17.4	763.6	638.2	305.3	72.8	1.000174
15000.0	576.8	-6.3	-26.8	17.7	752.7	636.5	303.5	73.2	1.000171
15500.0	565.5	-7.7	-27.8	18.1	742.0	634.8	301.6	72.7	1.000169
16000.0	554.5	-9.1	-28.8	18.4	731.4	633.1	299.7	72.2	1.000166
16500.0	543.7	-10.6	-29.8	18.7	721.1	631.4	298.3	71.3	1.000163
17000.0	533.1	-12.0	-30.8	19.0	710.9	629.7	297.0	70.0	1.000161
17500.0	522.7	-13.4	-31.9	19.3	700.8	628.0	295.7	68.7	1.000158
18000.0	512.5	-14.8	-32.9	19.6	690.9	626.2	294.9	68.3	1.000156
18500.0	502.5	-16.2	-33.3	19.9	681.2	624.5	294.1	67.9	1.000154
19000.0	492.4	-17.7	-35.0	20.3	671.4	622.7	293.6	67.4	1.000151
19500.0	482.5	-19.2	-36.1	20.6	661.7	620.9	293.2	66.8	1.000149
20000.0	472.7	-20.7	-37.2	20.9	652.1	619.1	292.8	66.9	1.000147
20500.0	463.1	-22.1	-37.5	23.1	642.5	617.3	292.3	68.2	1.000145
21000.0	453.5	-23.6	-37.7	25.8	632.9	615.5	291.5	72.5	1.000142
21500.0	444.2	-25.0	-38.0	28.5	623.5	613.7	290.8	75.0	1.000140
22000.0	435.0	-26.2	-38.9	35.3	613.4	612.3	289.8	75.6	1.000138
22500.0	425.9	-26.9	-39.8	46.0	602.5	611.4	288.7	73.0	1.000136
23000.0	417.1	-27.7	-37.3	58.5	591.7	610.4	288.1	76.6	1.000134

STATION ALTITUDE 3989.00 FEET MSL
28 JAN. 83 1530 HRS MST
ASCENSION NO. 46

UPPER AIR DATA
02R0020046
WHITE SANDS

GEODETTIC COORDINATES
32.40043 LAT DEG
106.27033 LON DEG

TABLE 13
(cont'd)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	DEWPOINT CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION (DEGREES) (IN)	SPEED KNOTS	INDEX OF REFRACTION
23500.0	408.3	-28.3	-32.7	65.7	580.9	609.0	278.7	81.6	1.000132
24000.0	399.8	-28.9	-32.7	69.8	570.0	608.9	278.9	86.2	1.000120
24500.0	391.3	-30.2	-34.7	63.9	560.9	607.4	278.9	90.1	1.000127
25000.0	383.1	-31.4	-36.9	58.0	551.8	605.8	278.2	85.9	1.000125
25500.0	374.9	-32.7	-38.4	56.4	543.0	604.1	277.4	81.7	1.000122
26000.0	366.8	-34.1	-39.6	56.0	534.5	602.4	277.8	79.3	1.000120
26500.0	358.9	-35.5	-40.9	57.5	526.1	600.6	279.2	79.8	1.000118
27000.0	351.2	-36.8	-42.0	58.2	517.7	598.9	281.6	86.5	1.000116
27500.0	343.6	-37.8	-42.8	59.3	508.6	597.6			1.000114

STATION ALTITUDE 3989.00 FEET MSL
28 JAN. 63
ASCENSION NO. 46

1530 HRS MST

MANDATORY LEVELS
0200020046
WHITE SANDS

TABLE 14

GEODETL COORDINATES
32.40043 LAT DEG
106.37033 LON DEG

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM. PERCENT	WIND DATA	
MILLIBARS	FEET	AIR DEGREES	DEWPOINT CENTIGRADE		DIRECTION DEGREES (TN)	SPEED KNOTS
850.0	4755.	10.9	-1.5	42.	269.3	19.1
800.0	6309.	5.8	-3.9	50.	272.6	25.2
750.0	8118.	1.6	-6.9	53.	303.2	30.7
700.0	9933.	-0.7	-14.6	34.	331.3	41.7
650.0	11893.	1.6	-20.3	18.	320.1	56.3
600.0	13988.	-3.5	-24.9	17.	307.3	71.0
550.0	16218.	-9.7	-29.2	18.	298.9	72.0
500.0	18600.	-16.6	-34.2	20.	294.0	67.8
450.0	21160.	-24.1	-37.8	27.	291.0	73.7
400.0	23947.	-28.9	-32.6	70.	278.9	86.0
350.0	27031.	-37.0	-42.1	58.	281.9	87.4

**DAT
ILM**