

AD-A133 379

①

FINAL REPORT  
TRADOC RAM DATA EVALUATION SYSTEM (TRADES)  
(ACN 51235)

PART V: SYSTEM TECHNICAL PAPER

APJ 892-5

APJ



DTIC  
ELECTE  
S OCT 11 1983

D

AMERICAN POWER & LIGHT CO. RIDGEFIELD N.J.

FILE COPY

83 : 10 06 033

DISTRIBUTION STATEMENT A

Approved for public release  
Distribution Unlimited

APJ 892-5

FINAL REPORT  
TRADOC RAM DATA EVALUATION SYSTEM (TRADES)  
(ACN 51235)

---

PART V: SYSTEM TECHNICAL PAPER

UNDER

CONTRACT NO. DAAK21-81-C-0034

FOR

RAM ENGINEERING AND ASSESSMENT BRANCH  
RAM/ILS DIVISION  
MATERIEL SYSTEMS DIRECTORATE  
U.S. ARMY LOGISTICS CENTER  
FORT LEE, VIRGINIA 23801

BY

AMERICAN POWER JET COMPANY

ARLINGTON, VA.  
(703) 920-8030

FORT LEE, VA.  
(804) 734-2360

RIDGEFIELD, N.J.  
(201) 945-8203

FEBRUARY 1982

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

| REPORT DOCUMENTATION PAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                         | READ INSTRUCTIONS<br>BEFORE COMPLETING FORM                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| 1. REPORT NUMBER<br>APJ 892-5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 2. GOVT ACCESSION NO.<br><b>AD-A133</b> | 3. RECIPIENT'S CATALOG NUMBER<br><b>379</b>                                                                     |
| 4. TITLE (and Subtitle)<br>TRADOC RAM Data Evaluation System (TRADES)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                         | 5. TYPE OF REPORT & PERIOD COVERED<br>Concept Development,<br>Final Report                                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                         | 6. PERFORMING ORG. REPORT NUMBER                                                                                |
| 7. AUTHOR(s)<br>G. Chernowitz, J. Ciccotti, J. Arnold, R. Yoshikawa                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                         | 8. CONTRACT OR GRANT NUMBER(s)<br>DAAK21-81-C-0034                                                              |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS<br>American Power Jet Company<br>705 Grand Avenue<br>Ridgefield, N.J. 07657                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                         | 10. PROGRAM ELEMENT, PROJECT, TASK<br>AREA & WORK UNIT NUMBERS<br>00910 Logistics<br>011700 Operations Research |
| 11. CONTROLLING OFFICE NAME AND ADDRESS<br>U.S. Army Logistics Center<br>Materiel Systems Directorate (ATCL-MRS)<br>Fort Lee, Va. 23801                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                         | 12. REPORT DATE<br>5 February 1982                                                                              |
| 14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)<br><br>Same as Item 11.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                         | 13. NUMBER OF PAGES                                                                                             |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                         | 15. SECURITY CLASS. (of this report)<br><br>Unclassified                                                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                         | 15a. DECLASSIFICATION/DOWNGRADING<br>SCHEDULE<br>N/A                                                            |
| 16. DISTRIBUTION STATEMENT (of this Report)<br><br>Approved for public release; distribution unlimited.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                         |                                                                                                                 |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)<br><br>Unlimited distribution.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                         |                                                                                                                 |
| 18. SUPPLEMENTARY NOTES<br>This report was accomplished under the Army Study Program, TRADOC ACN 51235.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                         |                                                                                                                 |
| 19. KEY WORDS (Continue on reverse side if necessary and identify by block number)<br><br>RAM, Reliability, Availability, Maintainability, Automation, Systems Development,<br>System Acquisition, R&M                                                                                                                                                                                                                                                                                                                                                                                                                                |                                         |                                                                                                                 |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number)<br><br>The <u>TRADES</u> final report provides an innovative concept for the collection,<br>evaluation, storage, and dissemination of reliability, availability, and<br>maintainability data to satisfy TRADOC requirements. The five part study<br>recommends an automated system that enables the TRADOC combat developer to<br>access RAM information from appropriate data sources. Combat and materiel<br>developers need such a system to utilize and draw maximum actionable<br>inferences from existing and future data bases. → <i>all</i> |                                         |                                                                                                                 |

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

Part I: Executive Summary. Includes the highlights of the study effort, detailing the background which led to the study, the essential areas of analysis, alternatives developed, study conclusions and recommendations.

Part II: Study Work Plan (SWP). The SWP outlines the objectives of the TRADES concept development, the purpose, assumptions, scope, essential elements of analysis, time schedule, and resources required for the study.

Part III: System Requirements Description (SRD). The SRD presents the functional requirements for the TRADES system developed using basic source documents, questionnaires, and dialogue established with data users, data proponents, and data sources.

Part IV: Alternative Concepts of Operation (ACO). The ACO explains the five ACOs which were developed and includes a comparative evaluation of these alternatives along with the recommendation to use the U.S. Army Logistics Center Planning Factors Data Base (PFDB) mini-computer.

Part V: System Technical Paper (STP). The STP documents the data system concept which includes the overall concept of operation, internal and external procedures, hardware and software requirements, and personnel implications. This report also recommends that TRADES capitalize on the currently available and programmed hardware within TRADOC, which significantly reduces implementation costs and time.

|                    |                                            |
|--------------------|--------------------------------------------|
| Accession For      |                                            |
| NTIS GRA&I         | <input checked="checked" type="checkbox"/> |
| DTIC TAB           | <input type="checkbox"/>                   |
| Unannounced        | <input type="checkbox"/>                   |
| Justification      |                                            |
| By _____           |                                            |
| Distribution/      |                                            |
| Availability Codes |                                            |
| Dist               | Avail and/or<br>Special                    |
| A                  |                                            |



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

NOTICE

VIEWS, OPINIONS, AND/OR FINDINGS CONTAINED IN THIS REPORT ARE THOSE OF THE AUTHOR(S) AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION, POLICY, OR DECISION UNLESS SO DESIGNATED BY OTHER DOCUMENTATION.

## FOREWORD

This report entitled "TRADOC RAM Data Evaluation System (TRADES)" is an American Power Jet Company (APJ) study effort issued in five parts:

- Part I: Executive Summary and Brief
- Part II: Study Work Plan
- Part III: System Requirements  
Description
- Part IV: Alternative Concepts  
of Operation
- Part V: System Technical Paper (This Report)

This Part of the final report documents the data system concept which includes the overall concept of operation, internal and external procedures, hardware and software requirements, and personnel implications. The report also recommends that TRADES capitalize on the currently available and programmed hardware within TRADOC, which significantly reduces implementation costs and time.

A draft version was submitted as APJ 892-4, and presented to the SAG. Their comments and recommendations are incorporated herein and are gratefully acknowledged.

# TABLE OF CONTENTS

| <u>CHAPTER</u> | <u>TITLE</u>                       | <u>PAGE</u> |
|----------------|------------------------------------|-------------|
| I              | INTRODUCTION.....                  | 1-1         |
|                | System Title.....                  | 1-1         |
|                | Subject of This Report.....        | 1-1         |
|                | Background.....                    | 1-1         |
|                | Phases.....                        | 1-2         |
|                | Purpose of the STP.....            | 1-2         |
|                | Scope and Summary of Chapters..... | 1-2         |
| II             | METHODOLOGY.....                   | 2-1         |
|                | Purpose.....                       | 2-1         |
|                | Process.....                       | 2-1         |
|                | Functional Description.....        | 2-1         |
|                | Analysis.....                      | 2-2         |
|                | Source Information.....            | 2-2         |
|                | User Orientation.....              | 2-3         |
|                | Hardware Assumptions.....          | 2-4         |
|                | TRADES Life Cycle Overview.....    | 2-5         |
|                | Other Actions.....                 | 2-5         |
|                | Phase II.....                      | 2-5         |
|                | Phase III.....                     | 2-7         |
|                | Phase IV.....                      | 2-7         |
|                | Training.....                      | 2-7         |
|                | Characterization of TRADES.....    | 2-8         |
|                | Implementation.....                | 2-8         |
| III            | CONCEPT OF OPERATION.....          | 3-1         |
|                | System Description.....            | 3-1         |
|                | Purpose of TRADES.....             | 3-2         |
|                | General Objectives of TRADES.....  | 3-3         |
|                | Special Objectives of TRADES.....  | 3-3         |
|                | Automation Functions.....          | 3-4         |
|                | Relationship to PFDB.....          | 3-5         |
|                | General.....                       | 3-5         |
|                | Organization.....                  | 3-7         |
|                | External Organizational            |             |
|                | Interface.....                     | 3-7         |
|                | TRADES Operating Modules.....      | 3-8         |
|                | Source Identification Module.....  | 3-10        |
|                | Interface Module.....              | 3-11        |
|                | Quick Response Module.....         | 3-11        |
|                | Statistical/Analytical Module..    | 3-11        |
|                | Management Module.....             | 3-12        |
|                | Estimated Volume.....              | 3-12        |
|                | Automated RAM Data References..... | 3-16        |
|                | Categorization of Data Files.....  | 3-17        |
|                | Storage Location.....              | 3-17        |

(Continued)

# TABLE OF CONTENTS

| <u>CHAPTER</u> | <u>TITLE</u>                                                   | <u>PAGE</u> |
|----------------|----------------------------------------------------------------|-------------|
| III Cont.      | Source.....                                                    | 3-19        |
|                | Mode of Access.....                                            | 3-19        |
|                | Manual Mode.....                                               | 3-19        |
|                | Interactive Terminal Operations<br>Mode.....                   | 3-21        |
|                | Batch Operations Mode.....                                     | 3-21        |
|                | End Products Description.....                                  | 3-21        |
|                | Interface between Users/Data<br>Sources/Automated Systems..... | 3-22        |
| IV             | INTERNAL OPERATING CHARACTERISTICS.....                        | 4-1         |
|                | General.....                                                   | 4-1         |
|                | TRADES Data Acquisition<br>Verification and Storage.....       | 4-1         |
|                | Source Identification Module.....                              | 4-2         |
|                | Quick Response Module.....                                     | 4-2         |
|                | Interface Module.....                                          | 4-4         |
|                | Statistical/Analytical Module....                              | 4-6         |
|                | Management Module.....                                         | 4-7         |
|                | Data Retrieval, Processing and<br>Dissemination.....           | 4-7         |
|                | Data Retrieval.....                                            | 4-7         |
|                | Processing.....                                                | 4-9         |
|                | Dissemination Techniques.....                                  | 4-9         |
|                | Summary.....                                                   | 4-9         |
| V              | EXTERNAL OPERATING CHARACTERISTICS.....                        | 5-1         |
|                | Elements.....                                                  | 5-1         |
|                | Participant Definitions.....                                   | 5-1         |
|                | User.....                                                      | 5-1         |
|                | TRADES Management Branch.....                                  | 5-1         |
|                | TRADES Data Processing Element...                              | 5-1         |
|                | External Data Sources.....                                     | 5-2         |
|                | Functional Users Responsibilities...                           | 5-2         |
|                | User Procedures.....                                           | 5-3         |
|                | User Update Responsibilities.....                              | 5-6         |
|                | Frequency of Data Requirements.....                            | 5-9         |
|                | Volume of Data Requirements.....                               | 5-10        |
|                | TRADES Management Branch.....                                  | 5-12        |
|                | TRADES System Management.....                                  | 5-12        |
|                | Methodological and Analysis<br>Support.....                    | 5-12        |
|                | Source and User Service.....                                   | 5-13        |
|                | Data Processing Element.....                                   | 5-13        |
|                | External Sources.....                                          | 5-13        |
|                | Volume of Data Requirements-Users...                           | 5-14        |

(Continued)

# TABLE OF CONTENTS

| <u>CHAPTER</u> | <u>TITLE</u>                                              | <u>PAGE</u> |
|----------------|-----------------------------------------------------------|-------------|
| VI             | HARDWARE REQUIREMENTS.....                                | 6-1         |
|                | Anticipated Hardware Requirements....                     | 6-1         |
|                | Equipment Considerations.....                             | 6-4         |
|                | Power Requirement.....                                    | 6-4         |
|                | Climatic Considerations.....                              | 6-4         |
|                | Transportability.....                                     | 6-5         |
|                | Nuclear, Biological, Chemical<br>(NBC) Survivability..... | 6-5         |
|                | Personal Safety.....                                      | 6-5         |
|                | Processors.....                                           | 6-5         |
|                | Storage Area.....                                         | 6-6         |
|                | Input Devices.....                                        | 6-7         |
|                | Punched Card Reader.....                                  | 6-7         |
|                | Disk Packs.....                                           | 6-7         |
|                | Magnetic Tape.....                                        | 6-7         |
|                | Micro-Computer.....                                       | 6-8         |
|                | Interactive Remote Terminal.....                          | 6-8         |
|                | Output Devices.....                                       | 6-8         |
|                | Card Punch.....                                           | 6-8         |
|                | Disk Packs.....                                           | 6-8         |
|                | Magnetic Tape.....                                        | 6-9         |
|                | Micro-Computers.....                                      | 6-9         |
|                | Interactive Remote Terminals.....                         | 6-9         |
|                | Line Printers.....                                        | 6-9         |
|                | Graphics Terminals.....                                   | 6-9         |
|                | Communications.....                                       | 6-9         |
|                | Communications Lines.....                                 | 6-10        |
|                | Security.....                                             | 6-10        |
|                | Summary.....                                              | 6-10        |
| VII            | SOFTWARE REQUIREMENTS.....                                | 7-1         |
|                | General.....                                              | 7-1         |
|                | User Prompting.....                                       | 7-3         |
|                | Language Requirement.....                                 | 7-4         |
|                | Source Identification Module.....                         | 7-4         |
|                | Quick Response Module.....                                | 7-6         |
|                | Interface Module.....                                     | 7-6         |
|                | Statistical/Analytical Module....                         | 7-7         |
|                | Management Module.....                                    | 7-9         |
| VIII           | PERSONNEL REQUIREMENTS.....                               | 8-1         |
|                | General.....                                              | 8-1         |
|                | User Requirements.....                                    | 8-1         |
|                | TRADES Management Branch.....                             | 8-2         |
|                | Data Processing Element Staffing....                      | 8-5         |
|                | Data Sources.....                                         | 8-5         |
|                | Personnel Selection.....                                  | 8-6         |

# TABLE OF CONTENTS

| <u>CHAPTER</u>    | <u>TITLE</u>                                                    | <u>PAGE</u> |
|-------------------|-----------------------------------------------------------------|-------------|
| IX                | CONCLUSIONS.....                                                | 9-1         |
|                   | General.....                                                    | 9-1         |
|                   | RAM Data Requirement.....                                       | 9-1         |
|                   | TRADES Development.....                                         | 9-1         |
|                   | TRADES Development Process.....                                 | 9-1         |
|                   | External TRADES System Development..                            | 9-2         |
|                   | Internal TRADES System Design.....                              | 9-2         |
|                   | TRADES Implementation Milestones....                            | 9-2         |
|                   | TRADOC Test Data.....                                           | 9-2         |
| X                 | RECOMMENDATIONS.....                                            | 10-1        |
|                   | General.....                                                    | 10-1        |
|                   | RAM Data Requirement.....                                       | 10-1        |
|                   | TRADES Development.....                                         | 10-1        |
|                   | TRADES Development Process.....                                 | 10-2        |
|                   | External TRADES System Development..                            | 10-2        |
|                   | Internal TRADES System Design.....                              | 10-3        |
|                   | TRADES Implementation Milestones....                            | 10-3        |
|                   | TRADOC Test Data.....                                           | 10-4        |
| <u>APPENDICES</u> |                                                                 |             |
| A                 | LIST OF REFERENCES.....                                         | A-1         |
|                   | LSAR.....                                                       | A-1         |
|                   | TECOM.....                                                      | A-1         |
|                   | CTDCS.....                                                      | A-1         |
|                   | COMRAM.....                                                     | A-1         |
|                   | TAERS/TAMMS.....                                                | A-1         |
|                   | SDC.....                                                        | A-2         |
|                   | SAMS.....                                                       | A-2         |
|                   | General Information.....                                        | A-2         |
| B                 | AGENCIES/PERSONNEL CONSULTED DURING<br>THE STP DEVELOPMENT..... | B-1         |
| C                 | DEFENSE LOGISTICS AGENCY LETTER.....                            | C-1         |
|                   | GLOSSARY.....                                                   | G-1         |

# LIST OF TABLES

| <u>TABLE NO.</u> | <u>TITLE</u>                                                        | <u>PAGE</u> |
|------------------|---------------------------------------------------------------------|-------------|
| 2-1              | Principal Life Cycle Phase Data Sources.                            | 2-3         |
| 3-1              | TRADES Module Files - Size Forecast.....                            | 3-13        |
| 3-2              | Source Identification Entry.....                                    | 3-14        |
| 3-3              | Source Identification Module File<br>Sizing.....                    | 3-14        |
| 3-4              | Quick Response Entry... ..                                          | 3-15        |
| 3-5              | Quick Response Module File Sizing.....                              | 3-15        |
| 3-6              | Key Data Sources.....                                               | 3-24        |
| 5-1              | Frequency of Data Requirements.....                                 | 5-9         |
| 5-2              | Estimated Frequency and Volume of<br>TRADES Reports.....            | 5-11        |
| 5-3              | Combat Development Systems Materiel<br>Logistic Responsibility..... | 5-15        |
| 5-4              | Workload Computation.....                                           | 5-16        |
| 6-1              | Hardware Requirements by Location.....                              | 6-1         |
| 6-2              | Hardware Overview.....                                              | 6-2         |
| 8-1              | User Personnel Requirements.....                                    | 8-3         |
| 8-2              | Total TRADES TRADOC Personnel<br>Requirements.....                  | 8-4         |

# LIST OF ILLUSTRATIONS

| <u>FIGURE NO.</u> | <u>TITLE</u>                                                            | <u>PAGE</u> |
|-------------------|-------------------------------------------------------------------------|-------------|
| 2-1               | TRADES Life Cycle Overview.....                                         | 2-6         |
| 3-1               | Generalized Concept of TRADES.....                                      | 3-1         |
| 3-2               | Future PFDB System Structure for<br>Software.....                       | 3-7         |
| 3-3               | TRADES System Concept Modules. ....                                     | 3-9         |
| 3-4               | TRADES Alternative Concept of Operation<br>(ACO) Using PFDB System..... | 3-18        |
| 3-5               | TRADES Request Flow.....                                                | 3-20        |
| 3-6               | TRADES Management Functions.....                                        | 3-23        |
|                   | Internal Operating Concept, Acquisition,<br>Verification and Storage    |             |
| 4-1               | - Source Identification Module.....                                     | 4-3         |
| 4-2               | - Quick Response Module.....                                            | 4-4         |
| 4-3               | - Interface Module.....                                                 | 4-5         |
| 4-4               | - Statistical/Analytical Module.....                                    | 4-6         |
| 4-5               | Procedure for Backup of TRADES<br>System by DPFO.....                   | 4-8         |
| 5-1               | TRADES System Participants.....                                         | 5-1         |
| 5-2               | Secondary Methods of TRADES Inquiry....                                 | 5-2         |
| 5-3               | Inquiry for RAM Data Sources.....                                       | 5-5         |
| 5-4               | Quick Response Inquiry.....                                             | 5-7         |
| 5-5               | Statistical/Analytical Module.....                                      | 5-7         |
| 5-6               | Inquiry for Access to Automated<br>Source Data Base.....                | 5-8         |
| 7-1               | General Software Structural Approach...                                 | 7-2         |

## CHAPTER I

### INTRODUCTION

#### SYSTEM TITLE

This study is entitled the "TRADOC RAM Data Evaluation System (TRADES) (ACN 51235): Phase II." References made to the acronym "TRADES" throughout this report will refer to the TRADOC RAM Data Evaluation System and not to the present study.

#### SUBJECT OF THIS REPORT

This specific report is called the "System Technical Paper (STP)," and accomplishes the fourth task in the TRADES concept development study being performed by the American Power Jet Company (APJ) for the U.S. Army Logistics Center. The three previous reports respectively covered the topics of the Study Work Plan (SWP), the System Requirements Description (SRD), and the Alternative Concepts of Operation (ACO). This STP report will be followed by the Final Study Report (FSR) which will include all of the previous reports. A more detailed description of each task is provided in the SWP.

#### BACKGROUND

The need for TRADES has evolved due to the ever-increasing complexity of weapons systems and the need for the combat developer to establish standards to ensure that these expensive systems will work when fielded. Realistic RAM parameters and thresholds must be prescribed which are based on user needs for system effectiveness and logistics supportability in view of system design, state-of-the-art technology, and performance achieved by fielded equipment. Great care must be taken in establishing RAM requirements because of their significant effect on development and operating and support costs, and on equipment readiness.

TRADES is envisioned as an information system which would provide the TRADOC combat developer with responsive near real-time automated reliability, availability, and maintainability (RAM) information. This would include engineering, test, and field data, and is designed to provide the capability to support requirements determination and test analyses for materiel under development. A complete summary of TRADES and its background is included in the SRD.

## PHASES

The TRADES study effort has three phases: Phase I established the requirement for a TRADES system; Phase II (the current phase) in essence portrays the concept for an operational TRADES; Phase III, if approved, will address the implementation of TRADES as an operating system for the TRADOC community. It should also be noted that although the system is being developed for TRADOC, other potential users in the Army have been identified.

## PURPOSE OF THE STP

The purpose of the STP is to develop and document a data system for the alternative concept of operation using the Planning Factors Data Base (PFDB). The PFDB ACO was selected from among five alternative courses of action, and is used as the framework on which to base the TRADES concept. Whereas the ACO report provided sufficient information for comparative judgments, the STP focuses on the selected system and expands on its operation, characteristics, features, required resources, and the next steps for implementation of TRADES. This paper will include the overall concept of operation, internal and external operating characteristics, hardware and software requirements, and personnel implications as prescribed by the SOW and further guidance from the SAG.

## SCOPE AND SUMMARY OF CHAPTERS

The PFDB ACO was conceptually developed and briefed to the SAG on 24-25 August 1981. This report, therefore, describes in greater detail the relevant features and resources required for the TRADES system.

Chapter I (Introduction) provides the background to TRADES and to this report.

Chapter II (Methodology) describes the methodology used in the preparation of the STP. It includes a description of the methods used to access data, process and analyze information, and to record the results of these investigations. References, agencies and individuals consulted are also listed.

Chapter III (Concept of Operation) provides an overview of the TRADES concept of operation using the PFDB alternative. The concept also treats the

specific objectives of the system and describes the type and volume of the data base contents. Formats of reports, sources of information, storage requirements, and interfaces between users, data sources, and automated systems are detailed. It is noted that the SOW originally entitled this chapter as the Concept of Automation. However, the SAG provided the guidance that the broader concept of operation should be included in this chapter with the details of automation covered in subsequent chapters.

Chapter IV (Internal Operating Characteristics) describes the appropriate techniques for data retrieval, processing, and dissemination in narrative form. Flow charts are provided which form a basis for functional understanding of the system, and are sufficiently detailed to permit definition and design. This chapter also describes procedures for acquiring, verifying, and storing data. (Definition, design, and programming activities for TRADES will occur in the later life cycle stages of TRADES).

Chapter V (External Operating Procedures) provides a detailed description of the procedures by which the user can obtain the required products from TRADES. It provides an estimate of the frequency and volume of data requirements for each prospective user. This chapter also discusses the TRADES organization required to acquire data, maintain the system, and service the users.

Chapter VI (Hardware Requirements) reviews the hardware characteristics of the PFDB alternative and details the requirements and modifications necessary to incorporate TRADES. Attention is given to peripheral equipment, remote terminals, access/storage devices, output equipment, and communications equipment needs.

Chapter VII (Software Requirements) addresses the Data Base Management System (DBMS) and describes each of the four modules which perform the TRADES functions. Consideration is given to the expected computer capabilities, requirements for TRADES, and realistic expectations for state-of-the-art improvement in software development.

Chapter VIII (Personnel Requirements) provides a functional identification of the personnel required to operate and maintain the TRADES system. This includes a description of actions at user level as well as for data sources, functional proponents, and ADP proponent.

Chapter IX (Conclusions) provides a summary of the study, stressing TRADES implications and subject issues, hardware, software, and personnel requirements. Benefits and problem areas are emphasized and the potential increased productivity of the user is weighed against technical risks involved in the development of TRADES.

Chapter X (Recommendations) specifies further actions needed to implement TRADES. These include comment on inoperative data accumulations and prototyping activities to support the parallel development of TRADES under the provisions of AR 18-1.

Certain flow diagrams and descriptions previously presented in the aforementioned reports are used directly in this report to maintain continuity and avoid the need for excessive cross referencing.

## CHAPTER II

### METHODOLOGY

#### PURPOSE

This chapter contains methodological notes and explains the procedures used for the preparation of the STP. This portion of the task of TRADES concept development is best characterized as the emerging concept of TRADES.

As originally conceived, the STP was to be a recapitulation of the ACO selected for the development of TRADES. The process identifies the needs of the user and sources of information from the SRD, and applies them to the ACO selected for TRADES. The actual developmental process of TRADES has proven to be a dynamic one, with processes and procedures of the TRADES concept interactively modified during each task and SAG review session.

#### PROCESS

The evaluation process entails observation and analysis of existing procedures, and the conversion of those processes to a more efficient compatible method using automation.

TRADES, however, initiates a new process and involves basic investigation of several systems not yet fully in being or fully standardized. Therefore, the analyst is in fact planning a concept with the requirement that all systems with which TRADES will interface will in fact be able to provide the desired information and implies the development of essential interfaces.

#### FUNCTIONAL DESCRIPTION

Understanding this point has mandated the review of the concept of operation of TRADES at each major step; in the development process, it is continuously updated as the finer grain of TRADES is refined in each development phase. As will be noted in the Recommendation Chapter, the development of a Functional Description (FD), as required by DoD Standard 7935.1-5, Automated Data Systems Documentation Standards, should be initiated as early as possible. The FD is defined in the DoD Standard as follows:

"An FD (Functional Description) is normally prepared for any system requiring a basis for mutual understanding between the Development Group and the User Group of a proposed ADS. It reflects the definition of the system requirements and provides the ultimate users with a clear statement of the operational capability to be developed. If the scope of the FD is changed at any point, the FD should be updated and receive user concurrence."

"The FD is a tool for use by both computer and noncomputer personnel and should be written as much as possible in noncomputer-oriented language, since many elements of the document will be subject to review by staff personnel who do not necessarily have a computer background."

The FD then is essentially a living document that reflects the concept of operations and forms a basis of understanding between the user and the personnel designing the TRADES system.

## ANALYSIS

### Source Information

One of the conclusions of the SRD was the plethora of source information. In fact, this varied complexity of data is precisely a major reason for the need for TRADES, which facilitates the ability of TRADOC RAM engineers to obtain RAM performance data for the combat development process.

To form a baseline for development of TRADES for full implementation in 1985, it was necessary to focus on the major source systems which are planned for operations in that period of time (Table 2-1). The TRADES system will be built around these primary systems with the other sources of data interfacing on an "as required" basis.

TABLE 2-1. PRINCIPAL LIFE CYCLE PHASE DATA SOURCES

| DEMONSTRATION<br>AND<br>VALIDATION            | FULL SCALE<br>ENGINEERING<br>DEVELOPMENT | PRODUCTION<br>AND<br>DEPLOYMENT            |
|-----------------------------------------------|------------------------------------------|--------------------------------------------|
| Logistics Support Analysis<br>Report (LSAR)   | LSAR                                     | Standard Army Maintenance<br>System (SAMS) |
| Common RAM System (COMRAM)                    | COMRAM                                   | Sample Data Collection<br>(SDC)            |
| Common Test Data Collection<br>System (CTDCS) | CTDCS                                    |                                            |
| TRADOC System*                                | TRADOC System*                           |                                            |
| Defense Technical Info.<br>System (DTIC)      | DTIC                                     |                                            |

\* Hard copy and local automated data developed by TRADOC test boards

### User Orientation

One of the principal lessons learned from the SAG guidance is the need for TRADES to be focused on the user's needs; i.e., the TRADOC schools and centers. To determine the marginal cost difference among the ACOs, a constant requirement was assumed at the schools and TRADOC System Managers (TSMs) and therefore did not feature the TRADES total system costs. The STP places the focus on the TRADES user resource requirements derived from input by the SAG members and reflects the entire system resource requirements.

Also, the question of distributed versus centralized processing was further analyzed. It should be reemphasized that the central features of TRADES places the updating responsibilities on one organization, with control of selected input by proponents. This concept permits users to utilize computers available at their home station (rather than just basic terminals) to process RAM information as desired by that activity. The "sunk cost" feature of using the centralized in-being computers is an essential element of the TRADES concept.

## Hardware Assumptions

In order to ensure a high level of confidence in the envisioned mini-computer capabilities and requirements estimates, actual equipment assumptions were made. These are detailed at appropriate places in the STP. These representations are made to facilitate comparisons and analysis, and are not to be construed as a statement of need for any particular make and model of automatic data processing (ADP) equipment. The computers currently located at the (DPFO) in Fort Leavenworth, Kansas, and Operations Analysis Directorate (OAD) at Fort Lee, Virginia, are assumed for the STP purposes only and will not restrict changes which may be made by the Army in the follow-on phases. System design at this stage is not dependent on any particular type of computer and is constrained only by size and capability limitations.

The primary advantages of the centralized system must be considered and evaluated in contrast to a totally decentralized system. While the TRADES system recognizes and acknowledges micro-computer capabilities at user level, this is recommended as an enhancement and follow-on after the initial use of currently existing and available equipment.

The most important aspect retained, however, is centralized programming of the overall TRADES system to achieve a uniformity of available data and procedures for consistent application and comprehension of results.

The primary advantages of a totally decentralized TRADES are the avoidance of any potential queueing problem and the ability to operate on an individual initiative basis. The disadvantages include potential unique development of information, lack of uniformity and discipline, and a de facto need for personnel to operate and manage the system with no economy of scale.

Our conclusion is that the partially distributed concept of TRADES permits local expansion where the talents and requirements make this a logical development. However, the bulk of the TRADES users are not anticipated to have the requirement for this capability, which will be available in the centralized TRADES system.

## TRADES Life Cycle Overview

Although TRADES will not likely require DA level approval (developmental costs are anticipated to be less than \$3M), AR 18-1 functions as an umbrella over all Army automation management. Therefore, the provisions of this regulation must be recognized, and recommendations for TRADES are within the parameters of this regulation.

In accordance with AR 18-1 and TB 18-100, TRADES life cycle is comprised of five major phases in relationship to the management milestones. (See Figure 2-1).

TRADES is being developed at a time when Automated Data Systems (ADS) developmental procedures are changing. Because of this, TRADES concept actions do not parallel those actions now required for the development cycle of ADS. However, current regulations are flexible enough to permit modifications of standards to the size and requirements of whatever system is being developed. It seems that it would be good judgment to re-align the TRADES development cycle on the milestone and phases currently being used. Para. 1-8, b, (7) (d) of TS 18-100, Army Automation, 15 Dec 80, requires initial functional requirements using documentation in TB 18-111. In addressing documentation requirements, Para. 2-5 a of TB 18-111, Army Automation Technical Documentation, Jan 1979, states that DOD Standard 7935.1-5 is to be followed using the Functional Description. It is imperative that the functional description be initiated, as discussed in Chapter II of the STP.

### Other Actions

Actions should be taken to bring the development of TRADES into line with the requirements of these regulations. These actions are detailed in Chapter X (Recommendations).

### Phase II

As shown in Figure 2-1, Phase I (Feasibility Study) has been completed. TRADES is now in concept development with the present effort developing the final concept (corresponding to Milestone I), with the description presented in the STP.

o AR 18-1 (ARMY AUTOMATION MANAGEMENT) STAGES:

| PHASE    | FEASIBILITY<br>I         | CONCEPT<br>DEVELOPMENT<br>II                         | DEFINITION/<br>DESIGN<br>III                                           | SYSTEM<br>DEVELOPMENT<br>IV  | DEPLOYMENT<br>OPERATION<br>V                      | MATURE SYSTEM                              |
|----------|--------------------------|------------------------------------------------------|------------------------------------------------------------------------|------------------------------|---------------------------------------------------|--------------------------------------------|
| Function | Determination<br>of Need | ACO<br>Evaluation<br>--<br>Functional<br>Description | Information<br>Organiz'n.<br>--<br>System<br>Design<br>--<br>Prototype | Program<br>--<br>Debug<br>-- | Initial Use<br>--<br>Full Scale<br>Implementation | Update<br>--<br>Modifications<br>--<br>PIP |
| Status   | Completed                | In Progress                                          | NEXT STEPS                                                             |                              |                                                   | △                                          |

o TRADES :

|             |   |                           |
|-------------|---|---------------------------|
| PROTOTYPING | △ | Manual/Initial Automation |
| AUTOMATION  |   | System Programming        |

1982

1985+

Note: Prototyping gains 3 to 4 years

Figure 2-1. TRADES Life Cycle Overview

### Phase III

The next phase of the work program will concern the definition and design of the accepted TRADES system prior to Milestone II. A major initial effort in Phase III will be the organization of the data base, and development of the appropriate taxonomy to facilitate RAM data searches and provide for efficient and effective categorization of the data base. The organization of the data base and development of the taxonomy will provide major inputs to the actual design of the system to complete Phase III.

An inherent characteristic required of TRADES is that it be capable of being prototyped and permit its evolution in the direction of maximum customer service. This infers that RAM data is not a "once and for all" requirement set by current RAM requirements documents or users, or indeed by the present users' view of what they need. These, to the contrary, are only starting points.

This prototyping in Phase III could address a single data source as an initiation point for debugging the system, and then progress into full-scale implementation of total RAM data sources in Phase IV.

### Phase IV

Phase IV consists of the TRADES system development, with the major effort in programming and debugging the system prior to Milestone III.

### Training

Once TRADES is operational, it must respond to changes and needs of the user community, as well as to increasing availability of RAM data at any point in its life cycle. The team must determine weak spots in the source data and use the TRADES system to secure action in areas of maximum return. This implies a highly competent TRADES management team, comprised of human beings using the computer as only one of their tools in meeting their missions and functions.

## CHARACTERIZATION OF TRADES

It must be emphasized that TRADES is not primarily a data base, but a system to facilitate the extraction and manipulation of data from other data systems. Information derived from calculations as well as reports, once extracted, are included within TRADES to facilitate rapid future access.

## IMPLEMENTATION

The STP represents the best estimate of these synergistic processes and their effects on the concept of operation. The result is a system which we believe represents a flexible and viable concept for TRADES.

The PFDB interrelationship with TRADES will facilitate the accomplishment of TRADES development, and provide for the systematic operation of the system. The nature of the PFDB concept is further explained and documented in the Concept of Operation. Since the PFDB implementation is proceeding on schedule, TRADES may readily be incorporated as an acceptable portion of the PFDB with no problems foreseen at this time.

## SYSTEM DESCRIPTION

TRADES is a partially distributed data processing system that uses a mini-computer located at the U.S. Army Logistics Center and a backup mainframe computer at the TRADOC DPFO. Remote access interactive terminals and micro-computers are located at TRADOC materiel combat development activities. TRADES will be centrally managed and will provide interactive access to automated sources of RAM data as well as internal information and data manipulation capabilities on an as-required basis. The overall concept of TRADES is shown in Figure 3-1.




Figure 3-1. Generalized Concept of TRADES

## PURPOSE OF TRADES

The purpose of TRADES is to support the TRADOC combat developers in their RAM responsibilities. These specific responsibilities are assigned by the Department of the Army in draft DA Reg. 702-3 as follows:

1. Establish and maintain controls to insure effective coordination of RAM program functions and compliance with AR 702-3.
2. Determine, in coordination with the materiel developer, realistic RAM requirements consistent with system operational and support concepts, current technology, Army doctrine, organization and force structure, and the Cost and Operational Effectiveness Analysis (COEA).

Monitor materiel development and assess how well the system has met RAM requirements as demonstrated during development test (DT) and operational test (OT).

4. Establish liaison with materiel developers to assist with exchange of RAM data needed to develop requirements for emerging systems.
5. Maintain a central activity for the proper statement and justification of RAM characteristics in materiel requirements documents.
6. Develop and keep abreast of current progress in RAM methodology as applied to combat developments.
7. Conduct OT on assigned items of materiel to assess RAM and provide RAM OT portion of coordinated test program (CTP).
8. Review requests for RAM waivers for non-developmental items and recommend approval to DCSRDA, when appropriate.
9. Provide RAM training for combat developers. TRADES will facilitate RAM training by providing materials which can be used by the developers of the RAM Course.

## GENERAL OBJECTIVES OF TRADES

These functions imply responsibilities in the entire life cycle process, including development, procurement, operations and support. The following are general objectives of TRADES:

1. Support the preparation of requirement documents, such as Letters of Agreement (LOA), Required Operational Capability (ROC), Letter Requirement (LR), and Training Device Letter Requirements (TDLR).
2. Assist monitorship of development and acquisition actions.
3. Support RAM related activities for test planning, test reports and participation in test review and analysis actions.
4. Assist in preparation for decision briefings such as the In Process Reviews (IPRs), Defense System Acquisition Review Council (DSARCs), and Army System and Review Council (ASARCs).
5. Monitor performance of fielded items of equipment.

## SPECIAL OBJECTIVES OF TRADES

The special objective of TRADES is to provide a system that TRADOC and its materiel proponents can use to:

1. Serve as an interface system between RAM source data and RAM data users, facilitating the exchange of information between these communities.
2. Locate and identify the source of RAM data based on TRADOC user requirements.
3. Collect, analyze, and validate RAM data provided from data sources.
4. Satisfy user requirements within realistic availability of information provided by RAM data sources.

5. Retrieve, process and disseminate RAM data using units of measure compatible with TRADOC proponent requirements.

#### AUTOMATION FUNCTIONS

As derived from the SRD investigation, source data is located in both hard copy and automated data bases. There is a large diversity of RAM data ranging from both current and historical information found throughout the life cycle process from engineering and design documents to field experience. Automated functions for the varieties of data is as follows:

1. Operates as a system, capable of being accessed for a nominal 11 hours a day.
2. Provides RAM information at the levels in the following areas: end items, major subsystems, selected components and support and test equipment.
3. Stores and manipulates selected RAM data across the entire life cycle such as the following: reduced field experience by user mission; DT, OT and special test reports; specifications, contract and requirements documents.
4. Performs statistical and analytical manipulation of data. This permits the user to analyze data on the computer rather than off-line or manually. However, it does not preclude the performance of these tasks at separate activities by micro-processors where that capability exists.
5. Establishes a "default value" for applicable RAM data elements of Army materiel. These default values are used to respond rapidly to user requirements or when a substantiated data base is not available.
6. Provides interactive access terminal to RAM engineers for rapid accessibility of data and sources.
7. Provides quick response and source identification capability for the following essential elements of information (EEIs):

- a. Mean Time Between Failures (MTBF)
- b. Mean Time Between Operational Mission Failures (MTBOMF)
- c. Mean Time Between Unscheduled Maintenance Actions (MTBUMA)
- d. Probability of Mission Success
- e. Operational Availability ( $A_0$ ) (including SRO)
- f. Utilization Rates
- g. Mean Time to Repair (MTTR)\*
- h. Maintenance Ratio (MR)\*
- i. Administrative and Logistic Downtime (ALDT)\*

In addition to these hardware measures of RAM, other available information may be stored by the proponent or user on an optional basis.

## RELATIONSHIP TO PFDB

### General

The objective of the PFDB System is to provide an efficient and accurate means of storing, processing and disseminating approved logistics planning factors and related data from a central source for use in joint/unilateral service planning, force development, logistics studies, and reference publications e.g., FM 101-10-1. These planning factors encompass all classes of supply, maintenance, transportation, services, and facilities.

The PFDB is a proposed system which is being developed by the Planning Factors Management Division (PFMD) of the OAD at the LOGC. The Detailed Functional System Requirements (DFSR) was completed in the fall of 1981, and PFDB is anticipated to be fully operational by January 1984. This system is described in more detail in Chapter V of the System Requirements Definition (SRD) report. The PFDB will interface with many organizations throughout the Army and with some organizations of other Services. The following organizations are

---

\*By level of maintenance.

candidates for direct output report dissemination through telecommunications: USAREUR, FORSCOM, all Army corps, CAA, MTMC, ADMINCEN, Aviation School, Quartermaster School, and the Transportation School.

The PFDB may be characterized as a partially distributed automated processing system since it is configured with a dedicated mini-computer (estimated to be the size of a VAX 11/780) linked to a mainframe (eg. DPFO's UNIVAC 1100) both accessible by a number of interactive as well as batch terminals. Central management and control of the planning factors system will be accomplished by the PFMD through the mini-computer.

The MTD File will be integrated into the Planning Factors Data Base System in both hardware and software.

The future PFDB system software will involve four major functions feeding the Planning Factors Data Base. These are collection, analysis/development, and validation and storage. Likewise, four essential functions are involved in providing credible output from the data base to users. These are retrieval, development/aggregation, validation and dissemination. A management function is required to assure effective and efficient operation of the other functions.

The PFDB functions lie in five general areas: data maintenance, user access, management information support, data base administration, and software maintenance.

Four of the five major software processes contributing to the production use of the PFDB (data maintenance, user access, management information, and data base administration) will have a module associated with the process. Each of these modules depends on a general data base management system.

Figure 3-2 maps the operations of the TRADES Alternative Concept of Operation (ACO) on those of the PFDB System.




Figure 3-2. Future PFDB System Structure for Software Organization

TRADES is supported by a centralized functional element and automated data processing element. Decentralized functional and ADP operations may also be performed at user locations.

#### External Organizational Interfaces

Interface between the TRADES office and the Planning Factors Management Division (PFMD) is essential for coordinated development of both the TRADES and PFDB System, i.e., software or hardware developments may be accomplished mutually, hence, more cost-effectively. Further, interface is required between the TRADES office, the LOGC Computing Center, and the TRADOC DPFO to ensure adequate customer service and computer (i.e., mini-computer, UNIVAC 1100, and telecommunications) support is maintained. This interface will also ensure that TRADES requirements in terms of job runs, interactive service, protocol, storage requirements, etc., are coordinated.

The other organizational interfaces will include the organizations (other LOGC Directorates, TRADOC Schools and Centers, TRADOC Boards, and DARCOM activities) that interact with the TRADES either as users or sources. It is important to note that some of these users and sources requiring interface with TRADES also require interface with PFDB.

The operational concept includes a feature which would provide direct access to the Defense Technical Documentation Center (DTIC) through the TRADES system. This feature is incorporated into the Source Identification process, and implemented through the Interface Module. TRADES will communicate (upon request by the user) through a communication network similar to Time Net. The user, in effect, is patched through the TRADES system, using Modem switching and automatic dialing software and hardware, and would communicate data requirements directly to the DTIC computer. The DTIC computer, a UNIVAC 1100/82, provides directory service to thousands of documents which are of potential importance to the RAM engineer; i.e., most OTEA and TECOM test reports.

#### TRADES OPERATING MODULES

The basic TRADES system concept includes five modules which are controlled by a master TRADES executive program. These modules (shown in Figure 3-3) include:

1. Source Identification
2. Interface
3. Quick Response
4. Statistical/Analytical
5. Management

Their description and data content are explained in succeeding paragraphs.




Figure 3-3. TRADES System Concept Modules

## Source Identification Module

This module is the basic vehicle by which RAM data users can query a central repository for all sources of appropriate RAM data. It contains a logical organization or taxonomy of all commodities of interest to RAM data users, to the end item, major system or subsystem levels. Selected components and support and test equipment may also be entered as required. This module provides the user with:

1. Agency and/or activity with appropriate RAM data holdings
2. Form of data (hard copy, automated unclassified and/or secure data bases)
3. Extent of holdings (years of information, number of test reports, total number of records, etc.)
4. Form of data (test reports, raw field data, reduced data, analysis results, etc.)
5. Environmental conditions (e.g., peacetime versus combat, geographical area, arctic versus tropical, desert versus cultivated areas, etc.)
6. Point of contact
7. If automated data base:
  - a. Accessibility through user terminal
  - b. Necessary passwords, machine interface, baud rate, etc.
  - c. Protocol and procedures for obtaining data.

In the event that an automated data source is identified in query, this module provides complete description of file layouts, EEIs in each field of data, together with necessary identification and definition of terminology to provide the user with information relative to user requirements which may be matched by the data base.

### Interface Module

This module contains the necessary protocol to communicate with the diverse computers which may contain RAM data bases within DA (or other military services, as required). Access to the interface module is indicated from the source identification module, depending on the specific user requirements and source identification. To the extent feasible, this module also contains adequate software to provide the user with a basic vehicle for extracting, analyzing, and formatting outputs from automated data sources.

### Quick Response Module

This module provides an immediately accessible value for each applicable EEI (and the conditions under which it was derived) for the system. These values represent the best technical estimate for the EEIs based on all available data for the system. The values contained in the Quick Response Module are updated by the TRADOC proponent agency upon the availability of more current/more accurate data as the system progresses through the life cycle.

### Statistical/Analytical Module

The purpose of the Statistical/Analytical Module is to facilitate the preparation of RAM statistics, perform tests of hypotheses, to determine whether the effect discerned is due to chance, whether there are trends, and to assess the stability of observations.

Computations and methodology which may be a part of TRADES are the following:

1. Analysis of variance
2. Analysis of covariance
3. Data Transformations
4. Distributions and Processes
  - a. Normal
  - b. Binomial
  - c. Gamma
  - d. Chi-Square
  - e. Weibull

- f. Log Normal
  - g. Exponential
  - h. Poisson.
- 5. Utility Routines
  - a. Matrix operations (e.g., inversion)
  - b. Plotting
- 6. Time Series Analysis
- 7. Descriptive Statistics (Curve-fitting, Central Tendency and Moments)
- 8. Regression (univariate and multivariate)
- 9. "Interactive" Data Analysis.
- 10. RAM RationaleAnnex Handbook Methodology

#### Management Module

This module provides the key tool for the TRADES users and managers to manage the TRADES system. Its primary functions are:

- 1. Provides a basis for updating and developing the other modules on a regular basis
- 2. Provides an audit trail of actual TRADES utilization, and
- 3. Provides the proponents with a method to record procedural notes for later access (i.e., provides an audit trail of RAM ground rules).

#### Estimated Volume

A total of 89 megabytes of on-line storage is estimated for the TRADES System (see Table 3-1). This is based on the following tables (3-2 to 3-5) and calculations, based on approximately 1,000 end items under development currently, and expansible to 10,000 lines of material with RAM significance. When TRADES is extended to all 10,000 possible RAM significant items, total file sizes may exceed cost-effective

on-line storage capacity of the computer system. At that time, consideration can be given to off-line storage of low priority item RAM records. Available tape drives can be used to "hang" the appropriate storage tape on-line when queries are received for the low priority records.

TABLE 3-1. TRADES MODULE FILES  
- SIZE FORECAST

| MODULE                             | FORECAST SIZE<br>(Bits) |
|------------------------------------|-------------------------|
| o Source Identification<br>Module  | 54.0                    |
| o Quick Response Module            | 30.5                    |
| o Interface Module                 | 2.5                     |
| o Management Module                | 1.0                     |
| o Statistical/Analytical<br>Module | > .5                    |
| TOTAL                              | 88.5                    |

TABLE 3-2. SOURCE IDENTIFICATION ENTRY

| ELEMENT                                         | AVERAGE<br>CHARACTERS/RECORD |
|-------------------------------------------------|------------------------------|
| Agency/Activity                                 | 240                          |
| Automated or Hard Copy Classification           | 10                           |
| Extent of Holdings<br>- Years, Reports, Records | 50                           |
| Form of Data                                    | 50                           |
| Environmental Conditions                        | 50                           |
| Key Words and EEIs Applicable                   | 500                          |
| Abstract                                        | 600                          |
| Accessibility for Automated Data Base           | 500                          |
| TOTAL                                           | 2,000                        |

TABLE 3-3. SOURCE IDENTIFICATION MODULE FILE SIZING

| MAIN<br>DATA AREA | # OF<br>ITEMS | AVERAGE<br># OF<br>REPORTS | TOTAL<br>REPORTS | # OF<br>CHARACTERS | MEGA-<br>BYTES |
|-------------------|---------------|----------------------------|------------------|--------------------|----------------|
| End Items         | 1,000         | 4                          | 4,000            | 2,000              | 8              |
| Subsystems        | 3,000         | 4                          | 12,000           | 1,000              | 12             |
| Components        | 15,000        | 2                          | 30,000           | 1,000              | 30             |
| Test & Spt.       | 1,000         | 2                          | 2,000            | 2,000              | 4              |
| TOTAL             | 20,000        |                            |                  |                    | 54             |

NOTE: For all references to sizing, one character is equal to one byte.

TABLE 3-4. QUICK RESPONSE ENTRY

| ELEMENT                                    | AVERAGE SIZE<br>(Characters) |
|--------------------------------------------|------------------------------|
| OMS/MP                                     | 200-2000                     |
| FD/SC                                      | 800-8000                     |
| Life Cycle Stage                           | 5                            |
| Distribution                               | 20                           |
| Total Incidents Experienced<br>(5 per EEI) | 40                           |
| Sample Size<br>(6 per EEI)                 | 48                           |
| Environment                                | 50                           |
| Time Breakdown                             | 48                           |
| TOTAL                                      | 1,200 - 10,211               |

TABLE 3-5. QUICK RESPONSE MODULE FILE SIZING

| MAIN<br>DATA AREA | ESTIMATED<br>QUANTITIES | CHARACTERS | MEGABYTES |
|-------------------|-------------------------|------------|-----------|
| End Items         | 1,000                   | 10,000     | 10.0      |
| Subsystems        | 3,000                   | 1,000      | 3.0       |
| Components        | 15,000                  | 1,000      | 15.0      |
| Test & Support    | 1,000                   | 2,500      | 2.5       |
| TOTAL             | 20,000                  |            | 30.5      |

## AUTOMATED RAM DATA REFERENCES

At present, a certain amount of RAM data is being stored in automated data systems. However, with the near implementation of CTDCS and the future consideration of SAMS, increasingly larger portions of RAM data will become available from these automated data systems. Accordingly, TRADES recognizes two potential conditions relative to automated source data bases:

1. RAM data resident on a large-scale computer system with interactive software capability, where a user can select certain data and be provided an analyzed output format.
2. An automated data base which is principally a repository of RAM information with little or no interactive software capability.

If condition 1. prevails, the TRADES interface module will structure specific requirements which can then be processed on a resident computer. The product would be an output report, either hard copy mailed or on-line printed through a high-speed printer, of a product directly usable by RAM engineers.

In condition 2. above, the overall TRADES computer system must have provision for data extraction programs and all of the associated software to process the information into usable form by application of the statistical/analytical module in the TRADES computer. In parallel with this is the requirement for the TRADES computer to extract the necessary elements of data from the resident data bank and store the information temporarily during the processing. The output would be a direct product of the user via the TRADES terminal, and peripheral high-speed printers.

A third alternative may be used when the user has a relatively large capacity computer available. Here, TRADES could make provision to extract relevant data fields from the resident RAM data base, and provide the data elements to the user's computer facility. Likewise, temporary storage of pertinent information for future use is possible. In such event, the end results must be entered into the historical module, if the system is not to "hemorrhage."

## CATEGORIZATION OF DATA FILES

### Storage Location

The data files will generally be in three locations:

The principal location of mass storage (shown in Figure 3-4) will be on the PFDB/TRADES mini-computer located in the LOGC Computing Center at Fort Lee, Virginia. Both on-line and off-line storage capabilities are recommended for prompt user response and archival storage respectively. Disk, tape, or card storage are adequate for TRADES based on the response time requirements established previously. However, interactive requirements will require disk operations and requisite CPU memory capacity. (The TRADES mini-computer should be capable of accommodating an optical disk for archival storage as it becomes available in the near future.) Storage will be sufficient for interactive use of up to 40 users and Data Base Management System (DBMS) operations.

The second area for both on-line and off-line storage is at the TRADOC DPFO. The UNIVAC 1100 should have sufficient storage for the TRADES systems for both interactive and batch operations for up to 40 users (providing back-up and safety).

The third location for storage will be at the user terminal. It is anticipated that many users will have local storage capability. (Currently available micro-computers and terminals have reasonably low cost storage capability in the form of floppy disks or magnetic tape cartridges.) User unique programs, results, and local working RAM information is anticipated to be stored at this location.




Figure 3-4. TRADES Alternative Concept of Operation (ACO) Using PFDB System

### Source

The contents of the data base will come from a wide variety of sources. Information for the Quick Response Module will be entered by the proponent activity, from engineering, test and field data. This data may be either entered directly utilizing routine management update procedures, or captured upon completion of a statistical manipulation of raw data provided by external data sources.

A detailed listing of data sources is provided in Chapter IV of the SRD. The data sources are in a wide diversity of substance and format, and with the exception of the high use common systems, are frequently filed in locations off-line. The Source Identification Module catalogs these data sources, along with known information (both automated and hard-copy), and makes their availability known to users as required. The information for these purposes will be provided by data sources on a regular basis, upon a periodic review and request for information by the TRADES management office. Additionally, DTIC information will be available on-line using through-put procedures through TRADES.

### Mode of Access

The mode of access to the TRADES system will be manual and through interactive terminals and batch processing.

### Manual Mode

For those users who do not have terminals (estimated to be about 50% in SRD), solicitation for RAM data and analysis products will be made by mail or telephone calls to the TRADES office until all users have access to (or are provided with) a terminal. The additional staff recommended previously will be sufficient to handle the initial load (growth in number of users in the future may necessitate additional personnel).




Figure 3-5. TRADES Request Flow

### Interactive Terminal Operations Mode

Those users with computer terminal equipment can access TRADES directly on the PFDB-TRADES mini-computer located in the LOGC Computing Center or UNIVAC 1100/82 time sharing mainframe at DPFO, Fort Leavenworth via normal telephone lines (phone numbers will be assigned by DPFO and the LOGC Computing Center to appropriate computer access ports).

Normal "log in" procedures to access the mini-computer or the mainframe will be used to interact with TRADES.

For users who have computer terminals and secure link capability, access is gained with procedures similar to those described above for unclassified users.

### Batch Operations Mode

Batch runs will be made principally through the TRADES office. However, it is anticipated that both the Planning Factors Management Division and LOGC Computing Center at Fort Lee will be able to accommodate "batch" requests from users for TRADES inputs or outputs. Users with or without terminals may use this capability.

### End Products Description

#### Format:

Two types of end products will be available through TRADES. The first will be formatted in a form suitable for interactive queries. For example, where an interactive query is "M60A1 Tank reports in OT I?" the output may be:

"M60A1 Tank Reports = OTEA REPORT OT I"

The other type of end product will be the fixed report. In special cases where information is required by users on a routine basis, it is more practical to produce a formatted report or table of values rather than a few data points per query.

For example, for a query, "Print OTEA Test Report on M60A1 OT I," the predetermined and formatted output would be in report or tabular form with a number of essential data being displayed.

### Interface between Users/Data Sources/Automated Systems

The principal interface between users and data sources or other automated systems containing RAM information is through the TRADES "Interface" Module.

TRADES will become the primary interface mode between the users of TRADES, primarily TRADOC, and the sources of RAM information, primarily DARCOM. The TRADES system will create a free exchange of information and facilitate the ability of the user to rapidly locate and acquire RAM data.

This effort will be done primarily in the following manner. Known data sources will be categorized and placed in a logical order for use in the Source Identification Module. This logical order or taxonomy, should be based on the TM 38-750 breakout of equipment. Wherever possible, subsystems and components will be identified and ordered in such a manner to provide for cross-referencing similar components or subsystems between end items. This taxonomy will be provided to all users for access during inquiry procedures.

Information catalogued by DTIC will be available on-line through TRADES.

TRADES will provide the user query with information on the location of source data (See Figure 3-5). The user then proceeds with obtaining the data, either interactively if from another automated source, by off-line follow-up for hard copy requirements, and/or by information stored in the Quick Response Module.




Figure 3-6. TRADES Management Functions

Upon obtaining data required and performing desired statistical manipulations, the user may then temporarily store selected information in TRADES using shorthand notes or off-line storage. If the user is the proponent for a given report, that information may be stored in the Quick Response file for access by other users. (See Figure 3-6).

The TRADES office will conduct periodic updates and surveys of data sources to ensure that all relevant data sources are identified and acknowledged for entry into the Quick Response file.

Table 3-6 addresses the most frequent automated sources of RAM data expected to be used and made available.

Of particular significance to a thorough understanding of system operations are Chapters IV, V, and VII, which detail the internal operating characteristics, the external operating characteristics, and the TRADES software requirements.

TABLE 3-6. KEY DATA SOURCES\*

| <u>Y-WIDE RAM SOURCES</u> | <u>COMMODITY ORIENTED SOURCES</u> |
|---------------------------|-----------------------------------|
| LSAR                      | RAM/LOG                           |
| TECOM                     | TAIDB                             |
| CTDCS                     | VEIMIS                            |
| DRS                       | SATCOM                            |
| TELIS                     | NUCWEF                            |
| COMA                      |                                   |
| TAERS/TAMMS               |                                   |
| SDC                       |                                   |
| SAMS                      |                                   |
| MTD                       |                                   |

\*Reference APJ Report 892-2, "TRADOC RAM Data Evaluation System (TRADES) (ACN 51235) - System Requirements Description" for descriptions and definitions

## INTERNAL OPERATING CHARACTERISTICS

## GENERAL

The purpose of this chapter is to provide a clear, detailed description of the internal operations of the proposed system. The chapter will describe techniques for data retrieval, data processing, and data dissemination. This chapter also contains flowcharts which form a basis for functional understanding of the system, but are not detailed enough to permit software programming. This chapter also describes procedures for acquiring, verifying and storing data. (Definition, design, and programming activities for TRADES will occur in the later life cycle stages of TRADES). In addition to this chapter, a thorough review of Chapter VII, Software Requirements, is highly recommended for a complete understanding of the internal operations of TRADES.

## TRADES DATA ACQUISITION VERIFICATION AND STORAGE

TRADES acquires, verifies and stores information for five principal reasons:

1. To identify sources of RAM data (Source Identification Module).
2. To identify RAM values for end items, subsystems, components and test and support equipment (Quick Response Module).
3. To access information stored in other data banks (Interface Module).
4. To facilitate data manipulation and computation by the RAM Engineer (Analytical/Statistical Module).
5. To provide management information for the storage and utilization for TRADES management as well as the individual RAM engineer computations for historical purposes (Management Module).

Each of these TRADES acquisition processes (modules) are described in turn:

### Source Identification Module

Information for source identification is acquired primarily by off-line processes, and then entered into the TRADES system by the TRADES Management Branch on an interactive or batch input process. This update of information can occur either on an "as available" basis or during periodic management update routines. Data sources should be fully identified in accordance with the file content specified in Chapter 3 of the STP. The data system will permit change at any time. However, the record of this change, addition or deletion to the Source Identification Module will likewise be recorded in the History Section of the Management Module, and permanently filed using off-line storage when retired and archivized (See Figure 4-1).

Verification procedures are dependent upon the TRADES Management Branch to review sources and reduce appropriate references to the Source Identification Module format. Proponents would have a significant responsibility in the review of sources identified for their area of interest, and recommendations to add or delete references accordingly.

Internal verification procedures are limited to entry formatting and standard techniques for edit routines based on expected alpha or numeric entries.

Storage of sources identified for potential use will be in the active TRADES system, probably on-line disc storage, with changes to the file placed in the on-line Management Module, and eventually retrieved after periodic update routines have been completed.

### Quick Response Module

The rapid identification of RAM values for all levels of RAM data is updated in several ways. The proponent, upon performing a calculation or obtaining results from a test, will enter this information into the system on the same basis as described above, (either "as required and developed" or during periodic management update routines). This may be done interactively by the proponent user, or by providing the information by card, tape or manual means to the TRADES Management




Figure 4-1. Internal Operating Concept, Acquisition, Verification and Storage  
- Source Identification Module

Branch, for input by the TRADES data processing center (See Figure 4-2).

Selected values which have not been provided by the proponent will be calculated based on standard factors using available RAM data from similar systems. These values, identified as "baseline" values, would be replaced as life cycle information becomes available for specific systems.

Verification of data for the Quick Response Module will be a function of both accuracy of analytical techniques and analysis of the raw data itself. For data already processed and provided in a final value (e.g., from a test report), verification would be based on the skill of the RAM engineer, if parametric checks appear to indicate questionable values. For raw data, a variety of statistical processes are available to validate data, and appropriately identify outliers, or out-of-sequence entries to determine appropriateness to the calculations.




Figure 4-2. Internal Operating Concept, Acquisition, Verification and Storage  
- Quick Response Module

Storage of these values are in the Quick Response Module, which is in on-line disk storage. The record of change would, however, be filed in the historical section of the Management Module and subsequently retired on off-line tape storage.

#### Interface Module

Data information for accessing automated information systems on an interactive basis will be stored on the Interface Module of the TRADES system. Initial coordination with the common sources of RAM data will be necessary to program the Interface Module for automated interface with data sources. It will be necessary for the TRADES Management Branch to remain cognizant of all access procedures changes provided by the host data source. This will be done on an automatic basis by being on the customer list for the host automated system, or other method of monitoring updating procedures specified by that host system.

A common method of updating will be to respond whenever the standard interface module fails to achieve interactivity. In this event, the TRADES Senior Programmer in PFMD must coordinate

directly with the source data system, and make necessary programming changes or adjustments to insure that system transfer of information is achieved. (See Figure 4-3.)




Figure 4-3. Internal Operating Concept, Acquisition, Verification and Storage - Interface Module

Standard verification procedures such as checks and length of fields will provide the TRADES programmer with information relative to the validity of the information transfer, and thus the validity of the interface program itself.

The interface procedures will be stored on-line as the Interface Module and will be changed in response to the Senior Programmer. Historical files are not required for storing these changes permanently.

## Statistical/Analytical Module

The method of acquiring information from other data banks for use in TRADES is variable, and depends on the relative capabilities of TRADES and the host system. The typical method will first require off-line coordination between the proponent and the TRADES Management Branch. After coordination of data requirements with the data sources, appropriate entry into the source data system will be made by the TRADES system through communication devices. Where this is done on a routine and recurring basis, a series of interfacing software programs will already be available and will provide for rapid entry on an interactive basis as indicated above. However, data may also be provided by a source using tape or cards as available.

Information acquired from these data sources and through the Interface Module will be placed into Central Processing Unit (CPU) memory for necessary manipulation or storage actions as required. (See Figure 4-4). Verification of data received from these sources is subject to the same procedures as described previously. Additionally, "credibility checks" for gross outliers may, of course, be automated.




Figure 4-4. Internal Operating Concept, Acquisition, Verification and Storage  
- Statistical/Analytical Module

The various routines in this module are applied to information in the CPU as necessary. The functions of analysis remain on-line in disk storage as the Statistical/Analytical Module. Additional analytical procedures may be added as required to this module through the TRADES Management Branch.

Computations made by RAM engineers will be stored in total, or summarized as shorthand notes for retrieval as necessary in the management module.

### Management Module

Management information and data are acquired through the automatic monitoring and recording of computer activity that occurs within the TRADES system. The normal process is done on a routine basis, which includes identifying and recording the user, module used, and total CPU time. Other data included at the proponent's option will be entered upon command using interactive entry or batch process by the proponent (or TRADES Management Branch) on an "as determined" or periodic management update process. Storage of data is a distinct function of the Management Module, and has been illustrated in Figures 4-1 through 4-4. Essential information acquired is thus a highly significant tool for management of the TRADES system by the TRADES Management Branch.

## DATA RETRIEVAL, PROCESSING AND DISSEMINATION

### Data Retrieval

A vital function of TRADES is to rapidly retrieve data from within the TRADES system, or from other systems on an automated basis. The discussion above dealt with data retrieved from other data banks. This discussion is limited to retrieval methods for data already available within TRADES.

TRADES is accessible to the user either through the PFMD mini-computers or direct to the computer at DPFO. The procedure for this would direct the user to use primarily the mini-computer at the LOGC in the first instance. In the event that processing is not possible due to saturation of the computers at the LOGC, the user will be directed to access DPFO.

Updating of files between the PFMD and DPFO computers will be performed automatically on a daily basis or whenever the computer is reinitialized after a period of downtime (See Figure 4-5.)




Figure 4-5. Procedure for Backup of  
TRADES System by DPFO

## Processing

Processing data performance is identical at both PFMD and DPFO. The software will be written to ensure that TRADES is usable on both (or any large capacity computer), to ensure the portability of the system and provide necessary safety and back-up.

## Dissemination Techniques

Reports and information are provided in a number of different ways. Specific data element responses are provided interactively at the CRT and the side-by-side line printer if desired, or by magnetic tape or card output. More voluminous responses would be provided through high speed line printers available at all TRADOC installations.

Reports may also be mailed to users who do not have computing capability. The TRADES Management Branch will serve as the initial point of contact for this service and any other customer requirements relating to the dissemination of information.

## SUMMARY

This chapter, in conjunction with Chapter VII, Software Requirements, provides the essential internal operating characteristics of TRADES.

## EXTERNAL OPERATING CHARACTERISTICS

## ELEMENTS

The primary external activities of the TRADES system may be categorized into four categories, each with a portion of the responsibility for the operation of the TRADES system. These elements are all contributors to the TRADES system when viewed in its larger sense and are categorized as: Users, TRADES functional element, TRADES data processing element, and data sources, as shown in Figure 5-1.




Figure 5-1. TRADES System Participants

## PARTICIPANT DEFINITIONS

User

A user is an activity, normally located in TRADOC, whose responsibilities include the determination of RAM characteristics for the combat development process, as specified in AR 702-3 (with TRADOC supplement) and other related combat development materiel responsibilities. Anticipated users are listed in Appendix D to the SRD.

TRADES Management Branch

This activity provides TRADES system management, methodological and analysis support, and source and user functional area customer assistance.

TRADES Data Processing Element

This function incorporates the responsibility for programming changes, special ADP manipulation, as required by TRADES users and the TRADES functional elements to include management and use of the interface module for extraction of unique data requirements from data sources.

## External Data Sources

Activities such as the Material Readiness Support Activity (MRSA), or the Operational Test & Evaluation Agency (OTEA), among many others, provide RAM related information to TRADES. Examples of information systems which provide this data for fielded, design and test environments are SAMS, LSAR, and COMRAM. Sources of data and their activities are listed in Table 3-3 of the SRD and portray the common relationships between users and sources. Data sources are described in detail in Chapter IV of the SRD.

## FUNCTIONAL USERS RESPONSIBILITIES

It is envisioned that TRADES users in TRADOC will have both a "use" function and a "control" function. User activities are staffed with RAM functional personnel and are located in TRADOC integrating centers, schools, test boards, and in the RAM/ILS Division of the Materiel Systems Directorate, U.S. Army Logistics Center. Personnel in the RAM offices of the TRADOC schools, centers, boards, and TSMs support TRADES in areas for which they are the proponents. These responsibilities are:

1. Update of the Quick Response Module files for values for which they are the proponent.
2. Customer Service and Assistance, for support primarily to activities within these locations or span of responsibilities.
3. RAM Analysis, for requirements documents and fielded developmental items within the RAM engineer's mission.

Additional personnel must be authorized in some cases for this system and are described in Chapter VI of the STP. In all cases, it is imperative that user personnel be trained and familiar with the capabilities of the TRADES system. The system is designed to be "user friendly", but does presuppose some familiarity with RAM terms and procedures.

## User Procedures

When a requirement for RAM data is identified, the user queries the Source Identification Module in terms of a specific EEI for an end item, subsystem, component, or support and test equipment. This can be further delineated by geographical conditions, local environments, and type of data, e.g., DT, CT, or field.

This inquiry may be performed by direct interactive terminal capability to the TRADES system. Secondary methods of telephone inquiry or mail are also authorized (See Figure 5-2).

The information inquiry is received by the TRADES system, and a response prepared by the computer in accordance with the requested information. If the response is handled on an interactive basis, which assumes the user has an inquiry device such as a terminal, there will be an immediate response, depending upon queueing at the TRADES computer. A series of interactive queries with the computer will narrow down the sources for appropriate RAM information. Further, the user may be "patched through" the TRADES system and placed on line with the Defense Technical Documentation Center (DTIC) computer. Queries and responses, using the DTIC key words will then be begun and choices narrowed down accordingly.

Based on the responses received and the selection process of the RAM Engineer, requests for hard copy information may be performed off-line, RAM information requested and received from the TRADES Quick Response Module, or a request made for information from an automated data source. These steps are graphically shown in Figure 5-3. If no data sources are identified, the user may proceed off-line with a request for assistance by the TRADES Management Branch.

If information is available for hard copy sources, the types of information provided by TRADES will be:

1. Title, Date, Issuing Activity
2. Location
3. Abstract




Figure 5-2. Secondary Methods of TRADES Inquiry




Figure 5-3. Inquiry for RAM Data Sources

4. POC/Name/Telephone No.
5. Address
6. Instructions to obtain document.

The user will proceed with ordering the document through TRADES when a DTIC source is indicated, or offline when another source is indicated. When the hard copy document is obtained, the user will review the document and extract relevant RAM data. If deemed appropriate, the user (designated proponent only) may also enter selected document data into the Quick Response module which would then make this information available on a recurring basis to other TRADES system users.

The Source Identification Module may also yield intelligence that data is available in the Quick Response module as well as external automated systems, such as COMRAM. When information is available in the Quick Response Module, this may be provided either interactively on the terminal or off-line printer, or may be requested and mailed to the user if terminal capabilities do not exist. Figure 5-4 indicates the flow of information from a quick response inquiry.

Data from external automated sources may be received either in raw or reduced fashion. Depending on the desires of the RAM engineer, this data may be further manipulated through "what if" exercises on the TRADES computer, and data further interpreted by the Statistical/Analytical Module. This procedure is illustrated in Figures 5-5 and 5-6.

#### User Update Responsibilities

Values derived through manipulation of data, or received from sources such as tests, may be stored in the Quick Response Module by the proponent. This data, with identifying/modifying characteristics, will then be available for comparative information to other users of TRADES. These files will be updated on a regular as well as "as required" basis.

Regular update routines will be initiated by the TRADES Management Branch based on the management function inherent with that responsibility.




Figure 5-4. Quick Response Inquiry




Figure 5-5. Statistical/Analytical Module




Figure 5-6. Inquiry for Access to Automated Source Data Base

## FREQUENCY OF DATA REQUIREMENTS

Based on the investigation performed during the SRD phase of the TRADES concept study, estimates for the frequency of RAM data inquiries from the TRADES system were determined. Table 5-1 is provided with appropriate explanation:

TABLE 5-1. FREQUENCY OF DATA REQUIREMENTS

| TYPE<br>ACTIVITY               | AVERAGE<br>ANNUAL USE<br>PER ACTIVITY | TOTAL NO.<br>ACTIVITIES | PROJECTED TOTAL ANNUAL USE |               |
|--------------------------------|---------------------------------------|-------------------------|----------------------------|---------------|
|                                |                                       |                         | CALCULATED                 | ROUNDED VALUE |
| TRADOC Bds.                    | 45.0                                  | 9                       | 405.0                      | 400           |
| TRADOC<br>Centers &<br>Schools | 68.8                                  | 23                      | 1582.4                     | 1600          |
| TRADOC<br>System<br>Managers   | 43.3                                  | 216*<br>581*            | 9352.8<br>6972.0           | 9400<br>7000  |
| Other<br>TRADOC<br>Activ.      | 94.6                                  | 12                      | 1135.2                     | 1100          |
| Selected<br>DA Activ.          | 58.5                                  | -                       | **                         | -             |
| TOTAL TRADOC                   | -                                     | -                       | -                          | 19500         |

\* See SRD for underlying assumptions/Frequency of TRADOC RAM Data Requirements.

\*\* Not assessed

The calculation indicates an average of 19,500 TRADOC requirements per year, exclusive of other DA activities who are expected to be frequent users of TRADES. This averages 375 inquiries per week or 75 per work day. If the estimated use from activities outside of TRADOC is as high as anticipated, the average work load could range to between 20,000 and 40,000 actions per year; or between 80 and 160 per day.

Values in Table 5-1 may be high, but are used to adequately size the system. The value of 160 requests per day are estimated to be an outside limit.

The nature of the requests are in support of the types of requirements listed below. These are arranged in descending frequency of order use.

1. Evaluation of established RAM requirements.
2. Test Evaluation.
3. Development of RAM requirements for new system.
4. Test planning/design.
5. COEA.
6. Analysis of fielded equipment.
7. Maintenance manpower and logistics analysis (MMLA).
8. Evaluation of contractor RAM forecasts.
9. Simulations.
10. Ad hoc requirements.
11. Special studies.
12. Technology, state-of-the-art projections.
13. Special task force efforts.
14. Other.

#### VOLUME OF DATA REQUIREMENTS

The volume of data requirements is estimated for the system based on the chart shown in Table 5-2. These data are representative of the volume of data flow based on anticipated actions by proponents and the relative size of the data base files.

TABLE 5-2. ESTIMATED FREQUENCY AND VOLUME  
OF TRADES REPORTS

| REPORT                          | FREQUENCY<br>PER DAY | AVERAGE<br>VOLUME<br>(CHARACTERS)* | TOTAL<br>VOLUME<br>(CHARACTERS) |
|---------------------------------|----------------------|------------------------------------|---------------------------------|
| Source Data Inquiries           | 40                   | 6,000                              | 240,000                         |
| Data Extraction<br>and Analysis | 2                    | 58,000                             | 116,000                         |
| Quick Response Inquiries        | 35                   | 1,200                              | 42,000                          |
| Quick Response Updates          | 2                    | 1,200                              | 2,400                           |
| Mgmt. Update Report             | 1                    | 30,000                             | 30,000                          |
| TOTAL                           |                      |                                    | 430,400                         |

\*Rounded

Values in Table 5-2 were determined based on estimates derived from the expected data element sizes. The volume of use was derived in the SRD, Page 3-34, and estimated utilization of the capabilities of TRADES by TRADOC RAM engineers. Source identification data and quick response inquiries were based on an average estimate of 75 uses per day. This totals approximately 19,500 requests per year, or 375 requests per week. Although these values may be high, they are used to adequately size the system.

Data Extraction and Analysis reports are based on the typical results of test data, estimating a test report to be 14 pages, 60 lines per page, with 70 characters per line. The Quick Response file is available for results of these manipulations on an as required basis, estimated to be once for each analysis performed.

The Management Update Report represents the necessary management actions to review files for necessary update and deletion of entries from both the Quick Response Module and the Source Identification Module.

## TRADES MANAGEMENT BRANCH

The TRADES Management Branch should be a responsibility of the U.S. Army Logistics Center. This recommendation tracks with the responsibility for the LOGC to be the central agency within TRADOC for the guidance and review of RAM related functions.

TRADES functions will reside in two directorates with the LOGC. The responsibilities are divided into a functional element and a data processing support element.

The functional element will be called the TRADES Management Branch. It would be assigned to the RAM/ ILS Division of the Materiel Systems Directorate.

Functions and responsibility of the TRADES Management Branch were introduced in the ACO (Page 2-18), and are further amplified here.

### TRADES System Management

This entails the responsibilities which relate to the establishment of the strategy for directing the system, relative emphasis, and development of "where TRADES must go" to be of maximum service. Such management necessarily includes assessment of cost/benefit of all aspects of operations. All management responsibilities for a major data system will reside with this branch. Responsibilities include planning, forecasting resource requirements, insuring that the performance requirements of TRADES are being achieved, and taking necessary adjustment actions to ensure that TRADES is properly managed. Priorities and workloading must be given to the data processing element. TRADES continuing development and enhancement efforts are also a responsibility of this branch.

### Methodological and Analysis Support

This function relates to being able to make the maximum legitimate and proper inference from the data and to develop the techniques necessary for this purpose. Further responsibilities are to assist the respective users and effect a proper standardization among the methods of the prospective users. This activity will address RAM analysis techniques and the application of these techniques.

## Source and User Service

This area concerns source and user services, to ensure the linkage of desired information with the appropriate source. This function will entail the identification of new sources of RAM information, search in response to inquiries not satisfied by TRADES, and the necessary support when results are unsatisfactory from the automated system.

## DATA PROCESSING ELEMENT

The data processing element will function as part of the Planning Factors Management Division of the Operations Analysis Directorate, U.S. Army Logistics Center. The responsibilities inherent within this directorate, for TRADES support, are primarily for programming changes and developing procedures for meeting special requirements generated by users or the TRADES Management Branch. This element also ensures that the automated interfaces with major data bases are kept current and arranges automated interface with other systems as required. It is also responsible for ensuring that the TRADES system is operating on a daily basis.

Another function identified in the data processing area must be considered. These functions include computer management, computer purchasing, services, maintenance contracts, disposal of unneeded equipment, utilization reporting, economic analysis, and ADP budgeting. These functions are performed currently by the OAD of the LOGC.

## EXTERNAL SOURCES

These activities are fully described in Chapter IV of the SRD. These sources are an essential ingredient of TRADES and run the gamut from automated data systems to hard copy test results. Automated systems provide information on interactive or batch method to TRADES, as required. It is not anticipated that TRADES will be automatically updated by any of these systems on a recurring basis, but will function by extracting data from sources on an "as required" basis. Results of these data extractions and manipulations will subsequently be stored in the TRADES computer and readily available for further use.

## VOLUME OF DATA REQUIREMENTS-USERS

The volume of data requirements is difficult to assess, since the very existence of TRADES will increase the amount, as well as the validity of the flow of RAM information. The chart shown in Table 5-3 reflects the current number of developmental systems which are the responsibility of TRADOC. These activities are related to the TRADOC schools with an average system complexity factor for the typical system developed in that commodity area. This complexity factor was subjectively derived and represents an estimate of system complexity and subsystems/components related to the typical item. (See Table 5-4). This computation provides a yield of the relative flow of data to and from each school, as follows:

| ACTIVITY                            | DAILY VOLUME<br>(CHARACTERS) |
|-------------------------------------|------------------------------|
| Ordnance School                     | 51648                        |
| Transportation Center & School      | 30128                        |
| Missile & Munitions Center & School | 34432                        |
| Quartermaster School                | 4304                         |
| Combined Arms Center                | 4304                         |
| Field Artillery Center & School     | 43040                        |
| Infantry Center & School            | 30128                        |
| Armor Center & School               | 17216                        |
| Air Defense School                  | 25824                        |
| Signal School                       | 60256                        |
| Engineer Center & School            | 38736                        |
| Intelligence Center & School        | 21520                        |
| Chemical Center & School            | 8608                         |
| Aviation Center & School            | 60256                        |
| Military Police School              | Min.                         |
| Institute of Military Assistance    | Min.                         |
| Logistics Center*                   | Min.                         |
| Total                               | 430400                       |

This data is representative of the automated traffic flow which is expected in the TRADES system and is based on a percentage of the activity flow portrayed in Table 5-1.

\* Includes only those items for which the LOGC is the proponent.

TABLE 5-3. COMBAT DEVELOPMENT SYSTEMS MATERIEL  
LOGISTIC RESPONSIBILITY

| TRADOC<br>ACTIVITY  | LOGISTICS RESPONSIBILITY |         |           |                            |
|---------------------|--------------------------|---------|-----------|----------------------------|
|                     | SYSTEM<br>PROPONENCY     | PRIMARY | SECONDARY | NO. OF<br>SYSTEMS<br>TOTAL |
| Ordnance School     | 16                       | 125     | 27        | 168                        |
| Transp. School      | 82                       | 81      | 12        | 175                        |
| Missile & Munitions | 9                        | 96      |           | 105                        |
| Quartermaster       | 33                       | 68      | 1         | 102                        |
| Combat Arms Center  | 9                        |         |           | 9                          |
| A. Nuclear Agency   | 1                        |         |           | 1                          |
| Field Artillery     | 75                       | 7       |           | 82                         |
| Infantry School     | 71                       |         | 1         | 72                         |
| Armor School        | 34                       |         |           | 34                         |
| Air Defense         | 29                       | 2       |           | 31                         |
| Signal School       | 107                      | 297     | 15        | 419                        |
| Engineer School     | 110                      | 101     | 4         | 215                        |
| Intelligence        | 62                       | 9       |           | 71                         |
| Chemical            | 55                       | 41      | 3         | 99                         |
| Aviation            | 105                      | 2       | 6         | 113                        |
| Military Police     | 12                       |         | 1         | 13                         |
| IMA                 | 16                       |         | 1         | 17                         |
| LOG Center          | 12                       |         |           | 12                         |
| Alaska              | 1                        |         |           | 1                          |
| ASD-TRADOC          | 1                        |         |           | 1                          |
| ATSC                | 1                        |         |           | 1                          |
| Admin. Center       | 1                        |         |           | 1                          |
| TOTALS              | 842                      | 829     | 71        | 1742                       |

TABLE 5-4. WORKLOAD COMPUTATION

| TRADOC<br>ACTIVITY | WEIGHTED<br>SYSTEMS<br>WORKLOAD* | COMPLEXITY<br>FACTOR <u>a/</u> | COMPLEXITY<br>TOTALS <u>b/</u> | PERCENT<br>WORKLOAD <u>c/</u> |
|--------------------|----------------------------------|--------------------------------|--------------------------------|-------------------------------|
| OCS                | 184                              | 12                             | 2208                           | 12                            |
| TSCH               | 257                              | 5                              | 1258                           | 7                             |
| MMCS               | 114                              | 14                             | 1596                           | 8                             |
| QMS                | 135                              | 2                              | 274                            | 1                             |
| CAL                | 18                               | 14                             | 252                            | 1                             |
| ANA                | -                                | -                              | -                              | -                             |
| FAS                | 157                              | 12                             | 1884                           | 10                            |
| INS                | 143                              | 9                              | 1287                           | 7                             |
| ARMC               | 68                               | 12                             | 816                            | 4                             |
| ADS                | 60                               | 19                             | 1140                           | 6                             |
| SIGS               | 526                              | 5                              | 2630                           | 14                            |
| ENS                | 325                              | 5                              | 1625                           | 9                             |
| INTS               | 133                              | 15(7)                          | 931                            | 5                             |
| CHEMS              | 154                              | 2                              | 308                            | 2                             |
| AVNS               | 218                              | 12                             | 2616                           | 14                            |
| MPS                | 25                               | 2                              | 50                             | -                             |
| IMA                | 33                               | 2                              | 66                             | -                             |
| LOGC               | 24                               | 2                              | 48                             | -                             |
| AKA                | -                                | -                              | -                              | -                             |
| ASD                | -                                | -                              | -                              | -                             |
| ATSC               | -                                | -                              | -                              | -                             |
| SSC                | -                                | -                              | -                              | -                             |
| TOTAL              |                                  |                                | 18989 <u>d/</u>                | 100                           |

\*Relative system workload based on unit weight for logistics responsible systems and 2 x factor for proponent systems.

a/ Subject complexity factors assumed for this study

b/ Product of Columns 2 and 3.

c/ Percent distribution of complexity totals - Col. 4 (assumed relative workload).

d/ Unique staffing through QAC process reduces estimated RAM workload.

## CHAPTER VI

## HARDWARE REQUIREMENTS

## ANTICIPATED HARDWARE REQUIREMENTS

The equipment portrayed in this chapter represents the basic requirements for TRADES. Most of the Automatic Data Processing Equipment (ADPE) is already available as in the case of DPFO, or is scheduled for purchase, as is the case with PFMD. Those requirements are shown by location in Tables 6-1 and 6-2.

TABLE 6-1. HARDWARE REQUIREMENTS BY LOCATION

|                                             | TRADES<br>MGMT. BR. | USERS | PFMD | DPFO |
|---------------------------------------------|---------------------|-------|------|------|
| Mainframe Computer                          |                     |       |      | *    |
| Mini-Computer                               |                     |       | *    |      |
| Line Printers                               | *                   | *     | *    | *    |
| Card Reader                                 |                     |       | *    |      |
| Tape Drives                                 |                     |       | *    | *    |
| Disk Drives                                 |                     |       | *    | *    |
| Micro-Computers or<br>Interactive Terminals | *                   | *     | *    |      |
| Security Equipment                          |                     |       | *    | *    |
| Dedicated Lines                             | *                   |       | *    | *    |
| Multiplexers                                |                     |       | *    | *    |
| Modems                                      | *                   | *     | *    |      |
| Plotter                                     | *                   |       |      |      |
| Graphic Terminals                           |                     |       | *    |      |
| Automatic Dialer                            |                     |       | *    |      |

\* REQUIRED

TABLE 6-2. HARDWARE OVERVIEW

| HARDWARE                                | CONCEPT CHARACTERISTICS                                                                                                                                  |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mainframe                               | Time share with DPFO large mainframe computer with batch and interactive capability through terminals                                                    |
| Minicomputer                            | Utilizes a LOGC minicomputer with multiple terminals capability to handle processing and report dissemination. Estimated need of 2-4 MB of local memory  |
| Line Printer                            | Use high speed line (600 LPM) printer located at LOGC Computing Center and with each remote terminal                                                     |
| Card Reader                             | Use 50-200 CPM Card Reader located at LOGC Computing Center                                                                                              |
| Tape Drives                             | Use 9-Track tape drives located at LOGC Computing Center and DPFO                                                                                        |
| Disk Drives                             | Use DPFOs and LOGC disk drives and disks for support of TRADES. Minimum of 90 MB storage capability initially                                            |
| Microcomputers or Interactive Terminals | Use microcomputer and any interactive terminal with communications equipment for interactive operations                                                  |
| Security Equipment                      | Use in-place KG device for I/O transactions                                                                                                              |
| Communications Equipment                | Use a 4800 Baud dedicated line from the TRADES Office via the PFDB-TRADE minicomputer office to DPFO and other computer ports for interactive processing |
| Multiplexers                            | Asynchronous, minimum of eight (8) communications lines                                                                                                  |
| Modems                                  | Modems and cables as necessary for multiplexer requirement. Also needed with each terminal/minicomputer                                                  |
| Graphics Terminals                      | Graphics terminals and plotting equipment, preferably color systems, for requirements and performance charting                                           |

Located at Fort Leavenworth DPFO are time-sharing computer mainframes with extensive mass storage. At present, these consist of two UNIVAC 1100/82 systems; one for classified processing and one for unclassified processing. These systems are available on a time-share basis with batch or interactive capability through terminals. Both systems are currently operating and have sufficient capacity to handle TRADES on a back-up basis.

One mini-computer will be located at Fort Lee, VA. This mini-computer will be time-shared with the PFDB system. It will utilize multiple terminals to handle report dissemination on an interactive basis. The computer will have its own DBMS, batch terminal, public and private disk packs, a nine-track tape drive, and communications equipment, so that it can operate independently.

It should be noted that the actual equipment specifications for the PFDB will be developed in the 1982-1983 time frame, during its design/development phase. Similarly, the detailed hardware specification for TRADES will be developed in the design/development phase of TRADES.

The primary purpose of the automated data system (ADS) for TRADES is to execute the functions explained in the other portions of the STP. Essentially, the hardware must satisfy both the EEI requirements and the EEA specifications, using the internal and external operating procedures specified therein.

The following discussion of hardware requirements is provided with the intention of specifying to a greater degree, the required characteristics and capabilities of the hardware envisioned in the TRADES concept. It must be recognized that at this stage, estimates of requirements are partly based on assumptions of integration with hardware which will support the PFDB.

Descriptive requirements are in terms of processors, storage media, input and output devices, and communications equipment.

Primary hardware requirements are addressed by location; that is, PFMD, LOGC Computing Center, the TRADES Management Branch, and the typical users. DPFO requirements are not addressed in these terms, since the capabilities and capacities to meet TRADES requirements are essentially available, barring unforeseen growth of TRADES or other users of the DPFO.

#### EQUIPMENT CONSIDERATIONS

The equipment required for TRADES should be standard, commercially available data processing hardware. Equipment at the user locations should be capable of operation by non-ADP personnel. Because TRADES was designed to avoid special hardware requirements, delays for development of computer associated equipment to handle TRADES are not foreseen.

The TRADES system will operate using central processors, disk and tape storage media, remote output and input devices, and will utilize appropriate communication equipment for a partially distributed data system.

#### Power Requirement

Commercial power sources will be used to provide operating electricity. Since TRADES will operate in a CONUS-base environment, not under combat conditions, local generating power is not required. Back-up emergency battery power is required, however, to prevent loss of data and equipment malfunction due to unexpected power interruptions. Consideration will be given to equipment that is energy conservative.

#### Climatic Considerations

No unusual requirements are noted, due to the operating environment. The equipment, in general, must perform in a normal office building environment.

### Transportability

The terminals (CRT and keyboard), modem, and line printers at user locations should be lightweight, and be able to be carried by two personnel, to facilitate movement from one office to another. These devices shall not require extensive rewiring of buildings, and should be accommodated by a 120 volt power source and Autovon/Federal Telephone Service (FTS) telephone.

### Nuclear, Biological, Chemical (NBC) Survivability

No special standards are specified for this system since it is not anticipated to operate in an NBC environment, nor is it deemed essential during periods of attack on CONUS facilities.

### Personal Safety

The devices should be constructed and installed in such a manner as to preclude electrical and mechanical hazard to the operator, thus providing maximum safety.

## PROCESSORS

Central processing units are required at DPFO and the LOGC, Planning Factors Management Division. The central processor at the LOGC for PFMD is assumed to have the following capabilities, which will meet the TRADES requirements:

1. Sufficient processing capacity to process both Planning Factors inquiries and job-runs, as well as TRADES, on an interactive and time-share basis.
2. The computer must be capable of sustained operation for a minimum of eleven hours a day.
3. The Control Processing Unit (CPU) must be able to accept input transactions from a minimum of 40 remote sites (maximum of eight concurrently), and an average of 75 requests per day for TRADES.
4. The CPU must be able to manipulate data on an interactive/rapid response basis, and perform arithmetic-logic functions, as programmed.

5. The CPU must also have a floating point capability for higher mathematical functions. Additionally, a capability must exist to accept a commercial/governmental statistical software packages commonly available (typically, Fortran programs).
6. The CPU should have a minimum of 2-4 megabytes (MB) local memory for logical operations.
7. Likely system characteristics include a 32-bit virtual memory system, 16 32-bit general purpose registers, 32 interrupt priority levels, 12K bytes of writable diagnostic storage, 8K bytes write-through memory cache, console subsystem, intelligent micro-computer, main memory of 512K Bytes plus 1.5 MB add-on, synchronous back plane interconnect, 176 MB disk drive with controller, magnetic tape 800/1600 BPI 45 IPS-9 track, hard copy terminals, 8-channel communications multiplexer, hardware bootstrap load, battery back-up time-of-day clock with bootstrap load, standard operating system and text editor, graphic capability, and associated plotting equipment. It is stressed that this capability is shared with the PFDB.

#### STORAGE AREA

Computer on-line disk storage random access capabilities are required for all modules, except for the Management Module corporate history files, which may be placed on magnetic tape (or equivalent) for indefinite storage. The TRADES requirement for 80 megabytes must be accommodated with anticipated disk storage devices for PFDB. If necessary for later expansion (which could conceivably be of the order of 900 megabytes), dedicated drives and disks may be needed. Although the terms "disks and tapes" are used for explanatory purposes, consideration of greatly improved state-of-the-art devices will enhance the storage capabilities of the computers, and should be considered at that time.

It is anticipated that the selected computer system will have a virtual storage capability. This capability will enable programming to be performed without concern as to whether the program fits within the space provided for the primary storage. It

also uses all available storage space when executing jobs. This storage gives great flexibility for systems such as TRADES, which will be time-sharing with PFDB.

## INPUT DEVICES

The central computer must have the ability to receive input from a variety of input devices. The prime methods of inputting data include punched cards, magnetic disk (computer-to-computer), magnetic tape, interactive remote terminals, and remote micro-computer.

### Punched Card Reader

A punched card reader is assumed to be part of the PFMD. No remote user will require this capability. This reader should have a minimum capability of reading data into the computer at a speed of 300 cards per minute.

### Disk Packs

Disk packs are read by the computer. The normal peak transfer rate and access time used in commercial devices is adequate for the TRADES system. (A representative manufacturer today uses 806 KB peak transfer rate and 38.3 ms average access time.)

Also, computer-to-computer transfer of data capability is required (to include both hard and floppy disks) which could be disk-to-disk, disk-to-tape, tape-to-tape, or tape-to-disk.

### Magnetic Tape

Magnetic tape is machine-readable, and is convenient for storing and mailing large amounts of data. An average tape of 2400 feet has the ability to store 14 megabytes of characters, and is relatively inexpensive. Therefore, the frequent use of tape is anticipated when obtaining data for analysis.

The PFDB system will have a magnetic tape drive, which has the capability referred to in the processor paragraph. It is anticipated that another tape drive will not be required for the exclusive use of TRADES. However, if response to the user is slow, TRADES should be prepared to augment with an additional drive.

### Micro-Computer

Micro-computers will be used in lieu of interactive remote terminals by the PFMD, the TRADES Management Branch, and selected TRADOC primary users. The micro-computers need to be equipped with modems, and the necessary communications equipment to enable the micro-computer to be used for direct input to the TRADES central processor. Capacities needed are dependent on the workload at those locations. The TRS-80 in the RAM/ILS Division and the anticipated micro-computer at PFMD are deemed adequate for those activities.

### Interactive Remote Terminal

This terminal will be located with the primary school/center users. These devices, consisting of a keyboard and CRT (and line printer) are used to access the PFMD and DPFO central computers. They cause the data to be manipulated and also enable the entry of selected data into the computer. Speed requirements for the terminal are 4,800 bits per second, considering that most transmissions will be performed over commercial lines; this transmission rate is subject to review during the design/development phase.

### OUTPUT DEVICES

Most of the input devices previously mentioned also serve as output devices. These include card punches, disk packs, magnetic tape, micro-computers, interactive remote terminals, and line printers.

### Card Punch

Card punch machines may be needed, and are available in the LOGC Computing Centers. Normal commercial standards apply.

### Disk Packs

Disk packs previously mentioned may be used as an output device. This use will be primarily for disk-to-disk operations. Capabilities previously described apply.

### Magnetic Tape

Magnetic tape is used as a common vehicle for transmitting data to and from computing facilities. Previously indicated standards apply.

### Micro-Computers

Micro-computers may be used as an output device. The micro-computer may use internal storage devices, such as internal memory or floppy disk devices. Many micro-computers have a relatively limited storage capability, and care should be taken to ensure that these limits are not exceeded.

### Interactive Remote Terminals

These terminals serve as the most common output device at user locations. The device will typically use a CRT or other display to provide information to the operator. Upon command, hard copy reports are provided to the user via an attached printer.

### Line Printers

This device will provide printed output at remote locations, TRADES Management Branch, and PFMD. The print capability should be 132 characters per page, multiple (4) copies required, if necessary, for each report.

### Graphics Terminal

Already anticipated to be part of the PFDB system, the graphics terminal is required for plotting of graphs, trend lines, mathematical functions, etc. This capability is required at the PFMD, and can serve all users. Plotting can also be done using the line printer at remote locations.

## COMMUNICATIONS

Communications equipment requirements are needed to tie the system together. At the central location, an additional 8-channel communications asynchronous multiplexer (up to 9600 Baud) will be required, along with necessary modems to accomplish this task. The primary function of this equipment is to enable multiple use of the computer

by several remote inquiries occurring simultaneously. It is estimated that no more than eight remote inquiries will occur at any one time. The computer should be expandable to a maximum of 48 lines, if needed, to accommodate growth of both TRADES and PFDB. Integration of TRADES with tactical communications network is not required.

Modems (and cables) will also be needed with each remote terminal and micro-computer, and for the asynchronous multiplexers. This function provides for connection of asynchronous interfaces or terminals having Electronics Industry Association interfaces.

#### Communications Lines

A dedicated line is required between the TRADES Management Branch terminal and the PFMD computer, and a dedicated multiplexed line between the LOGC computing Center and DPFO. All other communications lines can be served using Autovon/FTS, or standard commercial circuits.

#### SECURITY

Security equipment requirements will be accommodated by secure facilities presently located at TRADOC installations (KG-13 devices are in use for this purpose). The current amount of classified is relatively low; therefore, this approach is sufficient for the foreseeable future. TRADES terminal will not be required to handle classified materiel.

#### SUMMARY

The hardware selected for TRADES satisfies the Essential Elements of Analysis (EEA) required by the SRD. The availability of terminals to all RAM users provides ultimate accessibility to the TRADOC community. Flexibility is maximized with the provision of both interactive and batch processing capability. The large scale computers and communications equipment selected permit maximum integration

of TRADES with other systems. Growth potential is high due to the back-up capability of storage and CPU at the DPFO. Resource requirements are not significantly different than other systems considered, and maximize utilization of sunk costs of hardware, facilities, and personnel in being or programmed for acquisition by 1985. Implementation Time is reduced by this approach, since it is linked to the utilization of equipment presently available or programmed for acquisition. Security of data base is provided for by the use of secure lines and encipherment (as required) and scrambling techniques currently available.

## CHAPTER VII

### SOFTWARE REQUIREMENTS

#### GENERAL

The ensuing section will address the software requirements of TRADES in terms of the five functional modules which constitute the total system. These modules whose internal operating characteristics are described in detail in Chapter IV are the:

1. Source Identification Module,
2. Quick Response Module
3. Interface Module
4. Statistical/Analytical Module, and
5. Management Module.

The general software structural approach, which has been applied to the design of each of the modules, is shown in Figure 7-1.

The following describes the software and its functions. Command or data inputs by users or sources will be verified in a preprocessing function. Any errors detailed will be reported back to the user/source for corrective actions. These errors will be reported either in hard copy print-outs or visual display media. Verified commands will then be executed and data stored or manipulated through use of a DBMS or analysis routines.

Several DBMSs are available on the commercial market that are sufficient for the TRADES system. These are systems similar to System 2000, DMS, (both available at DPFO), TOTAL, IMS and a host of others. Since System 2000 is already available at DPFO, it is recommended for implementation with TRADES. With respect to the DBMS for the VAX 11/780 at PFMD, it is recommended that a more recently developed "Relational DBMS" be implemented.




Figure 7-1. General Software Structural Approach

Examples of "Relational DBMS" are INGRES (Relational Technology, Inc.), and ORACLE (Relational Software, Inc). The advantages of these relational systems are that they provide high level of query language capability, easier use, and greater flexibility in modification of data definitions.

Finally, data retrieved from the data base or analytical manipulation will be presented to the user as structured output from a report generator. Interface processing will also be provided where required. Both the report generation and interface capabilities will be contained in the Post Processor.

### User Prompting

User prompting is a technique which allows the computer to become user friendly. It involves an interactive conversation with the computer such that the user will be prompted or guided to respond to a logical and most useful response.

The two methods of prompting most frequently used are: (1) menu selection, where a list of items are presented and the user is asked to select one; and (2) a single question with logical choice displayed in a manner which allows the user to select it by a single key stroke or return function.

#### EXAMPLE:

Computer: Select a statistical/analytical package from the following list:

1. Multiple Regression
2. Multiple Stepwise Regression
3. Chi-Square Test
4. Student t-Test

Number Picked by User? 3

### Language Requirement

The language used to develop the TRADES system should be selected on the basis of it being able to run, as a minimum, on both the VAX 11/780 located at PFMD and the UNIVAC 1100 located at DPFO to avoid cost of software development for two or more systems. Further, the language should be interoperable with the DBMSs located on these DPFO and PFMD computers.

Lastly, most serious consideration should be given to using the same computer language for TRADES as that used for the PFDB. This will be beneficial in design, development, implementation and maintenance of TRADES in terms of cost and effectiveness of operations, i.e., it would be more difficult to develop and maintain systems having different languages at a single facility.

Selection of a higher order structured language should also be considered over FORTRAN or COBOL because of its advantages in post implementation support and ease of maintenance.

### Source Identification Module

Software developed for this module will provide the TRADES user with information of sources of RAM data and allow query by a taxonomy including commodity, end item, major system/subsystem, and selected components levels. The following describes the software required to accomplish this function:

1. Preprocessor. This software will verify query commands to the data base management system. Also, the software will prompt the user to enable more efficient query of data and more specific reports.
2. Main Processor. The software for the main processing of source identification data will be that of a DBMS. Access language to the DBMS will be that peculiar to the system acquired and implemented.
3. Post Processor. Software for the post processor will provide:
  - (1) Agency and/or activity with appropriate RAM data holdings.

- (2) Extent of holdings (years of information, number of test reports, total number of records, etc.)
- (3) Form of data (test reports, raw field data, reduced data, analysis results, etc.) at activities.
- (4) Environmental conditions (e.g., peacetime versus combat, geographical area, arctic versus tropical, desert versus cultivated areas, etc.)
- (5) Point of contact.
- (6) If automated data base:
  - a. Accessibility through user terminal.
  - b. Necessary passwords, machine interface, baud rate, etc.
  - c. Protocol and procedures for obtaining data.
  - d. Description of file layouts (essential elements of information (EEIs) in each field of data).
  - e. Necessary identification and definition of terminology to provide the user with information relative to user requirements which may be matched by the data base.

This software shall propose reports either in fixed format of summary data or on a query-by-query basis.

Additional software is required to trigger the "automatic dialer" equipment to access the Defense RDT&E On-Line System (DROLS) automatically through the TRADES system. This software will notify user if access is not available at the time and will allow user to terminate or continue query. (See Appendix C)

### Quick Response Module

This module provides an immediately accessible value for each applicable EEI (and the conditions under which it was derived) for the system. The values represent the best technical estimate for the EEIs based on all available data for the system. The values contained in the Quick Response Module are updated by the TRADOC proponent agency upon the availability of more current/more accurate data as the system progresses through the life cycle.

The following describes the specific software requirements for this module:

1. Preprocessor. Software will be required that will allow query commands to be verified and user prompting to allow efficient responses.
2. Main Processor. Similar to the Source Identification module, the software for the Quick Response Module will be that of a DBMS and access determined by the particular DBMS query language. The DBMS will be structured in accordance with the taxonomy from commodity through selected component levels with associated "acceptable values."
3. Post Processor. The software required will be a report writer capable of producing either fixed formatted summary or individual query-by-query reports.

### Interface Module

This module will contain the necessary information to communicate with the diverse computers having RAM data bases within DA (or other military services). Access to the Interface Module will be indicated by the Source Identification Module, depending on the specific user requirements and source identification. To the extent feasible, this module will contain software to provide the user with a basic vehicle for extracting, analyzing, and formatting outputs from automated data sources.

The following describes the software requirements for this module:

1. Preprocessor. Software will be required that will allow query commands to be verified and user prompting to allow efficient responses.
2. Main Processor. Since the automated data base will be identified by the Source Identification Module that was previously queried, query will be by the data base name or abbreviation (e.g. COMRAM, SAMS, TMIS, etc.). The main processor software requirement will be that of a simple sequential file with detailed information on each automated data base containing the appropriate RAM data.
3. Post Processor. The report generator will simply list the appropriate data base name or abbreviation and print all information required for access and usage.

Where an identified data base is designed for interactive processing, this software will allow automatic access through use of the "automatic dial up" equipment. Similar to access to the DTIC system, the software will be designed to notify the user of queues or busy ports to these data bases so that the user may leave job in queue for future processing.

#### Statistical/Analytical Module

The objective of the Statistical/Analytical Module is to facilitate RAM analysis, perform tests of hypotheses, determine whether the effect is due to chance, whether there are trends, and assess the stability of observations.

The software requirements to accomplish this objective are detailed as follows:

1. Preprocessor. Software in the preprocessor will provide for selection by the user of various statistical/analytical packages contained in this module. These will be presented by name of the particular statistical/analytical function along with a short abstract of the methodology or technique in a tabular format.

2. Main Processor. Once a particular package has been selected, the preprocessor software will provide the input data set up requirements for that package. Raw data files will be formatted to fit input data requirements for each package through a software section capable of tailoring the raw data for that particular statistical/analytical package.

The main processor will also contain all of the statistical/analytical packages. As an example:

- a. Analysis of variance
- b. Analysis of covariance
- c. Data Transformations
- d. Distributions and Processes
  - (1) Normal
  - (2) Binomial
  - (3) Gamma
  - (4) Chi Square
  - (5) Weibull
  - (6) Log Normal
  - (7) Exponential
  - (8) Poisson
- e. Utility Routines
  - (1) Matrix Operations
  - (2) Plotting
- f. Time Series Analysis (Arima)
- g. Descriptive Statistics
  - (1) Central Tendency and Moments
  - (2) Curve Fitting
- h. Regression (univariate and multivariate)
- i. USALC7C RAM Rationale Methodology.

Finally, this processor will allow execution of the statistical/analytical package with appropriately formatted raw data.

3. Post Processor. The post processor software will be capable of providing appropriate outputs resulting from runs made of the statistical/analytical package. Further, this processor will keep an audit of the methods used and resulting data in a summary file (History Section of the Management File) by time, date, and user such that the statistical process could be reconstructed at a later date.

#### Management Module

The function of the Management Module is to provide a means for the TRADES Management Branch and proponents to administratively manage the TRADES system. It achieves three basic purposes:

- (1) Provide management data for control and development of TRADES.
  - (2) Provide a historical file of TRADES utilization, guidelines, and changes in TRADES, and procedural notes.
  - (3) Provide for scheduling the updates of the other modules within TRADES on a regular basis.
1. Preprocessor. This software will provide capability to retrieve historical and summary data contained in a data base of the following information:
    - a. Additions, deletions, changes - Interface Module - software.
    - b. Additions, deletions to Quick Response
    - c. Additions, deletions, changes to references to Source Identification Module (to include EEIs).
    - d. Additions, changes, improvements to Statistical/Analytical Module.

- e. Inputs from proponents. The preprocessor will allow historical and summary review of changes to the Quick Response Module and allow user "short notes" to be filed under user name.
- 2. Main Processor. The software requirements here will be for a file of changes to each of the five modules described for the TRADES system for the purpose of auditing usage data. Also, file space will be established for "short notes" to be kept under a particular user name. The overall TRADES software will be structured such that the management module will be accessed for every action prior to entry into any of the other modules.
- 3. Post Processor. The software required will enable module usage and data update audit reports. Also, recommendations for updates to proponents will be automatically produced for particular data on a periodic basis. Software capable of printing user "short notes" by name, date, time and subject will be developed and implemented for analysis recreation capability. Finally, the post processor executes proponent inputs.

## CHAPTER VIII

### PERSONNEL REQUIREMENTS

#### GENERAL

The additional personnel required to operate TRADES are summarized in this chapter. These personnel estimates are based on comparisons with other systems, analysis of projected workload, and discussion with RAM engineers and data processing support personnel.

This discussion addresses the operation of TRADES to include TRADOC users, TRADES Management Branch, data processing element, and data source personnel. The assessment on data source personnel is not complete since analysis was not performed within these activities in depth. However, assumptions on workload are made which can assist data source management to identify impacts upon organization computer and functional personnel resources, as TRADES reaches the implementation stage.

#### USER REQUIREMENTS

Major consideration is given to the effect of TRADES on the principal system users. The big question is, what will be the workload effect of TRADES on the combat development activities in the TRADOC centers and schools. One conclusion reached by the APJ team during the investigation phase of the concept study, was that a large amount of the RAM engineer's time (up to 50% in some cases) was spent in locating sources and obtaining data. These two functions are addressed directly by TRADES, with the anticipated effect of freeing up at least a portion of the RAM engineers' time.

On the other hand, the users assume a monitoring and control role for a portion of the TRADES system.

The professional engineer will have more data available under TRADES, which may enable the performance of functions that were previously not performed, based on non-available information. In essence, the time saved by TRADES will provide the tools to enable the RAM engineer to do a better and more complete job.

Reference is made to the workload calculation prepared in Chapter V, Table 5-4. The assumption is made that each end item, subsystem, component, and test and support system would generate from one-half to one hour's activity by a RAM engineer using the TRADES system, per year. Also, assuming that there are 251 work days available in a typical year, and 68% of this available time is projected for direct labor; 1365 hours of direct labor will equate to one man year of effort. The results of this calculation are portrayed on the chart in Table 8-1, which yields a high and low range based on these estimates. The total requirement is for 7 to 14 personnel, based on either the high or low range estimate. Recommended staffing level is 9.

The quantity and skill level recommended for the combat development activities which require them are portrayed in Table 8-2. The education level should be a minimum of a bachelor's degree in engineering or in the physical or mathematical sciences. Experience/training with computers and computer systems is highly desirable.

#### TRADES MANAGEMENT BRANCH

1. TRADES System Manager - The proper management of the TRADES system will require a TRADES System Manager of appreciable management experience and engineering skills. Qualifications include a thorough understanding of TRADES, RAM methodologies, the TRADOC combat development system and its relationship to the Army, and the availability of appropriate source data flows. Probable educational background implies significant formal training in statistics/statistical methodology, in addition to engineering skills. Approximately six to ten years of government experience, system management of at least one automated system, or significant experience in the planning and operation of such systems.
2. Methodological and Analysis Support - Two Analysts/ Statisticians are required. These personnel are primarily concerned with RAM methodology and techniques. Required educational background includes a masters degree or better in mathematics/statistics, and preferably with a minor or equivalent in

TABLE 8-1. USER PERSONNEL REQUIREMENTS

| USERS  | HIGH | LOW  | RECOMMENDATIONS |
|--------|------|------|-----------------|
| OCS    | 1.6  | .8   | 1               |
| TSCH   | .9   | .45  | 1               |
| MMCS   | 1.2  | .6   | 1               |
| QMS    | .2   | .1   | 0               |
| CAC    | .2   | .1   | 0               |
| ANA    | -    | -    | 0               |
| FAS    | 1.4  | .7   | 1               |
| INS    | .9   | .45  | 1               |
| ARMC   | .6   | .3   | 0               |
| ADS    | .8   | .4   | 1               |
| SIGS   | 1.9  | .95  | 1               |
| ENS    | 1.2  | .6   | 1               |
| INTS   | .7   | .35  | 0               |
| CHEMS  | .2   | .1   | 0               |
| AVNS   | 1.9  | .95  | 1               |
| MPS    | -    | -    | 0               |
| IMA    | -    | -    | 0               |
| LOGC   | -    | -    | 0               |
| AKA    | -    | -    | 0               |
| ASD    | -    | -    | 0               |
| ATSC   | -    | -    | 0               |
| SSC    | -    | -    | 0               |
| TOTALS | 13.7 | 6.85 | 9               |

TABLE 8-2. TOTAL TRADES TRADOC PERSONNEL REQUIREMENTS

| USERS                                   | DESCRIPTION                        | QTY |
|-----------------------------------------|------------------------------------|-----|
| OCS                                     | General Engineer (RAM)             | 1   |
| TSCH                                    | General Engineer (RAM)             | 1   |
| MMCS                                    | General Engineer (RAM)             | 1   |
| FAS                                     | General Engineer (RAM)             | 1   |
| INS                                     | General Engineer (RAM)             | 1   |
| SIGS                                    | General Engineer (RAM)             | 1   |
| ENS                                     | General Engineer (RAM)             | 1   |
| AVNS                                    | General Engineer (RAM)             | 1   |
| ADS                                     | General Engineer (RAM)             | 1   |
| TRADES MANAGEMENT BRANCH                |                                    |     |
| LOGC                                    | Supervisory General Engineer (RAM) | 1   |
| LOGC                                    | Analysts/Statisticians             | 2   |
| LOGC                                    | Computer Specialist (Sys Anl)      | 1   |
| LOGC                                    | General Engineer (RAM)             | 1   |
| LOGC                                    | Clerk Typist                       | 1   |
| DATA PROCESSING ELEMENT                 |                                    |     |
| LOGC                                    | Senior Programmer                  | 1   |
| SOURCES                                 |                                    |     |
| No quantified estimates have been made. |                                    |     |
| TOTAL                                   |                                    | 16  |

physical sciences or engineering. Professional experience should include three to six years of system analysis involving inferences from data and an ability to handle computers.

3. Source and User Services - These positions require one General Engineer (RAM) and one with educational background of at least a bachelor's degree, and three years analysis experience.
4. Clerical support is provided by a single clerk, and should ideally be a "career progression" job. The work level may ultimately justify two personnel in this area.

These personnel, as described in Chapter V, would be assigned to the RAM/ILS Division of the Materiel Systems Directorate, LOGC.

#### DATA PROCESSING ELEMENT STAFFING

This element requires a senior programmer to serve as the point of contact in the Operations Analysis Directorate for TRADES. Programming changes and other special requirements would be a part of this function. Educational experience should include at least a bachelor's degree in computer science, with additional training in analysis. Three to five years experience in computer programming/systems analysis is considered essential.

Other support personnel in OAD are considered to be sunk costs, with computer services provided by the Computer Support Division.

#### DATA SOURCES

It is conceivable that the development and implementation of TRADES will place some additional workload on data sources; particularly in the developmental phases of TRADES. While these cannot be precisely estimated at this time, it is probable that the development of the Interface Module will require some detailed coordination of source computer support personnel with the TRADES system designers and programmers. Further, initial testing and loading of data will have some impact on functional personnel. However, subsequent experience in the use of TRADES should reduce the personnel impact

as proficiency is attained and interactive processes used to the maximum extent possible.

An additional function to be performed by the TRADES office will be the development of new data and provision of customer service. Analysts will assist in the validation of new or updated RAM data on a continuous and controlled basis before entry into the TRADES and provide customers (with or without terminals) with periodic reports of changes or modifications to TRADES in terms of data, hardware, software, management, procedures, and regulations.

#### PERSONNEL SELECTION

The skills and professional and educational backgrounds portrayed herein and in Chapter II of the ACO are an essential portion of TRADES. Careful selection of these personnel is imperative to the efficient operation of the system.

## CHAPTER IX

### CONCLUSIONS

#### GENERAL

This chapter presents conclusions relative to the system technical characteristics developed in this part of the study. Corresponding recommendations are given in Chapter X.

#### RAM DATA REQUIREMENT

The implications of accurate forecasting of RAM requirements is a significant driver in the Army's entire cost of doing business. (Careful structuring of reliability requirements has major implications for the mission effectiveness and life cycle cost of materiel.)

#### TRADES DEVELOPMENT

This STP has outlined a system that is technically feasible, economically viable, and clearly essential to take full advantage of the vastly improved RAM data sources currently under development by the Army. (The advent of SAMS and CTDCS, and technological advances in other areas supported by automated data systems, provide expanded data to the RAM engineer to monitor developmental and fielded systems, make valid comparison of reliability data on a life cycle basis, and establish requirements based on solid knowledge of current and past experience.)

#### TRADES DEVELOPMENT PROCESS

A series of management actions (set forth in Chapter X) must also be taken to ensure continuity of the TRADES development process.

## EXTERNAL TRADES SYSTEM DEVELOPMENT

The approved TRADES ACO takes maximum advantage of available LOGC personnel and equipment by development under the PFDB umbrella. It should ultimately be a basic module of the total PFDB capability.

## INTERNAL TRADES SYSTEM DESIGN

TRADES is designed to take maximum advantage of state-of-the-art DBMSs and languages. TRADES may minimize new software development to the extent possible by using PFDB common software and language. However, the use of high order languages should be investigated to reduce post-development software support and provide maximum ease of use of the capabilities of TRADES.

## TRADES IMPLEMENTATION MILESTONES

With the completion of concept development, there will be sufficient information and structure to proceed to system definition and design, system development and deployment.

## TRADOC TEST DATA

There is currently no common automated system within TRADOC to capture raw data from tests performed within TRADOC. There is a requirement that these test results be an integral part of TRADES and available on an interactive basis, particularly during the conduct of tests and to maintain an audit trail of past efforts.

## CHAPTER X

### RECOMMENDATIONS

#### GENERAL

This chapter presents recommendations based on the conclusions arrived at in Chapter IX and on the results presented in Parts III and IV. Specific recommendations are as follows:

#### RAM DATA REQUIREMENT

Continue the development of TRADES. There is conclusive evidence that the system is needed by the combat development community, with a high probability.

#### TRADES DEVELOPMENT

Initiate appropriate life cycle management actions to expedite system development in accordance with AR 18-1 and TB 18-100. These actions include:

- a. Appoint a Project Officer for TRADES
- b. Prepare a charter which contains the specific authority and responsibility of the PM for getting the system developed and deployed.
- c. Prepare a System Decision Paper (SDP) to formalize completion of the Concept Development Phase of the TRADES automation life cycle.
- d. Develop a Management Plan (MP) within 120 days of appointment of the PM.
- e. Designate the RAM/ILS Division of the U.S. Army Logistics Center as the Functional Proponent (FP) and Proponent Agent (PA) for TRADES for functional development of TRADES.
- f. Designate the Planning Factors Management Division of the Logistics Center as Assigned Responsible Agency (ARA) for technical development of TRADES. This includes responsibility for production of ADP software that automates the functional system.

## TRADES DEVELOPMENT PROCESS

Initiate management tasks necessary for the TRADES development process:

- a. Organize a TRADES Management Branch during FY 1983. This branch would assume program management functional responsibilities for TRADES.
- b. Prepare an Army regulation to support data requirements and management responsibilities for the formalization of TRADES.
- c. Take full advantage of sunk costs by LOGC and TRADOC in the programming and implementation of TRADES.
- d. Plan an implementation date of early 1985 for the developed TRADES System.
- e. Plan necessary personnel augmentation to proponents.

## EXTERNAL TRADES SYSTEM DEVELOPMENT

Continue necessary actions to bring TRADES into synchronization with PFDB as rapidly as possible. These actions include the following:

- a. Initiate a functional description in detail equivalent to the DFSR.
- b. Initiate data collection activities for hard copy reports, for both source identification and to avoid loss of data. Action should be taken to identify, inventory, assess, and render accessible hard copy information within the TRADOC community.
- c. Initiate a prototype/pilot TRADES program to capitalize on the hard copy development actions indicated in b. above, in a sequence as outlined on pages 2-16 and 2-17 of the ACO.

# INTERNAL TRADES SYSTEM DESIGN

Apply the following concept and strategy in internal TRADES system design:

- a. Use the TRADES logical and modular concept structure developed by the STP.
- b. Insure that TRADES remains portable in its design and development characteristics to ensure that it is not bound to one specific set of hardware.

## TRADES IMPLEMENTATION MILESTONES

Implement a milestone sequence for TRADES, with intervals corresponding to the following baseline schedule:

| Item                                            | DO/OR<br>START | COMPLETE |
|-------------------------------------------------|----------------|----------|
| Appoint PO                                      | Jan 82         |          |
| Prepare Charter                                 | Mar 82         | May 82   |
| Prepare SDP                                     | Feb 82         | Mar 82   |
| Prepare Management Plan                         | Jan 82         | May 82   |
| Designate FD                                    | Apr 82         |          |
| Designate ARA                                   | Apr 82         |          |
| Initiate FD                                     | Dec 81         | Aug 82   |
| Organize TRADES<br>Management Branch            | Sep 82         |          |
| Initiate Data Collection<br>(Joins PFDB/TRADES) | Sep 82         | Mar 85   |
| Initiate Pilot Program<br>(Joins PFDB/TRADES)   | Sep 82         | Mar 85   |

(continued)

(Schedule concluded)

|                                                                |        |        |
|----------------------------------------------------------------|--------|--------|
| Prepare Development Contract                                   | Sep 82 | Dec 83 |
| Prepare Army Regulation                                        | Jan 83 | Jan 84 |
| Develop System                                                 | Jan 84 | Mar 85 |
| Accept System -<br>Initiate Operations<br>Merge Pilot Programs | Mar 85 |        |

#### TRADOC TEST DATA

Initiate effort within TRADOC to implement a standardized data collection system which will provide computerized data from TRADOC test activities for use in TRADES.

## APPENDIX A

### LIST OF REFERENCES

The following constitutes a list of key references consulted during the investigation and development of the system technical paper for TRADES.

The references are organized by major RAM data sources, followed by general publications and other data sources.

#### LSAR

1. DARCOM-P 750-16, "Maintenance of Supplies & Equipment - DARCOM Guide to Logistic Support Analysis", June 1980.
2. MRSA Publication, "A User's Guide for Logistic Support Analysis Record (LSAR) Release Two-Automatic Data Processing System", March 1981.
3. MRSA Publication, "LSAR Optional Systems Functional & ADP Guide", March 1981.
4. MRSA Publication, "LSAR ADP Guide for Functional Personnel", September 1980.

#### TECOM

1. DTIC Demand Bibliography, Search Control No. 004500, "Army Test & Evaluation Command Reports".

#### CTDCS

1. DARCOM Publication, "Common Test Data Collection System - General Functional System Requirement", 9 November 1979.
2. DARCOM Publication, "Common Test Data Collection System Specification", July 1980.

#### COMRAM

1. OTEA Publication, "Common RAM Data Base System Version II", 1 February 1981.
2. OTEA Publication, "Catalog - USAOTEA Test Documentation 1973-1979".

#### TAERS/TAMMS

1. TM 38-750, "The Army Maintenance Management System (TAMMS)", May 1981.

## SDC

1. AR 750-37, "Maintenance of Supplies and Equipment - Sample Data Collection - The Army Maintenance Management System (TAMMS)", 2 May 1977.
2. DARCOM Supplement 1 to AR 750-37, "Maintenance of Supplies and Equipment - Sample Data Collection - The Army Maintenance Management System (TAMMS)", 17 September 1979

## SAMS

1. HQs DA Publication, "Executive Summary - Standard Army Maintenance System (SAMS) - Maintenance Program Operations Management (MPOM)", May 1980.
2. TM 38-121-2, "Functional Requirements for Standard Army Maintenance System Maintenance Operations Management (MOM) (SAMS-1) Executive Summary", April 1981.
3. TM 38-L26-2, "Executive Summary of Functional Requirements - Standard Army Maintenance System (SAMS) - Retail Level - Maintenance Program Operations Management (MPOM) (SAMS-2)", October 1980.
4. USALOGCEN Publication, "SAMS-3".
5. Record of Meeting - Standard Army Maintenance System (SAMS) Wholesale Level In-Process Review Conference, St. Louis, MO, 10-12 April 1979.

## General Information

1. DoD Standard 7935.1-S, "Department of Defense Automated Systems Documentation Standards", 13 September 1977.
2. DoD Inst. 5000.39, "Acquisition and Management of Integrated Logistics Support for Systems and Equipment", 17 January 1980.
3. DoD Inst. 5000.40, "Reliability and Maintainability", 8 July 1980.

4. AR 18-1, "Army Automation Management", 15 August 1980.
5. AR 70-10, "R&D Test & Evaluation During Development and Acquisition of Materiels", 29 August 1975.
6. AR 335-15, "Management Information Control System", 15 March 1978.
7. AR 700-127, "Integrated Logistics Support", 1 April 1981
8. AR 702-3, "Army Materiel Reliability, Availability, and Maintainability (RAM)", 15 November 1976.
9. Draft AR 702-3, "Army Materiel Systems Reliability, Availability, and Maintainability (RAM)", 23 July 1981.
10. FM 101-10-1, Staff Officer's Field Manual Organizational, Technical and Logistic Data (Unclassified Data)", July 1976.
11. TB-18-106, "Deployment, Operations and Termination of Automated Data Systems", September 1980.
12. SB 700-20, "Army Adopted/Other Items Selected for Authorization/List of Reportable Items", July 1980.
13. TRADOC Pam. 71-12, "Combat Developments Staff Officer's Handbook", November 1979.
14. TRADOC Reg. 700-1, "Integrated Logistic Support", 15 July 1977.
15. TRADOC/DARCOM 70-2, "Material Acquisition Handbook", January 1980.
16. USALOGCEN Printout, "TRADOC Developmental Hardware Projects" (Para. 3 of TRADOC Reg. 700-1 Para. 11), 2 June 1981.
17. BDM Services Company, "Final Report - Design and Development of a Planning Factors Data Base (Phase I)", Volumes 1 through IV, 31 May 1979.

18. APJ 892-2, "TRADOC RAM Data Evaluation System (TRADES) (ACN 51735)", System Requirements Description, July 1981.
19. APJ 892-3 "TRADOC RAM Data Evaluation System (TRADES) (ACN 51235)", Alternative Concepts of Operation, September 1981.
20. TB 18-100, Army Automation Life Cycle Management, August 1981.

APPENDIX B

AGENCIES/PERSONNEL CONSULTED  
DURING THE STP DEVELOPMENT

| ACTIVITY                                                    | LOCATION                       | PERSON CONTACTED                          |
|-------------------------------------------------------------|--------------------------------|-------------------------------------------|
| Operational Test<br>& Evaluation Agency                     | Falls Church, VA               | R. Briggs                                 |
| USA Ordnance<br>Center & School                             | Aberdeen Proving<br>Ground, MD | T. Saponaro                               |
| USA Signal<br>Center & School                               | Ft. Gordon, GA                 | R. Kidd                                   |
| Operations Analysis<br>Directorate, USA<br>Logistics Center | Ft. Lee, VA                    | F. May<br>G. McBryde<br>P. Jacobsen       |
| Materiel Systems<br>Directorate, USA<br>Logistics Center    | Ft. Lee, VA                    | D. Lindquist                              |
| Data Processing<br>Field Office                             | Ft. Leavenworth<br>Kansas      | MAJ Timmons                               |
| BDM Corporation                                             | Norfolk, VA                    | R. Yoshikawa                              |
| APJ                                                         | Ridgefield, NJ                 | G. Chernowitz<br>J. Ciccotti<br>J. Arnold |

DEFENSE LOGISTICS AGENCY  
DEFENSE TECHNICAL INFORMATION CENTER  
CAMP BELL STATION  
ALEXANDRIA, VIRGINIA 22304

29 OCT 1981

DTIC-S

SUBJECT: Defense RDT&amp;E On-Line System Asynchronous Dial-Up

Mr. Joe Arnold  
2401 Birchett Drive  
Prince George, VA 23875

Dear Mr. Arnold:

Thank you for your inquiry into the Defense RDT&E On-Line System (DROLS). DROLS, an interactive retrieval, input, and document ordering system, provides access to three data bases. The release of data from these data bases is to be used only in support of your Government contract work.

a. Research and Development Program Planning (R&DPP) Data Base - contains 1 page summaries of planned R&D project and task level summaries.

b. Research and Technology Work Unit Information System (WUIS) Data Base - contains 1 page summaries of on-going DoD research and technology efforts at the work unit level.

c. Technical Reports (TR) Data Base contains bibliographic records of technical reports submitted to DTIC.

Practically all of DTIC's collection can be searched through DROLS. The last 10 years of the TR abstracts can be fully displayed. For documents older than 10 years all fields except subject retrieval terms and abstracts are displayable. Citations to classified and unclassified reports and limited/unlimited distribution reports are available.

Most of the standard bibliographic items such as author, source (organizations), report date, title (through a title key), and subjects are searchable. Free-text searching of the narrative fields is available on a limited basis. For some data bases, nonbibliographic data is also searchable as project numbers, contact, and funding sources.

DTIC-S PAGE 2

SUBJECT: Defense RDT&E On-Line System Asynchronous Dial-Up

DROLS will communicate with any terminal (CRT or typewriter) which employs the standard ASCII asynchronous protocol. Terminal communications speeds will be at 300 or 1200 baud (30 or 120 characters per second) in even parity. Access may be gained by using the TYMNET commercial data communications network, FTS, WATS, or Direct Dial.

There will be a charge of \$20.00 per connect hour or proportionate share. Subscribers to this service must have a deposit account with the National Technical Information Service. This account will be used for billing purposes based on connect time.

Although only unclassified information will be displayed, DoD regulations require that only contractor employees cleared to Confidential under the provisions of a Governmental contractor security program may be authorized to operate remote terminals or have uncontrolled access to systems terminals. In addition, the organization must have a Confidential facility clearance. Questions pertaining to personnel and facility clearances should be referred to your security office. Procedures outlined in the Industrial Security Regulation, DoD 5220.22-R, apply. Appendix B of the regulation which provides information regarding cognizant security offices is provided for your information (Enclosure 1).

Enclosure 2 is a DTIC policy/information sheet on the dial-up capability of the DROLS. If you wish to gain access, complete Enclosure 3 and forward a written request to DTIC. Written certification of clearance must be provided by your security office for each terminal operator before the terminal will be activated.

When your request is received, DTIC will contact you regarding a training session, provide a dial-up telephone number, site identification and "Password." Once provided, control of this information is the responsibility of the user.

Any questions should be directed to the On-Line Support Office at Area Code 202-274-7709 or AUTOVON 234-7709.

Sincerely,


*Jerry B. Milstead*  
JERRY B. MILSTEAD

On-Line Support  
Management Support Office

3 Encl

# Appendix B. INFORMATION REGARDING COGNIZANT SECURITY OFFICES, DISCO, DISI AND OISI

## COGNIZANT SECURITY OFFICE BOUNDARIES



- Includes Hawaii and U.S. possessions and trust territories in the Pacific area
- Includes Puerto Rico and U.S. possessions in the Atlantic and Caribbean areas
- Includes Alaska

## OPERATIONAL AREAS OF DIS COGNIZANT SECURITY OFFICES

## ATLANTA

States of: North Carolina, South Carolina, Georgia, Tennessee, Mississippi, Alabama, Florida, Kunkin and Pemiscot counties in Missouri, — also includes Puerto Rico and U.S. possessions in the Atlantic and Caribbean areas, and the following counties in Arkansas:

|              |               |
|--------------|---------------|
| Arkansas     | Jackson       |
| Baxter       | Jefferson     |
| Boone        | Lawrence      |
| Bradley      | Lee           |
| Calhoun      | Lincoln       |
| Clay         | Lonoke        |
| Cleburne     | Marion        |
| Cleveland    | Mississippi   |
| Conway       | Monroe        |
| Craighead    | Newton        |
| Crittenden   | Perry         |
| Cross        | Phillips      |
| Dallas       | Poinsett      |
| Deska        | Prairie       |
| Drew         | Pulaski       |
| Faulkner     | Randolf       |
| Fulton       | Saint Francis |
| Garland      | Saline        |
| Grant        | Searcy        |
| Greene       | Sharp         |
| Hot Springs  | Stone         |
| Independence | Van Buren     |
| Izard        | White         |
|              | Woodruff      |

The following counties in Louisiana:

|                  |                                       |
|------------------|---------------------------------------|
| Ascension        | Saint Charles                         |
| Assumption       | Saint Helena                          |
| East Baton Rouge | Saint James                           |
| East Feliciana   | Saint John the Baptist                |
| Iberia           | Saint Martin                          |
| Iberville        | Saint Mary (and part of Saint Martin) |
| Jefferson        | Saint Tammany                         |
| Lafayette        | Tangipahoa                            |
| LaFourche        | Terrebonne                            |
| Livingston       | Vermilion                             |
| Orleans          | Washington                            |
| Plaquemines      | West Baton Rouge                      |
| Pointe Coupee    | West Feliciana                        |
| Saint Bernard    |                                       |

## BOSTON

States of Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, and the following counties in New York:

|             |          |
|-------------|----------|
| Albany      | Columbia |
| Allegany    | Cortland |
| Broome      | Delaware |
| Cattaraugus | Dutchess |
| Cayuga      | Erie     |
| *Chautaugus | Essex    |
| Chemung     | Franklin |
| Chenango    | Fulton   |
| Clinton     | Genesee  |

|                |             |
|----------------|-------------|
| Greene         | Saratoga    |
| Hamilton       | Schenectady |
| Herkimer       | Schoharie   |
| Jefferson      | Schuyler    |
| Lewis          | Seneca      |
| Livingston     | Steuben     |
| Madison        | Sullivan    |
| Monroe         | Tioga       |
| Montgomery     | Tompkins    |
| Niagara        | Ulster      |
| Oneida         | Warren      |
| Onondaga       | Washington  |
| Ontario        | Wayne       |
| Orleans        | Wyoming     |
| Oswego         | Yates       |
| Otsego         |             |
| Rensselaer     |             |
| Saint Lawrence |             |

## WASHINGTON

The counties of Harford, Baltimore, Howard, Anne Arundel, Montgomery, Prince Georges, Calvert, Saint Marys and Charles in Maryland, and the counties of Loudoun, Fairfax, Prince William, Arlington, in Virginia, and Washington, D.C., and the city of Alexandria, Va.

## CLEVELAND

States of Ohio, Kentucky, Indiana, Michigan, and the counties of Marshall, Ohio, Brooke and Hancock in West Virginia, and the counties of Jackson, Clinton, Scott, and Muscatine in Iowa, and the following counties in Wisconsin:

|            |            |
|------------|------------|
| Adams      | Marathon   |
| Ashland    | Marinette  |
| Brown      | Marquette  |
| Calumet    | Menominee  |
| Clark      | Monroe     |
| Columbia   | Oconto     |
| Crawford   | Oneida     |
| Dane       | Outagamie  |
| Dodge      | Ozaukee    |
| Door       | Portage    |
| Florence   | Price      |
| Forest     | Racine     |
| FondduLac  | Richland   |
| Grant      | Rock       |
| Green      | Sauk       |
| Green Lake | Shawano    |
| Iron       | Sheboygan  |
| Iowa       | Taylor     |
| Juneau     | Vernon     |
| Kewaunee   | Vilas      |
| Kenosha    | Walworth   |
| LaCrosse   | Washington |
| Lafayette  | Waukesha   |
| Langlade   | Waupaca    |
| Lincoln    | Waushara   |
| Manitowoc  | Winnebago  |
| Milwaukee  | Wood       |

## The following counties in Illinois:

|            |             |
|------------|-------------|
| Adams      | Effingham   |
| Boone      | Ford        |
| Brown      | Fulton      |
| Bureau     | Grundy      |
| Carroll    | Hancock     |
| Cass       | Henderson   |
| Champaign  | Henry       |
| Christian  | Iroquois    |
| Clark      | Jasper      |
| Coles      | Jo Daviess  |
| Cook       | Kane        |
| Crawford   | Kankakee    |
| Cumberland | Kendall     |
| DeKalb     | Knox        |
| DeWitt     | Lake        |
| Douglas    | La Salle    |
| DuPage     | Lee         |
| Edgar      | Livingston  |
| Logan      | Putnam      |
| Macon      | Rock Island |
| Marshall   | Sangamon    |
| Mason      | Schuyler    |
| McDonough  | Scott       |
| McHenry    | Shelby      |
| McLean     | Stark       |
| Menard     | Stephenson  |
| Mercer     | Tazewell    |
| Morgan     | Vermillion  |
| Moultrie   | Warren      |
| Ogle       | Whiteside   |
| Peoria     | Will        |
| Piatt      | Winnebago   |
| Pike       | Woodford    |

## DALLAS

States of: New Mexico, Texas, Oklahoma, Arizona,  
and the following counties in Arkansas:

|              |            |
|--------------|------------|
| Benton       | Miller     |
| Carroll      | Montgomery |
| Clark        | Nevada     |
| Columbia     | Ouachita   |
| Crawford     | Pike       |
| Franklin     | Polk       |
| Hempstead    | Pope       |
| Howard       | Scott      |
| Johnson      | Sebastian  |
| Lafayette    | Sevier     |
| Little River | Union      |
| Logan        | Washington |
| Madison      | Yell       |

## The following counties in Louisiana:

|            |                 |
|------------|-----------------|
| Acadia     | De Soto         |
| Allen      | East Carroll    |
| Avoyelles  | Evangeline      |
| Beauregard | Franklin        |
| Bienville  | Grant           |
| Bossier    | Jackson         |
| Caddo      | Jefferson Davis |
| Calcasieu  | La Salle        |
| Caldwell   | Lincoln         |
| Cameron    | Madison         |
| Catahoula  | Morehouse       |
| Claiborne  | Natchitoches    |
| Concordia  | Ouachita        |

|              |              |
|--------------|--------------|
| Rapides      | Union        |
| Red River    | Vernon       |
| Richland     | Webster      |
| Sabine       | West Carroll |
| Saint Landry | Winn         |
| Tensas       |              |

## LOS ANGELES

Includes state of Hawaii & U.S. possessions & trust  
territories in the Pacific area, and the following  
counties in California:

|             |                 |
|-------------|-----------------|
| Imperial    | San Bernadino   |
| Inyo        | San Diego       |
| Kern        | San Luis Obispo |
| Los Angeles | Santa Barbara   |
| Orange      | Ventura         |
| Riverside   |                 |

## The following counties in Nevada:

|           |         |
|-----------|---------|
| Clark     | Lincoln |
| Esmeralda | Nye     |

## NEW YORK

## The following counties in New York:

|             |             |
|-------------|-------------|
| Bronx       | Putnam      |
| Kings       | Queens      |
| (Brooklyn)  | Richmond    |
| Nassau      | Rockland    |
| New York    | Suffolk     |
| (Manhattan) | Westchester |
| Orange      |             |

## The following counties in New Jersey:

|           |          |
|-----------|----------|
| Bergen    | Morris   |
| Essex     | Passaic  |
| Hudson    | Somerset |
| Hunterdon | Sussex   |
| Middlesex | Union    |
| Monmouth  | Warren   |

## PHILADELPHIA

States of: Pennsylvania, Delaware, West Virginia  
(less the counties of Marshall, Hancock, Brooke and  
Ohio), Virginia (less the counties of Loudoun, Fair-  
fax, Prince William and Arlington), Maryland (less  
the counties of Harford, Baltimore, Howard, Anne  
Arundel, Montgomery, Prince Georges, Calvert, Saint  
Marys and Charles), Chautauqua county in New  
York, and the following counties in New Jersey:

|            |          |
|------------|----------|
| Atlantic   | Camden   |
| Burlington | Cape May |
| Cumberland | Ocean    |
| Gloucester | Salem    |
| Mercer     |          |

## SAINT LOUIS

States of: N. Dakota, S. Dakota, Minnesota, Ne-  
braska, Colorado, Kansas, Missouri (less Dunkin and  
Pemisot counties), Iowa (less Jackson, Clinton, Scott  
and Muscatine counties), and the following counties  
in Wisconsin:

|          |          |
|----------|----------|
| Barron   | Burnett  |
| Bayfield | Chippewa |
| Buffalo  | Douglas  |

|            |             |
|------------|-------------|
| Dunn       | Polk        |
| Eau Claire | Rush        |
| Jackson    | Saint Croix |
| Peppin     | Sawyer      |
| Pierce     | Trempealeau |
|            | Washburn    |

## The following counties in Montana:

|              |           |
|--------------|-----------|
| Carter       | Prairie   |
| Daniels      | Roosevelt |
| Dawson       | Richland  |
| McCone       | Sheridan  |
| Powder River | Wibaux    |

## The following counties in Wyoming:

|          |          |
|----------|----------|
| Albany   | Fremont  |
| Cambell  | Goshen   |
| Carbon   | Laramie  |
| Converse | Natrona  |
| Crook    | Niobrara |
| Platte   | Weston   |

## The following counties in Illinois:

|           |            |
|-----------|------------|
| Alexander | Jacks      |
| Bond      | Jefferson  |
| Calhoun   | Jersey     |
| Clay      | Johnson    |
| Clinton   | Lawrence   |
| Edwards   | Macoupin   |
| Fayette   | Madison    |
| Franklin  | Marion     |
| Gallatin  | Massac     |
| Green     | Monroe     |
| Hamilton  | Montgomery |
| Hardin    | Perry      |
| Pope      | Union      |
| Pulaski   | Wabash     |
| Randolph  | Washington |
| Richland  | Wayne      |
| St. Clair | White      |
| Saline    | Williamson |

## SAN FRANCISCO

States of: Washington, Oregon, Idaho, Utah, Alaska, and the following counties in Wyoming:

|             |            |
|-------------|------------|
| Big Horn    | Sublette   |
| Hot Springs | Sweetwater |
| Johnson     | Teton      |
| Lincoln     | Uinta      |
| Park        | Washakie   |
| Sheridan    |            |

## The following counties in Montana:

|            |            |
|------------|------------|
| Beaverhead | Broadwater |
| Big Horn   | Carbon     |
| Blaine     | Cascade    |

|                 |             |
|-----------------|-------------|
| Chateau         | Mineral     |
| Custer          | Missoula    |
| Deer Lodge      | Musselshell |
| Fallon          | Park        |
| Fergus          | Petroleum   |
| Flathead        | Phillips    |
| Gallatin        | Pondera     |
| Garfield        | Powell      |
| Glacier         | Ravalli     |
| Golden Valley   | Rosebud     |
| Granite         | Sanders     |
| Hill            | Silver Bow  |
| Jefferson       | Stillwater  |
| Judith Basin    | Sweet Grass |
| Lake            | Teton       |
| Lewis and Clark | Toole       |
| Liberty         | Treasure    |
| Lincoln         | Valley      |
| Madison         | Wheatland   |
| Meagher         | Yellowstone |

## The following counties in Nevada:

|           |            |
|-----------|------------|
| Churchill | Lyon       |
| Douglas   | Mineral    |
| Elko      | Pershing   |
| Eureka    | Storey     |
| Humboldt  | Washoe     |
| Lander    | White Pine |

## The following counties in California:

|              |               |
|--------------|---------------|
| Alameda      | Nevada        |
| Alpine       | Placer        |
| Amador       | Plumas        |
| Butte        | Sacramento    |
| Calaveras    | San Benito    |
| Colusa       | San Francisco |
| Contra Costa | San Joaquin   |
| Del Norte    | San Mateo     |
| El Dorado    | Santa Clara   |
| Fresno       | Santa Cruz    |
| Glenn        | Shasta        |
| Humboldt     | Sierra        |
| Kings        | Siskiyou      |
| Lake         | Solano        |
| Lassen       | Sonoma        |
| Maricopa     | Stanislaus    |
| Marin        | Sutter        |
| Mariposa     | Tehama        |
| Mendocino    | Trinity       |
| Merced       | Tulare        |
| Modoc        | Tuolumne      |
| Mono         | Yolo          |
| Monterey     | Yuba          |
| Napa         |               |

## TELEPHONE NUMBERS AND ADDRESSES

The following listing contains the addresses and telephone numbers of all Cognizant Security Offices. (The following indicated telephone numbers and addresses shall be used to obtain the required verification of facility clearance and safeguarding capability of prospective contractors and subcontractors.)

| City & State                         | Address                                          | Area Code | Telephone Number  |
|--------------------------------------|--------------------------------------------------|-----------|-------------------|
| Atlanta, GA                          | 805 Walker St.<br>Marietta, GA 30060             | 404       | 429-6340          |
| Boston, MA 02210                     | 666 Summer Street                                | 617       | 542-6000, ext 838 |
| Cleveland, OH 44199                  | Federal Office Bldg.<br>1240 East 9th Street     | 216       | 522-5338/9        |
| Dallas, TX 75201                     | Merchandise Mart Bldg.<br>500 South Ervay Street | 214       | 670-9276          |
| Los Angeles, CA 90045                | 11099 S. LaCienega Blvd.                         | 213       | 643-0203          |
| New York, NY 10013                   | 60 Hudson Street                                 | 212       | 374-9040          |
| Philadelphia, PA 19101               | P.O. Box 7478<br>2800 South 20th Street          | 215       | 952-4030          |
| San Francisco, CA 94129              | Presidio of San Francisco                        | 415       | 561-6235          |
| St. Louis, MO 63101                  | 1136 Washington Street                           | 314       | 263-6581          |
| Washington, D.C.<br>(Capital Region) | 2461 Eisenhower Ave.<br>Alexandria, VA 22331     | 202       | 325-9616          |

| Cognizant Security Office   | Area Code | Telephone Number   | AUTOVON NO.<br>(For Govt. Agencies Use) |
|-----------------------------|-----------|--------------------|-----------------------------------------|
| Atlanta                     | 404       | 429-6340           | 697-6340                                |
| Boston                      | 617       | 542-6000, ext. 805 | 955-8805                                |
| Cleveland                   | 216       | 522-5334           | 590-5334                                |
| Dallas                      | 214       | 670-9270           | 940-1270                                |
| Los Angeles                 | 213       | 643-1082           | 833-1082                                |
| New York                    | 212       | 374-9040           | 934-9046                                |
| Philadelphia                | 215       | 952-4030           | 444-4030                                |
| San Francisco               | 415       | 561-3572           | 586-6235                                |
| St. Louis                   | 314       | 263-6580           | 693-6580                                |
| Washington (Capital Region) | 202       | 325-9161           | 221-9616                                |

The following listing contains the addresses and telephone numbers of DISCO, DISI and OISI.

| City & State              | Address                                                                                                                           | Area Code  | Telephone Number                            |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------|------------|---------------------------------------------|
| DISCO, Columbus, OH 43216 | P.O. Box 2499                                                                                                                     | 614<br>614 | 236-2133 (Duty Hrs)<br>236-2058 (After Hrs) |
|                           | AUTOVON NUMBER (For Govt. Agencies Use)                                                                                           |            | 850-2133 (Duty Hrs)                         |
| DISI, Richmond, VA 23297  | c/o Defense General Supply Center                                                                                                 | 804        | 275-4891                                    |
|                           | AUTOVON NUMBER (For Govt. Agencies Use)                                                                                           |            | 695-4891                                    |
| OISI, Brussels, Belgium   | Physical Address: Office of Industrial<br>Security, International<br>Chaussee de Louvain, 13<br>1940 St. Stevens, Woluwe, Belgium |            | Brussels, Belgium<br>720-8259               |
|                           | Mailing Address: Office of Industrial<br>Security, International<br>APO New York 09667                                            |            |                                             |

## ASYNCHRONOUS DIAL-UP POLICY/INFORMATION

### I. User Charges

- a. All dial-up users will pay \$20 per connect hour.
- b. All dial-up users must have a NTIS Deposit Account.
- c. No charge for batch printing.
- d. No charge for time spent on input.
- e. No charge to users for use of TYMNET Communications Network.
- f. No charge for training.

### II. Training

- a. Those using asynchronous terminals for access will be trained at DTIC.
- b. Training will be for 3 days.
- c. Requests for training at remote sites will be considered on a case-by-case basis. The decision will be based on the number of users to be trained, availability of a training site and terminals, and the availability of DTIC training personnel.
- d. Training classes will be limited to a maximum of 10 people. (One person per site unless room is available).
- e. No users will be added without at least one operator being trained at DTIC. If a dial-up, asynchronous user has had experience with a commercial system such as Dialog or Orbit, they may be added without attending a DTIC training session with the approval of the DTIC On-Line Support Office (DTIC-SM).
- f. Usage of the system by dial-up users will be closely monitored to assure equitable distribution of dial-up facilities.
- g. One copy of the reference tools will be provided to each site free of charge; any additional copies would have to be purchased.

Encl 2

III. Each site will be given a unique "Password" which will be changed quarterly or as required. Initially, multiple terminals at the same site will be given the same password.

IV. Credit for down time will be given when a user feels that credit is due and applies to the DTIC On-Line Support Office (DTIC-SM) in each instance.

V. The size of bibliographies batched will be limited to 200 citations. If a larger output is needed, users will contact the On-Line Support Office (DTIC-SM), Area Code 202 274-7709 or AUTOVON 284-7709, who will arrange to have the searches run by DTIC personnel.

VI. All contractor employees operating or having uncontrolled access to terminals must be cleared through Confidential under a Government contractor security program.

VII. All contractor facilities must have a Confidential facility clearance.

POINT OF CONTACT:

Name \_\_\_\_\_

Telephone Number \_\_\_\_\_

COMPLETE MAILING ADDRESS:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Operational Hours \_\_\_\_\_

DTIC User Code \_\_\_\_\_

NTIS Deposit Account Number \_\_\_\_\_

Which communications method do you plan to use to access  
DROLS via:

- a. TYMNET
- b. FTS
- c. WATS
- d. Direct Dial

Terminal Type/Model \_\_\_\_\_

CRT or Teleprinter \_\_\_\_\_

Printer Type/Model (Optional) \_\_\_\_\_

Asynchronous transmission speed you wish to operate at:

- a. \_\_\_\_\_ 300
- b. \_\_\_\_\_ 1200

Modem Type/Model \_\_\_\_\_

Encl 3

TERMINAL LOCATION:

|                       |                              |                             |
|-----------------------|------------------------------|-----------------------------|
| Military Installation | <input type="checkbox"/> Yes | <input type="checkbox"/> No |
| Commercial Building   | <input type="checkbox"/> Yes | <input type="checkbox"/> No |

Address of terminal location (include building name or number, room number, city, state and zip code).

---

---

---

---

---

NAMES OF ALL TERMINAL OPERATORS:

---

---

---

---

## GLOSSARY

|                |                                                   |
|----------------|---------------------------------------------------|
| ACO            | Alternative Concept of Operation                  |
| ADP            | Automatic Data Processing                         |
| ADPE           | Automatic Data Processing Equipment               |
| ADS            | Automated Data Systems                            |
| ALDT           | Administrative and Logistic Downtime              |
| A <sub>O</sub> | Operational Availability                          |
| ARA            | Assigned Responsible Agency                       |
| COEA           | Cost and Operational Effectiveness Analysis       |
| COMRAM         | Common RAM System                                 |
| CPU            | Control Processing Unit                           |
| CRT            | Cathode Ray Tube                                  |
| CTDCS          | Common Test Data Collection System                |
| CTP            | Coordinated Test Program                          |
| DBMS           | Data Base Management System                       |
| DFSR           | Detailed Functional System Requirements           |
| DLSIE          | Defense Logistics Services Information Exchange   |
| DPFO           | Data Processing Field Office                      |
| DROLS          | Defense RDT&E On-Line System                      |
| DT             | Development Test                                  |
| DTIC           | Defense Technical Information Center .            |
| EEA            | Essential Elements of Analysis                    |
| EEI            | Essential Elements of Information                 |
| FD             | Functional Description                            |
| FP             | Functional Proponent                              |
| FSR            | Final Study Report                                |
| FTS            | Federal Telephone Service                         |
| LOA            | Letters of Agreement                              |
| LSAR           | Logistics Support Analysis Report                 |
| MMLA           | Maintenance Manpower & Logistics Analysis         |
| MP             | Management Plan                                   |
| MR             | Maintenance Ratio                                 |
| MRSA           | Materiel Readiness Support Activity               |
| MTBF           | Mean Time between Failure                         |
| MTBOMF         | Mean Time between Operational Mission Failure     |
| MTBUMA         | Mean Time between Unscheduled Maintenance Actions |
| MTTR           | Mean Time to Repair                               |
| NBC            | Nuclear, Biological, Chemical                     |

## GLOSSARY (Concluded)

|        |                                            |
|--------|--------------------------------------------|
| OAD    | Operational Analysis Directorate           |
| OT     | Operational Test                           |
| OTEA   | Operational Test & Evaluation Agency       |
| PA     | Proponent Agent                            |
| PFDB   | Planning Factors Data Base                 |
| PFMD   | Planning Factors Management Division       |
| RAM    | Reliability, Availability, Maintainability |
| ROC    | Required Operational Capability            |
| SAG    | Study Advisory Group                       |
| SAMS   | Standard Army Maintenance System           |
| SDC    | Sample Data Collection                     |
| SDP    | System Decision Paper                      |
| SOW    | Statement of Work                          |
| SRD    | System Requirements Description            |
| STP    | System Technical Paper                     |
| SWP    | Study Work Plan                            |
| TDLR   | Training Device Letter Requirements        |
| TMIS   | Test Management Information System         |
| TRADES | TRADOC RAM Data Evaluation System          |
| TSM    | TRADOC System Manager                      |