

AD-A157 463

VALIDATION OF THE ALGORITHMS FOR DEPOT EXCHANGEABLE
REPAIR AND MODIFICATION (U) INFORMATION SPECTRUM INC
ARLINGTON VA 5 J EINHORN 12 APR 84 ISI-V-83-31859-16
F33600-82-C-0543


1/1

UNCLASSIFIED

F/G 5/1

NL

				END								
				FMIS								
				DIC								



MICROCOPY RESOLUTION TEST CHART
NBS 1963-A



INFORMATION SPECTRUM, INC. (2)

3993 HUNTINGDON PIKE • HUNTINGDON VALLEY, PA. 19006 • (215) 947-6060

AD-A157 463

VALIDATION OF THE ALGORITHMS
FOR DEPOT EXCHANGEABLE REPAIR AND
MODIFICATION COSTS FOR NSNS AND ENGINES
FOR
THE COMPONENT SUPPORT COST SYSTEM
(D160B)

Contract No. F33600-82-C-0534

12 April 1984

Report Number
V-83-31859-16

DTIC
ELECTE
AUG 5 1985
A K

This document has been approved
for release and distribution
is unlimited.

Submitted to:

Prepared by:

HEADQUARTERS
AIR FORCE LOGISTICS COMMAND
MM(VAMOSC)
WRIGHT-PATTERSON AFB, OH 45433

Sheldon J. Einhorn
Dr. Sheldon J. Einhorn

DTIC FILE COPY

EXECUTIVE SUMMARY

Visibility and Management of Operating and Support Costs is a program initiated by the Office of the Secretary of Defense (OSD) in order to ensure that each Military Department gathers, tracks, and computes operating and support costs by weapon system.

VAMOSC II is an Air Force management information system which is responsive to the OSD initiative. It uses information from existing Air Force systems to satisfy both Air Force and OSD needs for certain weapon system operating and support (O&S) costs.

At present, the VAMOSC II system comprises three subsystems:

- (1) The Weapon System Support Cost (WSSC) system (D160), which deals with aircraft,
- (2) The Communications - Electronics (C-E) system (D160A), which deals with ground communications - electronics equipment,
- (3) The Component Support Cost Subsystem (CSCS) (D160B), which deals with subsystems and components for aircraft.

The Component Support Cost System (CSCS) of VAMOSC II gathers and computes support costs by assembly/subassembly and relates those costs back to the end item or weapon system. CSCS



Availability Codes	
Avail and/or	
Special	
<i>AM</i>	

replaces the Logistic Support Cost (LSC) model of K051 (AFLCR 400-49) for aircraft and engines.

The CSCS receives inputs from 15 Air Force data systems. On a quarterly basis, the system provides two standard reports each processing cycle and twelve other types of reports as requested by users. It also provides pre-programmed data base extracts on magnetic tape on a one-time basis in response to user requests. Special requests for data in user selected format may also be satisfied on a case by case basis.

At the heart of the CSCS is a set of 30 algorithms for estimation or allocation of costs. Information Spectrum, Inc. (ISI) was awarded a contract to validate these algorithms. This effort included investigations of logic, appropriateness of the algorithms and assumptions inherent in the algorithms. ISI was also to survey published findings, reports of audit, etc. relating to the accuracy to the source data systems. In addition to the algorithm validation, ISI was to perform certain "special tasks," including a user survey.

This report provides in one cover the validation of all of the CSCS algorithms dealing with depot repair and modification of exchangeable stock numbered items (NSNs) and exchangeable engines. They are addressed in a single report because of the similarities of the subject matter and of the computational processes.

Stock numbered repairable equipment items or engines removed from an aircraft during depot maintenance are shipped to a depot

(possibly the same one) for repair. At the depot some of these items may be condemned; others are repaired, modified, or both repaired and modified. Modifications are categorized as either Class IV (reliability, maintainability, or safety) or Class V (performance).

The algorithms estimate the repair and modification costs at the depot level. Because items are scheduled for efficient processing at depots, the work may take place many months after turn-in. The algorithms estimate costs to be incurred on the basis of depot experience during the current reporting quarter.

In order to verify and validate the CSCS algorithms, a set of analysis procedures applicable to all of the algorithms was established. These procedures were then applied to each algorithm. This report first describes the analysis procedures, without reference to the specific algorithm addressed by this report.

Next, the algorithms are defined and described in detail. This description includes identification of source data systems and files, and the calculation procedures currently implemented by the CSCS.

Finally, a critique of the algorithm is provided as required by the contract. It addresses the following topics:

- o Verification of assumptions and approximations for appropriateness and accuracy.

- o Validation of accuracy of source data.
- o Validation of appropriateness of source data as inputs to CSCS logic.
- o Investigation of accuracy and appropriateness of algorithms.
- o Consideration of replacement of indirect cost methods with more direct ones.
- o Identification of algorithm impact on CSCS output reports.

For each algorithm addressed, ISI is required to affirm the process or procedure and reject any portion that cannot be affirmed. Where the algorithm or portion of the algorithm is rejected, an alternate procedure must be specified.

This report affirms the basic methodology for developing depot exchangeable repair and modification costs. However, arguments are presented that the depot experience of the currently reported quarter may not be sufficiently representative for algorithm purposes. Recommendations are provided for using the most recent four quarters instead of one quarter for appropriate input data.

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
1.0 INTRODUCTION	1
1.1 The Component Support Cost System	1
1.2 Overview of the Algorithm	3
2.0 ANALYSIS PROCEDURES	9
2.1 Algorithm Description	9
2.2 Input Data Definitions	9
2.3 Concept Validation	10
2.4 Problem Resolution	13
2.5 Documentation	13
3.0 ALGORITHM ANALYSIS	14
3.1 Algorithm Description	14
3.1.1 Calculations	15
3.1.1.1 Depot Exchangeable NSN Formulas	15
3.1.1.2 Depot Exchangeable Engine Formulas	16
3.1.2 Inputs	17
3.1.3 Description of Calculation Procedure	20
3.1.3.1 Depot Exchangeable NSN Calculations	22
3.1.3.2 Depot Exchangeable Engine Calculations	28
3.2 Critique of Algorithm	29
3.2.1 Appropriateness and Accuracy of Assumptions and Approximations	29
3.2.1.1 Disposition of Turn-Ins	29
3.2.1.2 Time Period for Cost Averages	30
3.2.1.3 NSNs Common to Aircraft and to Non-Airborne Systems	30
3.2.1.4 Condemnations	31
3.2.2 Accuracy of Source Data and Congruence of Data Element Definitions	31
3.2.2.1 Serviceable/Condemnation Counts	32
3.2.2.2 Repair Costs	32
3.2.2.3 Production Counts	33
3.2.2.4 Depot Issues	34
3.2.2.5 Depot Receipts of Engines	34
3.2.3 Appropriateness of Source Data as Inputs	34
3.2.4 Accuracy and Appropriateness of Algorithms	35
3.2.5 Directness of Costing	35
3.2.6 Application to CSCS Output Reports	36
4.0 RECOMMENDATIONS	38
4.1 Recommendation for Depot Production and Condemnation Counts	38
4.1a Office of VAMOSC (OOV) Comments	39
4.2 Average Costs	40
4.2a Office of VAMOSC (OOV) Comments	41

TABLE OF CONTENTS (Continued)

<u>Section</u>	<u>Page</u>
REFERENCES	42

LIST OF TABLES

<u>Number</u>		<u>Page</u>
1	CSCS OUTPUT REPORTS	4
2	CSCS ALGORITHM NAMES	5
3	H036B DATA ELEMENTS	23
4	WORK PERFORMANCE CATEGORIES	25
5	CONTRIBUTION OF DEPOT EXCHANGEABLES COST ALGORITHMS TO CSCS OUTPUT REPORTS	37

LIST OF ATTACHMENTS

<u>Number</u>		<u>Page</u>
1	Proposed DAR Entries Supporting Modifications to the Component Support Cost Subsystem (CSCS) to Improve Calculation of Depot Exchangeable Repair and Modification Costs for NSNs	A1-1

1.0 INTRODUCTION

Visibility and Management of Operating and Support Costs is a program initiated by the Office of the Secretary of Defense (OSD) in order to ensure that each Military Department gathers, tracks, and computes operating and support costs by weapon system (all costs are computed and portrayed in "then year" dollars). VAMOSC II is an Air Force management information system which is responsive to the OSD initiative. It uses information from existing Air Force systems to satisfy both Air Force and OSD needs for certain weapon system operating and support (O&S) costs.

At present, the VAMOSC II system comprises three subsystems:

- (1) The Weapon System Support Cost (WSSC) system (D160), which deals with aircraft,
- (2) The Communications - Electronics - (C-E) system (D160A), which deals with ground communications - electronics equipment,
- (3) The Component Support Cost Subsystem (CSCS) (D160B) which deals with subsystems and components for aircraft.

1.1 The Component Support Cost System

The Component Support Cost System (CSCS) of VAMOSC II gathers and computes support costs by assembly/subassembly and relates those costs back to the end item or weapon system. CSCS replaces the Logistic Support Cost (LSC) model of K051 (AFLCR 400-49) for aircraft and engines.

The objectives of the Component Support Cost System are:

- (1) To improve the visibility of aircraft and engine component support costs and to relate those costs to the end item or weapon system.
- (2) To improve the Life Cycle Costing capability for the Air Force and the Department of Defense in the acquisition of new weapon systems.
- (3) To assist in the design of new weapon systems by providing cost information on existing weapon systems, thereby enhancing design tradeoff studies.
- (4) To provide historical cost information at the weapon system level to improve logistic policy decisions.
- (5) To identify system component reliability, effectiveness, and costs so that high support cost items may be identified and addressed.

The CSCS is described in detail in references [1], [2], and [3]. It receives inputs from 15 Air Force data systems. On a quarterly basis, the system provides two mandatory reports each processing cycle and twelve other types of reports as requested by users. It also provides pre-programmed data base extracts on magnetic tape on a one-time basis in response to user requests. Special requests for data in user selected format may also be satisfied on a case by case basis.

The twelve reports mentioned above are of primary interest to the user community. They are identified by name in Table 1. Descriptions and samples are provided by reference [1].

At the heart of the CSCS is a set of 30 algorithms for estimation or allocation of costs. The algorithms are identified by name in Table 2. Information Spectrum, Inc. (ISI) was awarded a contract to validate these algorithms. This effort includes investigations of logic, appropriateness of the algorithms, and assumptions inherent in the algorithms. ISI was also to survey published findings, reports of audit, etc. relating to the accuracy of the source data systems. In addition to the algorithm validation, ISI was to perform certain "special tasks," including a user survey.

1.2 Overview of the Algorithm

This report provides the verification and validation of four of the algorithms. All four are concerned with depot level repair or modification of exchangeable items. Moreover, these algorithms address such repairs initiated at the Air Logistic Commands (ALCs). Depot repairs of exchangeables initiated at base levels were addressed in previous reports of this series. In considering exchangeables, the CSCS considers engines separately from other stock numbered assemblies or components. The latter are referred to in CSCS documentation as NSNs (for National Stock Number). The four algorithms are numbered 25, 26, 27, and 28 in Table 2, and titled "Depot Exchangeable Repair Costs (NSN), Depot Exchangeable Repair Costs (Engine), Depot Exchangeable Modification Costs (NSN), and Depot Exchangeable Modification Costs (Engine)." The four algorithms

TABLE 1. CSCS OUTPUT REPORTS

<u>Number</u> *	<u>Name</u>
8105	Cost Factors
8104	MDS Logistics Support Costs
8106	Base Work Unit Code (WUC) Costs
8107	Total Base Work Unit Code (WUC) Costs
8111	Depot On-Equipment Work Unit Code (WUC) Costs
8108	Total Base and Depot Work Unit Code (WUC) Costs
8109	NSN-MDS-WUC Cross-Reference
8110	MDS-WUC-NSN Cross-Reference
8112	Logistic Support Cost Ranking, Selected Items
8113	Summary of Cost Elements
8114	NSN-WUC Logistics Support Costs
8115	Assembly-Subassembly WUC Costs

* CSCS output reports are assigned Report Control symbol HAF-LEY(AR)nnnn, where nnnn is the number in the table.

TABLE 2. CSCS ALGORITHM NAMES

1. Base TCTO Labor Cost
2. Base TCTO Overhead Cost
3. Base TCTO Material Cost
4. TCTO Transportation Costs
5. Base Inspection Costs
6. Base Other Support General Costs
7. Base Labor Costs
8. Base Direct Material Costs
9. Base Maintenance Overhead Costs
10. Second Destination Transportation Costs
11. Second Destination Transportation Costs (Engine)
12. Base Exchangeable Repair Costs (NSN)
13. Base Exchangeable Repair Costs (Engine)
14. Base Exchangeable Modification Costs (NSN)
15. Base Condemnation Spares Costs/NSN
16. Base Exchangeable Modification Costs (Engine)
17. Base Supply Management Overhead Costs
18. Depot TCTO Labor Costs
19. Depot TCTO Material Costs
20. Depot TCTO Other Costs
21. Depot Support General Costs
22. Depot Labor Costs
23. Depot Direct Material Costs
24. Depot Other Costs
25. Depot Exchangeable Repair Costs (NSN)
26. Depot Exchangeable Repair Costs (Engine)
27. Depot Exchangeable Modification Costs (NSN)
28. Depot Exchangeable Modification Costs (Engine)
29. Depot Condemnation Spares Costs (NSN)
30. Depot Material Management Overhead Cost

are addressed in a single report because their methods are very similar.

Because of transportation delays and production scheduling, many months may elapse from the time an item is turned in for repair until it is actually worked on at the depot. Moreover, once they leave the base, the items do not retain any identification of the depot or aircraft from which they were turned in. Therefore, for NSNs the CSCS develops the expected costs of repairs and modifications of repairable items based on current depot activity for the item and associates these costs with the depot and MDS of origin.

First, the system identifies the number of items of each NSN issued by depot supply for each MDS at each ALC for the calendar quarter. It is assumed that each issue corresponds to an item turned in for repair at about the same time. The estimate of depot repair cost for each NSN is based upon the activity that has taken place for that item at the depot (from H036B) during the same quarter. The number of items by MDS and WUC is adjusted to account for the expected number condemned at the depot. Next, factors are applied to estimate how many of the remaining items are repaired or modified. Class IV modifications (reliability, maintainability, or safety) and Class V modifications (performance) are treated separately. The resulting counts are multiplied by average repair costs which are developed separately for repairs, Class IV modifications, and Class V modifications for each NSN, yielding the desired results.

Air Force engine management uses a new reporting system, the Comprehensive Engine Management System, with Data System Designator D042. This system, described in reference (30), generates reports when engines are shipped or received, when maintenance starts or stops, and other events of significance in engine management. From this system, the CSCS determines when engines arrive at depots. At the time of generation of this report, documentation concerning data received from D042 and CSCS processing of that data was not yet available. Moreover, according to personnel of the Office of VAMOSC, the data processing procedures are in the process of adjustment and revision. This report reflects Information Spectrum's understanding of the way the programs are currently intended to work.

Months may elapse from the time an engine arrives at a depot until work is begun. The CSCS develops the expected costs of engine repairs and modifications from work in progress in the current reporting quarter, and associates these costs with the engines shipped, by engine TMS, by shipping ALC and by MDS.

First, the system determines the total number of each engine TMS shipped to each depot by ALC and by aircraft SRD during the quarter. This identification permits the association of costs with a particular MDS at a particular ALC.

The remaining procedure is the same for engines as for NSNs. From the H036B data system, factors are developed to estimate the proportions of engines being repaired or modified at the depot. Class IV (reliability, maintainability, or safety) and Class V

(performance) modifications are treated separately. Applying these factors to the counts of engines shipped yields estimates of the number of engines repaired or modified. These estimates are multiplied by average costs which are developed separately for repairs, Class IV modifications, or Class V modifications, yielding the desired results. The average costs are based on the costs (from data system H036B) which were incurred for engines of the same TMS at the depot for the quarter.

2.0 ANALYSIS PROCEDURES

In order to verify and validate the CSCS algorithms, a set of analysis procedures applicable to all of the algorithms was established. These procedures were then applied to each algorithm. This section describes the analysis procedures, without reference to the specific algorithms addressed by this report.

The algorithm analysis process consists of five portions, described in the following sections.

2.1 Algorithm Description

The algorithms are described in references [1], [2], and [3]. These descriptions are not identical. In general they supplement, rather than contradict each other. The first two describe what the system is to achieve; the third describes the system design to do so.

None of these descriptions provides the combination of level of detail and clarity of concept required for this validation effort. The first step in the analysis methodology was the generation of such a description. The descriptions in the three reference sources just cited were made explicit. When necessary, Air Force personnel involved in implementation of the D160B subsystem were contacted for clarification.

2.2 Input Data Definitions

Closely related to the first step was the clarification of the definitions of the input data. The identification of each

input data element and of the system providing it was provided by the User's Manual (reference [1]). This identification was refined by identification of a particular file within the source system and the structure of the file as described in both the CSCS System/Subsystem Specification and in the Memoranda of Agreement. The Memoranda of Agreement have been established between the Office of VAMOSC and the Offices of Primary Responsibility (OPR) for the systems providing the input data. Any inconsistencies or voids were identified and resolved through contact with the Office of VAMOSC and/or implementing personnel.

Whenever appropriate, input data element definitions were further refined by tracing the elements back to their sources through the reference data provided. If these were inadequate, the OPRs were contacted directly for clarifications. In tracing the data back to their origins, possible sources of data contamination were considered. Information on the likelihood and significance of such contamination was collected from cognizant personnel and from published references.

2.3 Concept Validation

The two steps above established exactly what the algorithm does. The third, and most critical step, considered the validity of the procedure. It depends on the ability of the analyst to translate mathematical formulas and data processing techniques into meaningful concepts.

Some explicit techniques which were generally used in concept validation are listed below.

- (a) Consider how the cost element would be calculated if there were no constraints on resources. (For example, suppose the CSCS could identify the pay grade and hours worked of each individual involved in a maintenance action.)
- (b) Identify assumptions* incorporated into the Algorithm. Generally this procedure will identify the real constraints which affect the approach in (a) above.
- (c) Identify approximations incorporated into the algorithm. For instance, one such approximation is the use of an average labor rate for each aircraft.
- (d) Study each approximation for possible sources of error. Some examples are biases introduced by editing procedures, obsolete data, or inappropriate application. Whenever feasible, estimate the likelihood of these errors by reviews of the literature and contact with cognizant personnel.
- (e) Test the algorithms under conditions of assumed extreme values for the inputs. For instance, in evaluating the algorithm for base maintenance overhead costs, assume

* Note that assumptions, approximations, and allocations are different concepts, although in some cases the boundaries between them are not sharp. ISI has recognized few assumptions in the algorithms, but many approximations and allocations.

that for a single reporting period all maintenance labor is overhead and none is direct. Also try the reverse assumption. If an assumption of an extreme input leads to an illogical result, the algorithm is flawed.

Task 4 of Section C-2, c of the contract speaks of appropriate statistical techniques to confirm or repudiate each algorithm. Statistical techniques could confirm or repudiate only statistical hypotheses as assumptions. (Use of an average does not constitute an assumption.) Accordingly, statistical techniques apply to confirmation or repudiation of an algorithm only to the extent that statistical hypotheses can be developed.

- (f) As each algorithm is considered, ensure that the costs do not overlap others already accounted for. (In some cases an overlap may be necessary and desirable. Where this occurs, the overlap will be noted.)
- (g) In each CSCS output report, identify the data elements incorporating the output of the algorithm, so that a final assessment of report accuracy can be made for each output report.
- (h) Consider alternative sources of input data for the algorithm. Also consider more direct cost assignments than those incorporated in the algorithm.

2.4 Problem Resolution

Whenever a significant deficiency was recognized in one of the algorithms, one or more proposed solutions were developed. This was a creative analytic process for which few guidelines could be proposed in advance. Certainly it depended on familiarity with the various existing Air Force data reporting and processing systems. Proposed solutions were discussed with personnel of the Office of VAMOSC, and revised as appropriate. Recommended solutions were expressed in the form of contributions to a draft Data Automation Requirement (DAR) when these would be applicable.

2.5 Documentation

The documentation of the analysis of each algorithm was a crucial part of the effort. Emphasis was placed on making it thorough, clear, and unambiguous. In the documentation, every assertion was substantiated. This was done by reference to source documentation, by explicitly expressed application of the experience and judgment of the contractor, or by citation of information provided by cognizant Air Force personnel. In the last case, the information was supported by documentation identifying the source, the date, and the information provided.

3.0 ALGORITHM ANALYSIS

The previous section described the general analysis procedures applied to all algorithms. This section presents the results of applying those procedures to the algorithms for Depot Exchangeable Repair Costs (NSN), Depot Exchangeable Repair Costs (Engine), Depot Exchangeable Modification Costs (NSN), and Depot Exchangeable Modification Costs (Engine).

Section 3.1 provides a detailed description of the algorithms and of the input data they use. Section 3.2 provides a critique, structured to correspond to the contractual requirements. Section 4.0 makes recommendations for solutions of problems.

3.1 Algorithm Description

In the following description COBOL-type data names are used to express the algorithm outputs and their components. The available source documentation does not provide the actual data names used by the CSCS programs. They are presumably different from those used in this report.

The calculation formulas are stated in Section 3.1.1. The input data elements and their sources are provided in Section 3.1.2. The calculations are described verbally in Section 3.1.3. Unless otherwise noted, the descriptions are based on references [1], [2], and [3], and on direct discussion with personnel of the Office of VAMOSC. In case of any discrepancies, information provided by knowledgeable personnel was accepted as most current, hence most definitive.

3.1.1 Calculations

The calculations for NSNs and for engines are very similar. In order that the reader may follow them more clearly, they are presented in distinct subsections.

3.1.1.1 Depot Exchangeable NSN Formulas

For purposes of this analysis, it is convenient to express the combined calculations of the Depot Exchangeable Repair Costs (NSN) and the Depot Exchangeable Modification Costs (NSN) algorithms by ten formulas:

(1) SVCBL-PORTN-NSN =

$$\frac{\text{SVCBL-DEPOT-NSN} + \text{SVCBL-CONTR-NSN}}{\left[\text{SVCBL-DEPOT-NSN} + \text{CONDM-DEPOT-NSN} \right. \\ \left. + \text{SVCBL-CONTR-NSN} + \text{CONDM-CONTR-NSN} \right]}$$

(2) AVE-REP-COST-NSN = TOT-REP-COST-NSN/REP-COUNT-NSN

(3) AVE-MOD-IV-COST-NSN = TOT-MOD-IV-COST-NSN/MOD-IV-COUNT-NSN

(4) AVE-MOD-V-COST-NSN = TOT-MOD-V-COST-NSN/MOD-V-COUNT-NSN

(5) REPAIR-FRAC-NSN = REP-COUNT-NSN/PRODN-COUNT-NSN

(6) MOD-IV-FRAC-NSN = MOD-IV-COUNT-NSN/PRODN-COUNT-NSN

(7) MOD-V-FRAC-NSN = MOD-V-COUNT-NSN/PRODN-COUNT-NSN

(8) TOT-REP-COST-NSN =

$$\begin{aligned} &\text{ALC-ISSUES} \times \text{SVCBL-PORTN-NSN} \\ &\quad \times \text{REPAIR-FRAC-NSN} \\ &\quad \times \text{AVE-REP-COST-NSN} \end{aligned}$$

$$\begin{aligned}
 (9) \quad \text{TOT-MOD-IV-COST-NSN} = & \\
 & \text{ALC-ISSUES} \times \text{SVCBL-PORTN-NSN} \\
 & \times \text{MOD-IV-FRAC-NSN} \\
 & \times \text{AVE-MOD-IV-COST-NSN}
 \end{aligned}$$

$$\begin{aligned}
 (10) \quad \text{TOT-MOD-V-COST-NSN} = & \\
 & \text{ALC-ISSUES} \times \text{SVCBL-PORTN-NSN} \\
 & \times \text{MOD-V-FRAC-NSN} \\
 & \times \text{AVE-MOD-V-COST-NSN}
 \end{aligned}$$

3.1.1.2 Depot Exchangeable Engine Formulas

For purposes of this analysis, it is convenient to express the calculations of the Depot Exchangeable Repair Costs (Engine) and the Depot Exchangeable Modification Costs (Engine) algorithms by nine formulas:

$$(11) \quad \text{AVE-REP-COST-ENG} = \text{TOT-REP-COST-ENG} / \text{REP-COUNT-ENG}$$

$$(12) \quad \text{AVE-MOD-IV-COST-ENG} = \text{TOT-MOD-IV-COST-ENG} / \text{MOD-IV-COUNT-ENG}$$

$$(13) \quad \text{AVE-MOD-V-COST-ENG} = \text{TOT-MOD-V-COST-ENG} / \text{MOD-V-COUNT-ENG}$$

$$(14) \quad \text{REPAIR-FRAC-ENG} = \text{REP-COUNT-ENG} / \text{PRODN-COUNT-ENG}$$

$$(15) \quad \text{MOD-IV-FRAC-ENG} = \text{MOD-IV-COUNT-ENG} / \text{PRODN-COUNT-ENG}$$

$$(16) \quad \text{MOD-V-FRAC-ENG} = \text{MOD-V-COUNT-ENG} / \text{PRODN-COUNT-ENG}$$

$$\begin{aligned}
 (17) \quad \text{REP-COST-ENG} = & \\
 & \text{QTY-RCVD} \times \text{REPAIR-FRAC-ENG} \\
 & \times \text{AVE-REP-COST-ENG}
 \end{aligned}$$

(18) MOD-IV-COST-ENG =
QTY-RCVD x MOD-IV-FRAC-ENG
x AVE-MOD-IV-COST-ENG

(19) MOD-V-COST-ENG =
QTY-RCVD x MOD-V-FRAC-ENG
x AVE-MOD-V-COST-ENG

3.1.2 Inputs

Name: SVCBL-DEPOT-NSN

Definition: Number of items of the NSN reported as completed serviceable by organic depot maintenance for the quarter.

Source System/File: G004L/ALIG3C0 (B6D7U0)

Name: CONDM-DEPOT-NSN

Definition: Number of items of the NSN reported as condemned by organic depot maintenance for the quarter.

Source System/File: G004L/ALIG3C0 (B6D7U0)

Name: SVCBL-CONTR-NSN

Definition: Number of items of the NSN reported as serviceable by contractor for the quarter.

Source System/File: G072D/LOIYHAB

Name: CONDM-CONTR-NSN

Definition: Number of items of the NSN reported as condemned by contractor for the quarter.

Source System/File: G072D/LOIYHAB

Name: TOT-REP-COST-NSN

Definition: Total of all repair costs at depot level
(organic or contractor) for the NSN for the
quarter.

Source System/File: H036B/AHMQRA1

Name: TOT-MOD-IV-COST-NSN

Definition: Total of all costs of Class IV modifications
at depot level (organic or contractor) for
the NSN for the quarter.

Source System/File: H036B/AHMQRA1

Name: TOT-MOD-V-COST-NSN

Definition: Total of all costs of Class V modifications
at depot level (organic or contractor) for
the NSN for the quarter.

Source System/File: H036B/AHMQRA1

Name: PRODN-COUNT-NSN

Definition: Number of items of the NSN reported as
completed at the depot level for the quarter.

Source System/File: H036B/AHMQRA1

Name: REP-COUNT-NSN

Definition: Number of items of the NSN reported as
completed at the depot level and categorized
as repair for the quarter.

Source System/File: H036B/AHMQRA1

Name: MOD-IV-COUNT-NSN

Definition: Number of items of the NSN reported as
completed at the depot level and categorized
as Class IV modifications for the quarter.

Source System/File: H036B/AHMQRA1

Name: MOD-V-COUNT-NSN

Definition: Number of items of the NSN reported as completed at the depot level and categorized as Class V modifications for the quarter.

Source System/File: H036B/AHMQRAL

Name: ALC-ISSUES

Definition: Number of items of the NSN issued by the depot supply organization during the calendar quarter.

Source System/File: D033/A4TBAO

Name: TOT-REP-COST-ENG

Definition: Total of all repair costs at depot level (organic or contractor) for the engine for the quarter.

Source System/File: H036B/AHMQRAL

Name: REP-COUNT-ENG

Definition: Number of engines reported as completed at the depot level and categorized as repair for the quarter.

Source System/File: H036B/AHMQRAL

Name: MOD-IV-COST-ENG

Definition: Total of all costs of Class IV Modifications at depot level (organic or contractor) for the engine for the quarter.

Source System/File: H036B/AHMQRAL

Name: MOD-IV-COUNT-ENG

Definition: Number of engines reported as completed at the depot level and categorized as Class IV modifications for the quarter.

Source System/File: H036B/AHMQRAL

Name: MOD-V-COST-ENG

Definition: Total of all costs of Class V modifications at depot level (organic or inorganic) for the engine for the quarter.

Source System/File: H036B/AHMQRA1

Name: MOD-V-COUNT-ENG

Definition: Number of engines reported as completed at the depot level and categorized as Class V modifications.

Source System/File: H036B/AHMQRA1

Name: PRODN-COUNT-ENG

Definition: Number of engines reported as completed at the depot level for the quarter.

Source System/File: H036B/AHMQRA1

Name: QTY-RCVD

Definition: Number of engines⁽¹⁾ received at depot for major overhaul⁽²⁾. Counts are accumulated separately by aircraft MDS, by engine (identified by Configured Item Identifier. See reference (30), Section 10-1.j.), and by originating ALC.

Source System/File: D042/(File not identified at this time)

3.1.3 Description of Calculation Procedure

The following discussion explains the calculation procedure implicit in the calculations of 3.1.1 as applied to the inputs defined in Section 3.1.2.

(1) Auxiliary power units are not counted.

(2) Depot level work on engines is commonly called "overhaul".

In order to understand the logic, it should be recognized that repairable NSNs shipped to a depot are no longer identified with the shipping source or aircraft when they arrive at the depot. All depot systems record transactions only by NSN. Moreover, the items may accumulate at the depot for months before being processed. When they are processed, some of them may be condemned at the depot. Of those that are not condemned, some may be subjected to Class IV modifications, some to Class V modifications, and some repaired. As will be discussed in Section 3.2.4, condemnation, the two classes of modification, and repair essentially constitute all of the depot maintenance transactions (and thus cost) associated with repairable NSNs.

Because the NSNs processed at a depot are no longer associated with their origin, the exchangeable cost algorithms for NSNs originating at a depot are identical with the algorithms in reference [37] for base exchangeable NSNs, except for the count of NSNs arriving at the depot (here identified as ALC-ISSUES). Thus most of the analysis is copied from that reference, and is repeated here for the sake of completeness.

For the same reason, the algorithms for exchangeable repair costs for engines are identical to those in reference [31]. In this case, even the procedure for counting the number of engines turned in is the same.

NSNs and engines are treated slightly differently by the algorithms, so they are addressed in separate subsections below.

3.1.3.1 Depot Exchangeable NSN Calculations

Formula 3.1.1.1(1) determines the ratio of the number of items (by NSN) completed and serviceable to the total of serviceable and condemned items at the depot level for the quarter. Since the items on which this ratio is based may not be the actual items shipped by ALCs to the depot in the current quarter, this ratio (called SVCBL-PORION) is an estimate of the fraction of actual turn-ins which will not be condemned at the depot.

Formulas (2) through (7) of Section 3.1.1 all use data from data system H036B. Table 3, extracted from reference [3], lists the data elements extracted from that system. Other H036B data elements are not relevant to these algorithms. The CSCS selects only H036B records with numeric item identification numbers (element 010 in Table 3). These correspond to valid NSNs. Moreover, only records with an "A" as the first element of the Work Breakdown Structure (field 017) are selected. This code identifies aircraft applications. For the NSN algorithms, the third element of the Work Breakdown Structure must be 1, 3, 4, 5, 6, or 7. These codes identify equipment categories other than engines.

Element 020 of Table 3 is the Work Performance Code. Table 4, extracted from reference [1], identifies the possible entries. Codes A, B, G, I, J, and K are identified by the CSCS as repair actions. Code C identifies Class V, and Code H Class IV, modifications. Codes D, E, L, and M are not relevant to repair for NSNs. The remaining codes correspond to administration, planning, training, etc., and are not associated with NSN maintenance.

TABLE 3 H036B DATA ELEMENTS

ELEM	LV	NR	NR	LONG TITLE OF DATA ELEMENT (FIRST 80 CHAR)
001	01	001	01	INTERROGATION REQUEST TAPE
002	03	002	03	TYPE, RECORD
003	03	003	03	CODE, QUARTER
004	03	004	03	YEAR, FISCAL
005	03	005	03	CODE, PROGRAM ELEMENT
006	03	006	03	NAME, FACILITY
007	03	007	03	CODE, AREA, CONUS OR OVERSEA
008	03	008	03	CODE, OWNERSHIP PURPOSE
009	03	009	03	CODE, FACILITY, REPORTING
010	03	010	03	NUMBER, ITEM IDENTIFICATION
011	03	011	03	NOMENCLATURE, ITEM
012	03	012	03	PRICE, STANDARD INVENTORY
013	03	013	03	CODE, WEAPON SYSTEM SUPPORT
014	05	014	05	CODE, WEAPON SYSTEM SUPPORT, POSITIONS 1 TO 3
015	05	015	05	CODE, WEAPON SYSTEM SUPPORT, POSITION 4
016	03	016	03	CODE, WORK BREAKDOWN STRUCTURE
017	05	017	05	CODE, MAJOR COMMODITY GROUP
018	05	018	05	CODE, CATEGORY OF WEAPON SYSTEM
019	05	019	05	CODE, COMPONENT OF WEAPON SYSTEM
020	03	020	03	CODE, WORK PERFORMANCE
021	05	021	05	DESIGNATOR, JOB
022	05	022	05	FILLER
023	03	023	03	CODE, CUSTOMER
024	03	024	03	COST, PRODUCTION, DIRECT LABOR, CIVILIAN
025	03	025	03	HOURS, PRODUCTION, DIRECT CIVILIAN LABOR
026	03	026	03	COST, OTHER, DIRECT LABOR, CIVILIAN
027	03	027	03	HOURS, OTHER, DIRECT CIVILIAN LABOR
028	03	028	03	COST, PRODUCTION, DIRECT LABOR, MILITARY
029	03	029	03	HOURS, PRODUCTION, DIRECT MILITARY LABOR
030	03	030	03	COST, OTHER, DIRECT LABOR, MILITARY
031	03	031	03	HOURS, OTHER, DIRECT MILITARY LABOR
032	03	032	03	COST, FUNDED, DIRECT MATERIAL
033	03	033	03	COST, UNFUNDED, DIRECT MATERIAL INVESTMENT
034	03	034	03	COST, UNFUNDED, DIRECT MATERIAL EXCHANGE
035	03	035	03	COST, UNFUNDED, DIRECT MATERIAL, MODIFICATION KITS
036	03	036	03	COST, UNFUNDED, DIRECT MATERIAL EXPENSE
037	03	037	03	COST, FUNDED, OTHER DIRECT
038	03	038	03	COST, UNFUNDED, OTHER DIRECT
039	03	039	03	COST, FUNDED, OPERATIONS OVERHEAD
040	03	040	03	COST, UNFUNDED, OPERATIONS OVERHEAD
041	03	041	03	COST, FUNDED, GENERAL AND ADMINISTRATIVE
042	03	042	03	COST, UNFUNDED, GENERAL AND ADMINISTRATIVE
043	03	043	03	COST, CONTRACT OR INTERSERVICE
044	03	044	03	COST, GOVERNMENT FURNISHED MATERIAL, INVESTMENT
045	03	045	03	COST, GOVERNMENT FURNISHED MATERIAL, EXCHANGE
046	03	046	03	COST, GOVERNMENT FURNISHED MATERIAL, MODIFICATION
047	03	047	03	COST, GOVERNMENT FURNISHED MATERIAL, EXPENSE
048	03	048	03	COST, FUNDED, GOVERNMENT FURNISHED SERVICES
049	03	049	03	COST, UNFUNDED, GOVERNMENT FURNISHED SERVICES
050	03	050	03	COST, FUNDED, MAINTENANCE SUPPORT
051	03	051	03	COST, UNFUNDED, MAINTENANCE SUPPORT
052	03	052	03	QUANTITY, PRODUCTION
053	03	053	03	FILLER
054	03	054	03	QUANTITY, ITEMS INDUCTED REPORTING YEAR
055	03	055	03	QUANTITY, ITEMS INDUCTED PREVIOUS YEAR
056	03	056	03	QUANTITY, ITEMS INDUCTED ALL PRIOR YEARS
057	03	057	03	WORK DAYS IN PROCESS
058	03	058	03	CODE, CLASSIFICATION, JOB ORDER NUMBER
059	03	059	03	FILLER
060	03	060	03	COST, FUNDED, TOTAL
061	03	061	03	COST, UNFUNDED, TOTAL

TABLE 3 H036B DATA ELEMENTS (Continued)

ELEM	LVL	
NR	NR	LONG TITLE OF DATA ELEMENT (FIRST 80 CHAR)
062	03	COST, AVERAGE UNIT REPAIR
063	03	NUMBER, PROGRAM CONTROL
064	05	CODE, REIMBURSEMENT
065	05	CATEGORY, REPAIR GROUP
066	05	CODE, PSEUDO
067	07	CODE, AIR LOGISTICS CENTER
068	07	CODE, PSEUDO, LAST 3 POSITIONS
069	03	CODE, STATUS, PRODUCTION
070	03	CODE, MATERIEL MANAGEMENT
071	03	CODE, WEAPON SYSTEM SUPPORT
072	05	CODE, WEAPON SYSTEM SUPPORT, POSITIONS 1 TO 3
073	05	CODE, WEAPON SYSTEM SUPPORT, POSITION 4
074	03	CODE, WORK BREAKDOWN STRUCTURE
075	05	CODE, MAJOR COMMODITY GROUP
076	05	CODE, CATEGORY OF WEAPON SYSTEM
077	05	CODE, COMPONENT OF WEAPON SYSTEM
078	03	NUMBER, JOB ORDER
079	05	NUMBER, CONTROL, 1ST POSITION
080	05	FILLER

TABLE 4 WORK PERFORMANCE CATEGORIES

Code A—Overhaul. The disassembly, test, and inspection of the operating components and the basic structure to determine and accomplish the necessary repair, rebuild, replacement and servicing required to obtain the desired performance. It is considered to be synonymous with the terms "rework" or "rebuild."

Code B—Progressive Maintenance. A predetermined amount of work that presents a partial overhaul under a program that permits the complete overhaul to be accomplished during two or more time periods. It is considered synonymous with the terms "cycle maintenance," "restricted availability," "preventive servicing," or "recondition."

Code C—Conversion. The alteration of the basic characteristics of an item to such an extent as to change the mission, performance or capability.

Code D—Activation. The depreservation, servicing, inspection, test and replacement of assemblies or subassemblies as required to return an item from storage or inactive pool status to operational use.

Code E—Inactivation. The servicing and preservation of an item prior to entering storage or an inactive pool.

Code F—Renovation. The proof and test evaluation and rework of ammunition or ordnance items as required for retaining their desired capability.

Code G—Analytical Rework. The disassembly, test and inspection of end-items, assemblies or subassemblies to determine and accomplish the necessary rework, rebuild, replacement, or modification required. It includes the technical analysis of the findings and determination of maintenance criteria. Includes prototype tear-down, analysis and rework of an item to determine job and material specifications on a future workload.

Code H—Modification. The alteration or change of the physical makeup of a weapon/support system, subsystem, component, or part in accordance with approved technical direction.

Code I—Repair. Action taken to restore to a serviceable condition an item rendered unserviceable by wear, failure, or damage.

Code J—Inspection and Test. The examination and testing required to determine the condition or proper functioning as related to the applicable specifications.

Code K—Manufacture. The fabrication of an item by application of labor and/or machines to material.

Code L—Reclamation. The authorized processing of

end-items, assemblies or subassemblies to obtain parts or components that are to be retained in the inventory prior to taking disposal action on the remaining items. Covers demilitarization actions on items prior to disposal when the demilitarization is incidental to the reclamation.

Code M—Storage. The inspection, represervation and maintenance in a storage status of weapons and equipment items as well as their subsystems and components in the supply system.

Code N—Technical Assistance. The use of qualified depot maintenance personnel to provide technical information, instructions, or guidance, or to perform specific work requiring special skills, for operational activities or other maintenance organizations. Includes all demilitarization other than the incidental to reclamation (Code L).

Code O—Not Used.

Code P—Programming and Planning Support. Includes consolidated long-range workload scheduling and resource utilization; centralized maintenance programming and planning for support of all levels of maintenance; all logistics support exclusive of engineering effort in the programming and development of maintenance support requirements for weapon systems and weapons support activities.

Code Q—Maintenance Technical and Engineering Support. Includes the technical and engineering effort in development of maintainability concepts and the maintenance portion of logistics plans dealing with future and present weapons and equipment. Includes regional maintenance representatives, field liaison, maintenance technicians, contract technical services, contract engineering services in direct support of maintenance, contract technicians and engineers in direct support of maintenance

Code R—Technical and Engineering Data. Includes the preparation of technical and engineering data as applied to all categories of equipment. Includes engineering drawings, wiring diagrams, technical orders, engineering technical standards, technical handbooks, technical bulletins and similar publications. Provides for the preparation, editorial review and/or revision of equipment publications pertaining to the operation, repair and repair parts support of DOD materiel. Preparation includes, but is not limited to, the consolidation of source data, drawings and art work, editing, preparation of final printable copy and printing. Includes significant identifiable effort within organic maintenance or at other DOD specialized support functions to produce data in support of maintenance, such as cryptographic or test equipment support data.

Code S—Technical and Administrative Training. In-

TABLE 4 WORK PERFORMANCE CATEGORIES (Continued)

educational units conducting maintenance training and training associated with new weapon systems or support systems which have been or will be introduced into the DOD inventory. At depot maintenance activities, only training associated with new equipment is maintenance support. This training is separately funded by specific funding documents. Other training accomplished at

depot maintenance activities in support of the depot maintenance operation is not maintenance support, but a part of the depot maintenance operation.

Code T—Nonmaintenance Work. Used to assure completeness of maintenance work force reporting.

The input identified as TOT-REP-COST is the sum of all applicable costs (see Section 3.2.2.2) for selected records with Work Performance Codes A, B, G, I, J, or K. REP-COUNT is the sum of the production counts for the same records. Similarly, inputs for Class IV modifications are based on Work Performance Code H, and Class V modifications on Work Performance Code C. The input PRODN-COUNT is simply the sum of the production counts for the three cases.

Thus the average costs of formulas 3.1.1.1(2), (3) and (4) are simply the quotients of the applicable costs and associated production quantities. Formulas (5), (6), and (7) determine what fractions of the total production were repairs, Class IV modifications, or Class V modifications in the currently reported quarter. The total production count of the NSN (including both modifications and repairs) is the common denominator of these fractions, so the fractions add up to one.

Formulas (8), (9), and (10) all use the quantity ALC-ISSUES. This quantity is the only difference between the base exchangeable (NSN) algorithms and the depot exchangeable (NSN) algorithms. Although Section 3.1.2 identifies the input data system as D033, there are complications. The D033 system identifies the NSN, the number of items issued, and the issuing ALC. It does not identify the aircraft MDS and WUC corresponding to the NSN.

The D033 record does include a "control number" which identifies the job under which the issue took place. This same control number is included in records of a file which the CSCS receives from

the G004L data system. These G004L records also identify the aircraft MDS.

Finally, the CSCS maintains a cross reference index through which the combination of NSN and MDS are used to identify the WUC. (The cross reference index will be discussed in another report generated by ISI as part of this verification and validation effort.)

The rest of the processing of depot exchangeable NSN costs is identical with the processing of base exchangeable NSN costs. Formulas (8), (9), and (10) all begin by multiplying the quantity of turn-ins by a fraction representing the portion not condemned in the currently reported quarter. The result is an estimate of the number of these items which will not be condemned. This result is multiplied by the appropriate fraction to estimate the number repaired or modified in each case. Finally, these estimates are multiplied by the applicable average unit costs (repair, modification IV or modification V costs) to yield estimates of exchangeable repair costs (TOT-REP-COST-NSN), Class IV modification costs (TOT-MOD-IV-COSTS-NSN), and Class V modification costs (TOT-MOD-V-COSTS-NSN). Since the turn-in counts are accumulated separately by MDS, WUC, and depot, the resulting cost estimates are similarly identified.

3.1.3.2 Depot Exchangeable Engine Calculations

The calculations of depot exchangeable costs for engines differ only slightly from the corresponding calculations for NSNs. There is no calculation of the fraction of engines not condemned because engines are almost never condemned. The CSCS assumes that 100% of turned in engines are repaired, so there is for engines no

counterpart of formula (1) for NSNs. Formulas (11) through (19) are the counterparts, for engines, of formulas (2) through (10) for NSNs. The only difference is that, in extracting data from H036B, the third character of the Work Breakdown Structure should be "2," identifying an engine.

3.2 Critique of Algorithm

This section addresses various facets of the two algorithms. The discussion is structured to correspond to the contractual requirements. Each aspect is either affirmed or rejected. Rejections lead to recommendations in Section 4.0.

3.2.1 Appropriateness and Accuracy of Assumptions and Approximations

Information Spectrum has identified two approximations and two assumptions used in these algorithms. The approximations are addressed in Section 3.2.1.1, and 3.2.1.2, the assumptions in Sections 3.2.1.3 and 3.2.1.4.

3.2.1.1 Disposition of Turn-Ins

In general, items turned in by the ALCs will eventually be condemned, modified, or repaired at the depot. The number which will be condemned is not known at the time of the turn-in. Items to be modified are tagged, but their numbers are not entered as needed into Air Force data systems. Accordingly, it is appropriate to estimate the portions disposed of in each way by an approximation based on experience.

However, ISI feels that the use of the ratios from the currently reported quarter is undesirable. Depot activities for

a given NSN are commonly scheduled only when an economic quantity of the NSN is available. Lack of funds to pay for the repair/modification (or condemnation determination) may also cause only periodic depot activity. Thus it would be expected that a selected NSN modification might not appear at all for several quarters, and then a batch of them would occur. Repairs and condemnations could show similar effects, because the items might not be inducted into a production line for several quarters. Thus, the quarterly proportions of items condemned, modified, or repaired could fluctuate excessively or even be uncomputable if no items are processed in a particular quarter. Section 4.0 recommends a change in procedure.

3.2.1.2 Time Period for Cost Averages

The average cost per item is simply the average cost which prevailed in the currently reported quarter. Exactly the same scheduling considerations discussed above in Section 3.2.1.1 apply here. It may be expected that these quarterly average costs will show fluctuations (or periods in which no costs are accrued) which are not representative of the costs expected to apply to turn-ins. The recommendation of Section 4.0 addresses this problem also.

3.2.1.3 NSNs Common to Aircraft and to Non-Airborne Systems

As a matter of practice, work on some NSN items that are common to both aircraft and other systems are sometimes recorded at the depot under Work Breakdown Structure (WBS) code "L" (meaning "all other items"). When this occurs, the costs and production counts for the NSN cannot be identified to a repair or modification.

The experience of cognizant Air Force personnel is that the frequency of this occurrence is small, so the impact of not including these data in the computation of NSN repair or modification costs is considered negligible. It remains, however, an underlying assumption that this occurrence is small. The only way to obviate this assumption is to forbid (by policy or authoritative statement) the practice of recording repairable NSN maintenance by WBS code "L".

3.2.1.4 Condemnations

The CSCS assumes that no engines are ever condemned. This was confirmed through informal discussion with Mr. Ludwig Coco (AFLC/MMMAE), who indicated that engine condemnation is extremely rare. Information Spectrum affirms the acceptability of this assumption.

3.2.2 Accuracy of Source Data and Congruence of Data Element Definitions

Information Spectrum was directed to validate accuracy of source data based on a survey of published findings, reports of audit, etc. No direct sampling of data was to be performed. The Office of VAMOSC has indicated that direct validation of source data is planned for future efforts.

As indicated in Section 3.1.2, the input data is provided to the CSCS by data systems G004L, G072D, H036B, D042, and D143F. No published criticism of the accuracy of any of these data systems could be found. Accordingly, ISI affirms their accuracy.

Next we address the congruence between definitions of input data elements as used by the CSCS and as provided by the input data systems.

3.2.2.1 Serviceable/Condemnation Counts

The counts of items serviceable and condemned by the depot and by the contractor are defined in Attachment A of reference [3]. These definitions are straightforward and correspond to their application by the CSCS.

3.2.2.2 Repair Costs

The total repair cost used by the CSCS is the sum of all applicable cost elements available from H036B. Table 3, extracted from reference [3], lists the data elements extracted from that system. In that figure, elements numbered 024, 026, 028, 030, and 032 through 051 are the data elements that provide costs. All costs that are also coded by a repair WPC (see Table 4) are summed by the CSCS to yield the total repair cost. These cost categories derive from reference [29], which implicitly requires that all depot maintenance costs for the military departments be identified by those categories.

The CSCS implicitly associates all depot maintenance cost with repairs or modifications. In fact, some depot labor costs (with associated costs for overhead, support, etc.) are surely expended on the process of determining that items are condemned. These costs are, in effect, charged to repaired or modified items as a sort of "overhead." Since there is no evident feasible way to make visible the labor (or other support costs) associated with the determination of a condemnation, ISI affirms this cost allocation as appropriate.

It may be noted that the listing of H036B data elements in reference [1] omits data elements 042, 043, and 050. Reference [3] is more accurate.

It may also be noted that the H036B cost elements include both funded and unfunded costs, and that they include cost elements not used in the calculation of standard depot repair prices (sales prices).

Various knowledgeable Air Force personnel have noted that it is not unusual for an engine to be both repaired and modified during one visit to the depot. According to Mr. Dennis Kahn (OPR for H036B), in such a case a single H036B record is generated. The record is generally coded as a repair or a modification record depending on which activity involved the greatest cost. Thus, users should recognize that cost outputs associated with repair or with modification by the CSCS may incorporate some costs of the other type. Users should also recognize that both funded and unfunded costs are included in the H036B cost elements so that the cost estimates developed by the CSCS include cost elements not used in calculation of standard depot repair prices ("sales prices"). ISI affirms the congruence of the definitions of repair prices as provided by H036B and as used by the CSCS, with the provision that users of CSCS output data should be clearly informed of the nature of the cost elements included.

3.2.2.3 Production Counts

Section 3.1.3 of this report explained how production counts represent completed depot level actions categorized by the nature of the work done. The resulting counts are straightforward, with

the understanding that engines which are both modified and repaired are counted only in the category with the greater cost. ISI affirms the congruence of the input definitions and the CSCS interpretations.

3.2.2.4 Depot Issues

The counts of NSNs issued by depot supply organizations are straightforward. ISI affirms the congruence of the input data definition with the CSCS interpretation.

3.2.2.5 Depot Receipts of Engines

When an engine is shipped to a depot from any activity, the depot generates a single report of receipt of that engine when it is received. This report is entered into the D042 system as described in reference [30]. According to cognizant Air Force personnel, all such receipts lead to repairs or modifications (or both). ISI affirms the congruence of the input data definition with the CSCS interpretation.

3.2.3 Appropriateness of Source Data as Inputs

Section 3.1.2 showed that depot production data is provided by the G004L system. Contractor production data comes from G072D. Repair costs and counts come from H036B, and NRTS turn-in counts from D143F. The D042 system has recently been implemented. It is designed to trace all significant information on the status, condition, and location of aircraft engines and related equipment. ISI affirms the appropriateness of all the source data systems as inputs to the algorithms.

3.2.4 Accuracy and Appropriateness of Algorithms

It has been stressed in previous discussion that items turned in to the depot cannot later be identified as to their source. Moreover, processing of these items by the depot may take place months (even years) after their turn-ins. Yet, it is desired to develop repair and modification costs associated with the time of turn-in. Under these circumstances it is appropriate to associate representative costs with the turn-ins, as is done by the algorithms.

A difference between CSCS treatment of engines and of NSNs is that engine costs are associated with the time of engine receipt at the depot, while NSN costs are associated with the time of issue of a replacement item at the ALC. This is not significant for the accuracy or appropriateness of the algorithm. Information Spectrum affirms the appropriateness of the algorithm.

Section 4 of this report provides recommendations to improve the accuracy of approximations discussed in Sections 3.2.1 and 3.2.2. If these are implemented, we believe the accuracy will be satisfactory.

3.2.5 Directness of Costing

Having acknowledged that the repair cost of items sent to the depot must be based on representative, not actual depot cost values, it is appropriate here to consider whether the representative depot costs are direct. Discussion with Air Force personnel indicates that cost elements in H036B are as direct as feasible. For instance, direct labor and material costs are directly identified with the item being worked on, and are so reported. Overhead, and general and

administrative (G&A) costs are generally accrued at the Air Logistics Command or Resource Control Center level, and then allocated to the direct labor tasks. Reference [29] requires that operations overhead costs be allocated in proportion to direct labor hours. Indirect costs coded in H036B are allocated to NSNs "in proportion to benefits received," and G&A costs are allocated in proportion to the total of direct and indirect costs. Information Spectrum, Inc. affirms the directness of costing used in these algorithms.

3.2.6 Application to CSCS Output Reports

The costs addressed by these algorithms relate to NSN items and engines removed from the aircraft during depot maintenance. They should not be confused with similarly titled costs associated with work on the entire aircraft or engine at the depot.

The costs generated by these algorithms impact elements of four CSCS reports as described by Table 5. The accuracy and limitations declared for the algorithms and their elements by this report impacts these report cost elements. The total accuracy of each report cannot be addressed until all algorithms impacting the report and its respective cost elements have been reviewed. This will occur in the final report of this effort. Evaluation of the usefulness of the reports will also be provided in the final report of this effort and after ISI conducts a survey of users.

TABLE 5

CONTRIBUTION OF DEPOT EXCHANGEABLES COST
ALGORITHMS TO CSCS OUTPUT REPORTS

<u>OUTPUT REPORT/NUMBER</u> ⁽¹⁾	<u>COST ELEMENTS CONTRIBUTED TO BY THE ALGORITHMS</u> ⁽²⁾
1. MDS Logistics Support Cost/8104	1. By MDS for all bases: a. WUC COMPONENT COSTS, DEPOT b. TOTAL MDS COSTS c. By two-digit system, WUC QTR COST
2. Depot On-Equipment ⁽³⁾ Work Unit Code (WUC) Costs/8111	2. By MDS, ALC, and WUC: a. EXCH REPAIR b. EXCH MOD (CL IV) c. EXCH MOD (CL V) d. WUC TOTAL COST
3. Total Base and Depot Work Unit Code (WUC) Costs/8108	3. By MDS and WUC: a. EXCH REPAIR COSTS, DEPOT (1) REPAIR (2) MOD IV (3) MOD V b. BASE & DEPOT WUC TOTAL
4. Summary of Cost Elements/8113	4. By MDS: a. ENGINE REWORK, DEPOT EXCH REP COSTS b. COMPONENT REP, DEPOT EXCH REPAIR COSTS c. CLASS IV ⁽⁴⁾ MODIFICATIONS, DEPOT EXCH MOD COSTS, (1) LABOR (2) OTHER d. SUSTAINING INVESTMENT, MODIFICATION KITS, DEPOT EXCHANGEABLE MOD COSTS, CLASS IV ⁽⁴⁾

(1) CSCS output reports are assigned Report Control Symbol HAF-LEY (AR) nnnn, where nnnn is the number in the table.

(2) Capital letters indicate the titles printed on the report.

(3) Misnomer. The report includes costs which are not "on-equipment."

(4) CSCS personnel indicate that it is planned to modify this report to include both Class IV and Class V.

4.0 RECOMMENDATIONS

Section 3 has presented an assessment that the algorithms for depot exchangeable repair and modification costs for both NSNs and engines are fundamentally sound. Two procedural weaknesses were identified in Sections 3.2.1.1 and 3.2.1.2. The recommendations in Section 4.1 and 4.2 address these weaknesses. In addition, it is recommended that the Office of VAMOSC initiate an effort to eliminate the practice of depots recording maintenance activity on certain NSN's by WBS code "L". This practice appears arbitrary and creates an unwarranted uncertainty (though small) on the results of fundamentally sound algorithms.

In the Air Force Logistics Command, changes to automated data systems are initiated through preparation of AFLC Form 238, "Data Automation Requirements," (DAR). This form contains a number of administrative entries, together with three items of substantive content: "Requirements," "Impact Statement," and "Justification Benefits/Cost Savings." Attachment 1 provides a draft of these sections appropriate to the recommendations in Sections 4.1 and 4.2 below. It is appropriate to address both recommendations by a single DAR.

4.1 Recommendation for Depot Production and Condemnation Counts

In section 3.1.1, formula (1) uses inputs identified as SVCBL-DEPOT-NSN, CONDM-DEPOT-NSN, SVCBL-CONTR-NSN, and CONDM-CONTR-NSN. Formulas (5), (6) and (7) use inputs identified as REP-COUNT-NSN, MOD-IV-COUNT-NSN, MOD-V-COUNT-NSN, and PRODN-COUNT-NSN. Formulas

(14), (15), and (16) used inputs defined as REPAIR-COUNT-ENG, MOD-IV-COUNT-ENG, MOD-V-COUNT-ENG, and PRODN-COUNT-ENG. Section 3.1.2 identified each of these inputs as a count of activities for the current quarter.

It is recommended that each of these definitions be changed so that the input quantity is the accumulated count for the most recent four quarters. Note that use of four quarters would avoid any seasonal biases.

It is conceivable that no counts would be accumulated for some class of data even over a full year. Accordingly, the following rule is recommended for formulas (1), (5), (6), (7), (14), (15), and (16) of Section 3.1.1. If the denominator in the formulas is zero, the value used in the previous quarterly processing cycle should be re-used in the present processing cycle.

4.1a Office of VAMOSC (OOV) Comments

Concur. The use of the accumulated count for the most recent four quarters to compute depot serviceable/condemned and repair/modification percentages will certainly improve the reliability and consistency of depot exchangeable costs reported by CSCS. The DAR requesting this change will be prepared and submitted by 31 Jul 84.

4.2 Average Costs

In Section 3.1.1, formulas (2), (3), and (4) calculated average depot costs for repair Class IV modification, or Class V modification of an NSN based on cost data from the current quarter. Formulas (11), (12), and (13) calculated the same costs for engines. It is recommended that if the denominator is zero in any of these formulas, the value used in the previous quarterly processing cycle be re-used in the current processing cycle, and adjusted for inflation as follows:

- (1) From AFR-173-13, select the USAF raw inflation indices for O&M for the current year and the previous year.
- (2) Subtract the index for the previous year from the index for the current year. Divide the result by 4, then add 1.
- (3) The result is an approximate quarterly O&M inflation index.
- (4) Multiply any average depot cost carried forward (because of no applicable depot activity in the current quarter) by this index.

More elaborate inflation adjustments can be imagined. The costs of labor, materials, and overhead could be adjusted separately. A quarterly inflation factor defined as the fourth root of the ratio of the annual factors would be infinitesimally more precise. Such refinements would entail significant procedural complications. Information Spectrum judges that the results would not justify the additional effort.

4.2a Office of VAMOSC (OOV) Comments

Concur. Under the current method employed by CSCS, it is possible to show zero depot exchangeable costs for an NSN even in a quarter when NRTS activity is reported. The use of cost figures for the prior quarter when no depot activity is reported in the current quarter will reduce this possibility. A DAR requesting this change will be prepared and submitted by 31 Jul 84.

REFERENCES

- [1] AF Regulation 400-31, Volume IV (6 August 1982), Visibility and Management of Operating and Support Cost Program (VAMOSC) Component Support Cost System (CSCS)
- [2] FD-K-14010C, Functional Description (for the Component Support Cost System (CSCS), Data System Designator D160B, undated draft)
- [3] SS-K-15010B, Component Support Cost System/Subsystem Specification, 1 June 1983
- [4] TO-00-20-2, Technical Manual: The Maintenance Data Collection System, 1 November 1981
- [5] TO-00-20-2-45-2, Operational Supplement to Technical Order: Maintenance Documentation for In-Shop Engine Maintenance, 1 October 1982
- [6] Memoranda of Agreement (listed separately)
- [7] Letter from Chief, Material, Cost & International Accounting Systems Division, Directorate of Plans & System, HQ USAF, dated 27 Feb 1981, Subject: Direct Labor Rates
- [8] Air Force Magazine, May 1983 (Almanac Issue)
- [9] AFLC Pamphlet 173-10, AFLC Cost and Planning Factors, 31 December 1981
- [10] "A Statistical Evaluation of the Accuracy of Maintenance Direct Labor Data Used in Support of Operating and Support Costs." Desmatics, Inc. Final Report No. 111-1, by Dennis E. Smith, Robert L. Gardner, and Terry L. King, April 1979
- [11] "The Air Force Can Improve Its Maintenance Information System," U.S. General Accounting Office Report No. GAO/GGD-83-20, 25 January 1983
- [12] Compendium of Authenticated Systems and Logistics Terms, Definitions and Acronyms, School of Systems and Logistics, Air Force Institute of Technology, 1 April 1981
- [13] AF Regulation 177-101, General Accounting and Finance Systems at Base Level, 17 March 1980 updated to 1 June 1982
- [14] AF Manual 177-380, USAF Standard Base Level Maintenance Cost System (B3500), 19 October 1976 updated to 31 July 1981
- [15] AF Regulation 173-13, USAF Cost and Planning Factors, 1 February 1982

- [29] DoD Handbook 7220.29-H, Department of Defense Depot Maintenance and Maintenance Support Cost Accounting and Production Handbook, updated through 13 September 1979
- [30] AF Manual 400-1, Volume II, Comprehensive Engine Management System (D042) Engine Status, Configuration and TCTO Reporting Procedures, 1 October 1983
- [31] "Validation of the Algorithms for Base Exchangeable Repair Costs (Engine) and Base Exchangeable Modification Costs (Engine) for the Component Support Cost System (D160B)," Information Spectrum, Inc., Report No. V-84-31859-10, 11 February 1984
- [32] TO-00-5-15, Technical Manual: Air Force Time Compliance Technical Order System, 15 April 1983
- [33] "Validation of the Algorithm for Depot TCTO Labor Costs for the Component Support Cost System (D160B)," Information Spectrum, Inc., Report No. V-84-31859-12, 12 April 1984
- [34] "Validation of the Algorithm for Depot TCTO Material Costs for the Component Support Cost System (D160B)," Information Spectrum, Inc., Report No. V-84-31859-13, 12 April 1984
- [35] "Validation of the Algorithm for Depot TCTO Other Costs for the Component Support Cost System (D160B)," Information Spectrum, Inc., Report No. V-84-31859-14, 12 April 1984
- [36] AFLC Regulation 170-10, "Depot Maintenance Service Air Force Industrial Fund (DMS, AFIF) Financial Procedures, 28 June 1979, updated to 16 February 1982
- [37] "Validation of the Algorithms for Base Exchangeable Repair Costs (NSN) and Base Exchangeable Modification Costs (NSN) for the Component Support Cost System (D160B)," Information Spectrum, Inc., Report No. V-84-31859-09, 11 February 1984
- [38] AF Manual 67-1, "USAF Supply Manual," Vol. II (Ph IV) Part II, 1 February 1984
- [39] "Validation of the Algorithm for Base Maintenance Overhead Costs for the Component Support Cost System (D160B)," Information Spectrum, Inc., Report No. V-83-31859-08, 13 December 1983
- [40] "Aircraft Operating and Support Cost Development Guide," Office of the Secretary of Defense, Cost Analysis Improvement Group, 15 April 1980
- [41] DoD 7220.29H, "DoD Depot Maintenance and Maintenance Support Cost Accounting and Production Reporting Handbook," updated through 28 October 1981

- [16] HQ USAF/ACF (AFAFC) Denver, Co ltr (undated), Subject: Direct Labor Rates for VAMOSC (your 21 Apr 83 ltr)
- [17] "Validation of the Algorithm for Base TCTO Labor Cost for the Component Support System (D160B)," Information Spectrum, Inc., Report No. V-83-31859-01, 15 August 1983
- [18] AF Regulation 300-4, Vol. III, Unclassified Data Elements and Codes, 1 May 1982
- [19] AF Manual 177-674, USAF Standard Base Level Accounting and Distribution System (AFDS): H069R/XQ (H6000), 1 April 1980, updated to 18 June 1982
- [20] AF Manual 177-370, USAF Standard Base-Level Accounting and Finance System (B3500), 1 December 1979
- [21] TO-00-20-2-2, Technical Manual: On-Equipment Maintenance Documentation for Aircraft; Air-Launched Missiles; Ground-Launched Missiles; Except ICBMS; Drones; and Related Training Equipment, 1 August 1976, updated to 15 October 1982
- [22] TO-00-20-2-10, Technical Manual: Off-Equipment Maintenance Documentation for Shopwork, Conventional Munitions, and Precision Measuring Equipment, 1 January 1978, updated to 1 August 1982
- [23] AF Manual 66-267, Maintenance Data Collection System (MDC), DSDC: G001BD, Users Manual, 1 October 1979, updated to 1 January 1983
- [24] Letter from Chief, Material Systems Division, Directorate of Comptroller Systems, Air Force Data Systems Design Center, to HQ AFLC/MM(VAMOSC), dated 15 September 1983, Subject: "D002A, Daily Consumable Material Cost Data Interface with D160B, Component Support Cost System (CSCS) (your ltr, 15 Aug 83)."
- [25] AF Manual 67-1, USAF Supply Manual, Vol. II, Part I, Base Procedures, updated to 18 April 1983
- [26] AFLC Regulation 72-2, Cataloging and Standardization, 3 March 1980, updated to 29 May 1982
- [27] "Validation of the Algorithm for Base TCTO Overhead Costs for the Component Support Cost System (D160B)," Information Spectrum, Inc., Report No. V-83-31859-02, 15 August 1983
- [28] "Validation of the Algorithm for Base Labor Costs for the Component Support Cost System (D160B)," Information Spectrum, Inc., Report No. V-83-31859-06, 13 December 1983

- [42] VAMOSC Operating Instruction 7, Component Support System (CSCS), Mission Support of the CSCS (D160B), 9 April 1982
- [43] VAMOSC OI7, 28 December 1983
- [44] AFLC Regulation 75-1, Shipment Processing and Documentation, 15 October 1975, updated to 21 December 1977
- [45] AFM 400-1, Volume I, Selective Management of Propulsion Units, Policy and Guidance, 21 June 1976
- [46] Aircraft Operating and Support Cost Development Guide, Office of the Secretary of Defense, Cost Analysis Improvement Group, 15 April 1980
- [47] Letter from ACM to ALMAJCOM-SOA/ACM/ACC/ACR, Subject: Commercial/Industrial Type Activities (CITA) Factor Development Procedures (RCS: HAF-ACM(AR)8004) (AF/MPMX Msg, 251445Z Jul 80), signed by Donald G. Kane, Colonel, USAF, Director of Cost and Management Analysis
- [48] AFLC Regulation 65-12, Management of Items Subject to Repair (MISTR). 2 August 1978
- [49] AFLC Regulation 66-61, Operational Planning, 27 October 1983
- [50] "Validation of the Algorithms for Depot Support General, Labor, Direct Material, and Other Costs for the Component Support Cost System (D160B)," Information Spectrum, Inc., Report No. V-84-31859-15, 12 April 1984
- [51] AF Manual 177-206, Automated Material System Interfaced with Supply System at Base Level, Users Manual, 1 August 1979, updated to 1 February 1983.
- [52] AF Regulation 66-1, Maintenance Management, Volume 3, Squadron Maintenance, 2 January 1980
- [53] "Validation of the Algorithm for Base Inspection Costs for the Component Support Cost System (D160B)," Information Spectrum, Inc., Report No. V-83-31859-04, 15 August 1983

MEMORANDA OF AGREEMENT
FOR SYSTEM INTERFACES

<u>Ref. No.</u>	<u>Memorandum No.</u>	<u>Date</u>
[6.1]	D002A/M024B/D160B-A	9 Jun 1980
[6.2]	D002A/M024B/D160B-B	9 Jun 1980
[6.3]	D024A/D160B-A	30 Jun 1980
[6.4]	D033./ARC/D160B	14 Jun 1980
[6.5]	D042A/DNB/D160B	4 Nov 1983
[6.6]	D046/M024/D160B	9 Apr 1981
[6.7]	D046/D160B	23 Jun 1982
[6.8]	D056A/BDN/D160B-A	23 Jan 1981
[6.9]	D056A/D160B-C	13 Oct 1981
[6.10]	D056A/D160B-D	29 Jan 1981
[6.11]	D056A F005	25 Apr 1979
[6.12]	D056B/BDN/D160B-A	22 Dec 1980
[6.13]	D056C/D160B-A	4 Mar 1981
[6.14]	D071/D160B	17 Jun 1982
[6.15]	D143B/D002A 9159	3 Aug 1979
[6.16]	D143F/ARC/D160B-A	5 Feb 1981
[6.17]	D160/D160B	11 Jun 1982
[6.18]	G004L/M024B/D160B-A	30 May 1980
[6.19]	G004L/M024B/D160B-B	30 May 1980
[6.20]	G004L/M024B/D160B-C	5 Nov 1981
[6.21]	G019F/D160B	8 Sep 1982
[6.22]	G033B/D160B	12 Jul 1982
[6.23]	G072D/BDN/D160B-A	19 Apr 1982

MEMORANDA OF AGREEMENT
FOR SYSTEM INTERFACES (Continued)

<u>Ref No.</u>	<u>Memorandum No.</u>	<u>Date</u>
[6.24]	H036B/RC/D160B-A	10 Feb 1981
[6.25]	H069R/M024B/D160B-B	19 Jan 1981
[6.26]	O013/BDN/D160B	22 Jul 1982

Attachment 1: Proposed DAR Entries Supporting Modifications to the Component Support Cost Subsystem (CSCS) to Improve Calculation of Base Exchangeable Repair and Modification Costs for NSNs

Requirement:

In the algorithms identified by Sections 5-14.b (percent depot repair/NSN), 5-14e (percent production quantity-repair) and 5-16.d (percentage production quantity-modifications) of AFR 400-31, Volume IV (6 August 1982), all input data (production counts and serviceable returns) should be the sum of the values for the most recent four quarters. In these calculations, if a denominator is zero (indicating no production for the previous four quarters), the output quantity from the previous quarterly processing cycle should be re-used.

In Sections 5-14.d (depot average repair cost/NSN) and 5-16.c (depot average modification cost/NSN), the input data should be the values for the current quarter. In these calculations, if a denominator is zero, the output quantity should be the value used for the previous quarterly processing cycle, adjusted for inflation by multiplying by a quarterly O&M inflation index. That index is calculated as follows:

- (1) From AFR 173-13, select the USAF raw inflation indices for O&M for the current year and the previous year.
- (2) Subtract the index for the previous year from the index for the current year. Divide the result by 4, then add 1.

Impact Statement

Failure to implement may contribute to erratic, non-representative fluctuations in estimates of exchangeable repair and modification costs.

Justification Benefits/Cost Savings

Evaluation of the inaccuracy of the current procedure would require investigation and analysis. Such an investigation does not appear appropriate since in any event the required programming effort should be small.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	RECIPIENT'S CATALOG NUMBER
	A157463	
4. TITLE (and Subtitle) Validation of the Algorithm for Depot Exchangeable REpair and Modification Costs for NSNs and Engines for CSCS (D160B)		5. TYPE OF REPORT & PERIOD COVERED Technical Report
7. AUTHOR(s) Dr. Sheldon J. Einhorn		6. PERFORMING ORG. REPORT NUMBER V-83-31859-16
9. PERFORMING ORGANIZATION NAME AND ADDRESS Information Spectrum, Inc 1745 S. Jefferson Davis Highway Arlington, VA 22202		8. CONTRACT OR GRANT NUMBER(s) F33600-82-C-0543
11. CONTROLLING OFFICE NAME AND ADDRESS HQ AFLC/MML (VAMOSC) Wright-Patterson AFB, OH 45433		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE April 1984
		13. NUMBER OF PAGES 58
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) VAMOSC O&S Costs Cost Allocation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This study is the sixteenth of a set of reports documenting the findings of a study conducted by Information Spectrum, Inc (ISI) for the Office of VAMOSC, Air Force Logistics Command. This study constitutes an assessment of the algorithms for Depot Exchangeable Repair and Modification Costs for NSNs and Engines within the Component Support Cost System (CSCS) subsystem of VAMOSC, the Air Force Visibility and Management of Operating and Support Cost system. CSCS deals with subsystems and components for aircraft.		

20. This report provides the verification of the four algorithms which deal with depot repair and modification of exchangeable stock numbered items (NSNs) and exchangeable engines. Stock numbered repairable equipment items or engines removed from an aircraft during depot maintenance are shipped to a depot (possibly the same one) for repair. At the depot some of these items may be condemned; others are repaired or modified (or both). Modifications are categorized as either Class IV (reliability, maintainability, or safety) or Class V (performance).

The algorithms estimate the repair and modification costs at the depot level. Because items are scheduled for efficient processing at depots, the work may take place many months after turn-in. The algorithms estimate costs to be incurred on the basis of depot experience during the current reporting quarter.

This volume presents ISI's conclusions and recommendations, and the comments of the Office of VAMOSC.

END

FILMED

9-85

DTIC