

AD-A160 774

AD _____

2

IITRI Project No. L6121--Study No. 6

DETERMINATION OF THE CHRONIC MAMMALIAN
TOXICOLOGICAL EFFECTS OF RDX:

(Twenty-four Month Chronic Toxicity/Carcinogenicity Study of
Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX)
In the Fischer 344 Rat)

FINAL REPORT--PHASE V
Volume I

Barry S. Levine
E. Marianna Furedi
Vladislava S. Rac
Donovan E. Gordon
Paul M. Lish

November 1983

Supported by

U.S. Army Medical Research and Development Command
Fort Detrick, Frederick, Maryland 21701-5012

Contract No. DAMD17-79-C-9161

IIT Research Institute
10 West 35th Street
Chicago, Illinois 60616

Project Officer: Jesse J. Barkley, Jr.
U.S. Army Medical Bioengineering and
Research Development Laboratory
Fort Detrick, Frederick, Maryland 21701-5010

Approved for public release; distribution unlimited

The findings in this report are not to be construed
as an official Department of the Army position unless
so designated by other authorized documents.

DTIC FILE COPY

DTIC
ELECTE
OCT 2 1985
S B D

85 10 01 052

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
AD-A160774		
4. TITLE (and Subtitle) DETERMINATION OF THE CHRONIC MAMMALIAN TOXICOLOGICAL EFFECTS OF RDX Twenty-four Month Chronic Toxicity/Carcinogenicity Study of Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) in the Fischer 344 Rat		5. TYPE OF REPORT & PERIOD COVERED PHASE V FINAL REPORT October 1980 to November 1983
7. AUTHOR(s) Barry S. Levine, E. Marianna Furedi, Donovan E. Gordon, Vladislava S. Rac, Paul M. Lish		6. PERFORMING ORG. REPORT NUMBER L6121 Study No. 6
9. PERFORMING ORGANIZATION NAME AND ADDRESS IIT Research Institute 10 West 35th Street Chicago, IL 60616		8. CONTRACT OR GRANT NUMBER(s) DAMD17-79-C-9161
11. CONTROLLING OFFICE NAME AND ADDRESS U.S. Army Medical Research and Development Command Fort Detrick Frederick, Maryland 21701-5012		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 62720A.3E162720A835.00.101
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE November 1983
		13. NUMBER OF PAGES
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) RDX Hexahydro-1,3,5-trinitro-1,3,5-triazine Fischer 344 rats CAS Reg. No. 121-82-4 Chronic toxicity		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This study was conducted to evaluate the toxicity of the munition compound hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX; CAS Reg. No. 121-82-4) in Fischer 344 rats when administered in their diet for up to 24 months. Groups of 75 rats per sex received RDX at doses of 0, 0.3, 1, 5, 8, or 40 mg/kg/day. Ten rats/sex/dose were killed following 6 and 12 months on test with surviving animals killed after 24 months of treatment. Toxicologic endpoints included clinical signs, body weights, food consumption, hematology, clinical chemistry, ophthalmology, organ weights, and gross and tissue morphology. (continued)		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

The major toxic effects observed during the administration of RDX to F344 rats for up to 24 months included anemia with secondary splenic lesions, hepatotoxicity, possible CNS involvement, cataracts and urogenital lesions. Based on the observance of increased levels of a hemosiderin-like pigment deposited in the spleen (a secondary response to a hemolytic-type anemia) and suppurative inflammation of the prostate for rats administered 1.5 mg/kg/day or greater, the no-effect level under the conditions of the present study is 0.3 mg/kg/day.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

Contract No. DAMD17-79-C-9161
IITRI Project No. L6121
Study No. 6

DETERMINATION OF THE CHRONIC MAMMALIAN TOXICOLOGICAL EFFECTS OF RDX
TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY
OF HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE
(RDX) IN THE FISCHER 344 RAT

FINAL REPORT

Prepared by

Barry S. Levine
E. Marianna Furedi
Vladislava S. Rac
Donovan E. Gordon
Paul M. Lish

IIT Research Institute
10 West 35th Street
Chicago, Illinois 60616

Supported by

U.S. Army Medical Research
and Development Command
Fort Detrick, Frederick, Maryland 21701


Project Officer: Jesse J. Barkeley, Jr.



Paul M. Lish
Scientific Advisor
Life Sciences Research



Barry S. Levine
Senior Toxicologist
Life Sciences Research



Alan M. Shefner
Associate Director
Life Sciences Research

EXECUTIVE SUMMARY

This study was conducted to evaluate the toxicity of the munition compound hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX CAS Reg. No. 121-82-4) in Fischer 344 rats when administered in their diet for up to 24 months. Groups of 75 rats per sex received RDX at doses of 0, 0.3, 1.5, 8 or 40 mg/kg/day. Ten rats/sex/dose were killed following 6 and 12 months on test with surviving animals killed after 24 months of treatment. Toxicologic endpoints included clinical signs, body weights, food consumption, hematology, clinical chemistry, ophthalmology, organ weights, and gross and tissue morphology.

The major toxic effects observed during the administration of RDX to F344 rats for up to 24 months included anemia with secondary splenic lesions, hepatotoxicity, possible CNS involvement, cataracts and urogenital lesions. Based on the observance of increased levels of a hemosiderin-like pigment deposited in the spleen (a secondary response to a hemolytic-type anemia), suppurative inflammation of the prostate and decreased survival in male rats administered 1.5 mg/kg/day or greater, the no-effect level under the conditions of the present study is 0.3 mg/kg/day.

Accession For	
NTIS GSA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
and/or	
Distribution	
A-1	



FOREWORD

The U.S. Army Medical Bioengineering Research and Development Laboratory (USAMBRDL), Fort Detrick, Frederick, MD, has been conducting a research program since 1973 for the purpose of developing the scientific data base necessary for recommending water quality criteria for compounds unique to the munitions industry. A water quality criterion (as defined by the amended Clean Water Act, 1977) is a qualitative or quantitative estimate of the concentration of a pollutant in ambient waters that, when not exceeded, will ensure a water quality sufficient to protect a specified water use. The criterion is a scientific entity based solely on data and scientific judgement. It does not reflect considerations of economic or technological feasibility. Currently, a water quality criterion consists of two separate numerical limits, one for the protection of human health and the other for the protection of aquatic organisms. These numbers, when translated by the appropriate regulatory agency, can be the basis of enforceable discharge or effluent limitations in a point source discharge permit issued under the Clean Water Act.

Since a water quality criterion is to protect designated water uses, a diverse, multidisciplinary research program was developed by USAMBRDL that includes "effects" studies on laboratory and domestic animals, wildlife species, aquatic organisms, plants, and economically important crops. In addition, extensive chemical and biological fate and persistence tests are conducted to provide information on the behavior of a pollutant in the aqueous environment. These kinds of data are especially useful for making site-specific translation of criteria into enforceable discharge limits.

This report represents a portion of the mammalian toxicology data base being developed by USAMBRDL on hexahydro-1,3,5-trinitro-1,3,5-triazine. It should be noted that Phases II, III, and IV were parallel studies with TNT, conducted under Contract No. DAMD17-79-C-9120. The Phase I report included subchronic studies with both compounds.

Animal Experimentation: Animal experiments were conducted in accordance with the "Guide for the Care and Use of Laboratory Animals" (1978), DHEW Publication No. (NIH) 78-23, prepared by the Committee on Care and Use of Laboratory Animals of the Institute of Laboratory Animal Resources, National Research Council; the regulations and standards prepared by the Department of Agriculture; and the Public Law 91-579, "Laboratory Animal Welfare Act" (1970).

Citation of commercial organizations and trade names in this report does not constitute an official Department of the Army endorsement or approval of the products or services of these organizations.

ACKNOWLEDGMENT

This report was prepared at IIT Research Institute, 10 West 35th Street, Chicago, Illinois, 60616, under U.S. Department of Army Contract No. DAMD17-79-C-9161 (IITRI Project No. L06121) entitled "Determination of the Chronic Mammalian Toxicological Effects of RDX". Mr. Jesse J. Barkley, Jr., Health Effects Research Division, USAMBRDL, served as the Contract Officer's Technical Representative for this program.

The work reported herein was conducted in the Toxicology and Pharmacology Section of the Life Sciences Division, and represents a portion of the overall effort of the above named research program. Paul M. Lish, Ph.D., Scientific Advisor, served as Principal Investigator. Barry S. Levine, D.Sc., Senior Toxicologist, served as study director and was responsible for the overall conduct of the study. Eva M. Furedi-Machacek, DVM, served as study toxicologist and was also responsible for the supervision of the technical support personnel. John M. Burns, DVM, Senior Veterinary Pathologist, Bobby R. Collins, DVM, M.S., and Vladislava S. Rac, DVM, M.S., were consecutively responsible for supervision of gross necropsies. Carol A. Thompson, DVM, M.S., tabulated the gross necropsy data. Drs. Burns and Levine served as consecutive heads of the the clinical pathology laboratory, and Don Reitman, Samuel Terese, B.S. (ASCP-MT), and Debbie L. Sava, B.S. (ASCP-MT), were responsible for generation of clinical pathology data. Donovan E. Gordon, DVM, Ph.D., Consultant, Veterinary Pathology, was responsible for tabulation and evaluation of histopathology data. Bobby R. Collins, DVM, M.S., and Joseph B. Harder, DVM, served as clinical veterinarians and supervised animal care personnel. Joann M. Hinz, B.S., and Robert M. Renaud, B.S., were responsible for the collection of test data. Dorothy Davis (ASCP-HT) was responsible for preparation of histology slides. C. Susan West, DVM, performed the ophthalmic examinations. Josephine M. Reed, M.M., M.S., Supervisor, Quality Assurance, was responsible for the quality assurance program. Robert Remaly, B.S., Senior Engineer, was responsible for preparation of the test article premixes. Hugh J. O'Neill, Ph.D., Manager, Analytical Chemistry, Walter C. Eisenberg, Ph.D., Senior Chemist, and Debbie Cunningham, Assistant Chemist, were responsible for chemical analyses of test article, test article premixes and test diets. Jean Graf provided the particle size analyses. Robert Gibbons, Ph.D., provided statistical and computational assistance.

QUALITY ASSURANCE STATEMENT

Laboratory inspections covering all critical phases of the study were conducted on twenty-four occasions during the course of the study. The dates are as follows: December 11, 1980; January 7, 22, and 26, April 30, May 20 and 28, June 18, July 22, August 28, September 29, November 10 and 24, 1981; and January 18, February 10, April 21, May 27, July 8, August 24, October 12, and November 10, 16, 23, and 29, 1982. Data audits were conducted beginning on January 15, 1981 with subsequent audits conducted throughout the study on April 30 and September 29, 1981; January 18 to 21, March 11, June 18 to 21, July 8, August 2, September 15 and 23 and October 17 to November 2, 1983. In addition Chemistry operations and data collection were monitored each time premix or diet samples were submitted for analysis. The final draft report was audited between January 30 and February 10, 1984. Inspections and audits were performed by Josephine Reed, Julie McPhillips, Susan Nadolny and Kirit Parikh. The study was found to meet IITRI Life Sciences Quality Assurance criteria. Specimens and raw data generated during the study will be retained in the IITRI Life Sciences Archives as specified in standard operating procedures.



Josephine M. Reed
Supervisor, Quality Assurance

TABLE OF CONTENTS

Page No.

VOLUME 1

I. INTRODUCTION.....	15
II. MATERIALS AND METHODS.....	15
A. Test Article.....	15
B. Test Diets.....	16
C. Test Animals.....	17
D. Experimental Design.....	19
E. Statistical Analysis.....	23
III. RESULTS.....	24
A. Test Diets.....	24
B. Food and Water Contaminants.....	24
C. Mortality/Clinical Observations.....	24
D. Body Weight.....	25
E. Food Consumption.....	25
F. Hematology.....	25
G. Clinical Chemistry.....	26
H. Ophthalmology.....	26
I. Organ Weights.....	27
J. Pathology.....	27
IV. DISCUSSION.....	28
V. REFERENCES.....	29
APPENDIX I TEST ARTICLE ANALYSIS.....	123
APPENDIX II 5002 CERTIFICATION PROFILE/ANALYSIS...	159
APPENDIX III TEI ANALYTICAL CHEMISTRY METHODS.....	163
APPENDIX IV HEMATOLOGY METHODOLOGY.....	165
APPENDIX V CLINICAL CHEMISTRY METHODOLOGY.....	169
APPENDIX VI INDIVIDUAL ANIMAL DATA.....	173
APPENDIX VII CHLORTETRACYCLINE CONTENT OF 5002.....	341
APPENDIX VIII NITRATE, NITRITE AND MERCURY CONTENT OF 5002.....	343
APPENDIX IX CHICAGO WATER CHEMICAL ANALYSIS.....	345
DISTRIBUTION LIST.....	347

TABLE OF CONTENTS (CONCLUDED)

	<u>Page No.</u>
<u>VOLUME II*</u>	
APPENDIX X OPTHALMOLOGY REPORT.....	348
<u>VOLUME III*</u>	
APPENDIX XI PATHOLOGY REPORT.....	594

* Requests for Volumes II and III should be directed to Health Effects Research Division, U.S. Army Medical Bioengineering Research and Development Laboratory, Fort Detrick, Frederick, Maryland 21701-5012.

LIST OF TABLES

Table		Page
1	Male Actual Doses Received.....	32
2	Female Actual Doses Received.....	36
3	Test Diet Concentrations of RDX.....	40
4	Mean Survival Time.....	41
5	Male Body Weights.....	42
6	Cumulative Male Body Weight Gains.....	47
7	Female Body Weights.....	52
8	Cumulative Female Body Weight Gains.....	57
9	Male Food Consumption Measurements.....	62
10	Female Food Consumption Measurements.....	66
11	Male Hematology Values - Test Week 13.....	70
12	Female Hematology Values - Test Week 13.....	71
13	Male Hematology Values - Test Week 26.....	72
14	Female Hematology Values - Test Week 26.....	73
15	Male Hematology Values - Test Week 52.....	74
16	Female Hematology Values - Test Week 52.....	75
17	Male Hematology Values - Test Week 78.....	76
18	Female Hematology Values - Test Week 78.....	77
19	Male Hematology Values - Test Week 104.....	78
20	Female Hematology Values - Test Week 104.....	79
21	Male Clinical Chemistry Values - Test Week 13.....	80
22	Female Clinical Chemistry Values - Test Week 13.....	81
23	Male Clinical Chemistry Values - Test Week 26.....	82
24	Female Clinical Chemistry Values - Test Week 26.....	83
25	Male Clinical Chemistry Values Test Week 52.....	84
26	Female Clinical Chemistry Values - Test Week 52.....	85
27	Male Clinical Chemistry Values - Test Week 78.....	86
28	Female Clinical Chemistry Values - Test Week 78.....	87
29	Male Clinical Chemistry Values - Test Week 104.....	88
30	Female Clinical Chemistry Values - Test Week 104.....	89
31	Cataracts.....	90
32	Male Mean Relative Organ Weights - Test Week 27.....	91
33	Female Mean Relative Organ Weights - Test Week 27.....	92
34	Male Mean Relative Organ Weights - Test Week 52.....	93
35	Female Mean Relative Organ Weights - Test Week 52.....	94
36	Male Mean Relative Organ Weights - Test Week 105.....	95
37	Female Mean Relative Organ Weights - Test Week 105.....	96
38	Male Mean Organ Weights - Test Week 27.....	97
39	Female Mean Organ Weights - Test Week 27.....	98
40	Male Mean Organ Weights - Test Week 52.....	99
41	Female Mean Organ Weights - Test Week 52.....	100
42	Male Mean Organ Weights - Test Week 105.....	101
43	Female Mean Organ Weights - Test Week 105.....	102
44	Statistical Evaluation of Histopathologic Lesions (M).....	103
45	Statistical Evaluation of Histopathologic Lesions (F).....	109

LIST OF TABLES (CONCLUDED)

<u>Table</u>		<u>Page</u>
VI.1	Survival Rate Data.....	174
VI.2	Individual Body Weights (g).....	181
VI.3	Individual Food Consumption Measurements (g/day).....	238
VI.4a	Individual Hematology Values - Test Week 13.....	295
VI.4b	Individual Hematology Values - Test Week 26.....	298
VI.4c	Individual Hematology Values - Test Week 52.....	301
VI.4d	Individual Hematology Values - Test Week 78.....	304
VI.4e	Individual Hematology Values - Test Week 104.....	307
VI.5a	Individual Clinical Chemistry Values - Test Week 13....	310
VI.5b	Individual Clinical Chemistry Values - Test Week 26....	313
VI.5c	Individual Clinical Chemistry Values - Test Week 52....	316
VI.5d	Individual Clinical Chemistry Values - Test Week 78....	319
VI.5e	Individual Clinical Chemistry Values - Test Week 104...	322
VI.6a	Individual Organ Weights (g) - Test Week 27.....	325
VI.6b	Individual Organ Weights (g) - Test Week 52.....	328
VI.6c	Individual Organ Weights (g) - Test Week 105.....	331

LIST OF FIGURES

Figure		Page No.
1	Survival Curves for Control and High Dose Males.....	112
2	Survival Curves for Control and High Dose Females.....	113
3	Male Cumulative Mean Body Weight Gains (g)..	114
4	Female Cumulative Mean Body Weight Gains (g)	115
5	Mean RBC Values.....	116
6	Mean Platelet Values.....	117
7	Mean Glucose Values.....	118
8	Mean Cholesterol Values.....	119
9	Mean Triglyceride Values.....	120
10	Mean Female Total Protein Values.....	121
11	Mean Female Albumin Values.....	122

I. INTRODUCTION

The U.S. Army Medical Research and Development Command (USAMRDC) has been directed to evaluate the potential hazards to living systems of wastewater discharges from munitions facilities. Of primary concern are the toxicologic effects to mammalian systems of hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX; CAS Reg. No. 121-82-4). This high explosive is routinely used in filling shells and bombs. Wastewaters resulting from the loading of this explosive into shells are discharged into the environment without significant treatment and are subject to limitations imposed by governmental regulatory agencies. Evaluation of the potential hazards of these wastewaters to human health is therefore a necessary portion of the data-base required to establish comprehensive environmental criteria.

The present study was conducted to aid in this evaluation and assessed the chronic toxicity and carcinogenicity of RDX in Fischer 344 rats when administered in the diet for at least 104 weeks. Information ultimately derived from this comprehensive long-term toxicology study will aid USAMRDC in developing criteria for the establishment of effluent standards and in defining levels of treatment for its pollution abatement program.

The study reported herein was conducted in accordance with the IITRI Quality Assurance Program designed to comply with FDA Good Laboratory Practice Regulations (1). Thus, all terms used in this report, e.g. test article, raw data, specimens, etc., are in agreement with the definitions set forth in the aforementioned document.

II. MATERIALS AND METHODS

A. Test Article

Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX; CAS Reg. No. 121-82-4), batch No. HOL 435-37, 100 pounds, was made available for this study from stocks at the IITRI Kingsbury Ordnance Plant (KOP) Explosive Facility, La Porte, In. The test article was stored at the facility at ambient room temperature, relative humidity, and in the dark. Upon initiation and at termination of the treatment phase of the study, 30 g samples were taken and stored under conditions similar to those for the batches.

The purity of the test article was determined by high performance liquid chromatography with analytical standards provided by the Sponsor as described in Appendix 1. RDX

purity was analyzed three times during this study. The results were as follows: May 1981 ($91.0 \pm 2.9\%$), May 1982 ($89.2 \pm 8.0\%$ and April 1983 ($98.7 \pm 2.0\%$). The main contaminant was HMX and represented approximately 3-10% of the sample (estimated concentration on the basis of percent area integration). The other impurities were not determined.

Particle size analyses were done in November 1979 and November 1981 by the Fine Particles Research Section of the Chemistry and Chemical Engineering Division of IIT Research Institute. The results were as follows:

<u>Date</u>	<u>November 1979</u>			<u>November 1981</u>		
<u>Size (um)</u>	<u>Number</u>	<u>%</u>	<u>Cummul. %</u>	<u>Number</u>	<u>%</u>	<u>Cummul. %</u>
<22	355	51.7	51.7	105	21.0	21.0
22-44	184	26.8	78.5	216	43.2	64.2
44-66	75	10.9	89.4	92	18.4	82.6
66-110	38	5.5	94.9	41	8.2	90.8
110-220	22	3.2	98.1	38	7.6	98.4
220-330	10	1.5	99.6	8	1.6	100.0
330-440	2	0.3	99.9	0		
>440	1	0.1	100.0	0		

B. Test Diets

Premixes of the test article, (approximately 10% in Purina Certified Rodent Chow No. 5002, Ralston Purina Co., St. Louis, MO., hereafter referred to as 5002), were prepared on a monthly basis in 4 kg quantities at the KOP facility by Chemistry Division personnel. Undiluted RDX was handled in accordance with procedures for explosive and fire hazards. The test article was ball milled with equal parts of 5002 and subsequently diluted with additional 5002 in a twin shell blender to yield approximate 10% premixes.

Each RDX premix was routinely tested for homogeneity, potency and recovery of the test article. RDX 10% premixes had previously been shown to be homogeneous and stable for at least 7 weeks (2). Homogeneity testing consisted of analyzing for test article concentration of each batch of premix taken from 6 random locations of its container. Premix stability was established for a period of seven weeks and later for a period of nine weeks by conducting homogeneity tests at the initial and the terminal point of the 7 or 9 week period. Twenty eight test diets (2 diets/sampling week) used in Test Weeks 2, 15, 30, 45, 52, 58, 64, 70, 76, 82, 88, 94, 100 and 104 were analyzed for accuracy and homogeneity. In addition, one control and two test diets were monitored for stability

under animal cage conditions for one week. They were sampled the day they were placed in the animal's cages and also one week later from the uneaten portion of the diet.

Premix and diet recovery studies consisted of adding a known quantity of test article to a weighted quantity of untreated 5002 in a measured volume of acetonitrile (the solvent used in the extraction procedure) to achieve the calculated premix or diet concentration. The spiked samples subsequently underwent the identical procedures as the actual diets.

Toxicology Section personnel received the test articles as approximate 10% premixes in 5002. These premixes posed little explosive or fire hazard as previously described (2). Following chemical analysis of the premixes to determine test article concentration (Appendix I), sufficient quantities were subsequently diluted with 5002 in a twin shell blender by toxicology personnel to achieve the concentrations of the test article necessary to administer the required dose levels on a mg/kg/day basis. The previous weeks' body weight and food consumption measurements for each test group by sex were used to calculate the projected body weight and food consumption values. Based on these values, the desired dietary concentration of the test article was calculated. Twenty and later 16 kg of each test diet (in two batches) was routinely prepared on a weekly basis.

One sample of 5002, lot March 24 82 G, was analyzed during the course of the study by Trace Elements, Inc. Park Ridge IL. (TEI) for those contaminants listed in the 5002 certification profile as shown in Appendix II. The references to the procedures used by TEI are in Appendix III. On the basis of the analytical results for chlortetracycline content, aliquots from this and three additional reserve samples of 5002 were sent to TEI for analysis. In addition, aliquots from these four reserve samples were sent to Scientific Associates, Inc., St. Louis, MO, Woodson-Tenent Laboratories, Inc., Memphis, TN, and Harris Laboratories, Inc., Lincoln, Neb. for chlortetracycline analysis. Samples of each 5002 lot used in the study were also analyzed for nitrate, nitrite and mercury content.

C. Test Animals

Fischer 344 (F344) rats, obtained from Harlan Sprague-Dawley, Madison, WI, were used for this study. Four hundred and thirty six males and 447 females were received in good condition on November 3, 1980. They were 3 to 4 weeks

old upon arrival and random body weight means recorded within three days of receipt were 37 ± 8 g (males) and 35 ± 7 g (females).

The shipment was housed in two quarantine rooms, one for each sex. The animal room conditions during quarantine, pretest and test periods were as follows: 20-25 degrees centigrade, ambient relative humidity (30-70%), and 12 hour light/12 hour dark cycle. There were no other test animals in the rooms. The animals were housed three per polycarbonate cage (16.5" x 8"; 8" height) with Ab-sorb-dri bedding (Ab-sorb-dri Inc., Rochelle Park, N.J.) from arrival until their termination. Animals were transferred to clean cages twice weekly. Some of the male rats at the 40.0 mg/kg/day dose level were individually housed at the onset of Test Week 30. By Test Week 40 all males at this dose level were housed separately. This was done to avoid injuries by cagemates and to avoid additional stress as RDX appeared to effect the nervous system. Each animal was identified during the quarantine period by a combination of cage number and ear punch. Test animal selection was done at the onset of Test Week -2 (2 weeks prior to initiation of treatment). Animals placed on test received a study-unique test animal number (N=750) which appeared as a tail tattoo. Subsequently they were identified by an ear tag which was included with necropsy specimens.

Upon arrival at the IITRI animal facility, the animals were held in quarantine for 9 days. During this period, they were observed for signs of disease, general unthriftiness, poor coat, discharge from body openings, abnormal feces, etc. Any animals found to be unhealthy were eliminated from the test animal selection process. At the end of the quarantine period five animals of each sex were sacrificed. Extensive gross necropsies were performed under the supervision of the pathologist. Blood samples were collected for measurements of hematology and clinical chemistry parameters (see section II.D) and serum antibody titer determination for the following: GD-VII, H-1, Kilham Rat virus, Adenovirus, Sendai virus, Rat Coronavirus-Sialodacryadenitis, Reovirus 3, Pneumonia virus of mice and Lymphocytic Choriomeningitis. These antibody titers were measured by Microbiological Associates, Bethesda MD. The Sendai virus antibody titer was elevated for some of these animals. Blood samples were subsequently collected from five males and five females from the control treatment group and serum was sent for additional testing. All ten of these samples were found to be within normal limits for Sendai virus antibody titer.

Animals received 5002 rodent chow from arrival until their termination, except during a 17 to 19 hour fast prior to

blood collection and/or scheduled termination. The food was available from powdered diet feeders (Model HB-69B, Hoeltge, Inc. Cincinnati, Ohio). Tap water was available ad libitum from glass or plastic bottles.

D. Experimental Design

Following the quarantine period, test-eligible animals were assigned to five treatment groups by a stratified randomization procedure (blocked by body weight). Following assignment to treatment groups, all animals were randomly assigned test animal numbers as shown below. Mean body weight values at randomization were 58.7 ± 10.0 g (males) and 59.1 ± 8.6 g (females). This procedure was performed at the onset of Test Week -2. The animals were approximately 6-7 weeks old upon initiation of treatment and body weight mean values recorded during Test Week -1 (the most recent data prior to initiation of treatment) were 111 ± 11 g (males) and 93 ± 8 g (females). The first day of exposure to the test article was December 1, 1980.

Treatment Group Allocation:

Treatment Group	Animals per Sex	Dose Level (mg/kg/day)	Test Animal No. (males)	Test Animal No. (females)
I.	75	0.0	1- 75	76-150
II.	75	0.3	151-225	226-300
III.	75	1.5	301-375	376-450
IV.	75	8.0	451-525	526-600
V.	75	40.0	601-675	675-750

The appropriate test diets were available to the test animals ad libitum from Test Day 1 until their termination except during a 17 to 19 hour fast prior to either blood collection in Test Weeks 13, 26, 53 and 78 or scheduled termination in Weeks 27, 52 and 105-106. Thus, all animals received the appropriate test diet until approximately one day prior to their scheduled sacrifice. Weekly test diets were prepared for each treatment group by sex on the basis of predicted body weight and food consumption data.

Commencing with Test Week -1 until their termination, all animals were observed once daily in the morning for any pharmacologic and/or toxicologic signs. Afternoon mortality checks were initiated on Test Day 1. Physical examinations which included body weights and palpations for masses were conducted weekly from Test Week -1 through Test Week 14, then biweekly through Test Week 104. Food consumption was measured weekly for each cage of test animals commencing with Test Week -2 through Test Week 14, then biweekly through Test Week 104.

Mean daily food consumption per animal was calculated from these data.

All surviving animals were subjected to ophthalmic examinations during Test Weeks -2, 25, 51, 76 and 103. The examination consisted of indirect ophthalmoscopy and biomicroscopy. Only animals found to be free of clinically apparent lesions in the pretest examination were used in the study.

Serial blood collections were performed for 10 randomly selected animals/sex/dose level during Test Weeks 13, 26, 52, 78 and 104 for measurements of clinical chemistry and hematology parameters. If an animal died prior to its scheduled blood collection it was replaced by another randomly selected rat of the same sex and dose level. Approximately 1.5-2.0 ml of blood was collected from each animal via the orbital sinus. The samples were collected over a 3 consecutive day period and analyzed in a randomized order.

The following parameters were measured:

Hematology:

Hematocrit
Hemoglobin
Mean corpuscular volume (MCV)
Mean corpuscular hemoglobin (MCH)
Mean corpuscular hemoglobin concentration (MCHC)
Erythrocyte count (RBCs)
Leukocyte count, total and differential
Platelet count

Clinical Chemistry:

Glucose
Blood urea nitrogen (BUN)
Serum glutamic-pyruvic transaminase (SGPT;ALT)
Bilirubin, total and direct
Lactic dehydrogenase
Creatinine phosphokinase
Alkaline phosphatase
Triglycerides
Total cholesterol
Total protein
Albumin
Globulin (calculated value)
A/G ratio (calculated value)

Sodium
Potassium
Chloride
Calcium

Methods used to measure the above parameters are listed in Appendix IV (hematology) and Appendix V (clinical chemistry).

All animals which were sacrificed in a moribund state or died on test were necropsied regardless of autolytic state. Ten randomly selected animals/sex/dose level, after exclusion of animals designated for blood collection, were sacrificed during Test Weeks 27 and 53. Three hundred and forty six surviving test animals were sacrificed and necropsied in random order during Test Weeks 105 and 106. Terminal body weights were recorded immediately prior to sacrifice. Euthanasia was accomplished with carbon dioxide anesthesia followed by exsanguination from the abdominal aorta. The necropsy procedure was a thorough and systematic examination of the animal viscera and carcass with collection and fixation of the following tissues:

- *Adrenals
 - Bone marrow smear
- *Brain
 - Cecum
 - Colon
 - Costochondral junction, rib
 - Duodenum
 - Epididymes
 - Esophagus
 - Eyes and optic nerve
 - Gross lesions
- *Heart
 - Ileum
 - Jejunum
- *Kidneys
 - Larynx
- *Liver
 - Lungs and mainstem bronchi
 - Lymph nodes (mandibular and mesenteric)
 - Mammary gland
 - Muscle
 - Nasal turbinates
- *Ovaries
 - Pancreas
 - Pituitary gland
 - Prostate
 - Rectum
 - Salivary gland
 - Sciatic nerve

- Seminal vesicles
- Skin, abdominal
- Spinal cord (cervical, thoracic, lumbar)
- *Spleen
- Sternum, including bone marrow
- Stomach
- *Testes
- Thymus
- Thyroids (parathyroids)
- Tissue masses
- Trachea
- Urinary bladder
- Uterus

*These organs were weighed during scheduled necropsies.

All tissues, except eyes, testes and bone marrow smears, were fixed at a thickness not exceeding 0.5 cm in 10% neutral buffered formalin (NBF) which was changed 24 hours later. Eyes and testes were fixed in 3% aqueous glutaraldehyde and Bouin's Solution, respectively, for 24 hours. They were transferred to 50% ethanol for 24 hours, then placed in 70% ethanol. Bone marrow smears were prepared from the femur using the "paint brush technique". They were air-dried and fixed in absolute methanol. Lungs and urinary bladder were inflated with NBF prior to immersion in this fixative. The stomach was opened and flattened on paper prior to fixation. All tissues examined microscopically were cut at a thickness of 4 to 6 microns and stained with hematoxylin and eosin.

Tissues from all animals receiving 0.0 and 40.0 mg/kg/day were subjected to comprehensive histopathologic examination, defined as microscopic examination of the following tissues and/or organs:

- Adrenals
- *Brain (3 sections)
- Cecum
- Colon
- Duodenum
- Esophagus
- Epididymes
- Eyes and optic nerves
- Gonads
- Gross lesions
- Heart
- Ileum
- Jejunum
- Kidneys
- Liver
- Lungs and mainstem bronchi

Mammary gland
Mesenteric lymph node
Pancreas
Pituitary gland
Prostate
Rectum
Seminal vesicles
Skin, abdominal
Spinal cord (cervical, thoracic and lumbar)
Spleen
Sternum including bone marrow
Stomach
Tissue masses
Thyroids (parathyroids)
Trachea
Urinary bladder
Uterus

*(1) frontal cortex and basal ganglia; (2) parietal cortex and thalamus; and (3) cerebellum and pons.

Tissues from all animals receiving 0.3, 1.5 and 8.0 mg/kg/day were subjected to limited histopathologic examination defined as microscopic examination of at least the following tissues and/or organs:

*Brain
Gonads
Heart
Liver
Kidneys
Spleen
Spinal cord (cervical, thoracic and lumbar)

*(1) frontal cortex and basal ganglia; (2) parietal cortex and thalamus; and (3) cerebellum and pons.

E. Statistical Analysis

Those variables that were repeatedly measured, e.g. body weight, food consumption, and clinical pathology parameters were statistically analyzed using a multivariate analysis of variance for repeated measurements model. Variables that were measured a single time, e.g. organ weights, were analyzed using both univariate and multivariate analysis of variance procedures. In the presence of significant ANOVA results, a series of post-hoc analyses were conducted. Individual between group comparisons at each time-point were performed using Tukey's b test for multiple comparisons. Frequency data, such as incidence of mortality, gross necropsy observations and histopathologic lesions were compared using

log linear analysis techniques where appropriate. Time to death data were analyzed using Kaplan-Meier and Cox regression analyses. Ophthalmic lesions were analyzed by Chi-square test. Individual animal data can be found in Appendix VI.

III. RESULTS

A. Test Diets

Doses received by test animals based on their body weights and food consumption, and theoretical concentration of test article in the diet are shown in Tables 1 and 2.

Analytically determined concentrations of RDX in test diets were found to be very close to their intended concentrations. The overall percent mean $\pm$ S.D. for the actual/intended ratio was $97.0 \pm 9.8\%$. When test diets were sampled one week after being placed in the animal room, a slight decrease in RDX concentration may have occurred. The known volatility of RDX may have accounted for this negligible change (Table 3).

B. Food and Water Contaminants

The analysis of a 5002 sample for those contaminants listed in the 5002 certification profile is shown in Appendix II. The results of the repeat testing of 5002 samples for chlortetracycline content is contained in Appendix VII. The three reference laboratories which reanalyzed the 5002 samples following TEI generally reported negligible quantities of chlortetracycline.

A sample from each 5002 lot was analyzed for nitrate, nitrite and mercury content. The results are shown in Appendix VIII. Analytical results obtained from a sample of Chicago water are contained in Appendix IX.

C. Mortality/Clinical Observations

RDX at 40 mg/kg/day was lethal to most of the males and many of the females during the two year treatment period. Mean survival time for these high dose males was 14.6 months compared with 22.3 months for control males. For these high dose females, a 20.6 months mean survival time was seen versus 22.0 months for control females. Both of these reductions were statistically significant (Table 4; Figures 1 and 2).

Prior to their death, tremors and/or convulsions, first observed around Test Week 25, were often seen for 40 mg/kg/day animals. In addition, many of the males and some of the

females were on occasion hyperreactive to approach. This was first apparent by Test Week 9, and this increased sensitivity to stimuli apparently resulted in fighting among many of the co-habited males. As a result, high dose males which were fighting were singly housed during Test Week 30. Subsequently in Test Week 40, the remaining high dose males were placed in separate cages.

Discolored and/or opaque eyes were seen in an increased frequency for high dose females. This was first observed approximately midway through the study and continued until termination.

D. Body Weight

Dose-related reductions in body weight gain were seen throughout the study for males receiving 8 or 40 mg/kg/day. At this latter dose, a 20-30% reduction was apparent for most of the study. For males administered 8 mg/kg/day, an approximate 5% reduction was observed. Body weights of female rats were less affected than males. Although females receiving 40 mg/kg/day often showed 10-15% reductions in body weight gain, there were several points in time when their body weights were actually higher than control females. Occasional slight but statistically significant reductions in body weight gain, about 5%, were also seen for 8 mg/kg/day-treated females (Tables 5-8, Figures 3-4).

E. Food Consumption

Food intake was slightly but significantly reduced for male rats receiving 40 mg/kg/day. For females at this dose, slight decreases but more often slight increases were observed. Occasional increases or decreases were also seen for other dose levels, however they were sporadic and were not considered to be treatment-related (Tables 9 and 10).

F. Hematology

Reductions in hematocrit, hemoglobin, and RBC's were seen throughout the study for rats administered 40 mg/kg/day. Males were in general more affected than females. The observed anemic state was slight and physiologic compensatory responses, i.e., reticulocytosis, macrocytosis, etc., were not in evidence.

Thrombocytosis was seen throughout the study for rats of both sexes administered 40 mg/kg/day. In addition, males receiving 8 mg/kg/day demonstrated elevated platelet counts during Test Weeks 13 and 26. Total white blood cell counts were sporadically increased for the 8 and 40 mg/kg/day-treated

rats, however, a dose-related pattern was not evident. No other hematology parameters were apparently altered by RDX treatment (Tables 11-20, Figures 5 and 6).

G. Clinical Chemistry

Hypoglycemia was observed throughout the study for rats administered 40 mg/kg/day. Whereas males were more sensitive than females during the first year of the study, the opposite was, in general, seen during the second year. Hypochloesterolemia was seen for high dose (40 mg/kg/day) animals at all time points tested except for Test Week 104. Males were more affected, with females only showing significant reductions in serum cholesterol levels at Test Week 52. Reductions in serum triglyceride levels occurred for males and females administered 40 mg/kg/day. This was seen, in general, at all time points tested with both sexes being similarly affected.

Serum GPT (ALT) levels were significantly lowered during Test Weeks 26 and 52 for male rats receiving either 8 or 40 mg/kg/day. Females receiving the latter dose demonstrated this effect only at Test Week 26. For females administered 8 and/or 40 mg/kg/day, reductions in total serum protein were observed. Slight increases in alkaline phosphatase were seen for females receiving 40 mg/kg/day. No other clinical chemistry parameters appeared to be altered by RDX treatment (Tables 21-30, Figures 7-11).

H. Ophthalmology

The ophthalmology report is contained in Appendix X (Volume II)*. Statistically significant increases in the incidence of cataracts were seen during Test Weeks 78 and 104 for females but not males administered 40 mg/kg/day. The incidence of cataracts at this latter evaluation period was significantly higher than that observed for Test Week 78. All other ophthalmologic abnormalities seen occurred in random fashion, and were not considered to be treatment-related (Table 31).

* Requests for Volume II should be directed to Health Effects Research Division, U.S. Army Medical Bioengineering Research and Development Laboratory, Fort Detrick, Frederick, Maryland, 21701-5012.

I. Organ Weights

Relative liver and kidney weights were elevated at Test Weeks 27, 52 and 104 for male and female rats administered 40 mg/kg/day. During Test Week 52, females at the 8 mg/kg/day dose level also showed these relative organ weight increases. Slight increases for relative adrenal weights were seen during Test Week 27 for 40 mg/kg/day males and at Test Weeks 52 and 104 for 40 mg/kg/day females. Statistically significant reductions in testes weights were observed at Test Week 52 for 40 mg/kg/day males. Due to testicular masses for nearly all of the males (including the controls) at the terminal sacrifice (Test Weeks 105 and 106), testes weights were not evaluated at that time (Tables 32-43).

J. Pathology

The Pathology Report appears in Appendix XI (Volume III)*. Histopathologic lesions observed for rats administered RDX for up to six months were confined to the 40 mg/kg/day dose level. Splenic extramedullary hematopoiesis and spermatocytic granuloma of the prostate were present in these animals although gross morphologic changes were not in evidence.

By twelve months of RDX treatment, pathologic lesions of the urinary bladder, kidneys, testes and spleen were considered to be treatment-related for 40 mg/kg/day males. Only splenic lesions were seen for females receiving this dose. Urinary system lesions consisted of distended urinary bladder containing dark-red fluid, red-brown fluid in the abdominal cavity, and dark-brown kidneys with renal pelvis dilatation. Corresponding histologic observations were luminal distention and cystitis of the urinary bladder, and renal medullary papillary necrosis. Small testes with germinal cell degeneration, enlarged red-brown seminal vesicles, and enlarged prostate distended with red-brown fluid were also seen. Splenic lesions observed for both males and females consisted of enlarged dark-red spleens with histologic evidence of sinusoidal congestion.

* Requests for Volume III should be directed to Health Effects Research Division, U.S. Army Medical Bioengineering Research and Development Laboratory, Fort Detrick, Frederick, Maryland, 21701-5012.

Urogenital lesions observed for male rats during the 12-24 month treatment period were similar to those described above. Statistically significant treatment-related lesions were confined to the 40 mg/kg/day dose level, except for suppurative inflammation of the prostate observed at 1.5 and 8.0 mg/kg/day. Splenic lesions at the 24 month scheduled sacrifice were seen for both males and females. Males receiving 1.5, 8 or 40 mg/kg/day demonstrated increased levels of a hemosiderin-like pigment whereas extramedullary hematopoiesis was in evidence for 40 mg/kg/day females. Lenticular cataracts were also seen for females at this dose level (Tables 44 and 45).

IV. DISCUSSION

The administration of RDX to male and female F344 rats resulted in a reduction in the survival rate for both sexes given 40 mg/kg/day. Those animals that died often demonstrated convulsions prior to death. Surviving animals at this dose were hyperreactive to approach and appeared to fight with their cagemates to a greater extent than that seen for animals at lower doses. Histologic evaluation failed to detect treatment-related lesions of the central nervous system.

Anemia consisting of reduced hematocrit, hemoglobin and RBC's was seen for males and females receiving 40 mg/kg/day. The effect was mild and none of the usual physiologic compensatory responses, i.e. reticulocytosis, macrocytosis, etc., were in evidence. The anemia appeared to be peripheral in origin as bone marrow appeared within normal limits and secondary splenic lesions including extramedullary hematopoiesis, sinusoidal congestion, and increased quantities of a hemosiderin-like pigment were seen. Although gross necropsy observations suggested enlarged spleens, organ weight analysis failed to substantiate this.

Liver injury, primarily at 40 mg/kg/day, was evidenced by several observations. Hepatomegaly was seen at 40 mg/kg/day and to a much lesser extent for females at 8 mg/kg/day although histologic changes were not apparent. Hepatotoxicity was also suggested by hypocholesterolemia, hypotriglyceridemia, reduced serum albumin/total protein levels, and possibly by increased alkaline phosphatase activity.

RDX-induced renal damage occurred primarily at the 40 mg/kg/day dose level. Kidney weights were elevated at this dose and possibly for 8 mg/kg/day females. Lesions of this organ included dark brown kidneys with medullary papillary necrosis for males receiving 40 mg/kg/day for longer than six

months. Additional toxic effects on the urogenital system, primarily seen at 40 mg/kg/day, included urinary bladder distention with luminal distention and cystitis, testicular atrophy with germinal cell degeneration and enlarged seminal vesicles. In addition, enlarged prostate accompanied by spermatic granuloma and suppurative inflammation occurred for male rats administered 1.5 mg/kg/day or greater following 24 months of treatment.

Additional toxic effects seen primarily at 40 mg/kg/day included cataracts (females only), hypoglycemia, thrombocytosis and enlarged adrenals although microscopic changes were not seen. RDX was not found to be carcinogenic under the conditions of the present study.

In summary, the major toxic effects observed during the administration of RDX to F344 rats for up to 24 months included anemia with secondary splenic lesions, hepatotoxicity, possible CNS involvement, cataracts and urogenital lesions. Based on the observance of increased levels of a hemosiderin-like pigment deposited in the spleen (a secondary response to a hemolytic-type anemia) and suppurative inflammation of the prostate seen for rats administered 1.5 mg/kg/day or greater, the no-effect level under the conditions of the present study is 0.3 mg/kg/day.

V. REFERENCES

1. Good Laboratory Practice Regulations. Fed. Reg. 21 CFR Part 38. 60013-60020, 1978.
2. Levine, B.S., Furedi, E.M., Gordon, D.E., Burns, J.M., and Lish, P.M. Thirteen Week oral (diet) toxicity study of trinitrotoluene (TNT), hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) and TNT/RDX mixtures in the Fischer 344 rat. Final Report No. L6116/L6121, Study No. 1.

TABLES

IIT RESEARCH INSTITUTE

Table 1

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 MALE ACTUAL DOSES RECEIVED (mg/kg/day)
 [MEAN AND STANDARD DEVIATION (n)^a]

TEST WEEK	0.3 mg/kg/day	1.5 mg/kg/day	8.0 mg/kg/day	40.0 mg/kg/day
1	0.317 ± 0.034 (75)	1.704 ± 0.175 (75)	8.533 ± 0.885 (75)	38.711 ± 4.029 (75)
2	0.276 ± 0.027 (75)	1.567 ± 0.132 (75)	8.272 ± 0.844 (75)	38.353 ± 3.334 (75)
3	0.346 ± 0.036 (75)	1.498 ± 0.124 (75)	8.064 ± 0.740 (75)	43.231 ± 3.622 (75)
4	0.306 ± 0.026 (75)	1.420 ± 0.112 (75)	7.827 ± 0.714 (75)	38.118 ± 3.111 (75)
5	0.291 ± 0.022 (75)	1.522 ± 0.108 (75)	8.004 ± 0.631 (75)	42.098 ± 3.927 (75)
6	0.262 ± 0.019 (75)	1.468 ± 0.103 (75)	7.860 ± 0.630 (75)	39.065 ± 3.093 (75)
7	0.247 ± 0.017 (75)	1.371 ± 0.100 (75)	7.913 ± 0.673 (75)	41.149 ± 3.125 (75)
8	0.286 ± 0.020 (75)	1.464 ± 0.100 (75)	7.816 ± 0.761 (75)	37.947 ± 2.726 (75)
9	0.281 ± 0.019 (75)	1.497 ± 0.104 (75)	7.564 ± 0.619 (75)	38.398 ± 2.589 (75)
10	0.321 ± 0.020 (75)	1.451 ± 0.099 (75)	7.992 ± 0.634 (75)	38.590 ± 2.721 (75)
11	0.306 ± 0.026 (75)	1.509 ± 0.100 (75)	7.861 ± 0.623 (75)	40.387 ± 2.770 (75)
12	0.299 ± 0.019 (75)	1.465 ± 0.107 (75)	8.026 ± 0.675 (75)	40.095 ± 2.779 (75)
13	0.300 ± 0.021 (75)	1.493 ± 0.119 (75)	8.156 ± 0.746 (75)	41.038 ± 3.510 (75)
14	0.296 ± 0.017 (75)	1.518 ± 0.100 (75)	8.227 ± 0.679 (75)	40.649 ± 3.418 (75)
16	0.280 ± 0.019 (75)	1.451 ± 0.107 (75)	7.526 ± 0.664 (75)	38.558 ± 3.112 (75)

--- = NO AVAILABLE DATA
 n = number of animals

Table 1 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 MALE ACTUAL DOSES RECEIVED (mg/kg/day)
 [MEAN AND STANDARD DEVIATION (n)*]

TEST WEEK	0.3 mg/kg/day	1.5 mg/kg/day	8.0 mg/kg/day	40.0 mg/kg/day
18	0.308 ± 0.018 (75)	1.471 ± 0.088 (75)	7.882 ± 0.571 (75)	39.778 ± 3.938 (75)
20	0.306 ± 0.019 (75)	1.568 ± 0.103 (75)	8.293 ± 0.779 (75)	40.801 ± 4.924 (74)
22	0.304 ± 0.020 (75)	1.433 ± 0.089 (75)	7.634 ± 0.626 (75)	40.719 ± 7.065 (72)
24	0.302 ± 0.019 (75)	1.462 ± 0.121 (75)	7.922 ± 0.615 (75)	44.050 ± 6.130 (72)
26	0.282 ± 0.019 (72)	1.377 ± 0.122 (71)	7.404 ± 0.634 (72)	38.337 ± 5.288 (68)
28	0.283 ± 0.056 (65)	1.516 ± 0.104 (65)	8.063 ± 0.729 (65)	37.500 ± 6.297 (60)
30	0.376 ± 0.027 (65)	1.541 ± 0.105 (65)	8.396 ± 0.676 (65)	46.045 ± 7.426 (59)
32	0.286 ± 0.019 (65)	1.478 ± 0.096 (64)	7.736 ± 0.602 (65)	37.685 ± 3.654 (59)
34	0.278 ± 0.021 (65)	1.510 ± 0.108 (64)	8.253 ± 0.688 (65)	36.558 ± 2.954 (57)
36	0.314 ± 0.022 (65)	1.475 ± 0.102 (64)	7.896 ± 0.647 (65)	39.795 ± 4.744 (57)
38	0.317 ± 0.023 (65)	1.486 ± 0.110 (64)	8.155 ± 0.662 (65)	42.212 ± 5.396 (57)
40	0.267 ± 0.024 (65)	1.415 ± 0.101 (64)	7.673 ± 0.669 (62)	41.258 ± 7.668 (54)
42	0.317 ± 0.024 (65)	1.589 ± 0.128 (64)	8.436 ± 0.855 (65)	38.594 ± 7.413 (54)
44	0.263 ± 0.018 (65)	1.389 ± 0.096 (64)	7.406 ± 0.655 (65)	36.873 ± 3.805 (52)
46	0.302 ± 0.023 (65)	1.544 ± 0.118 (64)	8.075 ± 0.754 (65)	38.905 ± 5.915 (49)

--- = NO AVAILABLE DATA

Table 1 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 MALE ACTUAL DOSES RECEIVED (mg/kg/day)
 [MEAN AND STANDARD DEVIATION (n)*]

TEST WEEK	0.3 mg/kg/day	1.5 mg/kg/day	8.0 mg/kg/day	40.0 mg/kg/day
48	0.300 ± 0.023 (65)	1.487 ± 0.117 (64)	8.355 ± 0.767 (65)	42.702 ± 3.998 (45)
50	0.294 ± 0.018 (64)	1.443 ± 0.178 (64)	7.730 ± 0.683 (65)	40.467 ± 5.446 (44)
52	0.304 ± 0.024 (59)	1.523 ± 0.124 (56)	8.441 ± 0.921 (58)	42.520 ± 6.155 (36)
54	0.313 ± 0.022 (55)	1.531 ± 0.125 (53)	8.178 ± 0.753 (55)	40.823 ± 5.015 (32)
56	0.321 ± 0.040 (55)	1.524 ± 0.141 (53)	7.555 ± 0.675 (55)	36.224 ± 6.668 (32)
58	0.300 ± 0.029 (55)	1.358 ± 0.139 (53)	8.012 ± 0.926 (55)	39.549 ± 4.825 (31)
60	0.308 ± 0.031 (55)	1.525 ± 0.182 (52)	7.909 ± 0.708 (55)	40.418 ± 4.210 (30)
62	0.285 ± 0.042 (54)	1.285 ± 0.256 (52)	7.367 ± 1.150 (55)	36.958 ± 9.887 (28)
64	0.289 ± 0.065 (54)	1.691 ± 0.249 (52)	8.199 ± 1.385 (55)	36.251 ± 7.008 (23)
66	0.327 ± 0.030 (54)	1.409 ± 0.205 (51)	8.802 ± 0.864 (55)	49.018 ± 5.713 (23)
68	0.266 ± 0.028 (54)	1.446 ± 0.172 (50)	7.423 ± 0.753 (55)	36.734 ± 4.439 (23)
70	0.309 ± 0.029 (53)	1.473 ± 0.140 (48)	7.998 ± 0.749 (54)	39.951 ± 6.521 (23)
72	0.295 ± 0.032 (53)	1.423 ± 0.148 (48)	7.685 ± 0.901 (53)	39.466 ± 4.752 (20)
74	0.298 ± 0.028 (53)	1.503 ± 0.180 (48)	8.701 ± 0.966 (53)	39.816 ± 7.567 (20)
76	0.278 ± 0.024 (52)	1.384 ± 0.126 (47)	7.417 ± 0.782 (53)	39.136 ± 6.109 (19)

--- = NO AVAILABLE DATA

Table 1 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 MALE ACTUAL DOSES RECEIVED (mg/kg/day)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.3 mg/kg/day	1.5 mg/kg/day	8.0 mg/kg/day	40.0 mg/kg/day
78	0.304 ± 0.037 (49)	1.464 ± 0.174 (43)	7.917 ± 0.655 (50)	40.925 ± 10.223 (15)
80	0.327 ± 0.032 (51)	1.464 ± 0.256 (47)	8.602 ± 1.014 (53)	43.042 ± 5.381 (17)
82	0.282 ± 0.028 (51)	1.381 ± 0.237 (46)	7.918 ± 1.064 (53)	37.632 ± 7.817 (16)
84	0.274 ± 0.034 (51)	1.519 ± 0.177 (44)	7.625 ± 0.834 (52)	35.935 ± 10.177 (12)
86	0.311 ± 0.037 (50)	1.531 ± 0.207 (44)	7.927 ± 0.844 (51)	47.954 ± 4.782 (10)
88	0.301 ± 0.048 (48)	1.501 ± 0.252 (44)	7.947 ± 0.853 (51)	42.818 ± 3.892 (9)
90	0.321 ± 0.034 (45)	1.473 ± 0.233 (43)	7.731 ± 0.973 (49)	38.332 ± 3.160 (9)
92	0.294 ± 0.035 (45)	1.546 ± 0.224 (42)	8.415 ± 0.980 (49)	39.567 ± 2.869 (9)
94	0.285 ± 0.039 (45)	1.412 ± 0.182 (39)	7.016 ± 1.140 (47)	40.627 ± 5.406 (9)
96	0.276 ± 0.042 (44)	1.437 ± 0.319 (38)	7.658 ± 1.787 (45)	36.959 ± 6.500 (9)
98	0.290 ± 0.052 (42)	1.444 ± 0.326 (35)	7.952 ± 1.719 (41)	46.615 ± 12.251 (8)
100	0.298 ± 0.055 (41)	1.517 ± 0.329 (34)	8.674 ± 1.774 (38)	35.051 ± 3.659 (6)
102	0.309 ± 0.054 (39)	1.419 ± 0.293 (31)	7.857 ± 1.297 (35)	37.689 ± 8.722 (6)
104	0.254 ± 0.058 (36)	1.409 ± 0.440 (27)	8.111 ± 1.830 (29)	29.468 ± 15.263 (3)

OVERALL MEAN AND STANDARD DEVIATION FOR 104 WEEKS

SEX	0.3 mg/kg/day	1.5 mg/kg/day	8.0 mg/kg/day	40.0 mg/kg/day
MALES	0.301 0.02	1.487 0.07	7.975 0.37	39.810 3.16

Table 2

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
FEMALE ACTUAL DOSES RECEIVED (mg/kg/day)
[MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.3 mg/kg/day	1.5 mg/kg/day	8.0 mg/kg/day	40.0 mg/kg/day
1	0.295 ± 0.027 (75)	1.554 ± 0.099 (75)	8.492 ± 0.673 (75)	38.319 ± 3.954 (75)
2	0.281 ± 0.039 (75)	1.384 ± 0.250 (75)	7.952 ± 0.539 (75)	39.412 ± 2.885 (75)
3	0.334 ± 0.024 (75)	1.510 ± 0.105 (75)	7.775 ± 0.434 (75)	44.019 ± 2.886 (75)
4	0.311 ± 0.023 (75)	1.425 ± 0.204 (75)	7.697 ± 0.463 (75)	34.733 ± 2.184 (75)
5	0.302 ± 0.024 (75)	1.458 ± 0.133 (75)	7.997 ± 0.537 (75)	42.855 ± 2.960 (75)
6	0.278 ± 0.018 (75)	1.540 ± 0.096 (75)	7.768 ± 0.458 (75)	35.660 ± 2.145 (75)
7	0.269 ± 0.029 (75)	1.318 ± 0.078 (75)	7.430 ± 0.487 (75)	38.777 ± 2.571 (75)
8	0.239 ± 0.013 (75)	1.400 ± 0.066 (75)	7.357 ± 0.465 (75)	37.068 ± 2.494 (75)
9	0.303 ± 0.019 (75)	1.604 ± 0.547 (75)	7.786 ± 0.432 (75)	39.165 ± 3.084 (75)
10	0.298 ± 0.018 (75)	1.561 ± 0.083 (75)	8.102 ± 0.477 (75)	41.339 ± 3.205 (75)
11	0.307 ± 0.037 (75)	1.549 ± 0.075 (75)	8.866 ± 0.554 (75)	43.949 ± 4.141 (75)
12	0.280 ± 0.019 (75)	1.462 ± 0.082 (75)	7.725 ± 0.466 (75)	39.945 ± 4.928 (75)
13	0.286 ± 0.019 (75)	1.493 ± 0.100 (75)	7.803 ± 0.534 (75)	40.661 ± 3.016 (75)
14	0.355 ± 0.023 (75)	1.657 ± 0.083 (75)	8.518 ± 0.531 (75)	40.762 ± 2.759 (75)
16	0.282 ± 0.017 (75)	1.436 ± 0.080 (75)	7.777 ± 0.489 (75)	41.556 ± 2.921 (75)

--- = NO AVAILABLE DATA

Table 2 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO 1,3,5 TRIAZINE(RDX) IN THE FISHER RAT
FEMALE ACTUAL DOSES RECEIVED (mg/kg/day)
[MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.3 mg/kg/day	1.5 mg/kg/day	8.0 mg/kg/day	40.0 mg/kg/day
18	0.254 ± 0.015 (75)	1.460 ± 0.087 (75)	7.666 ± 0.475 (75)	37.796 ± 2.640 (75)
20	0.308 ± 0.018 (75)	1.590 ± 0.080 (75)	8.234 ± 0.552 (75)	41.850 ± 3.113 (75)
22	0.317 ± 0.018 (75)	1.444 ± 0.080 (75)	7.956 ± 0.487 (75)	41.322 ± 4.638 (75)
24	0.318 ± 0.020 (75)	1.445 ± 0.109 (72)	8.077 ± 0.501 (75)	43.640 ± 5.016 (75)
26	0.293 ± 0.021 (72)	1.381 ± 0.092 (72)	7.771 ± 0.503 (71)	37.549 ± 3.917 (72)
28	0.280 ± 0.051 (65)	1.598 ± 0.095 (65)	7.746 ± 0.491 (65)	38.916 ± 4.568 (65)
30	0.298 ± 0.025 (65)	1.526 ± 0.109 (65)	8.453 ± 0.544 (65)	41.385 ± 4.706 (64)
32	0.288 ± 0.026 (65)	1.440 ± 0.089 (65)	7.760 ± 0.462 (65)	41.663 ± 6.398 (63)
34	0.294 ± 0.021 (65)	1.528 ± 0.091 (65)	8.033 ± 0.755 (65)	38.301 ± 4.430 (62)
36	0.273 ± 0.021 (65)	1.486 ± 0.109 (65)	7.815 ± 0.601 (65)	38.181 ± 4.305 (62)
38	0.343 ± 0.024 (65)	1.496 ± 0.107 (65)	8.307 ± 0.642 (65)	41.339 ± 3.972 (61)
40	0.284 ± 0.026 (65)	1.387 ± 0.146 (65)	7.448 ± 0.565 (65)	40.953 ± 3.997 (60)
42	0.296 ± 0.024 (65)	1.659 ± 0.101 (65)	8.557 ± 0.722 (65)	41.764 ± 4.595 (60)
44	0.288 ± 0.022 (65)	1.385 ± 0.091 (65)	7.734 ± 0.634 (65)	37.826 ± 3.417 (59)
46	0.288 ± 0.024 (65)	1.504 ± 0.101 (65)	7.661 ± 0.575 (65)	37.983 ± 2.825 (59)

--- = NO AVAILABLE DATA

Table 2 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 FEMALE ACTUAL DOSES RECEIVED (mg/kg/day)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.3 mg/kg/day	1.5 mg/kg/day	8.0 mg/kg/day	40.0 mg/kg/day
48	0.283 ± 0.022 (65)	1.541 ± 0.119 (65)	8.283 ± 0.633 (65)	41.148 ± 3.073 (59)
50	0.288 ± 0.022 (65)	1.508 ± 0.094 (65)	8.231 ± 0.747 (65)	41.091 ± 3.192 (58)
52	0.299 ± 0.043 (58)	1.429 ± 0.096 (59)	7.937 ± 0.592 (58)	40.441 ± 4.485 (53)
54	0.299 ± 0.022 (55)	1.600 ± 0.118 (54)	8.122 ± 0.771 (55)	40.112 ± 4.497 (49)
56	0.288 ± 0.027 (55)	1.394 ± 0.137 (54)	7.838 ± 0.675 (55)	38.383 ± 3.260 (48)
58	0.289 ± 0.027 (55)	1.517 ± 0.131 (53)	8.191 ± 0.835 (55)	38.264 ± 3.717 (48)
60	0.291 ± 0.034 (55)	1.535 ± 0.136 (53)	8.097 ± 0.696 (55)	39.999 ± 5.536 (48)
62	0.279 ± 0.031 (55)	1.268 ± 0.197 (53)	7.462 ± 0.829 (55)	37.265 ± 4.839 (47)
64	0.270 ± 0.043 (55)	1.462 ± 0.226 (53)	7.727 ± 1.278 (54)	39.877 ± 6.729 (47)
66	0.357 ± 0.035 (54)	1.701 ± 0.142 (51)	9.302 ± 0.969 (54)	47.052 ± 5.036 (47)
68	0.292 ± 0.032 (55)	1.352 ± 0.127 (52)	7.589 ± 0.916 (54)	35.654 ± 3.439 (47)
70	0.298 ± 0.027 (54)	1.487 ± 0.157 (52)	7.754 ± 0.791 (54)	39.236 ± 3.652 (47)
72	0.284 ± 0.032 (54)	1.362 ± 0.135 (52)	7.322 ± 0.782 (54)	38.948 ± 5.048 (47)
74	0.303 ± 0.043 (54)	1.453 ± 0.160 (52)	8.156 ± 0.906 (54)	39.597 ± 3.279 (47)
76	0.292 ± 0.025 (54)	1.422 ± 0.119 (52)	7.454 ± 0.767 (54)	35.558 ± 3.434 (47)

--- = NO AVAILABLE DATA

Table 2 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
FEMALE ACTUAL DOSES RECEIVED (mg/kg/day)
[MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.3 mg/kg/day	1.5 mg/kg/day	8.0 mg/kg/day	40.0 mg/kg/day
78	0.306 ± 0.027 (51)	1.646 ± 0.207 (49)	8.561 ± 1.094 (50)	43.903 ± 4.597 (44)
80	0.320 ± 0.030 (54)	1.506 ± 0.131 (51)	8.246 ± 0.823 (54)	42.887 ± 4.423 (46)
82	0.259 ± 0.024 (54)	1.351 ± 0.137 (50)	7.259 ± 0.952 (54)	36.792 ± 3.379 (46)
84	0.287 ± 0.027 (53)	1.428 ± 0.135 (49)	7.741 ± 1.125 (53)	36.051 ± 4.065 (46)
86	0.323 ± 0.037 (52)	1.595 ± 0.169 (49)	7.993 ± 1.129 (53)	39.253 ± 5.216 (45)
88	0.294 ± 0.031 (52)	1.484 ± 0.137 (49)	8.510 ± 1.393 (52)	42.217 ± 4.282 (44)
90	0.305 ± 0.035 (52)	1.557 ± 0.196 (49)	8.021 ± 1.113 (50)	39.607 ± 3.342 (43)
92	0.304 ± 0.033 (51)	1.432 ± 0.169 (49)	8.226 ± 1.238 (50)	38.989 ± 5.387 (42)
94	0.278 ± 0.045 (51)	1.419 ± 0.193 (48)	7.877 ± 1.222 (48)	38.925 ± 7.142 (40)
96	0.329 ± 0.040 (51)	1.503 ± 0.213 (47)	7.634 ± 1.303 (47)	41.624 ± 15.337 (38)
98	0.290 ± 0.041 (50)	1.511 ± 0.200 (46)	7.895 ± 1.428 (47)	38.405 ± 9.237 (35)
100	0.298 ± 0.036 (47)	1.437 ± 0.305 (45)	8.880 ± 1.797 (46)	39.571 ± 6.538 (34)
102	0.292 ± 0.044 (48)	1.535 ± 0.298 (44)	7.811 ± 1.586 (44)	39.030 ± 5.212 (31)
104	0.285 ± 0.053 (42)	1.451 ± 0.254 (39)	7.057 ± 1.283 (39)	39.195 ± 6.671 (26)

OVERALL MEAN AND STANDARD DEVIATION FOR 104 WEEKS

SEX	0.3 mg/kg/day	1.5 mg/kg/day	8.0 mg/kg/day	40.0 mg/kg/day
FEMALES	0.302 0.02	1.486 0.09	7.969 0.42	39.851 2.38

TABLE 3

TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE IN THE FISCHER 344 RAT

TEST DIET CONCENTRATIONS OF RDX

Test Week	Dose (mg/kg/day)	Sex	Intended % (I)	Actual % (A)	A x 100 / I
2	1.5	M	0.0017	0.00114	67
2	40.0	M	0.0422	0.03960	94
15	0.3	F	0.0005	0.00052	104
15	8.0	F	0.0137	0.01230	90
30	1.5	F	0.0031	0.00288	93
30	40.0	F	0.0793	0.08530	108
45	0.3	M	0.0007	0.00066	94
45	8.0	M	0.0190	0.02020	106
52	40.0	M	0.0877	0.08990	102
52	1.5	M	0.0040	0.00404	101
58	8.0	F	0.0161	0.01650	102
58	0.3	F	0.0006	0.00061	102
64	40.0	F	0.0826	0.08230	100
64	1.5	F	0.0033	0.00327	99
70	8.0	M	0.0196	0.01750	89
70	0.3	M	0.0008	0.00075	94
76	1.5	M	0.0039	0.00409	105
76	40.0	M	0.0892	0.08410	94
82	40.0	M	0.0892	0.07880	88 (94)*
82	8.0	F	0.0165	0.01520	92
82	0.3	F	0.0006	0.00062	103
88	0.3	F	0.0005	0.00054	90 (87)*
88	1.5	F	0.0036	0.00328	91
88	40.0	F	0.0881	0.09220	105
94	8.0	M	0.0202	0.02020	100
94	0.3	M	0.0008	0.00098	122
100	1.5	M	0.0041	0.00355	87
100	40.0	M	0.0704	0.06800	96
103	0.0	M/F	0.0000	0.00000	100 **
103	0.0	M/F	0.0000	0.00000	100 ***
104	0.3	F	0.0007	0.00066	94
104	8.0	F	0.0164	0.01620	99

MEAN ± S.D.

97.0 ± 9.8

* Test diets were held one week in the animal room prior to sampling. The values in parentheses repeat the ratio of the actual concentrations for the immediate and subsequent one week sampling periods

** Unused 5002

*** 5002 after being used as a source of food for one week.

TABLE 4

TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE IN THE FISCHER 344 RAT

MEAN SURVIVAL TIME

<u>DOSE</u> <u>(mg/kg/day)</u>	<u>SEX</u>	<u>MEAN SURVIVAL</u> <u>TIME (months)</u>
0.0	M	22.3 $\pm$ 0.2
	F	22.0 $\pm$ 0.4
0.3	M	22.0 $\pm$ 0.3
	F	22.6 $\pm$ 0.2
1.5	M	21.0 $\pm$ 0.5*
	F	22.2 $\pm$ 0.3
8.0	M	22.2 $\pm$ 0.2
	F	22.4 $\pm$ 0.2
40.0	M	14.6 $\pm$ 0.7*
	F	20.6 $\pm$ 0.6*

* Significantly different from control group, $p < 0.05$.

Table 5

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MALE BODY WEIGHTS (G)
[MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
-2	84. ± 11. (75)	85. ± 10. (75)	84. ± 11. (75)	86. ± 10. (75)	85. ± 11. (75)
-1	111. ± 11. (75)	111. ± 11. (75)	111. ± 11. (75)	110. ± 11. (75)	110. ± 12. (75)
1	142. ± 14. (75)	142. ± 14. (75)	141. ± 15. (75)	140. ± 14. (75)	137. ± 13. (75)
2	170. ± 17. (75)	170. ± 17. (75)	171. ± 16. (75)	167. ± 17. (75)	156. ± 13. (75)*
3	193. ± 20. (75)	197. ± 16. (75)	194. ± 16. (75)	188. ± 19. (75)	174. ± 14. (75)*
4	217. ± 19. (75)	221. ± 17. (75)	218. ± 17. (75)	210. ± 20. (75)*	193. ± 15. (75)*
5	236. ± 19. (75)	238. ± 17. (75)	235. ± 16. (75)	227. ± 20. (75)*	209. ± 16. (75)*
6	251. ± 19. (75)	253. ± 19. (75)	251. ± 17. (75)	241. ± 21. (75)*	224. ± 18. (75)*
7	264. ± 19. (75)	267. ± 18. (75)	265. ± 18. (75)	256. ± 22. (75)*	236. ± 17. (75)*
8	279. ± 19. (75)	281. ± 19. (75)	280. ± 19. (75)	270. ± 21. (75)*	251. ± 18. (75)*
9	289. ± 19. (75)	290. ± 19. (75)	290. ± 19. (75)	279. ± 22. (75)*	260. ± 18. (75)*
10	298. ± 19. (75)	300. ± 18. (75)	300. ± 19. (75)	288. ± 22. (75)*	269. ± 18. (75)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 5 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE BODY WEIGHTS (G)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
11	310. ± 21. (75)	307. ± 22. (75)	309. ± 19. (75)	298. ± 22. (75)*	279. ± 19. (75)*
12	319. ± 20. (75)	319. ± 20. (75)	319. ± 20. (75)	308. ± 23. (75)*	290. ± 19. (75)*
13	326. ± 22. (75)	327. ± 21. (75)	324. ± 21. (75)	315. ± 25. (75)*	297. ± 20. (75)*
14	331. ± 21. (75)	334. ± 20. (75)	331. ± 21. (75)	322. ± 24. (75)*	303. ± 19. (75)*
16	346. ± 21. (75)	346. ± 22. (75)	343. ± 23. (75)	336. ± 24. (75)*	315. ± 21. (75)*
18	357. ± 21. (75)	359. ± 22. (75)	357. ± 22. (75)	348. ± 26. (75)*	324. ± 22. (75)*
20	368. ± 22. (75)	370. ± 23. (75)	367. ± 23. (75)	358. ± 26. (75)*	329. ± 27. (74)*
22	378. ± 23. (75)	378. ± 24. (75)	377. ± 23. (75)	368. ± 26. (75)*	337. ± 30. (72)*
24	386. ± 24. (75)	387. ± 24. (75)	382. ± 25. (75)	373. ± 26. (75)*	338. ± 30. (72)*
26	390. ± 24. (72)	390. ± 25. (72)	387. ± 27. (71)	378. ± 27. (72)*	341. ± 31. (68)*
28	396. ± 23. (65)	397. ± 25. (65)	392. ± 26. (65)	383. ± 27. (65)*	348. ± 29. (60)*
30	401. ± 25. (65)	402. ± 25. (65)	398. ± 26. (65)	387. ± 28. (65)*	347. ± 32. (59)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 5 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE BODY WEIGHTS (G)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
32	410. ± 25. (65)	412. ± 26. (65)	406. ± 26. (64)	395. ± 28. (65)*	356. ± 23. (59)*
34	417. ± 26. (65)	415. ± 25. (65)	412. ± 27. (64)	400. ± 28. (65)*	367. ± 21. (57)*
36	424. ± 27. (65)	421. ± 26. (65)	419. ± 28. (64)	404. ± 29. (65)*	369. ± 22. (57)*
38	426. ± 28. (65)	425. ± 28. (65)	423. ± 28. (63)	408. ± 31. (65)*	366. ± 22. (57)*
40	430. ± 27. (65)	432. ± 27. (65)	428. ± 29. (64)	413. ± 31. (65)*	362. ± 25. (54)*
42	436. ± 27. (65)	433. ± 27. (65)	431. ± 28. (64)	416. ± 32. (65)*	368. ± 21. (54)*
44	439. ± 27. (65)	439. ± 28. (65)	435. ± 28. (64)	420. ± 31. (65)*	373. ± 19. (52)*
46	443. ± 27. (65)	442. ± 28. (65)	438. ± 29. (64)	423. ± 33. (65)*	372. ± 20. (50)*
48	448. ± 28. (65)	446. ± 29. (65)	442. ± 28. (64)	427. ± 33. (65)*	369. ± 18. (45)*
50	450. ± 28. (65)	448. ± 29. (65)	442. ± 28. (64)	427. ± 32. (65)*	366. ± 20. (44)*
52	447. ± 29. (59)	447. ± 31. (59)	443. ± 29. (56)	426. ± 33. (58)*	362. ± 21. (36)*
54	445. ± 29. (55)	452. ± 30. (55)	446. ± 30. (53)	428. ± 32. (55)*	360. ± 29. (32)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 5 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MALE BODY WEIGHTS (G)
[MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0		0.3		1.5		8.0		40.0	
	MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY	
56	446. ± 27. (55)	452. ± 30. (55)	447. ± 30. (53)	430. ± 32. (55)*	363. ± 28. (32)*					
58	449. ± 27. (55)	455. ± 30. (55)	448. ± 29. (53)	434. ± 32. (55)*	369. ± 23. (31)*					
60	450. ± 27. (55)	454. ± 30. (55)	448. ± 29. (52)	434. ± 33. (55)*	370. ± 21. (30)*					
62	444. ± 30. (54)	452. ± 32. (54)	446. ± 30. (52)	434. ± 33. (55)	365. ± 21. (28)*					
64	437. ± 30. (54)	448. ± 35. (54)	435. ± 31. (52)	428. ± 32. (55)	360. ± 19. (23)*					
66	438. ± 30. (54)	448. ± 32. (54)	439. ± 36. (51)	431. ± 30. (55)	360. ± 24. (23)*					
68	445. ± 29. (54)	453. ± 32. (54)	446. ± 30. (50)	434. ± 32. (55)	364. ± 20. (23)*					
70	448. ± 28. (54)	455. ± 32. (54)	447. ± 30. (48)	434. ± 33. (54)	365. ± 23. (23)*					
72	451. ± 27. (54)	457. ± 29. (53)	447. ± 34. (48)	435. ± 32. (53)*	360. ± 24. (20)*					
74	450. ± 27. (54)	456. ± 29. (53)	447. ± 38. (48)	433. ± 31. (53)*	360. ± 31. (20)*					
76	455. ± 28. (54)	458. ± 30. (52)	452. ± 30. (47)	436. ± 30. (53)*	357. ± 35. (19)*					
78	452. ± 27. (51)	454. ± 34. (49)	455. ± 31. (43)	435. ± 31. (50)*	354. ± 31. (15)*					

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 5 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MALE BODY WEIGHTS (G)
[MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
80	454. ± 29. (54)	456. ± 31. (51)	446. ± 33. (47)	435. ± 34. (53)*	348. ± 39. (17)*
82	452. ± 29. (54)	455. ± 30. (51)	436. ± 49. (46)	433. ± 35. (53)*	341. ± 40. (16)*
84	449. ± 33. (54)	451. ± 30. (51)	440. ± 42. (44)	428. ± 34. (52)*	350. ± 40. (12)*
86	449. ± 29. (53)	448. ± 37. (50)	437. ± 47. (44)	428. ± 35. (51)	345. ± 37. (10)*
88	446. ± 30. (51)	448. ± 38. (48)	436. ± 53. (44)	431. ± 35. (51)	353. ± 16. (9)*
90	443. ± 28. (50)	451. ± 28. (45)	436. ± 46. (43)	424. ± 30. (49)	349. ± 16. (9)*
92	438. ± 31. (48)	447. ± 29. (45)	433. ± 47. (42)	419. ± 36. (49)	357. ± 18. (9)*
94	434. ± 34. (46)	442. ± 32. (45)	433. ± 43. (39)	419. ± 29. (47)	346. ± 14. (9)*
96	431. ± 33. (45)	437. ± 31. (44)	425. ± 42. (38)	408. ± 43. (45)*	342. ± 24. (9)*
98	423. ± 42. (43)	432. ± 34. (42)	418. ± 42. (35)	407. ± 42. (41)	324. ± 49. (8)*
100	421. ± 45. (41)	426. ± 41. (41)	402. ± 58. (34)	398. ± 50. (38)	346. ± 25. (6)*
102	413. ± 52. (41)	424. ± 46. (39)	403. ± 52. (31)	409. ± 35. (35)	340. ± 23. (6)*
104	409. ± 43. (36)	411. ± 55. (36)	377. ± 58. (27)	397. ± 41. (29)	323. ± 50. (3)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 6

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 CUMULATIVE MALE BODY WEIGHT GAINS (g)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
1	31 ± 6 (75)	31 ± 5 (75)	30 ± 6 (75)	29 ± 6 (75)	26 ± 5 (75)*
2	59 ± 10 (75)	59 ± 13 (75)	60 ± 7 (75)	57 ± 10 (75)	46 ± 6 (75)*
3	82 ± 15 (75)	85 ± 11 (75)	83 ± 10 (75)	78 ± 13 (75)*	64 ± 9 (75)*
4	106 ± 13 (75)	109 ± 12 (75)	107 ± 11 (75)	100 ± 13 (75)*	83 ± 10 (75)*
5	125 ± 13 (75)	127 ± 13 (75)	124 ± 12 (75)	117 ± 14 (75)*	99 ± 12 (75)*
6	140 ± 14 (75)	141 ± 16 (75)	140 ± 13 (75)	131 ± 15 (75)*	114 ± 16 (75)*
7	154 ± 14 (75)	155 ± 16 (75)	154 ± 14 (75)	146 ± 16 (75)*	126 ± 15 (75)*
8	169 ± 16 (75)	170 ± 15 (75)	169 ± 16 (75)	159 ± 16 (75)*	141 ± 16 (75)*
9	178 ± 15 (75)	178 ± 17 (75)	180 ± 15 (75)	168 ± 17 (75)*	149 ± 17 (75)*
10	188 ± 15 (75)	189 ± 17 (75)	190 ± 17 (75)	178 ± 17 (75)*	158 ± 16 (75)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 6 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 CUMULATIVE MALE BODY WEIGHT GAINS (g)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
11	199 ± 19 (75)	196 ± 20 (75)	198 ± 16 (75)	188 ± 18 (75)*	169 ± 18 (75)*
12	208 ± 17 (75)	208 ± 18 (75)	208 ± 16 (75)	198 ± 17 (75)*	180 ± 18 (75)*
13	215 ± 19 (75)	216 ± 20 (75)	213 ± 17 (75)	205 ± 20 (75)*	187 ± 20 (75)*
14	221 ± 19 (75)	222 ± 19 (75)	220 ± 18 (75)	212 ± 19 (75)*	192 ± 18 (75)*
16	235 ± 19 (75)	235 ± 21 (75)	232 ± 20 (75)	225 ± 19 (75)*	204 ± 22 (75)*
18	246 ± 19 (75)	248 ± 20 (75)	246 ± 20 (75)	238 ± 21 (75)*	214 ± 22 (75)*
20	257 ± 20 (75)	258 ± 21 (75)	257 ± 20 (75)	247 ± 21 (75)*	219 ± 27 (74)*
22	267 ± 20 (75)	266 ± 23 (75)	266 ± 21 (75)	257 ± 22 (75)*	227 ± 30 (72)*
24	275 ± 22 (75)	276 ± 22 (75)	271 ± 23 (75)	263 ± 22 (75)*	228 ± 30 (72)*
26	279 ± 21 (72)	279 ± 23 (72)	276 ± 25 (71)	268 ± 22 (72)*	231 ± 30 (68)*
28	285 ± 21 (65)	285 ± 23 (65)	281 ± 24 (65)	273 ± 23 (65)*	238 ± 29 (60)*
30	291 ± 22 (65)	290 ± 22 (65)	287 ± 23 (65)	277 ± 24 (65)*	236 ± 31 (59)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 6 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/LACINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 CUMULATIVE MALE BODY WEIGHT GAINS (g)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
32	299 ± 22 (65)	300 ± 24 (65)	295 ± 24 (64)	285 ± 23 (65)*	245 ± 23 (59)*
34	306 ± 23 (65)	304 ± 23 (65)	301 ± 24 (64)	290 ± 23 (65)*	256 ± 20 (57)*
36	313 ± 24 (65)	310 ± 24 (65)	308 ± 25 (64)	294 ± 25 (65)*	258 ± 24 (57)*
38	315 ± 25 (65)	313 ± 26 (65)	310 ± 28 (64)	298 ± 26 (65)*	255 ± 22 (57)*
40	319 ± 24 (65)	320 ± 26 (65)	317 ± 26 (64)	303 ± 27 (65)*	251 ± 25 (54)*
42	325 ± 24 (65)	322 ± 26 (65)	320 ± 25 (64)	306 ± 27 (65)*	257 ± 21 (54)*
44	329 ± 24 (65)	327 ± 27 (65)	324 ± 26 (64)	310 ± 26 (65)*	262 ± 20 (52)*
46	333 ± 24 (65)	331 ± 27 (65)	327 ± 26 (64)	312 ± 29 (65)*	260 ± 20 (50)*
48	338 ± 25 (65)	335 ± 27 (65)	331 ± 25 (64)	317 ± 29 (65)*	258 ± 18 (45)*
50	339 ± 25 (65)	337 ± 28 (65)	331 ± 25 (64)	317 ± 28 (65)*	255 ± 21 (44)*
52	336 ± 27 (59)	335 ± 30 (59)	332 ± 25 (56)	316 ± 28 (58)*	251 ± 22 (36)*
54	335 ± 27 (55)	339 ± 30 (55)	334 ± 27 (53)	319 ± 28 (55)*	250 ± 29 (32)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 6 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 CUMULATIVE MALE BODY WEIGHT GAINS (g)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
56	336 ± 26 (55)	340 ± 29 (55)	335 ± 27 (53)	320 ± 27 (55)*	252 ± 29 (32)*
58	339 ± 26 (55)	342 ± 29 (55)	336 ± 26 (53)	324 ± 28 (55)*	258 ± 25 (31)*
60	340 ± 26 (55)	342 ± 29 (55)	337 ± 26 (52)	324 ± 28 (55)*	259 ± 24 (30)*
62	335 ± 30 (54)	340 ± 31 (54)	335 ± 27 (52)	325 ± 29 (55)	254 ± 24 (28)*
64	328 ± 29 (54)	336 ± 34 (54)	323 ± 30 (52)	318 ± 27 (55)	250 ± 20 (23)*
66	329 ± 27 (54)	335 ± 31 (54)	328 ± 33 (51)	321 ± 26 (55)	250 ± 26 (23)*
68	336 ± 26 (54)	340 ± 31 (54)	335 ± 27 (50)	324 ± 28 (55)	254 ± 22 (23)*
70	339 ± 27 (54)	342 ± 30 (54)	336 ± 27 (48)	324 ± 29 (54)*	255 ± 23 (23)*
72	341 ± 25 (54)	345 ± 28 (53)	337 ± 31 (48)	326 ± 29 (53)*	250 ± 28 (20)*
74	341 ± 26 (54)	343 ± 27 (53)	337 ± 35 (48)	324 ± 27 (53)*	250 ± 35 (20)*
76	345 ± 27 (54)	345 ± 28 (52)	341 ± 27 (47)	326 ± 26 (53)*	248 ± 39 (19)*
78	342 ± 26 (51)	342 ± 33 (49)	344 ± 28 (43)	326 ± 27 (50)*	244 ± 35 (15)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 6 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRIAZINO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
CUMULATIVE MALE BODY WEIGHT GAINS (g)
(MEAN AND STANDARD DEVIATION (n))

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
80	344 ± 27 (54)	344 ± 29 (51)	335 ± 30 (47)	325 ± 31 (53)*	239 ± 45 (17)*
82	342 ± 28 (54)	342 ± 28 (51)	325 ± 46 (46)	323 ± 33 (53)*	232 ± 48 (16)*
84	339 ± 32 (54)	339 ± 28 (51)	329 ± 39 (44)	318 ± 31 (52)*	245 ± 45 (12)*
86	339 ± 28 (53)	335 ± 36 (50)	326 ± 43 (44)	318 ± 33 (51)*	241 ± 43 (10)*
88	336 ± 29 (51)	336 ± 38 (48)	324 ± 50 (44)	321 ± 34 (51)	250 ± 20 (9)*
90	334 ± 27 (50)	339 ± 27 (45)	325 ± 45 (43)	314 ± 28 (49)*	247 ± 21 (9)*
92	328 ± 29 (48)	334 ± 29 (45)	322 ± 45 (42)	309 ± 34 (49)	255 ± 20 (9)*
94	324 ± 32 (46)	329 ± 34 (45)	322 ± 41 (39)	309 ± 28 (47)	244 ± 20 (9)*
96	321 ± 31 (45)	325 ± 33 (44)	314 ± 39 (38)	298 ± 42 (45)*	239 ± 31 (9)*
98	313 ± 44 (43)	320 ± 34 (42)	306 ± 40 (35)	297 ± 42 (41)	223 ± 58 (8)*
100	312 ± 44 (41)	314 ± 41 (41)	290 ± 58 (34)	288 ± 52 (38)	250 ± 25 (6)*
102	304 ± 51 (41)	312 ± 44 (39)	292 ± 51 (31)	299 ± 37 (35)	243 ± 26 (6)*
104	299 ± 44 (36)	300 ± 55 (36)	265 ± 60 (27)	286 ± 42 (29)	219 ± 51 (3)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 7

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HFXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 FEMALE BODY WEIGHTS (G)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
-2	79. ± 8. (75)	77. ± 9. (75)	79. ± 8. (75)	78. ± 8. (75)	78. ± 10. (75)
-1	94. ± 7. (75)	93. ± 8. (75)	94. ± 7. (75)	94. ± 8. (75)	93. ± 7. (75)
1	110. ± 7. (75)	110. ± 9. (75)	110. ± 7. (75)	108. ± 8. (75)	105. ± 8. (75)*
2	122. ± 8. (75)	122. ± 8. (75)	123. ± 7. (75)	122. ± 8. (75)	116. ± 8. (75)*
3	132. ± 8. (75)	132. ± 8. (75)	132. ± 6. (75)	132. ± 8. (75)	126. ± 8. (75)*
4	141. ± 8. (75)	140. ± 8. (75)	140. ± 7. (75)	140. ± 8. (75)	136. ± 8. (75)*
5	147. ± 8. (75)	147. ± 8. (75)	146. ± 8. (75)	147. ± 9. (75)	140. ± 9. (75)*
6	154. ± 8. (75)	154. ± 9. (75)	153. ± 8. (75)	153. ± 9. (75)	147. ± 9. (75)*
7	158. ± 9. (75)	158. ± 10. (75)	159. ± 8. (75)	157. ± 10. (75)	149. ± 10. (75)*
8	162. ± 10. (75)	163. ± 10. (75)	163. ± 7. (75)	163. ± 10. (75)	154. ± 10. (75)*
9	164. ± 9. (75)	165. ± 9. (75)	165. ± 8. (75)	164. ± 10. (75)	155. ± 10. (75)*
10	168. ± 9. (75)	168. ± 10. (75)	169. ± 8. (75)	168. ± 10. (75)	160. ± 11. (75)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 7 (continued)

TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISHER RAT
 FEMALE BODY WEIGHTS (G)
 [MEAN AND STANDARD DEVIATION (n)]

WEEK	0.0		0.3		1.5		8.0		40.0	
	MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY	
11	172	± 10. (75)	172	± 10. (75)	173	± 9. (75)	172	± 10. (75)	164	± 11. (75)*
12	175	± 10. (75)	177	± 10. (75)	177	± 8. (75)	176	± 10. (75)	169	± 12. (75)*
13	178	± 10. (75)	178	± 10. (75)	179	± 9. (75)	179	± 11. (75)	171	± 11. (75)*
14	181	± 11. (75)	181	± 10. (75)	181	± 9. (75)	180	± 12. (75)	174	± 12. (75)*
16	185	± 10. (75)	186	± 11. (75)	187	± 9. (75)	186	± 11. (75)	181	± 13. (75)*
18	189	± 11. (75)	191	± 11. (75)	190	± 9. (75)	191	± 12. (75)	186	± 13. (75)
20	193	± 11. (75)	194	± 11. (75)	194	± 9. (75)	194	± 12. (75)	191	± 15. (75)
22	197	± 11. (75)	199	± 12. (75)	198	± 10. (75)	198	± 12. (75)	198	± 17. (75)
24	201	± 11. (74)	203	± 11. (75)	202	± 10. (75)	203	± 13. (75)	202	± 17. (75)
26	205	± 11. (72)	204	± 11. (72)	205	± 10. (72)	205	± 13. (71)	209	± 20. (72)
28	207	± 12. (64)	206	± 12. (65)	206	± 10. (65)	207	± 13. (65)	212	± 19. (65)
30	209	± 12. (64)	209	± 12. (65)	209	± 10. (65)	207	± 13. (65)	219	± 20. (64)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 7 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
FEMALE BODY WEIGHTS (G)
[MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
32	213. ± 13. (64)	210. ± 13. (65)	212. ± 11. (65)	211. ± 14. (65)	224. ± 20. (63)*
34	216. ± 13. (64)	215. ± 13. (65)	215. ± 10. (65)	213. ± 14. (65)	232. ± 20. (62)*
36	218. ± 14. (64)	217. ± 13. (65)	216. ± 11. (65)	215. ± 14. (65)	237. ± 18. (62)*
38	222. ± 14. (64)	220. ± 13. (65)	220. ± 10. (65)	218. ± 15. (65)	241. ± 17. (61)*
40	225. ± 14. (64)	223. ± 14. (65)	223. ± 12. (65)	220. ± 15. (65)	243. ± 17. (60)*
42	228. ± 14. (64)	227. ± 14. (65)	226. ± 11. (65)	224. ± 16. (65)	246. ± 16. (60)*
44	232. ± 14. (64)	230. ± 15. (65)	229. ± 11. (65)	226. ± 17. (65)	249. ± 16. (59)*
46	235. ± 15. (64)	234. ± 16. (65)	232. ± 12. (65)	230. ± 17. (65)	250. ± 15. (59)*
48	240. ± 15. (64)	237. ± 15. (65)	235. ± 13. (65)	233. ± 17. (65)*	252. ± 16. (59)*
50	243. ± 15. (64)	241. ± 16. (65)	239. ± 13. (65)	234. ± 18. (65)*	252. ± 14. (59)*
52	246. ± 17. (57)	242. ± 16. (58)	240. ± 13. (59)	235. ± 18. (58)*	251. ± 15. (53)
54	246. ± 19. (53)	245. ± 18. (55)	242. ± 15. (55)	236. ± 19. (55)*	251. ± 16. (49)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 7 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HYDROXY-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 FEMALE BODY WEIGHTS (G)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
56	248. ± 18. (53)	246. ± 17. (55)	244. ± 15. (55)	238. ± 21. (55)*	253. ± 14. (48)
58	251. ± 19. (53)	250. ± 17. (55)	247. ± 15. (54)	242. ± 21. (55)*	255. ± 14. (48)
60	256. ± 19. (53)	253. ± 18. (55)	251. ± 16. (54)	247. ± 24. (55)*	255. ± 15. (48)
62	258. ± 20. (53)	255. ± 21. (55)	254. ± 17. (54)	251. ± 29. (55)	253. ± 13. (47)
64	257. ± 21. (53)	256. ± 20. (55)	253. ± 22. (54)	249. ± 26. (54)	250. ± 13. (47)
66	261. ± 21. (53)	259. ± 20. (55)	257. ± 20. (53)	252. ± 23. (54)*	251. ± 14. (47)*
68	266. ± 22. (53)	264. ± 21. (55)	263. ± 20. (53)	257. ± 25. (54)	255. ± 14. (47)*
70	269. ± 23. (53)	269. ± 21. (54)	267. ± 19. (53)	263. ± 26. (54)	255. ± 14. (47)*
72	274. ± 23. (52)	272. ± 22. (54)	271. ± 20. (53)	267. ± 26. (54)	256. ± 13. (47)*
74	275. ± 22. (52)	274. ± 22. (54)	273. ± 18. (53)	268. ± 26. (54)	256. ± 13. (47)*
76	279. ± 24. (52)	279. ± 23. (54)	279. ± 18. (53)	273. ± 25. (54)	257. ± 15. (47)*
78	285. ± 20. (48)	282. ± 23. (51)	282. ± 19. (50)	274. ± 25. (50)*	258. ± 15. (44)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 7 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 FEMALE BODY WEIGHTS (G)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
80	287. ± 22. (50)	287. ± 24. (54)	285. ± 21. (52)	278. ± 27. (54)	261. ± 14. (46)*
82	290. ± 25. (50)	292. ± 25. (54)	291. ± 19. (51)	281. ± 27. (54)	261. ± 15. (46)*
84	292. ± 21. (50)	295. ± 24. (53)	292. ± 22. (50)	283. ± 27. (53)	264. ± 15. (46)*
86	294. ± 19. (50)	297. ± 22. (52)	292. ± 22. (50)	283. ± 28. (53)*	260. ± 16. (45)*
88	294. ± 20. (50)	297. ± 22. (52)	293. ± 24. (50)	284. ± 32. (52)*	258. ± 17. (44)*
90	298. ± 20. (49)	298. ± 23. (52)	294. ± 27. (50)	285. ± 34. (50)*	258. ± 16. (43)*
92	302. ± 20. (48)	304. ± 22. (51)	295. ± 30. (50)	287. ± 39. (50)*	260. ± 17. (42)*
94	305. ± 21. (48)	306. ± 23. (51)	297. ± 31. (49)	291. ± 30. (48)*	254. ± 22. (40)*
96	306. ± 21. (48)	303. ± 23. (51)	296. ± 31. (48)	291. ± 32. (47)*	256. ± 28. (38)*
98	306. ± 21. (47)	304. ± 27. (50)	294. ± 36. (47)	289. ± 36. (47)*	258. ± 24. (35)*
100	305. ± 20. (47)	303. ± 29. (48)	294. ± 35. (46)	290. ± 33. (46)*	255. ± 27. (34)*
102	305. ± 21. (44)	303. ± 30. (48)	292. ± 38. (45)	290. ± 35. (44)*	257. ± 23. (31)*
104	303. ± 23. (39)	301. ± 25. (42)	292. ± 34. (40)	291. ± 38. (39)	255. ± 18. (26)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 8

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
CUMULATIVE FEMALE BODY WEIGHT GAINS (g)
[MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
1	16 ± 3 (75)	17 ± 5 (75)	16 ± 2 (75)	15 ± 4 (75)*	12 ± 3 (75)*
2	29 ± 6 (75)	29 ± 4 (75)	29 ± 4 (75)	28 ± 5 (75)	24 ± 4 (75)*
3	39 ± 6 (75)	39 ± 5 (75)	38 ± 4 (75)	38 ± 5 (75)	34 ± 5 (75)*
4	47 ± 6 (75)	47 ± 5 (75)	46 ± 6 (75)	46 ± 6 (75)	43 ± 6 (75)*
5	53 ± 7 (75)	53 ± 5 (75)	52 ± 7 (75)	53 ± 7 (75)	47 ± 6 (75)*
6	60 ± 7 (75)	60 ± 6 (75)	59 ± 7 (75)	59 ± 7 (75)	54 ± 7 (75)*
7	64 ± 8 (75)	64 ± 7 (75)	65 ± 6 (75)	64 ± 8 (75)	57 ± 8 (75)*
8	68 ± 9 (75)	70 ± 7 (75)	69 ± 6 (75)	69 ± 8 (75)	61 ± 9 (75)*
9	71 ± 8 (75)	72 ± 7 (75)	71 ± 7 (75)	71 ± 8 (75)	62 ± 8 (75)*
10	74 ± 9 (75)	75 ± 8 (75)	75 ± 8 (75)	75 ± 9 (75)	67 ± 8 (75)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 8 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(ROX) IN THE FISCHER RAT
 CUMULATIVE FEMALE BODY WEIGHT GAINS (g)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
11	78 ± 9 (75)	79 ± 8 (75)	79 ± 9 (75)	79 ± 9 (75)	79 ± 9 (75)*
12	82 ± 9 (75)	83 ± 9 (75)	83 ± 8 (75)	83 ± 9 (75)	76 ± 9 (75)*
13	84 ± 9 (75)	84 ± 8 (75)	85 ± 9 (75)	85 ± 9 (75)	78 ± 9 (75)*
14	87 ± 10 (75)	88 ± 9 (75)	87 ± 9 (75)	87 ± 10 (75)	81 ± 9 (75)*
16	92 ± 9 (75)	93 ± 9 (75)	93 ± 9 (75)	92 ± 9 (75)	88 ± 12 (75)*
18	95 ± 10 (75)	98 ± 9 (75)	96 ± 9 (75)	97 ± 10 (75)	94 ± 11 (75)
20	99 ± 10 (75)	100 ± 10 (75)	100 ± 8 (75)	100 ± 10 (75)	98 ± 13 (75)
22	103 ± 11 (75)	105 ± 10 (75)	104 ± 10 (75)	104 ± 11 (75)	105 ± 14 (75)
24	107 ± 11 (74)	109 ± 10 (75)	108 ± 9 (75)	109 ± 11 (75)	110 ± 14 (75)
26	111 ± 11 (72)	111 ± 10 (72)	111 ± 9 (72)	112 ± 11 (71)	116 ± 18 (72)*
28	113 ± 12 (64)	113 ± 10 (65)	111 ± 10 (65)	113 ± 11 (65)	120 ± 18 (65)*
30	116 ± 12 (64)	116 ± 10 (65)	114 ± 9 (65)	114 ± 11 (65)	126 ± 18 (64)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 8 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(BOX) IN THE FISCHER RAT
CUMULATIVE FEMALE BODY WEIGHT GAINS (g)
(MEAN AND STANDARD DEVIATION (n))

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
32	119 ± 12 (64)	117 ± 10 (65)	117 ± 9 (65)	117 ± 11 (65)	132 ± 19 (63)*
34	122 ± 12 (64)	122 ± 11 (65)	120 ± 9 (65)	120 ± 11 (65)	139 ± 18 (62)*
36	124 ± 13 (64)	124 ± 11 (65)	122 ± 10 (65)	122 ± 12 (65)	145 ± 17 (62)*
38	128 ± 13 (64)	127 ± 12 (65)	125 ± 9 (65)	124 ± 12 (65)	148 ± 15 (61)*
40	131 ± 13 (64)	130 ± 12 (65)	128 ± 10 (65)	126 ± 12 (65)*	150 ± 15 (60)*
42	135 ± 14 (64)	134 ± 12 (65)	132 ± 10 (65)	130 ± 14 (65)	153 ± 15 (60)*
44	138 ± 13 (64)	137 ± 13 (65)	135 ± 10 (65)	133 ± 14 (65)*	156 ± 14 (59)*
46	141 ± 14 (64)	140 ± 14 (65)	138 ± 10 (65)	136 ± 14 (65)*	158 ± 13 (59)*
48	146 ± 14 (64)	144 ± 13 (65)	141 ± 11 (65)*	139 ± 14 (65)*	160 ± 14 (59)*
50	150 ± 15 (64)	148 ± 14 (65)	145 ± 11 (65)	141 ± 15 (65)*	160 ± 12 (59)*
52	152 ± 16 (57)	149 ± 14 (58)	145 ± 11 (59)*	142 ± 15 (58)*	159 ± 11 (53)*
54	152 ± 18 (53)	151 ± 15 (55)	147 ± 14 (55)	143 ± 16 (55)*	158 ± 12 (49)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 8 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 CUMULATIVE FEMALE BODY WEIGHT GAINS (g)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
56	155 ± 18 (53)	152 ± 14 (55)	149 ± 13 (55)	145 ± 18 (55)*	161 ± 11 (48)*
58	157 ± 18 (53)	156 ± 15 (55)	152 ± 14 (54)	149 ± 18 (55)*	163 ± 11 (48)
60	162 ± 19 (53)	159 ± 15 (55)	156 ± 15 (54)	153 ± 21 (55)*	163 ± 12 (48)
62	164 ± 20 (53)	162 ± 18 (55)	159 ± 16 (54)	157 ± 28 (55)	161 ± 11 (47)
64	163 ± 20 (53)	162 ± 18 (55)	158 ± 22 (54)	156 ± 24 (54)	158 ± 13 (47)
66	167 ± 20 (53)	165 ± 18 (55)	162 ± 19 (53)	159 ± 21 (54)*	159 ± 12 (47)*
68	172 ± 21 (53)	170 ± 19 (55)	168 ± 19 (53)	164 ± 22 (54)	163 ± 12 (47)*
70	176 ± 22 (53)	175 ± 18 (54)	172 ± 19 (53)	169 ± 23 (54)	163 ± 11 (47)*
72	180 ± 22 (52)	179 ± 18 (54)	176 ± 19 (53)	174 ± 24 (54)	164 ± 10 (47)*
74	181 ± 21 (52)	180 ± 19 (54)	178 ± 17 (53)	175 ± 23 (54)	164 ± 11 (47)*
76	185 ± 23 (52)	186 ± 19 (54)	184 ± 17 (53)	179 ± 23 (54)	165 ± 13 (47)*
78	191 ± 21 (48)	188 ± 20 (51)	188 ± 18 (50)	180 ± 23 (50)*	165 ± 12 (44)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 2-METHYLDIBENZO-1,3,5-TRIAZINO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 CUMULATIVE FEMALE BODY WEIGHT GAINS (g)
 [MEAN AND STANDARD DEVIATION (n)]

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

----- = NO AVAILABLE DATA

Table 9

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE FOOD CONSUMPTION MEASUREMENTS (g/day)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
-2	11.9 ± 0.5 (75)	12.0 ± 0.6 (75)	12.0 ± 0.7 (75)	11.7 ± 0.9 (75)	11.8 ± 1.0 (75)
-1	13.2 ± 1.2 (75)	13.4 ± 0.7 (75)	13.1 ± 0.9 (75)	13.0 ± 0.8 (75)	13.4 ± 0.6 (75)
1	14.9 ± 1.2 (75)	14.9 ± 1.0 (75)	14.8 ± 0.7 (75)	14.2 ± 1.0 (75)*	12.6 ± 0.6 (75)*
2	15.5 ± 2.6 (75)	15.5 ± 0.8 (75)	15.6 ± 0.9 (75)	15.1 ± 1.1 (75)	14.1 ± 0.5 (75)*
3	16.2 ± 0.8 (75)	16.9 ± 1.0 (75)*	16.0 ± 0.9 (75)	15.5 ± 1.2 (75)*	13.8 ± 0.8 (75)*
4	16.7 ± 1.0 (75)	16.8 ± 0.9 (75)	16.2 ± 0.8 (75)*	15.8 ± 1.0 (75)*	14.8 ± 1.0 (75)*
5	16.9 ± 0.9 (75)	17.3 ± 1.0 (75)*	17.0 ± 0.7 (75)	16.1 ± 1.1 (75)*	14.8 ± 1.2 (75)*
6	16.5 ± 0.6 (75)	16.5 ± 0.8 (75)	16.7 ± 0.9 (75)	16.0 ± 1.0 (75)*	15.4 ± 1.0 (75)*
7	16.4 ± 0.6 (75)	16.4 ± 0.7 (75)	16.5 ± 1.0 (75)	16.5 ± 1.0 (75)	15.5 ± 1.2 (75)*
8	16.0 ± 0.7 (75)	16.0 ± 0.7 (75)	16.3 ± 0.7 (75)*	15.9 ± 1.4 (75)	15.4 ± 1.1 (75)*
9	15.7 ± 1.1 (75)	16.2 ± 0.9 (75)*	16.1 ± 0.8 (75)	15.9 ± 1.3 (75)	15.0 ± 0.9 (75)*
10	15.7 ± 0.6 (75)	16.0 ± 0.9 (75)	16.1 ± 0.8 (75)*	15.7 ± 1.1 (75)	15.1 ± 0.9 (75)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 9 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE FOOD CONSUMPTION MEASUREMENTS (g/day)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
11	15.8 ± 0.6 (75)	15.6 ± 0.8 (75)	16.0 ± 0.9 (75)	15.9 ± 1.0 (75)	15.2 ± 0.7 (75)*
12	15.9 ± 0.6 (75)	15.9 ± 0.7 (75)	16.0 ± 1.0 (75)	15.9 ± 1.1 (75)	15.5 ± 0.9 (75)*
13	16.1 ± 0.8 (75)	16.3 ± 1.0 (75)	16.1 ± 0.9 (75)	16.4 ± 1.0 (75)	15.5 ± 1.1 (75)*
14	16.3 ± 0.5 (75)	16.4 ± 0.7 (75)	16.2 ± 0.8 (75)	16.5 ± 0.9 (75)	16.0 ± 1.2 (75)*
16	16.0 ± 0.7 (75)	16.1 ± 0.8 (75)	16.0 ± 0.6 (75)	16.0 ± 1.1 (75)	15.3 ± 1.0 (75)*
18	15.5 ± 0.6 (75)	15.8 ± 0.7 (75)	15.9 ± 0.5 (75)*	15.7 ± 0.8 (75)	15.0 ± 1.2 (75)*
20	16.5 ± 0.6 (75)	16.1 ± 0.7 (75)*	16.4 ± 0.6 (75)	16.2 ± 1.2 (75)	15.1 ± 1.4 (74)*
22	16.3 ± 0.7 (75)	16.4 ± 0.9 (75)	15.9 ± 0.7 (75)*	15.8 ± 1.0 (75)*	15.3 ± 2.0 (72)*
24	16.4 ± 0.7 (75)	16.7 ± 0.9 (75)	16.4 ± 1.2 (75)	16.7 ± 1.0 (75)	16.7 ± 1.5 (72)
26	15.7 ± 0.6 (75)	15.7 ± 1.1 (75)	15.6 ± 1.0 (75)	15.8 ± 0.9 (75)	16.7 ± 1.4 (72)*
28	15.9 ± 0.8 (65)	14.0 ± 2.7 (65)*	15.6 ± 0.8 (65)	15.6 ± 0.9 (65)	16.0 ± 2.1 (60)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 9 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MALE FOOD CONSUMPTION MEASUREMENTS (g/day)
[MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
30	16.6 ± 0.9 (65)	16.8 ± 1.1 (65)	16.1 ± 0.8 (65)*	16.2 ± 0.8 (65)	17.5 ± 2.2 (59)*
32	16.6 ± 1.0 (65)	16.8 ± 1.0 (65)	16.2 ± 0.7 (64)*	16.1 ± 0.9 (65)*	18.0 ± 1.4 (59)*
34	16.3 ± 1.0 (65)	16.4 ± 1.0 (65)	16.3 ± 1.1 (64)	16.4 ± 0.9 (65)	16.7 ± 1.3 (57)
36	16.3 ± 0.7 (65)	16.5 ± 1.0 (65)	16.6 ± 0.9 (64)	16.4 ± 0.8 (65)	15.9 ± 1.9 (57)
38	16.4 ± 1.1 (65)	16.8 ± 1.1 (65)	16.8 ± 0.9 (64)	16.8 ± 0.9 (65)	16.1 ± 2.0 (57)
40	15.9 ± 1.5 (65)	16.4 ± 1.4 (65)	16.3 ± 0.9 (64)	16.4 ± 0.9 (62)	16.8 ± 2.9 (54)*
42	16.6 ± 1.2 (65)	17.2 ± 1.1 (65)	17.1 ± 1.2 (64)	17.1 ± 1.0 (65)	16.9 ± 3.2 (54)
44	16.6 ± 1.0 (65)	16.4 ± 1.1 (65)	16.3 ± 1.0 (64)	16.3 ± 0.9 (65)	16.4 ± 1.8 (52)
46	16.3 ± 1.1 (65)	16.7 ± 1.1 (65)	16.4 ± 1.1 (64)	16.1 ± 0.7 (65)	15.3 ± 2.4 (49)*
48	16.8 ± 1.0 (65)	16.7 ± 1.2 (65)	16.8 ± 1.2 (64)	16.7 ± 0.8 (65)	15.9 ± 1.7 (45)*
50	16.1 ± 1.0 (65)	16.4 ± 0.9 (64)	16.3 ± 1.9 (64)	16.5 ± 0.8 (65)	16.2 ± 2.2 (44)
52	16.0 ± 1.3 (60)	17.0 ± 1.3 (59)*	16.8 ± 1.0 (56)*	17.2 ± 1.1 (58)*	17.5 ± 2.6 (36)*
54	16.8 ± 1.0 (55)	17.6 ± 1.0 (55)*	17.4 ± 0.9 (53)*	17.9 ± 1.0 (55)*	17.6 ± 2.3 (32)*
56	16.6 ± 1.1 (55)	18.1 ± 2.2 (55)*	18.4 ± 1.7 (53)*	17.4 ± 1.0 (55)	16.4 ± 3.2 (32)
58	17.0 ± 1.1 (55)	17.0 ± 1.4 (55)	16.8 ± 1.3 (53)	17.4 ± 1.5 (55)	16.8 ± 2.3 (31)
60	16.4 ± 1.3 (55)	17.4 ± 1.5 (55)*	17.0 ± 1.7 (52)	17.4 ± 1.3 (55)*	16.7 ± 1.8 (30)
62	15.7 ± 2.5 (54)	16.1 ± 2.5 (54)	15.0 ± 2.9 (52)	16.2 ± 2.3 (55)	14.8 ± 4.2 (29)
64	14.7 ± 2.9 (54)	16.0 ± 3.1 (54)*	16.6 ± 2.2 (52)*	16.3 ± 2.2 (55)*	14.8 ± 3.0 (23)
66	17.4 ± 1.4 (54)	18.3 ± 1.5 (54)*	17.1 ± 2.3 (51)	18.2 ± 1.4 (55)*	17.9 ± 1.9 (23)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 9 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MALE FOOD CONSUMPTION MEASUREMENTS (g/day)
[MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
68	17.1 ± 1.3 (54)	17.1 ± 1.5 (54)	17.4 ± 1.7 (50)	17.9 ± 1.4 (55)*	17.5 ± 2.0 (23)
70	17.2 ± 1.0 (54)	17.6 ± 1.4 (53)	17.7 ± 1.4 (48)	17.6 ± 1.3 (54)	16.9 ± 2.8 (23)
72	16.7 ± 1.0 (54)	16.8 ± 1.7 (53)	17.1 ± 1.4 (48)	16.7 ± 1.4 (53)	16.3 ± 2.2 (20)
74	17.0 ± 1.2 (54)	17.0 ± 1.7 (53)	17.1 ± 1.5 (48)	17.2 ± 1.4 (53)	16.1 ± 3.0 (20)*
76	16.0 ± 1.0 (54)	15.9 ± 1.4 (52)	16.0 ± 1.3 (47)	16.3 ± 1.3 (53)	15.5 ± 1.6 (19)
78	15.5 ± 1.4 (54)	15.4 ± 2.1 (52)	15.6 ± 1.9 (47)	15.7 ± 1.0 (53)	14.6 ± 3.1 (19)*
80	16.0 ± 1.3 (54)	16.5 ± 1.6 (51)	15.5 ± 2.9 (47)	16.6 ± 1.2 (53)	15.5 ± 2.0 (17)
82	15.6 ± 1.5 (54)	16.0 ± 1.4 (51)	15.1 ± 3.0 (46)	16.3 ± 1.5 (53)	14.4 ± 3.7 (16)*
84	15.0 ± 1.4 (54)	15.4 ± 1.9 (51)	15.8 ± 1.8 (44)	15.6 ± 1.5 (52)	13.2 ± 4.1 (12)*
86	14.9 ± 1.3 (53)	15.4 ± 1.9 (50)	15.4 ± 1.9 (44)	15.4 ± 1.4 (51)	14.1 ± 2.4 (10)
88	15.4 ± 1.7 (51)	15.0 ± 2.3 (48)	15.7 ± 2.1 (44)	15.5 ± 1.3 (51)	16.6 ± 1.7 (9)*
90	14.8 ± 1.6 (50)	16.0 ± 1.6 (45)*	15.6 ± 2.2 (43)	15.0 ± 1.8 (49)	16.6 ± 1.3 (9)*
92	15.1 ± 3.0 (48)	16.4 ± 1.8 (45)	16.2 ± 1.9 (42)	15.8 ± 1.9 (49)	16.5 ± 1.2 (9)*
94	15.4 ± 1.6 (46)	15.7 ± 2.0 (45)	15.6 ± 1.8 (39)	14.6 ± 2.5 (47)	16.2 ± 2.3 (9)
96	14.5 ± 2.0 (45)	15.1 ± 2.3 (44)	14.2 ± 3.3 (38)	14.1 ± 3.5 (45)	14.9 ± 3.0 (9)
98	14.6 ± 2.7 (44)	15.7 ± 2.9 (42)	14.2 ± 2.9 (35)	14.2 ± 3.3 (41)	15.6 ± 4.0 (8)
100	15.3 ± 2.5 (41)	15.8 ± 3.0 (41)	14.8 ± 3.2 (35)	15.7 ± 2.9 (38)	17.1 ± 1.4 (6)
102	14.9 ± 3.2 (41)	16.3 ± 2.9 (39)	15.3 ± 2.7 (31)	15.8 ± 2.2 (35)	15.7 ± 4.2 (6)
104	15.1 ± 2.2 (39)	14.9 ± 3.2 (39)	14.0 ± 4.2 (30)	15.8 ± 3.6 (34)	13.4 ± 5.7 (5)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 10

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 FEMALE FOOD CONSUMPTION MEASUREMENTS (g/day)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
-2	9.5 ± 0.4 (75)	9.5 ± 1.0 (75)	9.6 ± 0.5 (75)	9.6 ± 0.5 (75)	9.6 ± 0.6 (75)
-1	10.8 ± 1.0 (75)	10.5 ± 0.6 (75)*	10.3 ± 0.4 (75)*	10.2 ± 0.7 (75)*	10.5 ± 0.4 (75)*
1	10.9 ± 0.7 (75)	10.8 ± 0.8 (75)	10.7 ± 0.4 (75)	10.8 ± 0.7 (75)	9.5 ± 0.5 (75)*
2	11.2 ± 0.7 (75)	11.5 ± 1.6 (75)	10.6 ± 1.9 (75)*	11.0 ± 0.6 (75)	11.2 ± 0.4 (75)
3	11.2 ± 0.4 (75)	11.0 ± 0.7 (75)	11.1 ± 0.6 (75)	11.0 ± 0.5 (75)	10.2 ± 0.4 (75)*
4	11.0 ± 0.4 (75)	10.9 ± 0.7 (75)	10.5 ± 1.4 (75)*	10.9 ± 0.6 (75)	10.7 ± 0.4 (75)
5	10.6 ± 0.9 (75)	11.0 ± 0.7 (75)*	11.2 ± 0.6 (75)*	11.1 ± 0.6 (75)*	10.3 ± 0.5 (75)*
6	10.6 ± 0.5 (75)	10.7 ± 0.6 (75)	10.7 ± 0.4 (75)	10.8 ± 0.6 (75)	10.1 ± 0.5 (75)*
7	10.1 ± 0.5 (75)	10.6 ± 1.0 (75)*	10.4 ± 0.4 (75)*	10.5 ± 0.7 (75)*	9.7 ± 0.4 (75)*
8	9.8 ± 0.4 (75)	9.8 ± 0.4 (75)	9.9 ± 0.3 (75)*	10.0 ± 0.5 (75)*	9.5 ± 0.5 (75)*
9	9.9 ± 0.2 (75)	10.0 ± 0.5 (75)	11.0 ± 3.8 (75)*	10.0 ± 0.5 (75)	9.2 ± 0.6 (75)*
10	10.0 ± 0.5 (75)	10.0 ± 0.6 (75)	10.1 ± 0.4 (75)	10.2 ± 0.6 (75)*	9.7 ± 0.6 (75)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 10 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
FEMALE FOOD CONSUMPTION MEASUREMENTS (g/day)
[MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
11	10.2 ± 0.5 (75)	10.5 ± 1.2 (75)*	10.3 ± 0.4 (75)	10.5 ± 0.6 (75)*	10.1 ± 0.8 (75)
12	9.7 ± 0.5 (75)	9.9 ± 0.6 (75)	9.9 ± 0.5 (75)	10.2 ± 0.6 (75)*	10.1 ± 1.3 (75)*
13	10.2 ± 0.5 (75)	10.2 ± 0.5 (75)	10.2 ± 0.7 (75)	10.4 ± 0.6 (75)*	9.9 ± 0.6 (75)*
14	10.5 ± 0.5 (75)	10.7 ± 0.6 (75)	10.7 ± 0.5 (75)*	10.6 ± 0.5 (75)	10.6 ± 0.6 (75)
16	10.3 ± 0.5 (75)	10.5 ± 0.6 (75)	10.3 ± 0.4 (75)	10.5 ± 0.5 (75)*	10.4 ± 0.7 (75)
18	9.8 ± 0.5 (75)	9.7 ± 0.5 (75)	9.9 ± 0.5 (75)	10.1 ± 0.5 (75)*	9.9 ± 0.6 (75)
20	10.1 ± 0.5 (75)	9.9 ± 0.5 (75)*	10.2 ± 0.4 (75)	10.1 ± 0.5 (75)	9.9 ± 0.7 (75)*
22	10.5 ± 0.5 (75)	10.5 ± 0.5 (75)	10.2 ± 0.5 (75)*	10.1 ± 0.4 (75)*	10.5 ± 1.1 (75)
24	10.1 ± 1.0 (75)	10.7 ± 0.5 (75)*	10.4 ± 0.7 (72)*	10.5 ± 0.5 (75)*	11.3 ± 1.1 (75)*
26	10.3 ± 0.8 (75)	10.0 ± 0.6 (75)*	9.7 ± 0.6 (75)*	10.4 ± 0.7 (75)	11.3 ± 1.1 (75)*
28	10.4 ± 0.7 (64)	9.6 ± 1.8 (65)*	10.0 ± 0.5 (65)*	10.1 ± 0.5 (65)	10.9 ± 1.1 (65)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 10 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 FEMALE FOOD CONSUMPTION MEASUREMENTS (g/day)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
30	10.4 ± 0.8 (64)	10.4 ± 0.8 (65)	10.3 ± 0.6 (65)	10.3 ± 0.5 (65)	11.3 ± 1.0 (64)*
32	10.1 ± 0.5 (64)	10.1 ± 1.0 (65)	10.1 ± 0.4 (65)	10.2 ± 0.5 (65)	12.2 ± 2.2 (63)*
34	10.1 ± 0.6 (64)	10.5 ± 0.7 (65)*	10.2 ± 0.5 (65)	10.3 ± 0.7 (65)	11.9 ± 1.4 (63)*
36	10.0 ± 0.7 (64)	9.8 ± 0.6 (65)	10.3 ± 0.7 (65)*	10.3 ± 0.7 (65)	11.5 ± 1.5 (62)*
38	10.3 ± 0.9 (64)	10.8 ± 0.7 (65)*	10.6 ± 0.7 (65)	10.9 ± 0.7 (65)*	11.6 ± 1.2 (62)*
40	10.3 ± 0.9 (64)	10.5 ± 1.0 (65)	10.3 ± 1.1 (65)	10.5 ± 0.7 (65)	12.1 ± 1.3 (61)*
42	11.2 ± 0.6 (64)	11.2 ± 0.8 (65)	11.4 ± 0.7 (65)	11.0 ± 0.7 (65)	12.9 ± 1.3 (60)*
44	11.1 ± 0.5 (64)	11.0 ± 0.7 (65)	10.9 ± 0.6 (65)	11.0 ± 0.7 (65)	12.7 ± 1.1 (59)*
46	10.8 ± 0.5 (64)	11.2 ± 0.6 (65)*	10.9 ± 0.7 (65)	10.7 ± 0.5 (65)	12.1 ± 1.0 (59)*
48	11.4 ± 1.4 (64)	11.2 ± 0.8 (65)	11.3 ± 0.8 (65)	11.0 ± 0.6 (65)*	12.3 ± 0.9 (59)*
50	11.3 ± 0.8 (64)	11.5 ± 0.8 (65)	11.6 ± 0.6 (65)*	11.4 ± 0.8 (65)	12.8 ± 0.9 (58)*
52	11.3 ± 0.8 (57)	12.0 ± 1.6 (58)*	11.4 ± 0.6 (59)	11.7 ± 0.6 (58)	13.3 ± 1.4 (53)*
54	11.8 ± 0.9 (53)	12.1 ± 0.8 (55)	12.0 ± 0.7 (55)	11.9 ± 1.0 (55)	13.5 ± 1.5 (49)*
56	11.7 ± 0.9 (53)	11.8 ± 0.9 (55)	11.7 ± 0.9 (55)	11.8 ± 0.8 (55)	13.7 ± 1.1 (48)*
58	12.0 ± 1.0 (53)	12.0 ± 0.9 (55)	12.1 ± 0.9 (54)	12.2 ± 0.9 (55)	13.3 ± 1.2 (48)*
60	12.1 ± 0.9 (53)	12.2 ± 1.3 (55)	12.8 ± 1.0 (54)*	12.7 ± 1.0 (55)*	13.3 ± 1.7 (48)*
62	11.1 ± 1.8 (53)	11.8 ± 1.3 (55)*	11.4 ± 1.9 (54)	12.1 ± 1.2 (55)*	12.6 ± 1.7 (47)*
64	11.6 ± 1.0 (53)	11.4 ± 1.6 (55)	11.1 ± 1.7 (54)	11.4 ± 1.5 (54)	12.0 ± 2.1 (47)
66	12.6 ± 0.9 (53)	13.1 ± 1.1 (54)*	13.2 ± 0.9 (53)*	13.1 ± 1.0 (54)*	14.5 ± 1.5 (47)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 10 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 FEMALE FOOD CONSUMPTION MEASUREMENTS (g/day)
 [MEAN AND STANDARD DEVIATION (n)]

TEST WEEK	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
68	12.7 ± 0.8 (53)	12.8 ± 1.2 (55)	13.0 ± 1.3 (53)	13.4 ± 1.4 (54)*	14.2 ± 1.4 (47)*
70	12.5 ± 1.4 (53)	13.3 ± 0.8 (54)*	13.2 ± 1.4 (53)*	13.4 ± 1.1 (54)*	13.8 ± 1.4 (47)*
72	12.1 ± 0.8 (52)	12.8 ± 1.0 (54)*	12.7 ± 1.1 (53)*	12.6 ± 0.9 (54)*	13.2 ± 1.8 (47)*
74	12.0 ± 0.9 (52)	11.8 ± 1.5 (54)	12.4 ± 1.0 (53)	12.1 ± 0.8 (54)	13.0 ± 1.0 (47)*
76	11.7 ± 0.9 (52)	11.6 ± 0.8 (54)	11.6 ± 0.7 (53)	11.5 ± 0.9 (54)	11.7 ± 1.1 (47)
78	12.1 ± 1.3 (51)	12.3 ± 0.8 (54)	12.2 ± 1.3 (53)	11.9 ± 1.1 (54)	12.2 ± 1.1 (47)
80	13.0 ± 1.0 (50)	13.0 ± 1.1 (54)	13.0 ± 1.1 (52)	13.1 ± 0.7 (54)	13.5 ± 1.3 (46)*
82	12.5 ± 1.0 (50)	12.5 ± 0.8 (54)	12.3 ± 1.3 (51)	12.3 ± 1.1 (54)	13.4 ± 1.3 (46)*
84	11.7 ± 1.2 (50)	12.0 ± 0.9 (53)	11.5 ± 1.0 (50)	11.9 ± 1.4 (53)	12.2 ± 1.4 (46)
86	12.2 ± 1.1 (50)	11.9 ± 1.3 (52)	11.9 ± 1.3 (50)	11.5 ± 1.4 (53)*	11.6 ± 1.6 (45)
88	12.4 ± 1.5 (50)	12.4 ± 1.2 (52)	12.0 ± 1.0 (50)	12.0 ± 1.8 (52)	12.4 ± 1.3 (44)
90	12.8 ± 1.0 (49)	12.9 ± 1.4 (52)	12.6 ± 1.6 (50)	12.6 ± 1.6 (51)	12.6 ± 1.1 (43)
92	13.1 ± 2.0 (48)	13.2 ± 1.3 (51)	12.7 ± 1.3 (50)	13.0 ± 1.6 (50)	12.6 ± 1.8 (42)
94	12.7 ± 1.5 (48)	12.1 ± 1.9 (51)	12.0 ± 1.9 (49)	13.2 ± 1.4 (48)	12.5 ± 2.3 (40)
96	12.5 ± 0.9 (48)	12.4 ± 1.4 (51)	12.0 ± 1.9 (48)	12.7 ± 1.7 (47)	13.5 ± 3.8 (38)*
98	12.3 ± 1.2 (47)	12.6 ± 1.9 (50)	12.3 ± 2.0 (47)	12.2 ± 1.7 (47)	13.0 ± 2.9 (35)
100	12.5 ± 1.3 (47)	12.8 ± 1.3 (47)	12.5 ± 2.8 (46)	12.9 ± 2.3 (46)	12.8 ± 2.1 (34)
102	12.7 ± 1.4 (44)	12.6 ± 2.1 (48)	12.8 ± 2.6 (45)	13.3 ± 2.4 (44)	13.0 ± 1.6 (31)
104	12.1 ± 2.0 (43)	12.3 ± 2.4 (46)	12.7 ± 1.5 (43)	12.3 ± 1.9 (42)	13.1 ± 2.1 (29)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 11

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISHER RAT
MALE HEMATOLOGY VALUES - TEST WEEK 13
[MEAN AND STANDARD DEVIATION (n)]

HEMATOLOGY VALUES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
HCT %wb	42.5 ± 2.3 (9)	41.3 ± 2.6 (10)	42.7 ± 1.2 (10)	42.9 ± 2.5 (10)	41.5 ± 3.1 (10)
HGB g/dl	17.9 ± 0.4 (9)	17.9 ± 0.7 (10)	18.0 ± 0.2 (10)	18.2 ± 0.8 (10)	17.5 ± 0.5 (10)
MCV μm^3	49. ± 1. (9)	49. ± 1. (10)	49. ± 1. (10)	49. ± 1. (10)	49. ± 1. (9)
MCH pg	20.6 ± 0.8 (9)	21.3 ± 0.9 (10)	20.6 ± 0.8 (10)	20.8 ± 0.4 (10)	21.1 ± 1.2 (10)
MCHC g/dl	42.8 ± 1.7 (9)	44.0 ± 2.1 (10)	42.8 ± 1.4 (10)	43.0 ± 0.9 (10)	43.0 ± 2.7 (10)
PRC $\times 10^6/\text{mm}^3$	8.89 ± 0.50 (9)	8.55 ± 0.49 (10)	8.88 ± 0.32 (10)	8.90 ± 0.52 (10)	8.48 ± 0.61 (10)
WRC $\times 10^3/\text{mm}^3$	8.6 ± 1.5 (8)	8.1 ± 1.1 (10)	8.0 ± 1.8 (10)	8.3 ± 1.6 (10)	8.6 ± 0.9 (9)
PLT $\times 10^3/\text{mm}^3$	699. ± 110. (10)	699. ± 135. (10)	756. ± 143. (10)	864. ± 250. (10)*	899. ± 81. (10)*
TM NEU %wb	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)
M NEUT %wb	19. ± 5. (10)	22. ± 6. (10)	15. ± 2. (10)	16. ± 5. (10)	17. ± 3. (10)
LYM %wb	79. ± 5. (10)	77. ± 6. (10)	83. ± 2. (10)	81. ± 4. (10)	82. ± 4. (10)
MON %wb	2. ± 1. (10)	1. ± 1. (10)	1. ± 1. (10)	2. ± 1. (10)	1. ± 1. (10)
EOS %wb	1. ± 1. (10)	1. ± 1. (10)	1. ± 1. (10)	1. ± 2. (10)	1. ± 1. (10)
RAS %wb	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)
NRRC/100 whc	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 12

TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 FEMALE HEMATOLOGY VALUES - TEST WEEK 13
 [MEAN AND STANDARD DEVIATION (n)]

HEMATOLOGY VALUES	0.0		0.3		1.5		8.0		40.0	
	MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY	
HCT %rbc	40.4 ± 1.4 (9)		41.3 ± 1.7 (9)		41.7 ± 2.1 (10)		41.3 ± 1.5 (9)		41.1 ± 2.5 (9)	
HGB g/dl	17.7 ± 0.7 (10)		17.7 ± 0.9 (9)		17.7 ± 0.3 (10)		17.8 ± 0.5 (10)		17.5 ± 0.7 (9)	
MCV μm^3	52. ± 1. (10)		52. ± 1. (9)		52. ± 2. (10)		52. ± 1. (9)		53. ± 1. (9)*	
MCH pg	22.7 ± 0.8 (10)		22.3 ± 1.2 (9)		22.1 ± 0.6 (10)		22.2 ± 0.6 (10)		22.8 ± 0.5 (9)	
MCHC g/dl	44.5 ± 1.3 (9)		43.5 ± 2.2 (9)		43.1 ± 1.7 (10)		43.4 ± 1.0 (9)		43.3 ± 1.0 (9)	
RBC $\times 10^6/\text{mm}^3$	7.90 ± 0.17 (10)		8.08 ± 0.30 (9)		8.13 ± 0.36 (10)		8.10 ± 0.35 (10)		7.80 ± 0.45 (9)	
WBC $\times 10^3/\text{mm}^3$	6.6 ± 1.7 (9)		6.5 ± 1.5 (8)		6.1 ± 1.0 (10)		6.1 ± 0.7 (10)		7.7 ± 1.4 (9)	
PLT $\times 10^3/\text{mm}^3$	747. ± 198. (10)		672. ± 141. (10)		695. ± 99. (10)		876. ± 193. (10)		988. ± 251. (9)*	
IM NEU %wbc	0. ± 0. (10)		0. ± 0. (10)		0. ± 1. (10)		0. ± 1. (10)		0. ± 0. (9)	
M NEU %wbc	18. ± 8. (10)		17. ± 4. (10)		15. ± 5. (10)		17. ± 4. (10)		13. ± 5. (9)	
L YM %wbc	80. ± 8. (10)		81. ± 5. (10)		83. ± 6. (10)		81. ± 5. (10)		85. ± 5. (9)	
MJN %wbc	1. ± 1. (10)		1. ± 1. (10)		1. ± 1. (10)		2. ± 1. (10)		1. ± 1. (9)	
EOS %wbc	1. ± 1. (10)		1. ± 1. (10)		1. ± 1. (10)		0. ± 1. (10)		1. ± 1. (9)	
RAS %wbc	0. ± 0. (10)		0. ± 0. (10)		0. ± 0. (10)		0. ± 0. (10)		0. ± 0. (9)	
NRBC/100 wbc	0. ± 0. (10)		0. ± 0. (10)		0. ± 0. (10)		0. ± 0. (10)		0. ± 0. (9)	

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 13

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE HEMATOLOGY VALUES - TEST WEEK 26
 [MEAN AND STANDARD DEVIATION (n)]

HEMATOLOGY VALUES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
HCT %rbc	44.3 ± 2.3 (10)	44.4 ± 2.3 (10)	42.8 ± 3.6 (10)	44.3 ± 1.2 (10)	41.6 ± 3.8 (10)
HGB g/dl	17.0 ± 0.7 (9)	17.1 ± 0.4 (10)	16.6 ± 1.3 (10)	17.2 ± 0.4 (10)	15.8 ± 1.9 (10)*
MCV um ³	49. ± 2. (10)	49. ± 1. (10)	49. ± 1. (10)	49. ± 1. (10)	49. ± 4. (10)
MCH pg	19.2 ± 0.6 (9)	19.3 ± 0.5 (10)	19.3 ± 0.4 (10)	19.4 ± 0.7 (10)	19.3 ± 1.2 (10)
MCHC g/dl	39.8 ± 1.3 (9)	39.4 ± 1.7 (10)	39.6 ± 0.9 (10)	39.8 ± 1.1 (10)	38.8 ± 2.6 (10)
RBCx10 ⁶ /mm ³	9.06 ± 0.29 (10)	9.02 ± 0.29 (10)	8.75 ± 0.72 (10)	9.07 ± 0.31 (10)	8.41 ± 1.01 (10)*
WBCx10 ³ /mm ³	8.4 ± 1.5 (10)	7.2 ± 0.8 (10)*	7.6 ± 1.0 (10)	7.5 ± 0.9 (10)	9.1 ± 1.2 (9)
PLTx10 ³ /mm ³	510. ± 116. (10)	580. ± 114. (10)	565. ± 161. (10)	703. ± 136. (10)*	816. ± 239. (10)*
IM NEU %wbc	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)
M NEUT %wbc	21. ± 14. (10)	23. ± 8. (10)	22. ± 12. (10)	18. ± 7. (10)	18. ± 5. (10)
LYM %wbc	77. ± 14. (10)	76. ± 8. (10)	77. ± 13. (10)	81. ± 8. (10)	82. ± 5. (10)
MON %wbc	0. ± 0. (10)	0. ± 0. (10)	0. ± 1. (10)	0. ± 1. (10)	0. ± 1. (10)
EOS %wbc	1. ± 1. (10)	0. ± 0. (10)*	1. ± 1. (10)	1. ± 1. (10)	0. ± 0. (10)*
RAS %wbc	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)
NRRC/100 wbc	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 1. (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 14

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYL-1,3,5-TRIAZINE-2,4,6-TRIOL (RDX) IN THE FISCHER RAT
 FEMALE HEMATOLOGY VALUES - TEST WEEK 26
 [MEAN AND STANDARD DEVIATION (n)]

HEMATOLOGY VALUES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
HCT %wb	43.4 ± 1.1 (10)	43.2 ± 2.0 (10)	43.5 ± 1.8 (10)	42.7 ± 2.7 (9)	43.5 ± 1.8 (10)
HGB g/dl	16.9 ± 0.6 (10)	17.0 ± 0.5 (10)	17.0 ± 0.3 (10)	16.9 ± 0.6 (9)	16.8 ± 0.5 (10)
MCV μm^3	54. ± 2. (10)	53. ± 1. (10)	53. ± 1. (10)	53. ± 1. (9)	54. ± 1. (10)
MCH pg	21.3 ± 0.5 (10)	21.4 ± 1.0 (10)	21.3 ± 0.6 (10)	21.4 ± 0.6 (9)	21.5 ± 0.4 (10)
MCHC g/dl	39.7 ± 1.2 (10)	40.4 ± 1.4 (10)	40.2 ± 1.6 (10)	40.5 ± 1.5 (9)	39.5 ± 1.0 (10)
RBC $\times 10^6/\text{mm}^3$	8.07 ± 0.33 (10)	8.13 ± 0.44 (10)	8.19 ± 0.29 (10)	8.05 ± 0.47 (9)	7.97 ± 0.29 (10)
WBC $\times 10^3/\text{mm}^3$	6.1 ± 1.3 (10)	5.6 ± 1.8 (9)	5.6 ± 1.2 (8)	6.7 ± 1.0 (7)	6.7 ± 1.1 (10)
PLT $\times 10^3/\text{mm}^3$	562. ± 171. (10)	610. ± 158. (10)	534. ± 201. (10)	644. ± 138. (9)	638. ± 125. (10)
TM NEU %wb	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (9)	0. ± 0. (10)
M NEUT %wb	16. ± 5. (10)	15. ± 5. (10)	16. ± 6. (10)	16. ± 4. (9)	16. ± 5. (10)
LVM %wb	84. ± 6. (10)	85. ± 5. (10)	84. ± 7. (10)	83. ± 5. (9)	83. ± 5. (10)
MDN %wb	1. ± 1. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 1. (9)	1. ± 1. (10)
EOS %wb	0. ± 0. (10)	0. ± 0. (10)	1. ± 1. (10)	1. ± 1. (9)	1. ± 1. (10)
BAS %wb	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (9)	0. ± 0. (10)
NRBC/100 wbc	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (9)	0. ± 0. (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 15

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE HEMATOLOGY VALUES - TEST WEEK 52
 [MEAN AND STANDARD DEVIATION (n)]

HEMATOLOGY VALUES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
HCT %rbc	43.1 ± 1.1 (10)	43.5 ± 0.6 (10)	42.7 ± 1.0 (10)	43.5 ± 1.3 (10)	42.3 ± 1.1 (10)
HCR g/dl	16.7 ± 0.5 (10)	16.7 ± 0.2 (10)	16.4 ± 0.3 (10)	16.7 ± 0.5 (10)	16.0 ± 0.4 (10)*
MCV μm^3	48. ± 1. (10)	49. ± 1. (10)	48. ± 1. (10)	49. ± 1. (10)	49. ± 1. (10)
MCH pg	18.7 ± 0.8 (10)	19.0 ± 0.3 (10)	18.7 ± 0.4 (10)	19.0 ± 0.5 (10)	18.8 ± 0.5 (10)
MCHC g/dl	38.5 ± 0.8 (10)	38.3 ± 0.3 (10)	38.4 ± 0.7 (10)	38.3 ± 0.8 (10)	37.9 ± 0.4 (10)
RBC $\times 10^6/\text{mm}^3$	8.94 ± 0.30 (10)	8.82 ± 0.12 (10)	8.83 ± 0.24 (10)	8.86 ± 0.32 (10)	8.56 ± 0.25 (10)*
WBC $\times 10^3/\text{mm}^3$	7.2 ± 0.7 (10)	7.2 ± 1.1 (10)	7.7 ± 1.2 (10)	7.4 ± 1.3 (10)	8.3 ± 1.3 (10)*
PLT $\times 10^3/\text{mm}^3$	563. ± 107. (10)	565. ± 83. (10)	544. ± 65. (10)	569. ± 73. (10)	682. ± 160. (10)*
1M NEU %wbc	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)
M NEUT %wbc	26. ± 4. (10)	29. ± 7. (10)	31. ± 9. (10)	29. ± 4. (10)	25. ± 9. (10)
LYM %wbc	72. ± 5. (10)	69. ± 7. (10)	67. ± 8. (10)	68. ± 4. (10)	73. ± 8. (10)
MON %wbc	1. ± 1. (10)	0. ± 0. (10)	1. ± 1. (10)	1. ± 1. (10)	1. ± 1. (10)
EOS %wbc	2. ± 1. (10)	2. ± 1. (10)	1. ± 1. (10)	2. ± 1. (10)	1. ± 1. (10)
BAS %wbc	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)
NRBC/100 wbc	1. ± 1. (10)	1. ± 1. (10)	1. ± 1. (10)	1. ± 1. (10)	1. ± 1. (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 16

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
FEMALE HEMATOLOGY VALUES - TEST WEEK 52
[MEAN AND STANDARD DEVIATION (n)]

HEMATOLOGY VALUES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
HCT %rbc	42.1 ± 1.4 (10)	43.7 ± 1.3 (10)*	42.4 ± 1.6 (10)	43.0 ± 1.3 (10)	44.5 ± 1.7 (10)*
HGB g/dl	16.6 ± 0.4 (10)	17.0 ± 0.4 (10)	16.6 ± 0.7 (10)	16.7 ± 0.4 (10)	16.9 ± 0.5 (10)
MCV μm^3	54. ± 0. (10)	54. ± 1. (10)	53. ± 1. (10)	53. ± 1. (10)	54. ± 1. (10)
MCH pg	21.4 ± 0.4 (10)	21.1 ± 0.5 (10)	21.2 ± 0.5 (10)	20.9 ± 0.7 (10)*	20.8 ± 0.5 (10)*
MCHC g/dl	39.4 ± 0.7 (10)	38.8 ± 0.6 (10)	39.1 ± 0.5 (10)	38.7 ± 0.8 (10)	37.8 ± 0.7 (10)*
RBC $\times 10^6/\text{mm}^3$	7.75 ± 0.30 (10)	8.09 ± 0.29 (10)*	7.84 ± 0.26 (10)	7.99 ± 0.35 (10)	8.13 ± 0.32 (10)*
WBC $\times 10^3/\text{mm}^3$	4.1 ± 0.7 (10)	4.7 ± 1.1 (10)	4.2 ± 0.6 (10)	5.3 ± 1.0 (10)*	7.4 ± 0.9 (10)*
PLT $\times 10^3/\text{mm}^3$	602. ± 96. (10)	621. ± 173. (10)	563. ± 166. (10)	628. ± 107. (10)	550. ± 167. (10)
IM NEU %wbc	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)
M NEUT %wbc	26. ± 7. (10)	24. ± 5. (10)	24. ± 6. (10)	29. ± 9. (10)	23. ± 6. (10)
LYM %wbc	72. ± 8. (10)	73. ± 6. (10)	74. ± 5. (10)	70. ± 8. (10)	75. ± 6. (10)
MON %wbc	0. ± 0. (10)	1. ± 1. (10)	0. ± 1. (10)	0. ± 0. (10)	0. ± 0. (10)
EOS %wbc	2. ± 2. (10)	2. ± 2. (10)	2. ± 2. (10)	1. ± 1. (10)	2. ± 1. (10)
BAS %wbc	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)
NRBC/100 wbc	1. ± 1. (10)	1. ± 1. (10)	1. ± 1. (10)	1. ± 1. (10)	1. ± 1. (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 17

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE HEMATOLOGY VALUES - TEST WEEK 78
 [MEAN AND STANDARD DEVIATION (n)]

HEMATOLOGY VALUES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
HCT %rbc	41.6 ± 2.1 (10)	41.2 ± 1.4 (10)	41.0 ± 1.2 (10)	39.6 ± 6.1 (10)	36.9 ± 3.8 (9)*
HGB g/dl	16.3 ± 0.8 (10)	16.2 ± 0.4 (10)	16.2 ± 0.6 (10)	15.6 ± 2.5 (10)	14.5 ± 1.6 (9)*
MCV μm^3	49. ± 2. (10)	50. ± 2. (10)	49. ± 2. (10)	50. ± 6. (10)	48. ± 3. (9)
MCH pg	19.4 ± 0.9 (10)	20.2 ± 1.0 (10)	19.6 ± 0.8 (10)	19.9 ± 2.1 (10)	19.5 ± 1.7 (9)
MCHC g/dl	39.6 ± 0.8 (10)	39.7 ± 0.7 (10)	39.8 ± 0.7 (10)	39.6 ± 1.0 (10)	39.7 ± 1.2 (9)
RRC $\times 10^6/\text{mm}^3$	8.50 ± 0.31 (10)	8.16 ± 0.55 (10)	8.36 ± 0.33 (10)	8.03 ± 1.64 (10)	7.61 ± 1.10 (9)
WBC $\times 10^3/\text{mm}^3$	7.0 ± 1.3 (10)	6.8 ± 0.8 (10)	8.1 ± 1.5 (10)	9.1 ± 3.0 (10)	16.2 ± 15.7 (9)*
PLT $\times 10^3/\text{mm}^3$	674. ± 200. (10)	694. ± 80. (10)	548. ± 88. (10)	653. ± 169. (10)	765. ± 110. (9)
TM NEU %wbc	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (9)
M NEUT %wbc	29. ± 7. (10)	29. ± 7. (10)	32. ± 10. (10)	23. ± 7. (10)	26. ± 14. (9)
LYM %wbc	68. ± 7. (10)	68. ± 8. (10)	62. ± 12. (10)	73. ± 7. (10)	71. ± 15. (9)
MON %wbc	3. ± 2. (10)	2. ± 2. (10)	4. ± 3. (10)	3. ± 1. (10)	2. ± 1. (9)
EOS %wbc	1. ± 1. (10)	1. ± 1. (10)	2. ± 2. (10)*	2. ± 1. (10)	1. ± 1. (9)
RAS %wbc	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (9)
NRBC/100 wbc	1. ± 2. (10)	1. ± 1. (10)	2. ± 2. (10)	4. ± 11. (10)	2. ± 2. (9)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 18

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAMETHYL-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
FEMALE HEMATOLOGY VALUES - TEST WEEK 78
[MEAN AND STANDARD DEVIATION (n)]

HEMATOLOGY VALUES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
HCT %Rbc	41.6 ± 1.3 (9)	41.3 ± 1.6 (10)	41.7 ± 1.5 (10)	40.7 ± 2.4 (9)	39.1 ± 4.4 (9)
HGB g/dl	16.3 ± 0.8 (9)	16.4 ± 0.5 (10)	16.7 ± 0.5 (10)	16.2 ± 1.0 (9)	15.3 ± 2.0 (9)
MCV μ m ³	53. ± 1. (9)	52. ± 1. (10)*	53. ± 1. (10)	53. ± 1. (9)	53. ± 1. (9)
MCH pg	21.3 ± 0.6 (9)	21.0 ± 0.5 (10)	21.5 ± 0.6 (10)	21.4 ± 0.4 (9)	21.4 ± 0.6 (9)
MCHC g/dl	39.6 ± 1.5 (9)	40.2 ± 0.8 (10)	40.3 ± 0.7 (10)	40.0 ± 0.4 (9)	39.5 ± 1.1 (9)
RBCx10 ⁶ /mm ³	7.76 ± 0.29 (9)	7.90 ± 0.27 (10)	7.82 ± 0.34 (10)	7.61 ± 0.51 (9)	7.24 ± 0.83 (9)*
WBCx10 ³ /mm ³	4.7 ± 1.5 (9)	5.1 ± 1.1 (10)	4.4 ± 0.6 (10)	12.7 ± 22.4 (9)	7.4 ± 1.4 (9)
PLTx10 ³ /mm ³	603. ± 93. (9)	681. ± 130. (10)	577. ± 152. (10)	632. ± 138. (9)	755. ± 172. (9)*
IM NEU %WBC	0. ± 0. (9)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (9)	0. ± 0. (9)
M NEUT %WBC	27. ± 5. (9)	23. ± 6. (10)	26. ± 7. (10)	21. ± 8. (9)	22. ± 8. (9)
LYM %WBC	71. ± 7. (9)	75. ± 6. (10)	71. ± 8. (10)	77. ± 10. (9)	75. ± 9. (9)
MON %WBC	1. ± 2. (9)	2. ± 2. (10)	2. ± 2. (10)	2. ± 1. (9)	1. ± 1. (9)
EOS %WBC	1. ± 1. (9)	1. ± 1. (10)	2. ± 1. (10)	1. ± 2. (9)	1. ± 1. (9)
BAS %WBC	0. ± 0. (9)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (9)	0. ± 0. (9)
NRBC/100 WBC	1. ± 1. (9)	2. ± 1. (10)	3. ± 2. (10)	3. ± 3. (9)	1. ± 1. (9)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 19

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAMETHYLDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MALE HEMATOLOGY VALUES - TEST WEEK 104
[MEAN AND STANDARD DEVIATION (n)]

HEMATOLOGY VALUES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
HCT %rbc	40.7 ± 9.8 (10)	42.9 ± 5.8 (10)	42.7 ± 7.6 (10)	41.6 ± 5.9 (10)	37.7 ± 13.4 (5)
HGR q/dl	15.4 ± 4.2 (10)	16.4 ± 2.3 (10)	16.3 ± 3.5 (10)	15.8 ± 2.5 (10)	13.4 ± 4.9 (5)
MCV μm^3	52. ± 4. (10)	53. ± 2. (10)	58. ± 19. (10)	54. ± 5. (10)	62. ± 23. (5)
MCH pg	20.4 ± 1.9 (10)	20.9 ± 1.0 (10)	22.9 ± 6.9 (10)	21.5 ± 1.7 (10)	23.5 ± 10.2 (5)
MCHC g/dl	38.6 ± 1.7 (10)	39.0 ± 0.5 (10)	38.6 ± 2.3 (10)	38.9 ± 1.2 (10)	36.7 ± 4.4 (5)
RBC $\times 10^6/\text{mm}^3$	7.61 ± 1.92 (10)	7.96 ± 1.32 (10)	7.77 ± 2.31 (10)	7.51 ± 1.54 (10)	6.90 ± 3.15 (5)
WBC $\times 10^3/\text{mm}^3$	10.7 ± 5.1 (10)	9.5 ± 6.5 (10)	21.7 ± 41.1 (10)	30.4 ± 49.0 (10)	12.3 ± 4.0 (5)
PLT $\times 10^3/\text{mm}^3$	279. ± 96. (10)	296. ± 44. (10)	267. ± 90. (10)	250. ± 83. (10)	259. ± 70. (5)
1M NEU %wbc	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (9)	0. ± 0. (5)
M NEUT %wbc	29. ± 12. (10)	31. ± 15. (10)	38. ± 19. (10)	32. ± 18. (9)	38. ± 10. (5)
1YM %wbc	68. ± 11. (10)	66. ± 16. (10)	59. ± 19. (10)	66. ± 18. (9)	59. ± 12. (5)
MON %wbc	2. ± 2. (10)	2. ± 2. (10)	2. ± 2. (10)	1. ± 1. (9)	2. ± 3. (5)
EOS %wbc	1. ± 1. (10)	2. ± 1. (10)	1. ± 1. (10)	0. ± 0. (9)	1. ± 1. (5)
PAS %wbc	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (9)	0. ± 0. (5)
NRBC/100 wbc	2. ± 2. (10)	2. ± 2. (10)	2. ± 2. (10)	2. ± 2. (9)	5. ± 9. (5)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 20

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
FEMALE HEMATOLOGY VALUES - TEST WEEK 104
[MEAN AND STANDARD DEVIATION (n)]

HEMATOLOGY VALUES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
HCT %rbc	43.3 ± 2.6 (10)	41.3 ± 2.9 (10)	43.3 ± 1.7 (10)	39.7 ± 6.8 (10)	38.0 ± 6.4 (10)*
HGB g/dl	16.9 ± 0.8 (10)	16.1 ± 1.3 (10)	17.0 ± 0.7 (10)	15.4 ± 3.2 (10)	14.6 ± 3.0 (10)*
MCV μm^3	56. ± 3. (10)	55. ± 4. (10)	55. ± 1. (10)	62. ± 21. (10)	57. ± 5. (10)
MCH pg	22.6 ± 1.1 (10)	22.0 ± 1.1 (10)	22.2 ± 0.4 (10)	25.0 ± 8.6 (10)	22.7 ± 1.1 (10)
MCHC g/dl	39.9 ± 1.0 (10)	39.7 ± 1.0 (10)	40.0 ± 0.6 (10)	39.4 ± 2.5 (10)	39.0 ± 1.9 (10)
RBC $\times 10^6/\text{mm}^3$	7.55 ± 0.52 (10)	7.37 ± 0.66 (10)	7.71 ± 0.32 (10)	6.85 ± 1.94 (10)	6.54 ± 1.50 (10)
WBC $\times 10^3/\text{mm}^3$	5.7 ± 2.2 (10)	6.1 ± 2.4 (10)	6.4 ± 1.5 (10)	25.9 ± 60.1 (10)	20.0 ± 24.4 (10)
PLT $\times 10^3/\text{mm}^3$	265. ± 66. (10)	303. ± 43. (10)	255. ± 90. (10)	277. ± 56. (10)	323. ± 42. (10)
IM NEU %wbc	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (9)	0. ± 0. (10)
M NEUT %wbc	31. ± 8. (10)	30. ± 8. (10)	32. ± 7. (10)	31. ± 6. (9)	24. ± 14. (10)
LYM %wbc	67. ± 9. (10)	66. ± 9. (10)	66. ± 8. (10)	67. ± 7. (9)	74. ± 14. (10)
MUN %wbc	0. ± 1. (10)	2. ± 2. (10)*	1. ± 1. (10)	1. ± 1. (9)	1. ± 1. (10)
EOS %wbc	2. ± 2. (10)	2. ± 1. (10)	2. ± 1. (10)	1. ± 1. (9)	1. ± 1. (10)
RAS %wbc	0. ± 1. (10)	0. ± 0. (10)	0. ± 0. (10)	0. ± 0. (9)	0. ± 0. (10)
NRBC/100 wbc	3. ± 2. (10)	4. ± 2. (10)	3. ± 4. (10)	5. ± 5. (9)	8. ± 13. (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 21

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE CHEMISTRY VALUES - TEST WEEK 13
 [MEAN AND STANDARD DEVIATION (n)]

CHEMISTRY VALUES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
GLU mg/dl	105. ± 15. (10)	101. ± 19. (10)	106. ± 17. (10)	99. ± 13. (10)	87. ± 14. (10)*
BUN mg/dl	19. ± 14. (10)	14. ± 1. (10)	16. ± 2. (10)	17. ± 3. (10)	14. ± 2. (10)
ALT Iu/l	20. ± 6. (10)	18. ± 6. (10)	22. ± 4. (8)	24. ± 5. (9)	16. ± 8. (10)
TRIG mg/dl	138. ± 72. (8)	101. ± 47. (10)	138. ± 83. (8)	108. ± 29. (9)	74. ± 24. (6)*
CHOL mg/dl	70. ± 19. (8)	58. ± 8. (10)	79. ± 18. (8)	73. ± 19. (10)	87. ± 21. (9)
D BIL mg/dl	0.0 ± 0.1 (10)	0.0 ± 0.0 (10)	0.0 ± 0.1 (10)	0.0 ± 0.0 (10)	0.0 ± 0.0 (10)
T BIL mg/dl	0.24 ± 0.11 (8)	0.24 ± 0.16 (10)	0.23 ± 0.10 (8)	0.23 ± 0.10 (10)	0.24 ± 0.15 (10)
CAL mg/dl	11.6 ± 0.7 (9)	11.3 ± 1.1 (10)	11.8 ± 0.9 (10)	11.4 ± 0.9 (10)	11.4 ± 1.3 (10)
Na mMol/l	154. ± 11. (10)	157. ± 9. (10)	151. ± 9. (10)	151. ± 8. (10)	153. ± 7. (10)
K mMol/l	5.5 ± 0.6 (10)	5.4 ± 0.6 (10)	5.2 ± 0.4 (10)	5.4 ± 0.4 (10)	5.5 ± 0.4 (10)
Cl Meq/l	98. ± 2. (10)	97. ± 3. (10)	96. ± 2. (10)	97. ± 3. (10)	95. ± 2. (10)
CPK Iu/l	241. ± 110. (10)	185. ± 105. (10)	258. ± 70. (10)	255. ± 127. (10)	352. ± 134. (10)
LDH Iu/l	837. ± 230. (10)	713. ± 382. (10)	917. ± 258. (10)	740. ± 469. (10)	1040. ± 360. (10)
ALK P Iu/l	94. ± 12. (10)	91. ± 12. (10)	92. ± 6. (10)	93. ± 16. (10)	91. ± 15. (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 22

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
FEMALE CLINICAL CHEMISTRY VALUES - TEST WEEK 13
[MEAN AND STANDARD DEVIATION (n)]

CLIN CHEM VARIABLES	0.0		0.3		1.5		8.0		40.0	
	MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY	
GLU mg/dl	94 ±	10 (9)	89 ±	11 (10)	95 ±	16 (10)	95 ±	18 (10)	90 ±	11 (10)
BUN mg/dl	19 ±	10 (9)	16 ±	3 (10)	16 ±	2 (10)	14 ±	2 (10)	16 ±	2 (10)
ALT Iu/l	22 ±	3 (9)	22 ±	5 (10)	18 ±	4 (10)	17 ±	3 (10)*	19 ±	6 (10)
TRIG mg/dl	51 ±	28 (9)	44 ±	26 (10)	65 ±	48 (6)	64 ±	41 (7)	52 ±	36 (9)
CHOL mg/dl	86 ±	22 (8)	96 ±	24 (8)	87 ±	10 (7)	82 ±	15 (9)	84 ±	20 (9)
D BIL mg/dl	0.1 ±	0.1 (9)	0.1 ±	0.1 (10)	0.0 ±	0.0 (10)*	0.0 ±	0.1 (10)	0.0 ±	0.0 (10)*
T BIL mg/dl	0.34 ±	0.20 (8)	0.25 ±	0.20 (7)	0.20 ±	0.13 (10)	0.26 ±	0.21 (9)	0.26 ±	0.21 (10)
CAL mg/dl	11.3 ±	0.9 (9)	11.8 ±	0.9 (10)	12.0 ±	0.7 (10)	11.1 ±	0.9 (10)	11.0 ±	0.7 (10)
Na mMol/l	153 ±	9 (9)	149 ±	11 (10)	150 ±	7 (10)	150 ±	6 (10)	154 ±	12 (10)
K mMol/l	5.3 ±	0.9 (9)	5.1 ±	0.7 (10)	5.1 ±	0.4 (10)	5.2 ±	0.5 (10)	5.7 ±	0.5 (10)
Cl Meq/l	98 ±	3 (9)	98 ±	4 (10)	98 ±	3 (10)	98 ±	2 (10)	99 ±	3 (10)
CPK Iu/l	199 ±	73 (9)	176 ±	92 (10)	194 ±	72 (10)	191 ±	68 (10)	196 ±	66 (10)
LDH Iu/l	791 ±	227 (9)	689 ±	284 (10)	667 ±	247 (10)	692 ±	217 (10)	714 ±	271 (10)
ALK P Iu/l	68 ±	7 (9)	77 ±	9 (10)	68 ±	11 (10)	71 ±	9 (10)	79 ±	9 (10)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 23

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE CLINICAL CHEMISTRY VALUES - TEST WEEK 26
 [MEAN AND STANDARD DEVIATION (n)]

CLIN CHEM VARIABLES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	10.0 MG/KG/DAY
GLU mg/dl	122 ± 37 (9)	115 ± 11 (10)	117 ± 45 (10)	110 ± 20 (10)	98 ± 18 (9)
BUN mg/dl	15 ± 2 (9)	14 ± 1 (10)	17 ± 5 (10)	15 ± 1 (10)	16 ± 3 (9)
ALT Iu/l	29 ± 4 (9)	25 ± 5 (10)	26 ± 4 (10)	19 ± 5 (10)*	21 ± 6 (9)*
TRIG mg/dl	222 ± 95 (9)	153 ± 39 (10)*	177 ± 62 (10)	158 ± 42 (10)*	57 ± 28 (9)*
T PRO g/dl	6.7 ± 0.3 (6)	6.9 ± 0.3 (10)	6.6 ± 0.6 (8)	6.7 ± 0.3 (6)	6.5 ± 0.4 (9)
ALB g/dl	4.4 ± 0.1 (9)	4.4 ± 0.1 (10)	4.3 ± 0.2 (10)	4.4 ± 0.1 (10)	4.3 ± 0.4 (9)
CHOL mg/dl	78 ± 14 (9)	72 ± 10 (10)	70 ± 12 (10)	79 ± 8 (10)	60 ± 9 (9)*
D BIL mg/dl	0.07 ± 0.03 (9)	0.05 ± 0.02 (10)	0.08 ± 0.04 (10)	0.05 ± 0.01 (10)	0.05 ± 0.02 (9)
T BIL mg/dl	0.21 ± 0.07 (9)	0.21 ± 0.09 (10)	0.22 ± 0.09 (10)	0.16 ± 0.04 (10)	0.15 ± 0.06 (9)
CAL mg/dl	10.4 ± 0.5 (9)	10.3 ± 0.6 (10)	10.3 ± 0.5 (10)	10.4 ± 0.5 (10)	10.0 ± 0.5 (9)
Na mMol/l	150 ± 4 (9)	151 ± 5 (10)	153 ± 4 (10)	152 ± 4 (10)	151 ± 3 (9)
K mMol/l	5.1 ± 0.6 (9)	5.1 ± 0.6 (10)	5.1 ± 0.5 (10)	5.3 ± 0.4 (10)	5.7 ± 0.4 (9)*
Cl Meq/l	100 ± 4 (9)	101 ± 4 (10)	103 ± 2 (10)	99 ± 5 (10)	102 ± 2 (9)
CPK Iu/l	444 ± 445 (9)	278 ± 73 (10)	422 ± 288 (10)	317 ± 133 (10)	598 ± 215 (9)
LDH Iu/l	558 ± 349 (9)	674 ± 89 (10)	708 ± 368 (9)	669 ± 179 (10)	1171 ± 454 (9)*
ALK P Iu/l	72 ± 7 (9)	72 ± 6 (10)	73 ± 12 (9)	70 ± 6 (10)	81 ± 19 (9)
GLOB g/dl	2.3 ± 0.4 (6)	2.5 ± 0.3 (10)	2.3 ± 0.4 (8)	2.3 ± 0.4 (6)	2.3 ± 0.3 (9)
ALB/GLOB	2.0 ± 0.3 (6)	1.8 ± 0.3 (10)	2.0 ± 0.4 (8)	1.9 ± 0.3 (6)	1.9 ± 0.4 (9)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 24

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
FEMALE CLINICAL CHEMISTRY VALUES - TEST WEEK 26
[MEAN AND STANDARD DEVIATION (n)]

CLIN CHEM VARIABLES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
GLU mg/dl	103 ± 7 (10)	92 ± 3 (10)	101 ± 15 (10)	100 ± 18 (10)	90 ± 15 (10)
BUN mg/dl	18 ± 3 (10)	16 ± 2 (10)	16 ± 1 (10)	16 ± 1 (10)	16 ± 3 (10)
ALT Iu/l	20 ± 6 (10)	21 ± 4 (10)	22 ± 4 (10)	19 ± 4 (10)	16 ± 2 (10)*
TRIG mg/dl	73 ± 34 (10)	94 ± 32 (10)	73 ± 33 (10)	63 ± 27 (10)	44 ± 15 (10)
T PRO g/dl	6.6 ± 0.4 (9)	6.7 ± 0.4 (6)	6.8 ± 0.3 (10)	6.6 ± 0.3 (10)	6.3 ± 0.3 (8)
ALB g/dl	4.4 ± 0.1 (10)	4.5 ± 0.2 (10)	4.5 ± 0.2 (10)	4.5 ± 0.2 (10)	4.2 ± 0.1 (10)
CHOL mg/dl	112 ± 12 (10)	121 ± 12 (10)	120 ± 11 (10)	117 ± 16 (10)	101 ± 11 (10)
D BIL mg/dl	0.05 ± 0.01 (10)	0.06 ± 0.05 (10)	0.06 ± 0.03 (10)	0.06 ± 0.04 (10)	0.05 ± 0.01 (10)
T BIL mg/dl	0.17 ± 0.05 (10)	0.18 ± 0.11 (10)	0.18 ± 0.09 (10)	0.18 ± 0.10 (10)	0.15 ± 0.03 (10)
CAL mg/dl	10.1 ± 0.6 (10)	10.4 ± 0.6 (10)	10.3 ± 0.5 (10)	10.1 ± 0.4 (10)	10.3 ± 0.4 (10)
Na mMol/l	151 ± 5 (10)	151 ± 4 (10)	150 ± 3 (10)	150 ± 4 (10)	151 ± 4 (10)
K mMol/l	5.3 ± 0.3 (10)	5.3 ± 0.4 (10)	5.1 ± 0.6 (10)	5.2 ± 0.5 (10)	5.1 ± 0.3 (10)
Cl Meq/l	105 ± 5 (10)	103 ± 5 (10)	103 ± 4 (10)	103 ± 4 (10)	104 ± 7 (10)
CPK Iu/l	556 ± 308 (10)	608 ± 763 (10)	691 ± 611 (10)	409 ± 196 (10)	495 ± 324 (10)
LDH Iu/l	724 ± 152 (10)	755 ± 270 (10)	693 ± 170 (9)	638 ± 304 (10)	653 ± 233 (10)
ALK P Iu/l	61 ± 10 (10)	71 ± 10 (10)	63 ± 15 (10)	72 ± 12 (10)	69 ± 14 (10)
GLOB g/dl	2.2 ± 0.3 (9)	2.2 ± 0.4 (6)	2.3 ± 0.3 (10)	2.1 ± 0.3 (10)	2.1 ± 0.3 (8)
ALB/GLOB	2.0 ± 0.3 (9)	2.0 ± 0.3 (6)	2.0 ± 0.3 (10)	2.1 ± 0.3 (10)	2.1 ± 0.3 (8)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 25

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MALE CLINICAL CHEMISTRY VALUES - TEST WEEK 52
[MEAN AND STANDARD DEVIATION (n)]

CLIN CHEM VARIABLES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
GLU mg/dl	129 ± 26 (10)	130 ± 10 (10)	120 ± 18 (10)	125 ± 14 (10)	105 ± 13 (10)*
BUN mg/dl	14 ± 2 (10)	14 ± 1 (10)	14 ± 2 (10)	14 ± 1 (10)	17 ± 1 (10)*
ALT Iu/l	88 ± 32 (10)	70 ± 36 (10)	62 ± 22 (10)	52 ± 21 (10)*	29 ± 13 (10)*
TRIG mg/dl	159 ± 71 (10)	130 ± 57 (10)	115 ± 36 (10)	117 ± 62 (10)	41 ± 13 (9)*
T PRO g/dl	7.1 ± 0.3 (10)	7.2 ± 0.4 (10)	6.9 ± 0.4 (10)	7.1 ± 0.4 (10)	6.7 ± 0.2 (10)*
ALB g/dl	4.2 ± 0.2 (10)	4.1 ± 0.1 (10)	4.1 ± 0.2 (10)	4.1 ± 0.1 (10)	4.3 ± 0.3 (10)
CHOL mg/dl	103 ± 22 (10)	93 ± 18 (10)	91 ± 12 (10)	95 ± 14 (10)	77 ± 17 (10)*
D BIL mg/dl	0.11 ± 0.04 (10)	0.09 ± 0.06 (10)	0.09 ± 0.06 (10)	0.08 ± 0.05 (10)	0.10 ± 0.08 (9)
T BIL mg/dl	0.39 ± 0.23 (10)	0.39 ± 0.28 (10)	0.33 ± 0.25 (10)	0.29 ± 0.25 (10)	0.34 ± 0.23 (9)
CAL mg/dl	11.1 ± 0.6 (10)	11.1 ± 0.5 (10)	10.6 ± 0.5 (10)	11.1 ± 0.5 (10)	10.7 ± 0.3 (10)
Na mMol/l	152 ± 14 (10)	158 ± 5 (10)	156 ± 11 (10)	153 ± 14 (10)	156 ± 9 (10)
K mMol/l	4.9 ± 0.3 (10)	5.0 ± 0.2 (10)	5.2 ± 0.5 (10)	5.0 ± 0.6 (10)	5.6 ± 0.7 (10)*
CPK Iu/l	292 ± 236 (10)	175 ± 76 (10)	766 ± 1351 (10)	454 ± 525 (10)	352 ± 429 (10)
ALK P Iu/l	62 ± 3 (3)	61 ± 6 (3)	68 ± 11 (4)	71 ± 5 (3)	67 ± 10 (4)
GLOB g/dl	2.9 ± 0.2 (10)	3.1 ± 0.5 (10)	2.8 ± 0.3 (10)	3.0 ± 0.4 (10)	2.4 ± 0.3 (10)*
ALB/GLOB	1.5 ± 0.1 (10)	1.4 ± 0.3 (10)	1.5 ± 0.2 (10)	1.4 ± 0.2 (10)	1.8 ± 0.5 (10)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 26

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 FEMALE CLINICAL CHEMISTRY VALUES - TEST WEEK 52
 [MEAN AND STANDARD DEVIATION (n)]

CLIN CHEM VARIABLES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
GLU mg/dl	104 ± 11 (10)	113 ± 15 (10)	108 ± 15 (10)	105 ± 18 (10)	100 ± 12 (10)
BUN mg/dl	16 ± 2 (10)	16 ± 2 (10)	17 ± 2 (10)	17 ± 2 (10)	17 ± 3 (10)
ALT Iu/l	42 ± 21 (10)	42 ± 23 (10)	39 ± 15 (10)	31 ± 14 (10)	41 ± 36 (10)
TRIG mg/dl	73 ± 30 (10)	105 ± 57 (10)	56 ± 11 (10)	62 ± 36 (10)	36 ± 8 (10)*
T PRO g/dl	7.6 ± 0.4 (10)	7.6 ± 0.6 (10)	7.5 ± 0.4 (10)	7.0 ± 0.5 (10)*	6.6 ± 0.4 (10)*
ALB g/dl	4.6 ± 0.2 (10)	4.5 ± 0.3 (10)	4.5 ± 0.3 (10)	4.4 ± 0.2 (10)*	4.1 ± 0.1 (10)*
CHOL mg/dl	128 ± 11 (10)	133 ± 13 (10)	138 ± 20 (10)	136 ± 18 (10)	98 ± 17 (10)*
D BIL mg/dl	0.09 ± 0.06 (10)	0.08 ± 0.04 (10)	0.08 ± 0.06 (10)	0.07 ± 0.05 (10)	0.10 ± 0.07 (10)
T BIL mg/dl	0.36 ± 0.28 (10)	0.30 ± 0.22 (10)	0.36 ± 0.27 (10)	0.25 ± 0.21 (10)	0.37 ± 0.29 (10)
CAL mg/dl	11.1 ± 0.6 (10)	11.3 ± 0.7 (10)	11.2 ± 0.8 (10)	10.8 ± 0.6 (10)	10.7 ± 0.5 (10)
Na mMol/l	158 ± 12 (10)	157 ± 15 (10)	156 ± 7 (10)	157 ± 7 (10)	150 ± 10 (10)
K mMol/l	4.9 ± 0.5 (10)	5.0 ± 0.6 (10)	4.9 ± 0.4 (10)	5.0 ± 0.3 (10)	4.8 ± 0.6 (10)
CPK Iu/l	320 ± 255 (10)	226 ± 107 (10)	359 ± 556 (10)	241 ± 291 (10)	398 ± 311 (10)
ALK P Iu/l	45 ± 10 (3)	56 ± 8 (3)	48 ± 3 (3)	46 ± 7 (4)	71 ± 19 (3)*
GLOB g/dl	3.0 ± 0.4 (10)	3.1 ± 0.4 (10)	2.9 ± 0.3 (10)	2.7 ± 0.4 (10)	2.5 ± 0.4 (10)*
ALB/GLOB	1.6 ± 0.2 (10)	1.5 ± 0.2 (10)	1.6 ± 0.2 (10)	1.7 ± 0.2 (10)	1.6 ± 0.2 (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 27

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE CLINICAL CHEMISTRY VALUES - TEST WEEK 78
 [MEAN AND STANDARD DEVIATION (n)]

CLIN CHEM VARIABLES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
GLU mg/dl	115 ± 25 (10)	116 ± 13 (10)	112 ± 21 (10)	113 ± 13 (10)	96 ± 11 (10)*
BUN mg/dl	13 ± 2 (10)	14 ± 2 (10)	14 ± 1 (10)	13 ± 2 (10)	14 ± 6 (10)
ALT Iu/l	51 ± 10 (10)	49 ± 16 (10)	56 ± 28 (10)	57 ± 20 (10)	74 ± 105 (10)
TRIG mg/dl	143 ± 52 (10)	143 ± 48 (10)	143 ± 75 (10)	144 ± 77 (10)	44 ± 23 (10)*
T PRO g/dl	7.0 ± 0.6 (10)	6.6 ± 0.2 (10)	6.8 ± 0.7 (10)	7.4 ± 1.1 (10)	6.5 ± 0.5 (10)
ALB g/dl	4.2 ± 0.2 (10)	4.2 ± 0.1 (10)	4.1 ± 0.2 (10)	4.2 ± 0.3 (10)	4.1 ± 0.2 (10)
CHOL mg/dl	142 ± 36 (10)	128 ± 26 (10)	132 ± 50 (10)	119 ± 32 (10)	96 ± 31 (10)*
D BIL mg/dl	0.05 ± 0.02 (10)	0.05 ± 0.01 (10)	0.07 ± 0.02 (10)	0.07 ± 0.03 (10)	0.06 ± 0.04 (10)
T BIL mg/dl	0.17 ± 0.04 (10)	0.19 ± 0.03 (10)	0.21 ± 0.05 (10)	0.22 ± 0.08 (10)	0.22 ± 0.19 (10)
CAL mg/dl	10.5 ± 0.3 (10)	10.7 ± 0.3 (10)	10.4 ± 0.3 (10)	10.5 ± 0.5 (10)	10.7 ± 0.6 (10)
Na mMol/l	144 ± 2 (10)	145 ± 2 (10)	144 ± 2 (10)	145 ± 2 (10)	144 ± 3 (10)
K mMol/l	4.6 ± 0.4 (10)	4.6 ± 0.3 (10)	4.8 ± 0.3 (10)	5.0 ± 0.6 (10)*	5.1 ± 0.6 (10)*
Cl Meq/l	103 ± 2 (10)	103 ± 2 (10)	103 ± 2 (10)	94 ± 33 (10)	104 ± 3 (10)
CPK Iu/l	436 ± 546 (10)	202 ± 153 (10)	482 ± 516 (10)	220 ± 156 (10)	369 ± 310 (10)
GLOB g/dl	2.8 ± 0.5 (10)	2.4 ± 0.2 (10)	2.7 ± 0.6 (10)	3.2 ± 0.9 (10)	2.4 ± 0.4 (10)
ALB/GLOB	1.5 ± 0.2 (10)	1.8 ± 0.2 (10)	1.6 ± 0.3 (10)	1.4 ± 0.3 (10)	1.8 ± 0.2 (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 28

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
FEMALE CLINICAL CHEMISTRY VALUES - TEST WEEK 78
[MEAN AND STANDARD DEVIATION (n)]

CLIN CHEM VARIABLES	0.0		0.3		1.5		8.0		40.0	
	MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY	
GLU mg/dl	106 ±	13 (10)	108 ±	11 (10)	110 ±	10 (10)	104 ±	8 (10)	89 ±	11 (10)*
BUN mg/dl	15 ±	2 (10)	14 ±	2 (10)	15 ±	2 (10)	15 ±	1 (10)	17 ±	4 (10)
ALT Iu/l	37 ±	5 (10)	38 ±	6 (10)	39 ±	10 (10)	39 ±	14 (10)	36 ±	9 (10)
TRIG mg/dl	99 ±	53 (10)	147 ±	75 (10)*	78 ±	24 (10)	68 ±	20 (10)	38 ±	10 (10)*
T PRO g/dl	7.0 ±	0.6 (10)	7.7 ±	1.0 (10)	7.2 ±	0.4 (10)	7.0 ±	0.7 (10)	6.8 ±	0.6 (10)
ALB g/dl	4.6 ±	0.2 (10)	4.7 ±	0.3 (10)	4.7 ±	0.2 (10)	4.5 ±	0.3 (10)	4.3 ±	0.2 (10)*
CHOL mg/dl	119 ±	15 (10)	124 ±	18 (10)	124 ±	28 (10)	123 ±	20 (10)	120 ±	38 (10)
D BIL mg/dl	0.04 ±	0.01 (10)	0.05 ±	0.03 (10)	0.04 ±	0.02 (10)	0.04 ±	0.02 (10)	0.03 ±	0.02 (10)
T BIL mg/dl	0.14 ±	0.03 (10)	0.16 ±	0.05 (10)	0.13 ±	0.04 (10)	0.15 ±	0.09 (10)	0.11 ±	0.03 (10)
CAL mg/dl	10.5 ±	0.3 (10)	10.5 ±	0.4 (10)	10.5 ±	0.6 (10)	10.5 ±	0.5 (10)	10.4 ±	0.4 (10)
Na mMol/l	142 ±	2 (10)	141 ±	3 (10)	143 ±	2 (10)	143 ±	2 (10)	143 ±	3 (10)
K mMol/l	4.6 ±	0.3 (10)	4.5 ±	0.5 (10)	4.4 ±	0.2 (10)	4.5 ±	0.3 (10)	4.6 ±	0.3 (10)
Cl Meq/l	103 ±	3 (10)	91 ±	32 (10)	102 ±	1 (10)	102 ±	3 (10)	102 ±	2 (10)
CPK Iu/l	247 ±	130 (10)	210 ±	184 (10)	204 ±	115 (10)	271 ±	268 (10)	295 ±	378 (10)
GLOB g/dl	2.5 ±	0.5 (10)	3.0 ±	0.7 (10)*	2.5 ±	0.3 (10)	2.5 ±	0.5 (10)	2.5 ±	0.5 (10)
ALB/GLOB	1.9 ±	0.3 (10)	1.6 ±	0.3 (10)	1.9 ±	0.2 (10)	1.9 ±	0.3 (10)	1.7 ±	0.3 (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 29

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE CLINICAL CHEMISTRY VALUES - TEST WEEK 104
 [MEAN AND STANDARD DEVIATION (n)]

CLIN CHEM VARIABLES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
GLU mg/dl	111 ± 9 (10)	106 ± 17 (9)	87 ± 33 (9)*	107 ± 15 (10)	102 ± 9 (4)
BUN mg/dl	19 ± 3 (10)	19 ± 7 (9)	24 ± 21 (9)	19 ± 7 (10)	20 ± 3 (4)
ALT Iu/l	44 ± 23 (10)	42 ± 12 (9)	60 ± 39 (9)	46 ± 28 (10)	60 ± 27 (4)
TRIG mg/dl	139 ± 55 (10)	158 ± 82 (9)	118 ± 66 (9)	122 ± 61 (10)	67 ± 22 (4)
T PRO g/dl	6.4 ± 0.3 (10)	6.3 ± 0.2 (9)	6.4 ± 0.7 (9)	6.5 ± 0.6 (10)	6.3 ± 0.2 (4)
ALB g/dl	3.7 ± 0.2 (10)	3.7 ± 0.2 (9)	3.7 ± 0.4 (9)	3.6 ± 0.5 (10)	3.7 ± 0.1 (4)
CHOL mg/dl	156 ± 61 (10)	179 ± 50 (9)	215 ± 73 (9)	186 ± 54 (10)	146 ± 26 (4)
D BIL mg/dl	0.08 ± 0.02 (10)	0.09 ± 0.03 (9)	0.11 ± 0.07 (9)	0.08 ± 0.03 (10)	0.08 ± 0.05 (4)
T BIL mg/dl	0.26 ± 0.09 (10)	0.29 ± 0.09 (9)	0.30 ± 0.11 (9)	0.28 ± 0.13 (10)	0.26 ± 0.13 (4)
CAL mg/dl	10.6 ± 0.3 (10)	10.7 ± 0.4 (9)	10.7 ± 0.3 (9)	10.7 ± 0.3 (10)	10.6 ± 0.5 (4)
Na mMo1/l	142 ± 2 (10)	142 ± 2 (9)	143 ± 2 (9)	143 ± 3 (10)	143 ± 2 (4)
K mMo1/l	4.7 ± 0.3 (10)	4.6 ± 0.6 (9)	4.6 ± 0.5 (9)	4.7 ± 0.5 (10)	4.7 ± 0.4 (4)
Cl Meq/l	112 ± 3 (10)	110 ± 2 (9)	111 ± 3 (9)	112 ± 4 (10)	109 ± 1 (4)*
CPK Iu/l	438 ± 422 (10)	322 ± 432 (9)	366 ± 565 (9)	356 ± 678 (10)	209 ± 233 (4)
GLOB g/dl	2.7 ± 0.2 (10)	2.7 ± 0.2 (9)	2.8 ± 0.5 (9)	2.8 ± 0.4 (10)	2.6 ± 0.2 (4)
ALB/GLOB	1.3 ± 0.1 (10)	1.4 ± 0.1 (9)	1.4 ± 0.3 (9)	1.3 ± 0.2 (10)	1.4 ± 0.1 (4)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 30

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 FEMALE CLINICAL CHEMISTRY VALUES - TEST WEEK 104
 [MEAN AND STANDARD DEVIATION (n)]

CLIN CHEM VARIABLES	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
GLU mg/dl	109 ± 14 (10)	107 ± 15 (10)	109 ± 16 (10)	112 ± 16 (9)	95 ± 11 (10)*
BUN mg/dl	15 ± 2 (10)	14 ± 2 (10)	16 ± 3 (10)	16 ± 2 (9)	20 ± 6 (10)*
ALT Iu/l	44 ± 15 (10)	39 ± 8 (10)	47 ± 11 (10)	51 ± 20 (9)	49 ± 33 (10)
TRIG mg/dl	102 ± 50 (10)	120 ± 50 (10)	107 ± 53 (10)	59 ± 22 (9)	50 ± 28 (10)*
T PRO g/dl	7.3 ± 0.4 (10)	7.8 ± 0.7 (10)*	7.3 ± 0.3 (10)	7.0 ± 0.3 (9)	6.7 ± 0.3 (10)*
ALB g/dl	4.5 ± 0.2 (10)	4.8 ± 0.3 (9)*	4.6 ± 0.2 (10)	4.4 ± 0.3 (9)	4.1 ± 0.2 (10)*
CHOL mg/dl	137 ± 19 (10)	145 ± 9 (10)	141 ± 20 (10)	128 ± 9 (9)	124 ± 17 (10)
D BIL mg/dl	0.06 ± 0.02 (10)	0.06 ± 0.02 (10)	0.07 ± 0.03 (10)	0.05 ± 0.01 (9)	0.05 ± 0.02 (10)
T BIL mg/dl	0.19 ± 0.06 (10)	0.20 ± 0.05 (10)	0.19 ± 0.07 (10)	0.16 ± 0.05 (9)	0.18 ± 0.04 (10)
CAL mg/dl	10.7 ± 0.6 (10)	11.0 ± 0.5 (10)	10.8 ± 0.4 (10)	10.6 ± 0.5 (9)	10.6 ± 0.3 (10)
Na mMol/l	141 ± 2 (10)	141 ± 2 (10)	139 ± 2 (10)	140 ± 2 (9)	142 ± 2 (10)
K mMol/l	4.6 ± 0.2 (10)	4.3 ± 0.3 (10)	4.5 ± 0.3 (10)	4.4 ± 0.2 (9)	4.5 ± 0.3 (10)
Cl Meq/l	109 ± 2 (10)	108 ± 2 (10)	108 ± 2 (10)	108 ± 2 (9)	110 ± 4 (10)
CPK Iu/l	207 ± 215 (10)	210 ± 178 (10)	563 ± 1250 (10)	238 ± 273 (9)	307 ± 207 (10)
GLOB g/dl	2.8 ± 0.4 (10)	2.8 ± 0.3 (9)	2.7 ± 0.2 (10)	2.6 ± 0.3 (9)	2.5 ± 0.3 (10)
ALB/GLOB	1.7 ± 0.3 (10)	1.7 ± 0.1 (9)	1.7 ± 0.1 (10)	1.7 ± 0.3 (9)	1.6 ± 0.2 (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

TABLE 31

TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE IN THE FISCHER 344 RAT

CATARACTS

DOSE (mg/kg/day)	SEX	TEST WEEK			
		25	51	76	103
0	M	2/75	4/65	5/54	8/40
	F	0/75	1/64	3/52	14/44
0.3	M	0/75	0/65	1/52	6/39
	F	0/75	0/65	0/54	4/48
1.5	M	0/75	0/64	0/47	6/31
	F	0/75	0/65	3/53	11/44
8.0	M	1/75	1/64	5/53	8/35
	F	0/75	0/65	1/54	8/43
40.0	M	2/72	6/43	1/19	2/6
	F	0/75	2/59	11/47 *, **	22/30*, **

* Significantly different from appropriate control group, $p < 0.05$.

** Significantly different from each other, $p < 0.05$.

Table 32

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE MEAN RELATIVE ORGAN WEIGHTS (BODY) - TEST WEEK 27
 [(g ORGAN WT/g BODY WT) x 100]
 [MEAN AND STANDARD DEVIATION (n)]

ORGANS	0.0		0.3		1.5		8.0		40.0	
	MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY	
BODY WT. (g)	362 ±	21 (10)	375 ±	26 (10)	372 ±	16 (10)	365 ±	15 (10)	303 ±	38 (10)*
BRAIN	0.567 ±0.031	(10)	0.552 ±0.036	(10)	0.544 ±0.027	(10)	0.566 ±0.036	(10)	0.708 ±0.095	(10)*
HEART	0.288 ±0.019	(10)	0.275 ±0.020	(10)	0.284 ±0.027	(10)	0.296 ±0.040	(10)	0.316 ±0.036	(10)
KIDNEYS	0.695 ±0.025	(10)	0.688 ±0.042	(10)	0.686 ±0.030	(10)	0.705 ±0.042	(10)	0.822 ±0.087	(10)*
ADRENALS	0.014 ±0.003	(10)	0.014 ±0.004	(10)	0.014 ±0.003	(10)	0.016 ±0.005	(10)	0.019 ±0.003	(10)*
LIVER	2.99 ± 0.27	(10)	2.93 ± 0.19	(10)	2.91 ± 0.13	(10)	2.87 ± 0.19	(10)	3.35 ± 0.30	(10)*
SPLEEN	0.192 ±0.016	(10)	0.193 ±0.012	(10)	0.205 ±0.020	(10)	0.195 ±0.014	(10)	0.212 ±0.034	(10)
GONADS	0.850 ±0.057	(10)	0.817 ±0.087	(10)	0.858 ±0.031	(10)	0.849 ±0.039	(10)	0.956 ±0.146	(10)*

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 33

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 FEMALE MEAN RELATIVE ORGAN WEIGHTS (BODY) - TEST WEEK 27
 [(g ORGAN WT/g BODY WT) x 100]
 [MEAN AND STANDARD DEVIATION (n)]

ORGANS	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
BODY WT. (g)	190 ± 11 (10)	193 ± 10 (10)	195 ± 6 (10)	193 ± 13 (10)	210 ± 24 (10)*
BRAIN	0.980 ± 0.036 (10)	0.965 ± 0.052 (10)	0.962 ± 0.063 (10)	0.993 ± 0.049 (10)	0.914 ± 0.108 (10)*
HEART	0.351 ± 0.022 (10)	0.345 ± 0.024 (10)	0.338 ± 0.026 (10)	0.340 ± 0.026 (10)	0.328 ± 0.028 (10)
KIDNEYS	0.773 ± 0.050 (10)	0.773 ± 0.048 (10)	0.783 ± 0.042 (10)	0.776 ± 0.051 (10)	0.765 ± 0.077 (10)
ADRENALS	0.029 ± 0.005 (10)	0.030 ± 0.006 (10)	0.026 ± 0.004 (10)	0.029 ± 0.005 (10)	0.029 ± 0.006 (10)
LIVER	2.89 ± 0.27 (10)	2.84 ± 0.21 (9)	2.89 ± 0.26 (10)	2.86 ± 0.29 (10)	2.99 ± 0.17 (10)
SPLEEN	0.241 ± 0.016 (10)	0.236 ± 0.018 (10)	0.232 ± 0.013 (10)	0.245 ± 0.021 (10)	0.240 ± 0.023 (10)
GONADS	0.051 ± 0.010 (10)	0.052 ± 0.012 (10)	0.050 ± 0.012 (9)	0.057 ± 0.011 (10)	0.048 ± 0.009 (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 34

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE MEAN RELATIVE ORGAN WEIGHTS (BODY) - TEST WEEK 52
 [(g ORGAN WT/g BODY WT) x 100]
 [MEAN AND STANDARD DEVIATION (n)]

ORGANS	0.0		0.3		1.5		8.0		40.0	
	MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY	
BODY WT. (g)	435 ±	28 (10)	411 ±	15 (10)	422 ±	21 (10)	418 ±	44 (10)	379 ±	57 (10)*
BRAIN	0.495 ±	0.034 (10)	0.521 ±	0.028 (10)	0.502 ±	0.014 (10)	0.527 ±	0.052 (10)	0.584 ±	0.078 (10)*
HEART	0.295 ±	0.019 (10)	0.293 ±	0.038 (10)	0.297 ±	0.022 (10)	0.302 ±	0.020 (10)	0.297 ±	0.046 (10)
KIDNEYS	0.701 ±	0.038 (10)	0.691 ±	0.045 (10)	0.715 ±	0.048 (10)	0.707 ±	0.062 (10)	0.787 ±	0.113 (10)*
ADRENALS	0.013 ±	0.003 (10)	0.012 ±	0.003 (10)	0.015 ±	0.003 (10)	0.014 ±	0.003 (10)	0.016 ±	0.004 (10)
LIVER	2.99 ±	0.20 (10)	3.01 ±	0.17 (10)	3.09 ±	0.22 (10)	3.15 ±	0.26 (10)	3.41 ±	0.50 (10)*
SPLEEN	0.198 ±	0.014 (10)	0.192 ±	0.019 (10)	0.197 ±	0.017 (10)	0.209 ±	0.012 (10)	0.189 ±	0.027 (10)
GONADS	0.750 ±	0.057 (10)	0.796 ±	0.047 (10)	0.782 ±	0.037 (10)	0.782 ±	0.071 (10)	0.751 ±	0.148 (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 35

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 FEMALE MEAN RELATIVE ORGAN WEIGHTS (BODY) - TEST WEEK 52
 [(g ORGAN WT/g BODY WT) x 100]
 [MEAN AND STANDARD DEVIATION (n)]

ORGANS	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
BODY WT. (g)	232 ± 15 (10)	231 ± 18 (10)	224 ± 13 (10)	222 ± 10 (10)	243 ± 13 (9)
BRAIN	0.843 ±0.045 (10)	0.854 ±0.082 (10)	0.880 ±0.056 (10)	0.877 ±0.045 (10)	0.839 ±0.039 (9)
HEART	0.334 ±0.017 (10)	0.340 ±0.019 (10)	0.348 ±0.019 (10)	0.345 ±0.022 (10)	0.360 ±0.020 (9)*
KIDNEYS	0.731 ±0.036 (10)	0.764 ±0.061 (10)	0.792 ±0.045 (10)*	0.798 ±0.057 (10)*	0.790 ±0.044 (9)*
ADRENALS	0.026 ±0.006 (10)	0.027 ±0.007 (9)	0.028 ±0.005 (10)	0.029 ±0.007 (10)	0.034 ±0.007 (9)*
LIVER	2.71 ± 0.22 (10)	2.96 ± 0.24 (10)*	2.89 ± 0.20 (10)	3.01 ± 0.22 (10)*	3.33 ± 0.23 (9)*
SPLEEN	0.220 ±0.019 (10)	0.220 ±0.019 (10)	0.238 ±0.035 (10)	0.219 ±0.018 (10)	0.227 ±0.030 (9)
GONADS	0.050 ±0.007 (10)	0.056 ±0.010 (10)	0.049 ±0.008 (10)	0.057 ±0.010 (10)	0.051 ±0.013 (9)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 36

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE MEAN RELATIVE ORGAN WEIGHTS (BODY) - TEST WEEK 105
 [(g ORGAN WT/g BODY WT) x 100]
 [MEAN AND STANDARD DEVIATION (n)]

ORGANS	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
BODY WT. (g)	382 ± 44 (37)	388 ± 42 (36)	360 ± 64 (26)	376 ± 28 (29)	315 ± 15 (4)*
BRAIN	0.573 ±0.064 (37)	0.573 ±0.061 (36)	0.616 ±0.123 (26)	0.587 ±0.045 (29)	0.699 ±0.033 (4)*
HEART	0.360 ±0.054 (37)	0.366 ±0.059 (36)	0.382 ±0.092 (26)	0.359 ±0.040 (29)	0.438 ±0.092 (4)*
KIDNEYS	0.922 ±0.134 (37)	0.929 ±0.181 (36)	0.921 ±0.159 (26)	0.941 ±0.124 (29)	1.106 ±0.016 (4)*
ADRENALS	0.019 ±0.007 (35)	0.019 ±0.005 (36)	0.030 ±0.034 (25)	0.021 ±0.012 (28)	0.019 ±0.002 (4)
LIVER	3.89 ± 0.76 (37)	3.94 ± 0.67 (36)	3.89 ± 0.94 (26)	3.98 ± 0.89 (29)	4.30 ± 0.45 (4)
SPLEEN	0.817 ±1.008 (37)	0.889 ±0.989 (36)	0.852 ±0.958 (26)	0.578 ±0.540 (29)	0.506 ±0.411 (4)
GONADS	----- ±0.000 (0)	----- ±0.000 (0)	----- ±0.000 (0)	----- ±0.000 (0)	----- ±0.000 (0)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

---- = NO AVAILABLE DATA

Table 37

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 FEMALE MEAN RELATIVE ORGAN WEIGHTS (BODY) - TEST WEEK 105
 [(g ORGAN WT/g BODY WT) x 100]
 [MEAN AND STANDARD DEVIATION (n)]

ORGANS	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
BODY WT. (g)	280 ± 27 (43)	280 ± 27 (45)	273 ± 33 (42)	271 ± 34 (41)	238 ± 23 (26)*
BRAIN	0.714 ± 0.087 (43)	0.709 ± 0.068 (45)	0.733 ± 0.094 (42)	0.745 ± 0.100 (41)	0.860 ± 0.088 (26)*
HEART	0.366 ± 0.056 (43)	0.359 ± 0.032 (45)	0.377 ± 0.058 (42)	0.364 ± 0.051 (41)	0.421 ± 0.068 (26)*
KIDNEYS	0.791 ± 0.098 (43)	0.815 ± 0.099 (45)	0.841 ± 0.133 (42)	0.833 ± 0.130 (40)	0.957 ± 0.110 (25)*
ADRENALS	0.026 ± 0.009 (41)	0.023 ± 0.005 (45)	0.025 ± 0.006 (42)	0.025 ± 0.009 (41)	0.033 ± 0.006 (26)*
LIVER	3.31 ± 0.66 (42)	3.33 ± 0.46 (45)	3.26 ± 0.43 (40)	3.51 ± 0.54 (41)	3.89 ± 0.73 (26)*
SPLEEN	0.542 ± 0.700 (43)	0.358 ± 0.508 (45)	0.296 ± 0.167 (42)	0.348 ± 0.286 (41)	0.592 ± 1.123 (26)
GONADS	0.041 ± 0.007 (43)	0.040 ± 0.008 (45)	0.042 ± 0.007 (42)	0.045 ± 0.010 (41)*	0.044 ± 0.011 (26)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 38

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 MALE MEAN ORGAN WEIGHTS (g) - TEST WEEK 27
 [MEAN AND STANDARD DEVIATION (n)]

ORGANS	0.0		0.3		1.5		8.0		40.0	
	MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY	
BODY WT	362. ±	21. (10)	375. ±	26. (10)	372. ±	16. (10)	365. ±	15. (10)	303. ±	38. (10)*
BRAIN	2.047 ±	0.079 (10)	2.061 ±	0.090 (10)	2.023 ±	0.090 (10)	2.064 ±	0.102 (10)	2.116 ±	0.062 (10)
HEART	1.043 ±	0.095 (10)	1.030 ±	0.113 (10)	1.056 ±	0.099 (10)	1.079 ±	0.149 (10)	0.949 ±	0.078 (10)
KIDNEYS	2.519 ±	0.198 (10)	2.579 ±	0.224 (10)	2.550 ±	0.132 (10)	2.576 ±	0.169 (10)	2.468 ±	0.180 (10)
ADRENALS	0.052 ±	0.008 (10)	0.052 ±	0.014 (10)	0.053 ±	0.010 (10)	0.059 ±	0.020 (10)	0.056 ±	0.006 (10)
LIVER	10.80 ±	0.81 (10)	10.98 ±	1.11 (10)	10.84 ±	0.58 (10)	10.49 ±	0.99 (10)	10.11 ±	1.18 (10)
SPLEEN	0.693 ±	0.058 (10)	0.722 ±	0.054 (10)	0.760 ±	0.076 (10)	0.712 ±	0.049 (10)	0.635 ±	0.069 (10)
GONADS	3.067 ±	0.093 (10)	3.061 ±	0.341 (10)	3.190 ±	0.104 (10)	3.100 ±	0.151 (10)	2.866 ±	0.313 (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 39

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
FEMALE MEAN ORGAN WEIGHTS (g) - TEST WEEK 27
[MEAN AND STANDARD DEVIATION (n)]

ORGANS	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
BODY WT	190 ± 11. (10)	193 ± 10. (10)	195 ± 6. (10)	193 ± 13. (10)	210 ± 24. (10)*
BRAIN	1.858 ± 0.086 (10)	1.861 ± 0.074 (10)	1.871 ± 0.105 (10)	1.911 ± 0.110 (10)	1.905 ± 0.189 (10)
HEART	0.665 ± 0.056 (10)	0.665 ± 0.041 (10)	0.659 ± 0.051 (10)	0.656 ± 0.070 (10)	0.688 ± 0.083 (10)
KIDNEYS	1.465 ± 0.116 (10)	1.491 ± 0.092 (10)	1.524 ± 0.091 (10)	1.494 ± 0.102 (10)	1.598 ± 0.167 (10)*
ADRENALS	0.055 ± 0.010 (10)	0.057 ± 0.012 (10)	0.051 ± 0.007 (10)	0.055 ± 0.010 (10)	0.061 ± 0.014 (10)
LIVER	5.48 ± 0.40 (10)	5.48 ± 0.42 (9)	5.62 ± 0.43 (10)	5.51 ± 0.64 (10)	5.28 ± 0.79 (10)*
SPLFFN	0.457 ± 0.046 (10)	0.454 ± 0.029 (10)	0.452 ± 0.022 (10)	0.471 ± 0.044 (10)	0.503 ± 0.058 (10)*
GONADS	0.098 ± 0.022 (10)	0.101 ± 0.022 (10)	0.097 ± 0.021 (9)	0.110 ± 0.019 (10)	0.100 ± 0.015 (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 40

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MALE MEAN ORGAN WEIGHTS (g) - TEST WEEK 52
[MEAN AND STANDARD DEVIATION (n)]

ORGANS	0.0		0.3		1.5		8.0		40.0	
	MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY	
BODY WT.	435. ± 28. (10)		411. ± 15. (10)		422. ± 21. (10)		418. ± 44. (10)		379. ± 57. (10)*	
BRAIN	2.143 ± 0.085 (10)		2.138 ± 0.077 (10)		2.115 ± 0.096 (10)		2.179 ± 0.060 (10)		2.171 ± 0.055 (10)	
HEART	1.278 ± 0.070 (10)		1.200 ± 0.115 (10)		1.252 ± 0.092 (10)		1.258 ± 0.111 (10)		1.109 ± 0.140 (10)*	
KIDNEYS	3.046 ± 0.252 (10)		2.834 ± 0.150 (10)		3.014 ± 0.251 (10)		2.933 ± 0.190 (10)		2.933 ± 0.249 (10)	
ADRENALS	0.059 ± 0.011 (10)		0.050 ± 0.012 (10)		0.062 ± 0.014 (10)		0.059 ± 0.010 (10)		0.060 ± 0.018 (10)	
LIVER	13.02 ± 1.20 (10)		12.34 ± 0.65 (10)		13.05 ± 1.27 (10)		13.10 ± 1.28 (10)		12.71 ± 1.07 (10)	
SPLEEN	0.861 ± 0.099 (10)		0.786 ± 0.075 (10)		0.832 ± 0.080 (10)		0.871 ± 0.094 (10)		0.709 ± 0.089 (10)*	
GONADS	3.253 ± 0.237 (10)		3.263 ± 0.112 (10)		3.291 ± 0.135 (10)		3.240 ± 0.173 (10)		2.791 ± 0.370 (10)*	

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 41

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYL-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 FEMALE MEAN ORGAN WEIGHTS (g) -- TEST WEEK 52
 [MEAN AND STANDARD DEVIATION (n)]

ORGANS	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
BODY WT.	232. ± 15. (10)	231. ± 18. (10)	224. ± 13. (10)	222. ± 10. (10)	243. ± 13. (9)
BRAIN	1.946 ± 0.057 (10)	1.962 ± 0.053 (10)	1.968 ± 0.057 (10)	1.943 ± 0.092 (10)	2.046 ± 0.076 (10)*
HEART	0.772 ± 0.056 (10)	0.785 ± 0.050 (10)	0.781 ± 0.063 (10)	0.765 ± 0.060 (10)	0.872 ± 0.056 (10)*
KIDNEYS	1.688 ± 0.087 (10)	1.761 ± 0.107 (10)	1.775 ± 0.116 (10)	1.768 ± 0.140 (10)	1.921 ± 0.154 (10)*
ADRENALS	0.060 ± 0.013 (10)	0.062 ± 0.019 (9)	0.063 ± 0.012 (10)	0.064 ± 0.014 (10)	0.081 ± 0.014 (10)*
LIVER	6.26 ± 0.60 (10)	6.84 ± 0.70 (10)	6.48 ± 0.56 (10)	6.66 ± 0.49 (10)	8.13 ± 0.82 (10)*
SPLFEN	0.508 ± 0.039 (10)	0.506 ± 0.026 (10)	0.533 ± 0.076 (10)	0.486 ± 0.037 (10)	0.555 ± 0.076 (10)
GONADS	0.115 ± 0.016 (10)	0.128 ± 0.021 (10)	0.111 ± 0.018 (10)	0.125 ± 0.020 (10)	0.120 ± 0.031 (10)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 42

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MALE MEAN ORGAN WEIGHTS (g) - TEST WEEK 105
[MEAN AND STANDARD DEVIATION (n)]

ORGANS	0.0 MG/KG/DAY	0.3 MG/KG/DAY	1.5 MG/KG/DAY	8.0 MG/KG/DAY	40.0 MG/KG/DAY
BODY WT.	382. ± 44. (37)	388. ± 42. (36)	360. ± 64. (26)	376. ± 28. (29)	315. ± 15. (4)*
BRAIN	2.162 ± 0.073 (38)	2.198 ± 0.091 (36)	2.146 ± 0.104 (26)	2.194 ± 0.094 (29)	2.196 ± 0.054 (4)
HEART	1.365 ± 0.181 (38)	1.402 ± 0.164 (36)	1.332 ± 0.179 (26)	1.345 ± 0.133 (29)	1.372 ± 0.226 (4)
KIDNEYS	3.485 ± 0.349 (38)	3.549 ± 0.425 (36)	3.235 ± 0.355 (26)	3.518 ± 0.388 (29)	3.481 ± 0.191 (4)
ADRENALS	0.070 ± 0.017 (36)	0.070 ± 0.014 (36)	0.097 ± 0.082 (25)	0.077 ± 0.037 (28)	0.060 ± 0.006 (4)
LIVER	14.69 ± 2.56 (38)	15.16 ± 2.53 (36)	13.70 ± 3.09 (26)	14.83 ± 2.89 (29)	13.52 ± 1.32 (4)
SPLFEN	3.152 ± 3.865 (38)	3.321 ± 3.406 (36)	2.824 ± 2.717 (26)	2.148 ± 1.949 (29)	1.597 ± 1.298 (4)
GONADS	---- ± ---- (0)	---- ± ---- (0)	---- ± ---- (0)	---- ± ---- (0)	---- ± ---- (0)

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

Table 43

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYL-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 FEMALE MEAN ORGAN WEIGHTS (g) - TEST WEEK 105
 [MEAN AND STANDARD DEVIATION (n)]

ORGANS	0.0		0.3		1.5		8.0		40.0	
	MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY		MG/KG/DAY	
BODY WT.	280. ± 27. (43)		280. ± 27. (45)		273. ± 33. (42)		271. ± 34. (41)		238. ± 23. (26)*	
BRAIN	1.979 ± 0.068 (43)		1.973 ± 0.096 (45)		1.972 ± 0.068 (42)		1.993 ± 0.078 (41)		2.021 ± 0.059 (28)*	
HEART	1.014 ± 0.095 (43)		1.003 ± 0.084 (45)		1.012 ± 0.070 (42)		0.977 ± 0.095 (41)		0.980 ± 0.083 (28)	
KIDNEYS	2.197 ± 0.161 (43)		2.264 ± 0.160 (45)		2.260 ± 0.190 (42)		2.233 ± 0.234 (40)		2.229 ± 0.200 (27)	
ADRENALS	0.071 ± 0.025 (41)		0.064 ± 0.010 (45)		0.066 ± 0.012 (42)		0.065 ± 0.012 (41)		0.078 ± 0.014 (28)	
LIVER	9.18 ± 1.31 (42)		9.28 ± 1.23 (45)		8.81 ± 1.11 (40)		9.45 ± 1.41 (41)		9.20 ± 1.61 (28)	
SPLEEN	1.408 ± 1.578 (43)		1.013 ± 1.520 (45)		0.790 ± 0.382 (42)		0.920 ± 0.720 (41)		1.641 ± 2.772 (28)	
GNADS	0.114 ± 0.019 (43)		0.112 ± 0.023 (45)		0.114 ± 0.023 (42)		0.123 ± 0.027 (41)		0.103 ± 0.026 (28)	

* = SIGNIFICANTLY DIFFERENT FROM CONTROL GROUP

--- = NO AVAILABLE DATA

TABLE 44
 TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY
 OF HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE IN THE MALE
 FISCHER 344 RAT

Statistical Evaluation of Histopathologic Lesions

Time	Lesion	Dose (mg/kg/day)									
		0.0		0.3		1.5		8.0		40.0	
		SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS
Spleen, extramedullary hematopoiesis											
6 mos	Present	0	--	0	--	0	--	0	--	6*	2
	Absent	10	--	10	--	10	--	10	--	4	3
12 mos	Present	0	--	0	--	0	0	0	--	0	0
	Absent	10	--	10	--	10	3	10	--	10	18
24 mos	Present	0	0	0	0	0	0	0	0	0	0
	Absent	38	17	36	19	25	27	29	26	4	27
Spleen, sinusoidal congestion											
6 mos	Present	0	--	0	--	0	--	0	--	0	0
	Absent	10	--	10	--	10	--	10	--	10	5
12 mos	Present	0	--	0	--	0	0	0	--	10*	0
	Absent	10	--	10	--	10	3	10	--	0	18
24 mos	Present	0	0	0	0	0	0	0	0	0	0
	Absent	38	17	36	19	25	27	29	26	4	27

Time = time of sacrifice

SS = scheduled sacrifice

SDMS = spontaneous death or moribund sacrifice during interval following last scheduled sacrifice

* = significantly different from control group, $p < 0.05$

TABLE 44 (con't)
 TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY
 OF HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE IN THE MALE
 FISCHER 344 RAT

Statistical Evaluation of Histopathologic Lesions

Time	Lesion	Dose (mg/kg/day)									
		0.0		0.3		1.5		8.0		40.0	
		SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS
Spleen, increased pigment											
6 mos	Present	0	--	0	--	0	--	0	--	0	0
	Absent	10	--	10	--	10	--	10	--	10	5
12 mos	Present	0	--	0	--	0	0	0	--	0	0
	Absent	10	--	10	--	10	3	10	--	10	18
24 mos	Present	0	3	0	1	7*	4	11*	4	0	18*
	Absent	38	14	36	18	18	23	18	22	4	9
Testicular germinal cell degeneration, unilateral/bilateral											
6 mos	Present	0	--	0	--	0	--	0	--	3	0
	Absent	10	--	10	--	10	--	10	--	7	5
12 mos	Present	0	--	0	--	0	1	0	--	4*	4
	Absent	10	--	10	--	10	2	10	--	6	15
24 mos	Present	0	0	0	0	0	0	0	0	0	0
	Absent	38	16	36	19	25	27	29	26	4	27

Time = time of scheduled sacrifice

SS = scheduled sacrifice

SDMS = spontaneous death or moribund sacrifice during interval following last scheduled sacrifice

* = significantly different from control group, $p < 0.05$

TABLE 44 (con't)
 TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY
 OF HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE IN THE MALE
 FISCHER 344 RAT

Statistical Evaluation of Histopathologic Lesions

Time	Lesion	Dose (mg/kg/day)									
		0.0		0.3		1.5		8.0		40.0	
		SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS
Prostate, spermatic granuloma											
6 mos	Present	0	--	2	--	2	--	1	--	6*	2
	Absent	10	--	8	--	8	--	9	--	4	3
12 mos	Present	0	--	0	--	1	0	1	--	0	0
	Absent	10	--	10	--	9	3	9	--	10	19
24 mos	Present	0	0	0	0	0	0	0	0	0	0
	Absent	38	16	36	19	25	27	29	26	4	27
Prostate, suppurative inflammation											
6 mos	Present	0	--	0	--	0	--	0	--	0	0
	Absent	10	--	10	--	10	--	10	--	10	5
12 mos	Present	0	--	0	--	0	0	0	--	0	0
	Absent	10	--	10	--	10	3	10	--	10	19
24 mos	Present	0	2	1	3	**2	7**	4*	8	0	19*
	Absent	38	14	35	16	23	20	25	18	4	8

Time = time of scheduled sacrifice

SS = scheduled sacrifice

SDMS = spontaneous death or moribund sacrifice during interval following last scheduled sacrifice

* = significantly different from control group, $p < 0.05$

** = significant ($p < 0.05$) at this interval only when both SS and SDMS were combined

TABLE 44 (con't)
 TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY
 OF HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE IN THE MALE
 FISCHER 344 RAT

Statistical Evaluation of Histopathologic Lesions

Time	Lesion	Dose (mg/kg/day)									
		0.0		0.3		1.5		8.0		40.0	
		SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS
Kidney, medullary papilla necrosis, unilateral/bilateral											
6 mos	Present	0	--	0	--	0	--	0	--	0	0
	Absent	10	--	10	--	10	--	10	--	10	5
12 mos	Present	0	--	0	--	0	0	0	--	0	15*
	Absent	10	--	10	--	10	3	10	--	10	4
24 mos	Present	0	0	0	1	0	0	0	0	0	18*
	Absent	38	17	36	18	25	27	29	26	4	9
Kidney, pyelitis											
6 mos	Present	0	--	0	--	0	--	0	--	0	0
	Absent	10	--	10	--	10	--	10	--	10	5
12 mos	Present	0	--	0	--	0	0	0	--	0	1
	Absent	10	--	10	--	10	3	10	--	10	18
24 mos	Present	0	0	0	1	0	0	0	1	** 0	** 5
	Absent	38	17	36	18	25	27	29	25	4	22

Time = time of scheduled sacrifice

SS = scheduled sacrifice

SDMS = spontaneous death or moribund sacrifice during interval following last scheduled sacrifice

* = significantly different from control group, $p < 0.05$

** = significant ($p < 0.05$) at this interval only when both SS and SDMS were combined

TABLE 44 (con't)
 TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY
 OF HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE IN THE MALE
 FISCHER 344 RAT

Statistical Evaluation of Histopathologic Lesions

Time	Lesion	Dose (mg/kg/day)									
		0.0		0.3		1.5		8.0		40.0	
		SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS
Kidney, pyelonephritis											
6 mos	Present	0	--	0	--	0	--	0	--	0	0
	Absent	10	--	10	--	10	--	10	--	10	5
12 mos	Present	0	--	0	--	0	0	0	--	0	1
	Absent	10	--	10	--	10	3	10	--	10	18
24 mos	Present	0	0	0	0	0	2	1	1	0	1
	Absent	38	17	36	19	25	25	28	25	4	26
Urinary bladder, luminal distention											
6 mos	Present	0	--	0	--	0	--	0	--	0	0
	Absent	10	--	10	--	10	--	10	--	10	5
12 mos	Present	0	--	0	--	0	0	0	--	0	18*
	Absent	10	--	10	--	10	3	10	--	10	1
24 mos	Present	0	0	0	2	0	1	0	3	1*	24*
	Absent	38	16	36	17	25	26	29	19	3	4

Time = time of scheduled sacrifice

SS = scheduled sacrifice

SDMS = spontaneous death or moribund sacrifice during interval following last scheduled sacrifice

* = significantly different from control group, $p < 0.05$

TABLE 44 (con't)
 TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY
 OF HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE IN THE MALE
 FISCHER 344 RAT

Statistical Evaluation of Histopathologic Lesions

Time	Lesion	Dose (mg/kg/day)									
		0.0		0.3		1.5		8.0		40.0	
		SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS
Urinary bladder, cystitis, hemorrhagic/suppurative/ hemorrhagic - suppurative											
6 mos	Present	0	--	0	--	0	--	0	--	0	0
	Absent	10	--	10	--	10	--	10	--	10	5
12 mos	Present	0	--	0	--	0	0	0	--	0	17*
	Absent	10	--	10	--	10	3	10	--	10	2
24 mos	Present	0	0	0	2	0	1	1	0	0	18*
	Absent	38	16	36	17	25	26	28	22	4	9
6 mos	Present										
	Absent										
12 mos	Present										
	Absent										
24 mos	Present										
	Absent										

Time = time of scheduled sacrifice

SS = scheduled sacrifice

SDMS = spontaneous death or moribund sacrifice during interval following last scheduled sacrifice

* = significantly different from control group, $p < 0.05$

TABLE 45
 TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY
 OF HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE IN THE FEMALE
 FISCHER 344 RAT

Statistical Evaluation of Histopathologic Lesions

Time	Lesion	Dose (mg/kg/day)									
		0.0		0.3		1.5		8.0		40.0	
		SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS
Lenticular cataracts											
6 mos	Present	0	--	0	--	0	--	0	--	0	--
	Absent	10	--	10	--	10	--	10	--	10	--
12 mos	Present	0	--	0	--	0	--	0	--	0	0
	Absent	10	--	10	--	10	--	10	--	10	7
24 mos	Present	14	1	4	1	17	3	9	3	23*	9*
	Absent	29	9	41	9	25	9	32	8	5	11
Spleen, extramedullary hematopoiesis											
6 mos	Present	0	0	0	--	0	--	0	--	5*	--
	Absent	10	1	10	--	10	--	10	--	5	--
12 mos	Present	0	0	0	--	0	0	0	--	0	0
	Absent	10	1	10	--	10	1	10	--	10	7
24 mos	Present	0	0	0	0	0	0	0	0	0	0
	Absent	43	10	45	10	42	12	41	11	28	20

Time = time of scheduled sacrifice

SS = scheduled sacrifice

SDMS = spontaneous death or moribund sacrifice during interval following last scheduled sacrifice

* = significantly different from control group, $p < 0.05$

TABLE 45 (con't)

TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY
OF HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE IN THE FEMALE
FISCHER 344 RAT

Statistical Evaluation of Histopathologic Lesions

Time	Lesion	Dose (mg/kg/day)									
		0.0		0.3		1.5		8.0		40.0	
		SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS	SS	SDMS
Spleen, sinusoidal congestion											
6 mos	Present	0	0	0	--	0	--	0	--	0	--
	Absent	10	1	10	--	10	--	10	--	10	--
12 mos	Present	0	0	0	--	0	0	0	--	9*	1
	Absent	10	1	10	--	10	1	10	--	1	6
24 mos	Present	0	0	0	0	0	0	0	0	0	0
	Absent	43	10	45	10	42	12	41	11	28	20
6 mos	Present										
	Absent										
12 mos	Present										
	Absent										
24 mos	Present										
	Absent										

Time = time of scheduled sacrifice

SS = scheduled sacrifice

SDMS = spontaneous death or moribund sacrifice during interval following last scheduled sacrifice

* = significantly different from control group, $p < 0.05$

FIGURES

Figure 1

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 SURVIVAL CURVES FOR CONTROL AND HIGH DOSE MALES




Figure 2

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
SURVIVAL CURVES FOR CONTROL AND HIGH DOSE FEMALES




FIGURE 3

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAMETHYL-1,3,5-TRINITRO-1,3,5-TRIAZINE IN THE FISCHER RAT
MALE CUMULATIVE MEAN BODY WEIGHT GAINS (G)




FIGURE 4

TWENTY FOUR HOUR CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAMETHYLDI-1,3,5-TRIMETHYLBENZENE IN THE FISCHER RAT
FEMALE CUMULATIVE MEAN BODY WEIGHT GAINS (G)




FIGURE 5

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MEAN RBC VALUES ($\times 10^6/\text{MM}^3$) VS TIME
MALES AND FEMALES COMBINED




FIGURE 6

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MEAN PLATELET VALUES ($\times 10^3/\text{MM}^3$) VS TIME
MALES AND FEMALES COMBINED




FIGURE 7

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MEAN GLUCOSE VALUES (MG/DL) VS TIME
MALES AND FEMALES COMBINED




FIGURE 8

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MEAN CHOLESTEROL VALUES (MG/DL) VS TIME
MALES AND FEMALES COMBINED




FIGURE 9

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MEAN TRIGLYCERIDE VALUES (MG/DL) VS TIME
MALES AND FEMALES COMBINED




FIGURE 10

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MEAN FEMALE TOTAL PROTEIN VALUES (G/DL) VS TIME





FIGURE 11

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
MEAN FEMALE ALBUMIN VALUES (G/DL) VS TIME



APPENDIX I
STANDARD OPERATING PROCEDURES FOR TEST ARTICLE
ANALYSIS, PREPARATION AND SAMPLING

APPENDIX 1A
ANALYSES OF THE RDX TEST ARTICLE

SCOPE

- 1.1 The procedure describes the analysis of the RDX test article for purity.
- 1.2 This method is recommended for use only by experienced analysts familiar with High Performance Liquid Chromatography (HPLC) or under close supervision of such qualified persons.

INTERFERENCES

- 2.1 Solvents, reagents, glassware and other sample processing hardware may yield discrete artifacts and/or elevated baselines causing misinterpretation of chromatograms. All of these materials must be shown to be free from interferences under the conditions of the analysis by running method blanks.

EQUIPMENT

- 3.1 Higher Performance Liquid Chromatography
 - constant flow, isocratic pumping system
 - reverse phase column, 10 μ - 3.9 mm x 30 cm μ -Bondapak C₁₈ column
 - ultraviolet detector capable of monitoring $\lambda = 254$ nm
 - strip chart recorder and electronic integrator capable of measuring peak areas and performing an internal standard calculation.

REAGENTS

- 4.1 Propiophenone, an internal standard, Aldrich Chemical Company (Purity 99%)
- 4.2 Methanol, Acetonitrile, and Water, HPLC Grade or equivalent
- 4.3 RDX, S.A.R.M., supplied by the sponsor (Purity 99.8%)

CALIBRATION

- 5.1 Calibration standards were prepared from stock solutions containing 200 μ g RDX, and propiophenone per ml acetonitrile so as to bracket the working range of the chromatographic system. These concentrations were: 2 μ g/ml, 10 μ g/ml, 20 μ g/ml, and 40 μ g/ml.

- 5.2 A constant injection volume of 15 μ l was employed for all measurements.
- 5.3 In order to determine the precision of the HPLC system, a series of 6 replicate injections of the 20 μ g/ml solution were made.
- 5.4 Retention times should remain relatively constant (within + 5% day to day) with RDX being 3.7 minutes, and propiophenone 7.3 minutes under the specified conditions. If the retention times are not within + 5%, supervising chemist should be informed prior to the analysis and corrective action should be taken.

QUALITY CONTROL

- 6.1 Before processing any samples, the analyst should demonstrate through the analysis of a blank that all glassware and reagents are interference free.
- 6.2 In a typical sample set, a minimum of one blank and five samples will be analyzed.
- 6.3 The analyst will follow each step in an analytical protocol without deviation or improvisations in order to accurately assess the performance of the method. Prior to making any changes in the procedure, analyst will consult the supervision chemist and the supervising chemist and Q.A. officer will review and approve all the changes.

SAMPLE PREPARATION

- 7.1 The test article will be spread on a sheet of paper, and five samples will be taken from different areas. Each sample shall have a weight of ~150 mg. The samples will be collected in amber vials and stored at refrigerator temperatures in the dark until analysis.
- 7.2 A portion of the sample (100 mg) will be weighed and transferred to a 100 ml volumetric flask. The internal standard will be added and it will be diluted to volume. It will be further diluted to a concentration of 20 μ g/ml and analyzed by high performance liquid chromatography.
- 7.3 If the sample is not analyzed immediately it will be stored at refrigerator temperatures in the dark

HIGH PERFORMANCE LIQUID CHROMATOGRAPHY (HPLC)

- 8.1 Each sample was analyzed by reverse phase HPLC using the conditions described below: Column, 3.9 mm x 30.0 cm μ -Bondpak C₁₈; Solvent System, methanol:water (55%:45%, v/v); Flow Rate, 1.5 ml/min; Detection, UV at 254 nm; Sensitivity, 0.1 AUFS. the retention times

of RDX and propiophenone were 3.7 and 7.3 minutes, respectively. The limit of detection was 2 µg RDX/ml acetonitrile and is defined by 5x the background noise. The representative chromatogram is Figure IA.1.

- 8.2 The chromatographic system was calibrated daily with a minimum of two injections of one standard representative of chromatographic range.
- 8.3 An injection volume of 15.0 µl was used for each sample. If the peak area exceed the linear range of a sample it was diluted and reanalyzed.

CALCULATIONS

- 9.1 Determine the concentration fo RDX using the formula:

$$\% \text{ RDX in Sample} = \frac{(Ax) (Wis) \times D \times 100}{(Fx) Ais (Ws)}$$

Where

Ax = Area (X) where x is RDX

Ais = Area (internal standard)

$$Fx = \frac{\text{Area (x) x Weight (is)}}{\text{Area (is) x Weight (Wx)}}$$

Wis = Weight of the internal standard

Ws = Weight of the sample

D = The dilution factor

Wx = Weight of component x is RDX

- 9.2 The results should be reported in percent RDX. Where replicate samples are analyzed, all data should be reported. All results were recorded in standard IITRI logbooks and these plus chromatograms and data tapes are retained in the Chemistry Division Q.A. files.




Figure IA.1 Chromatogram of RDX (1) Propiophenone (2) Standard,
20 $\mu\text{g}/\text{ml}$

APPENDIX 1B
ANALYSIS OF RDX IN DIET PREMIXES

SCOPE AND APPLICATION

- 1.1 This method covers the determination of RDX in diet premixes.
at 10% and 50% levels.
- 1.2 The sensitivity of this method is usually dependent on the level of interferences present in the samples, rather than the instrumental limitations.
- 1.3 This method is recommended for use only by experienced analysts familiar with High Performance Liquid Chromatography (HPLC) or under close supervision of such qualified persons.

SUMMARY OF THE METHOD

- 2.1 A weighed quantity of the premix was stirred with 50 ml of acetonitrile for 30 minutes. The suspension was filtered through a porous glass filter and the filtrate was transferred with washings to a volumetric flask. Propiophenone, the internal standard was added to the filtrate or a portion, thereof and this solution was diluted to its final volume. The samples were analyzed using reverse phase high performance liquid chromatography. Each was eluted on 3.9 mm x 30.0 cm μ -Bondapak C₁₈ column with methanol:water (55%:45%) and the eluant was monitored with an ultraviolet absorption detector at $\lambda = 254$ nm.

INTERFERENCES

- 3.1 Solvents, reagents, glassware and other sample processing hardware may yield discrete artifacts and/or elevated baselines causing misinterpretation of chromatograms. All of these materials must be shown to be free from interferences under the conditions of the analysis by running method blanks.
- 3.2 Interferences coextracted from the samples will vary considerably from source to source, depending on the type of animal feed used in the study.

MATERIALS

- 4.1 Erlenmeyer flasks, 125 ml
- 4.2 Filtering apparatus, vacuum flask, 125 ml; fritted glass filters, porosity M, ASTM 10-20 microns.

5. EQUIPMENT

- 5.1 Mettler Inimatic Analytical Balance, No. 1-910
- 5.2 Corning Hot Plate Stirrers, BC 351
- 5.3 Buchi Evaporator, Model R
- 5.4 Sample Clarification Kit, Organic (water's Associates)
- 5.5 High Performance Liquid Chromatography
 - constant flow, isocratic pumping system
 - reverse phase column, 10 μ - 3.9 mm x 30 cm - Bondapak C₁₈ solid n
 - ultraviolet detector capable of monitoring at 254 nm
 - strip chart recorder and electronic integrator capable of measuring peak areas and performing an internal standard calculation.

6. REAGENTS


- 6.1 Propiophenone, an internal standard, Aldrich Chemical Company, purity 99.9%
- 6.2 Methanol, Acetonitrile, and Water, HPLC grade or equivalent
- 6.3 RDX, S.A.R.M., supplied by the sponsor (purity 99.9%)

7. CALIBRATION

- 7.1 Calibration standards were prepared from stock solutions containing 200 μ g RDX, and propiophenone per ml acetonitrile so as to bracket the working range of the chromatographic system. These concentrations were: 2 μ g/ml, 10 μ g/ml, 20 μ g/ml, and 40 μ g/ml.
- 7.2 A constant injection volume of 15 μ l was employed for all measurements.
- 7.3 In order to determine the precision of the HPLC system, a series of 6 replicate injections of the 20 μ g/ml solution were made.
- 7.4 Retention times should remain relatively constant (within $\pm$ 5% day to day) with RDX being 3.7 minutes, and propiophenone 7.3 minutes under the specified conditions. If the retention times are not within $\pm$ 5%, supervising chemist should be informed prior to the analysis and corrective action should be taken.

QUALITY CONTROL

- 8.1 Before processing any samples, the analyst should demonstrate through the analysis of a blank that all glassware and reagents are interference free. Each time a set of samples is extracted or there is a change in reagents, a method blank should be processed as a safeguard against laboratory contamination.
- 8.2 Standard quality assurance practices were used with this method. A minimum of 6 replicate spiked samples were analyzed to validate the accuracy of the method. If doubt should arise concerning the identity of the peak on a chromatogram, confirmatory techniques such as mass spectrometry should be used.
- 8.3 In a typical sample set, a minimum of one blank and scheduled samples will be analyzed. A control sample will be prepared by adding a known concentration of RDX to the sample. The concentration will be in the working range of chromatographic system as determined by calibration experiment.
- 8.4 The analyst will follow each step in an analytical protocol without deviation or improvisations in order to accurately assess the performance of the method. Prior to making any changes in the procedure, analyst will consult the supervising chemist and the supervising chemist and the Q.A. officer will review and approve all the changes.
- 8.5 The typical analysis will consist of the following samples shown in the diagram. One blank sample, 6 premix samples as is, 3 spiked samples.



SAMPLE COLLECTION

- 9.1 Samples are collected and stored prior to analysis according to SOP 81-sample collection (TNT & RDX Premix)

SAMPLE EXTRACTION

- 10.1 The appropriate amount of sample is weighed into a 125 ml Erlenmeyer flask using standard operating procedures. The sample amount for both the 10 percent and 50 percent premix is one gram. Approximately 50 mls of acetonitrile is added to the flask and it is stoppered. The sample is extracted by stirring for 30 minutes at room temperature.
- 10.2 Following extraction, the sample was filtered through a medium porosity fritted glass filter. In this operation the extraction mixture was swirled to form a uniform suspension and immediately poured into the glass funnel. A stirring rod was used to drain the last drop of liquid from the flask.
- 10.3 The extraction flask was rinsed with three portions of acetonitrile of approximately three mls each, and the rinse is poured into the funnel. This procedure is repeated three times, then the vacuum is reapplied and the washing process is completed.
- 10.4 The filtrate is transferred via a short-stem funnel into a volumetric flask. The filtering flask is rinsed three times, with approximately 6 ml portions of acetonitrile, and the rinses are added to the volumetric flask. The size of the volumetric flask and the subsequent treatment of the sample depend on the initial RDX concentration in the sample. The dilution for sample is shown in Table IB.1.
- 10.5 An aliquot (approximately 10 ml) is filtered using a Water's Organic Sample Clarification Kit using 0.5 μ m filter. The sample is now ready for analysis for HPLC.

STORAGE OF SAMPLES

- 11.1 All samples including premixes and blank feed will be stored in the dark at refrigerator temperatures.
- 11.2 If the sample preparation procedure is stopped at any point during the working day, the samples should be stored in stoppered vessels in the dark at refrigerator temperatures.

TABLE IB.1 DILUTION SCHEME FOR SAMPLE EXTRACT

Premix Concentration	10%	50%
Original Extract Volume	100 ml	500 ml
Secondary Dilution	1 ml extract plus 1 ml I.S. to volume of 50 ml with acetonitrile	1 ml extract plus 1 ml I.S. to volume of 50 ml with acetonitrile

1. I.S. solution concentration is ~ 1000 µg/ml
2. In the case of a sample analyzed by the method of standard addition 1 ml of the original extract was diluted with 50 ml acetonitrile, and 1 ml of the extract added to 1 ml of the spiking solution of known concentration was diluted with acetonitrile as above.

- 11.3 Samples that are ready for HPLC analysis will be stored in the dark at refrigeration temperature.
- 11.4 Similarly, RDX and propiophenone standards and all standard solutions will also be stored in the dark at refrigerator temperatures.

HIGH PERFORMANCE LIQUID CHROMATOGRAPHY (HPLC)

- 12.1 Each sample was analyzed by reverse phase HPLC using the conditions described below: Column, 3.9 mm x 30.0 cm µ-Bondpak C₁₈; Solvent System, methanol:water (55%:45%, v/v); Flow Rate, 1.5 ml/min; Detection, UV at 254 nm. The retention times of RDX and propiophenone were 3.7 and 7.3 minutes, respectively. The limit of detection was 2 µg RDX/ml acetonitrile and is defined by 5x the background noise. The representative chromatogram is Figure IB.1.
- 12.2 The chromatographic system was calibrated daily with a minimum of two injections of one standard representative of chromatographic range.
- 12.3 An injection volume of 15.0 µl was used for each sample. If the peak area exceed the linear range of a sample it was diluted and reanalyzed.

- 12.4 Following the completion of an analysis or set of analyses, a gradient going from initial solvent conditions to 100% methanol in 15 minutes will be used to elate polar compounds from the column. Elution at 100% methanol will be continued for at least 1 hour.

CALCULATIONS

- 13.1 Determine the concentration of RDX using the formula:

$$\% \text{RDX in Sample} = \frac{(A_x)(W_{is}) \times D \times 100}{(F_x) A_{is} (W_s)}$$

Where

A_x = Area (X) where x is RDX

A_{is} = Area (internal standard)

$$F_x = \frac{\text{Area}(x) \times \text{Weight}(is)}{\text{Area}(is) \times \text{Weight}(W_x)}$$

W_{is} = Weight of the internal standard

W_s = Weight of the sample

D = The dilution factor

W_x = Wt of component x is RDX.

- 13.2 The results should be reported in percent RDX composite. This is the RDX actually used in the toxicity study. Where replicate samples are analyzed, all data should be reported. All results are recorded in standard IITRI logbooks and these plus chromatograms and data tapes are retained in the Chemistry Division Q.A. files.

SAFETY

- 14.1 Safety regulations will be followed at all times especially with regard to the handling of toxic materials. When the premix samples are being handled, a lab coat, gloves and a mask will be appropriate attire. When solutions as extracts are being handled, a lab coat and gloves should be worn when there is the change of direct contact with these materials.




Figure IB.1 Chromatogram of RDX (1) Propiophenone (2) Standard, 20 $\mu\text{g}/\text{ml}$

APPENDIX IC
ANALYSIS OF RDX IN DIETS

SCOPE AND APPLICATION

- 1.1 This method covers the determination of RDX in diet samples at 0.0005% to 0.100% level.
- 1.2 The sensitivity of this method is dependent on the level of interferences present in the samples, rather than the instrumental limitations.
- 1.3 This method is recommended for use only by experienced analysis familiar with High Performance Liquid Chromatography (HPLC) or under close supervision of such qualified persons.

SUMMARY OF THE METHOD

- 2.1 A weighed quantity of the diet was stirred with 50 ml of acetonitrile for 30 minutes. The suspension was filtered through a porous glass filter and the filtrate was transferred with washings to a volumetric flask. Propiophenone, the internal standard was added to the filtrate or a portion, thereof and this solution was diluted to its final volume. The samples were analyzed using reverse phase high performance liquid chromatography. Each was eluted on 3.9 mm x 30.0 cm μ -Bondapak C₁₈ column with methanol: water (55:45%) and the eluant was monitored with an ultraviolet absorption detector at $\lambda = 254$ nm.

INTERFERENCES

- 3.1 Solvents, reagents, glassware and other sample processing hardware may yield discrete artifacts and/or elevated baselines causing misinterpretation of chromatograms. All of these materials must be shown to be free from interferences under the conditions of the analysis by running method blanks.
- 3.2 Interferences coextracted from the samples will vary considerably from source to source, depending on the type of animal feed used in the study.

MATERIALS

- 4.1 Erlenmeyer flasks, 125 ml
- 4.2 Filtering apparatus, vacuum flask, 125 ml; fritted glass filters, porosity M, ASTM 10-20 microns.

EQUIPMENT

- 5.1 Mettler Grammatic Analytical Balance, No. 1-910
- 5.2 Corning Hot Plate Stirrers, BC 351
- 5.3 Buchi Evaporator, Model R
- 5.4 Sample Clarification Kit, Organic (Water's Associates)
- 5.5 Higher Performance Liquid Chromatography
 - constant flow, isocratic pumping system
 - reverse phase column, 10 μ - 3.9 mm x 30 cm μ -Bondapak C₁₈ column
 - ultraviolet detector, capable of monitoring λ = 254 nm
 - strip chart recorder and electronic integrator capable of measuring peak areas and performing an internal standard calculation.

REAGENTS

- 6.1 Propiophenone, an internal standard, Aldrich Chemical Company (Purity 99%)
- 6.2 Methanol, Acetonitrile, Water HPLC grade or equivalent
- 6.3 RDX, S.A.R.M. Supplied by sponsor (Purity 99.8%)

CALIBRATION

- 7.1 Calibration standards were prepared from stock solutions containing 200 μ g RDX, and propiophenone per ml acetonitrile so as to bracket the working range of the chromatographic system. These concentrations were: 0.5 μ g/ml, 2 μ g/ml, 10 μ g/ml, 20 μ g/ml, and 40 μ g/ml.
- 7.2 A constant injection volume of 15 μ l was employed for all measurements.
- 7.3 In order to determine the precision of the HPLC system, a series of 6 replicate injections of the 20 μ g/ml solution were made.
- 7.4 Retention times should remain relatively constant (within $\pm$ 5% day to day) with RDX being 3.7 minutes, and propiophenone 7.3 minutes. If the retention times are not within $\pm$ 5%; supervising chemist should be informed prior to the analysis and corrective action should be taken.

QUALITY CONTROL

- 8.1 Before processing any samples, the analyst should demonstrate through the analysis of a blank that all glassware and reagents are interference free. Each time a set of samples is extracted or there is a change in reagents, a method blank should be processed as a safeguard against laboratory contamination.
- 8.2 Standard quality assurance practices were used with this method. A minimum of six replicate spiked samples were analyzed to validate the accuracy of the method. If doubt should arise concerning the identity of the peak on a chromatogram, confirmatory techniques such as mass spectrometry should be used.
- 8.3 In a typical sample set, a minimum of one blank and scheduled samples will be analyzed. A control sample will be prepared by adding a known concentration of RDX to the sample. The concentration will be in the working range of chromatographic system as determined by calibration experiment.
- 8.4 The analyst will follow each step in an analytical protocol without deviation or improvisations in order to accurately assess the performance of the method. Prior to making any changes in the procedure, analyst will consult the supervising chemist and the supervising chemist and Q.A. officer will review and approve all the changes.
- 8.5 The typical analysis will consist of the following samples, one blank sample, 6 diet samples as is, 3 feed samples spiked for the recovery determination at the diet concentration.

TABLE IC.1 DILUTION SCHEME FOR RDX DIET SAMPLES

Diet Level %	Extract Volume (ml)	Extract Diluted (ml)	Propiophenone (IS) Added	Final Volume (ml)
0.0005	100	-	1 ml, 50 $\mu\text{g/ml}$	100
0.0050	100	-	1 ml, 500 $\mu\text{g/ml}$	100
0.0100	100	-	1 ml, 1000 $\mu\text{g/ml}$	100
0.0500	100	10	1 ml, 500 $\mu\text{g/ml}$	25
0.1000	100	10	1 ml, 1000 $\mu\text{g/ml}$	50

SAMPLE COLLECTION

- 9.1 Samplers are collected and stored prior to analysis according to SOP 81-sample collection (TNT and RDX diet samples).

SAMPLE EXTRACTION

- 10.1 The appropriate amount of sample is weighed into a 125 ml Erlenmeyer flask using standard operating procedures. The sample amount for the diet mixture is ten grams. Approximately 50 ml of acetonitrile is added to the flask and it is stoppered. The sample is extracted by stirring for only 30 minutes at room temperature.
- 10.2 Following extraction, the sample was filtered through a medium porosity fritted glass filter. In this operation the extraction mixture was swirled to form a uniform suspension and immediately poured into the glass funnel. A stirring rod was used to drain the last drop of liquid from the flask.
- 10.3 The extraction flask was rinsed with three portions of acetonitrile of approximately 5 ml each and the rinses are poured into the funnel. The vacuum is reapplied and the washing process is completed.
- 10.4 The filtrate is transferred via a short-stem funnel into a volumetric flask. The filtering flask is rinsed three times, with approximately 5 ml portions of acetonitrile and the rinses are added to the volumetric flask. The size of the volumetric flask and the subsequent treatment of the sample depend on the initial RDX concentration in the sample. The dilution for various sample levels is shown in Table IC.1. Diet samples will be diluted to a volume that places them in the working range of the chromatographic system.
- 10.5 An aliquot (approximately 10 ml) is filtered using a Water's Organic Sample Clarification Kit using 0.5 μ m filter. The sample is now ready for analysis for HPLC.

STORAGE OF SAMPLES

- 11.1 All samples including diet and blank feed will be stored in the dark at refrigerator temperatures.
- 11.2 If the sample preparation procedure is stopped at any point during the working day, the samples should be stored in stoppered vessels in the dark at refrigerator temperatures.
- 11.3 Samples that are ready for HPLC analysis will be stored in the dark at refrigerator temperature.
- 11.4 RDX and propiophenone standards and all standard solutions will be stored in the dark at refrigerator temperatures.

HIGH PERFORMANCE LIQUID CHROMATOGRAPHY (HPLC)

- 12.1 Each sample was analyzed by reverse phase HPLC using the conditions described below: Column, 3.9mm x 30.0cm u-Bondpak C₁₈; Solvent System, Methanol:Water (55%:45%, v/v); Flow Rate, 1.5 ml/min; Detection, UV at 254 nm. The retention times of RDX and propiophenone were 3.7 and 7.3 minutes, respectively. The limit of detection was 0.2 ug RDX/ml acetonitrile and is defined as 5x the background noise. The representative chromatogram is Figure IC.1. For levels at and below 0.005% RDX, the chromatographic conditions have to be changed, since UV absorbing compounds interfere with the RDX quantitation. The eluting solvent in these cases is Methanol:Water (45%:55%, v/v) at a flow rate of 1.5 ml/min.
- 12.2 The chromatographic system was calibrated daily with a minimum of two injections of one standard representative of the chromatographic range.
- 12.3 An injection volume of 15.0 ul was used for each sample, except at or below 0.0010% level. The injection volume at 5 & 10 ppm was 25.0 ul. If the peak exceeds the linear range of a sample it was diluted and reanalyzed.
- 12.4 For levels of 0.005% and below the retention times are 4.8 and 12.9 minutes for RDX and propiophenone respectively.
- 12.5 Following the completion of an analysis or a set of analyses, a gradient doing from the initial solvent conditions to 100% methanol in 15 minutes will be run and the column will be eluted with 100% methanol for at least one hour.

CALCULATIONS

13.1 Determine the concentration of RDX using the formula:

$$\% \text{ RDX in Sample} = \frac{(A_x)(W_{is}) \times D \times 100}{(F_x) A_{is} (W_s)}$$

Where

A_x = Area (x) where x is RDX

A_{is} = Area (internal standard)

$$F_x = \frac{\text{Area}(x) \times \text{Weight}(W_x)}{\text{Area}(is) \times \text{Weight}(W_x)}$$

W_{is} = Weight of the internal standard

W_s = Weight of the sample

D = Dilution factor

W_x = Wt of component x is RDX

13.2 The results should be reported in percent RDX composite. This is the RDX actually used in the toxicity study. Where replicate samples are analyzed, all data should be reported. All results are recorded in standard IITRI logbooks and these plus chromatograms and data tapes are retained in the Chemistry Division Q.A. files.

SAFETY

14.1 Safety regulations will be followed at all times, especially with regard to the handling of toxic materials. When the diet samples are being handled, a lab coat, and gloves will be appropriate attire. When solutions or extracts are being handled, a lab coat and gloves should be worn when there is the chance of direct contact with these materials.




Figure IC.1 Chromatogram of RDX (1) Propiophenone (2) Standard,
20 $\mu\text{g}/\text{mL}$

APPENDIX ID

STANDARD OPERATING PROCEDURES FOR THE PREPARATION OF TNT AND RDX DIET PRE-MIXES

1. OBJECT

The object of this Standard Operating Procedure (SOP) is to set down procedures which, when followed, will assure quality from lot to lot of the subject pre-mixes. It also provides a guide to safe practices in the handling of these explosives materials.

2. HEALTH AND SAFETY

The materials (TNT and RDX) being handled in these feed preparations are not only explosive but are also toxic. It would appear that the greatest risk is incurred by the covert inhalation of the aerosolized finely divided powders produced by filling and emptying the ball mill and the V blender. Accordingly the following rules are hereby promulgated.

- 2.1 When charging or emptying the ball mill or "V" blender a respirator mask, and gloves must be worn. The 3M "Dust and Mist Respirator," 09910 is available to the Chemistry Storeroom and is recommended. Surgeons gloves are recommended for use when handling these materials. They are also available in the storeroom.

The above are considered disposable and will therefore be discarded: the respirator mask at the end of the day and the gloves immediately after they are removed. They will be incinerated along with all other expendable materials at the end of the work day. This will be done by the resident staff at KOP. These people should be made aware of the nature of the material to be burned.

- 2.2 Safety glasses, with side shields supplied by IITRI will be worn at all times in the operating areas.
- 2.3 Cleanup of contaminated surfaces will be accomplished with damp wipers, by washing or wet mop. Dry sweeping is not permitted.

Spills will be cleaned up immediately. The spilled material should be discarded and not returned to the processes. Spilled material should be placed in an appropriate container, given to the KOP staff, with explanation of its nature, for disposal.

General cleanup will be performed between mixes, i.e., say after preparing a TNT pre-mix and before starting on an RDX pre-mix.

All work surfaces, the ball mill, "V" blender, and balance will be cleaned at the end of each work day.

- 2.4 Only a sufficient amount of explosives material for immediate (one or two days operation), will be removed from the explosives magazines to the work area. This will be done by the approved resident KOP staff. Overnight storage of explosives is permitted only in designated areas within the facility. Explosives material will be stored and transported in appropriate "Velostat" containers. Explosives in proper containers should be kept on the bench top, not stored in drawers.
- 2.5 After the pre-mixes have been prepared and further work is not planned for the following day, residual bulk explosives will be returned to the storage area. This will be done by KOP resident staff.
- 2.6 Hands, forearms, and face will be washed upon leaving the work area.
- 2.7 Eating and drinking in the work area is strictly prohibited.

3. GENERAL

3.1 Logbooks

All activity and supporting data will be recorded in the approved IITRI laboratory logbook.

3.2 Sample and Lot Designation

Samples or lots of pre-mix are designated by a number relating it to a logbook and page as follows:

NNN-nn.j

where

"NNN" is the last three digits of logbook registration number,

"-nn" is the page number in that logbook and

".j" is the sample number.

For example: Sample 838-14.5 would be described on page 14 of IITRI Logbook 24838 and would be the fifth sample on that page.

"PRE-MIXES" prepared for the feeding program will be designated as "PRE-MIX" using a similar code. For example: TNT PRE-MIX 838-13.1.

3.3 Data Format

The data regarding the preparation of the pre-mixes shall be kept in the logbook in a prescribed manner. The format proposed is shown in Figure 1.

3.4 Labeling

TNT pre-mixes, contained in "Velostat" bags will be identified with yellow tape and with a label as:

10% TNT PRE-MIX Wt _____ Kg Lot No. (see 3.2) Date: mm/dd/yy

Initials of the preparer

RDX pre-mixes contained in "Velostat" bags will be identified with blue tape and with a label as:

10% RDX PRE-MIX Wt _____ Kg Lot No. (see 3.2) Date: mm/dd/yy

Initials of the preparer

4. PREPARATION OF TNT OR RDX/FEED PRE-MIXES

4.1 Introduction

Animals are to be fed the test materials (TNT or RDX) at very low doses. This requires that gram quantities of these materials be dispersed as uniformly as possible among large quantities of feed. In order to accomplish this the test materials are first dispersed at a concentration of 10% in feed. This is known as the PRE-MIX. Appropriate quantities of the PRE-MIX are then blended into large quantities of feed to attain the required dosage level. The correct preparation of the PRE-MIX is the subject of this SOP.

TNT is a soft waxy substance with a low melting point which is difficult to grind. The starting material is TNT flake which must be reduced in particle size to meet the needs of this program. This cannot be done by ball-milling the TNT without a "grinding aid". The aid used in this study is the certified feed material; an animal feed in the form of a finely divided meal. Equal portions, i.e., 50/50 by weight of TNT and feed, are ground in a ball mill to form a TNT CONCENTRATE. This 50/50 CONCENTRATE is subsequently blended with more feed in a P-K "V" blender for form the 10% PRE-MIX.

The same procedure is followed for the preparation of the RDX PRE-MIX.

While it was not necessary to ball mill the RDX with feed as a grinding aid this procedure was followed to avoid introducing another variable in the feeding programs.

Thus the preparative procedure is the same for the TNT and the RDX PRE-MIXES.

4.2 Preparation of TNT Pre-Mix

The required amount of materials are shown in Table ID.1. The following stepwise procedure is to be followed for the preparation of a 10% TNT PRE-MIX.

Table ID.1
MATERIALS REQUIRED

<u>For Pre-mix Wt (kg)</u>	<u>FEED CONCENTRATE</u> <u>Ball Mill</u>		$\longrightarrow$	<u>PRE-MIX</u> <u>Blend With</u> <u>Feed (g)</u>
	<u>TNT (g)</u>	<u>+ Feed (g)</u>		
1	100	100		800
2	200	200		1600
3	300	300		2400
4	400	400		3200
5	500	500		4000
6	600	600		4800

- 4.2.1 Determine the appropriate quantities of feed and TNT (from Table 1) to be weighed out to prepare the 50/50 TNT/feed concentrate.
- 4.2.2 Weigh out the appropriate amount of TNT and feed.
- 4.2.3 Examine the ball mill jar and balls to be sure they are clean. The ball charge should weigh approximately 3.8-3.9 kg and is a mixture of 3/4" and 1/2" balls. (See logbook C24838 pg. 3).
- 4.2.4 Place the balls in the jar, pour in the weighed feed and then the TNT. Firmly fasten the jar cover and place on the mill. Turn the mill on and record the time.
- 4.2.5 Ball mill for 40 minutes. Record the exact time in the logbook. Remove and open the ball mill jar. Sift the powdered feed/TNT from the balls onto a large piece of paper. (Use the large hardware cloth basket provided to separate the balls and powder.) Weigh this feed concentrations and record in the logbook.
- 4.2.6 Weigh out the larger amount of feed into an appropriate bucket. Record the weight.
- 4.2.7 Open the blender top on each leg of the "V". Put about 1/3 of the concentrate into the blender (i.e., at the point of the "V"). Pour about 1/2 of the feed into the blender. Put another 1/3 of the feed, in the blender, dividing it between the two legs of the "V". Pour the rest of the feed into the blender (1/2 into each leg) and divide the rest of the concentrate between the two legs of the "V". Close the blender.
- 4.2.8 Run the blender for 15 minutes without the intensifier bars on. Turn the intensifier bars on for 15 min. Turn off the blender. Note and record the total blender time.
- 4.2.9 Open the cover at the apex of the V and dump the content of the blender into a Velostat bag. Make sure the blender is completely empty. Seal the bag and label (see 3.4).
- 4.2.10 Clean the blender by running with about 2 kg. of feed material only. Repeat this twice. Discard the feed material. Disconnect the blender from the wall outlet, clean the blender with damp wipers.

Clean the ball mill by a similar procedure, i.e., milling feed only, repeated twice followed by a damp wiping.

4.2.11 Notify the proper individual that the PRE-MIX is available and expected date of shipment to the Chicago laboratory.

4.2.13 The PRE-MIX procedures will be witnessed by second individual and second individual will sign the logbook as witnessed.

4.3 Preparation of RDX PRE-MIX

The required amounts of materials are shown in Table ID.2. The following stepwise procedures are to be followed for the preparation of a 10% RDX PRE-MIX.

4.3.1

- about one kg of alcohol wet RDX is placed in a wide mouth gallon jar containing $\frac{1}{2}$ gal of distilled water
- the jar is agitated for five minutes by rolling on the ball-mill or by shaking
- the RDX water-slurry is decanted through a 60 mesh or finer sieve muslin cloth. The crystal cake is drained to remove excess water
- the water wet crystals are then returned to the jar and the above procedure repeated two more times
- after the final wash the crystals are spread on paper toweling and let dry overnight or dried in oven at approximately 100°F overnight

4.3.2 Determine the appropriate quantities of feed and the washed and dried RDX (from Table 2) to be weighed out to prepare the 50/50 RDX/feed concentrate.

4.3.3 Weigh out the appropriate amount of RDX and feed.

4.3.4 Examine the ball mill jar and balls to be sure they are clean. The ball charge should weigh approximately 3.8-3.9 kg and is a mixture of $\frac{3}{4}$ " and $\frac{1}{2}$ " balls. (See logbook C24838 pg. 3)

4.3.5 Place the balls in the jar, pour in the weighed feed and then the RDX. Firmly fasten the jar cover and place on the mill. Turn the mill on and record the time.

Table ID.2
MATERIALS REQUIRED

For Pre-mix Wt (kg)	FEED CONCENTRATE Ball Mill		→	PRE-MIX Blend With Feed (g)
	RDX (g)	Feed (g)		
1	100	100		800
2	200	200		1600
3	300	300		2400
4	400	400		3200
5	500	500		4000
6	600	600		4800

- 4.3.6 Ball mill for 40 minutes. Record the exact time in the logbook. Remove and open the ball mill jar. Sift the powdered feed/RDX from the balls onto a large piece of paper. (Use the large hardware cloth basket provided to separate the balls and powder.) Weigh this feed concentrate and record in the logbook.
- 4.3.7 Weigh out the larger amount of feed into an appropriate bucket. Record the weight.
- 4.3.8 Open the blender top on each leg of the "V". Put about 1/3 of the concentrate into the blender (i.e., at the point of the "V"). Pour about 1/2 of the feed into the blender. Put another 1/3 of the feed, in the blender, dividing it between the two legs of the "V". Pour the rest of the feed into the blender (1/2 into each leg) and divide the rest of the concentrate between the two legs of the "V". Close the blender.
- 4.3.9 Run the blender for 15 minutes without the intensifier bars on. Turn the intensifier bars on for 15 min. Turn off the blender. Note and record the total blender time.
- 4.3.10 Open the cover at the apex of the V and dump the contents of the blender into a Velostat bag. Make sure the blender is completely empty. Seal the bag and label (see 3.4).
- 4.3.11 Clean the blender by running with about 2 kg of feed material only. Repeat this twice. Discard the feed material. Disconnect the blender from the wall outlet, clean the blender with damp wipers.
Clean the ball mill by a similar procedure, i.e., milling feed only, repeated twice followed by a damp wiping.
- 4.3.12 Notify the proper individual that the PRE-MIX is available and expected date of shipment to the Chicago laboratory.
- 4.3.13 In the first four months of this program 8 kg of the RDX PRE-MIX will be required each month. This exceeds the capacity of the available ball mill and blender. The following procedure is to be used.
 - 4.3.13.1 Prepare two (2) 4 kg pre-mixes by following steps 4.3.1 through 4.3.10 above. This will result in two sub-batches for the final lot, identified as sub-batch 1 and 2.

4.3.13.2 Blend one-half of sub-batch 1 with one half of sub-batch 2 in the "V" blender for 10 minutes with the intensifier bar "on". Repeat with the remaining halves of the sub-batches. These become two new sub-batches. Repeat the procedure.

4.3.13.3 Combine the results by alternately dumping portions of the resulting sub-batches into the large Velostat bag. Periodically shaking the bag and mixing the contents. Proceed with steps 4.3.11 and 4.3.12.

4.3.13.4 The premix procedure will be witnessed by second individual and second individual will sign the logbooks as witnessed.

4.4 Any deviation from this procedure must be first cleared with the project leader and must be recorded as an addendum or revision to the SOP.

Record any unusual occurrence in the logbook and advise the project leader immediately.

In cases of uncertainty contact Robert Remaly, ext. 4309 or Barry Levine, ext. 4901 before proceeding.

4.5 Transmittal Record

Transmittal record will be initiated by the person who is preparing the premix. All the pertinent information must be filled. The test article premix record must accompany the premix. Copies of the transmittal record can be obtained from the Principal Investigator.

APPENDIX IE

SAMPLE COLLECTION AND STORAGE (TNT AND/OR RDX PREMIX SAMPLES)

Scope.

1.1 This procedure covers the collection and storage of TNT and RDX premix samples prior to analysis.

Materials and Equipment

- 2.1 Small scoop
- 2.2 Powder funnel
- 2.3 Amber vials with plastic screw cap

Sample Collection

3.1 Personnel of the Life Sciences Division will inform the supervising chemist and the analyst when they receive TNT or RDX premixes. The analyst will collect 6 samples from the Velostat bag container, one from each of four corners and two from the middle. At least 5.0 gram quantities of premix will be collected in order to permit the extraction and analysis steps to be performed in duplicate. All samples will be identified according to the Chemistry Division identification system. All detailed information will be placed in the sample identification logbook immediately.

The sampling procedure for the premix will be performed as follows: One sample is removed from the center of the storage bag with a small scoop which will permit the removal of a 5.0g quantity. The second sample will also be removed from the center of the container in the same manner as the first sample but at a deeper level.

After center sampling, the surface of the premix is restored by leveling and four additional samples will be removed with a small scoop from each of the four corners of the bag at gradually increasing depths by lifting the corners of the bag. The 6 samples will be labeled and placed in amber vials with plastic screw caps. The label will contain Date Sampled, Sample Number, Premix Identification, Lot Number and Sampled by Initials.

Sample Storage

4.1 All samples will be stored at refrigerator temperatures in the dark prior to analysis. This includes feed that will be used for blanks and control samples. Every three months (from manufacturing date) feed will be changed. This manufacturing date will be supplied by Life Science

Transmittal Record

5.1 Transmitted record will be completed by responsible personnel. A copy of Test Article Premix (T.A.P.) and/or T.A.P. Sample Transmittal (or custody) record is attached (Figure 1E.1).

Sample Disposal

6.1 Samples or parts of samples will be returned to the Safety Officer for disposal.

FIGURE 1E.1

TEST ARTICLE PREMIX (T.A.P.) AND/OR T.A.P. SAMPLE TRANSMITTAL
(OR CUSTODY) RECORD

Project No. - Study No(s). _____ T.A.P. _____

Lot No. _____ T.A.P. Prepared (K.O.P.) Date/By: _____

Intended Concentration: _____ % Quantity (kg): _____ 5002 Lot No.: _____

Logbook No./Page No. _____ Storage Conditions of T.A.P. (K.O.P.): _____

T.A.P. Received (L.S.R.) Date/By: _____ Logbook No./Page No.: _____

Storage Conditions of T.A.P. in L.S.R.: _____

T.A.P. SAMPLING AND ANALYSIS

T.A.P. Sampled Date/By: _____ Logbook No./Page No.: _____

Witnessed By/Date: _____ Storage Conditions of T.A.P. Sample by Chemistry

Personnel: _____

Extraction Performed By/Date: _____ Logbook No./Page No.: _____

Analysis Performed By/Date: _____ Logbook No./Page No.: _____

Data Reviewed & Approved By/Date: _____

Analytical Report Prepared By/Date: _____ Checked By/Date: _____

Quality Assurance Check By/Date: _____

Analytical Report Received (L.S.R. Supervisor) By/Date: _____

T.A.P. First Used By/Date: _____ T.A.P. Last Used By/Date: _____

Excess T.A.P. Submitted to K.O.P. Personnel for Disposal by Burning By/Date: _____

_____ Quantity (kg) _____

Excess T.A.P. Received By/Date: _____

Key

K.O.P. = Kingsbury Ordinance Plant, La Porte, IN.
5002 = Purina Certified Rodent Chow 5002

APPENDIX IF
SAMPLE COLLECTION AND STORAGE
(TNT AND/OR RDX DIET SAMPLES)

Scope

1.1 This procedure covers the collection and storage of TNT and RDX diet samples prior to analysis.

Materials and Equipment

- 2.1 Small scoop
- 2.2 Large scoop
- 2.3 Powder funnel
- 2.4 Amber vials with plastic screwcap

Sample Collection

3.1 Personnel of the Life Sciences Division will inform the supervising chemist and the analyst when the TNT or RDX diets are available. The analyst will collect 6 samples from the plastic tub container, one from each of four corners and two from the middle. The tubs receiving the rat diets are rectangular with a capacity of 42 liters. The tubs receiving the mouse diets are square with a capacity of 27 liters. At least 30.0 gram quantities of diet will be collected in order to permit the extraction and analysis steps to be performed in duplicate. All samples will be identified according to the Chemistry Division identification system. All detailed information will be placed in the sample identification logbook immediately.

The sampling procedure for the diets will be performed as follows:
One sample is removed from the center of the storage container at the surface of the diet. This sample will be removed with a small scoop which will permit the removal of a 30.0g quantity. The second sample will also be removed from the center of the container about half the distance to the bottom after toxicology personnel have exposed the sampling site by shifting the

diet toward the side of the container using a large scoop. After this sampling, the surface of the diet will be restored by leveling. Four additional samples will then be removed with the small scoop, one from each of the four corners of the container at gradually increasing depths within the container, again using the large scoop to expose the sampling sites. The 6 samples will be labeled and placed in amber vials with plastic screw caps. The label will contain Date Sampled, Sample Number, Diet Identification and Lot Number and Sampled by Initials.

Sample Storage

4.1 All samples will be stored at refrigerator temperatures in the dark prior to analysis. This includes feed that will be used for blanks and control samples. Every three months (from manufacturing date) feed will be changed. This manufacturing date will be supplied by Life Science Personnel.

Transmittal Record

5.1 Transmittal record will be completed by responsible personnel. A copy of transmittal record for diet sample analysis is attached (Figure IF.1).

Sample Disposal

6.1 Samples or parts of samples will be returned to the Safety Officer for disposal.

FIGURE 1F.1
TRANSMITTAL RECORD FOR DIET SAMPLE ANALYSIS

Study No. _____ Species _____ Test Week _____

Test Article _____ Lot. No. _____ % Conc. of Premix _____

Diets calculated by: _____ Date: _____

Premix weighed by: _____ Date: _____

Diet prepared by: _____ Date: _____ 5002 Lot No.(s) _____

Dose level: _____ mg/kg/day	sex: _____	T.W. _____	intended conc. mg/g _____

Dose level: _____ mg/kg/day	sex: _____	T.W. _____	intended conc. mg/g _____

Diets Stored in the Refrigerator (4°C) From: _____ To: _____

First Day of Test Animals Exposure to the Diet: _____

Diet Samples Taken By/Date _____ Logbook No./Page No. _____

Witnessed By/Date: _____

Storage Conditions of Diet Samples in Chemistry Division _____

Extraction Performed By/Date: _____ Logbook No./Page No. _____

Analysis Performed By/Date: _____ Logbook No./Page No. _____

Results Calculated By/Date: _____ Logbook No./Page No. _____

Data Reviewed and Approved By/Date: _____

Analytical Report Prepared By/Date: _____

Quality Assurance Check By/Date: _____

Results Reveived By: _____ Date: _____

KEY:

T.W. = TEST WEEK

5002 = Purina Certified Rodent Chow 5002

APPENDIX II
5002 CERTIFICATION PROFILE/ANALYSIS



TEI ANALYTICAL, INC.

480 SOUTH NORTHWEST HIGHWAY • PARK RIDGE, ILLINOIS • 60069 • 312/696-2070



October 29, 1982

LABORATORY REPORT

#9166

Page 1 of 2 pages

Dr. Marianna Furedi
IIT Research Institute
10 West 35th Street
Chicago, Illinois 60616

P.O. #16092

Sample received
June 9, 1982

[TEI-14080] Rodent Chow #5002 - March 24-822G

	<u>Result in ppm</u>	<u>* Method</u>
Nitrate Nitrogen	19.0	7.030
Nitrite Nitrogen	0.24	7.030
Mercury	< 0.05	25.103
Arsenic	0.014	JAOAC 60.813
Cadmium	< 0.05	25.026
Lead	0.61	25.058
Penicillin	< 10	Snell & Snell, Colorimetric Methods of Analysis Vol IVAAA, p. 221
BHT	< 1.0	JBOAC 60,505
BHA	< 1.0	JAOAC 60,505
Total Estrogen	not detected	39.000
Chlortetracycline	to be reported at a later date	-
Aflatoxin B ₁	< 0.005	26.003
Aflatoxin B ₂	0.01 - 0.02	26.003
Aflatoxin G ₁	< 0.005	26.003
Aflatoxin G ₂	< 0.005	26.003
Dieldrin	< 0.001	29.000
Endrin	< 0.001	29.000
Aldrin	< 0.001	29.000
Heptachlor Epoxide	< 0.001	29.000
BHC	< 0.001	29.000

g. e. Marks

TEI ANALYTICAL, INC.

480 SOUTH NORTHWEST HIGHWAY • PARK RIDGE, ILLINOIS • 60068 • 312/696-2070



LABORATORY REPORT

October 29, 1982

#9166

Page 2 of 2 pages

Dr. Marianna Furedi
IIT Research Institute
10 West 35th Street
Chicago, Illinois 60616

P.O. #16092

Sample received
June 9, 1982

[TEI-14080] Rodent Chow #5002 - March 24-8226

	<u>Result in ppm</u>	<u>* Method</u>
Lindane	< 0.001	29.000
DDT Total	< 0.001	29.000
Methoxychlor	< 0.001	29.000
Chlordane	< 0.001	29.000
Mirex	< 0.001	29.000
Toxaphene	< 0.001	29.000
Strobane	< 0.001	29.000
HCB	< 0.001	29.000
PCE	< 0.001	29.000
Polychlorinated Dioxins	< 0.006	28.128
Parathion	< 0.001	29.000
Methyl Parathion	< 0.001	29.000
Enthion	< 0.001	29.000
Carbophenothion	< 0.001	29.000
Malathion	< 0.001	29.000
Konnel	< 0.001	29.000
Diazinon	< 0.001	29.000
Disulfeton	< 0.001	29.000
Phorate	< 0.001	29.000

*Official Methods of Analysis of the Association of Official Analytical Chemists.

g. J. M. L.

APPENDIX III
TEI ANALYTICAL CHEMISTRY METHODS

ANALYTICAL PROCEDURES USED BY TEI ANALYTICAL, INC. PARK RIDGE, IL
TO ANALYZE PURINA CERTIFIED RODENT CHOW NO. 5002 FOR IMPURITIES

Procedure	Limit of Detectability	References
Chlorinated Pesticide Screen	10 ppb	A.O.A.C. 29.000
Phosphated Pesticide Screen	50 ppb	A.O.A.C. 29.000
Polychlorinated Biphenyls (PCBs)	100 ppb	A.O.A.C. 29.000
Hexa-, hepta-, octachlorodibenzo-p-dioxin	<100 ppb	A.O.A.C. 28.128
Heavy Metals		
Arsenic	1.0 ppb	J.A.O.A.C. 60.813
Cadium	10 ppb	A.O.A.C. 25.026
Lead	10 ppb	A.O.A.C. 25.050
Mercury	<1 ppb	A.O.A.C. 25.103
Nitrates	<1.0 ppm	A.O.A.C. 7.030
Nitrites	<1.0 ppm	A.O.A.C. 7.030
Aflatoxins	2.0 ppb	A.O.A.C. 26.003
Penicillin	<2.0 ppm	Snell and Snell, Colorimetric Methods of Analysis Vol IV AAA, pg. 221
Chlortetracycline	10.0 ppm	Snell and Snell, Colorimetric Methods of Analysis Vol IV AAA, pg. 184
Eutylated hydroxytoluene	1.0 ppm	J.A.O.A.C. 60.505
Eutylated hydroxyanisole	1.0 ppm	J.A.O.A.C. 60.505
Estrogens	-----	A.O.A.C. 39.000

A.O.A.C. - Official methods of analysis of the Association of Official
Analytical Chemists.

APPENDIX IV
HEMATOLOGY METHODOLOGY

Hemoglobin

Cyanmethemoglobin method
Coulter Counter Model S System

Hematocrit

Indirect method; calculated value based on erythrocyte
count and mean corpuscular volume
Coulter Counter Model S System

Erythrocyte Count

Electronic Counting Procedure
Coulter Counter Model S System

Leukocyte Count

Electronic Counting Procedure
Coulter Counter Model S System

Mean Corpuscular Volume (MCV)

Electronic Sizing Procedure
Coulter Counter Model S System

Mean Corpuscular Hemoglobin (MCH)

Indirect method; calculated value based on erythrocyte
count and hemoglobin
Coulter Counter Model S System

Mean Corpuscular Hemoglobin Concentration (MCHC)

Indirect method; calculated value based on hematocrit
and hemoglobin
Coulter Counter Model S System

Leukocyte Differential Count

Neutrophils - Immature
Neutrophils - Mature
Monocytes
Basophils
Lymphocytes
Eosinophils
Wright stain procedure
Schalm, O.W., Jain, N.C. and Carroll, E.J.
Veterinary Hematology, Color Plates Chapter,
3rd Edition, Lee and Febiger, 1975.

Nucleated RBCs

Wright stain procedure

Schalm, O.W., Jain, N.C. and Carroll, E.J.
Veterinary Hematology, Color Plates Chapter,
3rd Edition, Lee and Febiger, 1975.

Platelet Count

Direct Method

Schalm, O.W., Jain, N.C. and Carroll, E.J.
Veterinary Hematology, p. 69, 3rd Edition,
Lee and Febiger, 1975.

APPENDIX V
CLINICAL CHEMISTRY METHODOLOGY

Glucose

Hexokinase method

Centrifichem Centrifugal Analyzer System
Neeley, W.E. Clin. Chem. 18, 509, 1972.

Urea Nitrogen (BUN)

Modified urease technique

Centrifichem Centrifugal Analyzer System
Karmen, A. J. Clin. Invest. 34, 131, 1955

Glutamic-Pyruvic Transaminase (SGPT)

Modified Wroblewski and LaDue technique

Centrifichem Centrifugal Analyzer System
Henry, R.J., Chiamori, N., Golub, O.J., and
Berkman, S. Am. J. Clin. Path. 34, 381, 1960.

Lactic Dehydrogenase (LDH)

Lactate $\longrightarrow$ pyruvate technique

Henry, R.J., Chiamori, N., Golub, O.J. and
Berkman, S. Am. J. Clin. Path. 34, 381, 1960.

Alkaline Phosphatase

Modified Bessey-Lowry technique

Neumann, H. and Van Vreedendaal, M. Clin. Chem.
Acta. 17, 183, 1967.

Chloride

Silver chloride precipitation method

Chloride Meter (Corning Medical Co.)
Catlove, E., Trantham, V. and Bowman, R.L. J.
Lab. Clin. Med. 50, 358, 1958.

Sodium

Flame photometry

Klima Flame Photometer (Beckman)

Potassium

Flame photometry

Klima Flame Photometer (Beckman)

Total Protein

Biuret technique

Centrifichem Centrifugal Analyzer system
Falling, I.F., Jr., Buckley, M.W. and Zak, B.
Am. J. Clin. Path. 33, 83, 1960.

Albumin

Bromocresol green method
Centrifichem Centrifugal Analyzer System
Rodkey, I.L. Clin. Chem. 11, 478, 1965.

Triglycerides

Tetrazolium salt reduction method
Centrifichem Centrifugal Analyzer System
Klotzsch, S., Serricchio, M. and Furedi, R.
Advances in automated Analysis
Vol. 1, Mediad Inc., Tarrytown, N.Y. P. 111, 1973.

Creatine Phosphokinase (CPK)

Modified Oliver method
Centrifichem Centrifugal Analyzer System
Oliver, I.T. Biochem. J. 61, 116, 1955.

Cholesterol

Cholesterol esterase-cholesterol oxidase method
Centrifichem Centrifugal Analyzer System
Rosesclaw, P., Bernt, E. and Gruber, W. Z. F.
Lin. Che. u. Klin. Biochem. 12, 226, 1974.

Calcium

Alizarin method
Centrifichem Centrifugal Analyzer System
Connerty, H.V. and Briggs, A.R. Clin. Chem.
11, 716, 1965.

Bilirubin. Total

Modified Walters and Gerarde method
Centrifichem Centrifugal Analyzer System
Walters, M. and Gerarde, H. Microchem. J.
15, 231, 1970.

Bilirubin. Direct

Modified Walters and Gerarde method
Centrifichem Centrifugal Analyzer System
Walters, M. and Gerarde, H. Microchem. J.
15, 231, 1970.

APPENDIX VI
INDIVIDUAL ANIMAL DATA

Table VI.1

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAFLUORO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
SURVIVAL RATE DATA

ANIMAL	TREATMENT GROUP	Survival	Event	Date	Survival	Event	Date	Survival	Event	Date
1	1	1	1	9/22/82	2	1	1	6/5/81	1	11/23/81
4	1	1	1	10/13/82	5	1	1	11/29/82	1	11/29/82
7	1	1	1	9/10/82	8	1	1	9/10/82	1	6/4/81
10	1	1	1	6/4/81	11	1	1	11/29/82	1	11/29/82
13	1	1	1	11/29/82	14	1	1	11/29/82	1	11/29/82
16	1	1	1	11/29/82	17	1	1	11/29/82	1	6/4/81
19	1	1	1	11/24/81	20	1	1	11/29/82	1	11/25/81
22	1	1	1	11/29/82	23	1	1	6/3/81	1	11/25/81
25	1	1	1	11/29/82	26	1	1	10/19/82	1	11/29/82
28	1	1	1	11/12/82	29	1	1	7/26/82	1	11/23/81
31	1	1	1	11/29/82	32	1	1	11/29/82	1	11/25/81
34	1	1	1	11/29/82	35	1	1	6/3/81	1	11/29/82
37	1	1	1	11/29/82	38	1	1	11/23/81	1	11/29/82
40	1	1	1	7/8/82	41	1	1	8/26/82	1	11/17/82
43	1	1	1	11/29/82	44	1	1	11/29/82	1	11/29/82
46	1	1	1	11/29/82	47	1	1	11/29/82	1	11/25/81
49	1	1	1	11/29/82	50	1	1	6/5/81	1	11/27/82
52	1	1	1	11/29/82	53	1	1	11/29/82	1	10/11/82
55	1	1	1	8/30/82	56	1	1	8/13/82	1	11/29/82
58	1	1	1	11/29/82	59	1	1	11/29/82	1	7/31/82
61	1	1	1	6/3/81	62	1	1	11/24/81	1	2/1/82
64	1	1	1	11/24/81	65	1	1	6/3/81	1	11/29/82
67	1	1	1	6/5/81	68	1	1	10/12/82	1	11/29/82
70	1	1	1	11/29/82	71	1	1	11/29/82	1	11/29/82
73	1	1	1	11/29/82	74	1	1	11/29/82	1	11/29/82
76	1	1	1	11/29/82	77	1	1	11/29/82	1	6/3/81
79	1	1	1	11/23/81	80	1	1	6/4/81	1	6/3/81
82	1	1	1	10/29/82	83	1	1	11/29/82	1	11/29/82
85	1	1	1	11/29/82	86	1	1	11/29/82	1	11/23/81
88	1	1	1	11/29/82	89	1	1	11/29/82	1	11/24/81
91	1	1	1	11/25/81	92	1	1	11/29/82	1	11/25/81
94	1	1	1	11/29/82	95	1	1	11/29/82	1	11/29/82
97	1	1	1	4/8/82	98	1	1	10/5/82	1	11/24/81
100	1	1	1	11/29/82	101	1	1	11/29/82	1	11/29/82
103	1	1	1	11/29/82	104	1	1	11/29/82	1	11/29/82
106	1	1	1	11/29/82	107	1	1	11/29/82	1	11/29/82

EVENT 0 = SPONTANEOUS DEATH OR MORIBUND SACRIFICE
EVENT 1 = SCHEDULED SACRIFICE

Table VI.1 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAMETHYLDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
SURVIVAL RATE DATA

A N I M A L N O	T R G R O U P	S E X	D A T E	F U N C T I O N	A N I M A L N O	T R G R O U P	S E X	D A T E	F U N C T I O N	A N I M A L N O	T R G R O U P	S E X	D A T E	F U N C T I O N
109	1	F	11/29/82	1	110	1	F	8/11/82	O	111	1	F	5/27/81	O
112	1	F	8/29/82	O	113	1	F	5/14/82	O	114	1	F	11/24/81	1
115	1	F	11/29/82	1	116	1	F	6/ 4/81	1	117	1	F	11/29/82	1
118	1	F	11/22/82	O	119	1	F	11/29/82	1	120	1	F	6/ 3/81	1
121	1	F	12/ 1/81	O	122	1	F	11/29/82	1	123	1	F	11/29/82	1
124	1	F	6/ 5/81	1	125	1	F	5/25/82	O	126	1	F	11/29/82	1
127	1	F	11/29/82	1	128	1	F	10/28/82	O	129	1	F	11/29/82	1
130	1	F	11/29/82	1	131	1	F	11/29/82	1	132	1	F	11/29/82	1
133	1	F	11/29/82	1	134	1	F	11/29/82	1	135	1	F	11/29/82	1
136	1	F	11/29/82	1	137	1	F	11/29/82	1	138	1	F	11/29/82	1
139	1	F	6/ 5/81	1	140	1	F	6/ 5/81	1	141	1	F	11/24/81	1
142	1	F	11/ 5/82	O	143	1	F	11/23/81	1	144	1	F	6/ 4/81	1
145	1	F	11/29/82	1	146	1	F	11/29/82	1	147	1	F	11/29/82	1
148	1	F	11/29/82	1	149	1	F	6/ 4/81	1	150	1	F	11/29/82	1
151	2	M	1/28/82	O	152	2	M	11/29/82	1	153	2	M	11/29/82	1
154	2	M	11/24/81	1	155	2	M	11/29/82	1	156	2	M	8/ 4/82	O
157	2	M	11/29/82	1	158	2	M	6/ 4/81	1	159	2	M	10/ 7/82	O
160	2	M	11/29/82	1	161	2	M	6/ 4/81	1	162	2	M	6/ 3/81	1
163	2	M	11/29/82	1	164	2	M	6/ 3/81	1	165	2	M	9/20/82	O
166	2	M	11/29/82	1	167	2	M	11/29/82	1	168	2	M	11/25/81	1
169	2	M	3/29/82	O	170	2	M	11/24/81	1	171	2	M	11/23/81	1
172	2	M	11/29/82	1	173	2	M	10/31/82	O	174	2	M	11/29/82	1
175	2	M	11/29/82	1	176	2	M	6/ 5/81	1	177	2	M	6/ 4/81	1
178	2	M	11/29/82	1	179	2	M	11/29/82	1	180	2	M	7/20/82	O
181	2	M	11/29/82	1	182	2	M	11/24/81	1	183	2	M	11/25/81	1
184	2	M	11/29/82	1	185	2	M	11/27/82	O	186	2	M	11/29/82	1
187	2	M	11/29/82	1	188	2	M	6/ 5/81	1	189	2	M	11/29/82	1
190	2	M	11/29/82	1	191	2	M	11/29/82	1	192	2	M	11/23/81	1
193	2	M	11/29/82	O	194	2	M	11/29/82	1	195	2	M	11/29/82	1
196	2	M	11/ 2/82	O	197	2	M	6/ 3/81	1	198	2	M	11/29/82	1
199	2	M	8/13/82	O	200	2	M	11/29/82	1	201	2	M	11/29/82	1
202	2	M	11/25/81	1	203	2	M	11/29/82	1	204	2	M	11/29/82	1
205	2	M	10/19/82	O	206	2	M	11/29/82	1	207	2	M	11/29/82	1
208	2	M	11/29/82	1	209	2	M	11/29/82	1	210	2	M	5/ 7/82	O
211	2	M	6/ 4/82	O	212	2	M	11/29/82	1	213	2	M	11/24/82	O
214	2	M	7/18/82	O	215	2	M	11/29/82	1	216	2	M	11/23/81	1

EVENT 0 = SPONTANEOUS DEATH OR MORIBUND SACRIFICE
EVENT 1 = SCHEDULED SACRIFICE

Table VI.1 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYLTHIO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 SURVIVAL RATE DATA

A N I M A L N O	T R G R O U P	S E X	D A T E	E V E N T	A N I M A L N O	T R G R O U P	S E X	D A T E	E V E N T	A N I M A L N O	T R G R O U P	S E X	D A T E	E V E N T
217	2	M	8/13/82	O	218	2	M	6/ 5/81	1	219	2	M	11/25/81	1
220	2	M	11/29/82	1	221	2	M	11/29/82	1	222	2	M	10/ 5/82	O
223	2	M	11/29/82	1	224	2	M	6/ 5/81	1	225	2	M	7/25/82	O
226	2	F	6/ 4/81	1	227	2	F	11/29/82	1	228	2	F	11/23/81	1
229	2	F	11/29/82	1	230	2	F	11/24/81	1	231	2	F	10/13/82	O
232	2	F	11/29/82	1	233	2	F	11/29/82	1	234	2	F	11/29/82	1
235	2	F	11/29/82	1	236	2	F	11/29/82	1	237	2	F	8/24/82	O
238	2	F	6/ 5/81	1	239	2	F	11/29/82	1	240	2	F	11/29/82	1
241	2	F	11/29/82	1	242	2	F	10/17/82	O	243	2	F	6/ 3/81	1
244	2	F	11/29/82	1	245	2	F	7/ 1/82	O	246	2	F	11/29/82	1
247	2	F	11/29/82	1	248	2	F	11/24/81	1	249	2	F	11/29/82	1
250	2	F	11/29/82	1	251	2	F	11/29/82	1	252	2	F	11/29/82	1
253	2	F	11/29/82	1	254	2	F	7/ 8/82	O	255	2	F	11/29/82	1
256	2	F	11/23/81	1	257	2	F	6/ 4/81	1	258	2	F	6/ 5/81	1
259	2	F	11/29/82	1	260	2	F	11/29/82	1	261	2	F	6/ 5/81	1
262	2	F	11/29/82	1	263	2	F	11/29/82	1	264	2	F	11/29/82	O
265	2	F	11/29/82	1	266	2	F	11/29/82	1	267	2	F	11/23/81	1
268	2	F	11/29/82	1	269	2	F	11/17/82	O	270	2	F	3/19/82	O
271	2	F	11/29/82	1	272	2	F	11/29/82	1	273	2	F	11/29/82	1
274	2	F	11/25/81	1	275	2	F	6/ 3/81	1	276	2	F	11/25/81	1
277	2	F	11/29/82	1	278	2	F	11/25/81	1	279	2	F	6/ 4/81	1
280	2	F	11/29/82	1	281	2	F	11/29/82	1	282	2	F	11/24/81	1
283	2	F	11/29/82	1	284	2	F	11/29/82	1	285	2	F	11/29/82	1
286	2	F	11/29/82	1	287	2	F	11/29/82	1	288	2	F	11/29/82	1
289	2	F	11/29/82	1	290	2	F	11/29/82	1	291	2	F	6/ 3/81	1
292	2	F	11/29/82	1	293	2	F	10/10/82	O	294	2	F	11/29/82	1
295	2	F	11/19/82	O	296	2	F	11/29/82	1	297	2	F	11/29/82	1
298	2	F	11/29/82	1	299	2	F	6/ 3/81	1	300	2	F	11/24/81	1
301	3	M	6/ 5/81	1	302	3	M	11/29/82	1	303	3	M	11/24/81	1
304	3	M	11/29/82	1	305	3	M	6/ 5/81	1	306	3	M	9/ 8/82	O
307	3	M	6/ 3/81	1	308	3	M	11/29/82	1	309	3	M	10/29/82	O
310	3	M	11/24/81	1	311	3	M	11/21/82	O	312	3	M	9/24/82	O
313	3	M	11/29/82	1	314	3	M	11/25/82	O	315	3	M	1/ 5/82	O
316	3	M	11/25/81	1	317	3	M	11/23/81	1	318	3	M	11/26/82	O
319	3	M	11/23/82	O	320	3	M	11/29/82	1	321	3	M	11/29/82	1
322	3	M	11/23/81	1	323	3	M	11/29/82	1	324	3	M	9/ 2/82	O

EVENT O = SPONTANEOUS DEATH OR MORIBUND SACRIFICE
 EVENT 1 = SCHEDULED SACRIFICE

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT SURVIVAL RATE DATA

EVENT 0 = SPONTANEOUS DEATH OR MORIBUND SACRIFICE
EVENT 1 = SCHEDULED SACRIFICE

Table VI.1 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
SURVIVAL RATE DATA

A N I T M A L N O P	T R G R O U P	F V E N T	D A T E	S E X	A N I T M A L N O P	T R G R O U P	E V E N T	D A T E	S E X	A N I T M A L N O P	T R G R O U P	E V E N T
433	3	1	11/29/82	F	434	3	1	11/23/81	F	435	3	1
436	3	1	11/29/82	F	437	3	1	11/23/81	F	438	3	1
439	3	1	11/29/82	F	440	3	1	11/29/82	F	441	3	1
442	3	1	11/29/82	F	443	3	1	6/ 4/81	F	444	3	1
445	3	1	11/29/82	F	446	3	1	11/29/82	F	447	3	1
448	3	1	9/10/82	F	449	3	1	11/29/82	F	450	3	1
451	4	0	11/29/82	M	452	4	1	11/25/81	M	453	4	1
454	4	0	11/29/82	M	455	4	1	11/29/82	M	456	4	1
457	4	1	11/25/81	M	458	4	0	10/ 1/82	M	459	4	0
460	4	1	11/29/82	M	461	4	1	11/29/82	M	462	4	1
463	4	0	10/23/82	M	464	4	1	11/23/81	M	465	4	0
466	4	1	11/29/82	M	467	4	0	8/13/82	M	468	4	1
469	4	1	11/24/81	M	470	4	0	10/23/82	M	471	4	1
472	4	0	11/23/82	M	473	4	1	6/ 4/81	M	474	4	0
475	4	0	10/ 4/82	M	476	4	1	6/ 4/81	M	477	4	0
478	4	0	8/ 6/82	M	479	4	1	11/29/82	M	480	4	1
481	4	1	11/24/81	M	482	4	1	11/29/82	M	483	4	0
484	4	1	6/ 3/81	M	485	4	1	11/29/82	M	486	4	1
487	4	1	6/ 5/81	M	488	4	1	11/29/82	M	489	4	1
490	4	1	11/29/82	M	491	4	1	11/29/82	M	492	4	1
493	4	0	6/25/82	M	494	4	0	9/17/82	M	495	4	0
496	4	1	11/25/81	M	497	4	1	11/24/81	M	498	4	0
499	4	1	11/29/82	M	500	4	1	6/ 3/81	M	501	4	1
502	4	1	11/29/82	M	503	4	1	11/23/82	M	504	4	1
505	4	0	9/27/82	M	506	4	0	7/16/82	M	507	4	1
508	4	1	6/ 5/81	M	509	4	1	6/ 3/81	M	510	4	1
511	4	1	11/29/82	M	512	4	1	11/29/82	M	513	4	0
514	4	0	11/ 4/82	M	515	4	1	11/23/81	M	516	4	0
517	4	0	4/ 8/82	M	518	4	0	9/ 7/82	M	519	4	0
520	4	1	6/ 4/81	M	521	4	0	10/ 4/82	M	522	4	1
523	4	1	11/29/82	M	524	4	1	11/29/82	M	525	4	1
526	4	1	11/29/82	F	527	4	1	11/23/81	F	528	4	1
529	4	0	9/ 3/82	F	530	4	1	11/29/82	F	531	4	1
532	4	1	11/29/82	F	533	4	1	11/29/82	F	534	4	1
535	4	1	11/29/82	F	536	4	1	11/29/82	F	537	4	1
538	4	1	6/ 3/81	F	539	4	1	6/ 5/81	F	540	4	1

EVENT 0 = SPONTANEOUS DEATH OR MORIBUND SACRIFICE
EVENT 1 = SCHEDULED SACRIFICE

Table VI.1 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 SURVIVAL RATE DATA

A N I M A L	T R G R O U P	S E X	D A T E	E V E N T	A N I M A L	T R G R O U P	S E X	D A T E	E V E N T	A N I M A L	T R G R O U P	S E X	D A T E	E V E N T
541	4	F	6/ 4/81	1	542	4	F	11/29/82	1	543	4	F	6/ 3/81	1
544	4	F	11/25/81	1	545	4	F	11/29/82	1	546	4	F	8/13/82	0
547	4	F	11/29/82	1	548	4	F	11/29/82	1	549	4	F	11/29/82	1
550	4	F	11/29/82	1	551	4	F	11/29/82	1	552	4	F	10/15/82	0
553	4	F	11/29/82	1	554	4	F	11/29/82	1	555	4	F	11/29/82	1
556	4	F	11/29/82	1	557	4	F	6/ 3/81	1	558	4	F	11/29/82	1
559	4	F	11/29/82	1	560	4	F	11/25/81	1	561	4	F	11/23/81	1
562	4	F	11/29/82	1	563	4	F	11/29/82	1	564	4	F	11/24/82	0
565	4	F	6/ 4/81	1	566	4	F	11/29/82	1	567	4	F	11/22/82	0
568	4	F	11/29/82	1	569	4	F	8/17/82	0	570	4	F	7/ 4/82	0
571	4	F	11/29/82	1	572	4	F	11/29/82	1	573	4	F	11/24/81	1
574	4	F	11/29/82	1	575	4	F	11/ 2/82	0	576	4	F	11/29/82	1
577	4	F	9/24/82	0	578	4	F	11/10/82	0	579	4	F	6/ 4/81	1
580	4	F	11/23/81	1	581	4	F	6/ 5/81	1	582	4	F	11/ 4/82	0
583	4	F	11/29/82	1	584	4	F	11/29/82	1	585	4	F	11/29/82	1
586	4	F	11/29/82	1	587	4	F	11/29/82	1	588	4	F	11/23/81	1
589	4	F	11/29/82	1	590	4	F	11/29/82	1	591	4	F	11/29/82	1
592	4	F	9/ 9/82	0	593	4	F	6/ 5/81	1	594	4	F	11/25/81	1
595	4	F	11/24/81	1	596	4	F	2/10/82	0	597	4	F	11/29/82	1
598	4	F	7/26/82	0	599	4	F	6/ 5/81	1	600	4	F	11/29/82	1
601	5	M	12/ 6/81	0	602	5	M	2/ 8/82	0	603	5	M	4/ 1/81	0
604	5	M	10/ 9/81	0	605	5	M	5/30/81	0	606	5	M	2/ 2/82	0
607	5	M	6/15/81	0	608	5	M	11/23/81	1	609	5	M	6/ 5/81	1
610	5	M	1/28/82	0	611	5	M	6/19/82	0	612	5	M	6/ 5/81	1
613	5	M	6/ 4/81	1	614	5	M	11/25/81	1	615	5	M	10/14/81	0
616	5	M	11/23/81	1	617	5	M	2/ 5/82	0	618	5	M	10/ 5/82	0
619	5	M	11/25/81	1	620	5	M	11/29/82	1	621	5	M	6/ 5/81	1
622	5	M	7/17/81	0	623	5	M	6/ 2/82	0	624	5	M	1/15/82	0
625	5	M	6/ 4/81	1	626	5	M	10/22/81	0	627	5	M	6/30/82	0
628	5	M	11/24/81	1	629	5	M	8/24/81	0	630	5	M	5/ 2/82	0
631	5	M	4/20/81	0	632	5	M	10/21/81	0	633	5	M	6/24/82	0
634	5	M	11/29/82	1	635	5	M	11/24/81	1	636	5	M	6/ 5/81	0
637	5	M	2/12/82	0	638	5	M	11/23/81	1	639	5	M	2/10/82	0
640	5	M	11/16/81	0	641	5	M	8/28/81	0	642	5	M	4/16/81	0
643	5	M	6/ 3/81	1	644	5	M	10/19/81	0	645	5	M	8/23/81	0
646	5	M	7/10/82	0	647	5	M	6/28/82	0	648	5	M	10/ 7/81	0

EVENT 0 = SPONTANEOUS DEATH OR MORIBUND SACRIFICE
 EVENT 1 = SCHEDULED SACRIFICE

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
THE XANTHODIOL-1,3,5 TRINITRO-1,3,5-TRIAZINE (ROX) IN THE FISHER RAT
SURVIVAL RATE DATA

A N I M A L				T R G				A N I M A L				T R G				A N I M A L				T R G											
N O				R O U P				E V E N T				D A T E				S E X				D A T E				S E X							
E V E N T				E V E N T				E V E N T				E V E N T				E V E N T				E V E N T											
649	5	11/29/82	1	M	5	5/30/82	0	650	5	5/30/82	0	651	5	10/17/82	M	10/17/82	0	652	5	9/20/81	0	653	5	2/ 8/82	0	654	5	10/18/82	M	10/18/82	0
655	5	4/11/82	0	M	5	7/14/82	0	656	5	7/14/82	0	657	5	6/ 4/81	M	6/ 4/81	1	658	5	12/28/81	0	659	5	6/ 5/81	1	660	5	7/30/82	M	7/30/82	0
661	5	11/23/81	1	M	5	4/ 7/82	0	662	5	4/ 7/82	0	663	5	9/20/81	M	9/20/81	0	664	5	6/ 3/81	1	665	5	6/28/82	0	666	5	6/ 3/81	M	6/ 3/81	1
667	5	11/29/82	1	M	5	10/26/81	0	668	5	10/26/81	0	669	5	7/19/81	M	7/19/81	1	670	5	11/27/82	0	671	5	11/24/81	1	672	5	11/19/82	M	11/19/82	0
673	5	4/ 6/82	0	M	5	11/ 6/81	0	674	5	11/ 6/81	0	675	5	11/25/81	M	11/25/81	1	676	5	11/29/82	1	677	5	10/ 2/82	0	678	5	11/29/82	F	11/29/82	1
679	5	6/ 4/81	1	F	5	6/ 3/81	1	680	5	6/ 3/81	1	681	5	9/28/82	F	9/28/82	0	682	5	11/29/82	1	683	5	11/25/81	1	684	5	11/24/81	F	11/24/81	1
685	5	11/29/82	1	F	5	11/29/82	1	686	5	11/29/82	1	687	5	7/28/82	F	7/28/82	0	688	5	6/17/81	0	689	5	7/ 1/81	0	690	5	6/ 4/81	F	6/ 4/81	1
691	5	11/11/82	0	F	5	11/29/82	1	692	5	11/29/82	1	693	5	11/29/82	F	11/29/82	1	694	5	11/23/81	1	695	5	11/29/82	1	696	5	11/23/81	F	11/23/81	1
697	5	11/29/82	1	F	5	11/29/82	1	698	5	11/29/82	1	699	5	11/29/82	F	11/29/82	1	700	5	11/25/81	1	701	5	8/13/82	0	702	5	9/30/82	F	9/30/82	0
703	5	10/28/82	0	F	5	9/ 9/82	0	704	5	9/ 9/82	0	705	5	11/22/82	F	11/22/82	0	706	5	6/ 3/81	1	707	5	11/29/82	1	708	5	10/21/82	F	10/21/82	0
709	5	11/29/82	1	F	5	11/29/82	1	710	5	11/29/82	1	711	5	9/ 1/81	F	9/ 1/81	0	712	5	6/ 3/82	0	713	5	6/ 3/81	1	714	5	11/23/81	F	11/23/81	1
715	5	6/ 5/81	1	F	5	9/ 7/82	0	716	5	9/ 7/82	0	717	5	11/29/82	F	11/29/82	1	718	5	11/25/81	1	719	5	11/24/81	1	720	5	11/24/82	F	11/24/82	0
721	5	11/ 5/82	0	F	5	11/29/82	1	722	5	11/29/82	1	723	5	6/ 3/81	F	6/ 3/81	1	724	5	11/29/82	1	725	5	11/25/81	1	726	5	11/29/82	F	11/29/82	1
727	5	11/29/82	1	F	5	9/22/82	0	728	5	9/22/82	0	729	5	11/29/82	F	11/29/82	1	730	5	7/21/81	0	731	5	11/24/81	1	732	5	7/ 9/82	F	7/ 9/82	0
733	5	11/29/82	1	F	5	6/ 5/81	1	734	5	6/ 5/81	1	735	5	10/28/82	F	10/28/82	0	736	5	11/29/82	1	737	5	11/29/82	1	738	5	11/29/82	F	11/29/82	1
739	5	11/29/82	1	F	5	9/17/81	0	740	5	9/17/81	0	741	5	6/ 5/81	F	6/ 5/81	1	742	5	6/ 4/81	1	743	5	8/18/81	0	744	5	11/29/82	F	11/29/82	1
745	5	11/29/82	1	F	5	8/26/82	0	746	5	8/26/82	0	747	5	11/29/82	F	11/29/82	1	748	5	12/15/81	0	749	5	11/29/82	1	750	5	9/21/82	F	9/21/82	0

EVENT 0 - SPONTANEOUS DEATH OR MORIBUND SACRIFICE
EVENT 1 - SCHEDULED SACRIFICE

Table VI.2

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
INDIVIDUAL BODY WEIGHTS (G)

A N I M A L N O	T R A G R O U P	S E X	TEST WEEK																																	
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38						
1	1	M	76	101	121	142	162	184	205	223	234	248	260	264	273	288	288	294	309	324	332	342	354	--	366	369	379	392	396	405						
2	1	M	80	104	148	180	207	231	249	264	279	289	298	308	316	324	336	334	344	351	353	363	374	365	--	--	--	--	--	--						
3	1	M	93	112	138	166	187	210	222	236	246	263	272	281	283	292	303	307	319	329	337	345	355	361	369	378	384	397	392	397						
4	1	M	90	114	155	184	217	241	254	269	279	300	307	316	322	332	346	347	359	366	378	386	401	410	407	421	430	432	440	440						
5	1	M	89	118	150	177	204	220	234	251	260	276	287	291	305	317	329	329	340	351	370	377	390	394	395	402	411	416	425	427						
6	1	M	87	109	134	161	192	215	240	256	270	287	297	302	314	325	337	334	355	368	379	386	385	401	344	375	410	407	418	419						
7	1	M	93	111	147	137	185	206	226	243	252	273	283	297	310	320	326	331	340	349	362	372	382	382	387	385	398	402	411	411						
8	1	M	86	105	139	130	182	205	231	262	270	287	295	309	324	342	355	355	376	384	397	412	423	428	434	439	446	457	469	469						
9	1	M	81	106	132	143	165	192	210	226	237	254	259	270	277	286	298	296	314	328	338	346	354	357	--	--	--	--	--	--						
10	1	M	70	105	136	169	198	223	240	252	268	286	297	309	322	333	340	336	350	361	375	387	396	389	--	--	--	--	--	--						
11	1	M	83	112	143	177	204	231	248	262	274	292	303	315	332	337	356	358	374	388	396	402	420	424	432	441	460	465	471	472						
12	1	M	84	117	139	164	191	221	250	271	290	306	310	324	333	342	357	354	366	376	390	403	412	414	391	401	388	411	422	382						
13	1	M	79	103	130	154	175	198	215	229	239	247	263	269	377	287	289	295	373	318	331	338	351	349	360	363	371	380	385	398						
14	1	M	77	102	132	160	177	198	217	232	242	260	275	287	299	307	317	331	344	355	374	378	390	392	394	403	410	416	430	437						
15	1	M	90	120	151	180	200	228	248	263	277	292	297	310	320	325	334	342	360	368	375	382	393	393	397	412	415	418	420	429						
16	1	M	82	108	139	171	198	225	243	255	274	290	300	305	319	330	343	346	362	373	385	388	398	402	406	408	417	423	420	428						
17	1	M	80	116	147	184	210	234	252	271	280	297	302	311	319	327	337	340	349	358	373	381	395	396	404	412	417	424	432	438						
18	1	M	89	123	157	189	213	237	253	262	278	298	306	317	327	342	348	352	364	372	375	392	398	408	--	--	--	--	--	--						
19	1	M	88	116	150	182	153	200	216	231	248	267	280	292	302	315	315	328	336	358	364	374	382	391	393	400	407	413	425	425						
20	1	M	77	104	136	167	131	178	194	210	228	245	260	270	283	299	303	317	325	344	357	364	375	372	380	393	408	410	418	419						
21	1	M	77	105	134	157	135	180	199	227	240	265	274	284	291	306	304	321	325	343	350	364	369	375	386	394	405	406	417	424						
22	1	M	76	109	140	171	196	220	233	245	258	271	276	286	293	306	313	316	326	337	342	344	353	358	361	373	377	387	393	399						
23	1	M	91	117	154	186	212	237	251	261	272	280	290	300	320	328	340	326	355	372	384	390	406	410	--	--	--	--	--	--						
24	1	M	100	127	157	181	204	225	243	254	261	280	287	294	302	309	323	327	339	358	367	375	382	396	405	404	403	407	421	426						
25	1	M	96	126	161	189	209	227	243	255	275	287	299	310	318	332	335	347	360	369	387	395	401	410	408	413	427	433	438	443						
26	1	M	99	129	163	200	228	250	268	286	301	320	332	336	348	358	364	377	397	403	419	430	444	445	451	464	468	487	481	481						
27	1	M	96	118	144	174	200	222	245	268	274	294	303	313	322	329	331	343	361	365	380	398	396	400	409	415	424	421	429	433						
28	1	M	75	96	134	162	184	202	224	235	245	260	269	278	291	298	305	311	333	339	348	360	365	371	380	381	389	394	386	386						
29	1	M	82	100	140	170	197	217	238	255	265	283	287	296	306	324	335	339	350	361	376	390	402	400	409	421	426	428	430	430						
30	1	M	93	113	153	183	208	229	247	261	275	287	294	307	318	330	346	344	359	365	374	383	393	394	400	403	408	411	415	414						
31	1	M	82	116	145	176	195	218	237	253	264	277	282	296	302	308	326	329	338	353	362	379	382	386	395	399	400	407	415	412						
32	1	M	64	93	121	152	187	215	236	257	267	299	293	307	325	328	347	340	364	384	392	405	412	424	428	430	442	436	451	451						
33	1	M	83	115	146	182	208	237	257	273	286	281	304	316	322	334	352	351	362	380	384	387	399	400	410	412	414	427	427	431						
34	1	M	93	122	156	189	207	231	252	270	283	265	279	292	305	316	326	337	353	363	376	386	391	388	396	404	428	434	435	445						
35	1	M	88	111	143	168	182	200	214	223	234	246	258	267	276	287	288	296	306	310	320	328	338	337	--	--	--	--	--	--						
36	1	M	76	100	123	157	178	196	217	233	245	260	269	278	293	303	344	347	362	375	386	393	402	408	411	413	424	432	443	447	452					
37	1	M	93	123	158	184	202	219	233	252	262	278	287	296	306	317	322	334	343	346	371	374	387	398	403	412	426	431	431	431						
38	1	M	74	99	130	156	174	193	213	230	245	259	266	274	285	294	302	314	330	338	358	361	364	372	373	374	384	392	396	400						
39	1	M	84	111	144	178	202	226	241	260	273	278	294	306	310	325	330	336	348	359	373	385	383	391	404	406	410	421	420	433						
40	1	M	87	112	150	184	214	240	256	268	282	300	313	320	336	348	355	356	363	377	386	393	398	400	410	400	417	425	434	436						

--- = NO AVAILABLE DATA

Table VI.2 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRIAZINE(1,3,5-TRIAZINE(RDX)) IN THE FISHER RAT
INDIVIDUAL BODY WEIGHTS (G)

A N I T E M A L R N O O P	S E X	TEST WEEK																															
		-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38				
41	M	102	127	163	193	221	244	258	266	277	290	301	303	307	316	323	324	333	347	356	360	367	374	381	369	397	405	407	420				
42	M	71	100	128	159	190	213	227	238	248	261	273	278	287	298	303	301	311	317	328	338	342	345	353	350	358	365	370	372				
43	M	97	128	158	188	211	232	251	262	279	293	304	313	324	336	336	294	356	367	377	389	391	402	388	410	413	419	429	428				
44	M	67	93	117	143	165	189	210	224	241	253	260	266	273	281	283	348	310	312	322	331	337	348	341	355	357	354	360	364				
45	M	91	116	146	178	204	230	250	261	278	291	302	313	317	328	345	352	370	380	389	396	406	409	409	415	425	429	444	443				
46	M	64	86	115	142	165	190	211	224	238	247	256	272	285	290	291	295	306	317	331	344	347	349	354	360	357	364	370	358				
47	M	92	120	157	193	217	242	262	276	290	306	304	318	336	345	348	352	366	379	397	405	409	422	419	431	434	444	452	455				
48	M	116	141	174	208	235	259	283	296	315	325	337	347	360	373	372	382	393	405	414	432	436	442	444	460	459	473	479	483				
49	M	79	106	140	165	189	211	228	246	257	276	282	292	302	313	321	321	340	349	356	361	373	377	382	386	397	404	408	417				
50	M	105	126	164	190	211	231	243	258	263	273	286	291	295	302	313	314	330	345	345	357	368	378	---	---	---	---	---	---				
51	M	84	108	146	181	208	232	250	266	281	298	305	313	324	334	348	342	355	371	382	389	401	404	407	418	433	435	452	449				
52	M	93	118	155	172	199	226	246	257	268	289	293	300	306	314	318	321	329	335	348	357	370	365	377	380	394	401	404	405				
53	M	89	118	153	188	217	241	264	280	292	308	316	332	338	353	363	365	380	388	400	413	426	431	435	439	449	454	456	467				
54	M	75	96	130	161	189	209	228	241	257	273	282	291	301	311	316	323	341	354	368	376	388	391	404	395	411	421	426	430				
55	M	72	92	130	157	192	218	240	260	275	291	303	315	326	336	340	341	366	382	389	401	413	410	413	422	425	435	437	434				
56	M	92	115	148	165	192	216	234	248	263	280	287	294	301	311	318	323	342	354	365	373	382	382	393	392	407	410	414	415				
57	M	70	96	128	142	174	201	224	239	252	270	275	288	302	310	320	331	345	356	372	378	388	398	406	404	420	425	431	432				
58	M	73	97	120	143	162	189	205	227	241	256	266	277	287	299	283	309	324	340	347	357	366	---	---	374	377	383	399	405	403			
59	M	74	90	114	136	149	167	182	196	209	223	234	244	255	264	272	281	293	307	327	331	338	338	354	353	363	370	385	377				
60	M	95	112	138	160	180	201	220	231	245	266	276	283	292	307	293	319	326	359	371	376	380	---	---	393	409	412	420	430	436			
61	M	84	109	135	162	184	208	223	237	253	274	284	290	296	305	308	317	321	342	353	365	412	373	---	---	---	---	---	---				
62	M	75	101	131	162	186	216	235	253	272	286	299	304	314	323	334	344	354	365	376	394	399	405	413	411	417	440	452	458				
63	M	100	129	164	192	212	236	253	270	288	303	315	324	330	343	352	364	373	378	403	404	373	409	419	434	428	460	459	465				
64	M	64	113	122	162	190	215	236	247	265	278	286	299	311	319	336	338	352	365	375	393	400	399	408	415	423	439	447	446				
65	M	77	101	112	148	180	203	224	215	254	266	254	290	299	307	318	323	334	338	347	357	362	366	---	---	---	---	---	---				
66	M	65	84	97	124	153	177	198	214	265	242	278	265	275	286	300	304	320	335	337	347	353	364	370	370	380	384	394	403				
67	M	76	106	135	165	187	213	226	241	250	260	272	278	290	295	311	312	326	333	343	347	351	359	---	---	---	---	---	---				
68	M	89	123	159	190	216	239	256	270	282	295	302	306	315	327	341	342	348	363	380	390	403	398	405	403	419	420	433	433				
69	M	94	121	155	185	214	240	256	268	284	297	305	317	326	335	336	346	362	373	385	394	403	406	411	410	420	429	434	433				
70	M	73	107	137	170	198	224	246	260	272	291	294	304	311	326	334	354	369	381	387	396	396	400	414	426	435	442	444	444				
71	M	73	104	134	165	196	220	240	260	273	288	302	303	320	335	348	349	367	379	399	410	421	416	434	432	446	452	462	470				
72	M	92	120	153	184	206	230	245	260	271	282	291	297	307	313	324	323	337	347	355	364	371	374	380	382	394	394	404	398				
73	M	97	121	153	182	200	222	247	254	268	285	294	304	312	330	330	336	354	364	373	387	392	386	398	394	394	411	419	424				
74	M	85	108	139	165	186	207	225	234	249	270	274	280	292	302	296	302	329	339	354	373	374	376	381	377	367	367	363	359				
75	M	90	119	149	177	198	227	251	266	281	296	305	318	325	337	332	338	358	374	380	390	401	395	402	406	413	414	426	427				
76	F	78	98	115	126	136	143	151	156	160	166	164	170	166	175	179	184	187	185	190	195	193	199	199	210	211	203	218	223				
77	F	80	99	120	134	143	153	160	163	168	176	178	180	185	191	194	194	198	200	202	206	210	212	216	219	220	218	227	233				
78	F	90	108	121	138	148	157	161	169	173	183	181	185	187	193	194	194	194	198	205	204	214	214	217	---	---	---	---	---				
79	F	90	98	113	122	129	137	138	143	147	149	150	153	158	160	165	165	169	172	177	177	185	188	188	193	199	195	209	218				
80	F	68	91	109	122	133	140	148	156	161	164	165	172	176	176	186	182	189	196	196	196	206	206	---	---	---	---	---	---				

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 1,4-DIHYDRO-1,3,5-TRIAZINE(RDX) IN THE FISHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L N O	T R T G R O U P	S E X	TEST WEEK																																	
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38						
81	I	F	92	103	118	127	136	143	148	156	157	165	166	171	173	175	184	181	186	195	195	199	206	212	---	---	---	---	---	---	---					
82	I	F	76	94	110	123	126	139	146	151	159	162	163	168	170	175	178	180	185	183	189	196	200	202	205	204	207	209	214	216	---					
83	I	F	77	100	120	130	136	148	153	162	162	168	168	171	174	177	178	181	185	189	193	202	201	---	203	205	212	212	211	215	---					
84	I	F	83	104	119	133	133	153	158	163	173	172	177	183	187	194	197	199	201	205	209	215	219	219	221	225	228	230	226	232	---					
85	I	F	88	100	115	126	135	146	154	159	165	165	171	170	175	180	178	184	186	194	195	198	200	206	211	214	219	219	218	225	---					
86	I	F	66	80	98	112	123	133	142	146	152	154	158	161	160	168	166	170	173	175	180	187	191	194	201	196	199	198	204	199	---					
87	I	F	81	92	108	118	131	144	149	154	156	153	159	163	166	170	171	176	184	190	191	193	196	202	205	200	203	205	215	216	---					
88	I	F	76	85	100	115	127	134	141	147	153	158	158	160	166	170	178	173	180	182	190	193	199	204	208	213	215	218	217	222	---					
89	I	F	81	94	110	129	139	150	155	162	165	169	168	175	180	185	182	190	196	194	205	208	212	212	211	205	222	229	233	229	---					
90	I	F	76	92	108	121	132	146	150	156	160	164	166	169	174	172	176	182	181	186	196	197	200	201	219	208	215	217	217	---	---					
91	I	F	75	92	107	116	125	133	139	150	152	157	160	162	170	172	177	182	188	193	193	197	203	206	207	202	210	217	218	220	---					
92	I	F	67	83	94	108	117	122	128	132	135	139	145	147	150	148	156	167	166	167	166	165	171	---	---	---	---	---	---	---	---					
93	I	F	82	98	112	125	133	142	146	155	155	161	163	169	177	176	184	186	191	195	198	200	209	209	219	220	228	231	228	234	---					
94	I	F	78	93	106	120	131	132	148	153	157	158	163	162	180	170	170	171	184	188	191	194	198	199	200	200	206	212	214	218	---					
95	I	F	79	95	104	117	125	134	137	143	146	146	179	151	156	155	163	163	168	171	172	177	181	187	188	188	191	190	192	197	---					
96	I	F	88	108	120	134	144	152	156	167	169	173	178	178	189	180	188	184	193	199	204	207	213	218	220	222	222	227	229	234	---					
97	I	F	75	90	106	118	124	131	133	138	140	168	148	155	158	161	162	151	168	173	178	182	185	189	190	195	195	197	200	207	---					
98	I	F	85	104	122	132	140	147	152	160	164	144	169	175	181	183	187	190	191	192	202	204	209	217	220	219	223	228	229	228	---					
99	I	F	88	100	114	126	134	143	147	151	154	159	162	168	171	177	183	183	189	194	194	197	201	208	212	211	214	218	218	218	---					
100	I	F	70	87	104	114	123	131	136	144	149	153	152	160	163	174	171	181	184	186	194	200	200	197	202	208	208	210	220	221	---					
101	I	F	74	88	105	119	129	141	147	154	156	158	165	166	169	166	169	192	178	181	188	192	196	201	200	207	208	212	211	216	---					
102	I	F	79	92	110	124	136	144	152	163	165	172	172	174	180	184	184	172	196	195	199	203	211	210	214	215	220	226	230	234	---					
103	I	F	70	86	106	121	133	141	138	156	161	164	165	168	168	173	162	174	177	182	185	196	192	---	199	202	211	208	212	215	---					
104	I	F	71	88	104	122	135	142	141	154	160	162	168	169	179	180	182	186	185	188	190	197	203	203	210	208	206	217	224	226	---					
105	I	F	98	108	125	136	145	156	152	167	169	169	172	177	178	184	182	189	192	193	200	202	204	208	213	211	219	217	224	225	---					
106	I	F	69	88	104	120	128	128	144	151	157	157	162	165	170	174	178	174	183	192	192	194	201	207	210	208	210	214	213	218	---					
107	I	F	83	102	120	131	136	144	147	153	155	161	163	165	168	171	176	173	175	182	185	186	192	196	199	201	206	207	210	213	---					
108	I	F	69	84	100	113	122	132	137	144	147	153	156	158	163	165	171	172	174	183	181	183	192	196	195	197	202	204	206	205	---					
109	I	F	64	80	96	111	120	128	133	139	144	148	149	158	155	163	171	174	178	181	184	188	188	190	191	193	197	199	202	205	---					
110	I	F	74	93	115	128	137	146	151	155	161	170	169	179	174	184	182	187	189	194	197	200	205	211	208	208	216	215	219	225	---					
111	I	F	67	79	95	108	119	129	137	140	145	150	150	154	157	161	160	164	170	176	175	181	185	184	---	---	---	---	---	---	---					
112	I	F	80	97	115	124	136	142	148	160	163	170	170	172	162	182	193	196	201	208	209	211	219	224	223	224	232	231	224	237	---					
113	I	F	68	87	102	111	120	124	131	138	140	143	146	148	180	158	161	163	172	178	176	182	185	189	189	196	198	198	202	202	---					
114	I	F	74	86	109	122	134	137	142	148	150	155	153	158	153	168	173	173	183	185	190	194	201	209	208	210	212	211	206	218	---					
115	I	F	85	102	119	133	141	145	152	156	156	158	162	165	169	174	179	180	184	187	195	198	206	206	205	208	213	215	215	218	---					
116	I	F	66	87	99	115	125	133	137	146	148	151	155	157	160	166	172	177	178	184	190	191	197	---	---	---	---	---	---	---	---					
117	I	F	81	94	109	120	127	134	140	145	148	152	154	158	163	166	168	166	177	186	191	193	195	199	201	205	211	211	217	220	---					
118	I	F	71	86	104	117	129	143	151	159	164	168	172	176	181	183	187	192	200	205	207	216	218	225	221	228	229	227	238	247	---					
119	I	F	79	95	109	120	129	135	143	148	153	155	156	160	166	167	171	173	181	182	186	190	195	196	198	202	203	208	214	217	---					
120	I	F	83	92	106	117	123	132	135	149	143	144	148	149	154	153	151	158	161	164	166	174	177	181	---	---	---	---	---	---	---					

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L G R O U P	T R E A T M E N T	S E X	TEST WEEK																																	
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38						
121	1	F	79	95	110	120	131	146	155	163	165	171	177	180	189	188	186	193	203	204	211	215	---	216	223	219	222	229	220	232						
122	1	F	74	88	102	115	123	134	141	147	154	156	160	166	171	171	173	175	181	182	190	198	196	198	205	205	209	208	206	217						
123	1	F	80	95	113	123	132	139	151	155	159	166	168	170	176	177	179	183	188	188	187	195	195	197	200	199	207	204	203	215						
124	1	F	74	88	105	122	135	141	146	154	154	161	164	168	171	176	179	179	181	180	186	191	198	201	---	---	---	---	---	---						
125	1	F	74	88	108	122	134	142	152	148	157	166	171	176	180	181	187	186	189	194	192	200	203	208	209	207	211	212	212	227						
126	1	F	67	80	99	114	125	134	139	145	149	154	158	160	165	169	175	175	181	183	189	190	198	202	203	203	211	218	217	212						
127	1	F	74	90	112	132	141	153	157	167	172	175	180	184	186	194	194	200	201	209	214	219	218	223	228	233	238	243	244	252						
128	1	F	90	99	117	132	142	146	154	159	165	165	166	174	176	181	179	186	190	193	198	201	207	210	208	214	214	217	221	224						
129	1	F	69	86	102	120	136	142	153	160	169	174	172	178	179	184	185	193	194	194	208	210	216	221	225	225	236	239	232	246						
130	1	F	95	106	120	137	148	158	164	172	171	173	176	176	183	187	186	192	196	201	206	209	216	214	222	223	229	235	233	244						
131	1	F	88	100	115	130	140	149	158	155	166	168	170	176	180	179	185	188	193	201	204	206	208	209	211	217	222	218	224	224						
132	1	F	85	101	116	131	140	152	159	165	170	172	174	180	185	190	190	193	196	201	205	210	214	218	221	219	221	222	230	231						
133	1	F	73	88	103	119	124	135	142	151	156	161	168	170	176	181	185	191	190	194	203	204	214	218	221	219	221	222	230	231						
134	1	F	81	95	110	123	137	148	153	160	163	168	174	174	179	180	181	185	191	195	197	201	208	214	214	217	221	224	226	228						
135	1	F	76	90	111	130	142	155	164	171	177	185	185	191	195	200	198	205	211	221	225	233	236	245	245	245	249	250	264	264						
136	1	F	84	94	107	97	124	136	146	150	153	156	158	164	170	170	173	176	182	185	190	192	194	196	202	202	195	206	210	216						
137	1	F	91	100	114	115	132	143	146	154	156	162	160	167	168	172	172	180	186	188	195	196	197	199	200	202	205	212	212	212						
138	1	F	76	88	104	97	127	140	149	149	152	153	157	159	167	168	170	174	180	182	185	190	195	199	200	200	196	205	212	214						
139	1	F	82	99	111	123	133	143	146	151	156	160	163	164	169	173	178	174	179	184	185	188	196	199	---	---	---	---	---	---						
140	1	F	91	105	119	130	136	143	150	156	160	163	165	168	172	177	182	182	185	191	190	192	198	203	---	---	---	---	---	---						
141	1	F	77	92	103	117	127	132	137	146	149	154	156	157	167	167	171	169	174	176	179	182	187	191	189	190	191	197	189	206						
142	1	F	73	87	103	116	125	134	139	147	149	157	156	165	163	165	171	171	176	180	180	184	185	190	187	193	193	196	201	201						
143	1	F	84	99	116	129	139	150	150	161	163	168	167	171	172	179	178	182	184	192	195	197	202	205	201	208	213	216	216	215						
144	1	F	64	84	101	111	109	135	147	154	158	159	163	168	172	175	182	179	180	179	185	197	196	202	---	---	---	---	---	---						
145	1	F	77	91	105	120	127	135	140	148	153	157	159	163	167	167	168	170	180	185	187	194	198	196	193	210	205	211	209	212						
146	1	F	97	108	121	133	141	155	160	167	171	171	177	181	186	187	188	194	199	200	201	206	212	213	216	224	224	230	235	237						
147	1	F	79	94	112	125	138	145	148	159	164	166	168	169	175	176	177	186	188	192	191	200	203	205	210	220	216	221	229	233						
148	1	F	92	105	116	128	138	153	155	162	169	172	169	176	185	189	189	192	204	209	212	214	219	223	223	224	237	236	240	249						
149	1	F	91	98	118	131	150	146	151	159	161	164	166	168	175	177	177	185	185	188	192	195	201	204	---	---	---	---	---	---						
150	1	F	80	99	121	134	144	153	156	166	169	177	178	180	187	188	190	200	205	208	213	216	215	218	222	220	227	222	222	226						
151	2	M	66	95	127	160	197	221	243	263	275	286	301	312	319	330	342	339	352	370	377	384	389	390	396	401	420	421	429	426						
152	2	M	82	102	129	158	186	214	228	237	250	252	267	274	282	291	302	308	322	337	346	357	366	374	377	383	393	399	407	408						
153	2	M	88	107	136	168	195	224	240	251	262	279	287	295	305	318	324	330	345	361	380	382	382	391	396	399	410	409	424	416						
154	2	M	77	101	131	158	180	202	220	232	289	253	260	276	283	294	302	310	320	344	358	367	377	385	391	388	398	406	414	409						
155	2	M	91	120	159	192	216	242	258	272	289	300	306	320	330	348	352	358	373	392	413	414	425	428	435	439	446	454	456	461						
156	2	M	84	114	153	188	217	242	263	278	243	305	311	320	332	338	349	350	361	387	402	416	426	429	446	453	455	467	468	467						
157	2	M	94	120	148	129	181	214	237	235	262	282	293	302	313	330	332	349	364	382	396	409	412	420	425	433	442	448	463	470						
158	2	M	86	111	132	118	166	195	214	210	239	251	263	267	277	289	290	306	316	328	334	346	357	360	---	---	---	---	---	---						
159	2	M	102	127	164	140	195	226	241	241	263	280	286	295	304	315	322	327	343	353	365	372	386	386	394	416	416	421	435	440						
160	2	M	77	97	130	156	187	222	250	260	287	297	318	330	338	356	360	372	390	401	412	432	443	444	444	451	470	382	485	502						

---- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L N O	T R A G R O U P	S E X	TEST WEEK																															
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38				
161	2	M	75	104	135	172	208	236	255	272	290	300	312	325	329	343	350	354	364	376	386	393	397	408	---	---	---	---	---	---	---	---		
162	2	M	84	105	142	164	196	220	242	274	278	307	308	319	330	347	364	369	386	405	409	422	433	432	---	---	---	---	---	---	---	---		
163	2	M	83	114	146	178	208	228	248	265	272	284	291	295	305	313	319	324	340	345	354	364	380	382	389	394	406	413	427	423	---	---		
164	2	M	94	128	164	195	218	237	258	271	286	295	298	293	307	315	325	328	340	355	356	368	375	380	---	---	---	---	---	---	---	---		
165	2	M	95	128	163	191	220	239	257	278	288	303	316	313	322	332	344	345	355	369	379	386	394	400	412	413	420	421	432	432	---	---		
166	2	M	83	109	145	181	206	226	246	263	273	292	294	308	317	333	334	343	354	365	373	385	392	---	---	---	---	---	---	---	---	---		
167	2	M	100	132	149	186	218	240	256	274	285	303	312	330	330	347	350	354	362	375	388	394	410	408	409	419	416	420	420	420	---	---		
168	2	M	81	106	121	153	181	207	228	242	262	275	286	294	306	316	330	335	352	361	374	378	390	402	404	412	414	421	432	435	---	---		
169	2	M	88	114	146	177	203	224	244	258	271	285	295	310	318	332	342	352	363	378	388	394	403	404	412	414	421	414	421	412	412	---		
170	2	M	76	104	137	165	192	216	236	249	255	270	281	296	308	313	328	331	343	358	365	372	384	390	391	388	405	412	415	415	413	---		
171	2	M	85	108	141	172	195	218	234	247	257	267	274	289	287	310	319	316	329	345	348	354	359	358	369	372	388	389	390	386	---	---		
172	2	M	107	132	167	194	215	239	255	267	284	304	296	308	331	344	351	356	373	384	397	399	401	400	406	412	412	422	424	420	---	---		
173	2	M	87	118	149	186	216	240	262	277	292	296	314	324	317	329	330	348	366	372	389	396	399	402	411	408	425	427	432	436	---	---		
174	2	M	89	120	150	179	200	209	243	255	271	284	288	305	310	326	328	342	354	371	381	381	390	391	394	399	417	418	413	420	---	---		
175	2	M	88	116	152	183	210	238	256	273	285	294	302	310	318	332	344	348	355	364	372	376	387	393	392	393	405	415	419	420	---	---		
176	2	M	84	112	141	176	205	225	251	268	278	294	300	311	322	332	340	348	358	371	377	389	395	402	---	---	---	---	---	---	---	---		
177	2	M	80	106	130	162	192	212	236	251	265	280	286	304	313	322	334	339	343	360	364	377	383	388	---	---	---	---	---	---	---	---		
178	2	M	82	109	137	166	190	217	238	251	262	278	304	295	312	321	324	333	355	368	386	395	401	402	416	420	429	434	430	448	---	---		
179	2	M	97	127	158	187	210	236	258	266	282	296	285	310	326	336	321	345	363	378	396	404	410	---	---	---	---	---	---	---	---	---		
180	2	M	88	115	146	179	208	234	257	267	284	300	310	320	334	343	349	359	371	384	396	405	412	417	431	422	432	446	435	450	---	---		
181	2	M	85	110	139	181	191	214	231	248	262	275	282	296	304	313	323	333	341	353	360	377	378	385	392	394	394	406	414	406	423	---		
182	2	M	92	116	148	178	206	222	237	251	269	280	288	298	304	313	323	335	342	353	364	365	383	385	393	395	405	410	408	413	---	---		
183	2	M	100	122	153	181	201	221	238	250	262	276	286	300	308	319	330	334	351	362	382	386	391	397	403	408	417	418	413	423	---	---		
184	2	M	98	120	155	179	209	228	240	257	270	278	289	302	315	322	333	334	349	362	371	393	401	399	402	411	425	426	429	431	---	---		
185	2	M	62	100	133	165	193	220	237	254	261	284	286	297	316	325	336	334	350	357	362	370	380	382	393	395	406	413	418	420	---	---		
186	2	M	90	112	141	167	192	212	226	237	250	268	272	283	293	303	316	322	335	352	364	374	383	390	400	402	421	428	436	434	---	---		
187	2	M	86	109	142	170	192	211	228	242	256	274	287	299	309	316	319	333	351	362	372	377	386	400	410	408	428	434	433	437	---	---		
188	2	M	78	103	136	168	190	212	232	245	260	273	291	300	308	320	325	336	348	361	370	384	389	396	---	---	---	---	---	---	---	---		
189	2	M	77	105	137	172	197	224	246	262	277	290	302	308	320	332	319	344	359	384	391	396	398	402	409	407	417	429	439	445	---	---		
190	2	M	96	127	161	189	213	234	249	261	274	284	291	305	311	321	292	331	354	363	370	383	394	398	398	403	407	408	421	429	---	---		
191	2	M	72	98	122	146	170	188	202	215	228	244	253	265	275	284	330	289	308	321	331	347	358	363	371	374	390	394	400	406	---	---		
192	2	M	95	117	150	178	200	220	234	244	256	266	276	287	298	307	322	325	335	348	353	376	387	384	393	399	407	412	416	423	---	---		
193	2	M	99	131	168	206	234	266	287	302	322	340	354	361	376	388	396	401	418	437	446	461	474	481	491	492	504	508	504	508	---	---		
194	2	M	92	119	150	181	199	224	239	249	264	277	286	290	300	305	310	322	331	341	351	360	368	372	370	373	385	399	396	392	---	---		
195	2	M	68	91	112	133	150	161	172	180	195	210	218	226	234	239	244	259	265	285	292	306	311	316	322	328	328	334	328	332	---	---		
196	2	M	78	116	151	190	221	246	264	277	288	300	310	328	328	333	364	345	359	368	381	384	406	403	409	421	425	430	436	444	---	---		
197	2	M	85	116	148	179	204	228	247	260	274	289	294	304	317	325	339	338	351	361	371	362	384	387	---	---	---	---	---	---	---	---		
198	2	M	70	103	136	167	200	229	250	272	288	306	313	318	339	347	343	371	385	397	410	424	438	448	450	452	467	470	463	481	---	---		
199	2	M	78	112	138	167	195	222	237	260	270	289	299	325	318	326	328	336	347	362	381	382	391	---	---	---	---	---	---	---	---	---		
200	2	M	90	122	155	184	208	237	254	274	262	303	313	312	334	338	351	356	375	382	394	399	411	403	412	419	433	433	442	445	---	---		

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRIAZINE(RDX) IN THE FISHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N T M A L	T R G	N O S	E X	TEST WEEK																																	
				-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38						
201	2	M	83	111	144	173	197	236	230	246	284	279	288	312	310	320	330	330	341	355	357	360	376	372	376	385	393	397	399	405							
202	2	M	80	102	124	147	168	191	208	221	233	251	257	270	269	280	288	327	307	322	332	338	350	349	354	354	365	368	368	376							
203	2	M	73	103	135	170	198	220	231	239	254	266	272	281	281	294	303	309	320	338	350	355	362	363	371	372	384	389	389	396							
204	2	M	86	108	135	165	190	213	224	245	265	278	286	295	300	317	330	328	356	357	370	381	395	399	402	406	420	417	418	423							
205	2	M	89	112	141	169	184	206	225	236	250	261	271	278	291	301	307	318	328	340	348	321	363	366	368	378	382	386	397	402							
206	2	M	102	130	163	190	208	231	244	263	277	288	299	305	312	324	331	338	351	360	367	379	384	391	384	402	413	407	421	427							
207	2	M	80	107	136	165	189	215	234	247	258	276	286	292	302	311	314	325	334	344	357	364	370	378	375	387	390	390	391	401							
208	2	M	103	122	164	189	208	226	239	251	260	271	279	286	293	299	308	310	318	330	344	350	360	364	371	373	387	394	395	401							
209	2	M	84	100	134	164	192	215	234	249	261	275	283	318	328	337	343	346	352	373	385	392	406	399	408	411	426	428	437	441							
210	2	M	87	107	143	178	210	236	256	270	282	296	311	293	310	322	330	330	335	352	366	380	392	398	411	409	421	427	432	443							
211	2	M	94	117	140	164	191	213	233	251	263	276	284	296	308	318	330	337	345	363	375	380	385	389	392	400	407	412	419	418							
212	2	M	73	99	133	163	189	209	231	251	266	278	282	288	295	311	316	319	332	345	353	357	372	373	380	379	376	394	398	383							
213	2	M	83	104	142	174	202	225	246	261	273	289	296	306	318	324	337	338	353	368	380	389	390	395	406	410	425	432	436	431							
214	2	M	77	100	128	152	171	199	218	239	253	269	282	292	301	308	313	326	340	347	353	362	369	369	375	382	382	380	389	395							
215	2	M	91	116	145	173	186	208	228	248	263	282	294	298	311	324	314	335	351	362	372	381	390	394	408	412	421	418	433	433							
216	2	M	83	103	135	169	194	218	237	252	267	279	288	296	303	316	325	323	370	348	351	365	375	375	373	382	391	397	402	407							
217	2	M	86	117	151	183	211	235	249	265	277	292	299	303	319	327	338	338	350	362	373	384	392	388	396	400	411	424	425	421							
218	2	M	65	86	105	123	147	165	185	201	216	232	245	303	269	280	298	297	308	317	327	335	337	347	---	---	---	---	---	---							
219	2	M	74	101	131	162	188	211	227	245	258	270	278	284	294	303	312	309	317	332	335	339	346	350	355	363	374	381	395	395							
220	2	M	76	104	133	156	183	208	224	236	253	269	278	283	290	299	309	311	322	335	344	357	362	357	367	373	378	386	394	391							
221	2	M	68	97	124	146	178	207	229	242	258	277	283	296	304	313	326	326	340	355	367	375	388	390	391	402	420	425	421	437							
222	2	M	73	104	132	155	185	209	226	244	256	277	281	290	298	311	323	326	336	349	357	369	382	380	384	397	410	415	419	424							
223	2	M	68	96	123	150	179	207	220	237	253	267	274	283	291	304	313	321	324	345	360	367	376	381	382	392	404	411	413	413							
224	2	M	100	129	164	191	215	236	247	267	279	295	301	308	316	317	325	327	331	348	360	370	374	374	---	---	---	---	---	---							
225	2	M	99	131	174	201	223	241	250	265	276	292	293	302	311	319	320	319	327	351	365	377	385	386	388	410	421	421	433	432							
226	2	F	84	94	112	126	134	140	150	157	152	168	168	172	176	179	181	183	187	191	194	200	200	201	---	---	---	---	---	---							
227	2	F	79	91	109	121	130	139	145	150	153	157	160	164	167	169	168	174	179	181	187	191	192	197	200	199	203	207	211	217							
228	2	F	87	100	117	128	139	145	154	159	164	167	171	176	181	185	186	192	196	199	203	207	209	209	210	207	210	222	225	222							
229	2	F	97	112	126	136	144	156	164	174	177	186	184	192	197	199	201	207	209	213	219	224	223	229	230	235	234	235	241	238							
230	2	F	85	99	111	125	136	143	148	156	164	168	168	174	177	178	182	188	194	199	206	208	211	217	219	225	228	229	229	229							
231	2	F	79	95	115	128	142	143	156	165	167	175	178	177	183	187	175	193	200	204	211	217	---	---	---	---	---	---	---	---							
232	2	F	72	97	109	121	133	141	150	151	155	158	162	166	172	178	182	182	188	194	199	206	208	211	217	219	225	228	229	229							
233	2	F	89	103	125	138	146	153	159	165	166	173	174	179	185	187	185	188	198	205	207	214	216	216	216	217	222	227	229	228							
234	2	F	67	85	101	112	121	129	134	141	143	150	152	157	158	167	169	168	174	182	183	190	193	199	201	198	203	209	212	216							
235	2	F	75	89	101	116	129	140	147	155	158	166	166	171	174	177	178	178	182	185	186	200	197	194	196	205	202	203	204	204							
236	2	F	94	106	119	131	142	150	153	165	177	172	174	177	184	189	186	191	190	191	194	202	205	206	205	220	220	223	221	221							
237	2	F	87	97	114	127	134	144	150	155	162	167	171	173	180	183	189	189	192	193	202	202	202	201	202	219	213	217	222	225							
238	2	F	72	93	109	118	127	130	140	144	150	158	158	161	163	166	170	173	177	181	185	184	188	192	---	---	---	---	---	---							
239	2	F	68	89	104	117	119	127	132	139	142	148	148	152	156	160	167	168	171	178	183	180	185	187	189	192	197	195	198	203							
240	2	F	85	107	127	139	147	155	160	167	170	177	174	179	185	186	190	190	199	207	191	213	218	218	224	228	229	239	233	238							

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L N O	T R A G R O U P	S E X	TEST WEEK																																	
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38						
241	2	F	58	75	91	104	113	122	127	131	137	142	143	137	153	178	146	157	165	170	173	176	179	182	185	188	191	193	201	197						
242	2	F	51	74	94	109	124	133	142	150	158	161	163	166	174	176	168	182	185	194	193	198	206	207	206	208	203	214	217	220						
243	2	F	68	86	108	123	129	138	144	150	157	157	163	167	174	155	173	184	186	189	195	197	200	199	---	---	---	---	---	---						
244	2	F	66	91	106	119	128	133	141	143	149	154	158	163	166	168	170	164	180	181	187	192	191	194	200	201	203	203	214							
245	2	F	62	82	97	111	120	126	130	133	135	140	140	145	151	153	157	161	176	170	175	182	180	185	188	192	196	196	200							
246	2	F	75	95	114	128	140	142	153	156	158	167	165	170	176	180	186	185	189	195	202	203	209	211	211	217	220	219	221	226						
247	2	F	81	96	113	127	138	146	149	156	160	168	172	173	181	186	190	197	204	209	216	220	223	228	226	228	232	238	243	237						
248	2	F	69	88	102	115	124	135	134	148	150	155	157	159	167	170	179	177	182	188	191	194	198	201	206	204	210	213	203							
249	2	F	73	94	108	122	128	137	140	146	149	150	172	160	161	169	172	173	178	185	185	188	192	195	198	202	201	202	205	197						
250	2	F	66	82	98	108	119	127	134	141	141	147	151	155	157	162	161	168	171	176	185	181	187	189	197	190	198	197	196							
251	2	F	79	94	106	116	125	135	143	147	150	154	160	162	165	172	170	178	174	178	180	185	193	198	195	207	198	205	204	209						
252	2	F	81	95	109	118	130	137	145	151	154	158	162	166	170	172	171	175	178	177	179	188	190	192	191	198	195	200	197	198						
253	2	F	76	90	114	126	137	141	147	152	140	164	164	167	167	172	176	179	187	195	203	208	210	216	219	220	220	224	229							
254	2	F	79	94	112	123	132	137	142	148	150	156	158	162	166	165	168	163	175	182	181	188	191	194	198	197	200	201	203	207						
255	2	F	68	83	98	109	119	123	129	134	156	148	148	153	153	156	158	158	169	173	178	179	185	192	194	197	202	204	208	211						
256	2	F	73	94	116	130	140	149	156	160	158	165	163	183	182	191	196	196	205	210	211	219	222	222	217	214	224	226	235	236						
257	2	F	84	99	151	134	139	148	155	158	161	169	170	175	176	181	188	191	198	205	208	213	221	222	---	---	---	---	---	---						
258	2	F	83	98	115	130	137	144	148	156	166	175	169	173	173	176	182	182	185	193	195	201	205	210	---	---	---	---	---	---						
259	2	F	69	84	102	116	130	139	145	158	154	157	177	166	170	176	170	172	186	188	189	192	198	---	202	201	205	214	212	214						
260	2	F	78	96	115	130	136	146	150	159	152	168	174	182	181	184	182	192	199	201	204	210	199	214	217	219	216	220	223	230						
261	2	F	78	92	108	122	131	136	142	145	150	153	156	160	161	166	171	173	175	181	182	191	195	200	---	---	---	---	---	---						
262	2	F	88	108	129	141	149	155	162	170	174	182	181	184	186	168	192	195	200	208	207	212	216	---	219	231	233	230	230	234						
263	2	F	79	92	108	121	128	136	138	145	151	157	157	159	165	194	172	173	180	185	187	195	196	193	200	200	207	206	209	214						
264	2	F	81	101	115	125	133	137	142	151	152	161	161	163	166	170	175	175	180	186	183	186	193	194	193	198	202	204	205	209						
265	2	F	78	89	106	121	137	144	142	156	167	171	170	174	182	186	181	186	196	199	205	211	216	216	220	222	229	235	236	236						
266	2	F	83	94	111	123	137	142	144	155	160	164	166	170	177	179	177	190	190	193	198	202	208	208	213	221	218	222	225	231						
267	2	F	75	91	107	123	135	147	149	160	164	174	176	182	186	192	193	202	203	205	210	219	223	219	222	225	226	232	234	246						
268	2	F	94	110	125	133	144	158	161	168	172	179	184	185	190	193	189	198	201	203	205	216	222	219	220	230	232	236	237	239						
269	2	F	62	87	103	117	127	135	143	151	158	166	167	169	179	182	185	185	195	194	200	199	207	208	208	211	215	218	223	229						
270	2	F	74	99	114	126	135	145	151	158	163	166	169	172	176	178	174	184	185	193	192	198	206	208	207	207	214	215	214	220						
271	2	F	89	103	117	126	136	142	151	158	162	167	170	174	178	182	186	183	195	204	205	215	212	215	217	220	223	226	230	230						
272	2	F	78	94	107	117	124	132	138	144	148	156	154	157	161	163	165	183	171	178	179	182	187	191	192	192	197	199	196	204						
273	2	F	88	108	125	136	146	160	166	182	176	184	184	191	198	199	204	176	205	212	216	217	222	228	228	233	233	249	247	241						
274	2	F	84	93	110	120	132	140	148	154	157	164	161	153	170	174	177	181	184	188	191	193	197	201	201	203	198	212	214	211						
275	2	F	88	96	112	126	135	143	149	153	157	162	163	167	170	175	171	172	182	188	198	201	199	---	---	---	---	---	---	---						
276	2	F	63	76	97	114	121	131	136	143	147	149	152	166	160	166	161	169	172	175	182	188	193	199	198	207	208	210	213	214						
277	2	F	87	100	113	128	136	144	150	156	160	169	166	171	179	179	186	192	193	197	201	209	207	212	209	204	220	225	233							
278	2	F	67	88	102	113	137	149	156	164	174	178	180	185	185	192	191	197	202	213	215	222	222	222	226	233	227	242	235	247						
279	2	F	72	89	105	124	126	136	145	156	163	169	173	176	182	186	181	187	187	196	195	202	206	209	---	---	---	---	---	---						
280	2	F	72	94	105	120	129	137	144	151	153	160	158	161	162	168	172	170	175	182	180	185	186	190	188	196	188	196	202	205						

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T M A L G R O U P	S E X	TEST WEEK																																	
		-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38						
281	2	F	73	91	106	121	128	137	144	154	158	164	163	162	166	169	176	174	179	186	186	188	193	191	194	200	194	203	205	211					
282	2	F	70	87	100	111	122	129	136	145	148	158	155	156	162	165	174	171	176	184	188	190	204	202	202	204	199	208	213	211					
283	2	F	84	96	112	124	135	144	151	157	169	173	171	170	173	180	180	179	185	192	193	201	202	201	206	203	201	212	208	212					
284	2	F	92	102	115	128	137	147	154	165	184	176	179	182	188	198	198	203	204	214	211	218	223	224	229	225	227	235	234	244					
285	2	F	86	98	111	125	134	143	151	155	159	162	163	165	168	174	174	182	178	192	194	197	202	205	204	205	208	217	210	225					
286	2	F	75	86	102	116	125	134	142	142	151	153	158	159	170	169	174	178	185	191	193	198	199	201	199	203	206	210	209						
287	2	F	85	93	107	118	128	132	138	146	156	160	162	164	169	170	172	177	180	185	191	195	198	196	201	202	205	211	212	212					
288	2	F	74	89	108	119	130	142	150	159	162	169	170	177	180	186	184	187	188	190	194	200	204	200	202	200	208	209	207	212					
289	2	F	80	100	115	127	137	147	152	157	157	165	162	168	170	178	178	183	186	190	187	194	200	203	202	208	210	214	216						
290	2	F	77	98	115	128	137	145	149	159	163	164	168	174	174	186	188	189	188	193	197	204	209	202	209	212	220	223	224	234					
291	2	F	75	88	106	119	130	127	143	153	157	161	160	166	167	173	180	179	187	197	195	188	204	205	---	---	---	---	---	---					
292	2	F	65	87	106	118	126	140	142	151	156	162	163	164	168	169	177	178	185	192	191	193	196	194	199	205	209	206	207	214					
293	2	F	71	88	104	117	123	133	139	146	150	154	160	161	165	170	176	177	183	189	190	197	200	203	200	202	205	209	209	216					
294	2	F	71	109	120	125	136	148	153	160	165	169	170	169	172	177	182	184	191	197	195	203	206	205	209	206	215	219	220	220					
295	2	F	84	83	105	116	127	138	143	149	154	159	159	163	164	168	171	172	178	187	186	194	197	193	198	200	201	207	210	215					
296	2	F	67	75	101	110	120	131	137	145	150	155	157	160	164	167	169	174	179	183	187	193	194	197	198	198	199	205	206	207					
297	2	F	87	89	113	121	135	141	151	163	166	169	168	172	174	179	184	188	192	203	205	208	211	209	213	214	210	216	219	219					
298	2	F	71	92	106	119	130	138	144	152	152	158	160	167	170	177	178	174	183	184	187	192	195	201	200	192	198	203	210	214					
299	2	F	86	109	129	135	144	154	159	170	175	176	178	181	185	187	185	192	201	199	206	207	211	---	---	---	---	---	---	---					
300	2	F	75	98	112	128	136	147	155	159	164	172	177	181	187	189	193	193	200	210	209	213	217	222	227	221	229	231	235	241					
301	3	M	95	124	154	184	207	228	241	260	274	295	302	311	321	328	341	345	356	371	377	386	390	304	---	---	---	---	---	---					
302	3	M	70	96	128	158	185	212	228	240	253	268	276	285	297	302	308	313	316	331	333	343	349	341	354	360	365	366	379	379					
303	3	M	69	102	136	163	187	213	228	243	257	273	283	292	308	315	330	333	345	362	371	385	387	390	395	398	405	411	420	421					
304	3	M	89	122	156	190	210	229	246	258	272	286	297	306	315	323	334	335	347	349	340	355	360	374	366	389	392	410	415	424					
305	3	M	85	116	147	178	204	234	249	264	279	294	305	313	330	337	347	349	266	380	390	398	402	413	---	---	---	---	---	---					
306	3	M	64	98	128	163	194	218	246	262	275	291	304	311	324	335	346	346	360	370	385	386	398	404	407	410	420	432	444	440					
307	3	M	85	110	141	169	191	212	234	246	261	281	296	300	306	323	325	334	344	364	376	389	384	379	---	---	---	---	---	---					
308	3	M	88	112	145	181	206	230	248	268	279	287	303	310	315	329	335	340	350	365	377	392	398	397	404	409	411	424	430	431					
309	3	M	88	114	143	168	188	208	234	247	263	282	294	302	315	327	327	344	355	375	389	404	406	402	422	426	448	454	460	467					
310	3	M	81	109	142	172	192	216	230	244	254	271	284	298	314	321	321	339	347	361	374	385	389	399	404	402	414	421	429	433					
311	3	M	94	123	158	190	211	235	244	268	283	295	308	316	324	333	341	350	368	381	390	390	396	405	408	417	420	431	431	443					
312	3	M	86	113	147	177	200	226	242	257	273	286	295	307	314	328	327	343	356	370	384	394	393	409	408	416	419	424	433	440					
313	3	M	61	103	137	171	194	217	236	253	264	276	288	292	302	308	314	320	329	340	351	363	364	---	356	371	385	383	388	390					
314	3	M	72	111	142	178	205	231	251	264	281	292	308	323	330	338	345	343	365	378	387	397	404	408	412	421	420	428	433	439					
315	3	M	74	108	141	166	185	207	219	229	245	261	265	279	286	296	297	308	320	330	347	361	369	377	385	388	391	394	401	409					
316	3	M	76	103	138	170	195	220	232	253	260	273	283	290	302	311	315	320	331	345	353	355	366	374	382	386	384	381	386	397					
317	3	M	102	128	162	189	214	230	244	263	271	292	292	305	313	321	328	334	345	361	372	375	380	385	395	398	411	417	422	432					
318	3	M	72	96	127	152	172	191	211	227	239	257	269	280	286	291	304	302	321	342	352	362	365	370	379	379	386	387	384	397					
319	3	M	89	123	152	185	207	230	251	270	285	308	314	323	335	344	353	363	374	392	401	411	420	420	428	438	449	453	458	464					
320	3	M	83	108	137	166	190	219	237	256	274	283	294	304	311	323	327	335	354	370	374	386	390	398	403	415	426	431	442	443					

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(ROX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L N O	T R T G R O U P	S E X	TEST WEEK																											
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38
321	3	M	79	104	127	153	173	199	218	233	250	265	275	289	295	307	314	324	332	348	361	371	375	378	386	396	397	404	410	409
322	3	M	79	108	140	178	207	232	247	260	288	300	308	313	328	340	338	358	361	378	387	390	398	412	419	416	423	435	440	444
323	3	M	83	112	140	170	196	216	233	238	261	275	282	289	308	316	311	325	342	344	353	363	365	360	373	368	375	396	401	408
324	3	M	100	129	160	196	212	233	251	263	284	274	313	318	333	345	346	358	379	395	405	415	422	423	428	435	435	441	451	457
325	3	M	91	124	157	183	206	233	254	270	285	304	320	328	345	355	359	375	391	307	421	432	441	446	452	460	456	469	475	476
326	3	M	71	95	114	137	154	175	191	205	215	232	239	248	258	270	272	278	297	304	312	322	329	335	339	349	348	358	369	367
327	3	M	100	129	160	185	201	228	244	253	272	284	298	305	314	320	327	332	343	355	363	375	381	388	379	392	404	412	413	421
328	3	M	88	118	148	175	198	213	229	248	262	283	290	300	307	319	331	331	350	363	373	388	401	397	406	413	425	428	430	435
329	3	M	72	100	126	157	187	213	228	245	256	274	281	294	302	312	346	344	359	379	389	400	408	409	417	420	434	440	445	449
330	3	M	69	97	126	166	189	218	238	258	276	294	298	313	325	333	326	324	343	350	359	374	378	375	---	---	---	---	---	---
331	3	M	83	114	146	180	208	239	250	267	286	296	309	309	313	333	343	333	345	359	371	378	398	402	410	422	433	434	441	---
332	3	M	97	127	157	189	214	243	260	274	291	292	316	321	333	350	360	358	369	384	389	372	413	419	418	422	433	438	441	446
333	3	M	87	120	115	186	213	227	249	263	278	294	301	316	323	327	337	327	345	357	364	409	388	387	385	390	401	405	404	410
334	3	M	86	103	133	162	185	205	223	235	248	251	262	274	280	292	303	304	314	331	349	360	365	372	375	380	383	392	390	392
335	3	M	72	97	129	156	181	206	224	241	248	258	261	276	283	286	298	300	323	339	351	361	370	383	---	---	---	---	---	---
336	3	M	96	126	164	192	217	237	253	268	280	296	300	310	315	322	332	333	340	350	369	375	390	396	---	---	---	---	---	---
337	3	M	71	96	118	140	156	181	206	220	235	302	309	275	286	298	312	317	329	349	362	365	372	386	388	396	409	416	420	425
338	3	M	92	127	163	193	213	243	252	268	285	305	308	311	322	329	336	338	351	363	377	380	337	396	393	402	408	417	425	---
339	3	M	92	123	162	188	209	240	259	273	284	257	314	326	339	340	346	346	362	371	386	388	402	397	406	411	424	420	433	448
340	3	M	88	114	150	174	181	210	226	238	246	258	268	276	288	297	302	307	317	330	339	346	345	346	354	357	358	371	442	378
341	3	M	86	115	144	180	193	215	244	254	246	282	295	301	310	320	327	336	356	372	381	396	397	405	406	407	416	426	432	438
342	3	M	106	133	170	197	209	239	254	270	285	302	314	319	328	341	348	357	368	379	386	398	398	411	420	424	423	441	377	441
343	3	M	92	125	162	193	216	240	252	265	277	298	298	308	312	321	329	331	345	352	357	367	418	372	386	385	394	396	405	406
344	3	M	69	92	116	143	166	188	200	218	230	244	256	262	272	280	283	306	312	322	335	340	---	---	343	352	353	357	360	368
345	3	M	76	109	142	178	208	237	253	267	287	309	315	322	337	350	336	364	375	390	397	409	379	410	420	426	439	438	448	456
346	3	M	83	115	148	182	206	230	246	263	275	293	300	311	320	326	333	333	353	369	371	388	387	401	405	412	420	424	430	430
347	3	M	78	104	130	161	185	212	230	251	260	277	282	291	308	311	321	333	348	363	364	381	388	394	387	400	402	408	417	414
348	3	M	85	116	146	177	200	229	250	263	280	298	307	312	322	332	344	353	365	378	377	388	400	407	401	417	419	422	433	433
349	3	M	88	110	140	169	195	217	237	254	267	282	293	300	316	330	334	341	345	361	367	383	384	---	---	---	---	---	---	---
350	3	M	101	126	161	195	216	239	257	272	284	296	304	312	323	332	342	356	358	379	393	396	401	403	409	415	422	437	447	443
351	3	M	71	96	120	144	166	186	209	227	244	262	268	280	288	304	304	320	329	347	350	357	367	365	---	---	---	---	---	---
352	3	M	94	118	153	182	215	236	253	271	293	314	320	326	334	345	350	359	371	388	396	405	409	414	428	435	440	443	450	459
353	3	M	80	110	142	174	204	222	235	259	280	291	296	310	320	326	330	341	348	371	380	388	392	395	400	400	410	410	421	428
354	3	M	80	103	130	163	186	205	223	243	264	280	287	297	306	313	312	325	340	350	359	368	370	379	384	387	399	404	406	414
355	3	M	70	91	119	143	169	192	207	220	230	246	248	253	265	275	279	294	314	318	329	333	335	346	348	358	357	366	368	368
356	3	M	96	117	151	179	205	227	243	257	272	286	298	310	317	326	338	344	351	367	377	390	390	393	398	397	406	406	414	418
357	3	M	66	90	119	147	184	211	237	258	273	297	304	316	332	343	349	353	371	393	398	408	417	423	426	429	436	433	443	448
358	3	M	82	103	137	166	191	216	219	248	261	277	286	296	302	295	302	328	329	348	359	367	369	375	388	391	399	408	417	420
359	3	M	76	97	126	159	180	206	224	240	256	272	281	297	290	313	314	333	353	366	367	376	379	388	390	398	402	408	407	407
360	3	M	87	104	133	160	178	202	234	232	246	259	267	280	312	319	327	335	355	377	388	392	407	416	422	428	439	451	451	450

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T E R A L R O O P	S E X	TEST WEEK																											
		-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38
361	M	83	107	133	154	170	195	213	227	229	257	267	281	292	299	301	294	305	328	329	350	353	356	356	365	372	383	393	397
362	M	69	96	119	140	159	181	204	215	242	240	252	265	274	282	290	294	308	309	314	322	327	331	333	342	346	349	360	364
363	M	90	113	141	167	184	202	215	230	241	257	264	271	285	295	295	301	314	328	335	346	356	359	361	363	368	367	379	384
364	M	92	124	160	191	214	239	245	262	276	296	303	310	312	322	333	330	349	358	370	377	389	396	410	405	412	426	427	
365	M	85	111	148	174	203	226	244	264	269	288	297	304	303	320	326	327	340	350	368	367	312	330	350	410	---	---	---	
366	M	84	108	141	175	196	220	240	252	274	280	288	297	300	311	322	324	343	356	372	382	391	395	---	---	---	---	---	
367	M	107	130	157	184	201	225	235	247	268	281	291	298	310	313	317	321	335	352	353	368	377	---	---	---	---	---	---	
368	M	79	104	134	173	193	223	243	258	275	284	299	313	322	334	340	350	362	370	383	400	369	409	---	---	---	---	---	
369	M	100	118	152	171	193	222	241	256	267	287	300	308	320	329	332	345	352	362	367	381	392	405	403	411	424	434	444	447
370	M	70	95	111	143	174	199	221	236	252	266	281	289	305	313	324	330	341	357	366	373	386	392	389	404	407	413	412	
371	M	76	93	106	130	153	176	192	210	224	236	248	257	280	275	285	290	298	314	324	331	343	349	354	356	376	379	379	384
372	M	89	114	131	161	187	206	216	230	240	253	264	270	268	288	295	304	313	329	337	347	354	353	358	378	380	383	385	
373	M	90	118	147	179	201	232	248	269	286	302	311	324	332	342	327	349	369	381	387	402	413	---	429	424	439	448	453	455
374	M	94	116	144	168	189	211	215	240	254	272	279	285	288	299	299	310	320	333	342	352	349	358	368	376	375	383	387	
375	M	78	108	142	179	208	236	246	271	288	305	314	324	330	341	343	360	367	390	393	404	408	425	428	413	443	441	462	461
376	F	83	103	117	127	131	128	145	153	158	163	165	169	165	174	172	178	187	190	199	196	202	---	206	208	218	217	210	222
377	F	70	87	100	112	121	124	135	143	147	154	156	162	163	166	169	173	172	177	183	181	188	190	194	194	199	203	199	206
378	F	70	90	104	118	128	124	140	143	150	158	156	159	172	171	169	173	181	192	186	190	185	194	198	203	205	204	210	210
379	F	84	96	114	127	138	148	156	159	169	172	173	175	176	182	183	185	192	192	195	203	208	205	216	222	216	222	215	223
380	F	80	96	113	134	136	147	152	161	165	171	173	173	178	181	181	184	196	197	198	206	210	210	215	219	217	217	213	219
381	F	92	106	122	126	143	149	159	163	172	179	180	186	188	192	197	201	208	214	214	220	223	230	234	236	233	239	237	242
382	F	73	90	103	118	126	136	142	148	149	154	158	156	164	168	165	170	178	183	185	183	195	200	196	200	205	208	203	203
383	F	87	100	115	129	140	150	157	166	163	168	169	156	177	181	185	193	193	197	205	217	218	219	219	226	232	231	230	228
384	F	77	87	102	112	121	130	137	143	147	147	153	176	158	165	161	168	175	175	183	188	197	199	196	197	199	201	207	209
385	F	77	90	109	123	136	144	148	159	164	167	168	172	175	182	180	183	188	189	196	204	203	206	---	---	---	---	---	---
386	F	92	101	119	128	138	145	154	163	168	172	174	174	185	187	189	193	201	203	206	212	218	226	224	230	228	232	235	235
387	F	76	85	101	113	123	133	146	154	157	160	163	170	174	175	178	184	188	189	193	198	206	210	210	213	209	214	220	222
388	F	81	104	123	136	147	149	140	157	164	171	172	176	181	186	188	190	191	195	201	198	209	211	211	218	222	227	230	226
389	F	76	94	108	121	131	136	123	140	149	158	158	160	163	172	173	176	184	190	194	191	203	---	205	212	212	219	214	223
390	F	67	87	104	118	128	134	125	140	148	158	157	163	166	169	172	171	182	183	184	187	194	198	201	198	205	210	212	220
391	F	78	93	110	124	131	139	145	152	156	160	161	167	174	180	179	182	189	189	192	200	204	210	---	---	---	---	---	---
392	F	89	107	123	132	141	144	147	157	162	166	166	172	177	183	186	186	189	190	192	197	203	206	192	210	217	220	230	231
393	F	82	96	113	125	132	136	143	147	151	158	158	161	165	167	172	171	177	183	184	187	192	196	197	198	201	204	204	215
394	F	86	100	114	127	137	143	147	154	163	167	167	166	167	176	174	179	182	190	190	200	200	202	201	206	206	211	215	
395	F	82	94	110	126	139	146	153	159	165	171	168	174	180	178	176	179	183	189	191	193	197	200	205	208	209	210	216	218
396	F	74	88	103	114	124	130	135	138	147	151	151	156	160	164	162	165	167	177	174	181	184	186	188	193	193	198	199	203
397	F	94	114	131	140	145	156	153	165	171	174	175	180	185	187	188	191	192	202	203	210	215	214	212	219	222	227	223	225
398	F	83	99	113	123	132	139	141	144	159	158	159	163	163	168	169	172	174	180	184	186	188	195	193	201	205	206	198	210
399	F	72	92	112	125	134	145	147	153	151	167	166	170	170	175	174	177	187	189	196	200	202	205	209	215	218	219	208	218
400	F	79	93	112	125	135	144	150	158	164	169	171	173	180	179	180	188	193	195	193	200	206	207	207	206	208	213	211	218

--- = NO AVAILABLE DATA

Table VI.2 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRIAZINE-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
INDIVIDUAL BODY WEIGHTS (G)

A N I M A L	T R A C T	S E X	TEST WEEK																											
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38
401	3	F	97	106	118	132	138	145	154	159	164	167	165	171	179	182	185	190	194	196	201	205	210	214	213	213	216	219	225	232
402	3	F	97	106	122	135	142	152	160	167	173	175	180	187	197	202	200	209	207	208	207	213	218	218	221	223	222	224	232	233
403	3	F	78	98	113	125	137	141	147	155	160	166	167	170	172	175	179	177	183	188	193	196	201	205	206	212	216	216	216	216
404	3	F	72	90	102	117	128	132	139	148	154	157	159	161	162	171	176	176	186	191	197	197	200	202	202	204	210	210	202	221
405	3	F	72	94	114	131	142	154	165	176	181	183	188	195	200	204	209	211	213	217	219	226	222	227	225	236	239	243	246	242
406	3	F	82	99	112	126	136	143	153	157	160	163	164	171	177	177	177	185	185	194	200	202	206	207	210	211	215	219	222	225
407	3	F	73	88	102	120	130	140	145	150	161	160	164	169	168	176	176	181	186	191	196	205	208	209	209	213	220	221	223	225
408	3	F	67	86	95	113	125	133	140	145	145	149	153	154	158	162	163	178	172	171	179	179	185	186	---	---	---	---	---	---
409	3	F	69	82	100	107	118	126	131	141	145	152	150	155	181	185	187	193	193	193	196	205	205	207	---	---	---	---	---	---
410	3	F	86	97	113	122	133	139	148	155	163	165	166	171	177	178	180	181	185	192	197	198	199	200	201	208	206	210	211	215
411	3	F	80	97	117	130	141	152	157	161	166	170	174	173	177	183	185	192	188	193	196	199	203	204	210	215	215	218	216	215
412	3	F	76	90	106	117	125	132	137	143	149	152	152	162	171	181	176	176	188	193	199	200	204	206	---	---	---	---	---	---
413	3	F	76	96	115	127	134	147	153	163	165	166	170	174	181	175	188	188	196	200	202	203	204	209	207	215	214	218	222	227
414	3	F	63	83	101	116	125	132	139	146	152	156	160	166	171	171	183	180	187	194	197	193	199	204	---	---	---	---	---	---
415	3	F	77	89	108	121	127	135	145	150	157	160	159	168	169	174	181	181	186	187	192	194	200	201	205	208	216	214	214	217
416	3	F	88	105	122	132	139	149	156	168	172	174	173	177	183	185	192	188	193	196	199	203	204	210	215	215	215	218	216	215
417	3	F	77	94	112	123	131	142	144	151	157	162	164	170	171	175	181	181	188	188	194	194	200	206	205	206	208	211	212	225
418	3	F	77	90	107	120	130	137	144	152	159	161	164	166	170	172	169	177	183	189	193	194	197	200	---	---	---	---	---	---
419	3	F	76	90	105	121	133	145	152	158	162	169	172	175	177	182	181	190	191	198	198	207	207	205	208	204	212	217	218	225
420	3	F	74	87	102	114	122	127	135	138	144	149	144	152	152	159	158	160	168	173	175	177	178	184	186	186	190	196	200	200
421	3	F	67	83	100	113	124	133	139	149	153	157	161	165	169	172	178	177	186	189	196	197	202	207	204	205	211	216	214	218
422	3	F	81	97	113	125	134	139	144	148	152	159	160	162	166	170	177	174	181	183	185	186	191	194	194	196	201	204	206	210
423	3	F	76	90	106	118	126	133	138	145	150	156	156	161	164	169	170	175	179	180	180	180	184	186	188	190	197	193	200	198
424	3	F	91	101	117	130	138	146	152	160	162	169	171	176	182	182	184	193	196	199	204	217	218	218	223	216	224	229	234	237
425	3	F	90	102	115	129	138	146	154	157	166	170	170	174	173	181	176	184	189	191	194	205	206	193	219	217	218	218	222	229
426	3	F	81	98	116	125	132	141	146	150	154	159	159	165	164	169	167	173	179	184	193	193	193	197	200	201	208	207	213	212
427	3	F	63	76	94	114	124	134	141	147	150	158	160	162	168	168	169	173	178	180	180	186	182	186	188	197	193	192	198	201
428	3	F	75	89	107	119	131	138	151	158	163	165	166	174	178	180	182	185	191	195	195	202	207	208	208	212	216	222	219	220
429	3	F	75	85	101	114	125	134	140	146	151	155	157	164	170	173	172	173	179	177	181	188	191	193	191	195	196	203	208	206
430	3	F	74	94	110	121	132	147	144	147	148	155	156	156	162	167	172	174	180	182	183	188	190	198	195	201	204	204	204	207
431	3	F	74	94	115	126	136	144	151	156	155	158	170	172	180	185	186	189	197	201	197	202	208	---	205	209	212	212	215	220
432	3	F	81	97	113	124	132	141	146	149	165	167	160	164	168	173	179	179	186	190	191	195	202	206	207	207	209	215	220	221
433	3	F	77	89	108	122	133	138	145	151	156	165	164	169	168	176	178	182	188	191	194	197	203	197	202	197	205	212	216	218
434	3	F	75	88	108	119	128	134	142	148	152	155	158	166	166	170	174	174	180	188	189	198	199	202	199	202	214	219	218	221
435	3	F	78	90	108	119	129	136	141	150	159	164	163	166	167	173	173	181	188	184	191	197	198	199	205	207	210	211	213	213
436	3	F	81	100	116	147	136	147	157	164	169	176	178	180	189	192	192	194	204	205	206	208	219	220	222	215	228	226	228	236
437	3	F	92	108	120	133	141	151	155	164	169	172	178	177	181	183	185	196	200	193	207	214	218	219	222	231	227	235	236	236
438	3	F	69	86	103	116	126	137	145	153	156	161	163	168	171	178	182	190	193	195	195	203	208	211	215	214	223	223	228	224
439	3	F	91	100	118	126	132	138	148	152	158	160	165	170	173	178	179	178	179	186	192	192	200	202	205	204	202	205	213	221
440	3	F	78	93	110	123	131	143	149	155	158	164	166	166	169	178	182	182	186	185	197	197	202	197	194	198	194	208	213	210

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N T M A L N O D	T R G R O U P	S E X	TEST WEEK																													
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38		
441	3	F	86	94	110	124	133	147	154	160	166	166	169	175	180	186	183	186	192	197	197	202	209	206	---	---	---	---	---	---	---	
442	3	F	76	90	107	124	133	144	151	158	169	160	178	177	186	186	191	188	197	202	210	214	214	222	215	216	214	221	227	230	---	
443	3	F	84	93	108	120	128	138	143	150	157	173	164	167	172	176	179	183	184	190	195	198	202	204	---	---	---	---	---	---	---	
444	3	F	74	92	108	126	135	139	149	156	160	163	164	170	179	180	179	183	191	190	197	205	207	211	213	215	218	220	227	230	---	
445	3	F	62	85	104	117	130	140	145	152	159	166	161	173	176	179	184	185	178	194	197	202	207	210	211	206	213	216	220	224	---	
446	3	F	68	86	104	119	132	138	144	152	155	163	168	164	170	171	177	176	181	190	192	193	196	205	207	203	207	210	210	216	---	
447	3	F	84	98	114	125	134	138	144	150	155	163	158	161	163	170	171	172	176	183	188	192	198	199	---	---	---	---	---	---	---	
448	3	F	88	100	113	125	134	141	148	152	158	162	163	168	171	177	177	180	188	192	194	199	203	202	207	214	212	215	217	223	---	
449	3	F	84	95	106	123	134	146	151	158	163	167	170	177	176	177	180	183	188	192	196	200	205	209	215	216	221	223	221	228	229	---
450	3	F	76	93	112	124	132	143	149	161	165	170	174	176	182	186	185	191	194	194	201	210	212	217	216	221	223	221	228	229	---	
451	4	M	84	111	144	175	202	221	244	262	276	284	300	313	319	328	335	344	356	370	371	380	387	385	395	393	407	408	414	415	---	
452	4	M	101	124	152	180	201	218	234	248	257	271	276	284	291	298	304	309	322	333	339	351	358	364	374	372	388	395	399	400	---	
453	4	M	85	116	151	183	207	226	242	251	265	279	284	294	300	310	316	322	334	346	359	363	368	370	377	382	388	399	405	406	---	
454	4	M	91	117	138	165	184	207	223	237	249	259	269	282	290	304	310	323	339	351	363	371	373	385	391	407	404	408	415	422	---	
455	4	M	103	135	158	192	215	240	258	277	285	301	311	322	330	339	346	355	373	384	394	402	406	419	425	428	438	434	447	454	---	
456	4	M	66	93	109	130	152	170	186	202	215	227	254	247	254	265	267	287	302	309	316	323	326	331	337	342	353	360	366	366	---	
457	4	M	73	99	126	152	167	186	203	213	239	249	270	283	294	309	315	331	334	352	361	372	379	378	390	391	406	411	419	422	---	
458	4	M	78	102	123	148	165	186	196	213	234	242	252	260	271	278	282	293	310	318	327	336	341	351	356	360	374	371	383	382	---	
459	4	M	70	98	122	145	161	176	196	222	226	260	256	267	279	292	294	308	320	333	344	367	371	375	385	385	390	399	402	405	---	
460	4	M	82	108	138	166	185	203	211	225	235	247	254	261	268	278	286	295	313	320	329	342	346	351	365	370	370	386	395	401	---	
461	4	M	81	110	136	157	170	192	212	228	241	256	270	271	282	292	302	308	321	336	344	353	361	369	363	371	387	399	403	408	---	
462	4	M	103	124	151	176	195	215	235	246	263	275	290	289	299	311	320	334	350	366	377	396	396	408	---	---	---	---	---	---	---	
463	4	M	90	114	158	185	214	230	245	254	266	282	284	288	300	311	310	322	332	343	357	366	367	379	379	388	391	410	407	418	---	
464	4	M	93	114	150	181	207	232	246	267	278	298	305	314	322	334	347	350	358	368	382	385	394	397	401	401	405	410	416	426	---	
465	4	M	79	97	128	152	181	198	214	230	245	255	262	276	285	292	299	308	315	330	342	356	361	364	378	381	385	403	403	418	---	
466	4	M	96	122	150	173	190	205	218	232	238	257	264	264	273	329	285	295	299	308	373	331	332	340	341	345	359	363	365	369	---	
467	4	M	82	105	136	168	196	218	235	256	273	287	298	306	319	282	340	347	354	362	377	391	394	403	408	410	416	417	419	432	---	
468	4	M	86	112	143	168	193	215	232	251	268	285	294	301	312	327	330	338	352	363	318	386	393	405	406	421	430	438	437	449	---	
469	4	M	91	115	150	187	216	237	258	270	284	301	309	316	327	336	346	349	365	374	382	389	395	401	408	399	413	416	421	428	---	
470	4	M	79	108	143	175	208	227	244	264	280	298	307	318	329	340	352	361	375	391	406	414	424	432	429	430	437	444	444	445	---	
471	4	M	78	102	134	166	192	215	225	244	256	272	282	291	302	313	325	327	336	344	353	361	365	371	370	369	372	376	380	388	---	
472	4	M	108	131	169	196	223	237	253	266	283	287	306	313	322	335	336	339	363	376	386	397	414	415	419	427	436	448	463	465	---	
473	4	M	82	104	131	155	177	196	211	231	247	265	271	282	289	300	306	303	322	334	348	355	366	366	---	---	---	---	---	---	---	
474	4	M	67	94	123	144	163	179	191	208	218	234	247	248	258	266	268	269	296	308	315	326	338	326	347	356	366	370	377	380	---	
475	4	M	87	112	145	177	199	215	232	246	268	279	280	291	304	312	313	327	334	342	360	367	378	387	388	396	391	391	395	396	---	
476	4	M	86	111	143	172	197	217	233	253	267	272	280	290	301	310	319	319	339	358	364	374	383	387	---	---	---	---	---	---	---	
477	4	M	84	108	135	165	183	205	220	236	251	262	264	279	290	296	306	308	323	334	340	343	347	354	359	362	369	377	377	378	---	
478	4	M	95	117	124	132	163	195	216	220	240	262	261	277	289	300	305	312	315	288	316	338	350	346	348	359	371	377	371	369	---	
479	4	M	96	124	154	177	193	207	220	237	252	265	265	280	290	302	307	312	320	336	349	351	363	368	371	376	380	387	389	394	---	
480	4	M	88	117	148	179	199	214	237	248	268	288	292	312	322	335	340	349	365	375	389	401	404	411	421	428	433	439	445	450	---	

--- = NO AVAILABLE DATA

Table VI.2 (continued)

A N I M A L R O D U P	TEST WEEK																															
	-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38				
481	88	112	141	166	190	206	219	232	244	254	246	276	285	295	303	314	326	339	343	352	353	365	364	367	376	381	387	388				
482	84	108	137	164	185	208	227	244	233	271	277	291	304	316	328	339	347	358	366	370	376	384	386	384	394	394	395	392	403			
483	84	103	130	158	174	191	203	220	260	244	278	290	304	316	328	337	348	358	366	370	376	384	386	382	384	394	395	392	403			
484	78	99	128	154	172	196	214	230	247	263	272	282	294	300	307	327	334	345	354	364	368	375	---	---	---	---	---	---				
485	88	85	101	124	138	154	170	184	201	219	226	233	244	251	254	256	272	278	284	301	307	320	316	321	326	333	339					
486	89	113	146	175	190	210	229	245	260	277	285	297	311	315	322	316	348	358	369	384	384	364	384	401	405	416	432	442				
487	73	100	124	148	167	187	206	223	237	250	272	286	293	308	316	308	331	349	347	375	379	390	---	---	---	---	---	---				
488	92	117	138	161	177	202	220	224	246	264	266	269	286	299	301	309	320	333	343	351	357	362	364	371	380	368	376	381				
489	91	115	140	166	185	203	225	224	253	264	260	272	281	293	282	321	318	332	360	354	360	---	368	384	401	399	393	409				
490	77	104	132	161	191	216	231	246	261	276	287	296	301	315	330	336	322	365	364	383	395	407	409	416	419	428	410	432				
491	95	127	163	192	218	242	256	281	291	303	313	317	326	333	349	348	348	374	381	393	400	406	403	402	413	423	408	415				
492	88	119	150	181	207	228	239	255	264	275	282	294	302	310	323	326	361	351	359	366	380	383	---	---	---	---	---	---				
493	86	113	145	176	188	212	231	248	267	280	287	298	309	323	303	334	359	373	383	402	408	---	420	428	439	445	451	453				
494	84	106	135	159	171	194	214	228	240	255	268	277	287	298	304	319	337	349	371	380	377	388	394	402	414	418	421	433				
495	74	99	126	147	165	181	197	208	222	238	245	251	255	271	279	281	291	304	305	318	326	336	334	336	337	348	355	352				
497	86	119	152	182	210	231	244	261	271	293	300	311	318	334	348	349	357	366	364	381	387	393	394	406	402	412	417	418				
498	92	122	153	182	212	237	249	264	284	300	308	316	328	340	346	352	367	381	387	401	413	411	413	418	428	432	440	439				
499	102	124	158	190	213	236	245	262	285	297	303	315	325	337	346	358	366	382	399	396	400	404	413	411	433	429	426	440				
500	88	111	143	170	191	213	226	243	260	276	282	287	305	313	318	326	335	351	356	360	363	366	---	---	---	---	---	---				
501	93	113	142	165	181	201	219	228	243	253	259	268	277	289	296	303	310	329	333	347	348	351	357	365	375	370	357	364				
502	61	84	107	129	150	175	201	215	233	252	263	276	292	301	306	313	329	344	353	366	366	370	376	380	379	392	405	406				
503	82	112	140	161	181	209	230	247	264	277	288	294	301	308	313	320	337	349	355	368	370	379	382	379	389	399	406					
504	103	127	152	178	197	222	246	257	270	285	296	304	316	329	336	333	358	372	387	397	402	406	411	408	428	433	443	453				
505	97	126	154	170	195	220	236	248	263	283	289	306	317	332	352	355	374	386	394	398	400	402	408	414	418	416	436	431				
506	75	102	132	155	178	204	224	251	251	268	279	293	304	317	324	322	337	343	350	354	363	362	367	368	373	375	380	381				
507	73	106	132	155	186	213	237	249	267	281	296	307	319	335	344	349	364	378	393	402	409	412	410	415	419	413	428	425				
508	95	108	140	168	184	209	220	232	245	259	270	274	285	292	294	306	316	326	337	351	355	354	---	---	---	---	---	---				
509	95	103	141	173	194	217	232	240	250	268	278	287	299	305	304	315	324	335	344	359	364	369	---	---	---	---	---	---				
510	90	100	135	168	187	208	221	240	250	266	279	289	304	312	314	324	344	354	365	381	382	390	391	405	405	411	420	421				
511	78	108	141	174	205	235	252	268	283	291	303	313	326	335	345	351	357	367	378	388	397	401	404	397	400	409	419	420				
512	81	120	159	195	224	245	268	284	297	295	302	329	343	351	362	365	372	390	394	405	410	420	422	422	426	432	442	448				
513	86	119	154	183	213	234	252	264	278	318	321	312	320	323	336	334	340	354	355	365	373	371	373	380	384	384	386	399				
514	104	130	164	197	224	251	270	288	306	305	331	344	347	358	361	372	392	401	410	412	416	427	436	437	442	446	456	457				
515	94	115	148	177	198	221	237	250	265	264	287	296	296	308	349	331	339	351	360	370	378	382	389	385	402	403	411	405				
516	93	117	151	184	208	231	250	264	278	275	301	312	316	329	320	350	363	382	400	407	415	421	421	431	435	435	448	446				
517	82	104	129	162	181	202	216	227	273	255	264	272	280	293	292	297	303	322	326	340	344	347	355	354	370	372	363	366				
518	67	85	113	142	152	175	192	205	223	235	246	258	269	276	277	284	294	315	325	322	331	330	335	345	345	354	340	336				
519	87	108	132	164	191	218	239	254	243	288	295	306	316	321	331	341	364	370	384	396	405	406	410	422	422	406	403					
520	94	124	156	186	215	236	253	267	279	294	300	312	313	328	342	344	353	370	374	388	392	395	---	---	---	---	---	---				

Table VI.2 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
INDIVIDUAL BODY WEIGHTS (G)

A N I T M A L R O N	S E X	TEST WEEK																												
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38
521	4	M	88	119	154	183	202	224	240	249	259	270	281	290	293	304	319	316	336	348	358	366	370	381	385	380	390	387	399	391
522	4	M	66	89	116	145	170	196	214	21	238	258	262	269	275	286	297	300	314	327	330	333	340	356	355	358	378	374	380	377
523	4	M	78	98	119	138	150	163	177	187	190	205	215	222	230	244	255	260	286	296	308	315	323	338	341	326	345	353	361	364
524	4	M	72	98	130	158	180	192	217	228	242	261	270	279	288	303	307	315	334	348	360	371	381	388	387	394	399	406	408	408
525	4	M	73	100	131	159	182	201	219	233	248	259	267	275	284	292	302	307	317	329	337	347	356	360	365	367	376	381	385	382
526	4	F	82	98	121	136	142	154	158	162	168	173	170	176	182	186	187	194	195	200	206	211	211	211	211	211	211	213	222	222
527	4	F	82	98	114	129	143	152	157	167	171	181	180	185	187	195	195	194	201	208	207	212	216	217	221	224	225	228	230	226
528	4	F	84	92	110	121	132	140	146	150	158	160	161	167	168	176	173	172	178	184	184	192	197	196	200	214	210	211	212	214
529	4	F	87	107	124	135	142	148	155	152	168	174	176	179	182	186	190	189	195	201	208	211	216	216	219	213	224	226	226	228
530	4	F	74	91	106	119	125	136	131	142	155	160	163	166	172	176	183	180	190	192	194	198	205	208	210	196	216	218	220	221
531	4	F	78	92	106	118	123	133	138	132	145	153	157	156	160	163	168	168	177	181	183	188	193	196	198	188	205	206	208	204
532	4	F	70	88	107	121	132	141	141	149	155	161	164	165	169	178	180	184	188	193	198	204	210	215	216	219	223	227	228	231
533	4	F	83	98	112	123	131	138	146	150	155	163	159	167	166	169	177	173	179	188	192	199	202	206	206	208	215	219	218	219
534	4	F	78	93	110	119	126	133	136	143	146	152	152	159	157	165	169	170	175	179	182	184	187	192	190	195	195	198	220	206
535	4	F	70	86	102	115	122	130	136	143	146	150	152	152	157	165	166	165	172	176	177	177	193	188	189	187	189	190	186	188
536	4	F	63	76	94	108	121	126	136	141	147	152	154	158	164	170	170	179	183	180	186	184	197	199	200	203	200	206	206	209
537	4	F	70	83	94	103	109	116	123	128	131	135	139	140	140	151	151	150	160	166	163	165	172	181	183	182	183	181	198	193
538	4	F	88	105	119	130	137	148	153	161	164	165	168	169	173	177	183	181	185	190	192	193	198	202	---	---	---	---	---	---
539	4	F	68	93	111	118	130	136	146	155	158	164	165	169	170	178	183	182	187	194	196	196	207	205	---	---	---	---	---	---
540	4	F	67	86	104	116	128	138	148	165	157	160	167	171	172	178	183	180	185	194	194	193	199	199	198	195	200	203	211	216
541	4	F	88	91	117	131	139	150	158	163	169	174	173	178	178	186	182	193	197	203	209	210	218	216	---	---	---	---	---	---
542	4	F	74	77	101	116	126	135	142	149	154	161	164	168	170	177	175	182	186	193	200	200	204	205	202	200	196	209	213	215
543	4	F	70	76	98	113	123	133	136	142	143	151	153	160	159	162	159	162	167	175	181	180	188	185	---	---	---	---	---	---
544	4	F	74	90	105	119	128	145	142	147	152	157	158	167	170	172	175	178	184	188	187	192	194	197	202	202	206	205	204	208
545	4	F	90	102	114	128	138	137	151	157	164	166	168	170	175	177	178	182	186	195	191	198	196	200	206	209	207	208	214	221
546	4	F	85	102	112	124	135	141	144	150	154	158	162	166	166	175	174	180	178	183	186	194	192	194	197	200	200	207	203	212
547	4	F	80	95	110	118	128	140	147	153	154	158	160	166	168	171	173	180	178	181	189	191	200	202	198	197	202	207	204	206
548	4	F	75	92	107	121	131	141	148	149	154	158	163	165	169	172	172	178	180	186	189	190	196	197	204	202	198	203	208	204
549	4	F	85	95	111	120	131	142	148	149	155	159	159	165	165	175	176	183	185	192	195	198	199	206	208	204	208	208	207	215
550	4	F	77	95	110	125	134	142	152	156	158	167	167	173	176	183	188	191	198	204	206	212	217	217	219	221	228	225	231	234
551	4	F	76	94	110	122	129	136	141	150	150	161	160	160	167	168	174	173	176	183	184	188	192	198	194	199	204	206	205	205
552	4	F	83	106	122	134	141	144	153	161	164	178	178	182	185	191	200	202	208	211	224	234	237	239	249	250	252	257	262	273
553	4	F	94	111	130	145	157	167	173	180	190	194	196	202	204	211	215	221	224	234	237	239	249	250	255	252	257	262	260	273
554	4	F	70	88	101	118	134	142	150	157	164	168	169	175	177	184	182	183	190	202	210	213	218	---	225	223	224	229	237	236
555	4	F	94	111	123	135	142	151	155	166	170	173	174	174	179	185	187	183	192	195	202	204	212	---	214	214	218	223	228	231
556	4	F	80	96	109	126	142	151	158	164	141	176	173	176	182	187	193	194	204	212	216	223	229	238	228	230	237	241	244	246
557	4	F	82	98	114	128	136	145	151	159	166	171	173	178	180	187	189	186	192	200	206	204	214	216	---	---	---	---	---	---
558	4	F	88	106	120	134	142	151	158	166	170	174	172	175	178	182	192	190	200	200	201	204	207	213	211	214	215	217	215	223
559	4	F	80	99	113	126	134	140	144	150	154	160	162	162	168	171	174	176	179	184	189	191	193	198	200	198	205	207	202	211
560	4	F	60	82	101	118	125	135	143	152	165	158	159	160	166	169	175	175	176	179	188	189	193	201	195	194	198	203	209	204

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L N O J P S E X		TEST WEEK																															
		-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38				
561	4	83	105	119	133	142	152	157	160	153	168	169	171	176	178	183	180	186	190	191	196	202	208	209	207	212	212	215	202	216			
562	4	81	98	113	128	137	144	153	161	163	169	173	178	182	183	188	189	193	201	207	210	216	220	214	223	221	224	226	228				
563	4	72	96	113	129	137	146	153	159	164	168	168	171	174	179	183	180	187	190	192	199	203	207	205	210	208	212	215	220				
564	4	73	89	108	122	129	135	140	145	148	154	156	161	162	168	176	173	182	185	190	194	200	205	208	208	209	210	219	215				
565	4	90	107	115	133	143	151	148	165	173	177	177	180	185	187	197	199	198	200	207	208	211	218	---	---	---	---	---	---				
566	4	80	97	105	122	133	141	158	153	159	170	166	172	174	180	184	156	186	183	189	192	199	205	205	206	208	212	211	217				
567	4	68	95	98	115	129	141	151	161	167	174	175	175	185	193	191	186	196	199	206	210	219	---	---	216	222	225	229	233	232			
568	4	77	88	101	111	120	129	132	140	142	147	152	153	157	164	165	172	170	177	181	188	194	194	197	196	199	204	207	208				
569	4	68	83	97	110	120	132	138	143	149	151	153	158	163	168	168	174	169	173	185	187	192	191	198	195	197	201	201	200				
570	4	78	89	106	118	125	142	153	157	159	172	171	176	174	182	181	183	183	186	192	195	204	201	199	202	206	203	208	208				
571	4	77	93	110	125	139	149	158	165	171	173	176	183	186	186	184	193	195	206	210	211	217	219	219	220	224	224	226	239				
572	4	84	98	112	128	137	144	153	159	167	170	171	178	182	182	183	188	191	200	202	200	207	213	217	216	224	224	220	229				
573	4	64	84	102	119	132	139	150	157	161	167	168	174	172	177	176	182	186	190	193	196	197	203	207	208	211	215	209	214				
574	4	78	92	110	122	133	142	147	154	157	162	166	171	173	174	179	178	183	188	186	192	192	197	200	199	202	208	206	206				
575	4	92	111	129	142	154	136	166	177	186	190	194	198	206	206	218	215	223	230	229	238	246	247	248	248	256	259	263	264				
576	4	68	85	103	117	129	137	143	152	156	160	164	168	170	173	177	174	182	185	188	193	199	200	198	201	209	211	211	212				
577	4	76	92	107	119	128	138	142	150	154	160	158	165	168	171	174	177	180	187	188	188	196	199	197	199	203	205	208	214				
578	4	72	83	98	111	124	134	141	145	152	156	156	161	169	175	173	181	180	187	187	195	198	197	203	198	208	206	204	208				
579	4	79	92	106	118	126	135	141	149	154	160	161	162	166	171	170	173	177	184	187	190	194	197	---	---	---	---	---	---				
580	4	86	96	108	120	131	136	141	147	147	153	162	164	174	173	176	180	182	189	195	198	201	204	203	208	210	209	215	215				
581	4	91	102	105	113	142	150	154	162	156	169	170	174	180	184	186	191	197	200	203	203	211	207	---	---	---	---	---	---				
582	4	80	93	105	121	133	139	143	152	147	160	152	161	166	167	168	173	177	181	184	189	194	194	199	198	203	210	210	213				
583	4	78	89	97	118	123	134	141	152	161	160	161	169	174	187	165	179	186	190	186	197	198	---	198	215	203	214	201	207				
584	4	76	91	98	120	131	141	151	156	154	168	171	178	180	177	187	190	197	203	203	214	219	227	233	230	232	231	232	241				
585	4	76	89	93	118	124	135	141	147	153	157	156	164	166	170	171	174	178	187	184	192	196	203	206	210	211	207	210	217				
586	4	71	94	108	115	130	139	140	149	152	166	161	169	166	169	177	175	182	188	190	198	201	207	206	204	213	217	215	217				
587	4	76	95	110	127	136	143	138	145	148	151	152	154	160	160	164	164	169	170	173	177	178	187	188	191	193	194	193	193				
588	4	86	104	116	123	132	143	150	157	162	160	166	169	174	176	183	180	189	194	198	202	210	211	214	213	220	226	228	230				
589	4	84	102	118	129	136	143	152	157	158	165	166	169	173	179	183	183	187	191	199	198	198	203	203	209	211	212	215	216				
590	4	72	90	105	118	128	136	143	151	154	159	160	167	174	179	180	180	186	191	196	197	202	205	204	208	208	212	217	223				
591	4	72	88	100	114	123	131	134	141	144	149	151	152	157	159	164	161	173	177	178	184	187	192	189	192	196	200	201	206				
592	4	75	88	99	111	118	125	129	133	138	141	140	146	151	155	154	157	162	164	165	172	181	177	184	182	187	189	194	---				
593	4	85	96	110	124	131	138	142	148	153	157	159	162	167	168	171	175	182	186	182	190	194	196	---	---	---	---	---	---				
594	4	85	97	114	129	135	145	152	158	163	171	167	173	178	180	181	180	186	192	198	202	207	213	208	215	219	219	222	224				
595	4	86	96	110	122	132	140	145	148	154	156	157	160	164	166	167	171	175	188	187	193	196	197	202	207	207	206	208	210				
596	4	76	91	101	115	126	133	140	150	158	162	165	172	176	181	184	186	188	196	191	197	213	213	208	207	216	213	221	218				
597	4	88	98	112	125	136	144	152	159	165	164	169	169	179	182	180	189	192	201	203	211	214	217	216	215	222	222	224	225				
598	4	72	86	99	113	127	135	142	151	166	160	164	169	173	174	180	188	195	194	196	204	205	205	201	200	200	208	213	216				
599	4	69	84	100	115	129	137	144	152	155	165	165	172	178	179	180	184	188	191	195	207	208	209	---	---	---	---	---	---				
600	4	69	82	96	113	125	134	143	150	154	165	163	168	172	175	177	180	187	185	187	194	198	198	201	201	205	199	213	214				

--- = NO AVAILABLE DATA

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L R O O P	S E X	TEST WEEK																												
		-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38	
601	M	76	103	125	145	162	182	204	219	230	261	255	263	275	286	286	300	305	301	322	343	351	361	366	375	366	373	374	343	
602	M	98	127	151	169	183	208	223	235	247	244	266	281	291	298	306	313	320	315	318	344	354	350	371	381	368	387	401	396	
603	M	74	99	121	140	155	177	201	212	225	242	266	282	280	287	290	302	318	343	---	---	---	---	---	---	---	---	---	---	
604	M	76	101	131	155	174	196	221	242	260	276	286	269	303	320	332	347	346	355	376	380	362	367	370	370	394	400	401	398	
605	M	87	108	136	163	179	193	214	231	245	261	293	279	296	291	303	312	321	335	343	337	325	---	---	---	---	---	---		
606	M	85	108	133	161	177	187	206	219	232	255	264	270	282	289	292	301	313	318	343	355	343	360	345	354	372	383	361		
607	M	75	105	135	154	174	197	216	226	240	251	260	267	270	289	308	299	309	308	304	312	326	325	336	---	---	---	---		
608	M	90	123	156	182	208	230	248	260	272	281	294	304	308	326	332	338	354	359	372	389	395	402	402	412	399	397	394	394	
609	M	81	103	135	159	182	203	221	231	239	258	264	270	280	289	303	305	322	310	302	300	307	307	---	---	---	---	---		
510	M	87	113	138	158	173	189	205	222	233	244	251	260	272	282	290	292	302	305	276	290	279	---	---	---	---	---	---		
511	M	82	108	141	166	187	206	220	190	244	260	265	277	289	299	313	312	330	347	360	384	383	390	388	386	380	382	380	381	
512	M	66	94	115	133	150	164	180	235	207	224	237	249	263	275	284	282	289	299	294	294	286	312	---	---	---	---	---		
513	M	87	114	138	158	178	198	217	232	245	260	264	268	280	287	291	300	305	342	330	323	317	320	---	---	---	---	---		
514	M	96	124	148	170	190	205	216	228	245	264	270	279	286	293	304	310	319	333	248	347	341	338	357	356	346	369	375	390	
515	M	85	115	136	155	175	194	212	226	240	251	258	265	274	286	276	296	310	325	347	353	345	---	---	---	---	---	---		
516	M	74	96	114	131	150	164	180	190	206	214	229	234	234	248	257	268	294	284	299	308	315	325	335	314	338	345	343	344	
517	M	84	112	136	154	169	180	195	208	215	228	236	249	259	266	270	282	296	308	316	330	317	323	334	298	331	343	342	334	
518	M	80	108	130	148	167	186	199	211	225	240	246	253	264	275	280	288	303	315	323	332	332	350	348	357	336	359	350	349	
519	M	94	124	146	165	174	195	209	207	227	244	261	260	262	271	273	286	308	322	336	350	330	337	351	355	351	365	357	362	
520	M	63	86	105	126	144	162	183	210	223	229	236	246	259	266	275	284	284	307	329	330	284	278	316	331	343	348	346		
521	M	87	111	134	148	161	176	193	190	210	235	240	252	258	274	277	285	276	270	284	300	310	300	---	---	---	---	---		
522	M	95	118	142	158	174	198	206	223	234	253	260	267	276	289	293	304	312	328	340	332	326	341	366	340	349	---	---		
523	M	85	108	138	161	178	203	219	232	251	269	275	281	292	304	305	318	329	348	347	367	376	371	345	360	375	386	379	383	
524	M	83	114	142	160	169	187	198	211	230	248	256	266	281	291	297	309	318	338	339	332	347	354	362	333	350	362	364	362	
525	M	85	107	133	152	168	184	199	212	224	235	281	254	262	271	281	293	303	315	323	330	328	243	266	---	---	---	---		
526	M	88	120	146	171	192	206	224	241	250	272	281	293	306	319	328	335	343	361	342	338	308	369	329	300	328	364	366	373	
527	M	101	131	156	174	191	210	230	250	261	270	275	288	298	306	312	318	332	353	357	376	377	386	402	395	366	382	393	384	
528	M	70	92	125	148	173	196	213	226	240	257	260	268	288	289	299	302	314	320	334	342	352	349	350	355	359	363	354	340	
529	M	72	95	119	138	161	189	209	224	239	257	268	279	276	301	317	301	332	340	352	351	363	368	371	371	373	365	378	378	
530	M	99	118	147	160	178	201	220	230	242	260	267	275	280	296	307	318	328	339	344	351	361	360	350	343	345	339	337	323	
531	M	90	109	129	145	158	171	181	189	201	208	214	223	236	243	249	258	279	292	300	---	---	---	---	---	---	---	---		
532	M	92	119	142	160	172	189	206	219	237	249	254	281	296	303	308	324	328	329	326	354	358	372	389	401	402	404	414	406	
533	M	99	126	152	161	182	201	219	232	246	263	270	266	277	292	291	301	319	324	333	344	336	326	339	336	328	353	344	357	
534	M	70	92	111	132	148	166	177	190	199	211	220	236	294	306	316	319	335	347	345	329	328	---	---	---	---	---	---		
535	M	104	126	150	165	178	199	215	232	246	260	257	278	249	264	276	276	289	322	298	300	299	312	344	349	357	374	351	333	
536	M	92	115	141	166	184	204	213	225	233	241	273	260	266	280	239	281	308	298	341	345	363	376	---	---	---	---	---		
537	M	98	125	151	169	185	202	207	225	235	241	246	257	265	275	290	295	298	314	322	331	340	339	330	333	356	370	372	367	
538	M	66	87	109	127	144	164	175	190	204	216	221	228	243	254	269	270	286	299	310	322	333	343	348	342	347	326	356	343	
539	M	70	94	115	133	151	167	178	195	202	217	229	241	251	261	278	282	306	307	307	323	327	331	330	378	356	373	376	369	362
540	M	81	110	136	149	178	196	212	240	236	252	266	280	288	299	305	323	340	353	366	368	371	370	378	356	370	372	372	367	

----- = NO AVAILABLE DATA

Table VI.2 (continued)

A N I M A L	T R G R O U P	S E X	TEST WEEK																												
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38	
641	5	M	92	119	143	163	183	204	222	228	252	259	263	279	284	295	304	298	318	318	330	342	346	364	374	379	379	383	383	388	393
642	5	M	104	129	153	170	186	208	225	242	261	264	273	287	294	307	314	303	329	325	346	---	---	---	---	---	---	---	---	---	---
643	5	M	71	92	113	133	148	160	175	216	204	218	225	238	245	260	269	268	278	298	318	327	317	325	---	---	---	---	---	---	---
644	5	M	72	103	134	152	168	187	204	221	235	251	262	272	284	298	309	308	316	326	328	331	337	331	343	357	361	369	378	377	
645	5	M	67	90	119	138	158	178	198	212	233	246	260	269	284	296	304	297	314	317	324	340	343	325	316	299	323	356	359	356	
646	5	M	79	111	134	150	168	188	202	217	225	245	253	264	276	289	305	296	326	336	348	354	365	373	371	364	352	373	376	371	
647	5	M	81	113	143	166	190	209	222	241	256	265	272	283	288	296	312	307	324	334	346	350	348	350	340	318	356	376	378	369	
648	5	M	94	115	144	166	187	206	224	242	251	244	273	281	288	296	304	318	325	331	353	366	369	376	371	340	360	376	368	370	
649	5	M	93	118	143	159	173	190	206	216	229	244	250	256	269	287	295	298	313	331	344	360	355	339	350	348	353	376	373	340	
650	5	M	96	123	151	172	188	208	226	241	254	265	278	290	303	320	321	326	336	354	360	375	369	362	357	338	378	382	393		
651	5	M	87	113	138	163	181	195	214	228	245	255	268	279	288	295	307	315	331	338	353	373	369	373	378	373	347	350	340	373	
652	5	M	87	117	142	162	180	198	216	233	250	263	272	282	288	300	286	291	328	337	348	353	366	---	368	374	371	376	363	370	
653	5	M	80	111	137	158	170	183	198	208	220	231	239	248	259	268	269	277	328	298	267	257	287	277	278	305	318	334	344	337	
654	5	M	92	122	151	170	185	203	218	232	245	261	273	285	292	305	304	313	289	336	288	289	284	300	307	325	338	354	351	354	
655	5	M	78	100	133	155	171	191	211	222	257	252	256	263	273	293	308	310	316	328	343	353	353	364	368	363	367	369	377		
656	5	M	76	104	129	147	160	178	189	206	235	235	239	250	261	263	282	284	304	309	320	328	334	331	306	277	316	347	345	347	
657	5	M	84	110	143	166	191	213	232	240	235	271	276	288	297	300	312	321	332	341	346	342	359	356	---	---	---	---	---	---	
658	5	M	84	103	125	145	157	175	192	206	212	225	222	231	240	299	262	264	282	255	252	259	250	264	282	270	299	319	321	331	
659	5	M	99	133	160	178	191	208	221	240	246	260	259	275	291	302	312	310	330	344	325	---	---	---	---	---	---	---	---	---	
660	5	M	99	119	142	166	181	203	217	233	251	269	270	274	293	250	308	311	225	352	346	367	380	378	396	387	387	390	387	357	
661	5	M	106	138	165	180	200	225	243	256	237	284	291	301	310	322	328	339	335	342	363	360	312	344	300	359	340	363	372	363	
662	5	M	90	114	136	157	171	195	201	226	266	284	256	267	281	289	297	304	322	331	349	362	366	360	360	360	370	380	374	374	
663	5	M	72	100	124	144	160	180	214	256	241	257	265	275	281	295	301	303	305	306	320	319	296	307	298	287	322	328	333	337	
664	5	M	70	101	128	145	163	184	199	253	223	284	295	296	265	277	290	291	299	319	318	326	308	286	---	---	---	---	---	---	
665	5	M	84	118	149	170	192	215	232	212	223	239	246	251	293	309	332	331	340	355	359	352	328	295	338	358	369	360	356	357	
666	5	M	81	113	141	156	177	200	214	232	244	257	270	276	323	295	308	306	316	328	338	349	354	367	---	---	---	---	---	---	
667	5	M	63	83	109	127	150	174	189	211	222	237	252	263	276	283	295	301	315	325	328	320	326	332	325	333	336	336	430	341	
668	5	M	101	126	156	176	204	224	238	253	264	281	261	298	310	320	324	335	348	317	334	344	352	367	367	383	395	399	393	386	
669	5	M	74	97	132	153	175	194	208	226	240	252	293	269	284	291	296	296	307	306	323	321	343	346	358	355	375	---	---	---	
670	5	M	88	100	131	143	161	183	185	213	225	240	246	258	290	275	286	292	304	302	314	360	329	304	323	307	322	341	356	344	
671	5	M	93	112	159	172	189	212	210	230	243	258	269	282	266	300	315	315	330	346	354	355	343	358	362	357	372	388	400	394	
672	5	M	80	99	136	158	187	210	209	242	256	279	282	303	315	323	336	331	352	365	366	369	389	371	376	355	372	395	388	393	
673	5	M	86	114	152	173	191	213	236	249	263	278	283	292	310	318	324	330	350	358	348	237	358	380	364	405	385	393	399	407	
674	5	M	85	115	139	162	184	201	218	234	248	266	274	284	296	309	314	314	331	361	374	379	370	378	364	367	357	378	384	378	
675	5	M	78	106	129	153	169	186	202	213	226	236	250	260	271	280	289	299	306	313	308	312	316	304	306	324	323	335	345	348	
676	5	F	80	90	100	111	120	130	132	141	144	146	147	151	154	157	166	163	175	177	181	185	171	193	198	198	203	202	200	200	
677	5	F	68	79	91	102	113	121	123	131	131	134	138	138	145	148	153	151	154	161	164	177	176	179	185	202	213	215	228	234	
678	5	F	71	86	100	109	118	126	127	132	134	136	140	144	146	148	157	153	158	164	168	172	192	175	174	177	194	196	193	200	
679	5	F	69	86	93	105	114	123	127	136	137	140	142	149	151	158	166	170	172	174	178	186	189	191	---	---	---	---	---	---	
680	5	F	87	96	104	104	126	136	140	146	147	149	154	161	166	166	166	172	175	183	189	190	189	194	---	---	---	---	---	---	

--- = NO AVAILABLE DATA

Table VI.2 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
INDIVIDUAL BODY WEIGHTS (G)

A N T M A L R O S O P X	TEST WEEK																																					
	-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38										
681	5	F	77	92	104	116	128	136	143	149	150	151	155	157	160	166	164	171	177	183	186	195	196	195	207	208	223	221	230	245								
682	5	F	65	79	88	96	106	114	119	122	129	160	135	138	143	145	152	153	159	167	167	174	176	179	183	193	204	202	217	218								
683	5	F	67	88	104	113	126	135	137	145	148	155	155	163	168	175	180	174	179	188	194	201	207	215	230	244	270	265	258	248								
684	5	F	78	95	114	121	132	140	145	150	154	133	161	171	170	175	178	182	190	204	197	212	206	208	205	215	215	228	250	251								
685	5	F	74	96	108	119	130	133	133	141	141	146	148	164	161	162	164	163	178	182	180	194	201	208	210	224	222	234	235	249								
686	5	F	80	97	104	117	126	132	138	143	145	150	155	164	166	170	175	183	182	188	190	196	209	219	235	236	251	244	247									
687	5	F	79	95	106	116	124	131	135	142	145	145	146	151	155	159	164	165	169	178	178	184	188	193	197	198	195	197	202	218								
688	5	F	56	90	100	116	125	136	142	148	152	152	158	160	163	167	157	162	175	185	187	192	206	---	231	---	---	---	---	---								
689	5	F	65	96	115	132	142	154	156	169	177	178	181	187	194	191	194	199	205	208	209	219	231	249	246	250	---	---	---	---								
690	5	F	63	85	95	110	119	128	135	139	146	152	151	152	156	161	165	170	173	171	178	184	190	---	---	---	---	---	---	---								
691	5	F	84	96	109	124	130	137	138	149	153	157	157	161	166	170	167	180	178	182	182	185	194	194	205	200	217	221	234	244								
692	5	F	98	108	117	130	128	132	136	148	148	151	160	161	169	176	169	180	179	194	190	210	202	204	208	226	235	247	256									
693	5	F	86	92	102	118	137	148	146	157	163	165	168	176	178	181	187	180	181	187	200	201	204	207	217	225	235	253	271	264								
694	5	F	66	85	102	115	126	137	138	151	151	161	163	161	168	169	176	176	183	186	192	201	204	226	234	226	226	227	236	234								
695	5	F	66	85	100	114	128	138	142	147	149	157	158	160	165	170	173	175	180	183	186	192	190	199	199	201	199	207	211	216								
696	5	F	73	96	111	124	131	142	140	147	151	156	160	160	166	167	172	180	181	189	199	205	206	211	213	223	223	229	232	235								
697	5	F	80	102	114	120	131	139	140	150	152	153	154	157	163	160	171	170	175	179	191	203	202	206	248	266	248	259	246	244								
698	5	F	80	98	110	119	126	132	136	144	145	149	149	153	159	162	157	150	172	171	185	195	199	198	200	194	192	200	207	207								
699	5	F	61	82	88	100	112	116	121	126	127	128	131	131	135	137	142	139	166	154	157	172	190	191	196	206	202	210	215	205								
700	5	F	82	96	106	118	129	140	142	147	150	154	152	158	162	171	174	181	180	192	193	201	200	198	202	214	229	235	244	255								
701	5	F	86	99	109	123	136	146	152	155	159	163	160	167	168	175	180	187	191	193	193	199	202	204	212	232	236	236	244	246								
702	5	F	67	80	92	105	115	124	128	131	135	139	138	149	150	164	167	167	167	188	186	186	189	189	213	223	228	228	243	250								
703	5	F	78	91	102	117	127	136	142	149	150	156	154	160	165	167	168	172	174	181	186	193	191	196	202	200	206	236	239	248								
704	5	F	72	92	104	118	127	136	141	149	151	156	158	162	166	172	168	171	190	192	194	197	200	202	179	209	226	249	259	262								
705	5	F	67	80	92	110	124	135	139	148	153	157	159	163	165	167	170	175	186	189	192	195	195	196	206	201	220	238	247	252								
706	5	F	89	97	114	125	138	147	151	160	162	165	172	165	176	182	182	184	198	199	219	233	203	249	---	---	---	---	---	---								
707	5	F	76	87	101	111	124	134	137	144	148	153	153	152	160	167	171	173	178	184	192	190	196	198	200	207	220	232	248	252								
708	5	F	79	89	101	110	119	129	134	138	142	144	147	150	154	162	164	168	171	180	185	196	202	203	219	217	220	222	233	229								
709	5	F	81	98	113	122	131	140	143	151	157	160	158	167	170	171	178	174	182	187	186	206	229	239	254	260	255	257	253	241								
710	5	F	83	99	112	122	128	136	142	146	146	153	153	158	161	168	167	172	177	182	185	183	197	195	199	199	196	200	209	218								
711	5	F	72	90	102	114	123	130	134	144	144	145	146	154	161	162	165	166	166	171	172	174	182	183	185	205	228	233	223	227								
712	5	F	86	88	101	112	121	129	133	138	139	146	145	151	155	161	171	178	182	186	198	199	205	212	218	232	231	225	234									
713	5	F	86	98	109	120	128	134	140	148	150	155	156	163	169	171	178	185	208	206	225	236	248	260	---	---	---	---	---	---								
714	5	F	76	90	102	112	122	130	136	145	145	149	152	154	161	166	169	171	179	186	189	196	202	202	195	221	239	247	262									
715	5	F	77	92	104	118	127	137	143	148	149	154	155	154	161	167	171	173	198	181	203	196	202	213	---	---	---	---	---	---								
716	5	F	98	107	117	128	139	146	150	156	161	166	165	171	175	178	179	193	182	201	210	225	216	213	220	227	232	241	255	265								
717	5	F	81	91	101	108	116	126	130	138	138	142	147	151	157	159	169	179	185	192	208	218	223	226	227	222	222	224	225									
718	5	F	96	106	119	126	134	144	152	159	160	166	167	172	174	177	174	181	186	194	200	204	208	208	211	209	207	208	230	245								
719	5	F	83	99	115	122	134	143	148	154	155	158	160	164	165	169	167	174	174	185	192	212	220	214	230	237	223	234	242	237								
720	5	F	84	97	107	116	127	137	146	147	154	161	163	164	169	185	180	184	187	205	206	215	215	215	222	234	230	258	259	262								

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L	T R G R O U P	S E X	TEST WEEK																											
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28	30	32	34	36	38
721	5	F	78	89	100	113	124	134	138	146	148	152	145	160	168	171	158	169	173	180	185	188	191	210	206	211	220	229	235	235
722	5	F	93	106	120	130	140	150	154	160	163	165	157	168	170	176	175	183	185	195	201	207	205	217	240	245	236	252	264	250
723	5	F	89	101	115	129	139	149	156	163	170	172	165	182	184	191	196	195	204	200	213	217	216	230	---	---	---	---	---	---
724	5	F	72	85	94	107	117	125	131	136	141	142	144	152	156	160	159	163	167	171	181	191	184	184	177	197	197	207	228	230
725	5	F	76	87	98	110	118	128	131	135	138	143	141	144	152	155	153	156	194	166	174	191	202	199	201	218	229	247	237	248
726	5	F	94	103	112	125	137	147	151	157	160	166	167	172	178	183	178	179	193	198	213	228	238	246	237	256	261	260	254	258
727	5	F	89	103	118	131	141	152	158	169	172	176	178	188	187	195	193	183	198	208	214	218	234	201	254	259	282	289	272	272
728	5	F	92	105	117	129	140	148	153	161	165	171	169	177	176	184	182	186	187	196	205	220	213	212	220	244	249	253	270	276
729	5	F	95	105	117	126	131	140	145	153	155	156	157	162	165	177	179	184	187	188	195	206	204	253	208	223	226	244	257	260
730	5	F	72	92	108	120	132	141	152	159	170	172	173	177	184	186	194	191	208	205	205	203	209	219	217	221	248	---	---	---
731	5	F	80	95	112	121	130	144	148	152	156	166	174	180	194	200	200	203	221	225	236	235	232	247	244	237	239	241	243	247
732	5	F	83	95	110	121	129	140	146	148	154	157	156	161	164	170	178	179	178	181	183	186	198	198	205	213	222	233	241	---
733	5	F	83	94	111	124	133	152	162	170	169	170	173	177	180	189	190	194	199	206	210	238	245	250	245	257	264	269	259	265
734	5	F	92	102	112	120	127	140	144	152	150	158	163	170	174	175	184	191	210	217	234	242	260	260	---	---	---	---	---	---
735	5	F	69	85	99	111	121	133	138	144	147	155	155	157	162	172	161	165	173	177	184	202	198	---	220	239	246	254	250	246
736	5	F	65	82	96	108	118	128	134	139	127	150	154	156	162	168	174	176	180	188	191	191	194	207	226	224	224	226	241	233
737	5	F	67	91	106	116	125	137	140	147	148	154	155	155	162	162	169	169	183	184	182	188	203	225	212	218	227	237	243	236
738	5	F	61	73	84	96	106	116	121	126	143	129	133	135	140	142	151	150	156	158	166	170	171	180	178	173	180	197	196	200
739	5	F	71	86	98	109	121	129	132	140	143	146	148	151	150	161	163	173	174	178	196	206	210	226	233	224	223	222	239	242
740	5	F	82	92	102	111	119	128	132	138	140	143	144	147	152	156	161	158	167	174	176	182	186	186	185	202	214	218	233	239
741	5	F	69	88	99	109	120	131	131	137	140	143	144	148	151	154	156	167	174	178	180	188	191	203	---	---	---	---	---	---
742	5	F	77	90	100	115	123	131	135	142	142	146	146	150	154	158	162	163	172	174	180	180	190	203	---	---	---	---	---	---
743	5	F	80	94	105	116	129	134	138	147	148	153	153	161	163	170	164	174	176	187	189	195	195	---	196	200	192	217	215	---
744	5	F	76	89	101	114	126	136	142	143	152	156	160	166	169	175	173	178	189	200	208	219	226	231	235	247	252	245	247	246
745	5	F	59	81	100	116	127	134	135	143	146	154	154	152	154	163	170	167	167	175	170	178	190	201	225	220	232	236	235	232
746	5	F	77	92	106	116	127	133	134	139	152	147	149	157	160	168	172	172	178	187	189	189	195	201	205	210	223	228	237	246
747	5	F	75	96	108	122	132	138	142	150	143	158	157	159	164	171	173	172	186	188	202	199	212	209	212	208	229	228	241	---
748	5	F	73	91	103	117	129	142	143	150	150	158	164	166	167	173	174	173	186	202	188	193	196	209	207	214	232	238	228	245
749	5	F	84	98	114	124	132	141	144	151	153	156	159	165	168	171	175	173	180	186	186	191	195	198	198	211	215	224	229	231
750	5	F	75	93	105	116	126	133	140	146	148	153	156	161	162	168	171	166	176	181	180	186	213	211	208	217	224	235	247	244

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYL-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T R A L R O U P	S E X	TEST WEEK																
		40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72
1	M	398	408	414	421	423	427	418	416	412	413	418	414	409	399	396	410	422
2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3	M	396	406	410	423	423	421	---	---	---	---	---	---	---	---	---	---	---
4	M	439	452	456	457	464	456	455	457	453	457	457	457	461	425	425	443	448
5	M	433	435	439	450	451	451	451	458	454	456	454	446	446	438	448	444	449
6	M	415	422	430	438	449	445	438	436	448	453	451	446	440	428	448	453	452
7	M	417	426	433	430	435	435	430	435	442	447	440	438	438	426	435	443	439
8	M	475	475	482	493	494	500	500	499	502	509	510	508	491	466	487	497	494
9	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
10	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
11	M	484	496	490	489	498	500	498	504	503	500	506	504	491	493	492	506	498
12	M	422	416	429	436	442	433	435	440	444	444	445	446	430	442	441	442	446
13	M	402	404	408	415	417	414	413	411	424	423	426	424	399	421	423	427	431
14	M	444	442	449	453	464	459	463	465	457	462	464	466	440	460	467	463	469
15	M	433	439	439	438	449	443	447	452	453	450	448	442	438	437	443	442	441
16	M	431	442	437	451	452	455	448	450	450	454	458	464	447	393	416	425	429
17	M	440	444	449	456	463	459	460	467	465	459	465	461	457	457	465	468	471
18	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
19	M	437	448	449	456	457	465	---	---	---	---	---	---	---	---	---	---	---
20	M	418	435	434	442	448	450	446	439	435	438	444	424	446	452	449	461	454
21	M	430	435	437	438	445	449	443	---	---	---	---	---	---	---	---	---	---
22	M	405	408	404	411	420	414	413	408	401	407	410	411	384	379	396	404	411
23	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
24	M	433	433	436	446	449	446	451	---	---	---	---	---	---	---	---	---	---
25	M	444	447	450	437	450	454	454	455	457	453	461	416	435	451	455	450	451
26	M	487	490	490	483	494	499	494	490	486	489	496	468	484	488	493	479	491
27	M	435	436	434	422	438	437	445	444	442	449	444	406	416	432	438	432	440
28	M	393	396	405	404	406	415	412	410	409	413	419	413	416	417	420	431	427
29	M	434	442	445	450	453	456	444	448	448	453	458	457	444	438	442	450	445
30	M	426	426	432	433	435	437	---	---	---	---	---	---	---	---	---	---	---
31	M	412	417	423	424	434	439	428	424	413	419	424	434	438	416	433	441	450
32	M	444	462	463	462	476	472	477	472	476	480	487	480	471	463	471	467	469
33	M	416	436	441	442	449	450	448	---	---	---	---	---	---	---	---	---	---
34	M	460	451	466	474	477	479	476	475	470	478	484	471	472	475	478	481	473
35	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
36	M	458	459	470	473	479	480	470	477	474	469	467	450	399	430	438	436	444
37	M	431	449	449	441	452	454	455	460	457	470	458	455	432	466	478	490	482
38	M	399	404	408	414	414	413	---	---	---	---	---	---	---	---	---	---	---
39	M	421	433	426	437	442	432	438	436	436	436	437	425	374	410	427	434	436
40	M	444	450	449	458	460	457	464	461	460	466	473	480	428	467	480	475	479

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T R A L R O U P	S E X	TEST WEEK														74			
		40	42	44	46	48	50	52	54	56	58	60	62	64	66		68	70	72
41	1	425	443	436	437	442	451	446	448	447	451	457	456	432	432	436	435	442	436
42	1	381	387	386	393	401	404	395	392	404	405	404	405	397	391	408	409	402	403
43	1	428	438	435	443	439	443	432	442	442	454	452	449	445	451	450	454	453	449
44	1	360	374	370	370	375	374	364	371	375	379	380	380	378	384	381	378	378	378
45	1	443	450	459	467	465	472	467	474	462	471	467	460	470	472	472	472	471	468
46	1	371	377	385	384	386	391	389	387	392	389	392	387	378	388	388	391	406	398
47	1	449	453	462	463	463	466	459	470	470	469	474	480	478	480	480	483	484	479
48	1	477	485	495	505	505	506	498	---	---	---	---	---	---	---	---	---	---	---
49	1	424	426	424	430	435	438	430	429	429	427	433	431	434	415	429	429	428	417
50	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
51	1	452	455	460	457	463	464	462	471	468	467	468	467	467	464	475	480	482	480
52	1	410	414	417	422	426	430	431	431	429	433	432	425	415	420	433	425	428	419
53	1	467	476	472	475	484	492	485	480	480	478	484	480	470	475	475	484	470	485
54	1	436	440	443	451	450	458	456	457	453	456	461	457	414	431	434	443	446	445
55	1	441	437	452	442	446	445	440	431	444	450	447	461	453	413	438	450	454	456
56	1	428	433	436	434	445	447	380	386	415	420	420	435	438	411	428	438	447	446
57	1	438	443	448	456	466	458	461	456	460	465	465	465	461	441	454	464	466	465
58	1	415	421	423	427	435	436	439	418	425	441	441	434	444	441	441	440	444	449
59	1	389	392	394	401	403	396	401	400	398	410	410	390	401	396	399	400	404	406
60	1	444	451	454	465	469	472	473	458	466	470	464	413	454	464	470	476	479	483
61	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
62	1	453	470	469	467	487	484	---	---	---	---	---	---	---	---	---	---	---	---
63	1	464	473	487	476	488	486	486	473	466	461	423	---	---	---	---	---	---	---
64	1	451	459	460	477	487	480	---	---	---	---	---	---	---	---	---	---	---	---
65	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
66	1	---	---	---	---	---	423	426	422	429	427	430	426	425	402	412	429	430	427
67	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
68	1	447	431	444	449	448	444	440	436	441	435	444	417	426	430	425	424	422	415
69	1	443	435	446	448	443	457	452	447	446	448	446	404	423	430	439	445	445	445
70	1	448	456	457	463	468	469	476	464	477	484	481	490	476	488	490	490	500	492
71	1	474	484	482	494	497	504	500	491	498	501	503	504	491	501	505	497	501	502
72	1	411	418	417	421	425	428	434	430	432	438	435	445	411	432	428	431	436	436
73	1	428	440	441	449	451	453	454	454	450	458	464	459	469	475	471	473	471	478
74	1	366	376	383	395	395	410	415	411	414	418	426	421	426	426	435	435	440	438
75	1	427	436	434	440	442	444	444	444	446	453	454	445	444	448	455	449	450	451
76	1	230	228	244	251	255	262	265	269	268	264	268	277	276	275	282	288	284	286
77	1	237	242	246	251	254	256	260	263	266	268	273	---	---	---	289	299	298	302
78	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
79	1	219	223	231	233	235	241	---	---	---	---	---	---	---	---	---	---	---	---
80	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWELVE MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N T M A L N O E O	I R A G R O U P	S X	TEST WEEK																74	
			40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70		72
81	I	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
82	I	F	219	222	223	227	234	240	237	241	249	250	257	254	262	261	273	277	277	281
83	I	F	218	222	224	227	230	234	229	229	233	235	234	237	234	238	239	237	244	246
84	I	F	236	239	240	242	248	253	251	250	249	257	260	261	264	262	270	267	280	279
85	I	F	229	226	235	237	245	251	247	256	252	263	276	279	277	278	289	291	296	291
86	I	F	207	208	214	219	222	232	233	234	233	236	248	249	255	261	260	270	272	270
87	I	F	218	213	217	220	224	233	---	---	---	---	---	---	---	---	---	---	---	---
88	I	F	226	228	227	231	238	240	251	250	256	258	265	244	264	275	278	287	290	297
89	I	F	236	239	242	248	256	255	256	260	269	267	270	251	271	277	287	292	309	302
90	I	F	219	223	223	223	229	230	---	---	---	---	---	---	---	---	---	---	---	---
91	I	F	221	227	236	238	243	248	249	---	---	---	---	---	---	---	---	---	---	---
92	I	F	193	198	199	202	206	204	210	194	194	194	201	206	204	204	209	214	222	223
93	I	F	235	246	249	250	256	263	268	---	---	---	---	---	---	---	---	---	---	---
94	I	F	220	224	229	236	239	235	243	226	237	243	251	253	237	250	244	251	266	270
95	I	F	202	203	208	209	217	223	226	234	242	241	250	255	249	250	252	258	265	269
96	I	F	236	238	246	252	251	252	259	264	268	268	265	272	270	270	277	289	294	292
97	I	F	206	210	223	231	247	255	252	250	251	262	270	264	266	272	266	240	---	---
98	I	F	233	241	244	245	254	251	252	254	257	261	268	279	274	275	283	290	276	283
99	I	F	226	228	234	232	233	236	---	---	---	---	---	---	---	---	---	---	---	---
100	I	F	222	222	226	228	233	234	236	226	233	239	244	249	246	249	249	253	251	267
101	I	F	212	219	218	222	234	236	240	248	254	249	258	262	249	259	266	269	268	276
102	I	F	238	246	250	255	261	266	265	258	270	269	276	282	272	275	281	291	283	289
103	I	F	217	216	222	229	232	232	231	235	237	234	241	242	218	239	238	239	249	254
104	I	F	226	229	235	240	244	240	243	246	249	249	245	250	245	245	250	258	256	271
105	I	F	224	228	229	240	242	239	241	250	258	254	254	257	262	261	261	267	270	275
106	I	F	222	230	224	232	235	239	244	250	255	258	263	266	263	272	273	267	277	278
107	I	F	220	225	224	234	248	253	254	242	249	253	266	265	266	269	271	271	275	272
108	I	F	208	215	213	219	223	223	227	226	236	234	247	247	242	240	254	258	260	263
109	I	F	210	213	214	215	225	224	223	225	220	225	226	225	226	228	232	238	241	242
110	I	F	231	237	235	240	245	250	252	254	252	260	263	278	283	282	290	288	294	291
111	I	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
112	I	F	241	248	254	257	255	260	262	262	258	267	273	274	272	271	276	284	287	287
113	I	F	203	206	208	213	213	216	214	211	221	218	220	226	222	228	230	238	243	231
114	I	F	221	224	226	233	236	245	---	---	---	---	---	---	---	---	---	---	---	---
115	I	F	212	219	228	228	230	235	233	238	239	237	237	238	238	239	239	242	244	249
116	I	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
117	I	F	221	222	228	230	232	236	232	234	236	232	240	244	241	240	244	252	257	250
118	I	F	247	251	250	260	269	273	289	302	303	311	316	321	323	327	333	334	341	339
119	I	F	220	227	230	236	238	241	242	244	241	249	252	260	260	263	271	272	273	265
120	I	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L R O U P	S E X	TEST WEEK														70	72	74
		40	42	44	46	48	50	52	54	56	58	60	62	64	66			
121	F	239	247	250	249	255	257	264	---	---	---	---	---	---	---	---	---	---
122	F	224	236	225	228	232	236	241	233	239	245	254	251	252	257	272	267	270
123	F	217	211	215	222	227	231	231	236	237	247	247	255	254	258	267	271	267
124	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
125	F	228	227	232	234	240	241	246	243	245	254	255	261	264	270	274	279	278
126	F	223	227	234	235	241	243	241	243	247	247	248	260	257	253	264	275	277
127	F	259	263	267	278	284	289	292	298	293	288	299	301	278	287	294	294	304
128	F	228	228	233	238	241	242	241	247	253	248	256	268	264	267	273	279	286
129	F	247	250	259	258	259	263	262	261	263	262	274	273	268	276	286	290	284
130	F	248	258	262	266	271	280	285	295	292	298	302	311	300	310	319	325	327
131	F	224	232	232	233	236	244	248	248	242	248	253	251	240	256	258	259	272
132	F	234	236	238	230	243	245	247	252	254	255	262	261	258	264	274	272	282
133	F	236	234	240	232	240	245	247	254	247	237	251	252	251	255	259	261	268
134	F	231	230	232	236	236	243	242	242	234	236	238	242	220	243	246	246	263
135	F	265	265	265	263	267	270	267	---	---	---	---	---	---	---	---	---	---
136	F	215	216	219	220	227	228	231	236	240	240	246	237	252	260	262	267	267
137	F	213	217	221	220	218	224	222	227	231	229	231	234	232	234	236	235	244
138	F	218	219	222	222	228	234	231	233	230	231	234	234	234	235	241	245	252
139	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
140	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
141	F	212	212	219	224	232	233	---	---	---	---	---	---	---	---	---	---	---
142	F	206	204	215	210	214	214	218	217	223	236	236	241	243	238	241	238	242
143	F	220	227	231	230	239	235	---	---	---	---	---	---	---	---	---	---	---
144	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
145	F	215	217	220	228	231	240	241	236	244	253	250	252	262	270	268	281	279
146	F	240	244	246	250	251	252	257	253	256	259	257	256	263	268	272	277	274
147	F	230	238	242	248	244	258	256	249	258	263	267	266	276	286	287	293	294
148	F	250	248	247	244	247	253	264	249	247	250	257	259	256	261	268	280	286
149	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
150	F	230	228	238	237	237	243	241	247	250	253	263	247	260	268	269	274	279
151	M	426	428	432	437	446	449	445	449	429	435	444	---	---	---	---	---	---
152	M	415	419	425	434	441	440	435	444	444	448	448	438	446	444	445	448	448
153	M	430	430	428	439	442	447	444	454	449	449	454	452	460	460	460	461	453
154	M	420	411	431	437	438	442	---	---	---	---	---	---	---	---	---	---	---
155	M	459	448	468	466	474	472	472	480	476	474	475	482	472	478	484	483	480
156	M	480	464	489	491	500	502	499	498	497	502	491	504	503	496	499	503	502
157	M	481	480	488	484	504	507	505	511	502	503	498	486	489	494	501	498	493
158	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
159	M	445	453	452	454	469	466	473	470	471	474	478	472	482	481	490	487	491
160	M	501	508	519	517	525	528	525	516	517	518	525	526	515	508	512	506	499

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYLTHIOURACIL (HMT) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L N O U P	S E X	TEST WEEK																74	
		40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70		72
161	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
162	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
163	2	M	437	434	438	443	450	448	442	445	454	447	447	429	449	447	449	452	456
164	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
165	2	M	453	453	456	462	463	468	443	464	464	465	464	419	441	450	452	456	458
166	2	M	444	448	452	454	451	462	456	451	450	461	462	457	462	474	470	471	473
167	2	M	421	422	432	436	450	454	450	443	452	451	459	444	416	439	444	428	444
168	2	M	439	434	441	442	445	446	442	---	---	---	---	---	---	---	---	---	---
169	2	M	427	424	424	428	408	418	408	383	374	366	368	343	366	364	362	---	---
170	2	M	423	422	424	432	426	436	---	---	---	---	---	---	---	---	---	---	---
171	2	M	400	397	409	409	419	420	---	---	---	---	---	---	---	---	---	---	---
172	2	M	431	426	425	436	436	441	438	448	448	448	445	446	435	443	447	442	440
173	2	M	446	451	444	452	460	468	467	465	458	470	467	458	457	454	462	462	461
174	2	M	425	430	416	434	440	438	440	452	460	452	445	433	431	447	455	462	462
175	2	M	420	429	438	448	444	457	445	434	446	453	460	458	458	468	464	480	487
176	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
177	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
178	2	M	451	461	459	468	469	469	467	476	477	479	476	467	465	460	469	462	464
179	2	M	443	442	452	460	463	462	467	457	473	470	472	465	472	473	482	486	479
180	2	M	455	452	462	462	470	468	463	468	477	472	465	478	488	495	498	489	492
181	2	M	425	434	434	431	441	439	437	434	432	431	426	424	423	431	435	438	446
182	2	M	417	422	431	436	434	435	---	---	---	---	---	---	---	---	---	---	---
183	2	M	433	436	446	442	445	439	440	---	---	---	---	---	---	---	---	---	---
184	2	M	441	442	445	447	452	459	460	448	457	467	463	466	426	452	460	454	454
185	2	M	420	423	434	432	429	440	432	437	439	443	438	435	393	416	422	421	421
186	2	M	439	440	445	447	453	455	445	459	464	461	463	467	456	464	477	481	470
187	2	M	437	425	448	442	452	---	450	451	450	452	462	445	449	450	441	447	450
188	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
189	2	M	436	447	456	450	458	457	452	456	452	466	472	460	472	470	475	484	479
190	2	M	426	436	439	443	453	460	453	450	457	465	469	475	471	459	476	480	474
191	2	M	413	420	425	431	439	440	438	441	437	437	437	439	430	429	427	427	422
192	2	M	427	434	439	441	444	450	---	---	---	---	---	---	---	---	---	---	---
193	2	M	520	527	521	525	540	540	534	537	535	528	529	525	533	524	521	517	523
194	2	M	410	401	407	404	414	417	420	424	427	430	432	420	427	429	442	445	438
195	2	M	345	347	351	347	362	360	360	361	367	373	367	362	363	358	350	358	359
196	2	M	440	449	458	466	457	459	456	451	455	458	459	457	434	447	447	446	452
197	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
198	2	M	492	496	512	512	523	527	527	520	519	522	517	515	507	500	510	505	508
199	2	M	448	449	454	463	465	465	466	459	471	472	463	461	467	471	469	461	463
200	2	M	454	458	452	463	470	469	468	471	473	470	475	471	460	469	477	474	477

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO 1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L R O U P E	S E X	TEST WEEK																		
		40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	
201	2	M	407	407	414	408	418	419	410	418	426	424	422	420	400	412	410	413	416	411
202	2	M	383	379	383	391	402	394	398	411	414	411	423	379	393	407	415	419	416	416
203	2	M	397	404	408	412	418	406	398	411	414	411	423	422	427	435	443	443	442	441
204	2	M	431	433	431	431	432	434	430	436	436	437	447	422	427	435	443	443	442	441
205	2	M	405	410	409	410	421	420	420	423	133	432	424	429	434	440	438	441	438	433
206	2	M	432	431	438	442	441	444	446	450	454	456	449	438	450	452	451	463	458	456
207	2	M	405	406	409	412	417	422	406	417	422	424	415	422	421	420	426	422	421	426
208	2	M	412	418	424	422	429	428	430	430	433	445	437	448	441	436	444	445	448	450
209	2	M	456	456	460	463	467	466	468	478	469	475	470	478	470	455	472	475	471	465
210	2	M	448	450	459	463	459	463	470	473	480	480	490	500	495	471	469	477	472	458
211	2	M	417	423	428	435	431	435	439	443	443	445	441	446	445	428	431	430	410	396
212	2	M	406	402	413	420	404	415	416	425	425	425	427	423	427	419	424	432	433	426
213	2	M	442	443	452	455	453	463	456	467	463	468	470	472	470	462	472	480	479	467
214	2	M	405	408	404	408	417	416	410	420	418	417	410	413	416	423	422	422	422	422
215	2	M	440	442	444	446	449	448	449	452	445	455	453	451	456	462	461	467	467	466
216	2	M	411	414	415	427	432	425	---	---	---	---	---	---	---	---	---	---	---	---
217	2	M	437	434	432	438	437	443	436	439	440	438	445	448	443	442	448	450	453	457
218	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
219	2	M	407	409	413	419	418	422	422	---	---	---	---	---	---	---	---	---	---	---
220	2	M	400	407	403	406	410	411	411	418	414	422	420	428	390	407	416	420	423	423
221	2	M	444	440	444	452	456	454	457	461	460	465	464	467	450	459	462	460	471	462
222	2	M	432	433	439	440	444	450	442	452	454	449	454	454	415	435	445	448	453	443
223	2	M	430	429	436	442	447	451	443	442	441	447	442	422	425	443	449	442	455	451
224	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
225	2	M	441	445	452	460	462	460	459	458	467	468	470	458	467	471	474	465	472	470
226	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
227	2	F	219	222	223	228	228	237	234	232	226	229	237	237	238	241	250	245	258	256
228	2	F	225	230	230	232	234	241	---	---	---	---	---	---	---	---	---	---	---	---
229	2	F	242	244	247	261	263	267	261	270	273	273	278	289	278	287	294	293	297	301
230	2	F	222	225	232	228	234	242	---	---	---	---	---	---	---	---	---	---	---	---
231	2	F	234	238	245	246	253	256	259	271	264	270	279	289	283	288	299	306	304	303
232	2	F	234	237	234	240	246	245	250	253	261	259	265	269	262	260	265	274	278	282
233	2	F	235	241	236	247	249	262	260	260	265	278	289	294	296	287	301	310	314	322
234	2	F	220	224	216	227	232	232	233	238	240	245	245	254	253	252	264	269	270	268
235	2	F	209	215	216	221	220	222	226	225	228	220	227	230	249	236	232	237	240	238
236	2	F	227	232	230	228	233	241	245	245	244	240	245	238	245	253	254	264	270	272
237	2	F	224	226	239	241	254	260	265	270	272	273	274	275	277	285	288	290	299	295
238	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
239	2	F	210	208	216	219	219	223	228	235	238	237	241	228	233	246	238	248	244	250
240	2	F	242	249	260	264	264	275	278	282	285	283	287	288	298	306	298	300	300	307

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYLTHIO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T R A L R O O U P	S E X	TEST WEEK														74			
		40	42	44	46	48	50	52	54	56	58	60	62	64	66		68	70	72
241	2	193	208	209	203	212	221	219	220	222	226	226	221	225	230	234	237	228	247
242	2	215	226	230	222	234	242	247	249	252	267	261	262	257	269	273	285	274	285
243	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
244	2	212	211	217	218	221	221	228	234	232	233	237	234	256	252	252	266	266	267
245	2	200	202	202	205	215	213	218	219	222	231	242	237	237	252	252	257	248	252
246	2	229	225	233	229	238	244	241	243	244	245	255	236	243	255	260	267	263	274
247	2	250	251	260	265	268	270	271	278	274	277	283	288	273	273	284	284	295	300
248	2	219	223	219	225	229	229	---	---	---	---	---	---	---	---	---	---	---	---
249	2	206	215	215	219	223	224	225	228	232	231	233	238	211	227	235	234	239	240
250	2	203	200	205	209	211	219	223	222	225	230	234	233	240	245	245	255	256	255
251	2	214	217	218	210	226	233	234	233	236	247	250	246	255	260	270	274	276	274
252	2	205	209	215	211	212	218	227	221	222	229	233	232	237	248	241	251	256	257
253	2	235	239	245	254	247	253	252	260	261	264	267	277	271	273	281	293	298	296
254	2	212	214	220	228	236	238	245	246	252	258	258	267	255	251	254	257	269	258
255	2	214	216	222	225	228	229	232	229	232	236	237	243	250	238	250	245	247	249
256	2	245	248	256	253	261	268	---	---	---	---	---	---	---	---	---	---	---	---
257	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
258	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
259	2	218	223	228	233	234	228	240	249	251	253	260	266	267	262	276	277	278	280
260	2	228	235	240	241	247	239	262	262	266	272	263	275	275	280	288	282	289	288
261	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
262	2	238	239	244	248	255	259	277	262	264	264	266	263	270	285	296	300	304	314
263	2	219	213	221	228	230	236	234	240	236	235	235	233	235	236	236	251	259	252
264	2	215	212	214	217	221	223	230	234	233	230	240	236	239	235	246	253	265	261
265	2	238	245	248	253	248	257	262	266	262	267	271	276	269	268	276	278	277	276
266	2	237	240	246	251	253	257	259	262	261	268	261	279	269	283	291	292	302	301
267	2	250	245	249	257	260	258	---	---	---	---	---	---	---	---	---	---	---	---
268	2	243	251	254	258	256	265	264	265	266	267	272	278	273	281	282	299	299	304
269	2	228	226	228	237	239	240	234	240	240	244	247	246	244	245	255	268	273	283
270	2	221	224	233	233	239	238	243	245	249	251	255	239	228	249	248	---	---	---
271	2	235	243	245	248	248	252	255	260	263	260	265	269	278	254	264	276	281	283
272	2	204	209	212	211	215	219	219	217	220	223	227	228	232	223	242	238	250	240
273	2	241	250	255	258	261	261	256	263	270	269	276	283	280	270	284	291	295	294
274	2	215	220	226	225	227	232	235	---	---	---	---	---	---	---	---	---	---	---
275	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
276	2	223	226	225	231	232	238	240	---	---	---	---	---	---	---	---	---	---	---
277	2	229	235	244	249	253	252	254	247	249	260	264	279	278	283	296	298	302	305
278	2	254	256	262	267	266	272	271	---	---	---	---	---	---	---	---	---	---	---
279	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
280	2	206	210	209	219	218	218	218	222	221	228	222	226	230	231	238	245	251	258

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L I D	S E X	TEST WEEK																		
		40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	
281	2	F	216	218	222	228	234	240	241	244	251	252	253	262	259	264	263	271	273	280
282	2	F	215	219	226	229	231	243	---	---	---	---	---	---	---	---	---	---	---	---
283	2	F	213	214	222	229	229	227	234	230	236	246	252	253	264	265	269	268	267	265
284	2	F	246	254	258	258	263	264	271	281	274	282	288	291	294	295	300	303	307	307
285	2	F	229	234	234	232	242	241	239	246	248	251	253	249	259	263	257	265	264	269
286	2	F	213	220	217	222	224	228	227	232	243	244	243	246	245	239	243	255	260	259
287	2	F	212	219	217	225	224	229	229	230	229	233	237	241	244	253	256	251	258	259
288	2	F	219	215	217	226	235	235	233	234	241	246	253	264	264	265	271	273	279	275
289	2	F	237	220	226	230	230	234	230	234	231	235	241	237	240	232	233	240	240	243
290	2	F	212	237	245	250	256	258	258	271	266	275	280	285	288	296	299	301	305	303
291	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
292	2	F	219	221	223	225	226	234	230	233	233	240	240	239	237	240	240	245	253	264
293	2	F	215	219	221	230	233	231	230	235	225	234	236	239	236	235	240	242	246	245
294	2	F	226	232	236	236	238	244	245	258	258	261	264	274	271	271	279	282	287	294
295	2	F	214	221	221	224	229	240	231	238	238	247	254	252	264	271	272	272	276	278
296	2	F	211	218	217	217	220	224	221	227	227	229	236	244	242	240	243	248	250	246
297	2	F	221	227	233	227	232	238	238	237	242	242	244	240	246	244	251	262	270	246
298	2	F	212	217	218	219	225	227	230	223	227	236	236	246	232	247	246	258	246	264
299	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
300	2	F	245	248	243	250	255	256	---	---	---	---	---	---	---	---	---	---	---	---
301	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
302	3	M	390	392	388	401	401	404	407	404	404	406	412	413	408	408	416	420	421	424
303	3	M	429	435	441	447	452	450	---	---	---	---	---	---	---	---	---	---	---	---
304	3	M	417	421	426	432	432	433	436	432	435	439	438	442	430	432	440	446	441	443
305	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
306	3	M	445	448	455	462	458	461	462	466	452	464	463	460	443	446	451	450	440	428
307	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
308	3	M	426	439	441	441	447	448	450	455	442	452	437	436	426	430	441	445	444	448
309	3	M	473	474	479	476	481	480	476	489	484	486	496	499	448	468	481	480	489	485
310	3	M	433	436	442	447	450	450	---	---	---	---	---	---	---	---	---	---	---	---
311	3	M	442	445	452	451	451	455	456	459	455	455	453	451	448	445	451	456	453	418
312	3	M	435	438	435	432	445	440	442	446	440	446	440	450	455	464	474	484	489	503
313	3	M	398	405	406	408	414	421	420	411	429	430	417	411	424	414	373	398	406	405
314	3	M	442	444	446	456	449	451	461	458	462	463	474	460	465	465	453	447	449	448
315	3	M	414	413	422	421	430	426	438	431	443	451	---	---	---	---	---	---	---	---
316	3	M	399	405	412	410	413	417	419	---	---	---	---	---	---	---	---	---	---	---
317	3	M	437	438	443	449	450	463	---	---	---	---	---	---	---	---	---	---	---	---
318	3	M	398	412	416	417	420	426	426	432	429	429	427	434	431	425	437	438	440	448
319	3	M	464	462	473	480	490	485	489	493	501	499	495	484	485	489	491	490	488	484
320	3	M	444	446	448	450	455	458	456	466	462	455	467	455	459	461	467	475	478	472

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N T M A L R N O U P	T R G S E X	TEST WEEK																		
		40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	
321	3	M	400	410	410	414	423	427	419	420	418	423	420	417	398	410	408	411	407	415
322	3	M	442	449	444	455	460	463	---	---	---	---	---	---	---	---	---	---	---	---
323	3	M	400	408	407	415	426	429	425	431	438	437	443	445	446	451	442	439	442	446
324	3	M	462	466	462	467	472	476	481	482	481	480	483	485	489	492	494	487	482	489
325	3	M	490	493	496	504	509	514	510	520	508	508	512	517	510	518	526	520	523	529
326	3	M	373	376	380	393	397	395	390	393	387	398	398	391	384	385	394	400	401	401
327	3	M	422	422	427	429	434	437	444	440	437	437	440	448	441	447	450	454	455	457
328	3	M	449	452	455	449	458	458	445	444	443	442	444	444	430	430	441	446	446	451
329	3	M	455	460	460	462	469	409	---	---	---	---	---	---	---	---	---	---	---	---
330	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
331	3	M	450	461	463	468	465	469	468	464	478	480	480	476	441	452	468	469	466	465
332	3	M	452	459	462	465	465	474	477	480	485	486	479	485	446	458	473	473	482	478
333	3	M	419	424	423	422	424	430	427	428	433	438	429	427	404	---	---	---	---	---
334	3	M	405	400	414	415	420	426	423	422	425	425	430	428	415	427	434	435	430	432
335	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
336	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
337	3	M	431	437	448	446	456	461	455	453	459	463	459	470	454	454	464	454	452	451
338	3	M	429	435	438	436	445	442	452	450	448	454	455	461	419	425	440	442	446	445
339	3	M	450	452	452	458	461	458	461	464	462	461	462	475	462	454	461	464	462	460
340	3	M	384	379	393	394	402	400	400	396	400	402	405	412	412	421	417	414	407	402
341	3	M	444	437	445	447	446	449	---	---	---	---	---	---	---	---	---	---	---	---
342	3	M	447	441	454	457	457	453	451	460	460	464	470	463	464	472	467	---	---	---
343	3	M	420	426	427	423	432	435	434	438	436	434	435	438	399	419	433	432	431	435
344	3	M	377	384	386	390	391	396	393	389	390	386	387	393	391	393	396	400	400	404
345	3	M	459	466	472	464	470	467	474	479	475	477	472	478	464	467	474	484	490	491
346	3	M	441	444	442	445	454	448	449	448	453	454	455	456	424	437	449	453	457	460
347	3	M	417	425	437	432	439	432	439	439	450	452	450	443	426	440	439	443	446	441
348	3	M	442	444	441	445	445	445	455	448	458	420	436	446	426	463	451	---	---	---
349	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
350	3	M	460	468	477	481	484	482	487	483	478	474	475	465	462	467	463	457	465	468
351	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
352	3	M	463	463	466	467	473	479	480	481	485	489	483	491	466	482	487	480	484	489
353	3	M	429	430	432	441	440	443	441	439	450	446	448	450	420	439	441	439	437	436
354	3	M	419	419	424	430	429	432	428	435	437	440	443	439	410	431	439	435	444	444
355	3	M	367	372	377	380	389	386	389	398	400	406	405	414	408	390	402	408	415	420
356	3	M	423	432	433	440	441	443	---	---	---	---	---	---	---	---	---	---	---	---
357	3	M	455	458	464	471	479	475	478	489	483	487	484	484	488	434	466	475	477	482
358	3	M	430	431	432	434	443	441	445	454	457	453	457	435	443	455	450	457	458	461
359	3	M	418	421	422	424	430	422	428	418	415	416	434	425	428	423	389	362	317	279
360	3	M	458	456	467	470	469	467	470	488	483	491	492	472	442	470	480	483	480	489

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T M E R A L R O S N O U P X	TEST WEEK														74				
	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72		
361	3	M	408	411	419	420	423	425	421	429	423	436	438	428	428	442	453	457	466
362	3	M	366	372	370	374	376	378	381	387	385	383	388	378	378	382	391	400	398
363	3	M	383	386	388	388	392	394	---	---	---	---	---	---	---	---	---	---	---
364	3	M	428	440	446	445	452	452	453	452	446	445	450	449	442	441	444	443	444
365	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
366	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
367	3	M	431	428	432	432	426	436	430	432	433	444	447	437	437	445	442	448	455
368	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
369	3	M	454	455	457	459	462	458	454	---	---	---	---	---	---	---	---	---	---
370	3	M	421	414	426	428	425	428	428	---	---	---	---	---	---	---	---	---	---
371	3	M	393	396	400	408	409	410	411	417	417	413	414	419	421	411	421	424	432
372	3	M	386	379	387	380	396	399	402	423	424	429	434	434	439	429	435	439	440
373	3	M	468	471	468	480	484	485	482	476	479	473	452	393	332	285	---	---	---
374	3	M	394	399	405	407	414	418	413	415	421	420	417	410	420	423	420	413	420
375	3	M	480	472	480	485	479	483	489	484	496	486	490	485	467	489	485	483	479
376	3	F	222	225	229	227	235	239	242	236	237	241	238	237	238	246	246	250	254
377	3	F	206	212	214	217	222	222	224	229	226	230	236	242	246	241	242	249	257
378	3	F	214	220	224	226	225	231	---	---	---	---	---	---	---	---	---	---	---
379	3	F	235	238	240	249	249	257	257	258	260	265	265	265	273	276	275	282	286
380	3	F	223	227	230	233	238	242	238	241	242	248	255	249	255	256	259	265	271
381	3	F	247	248	255	258	266	267	267	278	280	288	296	299	302	318	314	318	327
382	3	F	217	212	214	221	224	229	230	235	235	238	252	244	253	249	256	253	261
383	3	F	236	235	238	244	249	252	247	250	255	258	260	228	159	---	---	---	---
384	3	F	208	212	212	212	218	222	222	222	225	228	234	231	227	231	234	234	237
385	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
386	3	F	243	245	256	260	267	275	281	281	284	279	280	289	287	290	291	273	246
387	3	F	230	230	226	235	240	243	244	240	230	---	---	---	---	---	---	---	---
388	3	F	239	245	249	249	250	255	243	262	263	269	274	272	281	289	296	296	303
389	3	F	219	228	228	231	230	238	230	246	241	243	246	239	243	246	264	259	256
390	3	F	220	219	226	226	229	234	232	---	---	---	---	---	---	---	---	---	---
391	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
392	3	F	232	234	235	239	244	247	244	---	---	---	---	---	---	---	---	---	---
393	3	F	218	222	224	226	228	235	235	218	229	238	243	255	262	258	266	272	276
394	3	F	207	222	227	226	226	231	233	235	240	234	243	244	235	239	233	250	246
395	3	F	218	221	223	224	225	228	230	234	230	234	230	232	228	234	240	260	257
396	3	F	198	205	208	215	212	217	221	222	225	223	228	230	232	233	239	241	250
397	3	F	230	234	238	243	244	247	243	245	247	248	246	255	262	228	246	253	260
398	3	F	213	223	225	227	231	230	230	231	237	237	241	248	253	248	254	266	266
399	3	F	228	230	234	234	238	238	243	243	247	247	249	258	262	254	265	271	274
400	3	F	221	217	226	230	232	233	241	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L I D	S E X	TEST WEEK																74		
		40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70		72	
401	3	F	235	231	239	243	243	249	250	254	252	257	262	268	267	262	268	263	274	282
402	3	F	238	242	239	241	243	250	253	252	258	255	258	266	260	275	264	268	283	287
403	3	F	224	232	231	232	233	239	241	237	233	238	242	243	242	250	251	253	259	262
404	3	F	222	226	230	233	243	243	248	254	255	256	261	266	266	271	283	284	288	285
405	3	F	249	253	254	262	270	267	268	272	275	276	285	297	292	297	306	310	316	314
406	3	F	223	232	229	238	248	249	245	246	249	256	256	262	266	277	288	296	297	302
407	3	F	229	229	230	235	239	247	245	244	244	249	251	246	255	264	270	282	279	279
408	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
409	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
410	3	F	224	224	226	228	232	238	235	223	232	236	239	248	243	255	263	257	266	257
411	3	F	206	208	205	212	210	219	216	---	---	---	---	---	---	---	---	---	---	---
412	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
413	3	F	230	230	237	235	241	243	242	242	242	244	240	252	250	232	245	247	250	259
414	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
415	3	F	225	227	227	232	231	239	241	242	250	250	252	248	258	268	268	275	277	275
416	3	F	225	222	228	235	239	249	253	253	259	262	262	269	276	269	277	278	280	279
417	3	F	224	222	228	229	233	236	246	242	244	247	254	246	255	256	273	271	276	277
418	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
419	3	F	221	230	228	228	235	237	235	240	234	241	244	247	240	246	245	249	253	253
420	3	F	201	205	208	213	214	216	216	218	219	222	229	231	223	230	235	234	247	247
421	3	F	222	228	231	236	231	234	237	238	242	244	250	259	261	265	278	282	282	282
422	3	F	215	217	228	231	245	250	254	254	259	261	269	267	262	267	263	271	283	286
423	3	F	204	208	211	211	210	218	218	217	221	222	229	237	231	238	238	241	251	252
424	3	F	237	240	244	248	247	254	249	258	256	258	256	258	246	251	258	277	275	270
425	3	F	225	229	233	236	236	237	243	251	250	259	255	257	253	259	268	276	278	285
426	3	F	211	223	219	221	226	230	233	225	231	232	233	239	236	239	248	250	260	261
427	3	F	196	203	205	206	206	208	---	---	---	---	---	---	---	---	---	---	---	---
428	3	F	216	228	233	228	231	235	---	---	---	---	---	---	---	---	---	---	---	---
429	3	F	200	213	215	213	222	221	221	217	217	222	227	234	225	222	231	236	243	250
430	3	F	211	208	213	215	221	220	222	219	222	221	225	227	228	227	234	238	236	243
431	3	F	221	222	226	229	229	235	233	205	231	237	241	236	228	237	236	243	247	243
432	3	F	225	226	229	234	237	235	---	---	---	---	---	---	---	---	---	---	---	---
433	3	F	219	225	224	228	229	238	239	239	236	239	251	261	258	259	256	275	284	288
434	3	F	224	234	232	234	240	249	---	---	---	---	---	---	---	---	---	---	---	---
435	3	F	218	219	219	225	227	228	228	228	236	241	252	250	257	253	258	269	274	279
436	3	F	239	240	246	248	251	249	249	244	257	257	256	266	264	270	276	278	292	297
437	3	F	242	246	252	254	252	263	---	---	---	---	---	---	---	---	---	---	---	---
438	3	F	232	232	236	233	241	241	247	245	246	242	238	250	243	249	254	255	272	270
439	3	F	220	223	231	236	234	248	252	255	258	258	263	259	272	279	278	284	282	291
440	3	F	214	222	227	221	225	228	232	234	236	235	233	233	239	241	246	245	249	255

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(ROX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T M A I R G R O U P	S E X	TEST WEEK														70	72	74
		40	42	44	46	48	50	52	54	56	58	60	62	64	66			
441	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
442	3	232	237	241	244	249	248	246	248	253	256	258	256	257	265	270	273	278
443	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
444	3	232	234	232	238	237	237	232	240	243	250	252	266	262	276	279	277	287
445	3	221	227	229	233	235	237	239	245	243	248	252	261	266	261	269	272	275
446	3	217	221	227	235	236	232	239	239	244	244	256	254	264	253	270	278	277
447	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
448	3	230	225	226	231	237	245	243	244	241	245	258	262	257	261	273	274	286
449	3	229	236	239	242	243	246	251	259	258	272	283	288	288	292	298	303	304
450	3	230	228	236	240	248	252	254	259	268	272	275	280	279	278	281	284	291
451	4	428	434	437	440	442	442	445	451	454	458	459	458	458	464	465	462	460
452	4	405	412	417	422	422	422	428	---	---	---	---	---	---	---	---	---	---
453	4	416	425	426	431	430	432	433	441	440	443	442	442	435	442	458	455	454
454	4	425	424	424	430	432	439	436	442	441	442	449	448	438	440	446	444	442
455	4	455	464	455	464	468	470	463	472	473	469	471	462	462	464	466	467	466
456	4	369	378	379	377	385	384	385	390	396	391	404	400	388	400	405	398	400
457	4	431	426	431	438	444	452	448	---	---	---	---	---	---	---	---	---	---
458	4	396	396	394	403	407	414	406	413	415	421	418	414	397	413	422	419	414
459	4	409	410	413	416	425	420	421	422	423	431	429	427	418	433	434	432	428
460	4	403	407	414	424	427	420	429	434	431	441	443	438	438	444	443	441	429
461	4	416	413	418	420	420	424	428	434	432	443	438	444	434	434	437	437	446
462	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
463	4	429	428	431	432	441	441	441	439	435	443	440	448	444	437	440	449	440
464	4	427	432	433	435	439	441	---	---	---	---	---	---	---	---	---	---	---
465	4	423	424	428	430	438	442	435	438	433	445	443	457	442	436	453	458	452
466	4	370	375	383	384	380	384	381	378	382	385	377	386	397	393	396	387	399
467	4	444	445	447	450	454	454	452	456	450	461	454	439	456	457	460	454	452
468	4	451	451	457	463	469	474	---	---	---	---	---	---	---	---	---	---	---
469	4	424	438	435	441	455	453	---	---	---	---	---	---	---	---	---	---	---
470	4	458	466	459	472	475	477	478	480	479	480	486	489	481	461	475	474	480
471	4	388	400	397	404	413	419	410	413	411	424	419	423	418	417	419	420	412
472	4	474	478	481	499	503	498	494	491	496	510	513	504	503	479	485	494	492
473	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
474	4	385	374	386	397	398	402	397	396	403	419	421	415	406	410	418	420	425
475	4	403	410	407	419	424	426	421	424	426	437	430	422	423	429	426	426	434
476	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
477	4	393	391	398	401	399	405	399	406	408	414	412	415	407	413	415	420	410
478	4	380	379	384	385	376	389	391	396	401	400	401	413	404	401	403	401	403
479	4	395	397	398	405	408	408	408	412	412	402	412	422	419	419	416	419	413
480	4	454	454	462	472	476	478	477	473	483	467	475	482	464	475	481	482	479

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T I M A L N O	T R A G R O U P	S E X	TEST WEEK														74			
			40	42	44	46	48	50	52	54	56	58	60	62	64	66		68	70	72
481	4	M	395	388	392	395	407	402	--	--	--	--	--	440	420	417	417	426	429	431
482	4	M	412	410	412	419	417	424	418	430	435	425	419	440	420	417	417	426	429	431
483	4	M	366	367	369	367	376	382	375	400	397	402	402	407	414	411	414	421	414	415
484	4	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
485	4	M	332	333	339	340	345	348	347	339	348	343	347	348	353	362	364	364	364	369
486	4	M	433	436	445	453	451	448	449	448	457	445	450	437	449	453	451	451	461	453
487	4	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
488	4	M	383	379	384	372	383	381	389	398	395	407	398	389	398	393	401	397	397	394
489	4	M	412	416	426	426	432	424	428	426	426	431	426	420	429	436	433	429	429	431
490	4	M	425	434	412	409	433	409	401	390	390	391	423	435	430	438	448	450	447	446
491	4	M	435	439	445	443	443	439	447	444	445	451	460	466	464	464	454	462	469	470
492	4	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
493	4	M	459	464	466	472	477	474	470	470	470	483	487	479	469	486	492	489	490	484
494	4	M	435	436	446	439	444	445	440	445	447	446	447	452	398	430	447	445	442	447
495	4	M	436	438	440	447	453	445	447	443	445	456	461	462	449	462	466	461	462	458
496	4	M	356	363	368	366	378	373	375	--	--	--	--	--	--	--	--	--	--	--
497	4	M	415	423	428	427	431	431	--	--	--	--	--	--	--	--	--	--	--	--
498	4	M	439	447	449	456	460	459	461	445	426	440	440	442	427	426	400	--	--	--
499	4	M	449	449	458	460	470	471	463	463	470	468	474	466	475	473	469	468	447	460
500	4	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
501	4	M	374	378	389	377	388	393	--	--	--	--	--	--	--	--	--	--	--	--
502	4	M	409	413	421	415	422	415	421	431	430	431	436	439	426	429	438	434	442	427
503	4	M	410	408	415	417	415	412	421	412	424	428	430	430	410	424	434	427	434	426
504	4	M	453	466	465	470	478	472	476	485	483	480	485	491	484	485	489	496	497	491
505	4	M	433	438	441	438	445	439	438	434	442	446	448	460	427	443	441	441	439	447
506	4	M	380	382	387	381	392	384	379	386	390	395	394	395	375	379	377	386	369	371
507	4	M	428	433	439	441	444	433	433	432	439	430	426	425	417	414	409	408	409	398
508	4	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
509	4	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
510	4	M	436	441	442	437	442	444	454	433	452	449	447	449	448	448	450	458	454	450
511	4	M	428	427	429	429	429	442	436	444	441	444	442	446	427	426	432	425	435	417
512	4	M	452	454	453	456	459	459	458	464	464	468	463	454	451	453	455	454	450	452
513	4	M	404	402	404	402	398	405	403	414	411	412	412	409	410	401	399	395	400	404
514	4	M	470	460	467	468	462	472	462	466	474	483	470	477	468	470	480	464	469	458
515	4	M	414	418	416	420	428	425	--	--	--	--	--	--	--	--	--	--	--	--
516	4	M	456	455	464	469	472	470	469	480	476	480	482	492	473	466	484	476	484	478
517	4	M	369	375	392	393	383	383	386	386	382	383	384	369	369	376	376	358	--	--
518	4	M	339	349	357	362	361	355	356	360	362	364	368	365	369	366	364	360	354	364
519	4	M	410	420	434	435	432	423	421	422	434	445	433	434	413	426	433	433	412	430
520	4	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T E M A L N O	S E X	TEST WEEK														74			
		40	42	44	46	48	50	52	54	56	58	60	62	64	66		68	70	72
521	M	371	377	382	382	388	392	392	389	396	403	392	381	392	395	397	387	387	391
522	M	398	393	404	406	410	412	405	413	408	413	404	393	398	407	403	407	403	399
523	M	375	373	381	380	395	396	395	405	409	413	412	420	415	406	420	425	429	422
524	M	418	428	431	439	443	448	441	447	444	446	444	449	446	440	444	446	452	451
525	M	399	397	406	414	418	419	417	415	419	416	414	421	414	412	423	418	412	411
526	F	224	231	227	234	239	240	235	234	238	243	241	241	246	248	251	250	260	261
527	F	230	234	236	242	240	248	---	---	---	---	---	---	---	---	---	---	---	---
528	F	209	212	213	219	220	219	223	224	223	234	238	244	247	242	254	260	259	266
529	F	228	229	235	240	242	243	245	249	254	259	260	270	260	272	282	286	292	286
530	F	223	227	232	233	236	236	236	238	239	242	245	250	252	250	261	263	271	271
531	F	210	214	217	221	223	222	223	229	235	233	239	243	241	258	253	263	269	269
532	F	234	242	245	245	241	247	248	249	250	258	265	281	277	274	283	288	280	295
533	F	216	227	231	234	235	240	238	243	245	254	255	261	259	272	273	273	267	282
534	F	201	212	211	217	216	217	219	221	217	224	224	225	230	234	236	240	231	242
535	F	191	192	192	196	200	190	197	194	193	196	197	196	190	195	201	204	206	205
536	F	214	220	218	221	228	227	228	232	239	236	242	346	240	247	260	270	272	271
537	F	193	194	197	202	203	204	206	210	212	216	222	223	226	222	237	239	243	246
538	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
539	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
540	F	217	214	219	225	231	228	---	---	---	---	---	---	---	---	---	---	---	---
541	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
542	F	216	225	224	226	228	232	233	235	237	243	244	242	241	250	255	261	259	261
543	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
544	F	211	212	218	218	223	224	224	---	---	---	---	---	---	---	---	---	---	---
545	F	222	220	225	226	235	238	239	241	245	247	250	252	251	257	268	273	272	277
546	F	209	213	214	217	222	220	223	230	226	228	234	237	236	235	233	245	257	262
547	F	213	215	215	218	222	225	225	227	229	227	230	223	232	242	243	250	258	259
548	F	215	211	219	214	221	224	224	223	222	228	233	228	233	230	235	236	241	237
549	F	220	214	214	222	229	233	236	232	244	244	243	238	253	265	262	266	276	271
550	F	236	244	245	246	259	269	264	269	277	279	283	290	284	288	289	302	303	296
551	F	213	213	215	218	227	226	224	228	231	234	244	240	240	242	253	258	261	263
552	F	232	242	244	249	248	248	250	254	255	254	264	263	255	255	260	263	270	273
553	F	277	278	276	286	295	294	294	292	298	298	314	314	323	270	290	311	322	322
554	F	238	243	248	254	255	261	256	257	264	271	284	292	294	292	299	302	312	308
555	F	235	240	240	258	252	255	252	250	262	263	277	283	285	289	292	299	303	302
556	F	247	256	262	261	267	265	266	273	287	295	303	309	318	315	326	332	332	334
557	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
558	F	223	233	232	237	239	243	244	250	255	258	264	275	280	279	280	284	294	293
559	F	209	216	215	222	224	223	223	219	214	220	226	230	207	223	231	244	254	253
560	F	206	211	214	217	216	217	217	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAM/DRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N T M A L N O U P	T R A G R O U P	S E X	TEST WEEK																74	
			40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70		72
561	4	F	222	220	232	243	242	238	---	---	---	---	---	---	---	---	---	---	---	---
562	4	F	226	234	236	240	238	244	246	251	250	256	258	237	269	263	270	278	272	272
563	4	F	216	221	226	230	230	234	234	235	236	242	238	237	240	246	254	258	266	262
564	4	F	214	226	230	228	233	234	235	235	239	243	250	256	240	253	260	270	274	270
565	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
566	4	F	219	219	223	227	229	230	231	234	238	238	244	250	236	251	260	263	269	262
567	4	F	221	245	245	248	252	249	249	243	252	256	263	270	268	274	278	282	286	290
568	4	F	210	215	222	224	228	223	231	230	225	231	238	238	238	242	242	242	251	248
569	4	F	208	213	217	221	221	224	232	237	237	241	248	248	260	268	263	271	273	274
570	4	F	207	218	216	217	217	225	225	217	221	226	230	231	231	230	224	229	243	248
571	4	F	238	239	246	247	254	255	252	258	255	256	273	270	265	267	289	293	300	302
572	4	F	228	235	237	236	240	247	245	248	253	253	256	268	259	266	270	279	276	282
573	4	F	213	216	221	227	227	229	---	---	---	---	---	---	---	---	---	---	---	---
574	4	F	211	215	219	218	227	228	237	238	242	249	253	258	260	254	255	258	264	266
575	4	F	273	274	281	287	287	294	290	298	299	300	309	319	323	312	318	322	329	332
576	4	F	217	221	221	225	225	228	226	224	228	237	235	238	240	247	246	245	244	248
577	4	F	220	219	225	222	232	233	235	239	239	244	251	251	238	250	262	280	280	285
578	4	F	212	213	211	214	222	224	222	225	217	228	232	228	234	234	237	240	240	240
579	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
580	4	F	221	218	222	225	224	230	---	---	---	---	---	---	---	---	---	---	---	---
581	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
582	4	F	215	214	217	224	226	226	222	223	222	226	232	234	235	240	244	243	251	255
583	4	F	204	204	208	208	216	214	217	222	216	220	226	229	224	223	235	242	252	243
584	4	F	235	236	242	245	247	252	248	253	257	256	260	247	257	256	271	280	291	290
585	4	F	215	213	214	220	223	229	233	235	233	243	245	244	248	253	261	269	271	273
586	4	F	221	228	228	234	234	229	233	230	237	238	234	242	243	244	245	250	251	257
587	4	F	198	202	204	203	208	201	206	208	209	212	206	215	210	228	220	221	224	226
588	4	F	234	238	239	244	248	242	---	---	---	---	---	---	---	---	---	---	---	---
589	4	F	219	223	224	227	232	238	235	241	247	248	254	255	261	258	266	265	274	272
590	4	F	224	221	226	229	232	239	238	228	233	236	242	245	245	245	236	247	246	248
591	4	F	206	210	215	222	212	221	223	215	214	225	232	232	232	224	231	231	232	236
592	4	F	194	195	195	198	202	201	206	196	197	198	199	206	202	201	201	210	209	215
593	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
594	4	F	229	234	234	242	240	244	249	---	---	---	---	---	---	---	---	---	---	---
595	4	F	219	217	219	219	222	227	---	---	---	---	---	---	---	---	---	---	---	---
596	4	F	231	240	254	248	258	253	257	236	230	224	211	192	---	---	---	---	---	---
597	4	F	227	227	231	232	242	242	242	233	246	243	250	251	244	250	252	254	252	264
598	4	F	214	220	224	226	225	230	231	235	231	230	233	238	248	250	259	266	274	271
599	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
600	4	F	211	217	221	223	221	224	228	226	221	232	237	239	237	239	253	254	259	261

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L N O	T R A G R O U P	S E X	TEST WEEK														74		
			40	42	44	46	48	50	52	54	56	58	60	62	64	66		68	70
601	5	M	335	362	374	367	369	358	365	---	---	---	---	---	---	---	---	---	---
602	5	M	389	393	389	399	382	381	374	382	383	387	384	381	---	---	---	---	---
603	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
604	5	M	391	410	414	---	---	---	---	---	---	---	---	---	---	---	---	---	---
605	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
606	5	M	354	365	386	373	378	372	365	373	380	377	383	---	---	---	---	---	---
607	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
608	5	M	395	394	403	415	404	395	---	---	---	---	---	---	---	---	---	---	---
609	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
610	5	M	342	350	351	354	358	349	345	345	342	354	350	---	---	---	---	---	---
611	5	M	379	389	383	384	389	381	373	379	379	379	375	377	365	374	368	376	373
612	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
613	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
614	5	M	388	369	384	391	379	372	373	---	---	---	---	---	---	---	---	---	---
615	5	M	378	392	381	372	---	---	---	---	---	---	---	---	---	---	---	---	---
616	5	M	346	344	347	350	353	353	---	---	---	---	---	---	---	---	---	---	---
617	5	M	342	354	350	342	351	351	358	358	361	365	359	367	---	---	---	---	---
618	5	M	338	334	349	342	356	351	351	346	356	362	354	346	355	351	370	360	357
619	5	M	364	364	360	359	356	357	353	---	---	---	---	---	---	---	---	---	---
620	5	M	336	342	339	348	346	337	340	338	344	352	344	345	346	339	338	331	342
621	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
622	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
623	5	M	385	375	378	376	366	322	289	279	325	320	342	337	345	333	343	341	348
624	5	M	365	368	368	366	358	358	350	350	349	360	---	---	---	---	---	---	---
625	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
626	5	M	327	379	378	370	---	---	---	---	---	---	---	---	---	---	---	---	---
627	5	M	381	391	376	380	376	379	372	363	367	377	372	368	374	345	372	390	373
628	5	M	345	356	358	349	353	353	---	---	---	---	---	---	---	---	---	---	---
629	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
630	5	M	338	352	360	360	368	369	366	362	369	366	366	352	366	365	374	372	362
631	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
632	5	M	400	403	404	408	---	---	---	---	---	---	---	---	---	---	---	---	---
633	5	M	353	346	363	367	356	345	353	347	342	349	340	319	342	336	341	337	315
634	5	M	388	395	399	403	400	396	390	390	404	408	405	399	388	393	393	396	391
635	5	M	267	314	336	335	334	338	---	---	---	---	---	---	---	---	---	---	---
636	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
637	5	M	374	378	381	386	383	382	370	371	377	382	377	376	---	---	---	---	---
638	5	M	343	346	344	348	344	339	---	---	---	---	---	---	---	---	---	---	---
639	5	M	359	360	378	371	368	376	378	381	388	383	381	371	---	---	---	---	---
640	5	M	364	363	385	375	370	370	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N T M A L N O	T R A G R O U P	S E X	TEST WEEK																	74
			40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	
641	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
642	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
643	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
644	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
645	5	M	374	377	371	356	---	---	---	---	---	---	---	---	---	---	---	---	---	---
646	5	M	370	352	375	377	371	378	362	358	369	377	375	382	361	363	364	374	366	368
647	5	M	380	378	389	382	381	380	377	390	379	382	376	375	365	371	371	364	375	372
648	5	M	370	369	355	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
649	5	M	366	377	390	392	392	388	375	385	389	391	393	384	360	359	373	371	370	373
650	5	M	391	390	387	387	389	386	385	381	386	399	393	390	373	375	376	390	379	371
651	5	M	363	380	385	386	383	391	387	395	379	381	374	394	382	383	382	383	375	382
652	5	M	384	374	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
653	5	M	333	340	351	351	354	340	333	320	324	335	342	338	---	---	---	---	---	---
654	5	M	355	359	354	363	365	361	356	349	363	366	366	362	352	362	365	359	360	364
655	5	M	364	371	371	380	384	376	366	374	378	364	387	379	354	365	362	366	---	---
656	5	M	348	348	352	349	350	358	358	342	348	352	352	354	345	341	355	361	357	354
657	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
658	5	M	329	327	342	338	338	330	323	283	287	---	---	---	---	---	---	---	---	---
659	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
660	5	M	360	377	370	369	370	369	355	365	359	373	362	355	348	354	355	338	298	284
661	5	M	351	364	378	377	376	371	---	---	---	---	---	---	---	---	---	---	---	---
662	5	M	370	369	378	371	370	364	351	348	294	308	325	332	334	338	320	329	---	---
663	5	M	346	351	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
664	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
665	5	M	364	368	377	379	369	382	377	383	386	381	391	367	375	383	385	378	385	386
666	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
667	5	M	333	343	352	347	340	335	333	336	349	340	347	337	324	337	338	329	337	348
668	5	M	397	398	396	388	---	---	---	---	---	---	---	---	---	---	---	---	---	---
669	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
670	5	M	342	345	360	350	347	347	356	359	358	362	361	356	346	304	342	348	348	355
671	5	M	386	392	391	381	373	382	---	---	---	---	---	---	---	---	---	---	---	---
672	5	M	389	397	396	409	399	404	398	397	394	405	410	401	392	407	396	396	394	405
673	5	M	396	406	407	408	403	403	389	394	402	404	404	378	394	397	398	403	---	---
674	5	M	381	386	382	380	384	---	---	---	---	---	---	---	---	---	---	---	---	---
675	5	M	351	366	375	377	373	378	369	---	---	---	---	---	---	---	---	---	---	---
676	5	F	205	214	229	236	228	237	229	241	231	250	238	252	250	248	236	255	261	253
677	5	F	227	230	229	231	227	229	231	235	239	228	232	236	232	235	236	241	248	241
678	5	F	209	218	208	220	219	226	231	222	233	226	232	242	250	235	239	232	237	242
679	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
680	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 THE XANTHINE DERIVATIVE 1,3,5-TRIAZINE(ROX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T M R A L R O S O U P X	TEST WEEK																	
	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74
681	S	F	234	235	238	246	240	244	242	248	255	252	249	247	251	255	257	261
682	S	F	224	226	223	225	226	221	226	231	226	232	236	233	222	226	235	231
683	S	F	247	246	251	255	270	261	257	---	---	---	---	---	---	---	---	---
684	S	F	254	262	257	256	257	253	---	---	---	---	---	---	---	---	---	---
685	S	F	247	245	249	252	253	254	255	250	248	242	245	245	249	242	247	242
686	S	F	248	242	248	244	254	253	250	265	259	262	258	261	256	253	258	251
687	S	F	231	217	232	229	244	232	240	244	257	242	253	240	251	236	249	262
688	S	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
689	S	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
690	S	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
691	S	F	246	244	242	245	248	244	239	240	239	241	235	246	252	248	252	254
692	S	F	259	260	262	260	259	260	254	265	267	265	262	269	260	265	264	275
693	S	F	265	260	260	260	265	268	267	274	266	281	276	284	286	283	278	289
694	S	F	235	247	245	245	244	250	---	---	---	---	---	---	---	---	---	---
695	S	F	225	237	245	246	245	250	259	248	247	246	241	241	229	239	247	242
696	S	F	237	239	236	240	242	239	---	---	---	---	---	---	---	---	---	---
697	S	F	235	242	248	238	230	250	249	256	261	265	268	266	254	262	279	271
698	S	F	212	233	236	246	249	241	246	247	236	245	231	248	230	235	256	261
699	S	F	207	212	205	211	208	221	215	217	221	230	225	230	222	232	239	236
700	S	F	258	259	254	257	264	254	260	---	---	---	---	---	---	---	---	---
701	S	F	241	247	252	253	250	256	248	253	256	261	259	252	262	258	257	253
702	S	F	236	238	243	247	250	254	247	250	251	245	249	261	247	249	243	254
703	S	F	258	255	266	265	271	267	265	266	266	272	265	266	264	275	265	269
704	S	F	262	265	265	261	264	258	256	264	259	248	253	242	238	248	262	258
705	S	F	263	266	260	258	254	258	254	251	255	256	262	250	262	268	270	264
706	S	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
707	S	F	255	255	256	257	258	247	250	249	256	266	264	256	266	271	255	261
708	S	F	230	238	243	241	240	245	241	244	253	243	239	235	245	255	241	251
709	S	F	251	260	255	260	265	248	260	267	272	265	263	260	266	267	275	272
710	S	F	229	231	241	244	238	248	254	253	254	253	246	242	248	258	246	244
711	S	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
712	S	F	241	247	250	248	263	262	250	262	258	266	267	282	272	281	281	268
713	S	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
714	S	F	269	277	279	274	274	265	---	---	---	---	---	---	---	---	---	---
715	S	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
716	S	F	250	255	254	267	267	267	262	264	269	266	269	263	240	254	262	271
717	S	F	215	215	232	233	234	236	232	232	238	246	250	250	247	239	245	248
718	S	F	243	248	254	264	264	272	270	276	---	---	---	---	---	---	---	---
719	S	F	238	238	237	244	241	247	---	---	---	---	---	---	---	---	---	---
720	S	F	261	265	264	265	266	272	259	263	266	258	260	260	244	255	260	262

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N T I M A L G R O U P	S E X	TEST WEEK																		
		40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	
721	5	F	239	234	245	244	242	242	241	230	250	244	251	253	238	253	262	256	262	260
722	5	F	258	254	263	269	278	277	274	263	268	279	277	286	269	277	277	271	272	271
723	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
724	5	F	229	230	238	245	245	246	243	238	243	248	248	243	234	236	251	248	248	249
725	5	F	243	245	243	243	244	243	238	---	---	---	---	---	---	---	---	---	---	---
726	5	F	252	256	262	258	263	268	276	265	274	272	278	262	258	267	275	272	272	264
727	5	F	291	286	290	292	289	287	281	285	291	287	280	---	---	---	---	---	---	---
728	5	F	271	265	264	255	265	266	269	280	269	279	284	251	257	265	267	265	267	275
729	5	F	261	265	259	266	260	264	266	266	266	272	275	251	259	260	263	267	272	270
730	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
731	5	F	244	252	253	251	258	258	---	---	---	---	---	---	---	---	---	---	---	---
732	5	F	252	254	256	259	257	253	254	240	239	247	244	251	249	248	255	263	257	258
733	5	F	262	271	266	272	273	262	274	269	268	271	273	270	254	267	267	266	269	262
734	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
735	5	F	243	247	250	250	252	249	256	235	247	249	241	235	228	232	230	242	243	246
736	5	F	252	250	256	260	256	254	247	244	250	254	265	254	247	242	254	245	240	250
737	5	F	247	253	264	271	274	273	270	268	271	262	267	272	265	269	276	278	267	270
738	5	F	207	205	213	225	226	233	223	222	226	234	228	229	224	228	232	224	225	222
739	5	F	244	242	248	242	250	247	239	245	246	248	248	249	243	248	242	246	240	244
740	5	F	245	239	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
741	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
742	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
743	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
744	5	F	237	244	252	246	250	249	244	241	246	243	245	244	245	254	248	245	248	238
745	5	F	232	256	270	238	241	238	242	244	246	267	248	250	248	241	246	250	253	253
746	5	F	248	233	232	270	270	273	264	264	260	265	267	268	266	267	264	269	266	259
747	5	F	251	263	266	262	266	279	266	264	266	265	263	258	255	260	254	260	257	253
748	5	F	254	248	251	240	252	249	244	226	---	---	---	---	---	---	---	---	---	---
749	5	F	231	241	244	260	259	265	253	255	263	257	253	261	253	243	261	252	243	254
750	5	F	233	232	231	235	239	235	240	244	248	247	250	250	245	246	251	241	251	248

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYLTHIOURACIL (HMT) IN THE FISHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

ANIMAL IDENTIFICATION	SEX	TEST WEEK														104
		76	78	80	82	84	86	88	90	92	94	96	98	100	102	
1	M	424	434	430	424	421	414	406	378	330	---	---	---	---	---	---
2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4	M	446	448	438	442	429	424	420	417	404	374	376	---	---	---	---
5	M	451	452	451	451	446	443	435	441	436	431	426	413	415	406	406
6	M	453	456	439	464	451	459	459	466	458	455	450	455	460	445	445
7	M	441	441	444	440	445	439	441	381	---	---	---	---	---	---	---
8	M	493	500	502	501	498	502	499	474	---	---	---	---	---	---	---
9	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
10	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
11	M	502	502	508	508	508	501	504	500	490	490	482	484	482	482	482
12	M	447	441	433	429	439	440	433	423	422	409	300	284	276	282	282
13	M	438	437	432	436	432	428	432	429	425	422	421	415	410	---	---
14	M	474	474	477	470	468	467	459	454	444	418	400	382	356	349	349
15	M	449	444	439	444	431	432	436	431	415	417	402	396	396	368	368
16	M	439	442	446	447	443	446	447	446	445	451	448	451	443	436	436
17	M	473	466	465	465	466	466	459	454	452	446	135	439	428	414	414
18	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
19	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
20	M	466	464	456	459	468	465	468	470	462	454	448	442	441	423	423
21	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
22	M	411	414	414	413	413	413	412	416	415	414	412	411	411	399	399
23	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
24	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
25	M	461	452	456	449	453	456	456	454	451	447	441	430	428	427	427
26	M	495	488	500	493	493	486	480	444	434	412	281	---	---	---	---
27	M	443	435	443	437	444	441	442	438	440	436	434	432	428	427	427
28	M	433	438	441	433	435	430	402	411	410	404	353	317	265	---	---
29	M	441	449	456	459	463	482	---	---	---	---	---	---	---	---	---
30	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
31	M	456	459	465	465	469	466	461	460	443	432	406	388	366	335	335
32	M	481	477	472	473	466	466	456	455	455	452	446	448	446	437	437
33	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
34	M	482	468	480	468	465	469	464	458	449	436	424	409	404	398	398
35	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
36	M	452	448	448	441	418	446	454	443	449	447	447	453	440	419	419
37	M	482	483	495	487	480	488	488	491	478	484	488	474	480	476	470
38	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
39	M	459	460	472	463	472	476	468	472	477	474	476	478	482	486	486
40	M	471	436	438	405	344	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 1,1-DICHLORO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N T I M A L N O D U P	T R A G S	S E X	TEST WEEK																104
			76	78	80	82	84	86	88	90	92	94	96	98	100	102			
41	1	M	440	413	454	449	444	443	448	439	--	--	--	--	--	--	--	--	
42	1	M	408	407	407	401	383	400	404	403	404	404	398	391	307	276	--	--	
43	1	M	461	455	467	460	462	454	458	444	454	448	453	413	428	428	416	416	
44	1	M	388	390	385	384	386	388	392	387	389	382	374	381	389	377	377	377	
45	1	M	471	469	468	461	468	467	468	464	467	471	471	468	471	468	471	468	
46	1	M	405	410	405	402	396	395	398	399	402	402	403	399	403	401	404	404	
47	1	M	481	476	486	482	474	469	476	465	462	454	458	449	447	440	435	435	
48	1	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
49	1	M	421	423	425	428	420	419	427	421	422	414	413	412	390	395	--	--	
50	1	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
51	1	M	486	484	489	488	486	482	479	477	472	464	459	446	420	362	344	344	
52	1	M	426	423	421	424	421	414	423	413	414	412	409	405	411	412	396	396	
53	1	M	486	488	487	478	478	469	470	472	475	470	469	463	470	457	441	441	
54	1	M	452	448	460	451	450	445	446	418	364	330	337	--	--	--	--	--	
55	1	M	454	453	449	452	457	452	460	439	--	--	--	--	--	--	--	--	
56	1	M	446	450	461	460	459	465	375	--	--	--	--	--	--	--	--	--	
57	1	M	474	465	471	461	460	456	458	458	454	454	442	438	441	441	428	428	
58	1	M	460	--	440	451	441	433	434	423	422	424	421	418	416	415	399	399	
59	1	M	408	402	401	402	395	396	394	396	391	388	388	387	381	381	368	368	
60	1	M	499	--	488	498	507	499	--	--	--	--	--	--	--	--	--	--	
61	1	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
62	1	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
63	1	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
64	1	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
65	1	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
66	1	M	423	432	435	436	434	436	428	431	425	423	420	418	419	411	399	399	
67	1	M	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
68	1	M	421	417	413	411	409	406	402	403	407	411	385	--	--	--	--	--	
69	1	M	457	452	457	446	449	452	444	444	441	438	428	427	406	399	368	368	
70	1	M	503	498	491	503	498	461	474	458	423	436	449	449	444	418	396	396	
71	1	M	517	513	510	506	509	506	514	506	507	502	493	501	504	502	497	497	
72	1	M	433	433	432	427	424	406	414	414	417	418	413	409	416	417	412	412	
73	1	M	475	483	483	482	461	464	465	466	465	457	464	459	456	456	446	446	
74	1	M	441	432	429	420	412	424	416	416	423	420	417	423	427	423	412	412	
75	1	M	452	455	448	455	442	443	452	441	444	447	438	434	432	417	394	394	
76	1	F	288	299	302	301	309	310	306	313	322	327	323	328	325	330	328	328	
77	1	F	297	298	302	303	302	311	313	326	322	326	325	318	321	318	300	300	
78	1	F	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
79	1	F	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
80	1	F	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYLTHIO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L N O	T R A G R O U P	S E X	TEST WEEK																104
			76	78	80	82	84	86	88	90	92	94	96	98	100	102			
81	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
82	1	F	288	292	302	306	310	307	310	310	317	319	322	316	313	---	---		
83	1	F	251	---	249	255	261	261	259	267	264	269	270	269	272	263	261		
84	1	F	282	290	293	299	299	298	301	306	310	317	313	317	314	321	316		
85	1	F	299	291	303	308	314	310	323	320	327	332	328	324	322	320	329		
86	1	F	274	275	280	282	287	292	298	295	298	301	302	293	301	296	304		
87	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
88	1	F	299	299	306	311	311	312	316	317	323	328	329	340	337	331	331		
89	1	F	307	309	311	326	319	322	321	329	326	324	324	334	330	323	290		
90	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
91	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
92	1	F	227	---	220	220	235	240	248	245	254	252	249	249	246	244	243		
93	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
94	1	F	274	275	271	284	277	291	287	296	304	296	307	304	305	304	---		
95	1	F	270	271	271	274	268	283	285	288	287	285	297	297	296	302	297		
96	1	F	299	307	304	303	299	316	310	318	322	322	324	330	328	330	328		
97	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
98	1	F	286	286	288	273	259	275	270	264	267	285	302	---	---	---	---		
99	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
100	1	F	275	284	277	279	289	283	290	292	297	296	298	294	296	301	302		
101	1	F	280	283	287	283	286	281	287	288	290	289	287	291	290	296	293		
102	1	F	296	300	307	304	313	315	314	312	323	319	318	322	316	316	320		
103	1	F	264	---	259	274	272	272	280	288	293	292	294	294	291	296	292		
104	1	F	274	282	286	294	294	297	293	303	309	306	314	313	313	319	317		
105	1	F	279	279	289	297	287	294	295	300	292	295	292	298	301	307	298		
106	1	F	289	278	295	290	285	288	286	287	298	295	286	280	275	272	261		
107	1	F	287	280	278	281	289	285	281	291	295	298	301	303	306	303	---		
108	1	F	272	277	280	277	280	282	273	284	286	291	288	294	296	296	297		
109	1	F	253	256	260	264	265	273	275	269	274	280	271	266	269	280	288		
110	1	F	301	310	323	311	308	292	255	---	---	---	---	---	---	---	---		
111	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
112	1	F	286	292	294	295	290	304	304	308	---	---	---	---	---	---	---		
113	1	F	188	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
114	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
115	1	F	247	251	257	264	268	272	273	276	280	277	276	283	284	281	253		
116	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
117	1	F	258	265	264	273	279	282	283	280	289	283	285	287	287	295	---		
118	1	F	343	351	361	367	366	360	357	360	365	375	369	358	323	295	---		
119	1	F	280	278	288	295	292	292	297	302	304	313	311	311	313	312	313		
120	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L N O	T R T G R O U P	S E X	TEST WEEK																104
			76	78	80	82	84	86	88	90	92	94	96	98	100	102			
121	1	F	---	---	---	---	---	---	287	---	---	---	---	---	---	---	---		
122	1	F	278	281	280	293	291	278	287	291	301	302	301	299	289	293	279		
123	1	F	279	276	284	292	286	286	292	291	294	297	298	296	307	304	301		
124	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
125	1	F	285	242	---	---	---	---	---	---	---	---	---	---	---	---	---		
126	1	F	281	284	289	289	292	289	295	299	305	304	308	307	307	313	308		
127	1	F	307	320	325	326	329	321	329	327	333	332	333	334	338	341	335		
128	1	F	296	298	290	299	304	295	302	309	304	300	304	300	295	---	---		
129	1	F	282	291	296	303	300	297	303	294	311	303	314	324	309	319	321		
130	1	F	327	331	326	325	317	324	318	321	329	336	344	344	357	355	340		
131	1	F	277	281	282	284	285	283	288	285	295	295	297	300	298	307	302		
132	1	F	293	289	284	291	294	297	291	298	296	299	303	297	294	287	288		
133	1	F	283	289	291	291	299	302	307	312	323	324	330	324	327	321	322		
134	1	F	263	263	276	283	282	289	293	297	308	308	304	312	305	305	301		
135	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
136	1	F	277	275	283	295	281	290	289	293	296	307	304	309	308	315	308		
137	1	F	249	255	259	265	265	269	268	271	268	277	281	276	267	269	---		
138	1	F	255	262	263	272	268	277	278	282	283	283	283	287	295	290	288		
139	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
140	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
141	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
142	1	F	239	247	261	208	262	283	284	287	299	297	297	291	301	---	---		
143	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
144	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
145	1	F	280	283	286	283	298	292	291	298	300	314	310	309	312	315	321		
146	1	F	280	284	286	301	305	307	300	306	313	321	321	321	316	324	328		
147	1	F	297	301	302	305	306	310	297	292	307	313	313	317	308	312	313		
148	1	F	292	294	291	301	311	312	311	317	314	327	322	316	318	319	322		
149	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
150	1	F	282	284	289	295	295	293	289	292	296	300	294	293	293	294	287		
151	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
152	2	M	458	452	459	456	450	450	457	457	444	436	426	420	418	416	400		
153	2	M	461	463	458	455	449	453	457	447	437	433	428	432	433	428	437		
154	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
155	2	M	478	481	475	466	463	460	458	455	452	454	440	434	436	432	421		
156	2	M	495	497	495	475	418	310	285	---	---	---	---	---	---	---	---		
157	2	M	502	498	487	492	480	483	481	477	471	471	454	458	442	418	379		
158	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
159	2	M	495	501	500	502	499	494	496	488	471	432	356	---	---	---	---		
160	2	M	497	503	501	495	495	490	496	491	488	482	471	464	456	451	---		

----- NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYLTHIOURACIL (HMTU) IN THE FISHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T R A G R O U P	TEST WEEK															
	76	78	80	82	84	86	88	90	92	94	96	98	100	102	104	
161	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
162	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
163	454	450	464	459	458	460	461	456	456	453	444	447	436	433	427	
164	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
165	460	461	466	450	454	438	426	422	403	338	---	---	---	---	---	
166	478	---	485	488	478	477	475	473	466	460	450	449	423	432	404	
167	435	441	445	439	444	446	445	442	439	435	439	435	443	441	---	
168	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
169	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
170	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
171	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
172	427	435	424	437	430	426	427	422	418	414	411	419	409	413	411	
173	462	463	464	464	451	454	441	441	432	426	405	366	312	---	---	
174	459	456	448	457	448	447	446	443	431	434	434	435	434	436	429	
175	490	490	493	497	496	497	503	502	503	508	501	493	485	486	477	
176	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
177	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
178	470	468	460	465	469	465	459	460	463	465	460	460	459	457	454	
179	487	---	473	471	470	465	474	464	462	463	454	453	439	447	419	
180	485	478	458	453	410	335	---	---	---	---	---	---	---	---	---	
181	443	447	447	446	450	449	450	445	416	412	421	417	413	398	388	
182	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
183	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
184	452	456	449	447	445	442	440	446	445	435	437	431	426	419	420	
185	423	428	421	428	428	424	428	423	414	418	412	402	348	259	273	
186	474	479	479	481	478	476	486	481	479	484	494	499	533	558	582	
187	447	452	454	451	452	438	435	446	446	432	434	433	431	425	416	
188	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
189	482	482	478	482	473	469	476	465	465	466	458	455	448	444	---	
190	478	471	470	469	471	469	466	467	466	457	457	448	456	452	447	
191	423	428	425	421	423	416	422	413	409	415	412	404	407	404	403	
192	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
193	509	487	510	518	506	513	508	504	496	494	486	469	467	422	400	
194	439	425	440	443	440	438	442	434	431	426	426	422	420	399	409	
195	360	345	365	370	360	357	358	359	356	358	361	354	348	338	346	
196	458	454	454	453	455	456	447	442	428	409	389	367	324	---	---	
197	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
198	513	514	518	504	505	504	506	510	512	500	493	491	482	478	490	
199	467	---	448	447	444	441	380	---	---	---	---	---	---	---	---	
200	484	480	482	483	478	476	481	472	476	472	460	455	450	433	345	

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYL-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L N O	T R E A T M E N T	S E X	TEST WEEK															
			76	78	80	82	84	86	88	90	92	94	96	98	100	102	104	
201	2	M	422	418	421	411	411	420	416	418	419	418	417	417	407	409	406	
202	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
203	2	M	421	422	414	412	415	420	421	434	434	427	414	405	389	371	358	
204	2	M	453	453	451	434	440	436	439	428	416	420	420	420	406	405	402	
205	2	M	440	434	434	427	434	428	426	423	418	418	396	335	---	---	---	
206	2	M	462	465	461	461	464	459	458	455	453	446	434	439	433	428	426	
207	2	M	435	432	435	432	431	431	432	428	430	433	430	419	421	418	418	
208	2	M	452	460	462	464	458	461	462	461	463	451	447	446	442	435	392	
209	2	M	466	466	464	461	461	464	466	468	473	466	467	463	464	464	461	
210	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
211	2	M	387	334	---	---	---	---	---	---	---	---	---	---	---	---	---	
212	2	M	429	433	438	436	434	437	440	431	436	431	433	427	409	418	415	
213	2	M	462	467	468	472	466	466	473	464	459	456	449	437	393	342	258	
214	2	M	419	392	344	359	363	---	---	---	---	---	---	---	---	---	---	
215	2	M	478	472	466	470	467	455	452	444	446	447	431	418	420	416	415	
216	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
217	2	M	458	458	460	443	454	451	412	---	---	---	---	---	---	---	---	
218	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
219	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
220	2	M	431	430	429	419	422	424	427	420	410	412	410	410	412	411	400	
221	2	M	470	469	460	463	459	459	469	462	460	461	456	458	463	459	462	
222	2	M	447	452	453	452	459	466	468	465	468	468	484	---	---	---	---	
223	2	M	454	450	454	444	444	456	452	446	436	441	439	433	424	426	417	
224	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
225	2	M	475	460	459	464	466	459	---	---	---	---	---	---	---	---	---	
226	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
227	2	F	262	269	276	286	286	289	284	291	293	291	279	266	238	260	256	
228	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
229	2	F	302	301	304	311	312	312	317	320	322	325	321	336	327	329	328	
230	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
231	2	F	306	---	313	322	326	321	327	328	335	331	296	266	---	---	---	
232	2	F	282	293	298	302	305	308	310	312	318	323	320	312	321	317	319	
233	2	F	331	341	334	346	339	330	317	303	277	266	256	261	272	224	---	
234	2	F	273	273	275	278	286	286	283	283	289	290	292	293	295	296	300	
235	2	F	250	255	248	259	261	267	268	276	281	281	282	286	289	286	287	
236	2	F	279	281	287	292	291	298	298	304	304	302	298	299	297	297	299	
237	2	F	306	300	305	305	311	306	281	249	---	---	---	---	---	---	---	
238	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
239	2	F	255	261	266	266	262	264	262	270	266	262	271	268	275	267	272	
240	2	F	315	316	329	325	329	326	324	334	328	331	337	331	331	330	327	

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYLTHIOURACIL (HMTU) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L G R O U P	S E X	TEST WEEK															
		76	78	80	82	84	86	88	90	92	94	96	98	100	102	104	
241	2 F	239	248	256	263	267	267	271	262	286	292	298	300	270	290	285	
242	2 F	288	289	305	312	303	310	308	306	315	301	274	244	---	---	---	
243	2 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
244	2 F	280	282	279	283	287	284	282	293	293	295	286	294	288	297	292	
245	2 F	261	265	266	256	---	---	---	---	---	---	---	---	---	---	---	
246	2 F	289	291	293	298	302	304	300	302	313	313	318	316	321	333	325	
247	2 F	307	322	323	330	326	331	333	334	342	350	345	345	344	344	344	
248	2 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
249	2 F	247	269	262	268	276	276	287	294	300	297	301	309	304	306	306	
250	2 F	254	262	268	273	274	273	276	270	283	288	289	286	283	291	291	
251	2 F	279	278	286	291	293	296	292	295	302	317	307	312	305	302	282	
252	2 F	263	266	265	271	269	271	272	274	274	273	274	280	277	281	282	
253	2 F	299	299	303	310	308	310	311	310	321	316	322	315	323	315	312	
254	2 F	239	218	211	215	217	---	---	---	---	---	---	---	---	---	---	
255	2 F	258	264	269	274	277	285	281	281	290	297	296	293	295	296	---	
256	2 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
257	2 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
258	2 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
259	2 F	278	---	288	293	294	299	302	304	310	315	316	316	319	313	306	
260	2 F	287	286	277	289	290	294	309	306	308	320	319	324	324	326	326	
261	2 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
262	2 F	322	---	325	329	340	339	342	336	352	356	341	342	322	288	245	
263	2 F	265	266	270	280	280	284	272	274	277	278	280	282	285	281	282	
264	2 F	266	267	276	272	281	278	275	275	292	295	286	293	289	305	273	
265	2 F	283	291	302	308	315	314	321	334	337	336	333	336	334	332	324	
266	2 F	306	317	319	327	334	332	331	335	342	338	342	350	342	349	---	
267	2 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
268	2 F	316	320	327	331	340	337	340	342	350	353	350	348	352	344	333	
269	2 F	284	286	284	289	297	301	297	297	286	285	255	233	190	194	---	
270	2 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
271	2 F	293	304	305	316	316	322	319	323	325	330	327	332	332	332	---	
272	2 F	240	249	251	257	259	261	257	260	262	261	265	262	262	262	261	
273	2 F	302	301	306	320	322	323	320	318	322	326	329	324	321	327	331	
274	2 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
275	2 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
276	2 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
277	2 F	311	318	319	323	322	323	326	328	332	334	328	332	338	334	332	
278	2 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
279	2 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
280	2 F	272	274	279	278	290	291	289	298	309	318	313	326	316	305	260	

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T R A G R O U P	TEST WEEK															
	76	78	80	82	84	86	88	90	92	94	96	98	100	102	104	
281	281	285	291	289	297	295	293	300	302	301	302	306	308	314	306	
282	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
283	2	265	275	273	278	282	279	283	293	298	303	306	308	306	300	
284	2	300	310	312	316	319	318	326	318	320	326	328	330	333	336	
285	2	278	277	278	286	290	290	296	304	298	300	315	307	296	268	
286	2	260	262	265	274	257	263	276	279	284	287	277	291	291	283	
287	2	265	271	278	280	273	283	290	294	296	304	308	302	308	300	
288	2	274	281	288	294	281	293	287	295	295	297	296	301	305	301	
289	2	250	261	280	279	286	290	293	303	310	308	314	309	316	314	
290	2	304	307	315	320	329	331	331	339	341	343	342	349	341	341	
291	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
292	2	268	271	273	279	284	279	282	290	290	297	291	290	295	295	
293	2	256	261	262	265	282	281	275	281	275	278	---	---	---	---	
294	2	302	302	306	306	317	308	308	313	314	301	308	309	302	306	
295	2	292	284	287	298	299	298	300	303	303	303	304	297	271	---	
296	2	260	261	264	274	273	269	278	278	279	283	282	278	283	282	
297	2	264	269	267	285	283	283	290	292	296	292	292	293	296	295	
298	2	272	275	280	284	285	285	283	306	299	304	312	296	312	320	
299	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
300	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
301	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
302	3	427	434	430	426	431	432	429	431	433	426	423	417	404	364	
303	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
304	3	440	432	433	431	426	429	426	428	419	422	417	421	394	324	
305	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
306	3	421	410	380	364	333	326	307	314	---	---	---	---	---	---	
307	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
308	3	440	450	445	452	448	445	442	432	431	415	422	419	416	411	
309	3	492	483	485	488	483	487	483	479	478	471	414	321	---	---	
310	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
311	3	454	---	455	450	452	457	459	453	450	451	450	463	468	---	
312	3	507	504	478	377	361	336	309	293	292	451	---	---	---	---	
313	3	409	---	413	407	408	392	403	379	407	404	411	414	408	404	
314	3	452	449	445	446	453	430	414	389	375	357	330	320	305	286	
315	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
316	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
317	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
318	3	446	451	447	445	444	414	431	432	428	422	416	414	412	348	
319	3	490	492	493	488	488	496	488	489	496	487	466	405	370	282	
320	3	474	473	474	470	457	452	450	450	447	438	399	388	378	379	

---- - NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T R O G R O U P	S E X	TEST WEEK															104
		76	78	80	82	84	86	88	90	92	94	96	98	100	102		
321	3	414	416	414	399	399	402	404	402	394	389	395	391	389	385	384	
322	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
323	3	450	454	449	452	449	451	455	443	446	440	429	417	409	397	380	
324	3	484	490	476	481	480	480	466	454	441	---	---	---	---	---	---	
325	3	526	530	514	514	499	507	503	504	514	506	513	513	518	506	511	
326	3	404	406	393	396	392	398	398	400	399	376	386	376	358	315	---	
327	3	458	452	448	445	434	441	445	437	435	432	428	417	424	418	404	
328	3	447	448	444	448	444	441	424	351	352	---	---	---	---	---	---	
329	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
330	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
331	3	462	458	454	463	464	469	466	464	463	460	461	458	452	445	447	
332	3	482	485	484	484	486	487	487	484	485	482	484	480	476	470	464	
333	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
334	3	435	444	429	415	398	379	370	354	352	327	314	321	312	298	291	
335	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
336	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
337	3	451	446	392	---	---	---	---	---	---	---	---	---	---	---	---	
338	3	446	449	446	446	437	418	436	429	419	416	406	385	355	352	318	
339	3	468	466	461	463	456	438	457	459	444	436	434	420	418	405	322	
340	3	416	412	411	413	413	411	412	409	405	410	404	408	398	392	389	
341	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
342	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
343	3	436	437	427	419	413	413	372	373	---	---	---	---	---	---	---	
344	3	404	---	403	412	406	403	418	424	418	416	410	392	381	376	340	
345	3	492	500	497	493	493	494	499	488	474	446	352	---	---	---	---	
346	3	445	473	484	489	493	494	501	499	497	499	497	486	492	488	---	
347	3	448	453	452	453	455	458	465	459	453	459	456	458	461	451	455	
348	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
349	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
350	3	475	475	472	477	470	480	479	478	478	450	413	365	292	---	---	
351	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
352	3	491	486	434	304	---	---	---	---	---	---	---	---	---	---	---	
353	3	443	436	437	433	429	432	435	433	427	422	422	426	420	417	400	
354	3	448	447	446	443	452	452	455	462	456	451	432	380	---	---	---	
355	3	416	422	425	423	423	422	428	421	414	411	411	411	414	411	403	
356	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
357	3	484	486	484	487	473	480	476	478	477	446	359	---	---	---	---	
358	3	454	463	460	452	452	452	449	449	442	443	436	428	427	418	409	
359	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
360	3	491	495	497	486	495	494	486	494	485	470	441	---	---	---	---	

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYL-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N T I M A L R O D U P	S E X	TEST WEEK												100	102	104
		76	78	80	82	84	86	88	90	92	94	96	98			
361	3	M	468	424	303	397	393	400	404	402	403	403	399	400	403	401
362	3	M	395	398	397	---	---	---	---	---	---	---	---	---	---	---
363	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---
364	3	M	446	447	444	439	440	449	443	429	421	379	360	322	304	277
365	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---
366	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---
367	3	M	---	439	440	446	440	448	452	456	450	440	434	430	424	390
368	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---
369	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---
370	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---
371	3	M	402	368	300	303	274	218	---	---	---	---	---	---	---	---
372	3	M	441	444	438	430	433	434	432	422	417	415	417	407	405	387
373	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---
374	3	M	421	426	431	445	427	438	445	450	458	450	438	263	---	---
375	3	M	491	502	491	502	496	494	496	491	494	493	486	474	468	---
376	3	M	268	272	279	287	296	292	292	300	296	294	295	300	300	294
377	3	F	263	270	286	281	290	302	301	308	307	310	307	307	304	301
378	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
379	3	F	304	300	312	301	307	308	308	293	276	244	---	---	---	---
380	3	F	272	276	288	283	282	288	288	295	287	292	301	306	307	---
381	3	F	323	334	337	344	345	340	355	356	355	354	356	360	351	353
382	3	F	268	275	277	284	283	277	272	277	277	287	286	285	287	278
383	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
384	3	F	250	258	258	264	270	272	278	277	278	275	276	280	278	---
385	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
386	3	F	290	258	---	---	---	---	---	---	---	---	---	---	---	---
387	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
388	3	F	312	324	322	324	326	325	328	327	337	338	330	326	345	341
389	3	F	276	284	284	289	291	288	292	294	300	298	291	291	293	288
390	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
391	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
392	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
393	3	F	279	287	296	292	298	298	298	304	305	307	287	220	219	---
394	3	F	262	263	275	276	274	279	279	278	282	285	289	294	288	286
395	3	F	266	264	274	277	277	282	282	292	291	285	288	296	297	292
396	3	F	265	265	278	277	281	275	278	278	276	273	279	272	247	229
397	3	F	279	280	287	294	299	295	301	306	305	310	310	312	311	310
398	3	F	266	268	279	287	286	287	290	291	294	298	294	298	293	298
399	3	F	278	280	300	301	300	303	300	301	311	312	313	315	313	316
400	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMINODRO 1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T M A L R O U P	S E X	TEST WEEK														104
		76	78	80	82	84	86	88	90	92	94	96	98	100	102	
401	3	F	288	290	293	299	307	309	314	315	320	324	324	309	303	304
402	3	F	298	306	311	313	320	316	323	331	333	338	340	337	330	329
403	3	F	272	277	278	280	275	279	274	267	262	254	245	228	236	230
404	3	F	289	298	305	308	---	---	---	---	---	---	---	---	---	---
405	3	F	321	324	324	331	336	337	343	337	347	342	332	288	---	---
406	3	F	310	310	322	322	326	329	334	332	337	348	343	353	363	355
407	3	F	291	293	300	298	301	298	308	306	306	310	314	309	313	302
408	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
409	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
410	3	F	268	269	---	---	---	---	---	---	---	---	---	---	---	---
411	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
412	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
413	3	F	257	263	268	278	282	281	290	290	299	301	301	303	303	299
414	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
415	3	F	286	289	297	298	296	299	295	301	291	286	276	283	281	254
416	3	F	282	282	282	281	280	278	277	279	281	281	275	283	286	287
417	3	F	291	292	296	294	302	298	304	302	305	304	305	315	315	295
418	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
419	3	F	263	270	274	278	281	283	280	283	284	285	284	285	281	280
420	3	F	248	249	258	263	265	270	262	266	270	281	276	270	272	265
421	3	F	284	283	278	256	225	207	204	175	167	---	---	---	---	---
422	3	F	289	287	300	295	304	302	305	303	303	294	293	241	227	228
423	3	F	253	257	259	265	260	264	263	258	259	192	146	---	---	---
424	3	F	275	278	281	282	288	282	283	281	274	271	264	266	268	262
425	3	F	282	287	292	297	296	293	291	290	302	301	305	305	306	311
426	3	F	268	265	266	275	271	271	274	282	284	282	291	293	296	296
427	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
428	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
429	3	F	252	254	266	272	274	275	274	282	286	221	204	187	174	---
430	3	F	239	257	262	254	259	268	265	272	280	280	274	274	271	276
431	3	F	254	---	266	279	270	280	276	276	289	286	274	285	294	283
432	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
433	3	F	290	294	288	291	307	311	303	305	314	306	308	311	312	---
434	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
435	3	F	283	286	283	293	302	296	307	305	304	310	280	285	290	279
436	3	F	301	306	298	309	312	310	312	313	316	314	314	314	318	313
437	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---
438	3	F	281	281	284	294	290	294	299	297	298	305	302	296	300	299
439	3	F	298	302	298	309	309	309	307	313	315	312	311	296	314	309
440	3	F	261	272	279	289	290	287	291	292	299	296	278	290	265	270

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HYDRO-1,3,5-TRINITRO 1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T E M A L G R O U P S	TEST WEEK																104	
	76	78	80	82	84	86	88	90	92	94	96	98	100	102				
441	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
442	3	F	283	275	270	266	261	256	251	242	238	232	229	232	231	205	197	191
443	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
444	3	F	286	284	294	297	300	301	301	307	299	303	307	303	310	305	288	290
445	3	F	278	282	282	288	285	292	288	297	299	305	299	305	305	311	303	305
446	3	F	284	282	292	306	309	316	320	320	325	328	338	328	333	337	337	338
447	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
448	3	F	286	292	297	301	296	295	300	290	239	---	---	---	---	---	---	---
449	3	F	308	309	312	319	319	319	317	325	318	332	336	332	334	337	326	327
450	3	F	299	299	311	309	316	316	315	317	307	326	323	326	321	326	334	330
451	4	M	463	462	454	453	451	456	450	441	446	444	444	438	435	432	430	430
452	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
453	4	M	459	463	455	459	453	451	456	446	453	448	448	441	440	439	441	441
454	4	M	438	442	446	445	443	444	431	429	424	418	418	407	398	398	375	---
455	4	M	468	466	468	463	457	461	456	451	454	459	459	454	439	419	446	432
456	4	M	398	397	401	403	397	401	399	397	397	394	391	394	400	394	397	396
457	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
458	4	M	419	418	425	416	403	402	408	405	392	394	394	376	---	---	---	---
459	4	M	442	437	433	436	438	439	443	432	435	424	431	424	439	362	411	---
460	4	M	431	440	441	433	434	436	436	430	431	434	434	428	417	424	419	412
461	4	M	451	450	456	448	449	446	454	451	448	449	443	449	442	425	431	426
462	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
463	4	M	443	447	449	444	438	437	438	422	404	375	398	375	342	---	---	---
464	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
465	4	M	457	457	459	444	454	451	447	436	440	304	416	304	248	271	---	---
466	4	M	404	405	399	401	398	402	403	393	378	383	383	383	368	376	374	367
467	4	M	459	456	456	453	452	476	524	---	---	---	---	---	---	---	---	---
468	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
469	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
470	4	M	457	466	474	465	472	465	473	466	460	449	445	449	411	---	---	---
471	4	M	408	411	416	401	406	406	410	408	398	394	395	394	390	386	384	377
472	4	M	502	499	486	491	497	490	492	488	482	440	466	440	394	325	326	---
473	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
474	4	M	417	433	426	425	419	418	424	427	429	445	435	445	461	464	489	---
475	4	M	428	438	434	421	425	424	419	422	419	294	396	294	---	---	---	---
476	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
477	4	M	410	406	409	399	404	401	393	386	388	290	361	290	---	---	---	---
478	4	M	401	400	400	391	358	303	325	---	---	---	---	---	---	---	---	---
479	4	M	410	412	400	398	386	395	398	394	392	391	395	391	361	361	361	352
480	4	M	487	486	482	482	464	478	481	477	479	470	467	470	461	457	457	438

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYL-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L N O D O U P S E X		TEST WEEK														100	102	104
		76	78	80	82	84	86	88	90	92	94	96	98	100	102	104		
481	4	M	433	422	432	431	423	424	422	423	423	421	417	414	408	408		
482	4	M	424	413	417	417	410	420	416	410	406	390	363	263				
483	4	M																
484	4	M																
485	4	M	380	368	380	384	381	387	381	386	381	387	380	376	377			
486	4	M	452	446	445	441	442	443	444	439	437	437	432	429	416	399		
487	4	M																
488	4	M	397	406	386	398	378	393	388	389	378	377	370	324	362	368		
489	4	M	438		424	421	419	419	414	413	415	399	401	394	396	381		
490	4	M	451	455	450	450	448	449	436	439	439	439	445	431	420	403		
491	4	M	470	463	468	472	473	476	464	470	472	467	469	469	464	455		
492	4	M																
493	4	M	484		545													
494	4	M	445	444	433	417	396	370	353	326	335							
495	4	M	457		445	442	447	445	442	434	429	418	425	416	418	350		
496	4	M																
497	4	M																
498	4	M																
499	4	M	467	462	451	454	449	453	443	442	441	430	434	427	410	398		
500	4	M																
501	4	M																
502	4	M	432	438	433	439	433	438	431	427	419	413	404	402	403	392		
503	4	M	434	442	449	440	429	433	430	424	419	418	406	382	349	242		
504	4	M	492	498	494	491	486	482	477	469	462	467	459	457	448	446		
505	4	M	445	444	439	433	441	439	439	437	429							
506	4	M	377	372	327	303												
507	4	M	409	393	399	402	411	416	417	414	419	417	414	417	423			
508	4	M																
509	4	M																
510	4	M	453	451	452	448	446	450	439	444	444	438	441	446	441	427		
511	4	M	427	432	430	427	429	430	428	417	425	417	418	417	423	419		
512	4	M	448	440	446	450	440	440	426	412	408	388	396	396	371	364		
513	4	M	401	391	394	393	393	396	397	386	398	387	354					
514	4	M	453	458	456	457	456	448	443	430	415	389	341	280				
515	4	M																
516	4	M	482	481	474	479	468	464	457	455	451	446	440	437	421	412		
517	4	M																
518	4	M	368	367	365	370	364	374	365	336								
519	4	M	432	437	425	437	432	416	353	307								
520	4	M																

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HF XALIVDRO 1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T R O G R O U P	S E X	TEST WEEK												104		
		76	78	80	82	84	86	88	90	92	94	96	98		100	102
521	M	402	399	394	392	397	387	388	395	395	385	320	385	389	385	374
522	M	409	410	411	410	402	390	402	396	390	401	388	385	389	385	374
523	M	427	426	436	430	429	435	444	430	430	423	425	419	414	401	394
524	M	452	452	454	452	449	449	457	450	442	434	429	430	425	428	424
525	M	415	411	408	409	404	403	407	401	400	395	394	395	390	394	391
526	F	266	273	275	279	281	279	283	282	287	286	293	295	298	294	300
527	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
528	F	268	272	272	272	281	274	281	278	272	283	282	282	282	278	274
529	F	294	288	290	297	297	285	221	196	171	---	---	---	---	---	---
530	F	276	274	280	281	280	287	286	282	292	292	295	294	295	297	299
531	F	270	273	273	274	282	280	283	280	281	282	286	289	292	289	288
532	F	296	303	307	304	309	312	319	325	320	327	333	336	339	342	339
533	F	280	287	294	295	289	293	298	301	300	300	316	311	310	314	308
534	F	246	251	255	259	266	258	259	260	264	265	268	272	268	264	264
535	F	211	210	205	209	206	210	212	219	214	212	215	214	220	219	217
536	F	281	278	284	288	286	280	288	290	297	294	297	296	290	297	282
537	F	250	249	258	259	263	263	261	263	268	269	274	272	270	276	277
538	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
539	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
540	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
541	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
542	F	265	270	269	277	278	277	278	277	278	283	284	278	277	278	281
543	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
544	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
545	F	282	287	288	291	293	292	293	296	300	300	302	290	303	304	304
546	F	266	266	271	269	267	265	222	---	---	---	---	---	---	---	---
547	F	267	262	269	274	276	274	277	278	275	272	274	277	277	279	281
548	F	240	228	228	220	219	212	210	206	202	196	193	195	191	180	183
549	F	276	273	278	281	283	276	278	278	284	279	280	285	287	287	289
550	F	299	302	304	307	313	306	313	316	320	318	311	314	303	305	293
551	F	263	268	269	274	278	276	277	280	282	280	285	282	287	292	295
552	F	276	284	274	283	274	278	287	285	283	274	261	186	---	---	---
553	F	324	325	330	335	334	337	340	342	348	346	355	354	364	365	376
554	F	307	---	310	316	313	315	318	318	322	316	328	325	326	330	311
555	F	308	---	303	309	310	307	315	313	309	313	316	321	322	320	317
556	F	339	346	347	352	358	357	356	360	361	355	359	355	362	358	362
557	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
558	F	292	298	302	309	308	310	308	319	318	316	314	322	320	321	319
559	F	264	263	260	276	274	275	280	288	290	295	294	300	303	300	302
560	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T M A L N O	T R T G R O U P	S E X	TEST WEEK												104			
			76	78	80	82	84	86	88	90	92	94	96	98		100	102	
561	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
562	4	F	273	271	274	272	274	272	272	274	271	271	274	273	273	281	278	278
563	4	F	268	268	278	278	279	293	288	286	294	288	294	297	291	291	286	286
564	4	F	270	277	275	291	292	293	292	299	296	297	289	275	260	226	184	184
565	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
566	4	F	264	268	276	276	280	278	287	286	286	282	271	283	266	278	280	280
567	4	F	299	---	298	301	306	305	310	312	326	325	330	320	294	246	---	---
568	4	F	254	254	263	266	265	272	270	270	277	276	280	278	276	284	276	276
569	4	F	283	282	293	295	287	287	290	---	---	---	---	---	---	---	---	---
570	4	F	252	245	239	247	---	---	---	---	---	---	---	---	---	---	---	---
571	4	F	306	308	317	319	315	331	333	331	330	328	331	342	336	334	335	335
572	4	F	286	288	292	296	297	303	304	306	316	318	320	316	313	304	304	304
573	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
574	4	F	266	270	270	282	277	276	279	280	276	282	281	284	275	288	281	281
575	4	F	333	336	347	342	343	335	339	339	351	347	343	342	314	---	---	---
576	4	F	253	256	262	271	272	271	274	278	284	283	286	286	294	291	287	287
577	4	F	291	290	293	299	312	313	312	320	331	320	---	---	---	---	---	---
578	4	F	243	250	247	248	257	257	258	260	251	250	248	246	240	221	---	---
579	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
580	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
581	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
582	4	F	260	266	271	270	280	273	279	283	290	268	242	227	225	---	---	---
583	4	F	245	---	251	250	252	250	256	254	254	256	254	255	258	266	253	253
584	4	F	295	296	306	300	297	302	308	308	307	315	315	318	326	322	324	324
585	4	F	277	275	282	281	286	281	281	280	283	280	289	287	288	299	292	292
586	4	F	263	275	282	286	293	309	310	319	314	323	322	316	324	318	329	329
587	4	F	228	234	238	241	246	246	247	249	255	255	260	264	261	262	261	261
588	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
589	4	F	278	276	282	285	282	289	294	290	297	297	298	308	307	300	300	300
590	4	F	258	267	268	272	275	279	284	278	288	290	286	284	287	291	289	289
591	4	F	243	249	254	265	263	258	266	276	282	279	277	277	278	266	---	---
592	4	F	220	224	232	229	232	223	210	185	164	---	---	---	---	---	---	---
593	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
594	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
595	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
596	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
597	4	F	279	275	271	286	288	294	281	285	302	299	297	288	285	292	285	285
598	4	F	275	272	272	269	265	246	---	---	---	---	---	---	---	---	---	---
599	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
600	4	F	271	279	276	288	280	284	276	276	278	287	291	292	286	290	---	---

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYLTHIO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L N O	T R A G R O U P	S E X	TEST WEEK															
			76	78	80	82	84	86	88	90	92	94	96	98	100	102	104	
601	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
602	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
603	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
604	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
605	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
606	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
607	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
608	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
609	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
610	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
611	5	M	373	---	365	---	---	---	---	---	---	---	---	---	---	---	---	
612	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
613	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
614	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
615	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
616	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
617	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
618	5	M	351	---	351	352	362	354	350	350	353	344	344	---	---	---	---	
619	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
620	5	M	342	333	331	329	334	328	332	325	330	326	320	318	313	327	---	
621	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
622	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
623	5	M	344	349	---	---	---	---	---	---	---	---	---	---	---	---	---	
624	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
625	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
626	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
627	5	M	373	---	347	329	---	---	---	---	---	---	---	---	---	---	---	
628	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
629	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
630	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
631	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
632	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
633	5	M	290	288	279	224	---	---	---	---	---	---	---	---	---	---	---	
634	5	M	388	---	375	374	382	368	359	370	367	360	364	366	359	369	358	
635	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
636	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
637	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
638	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
639	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
640	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L N O	S E X	TEST WEEK														104
		76	78	80	82	84	86	88	90	92	94	96	98	100	102	
641	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
642	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
643	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
644	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
645	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
646	5 M	368	370	360	351	349	---	---	---	---	---	---	---	---	---	---
647	5 M	366	366	350	313	---	---	---	---	---	---	---	---	---	---	---
648	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
649	5 M	375	373	370	366	365	355	353	355	352	350	345	339	347	355	345
650	5 M	374	372	---	---	---	---	---	---	---	---	---	---	---	---	---
651	5 M	392	379	384	380	377	374	367	361	378	352	316	246	---	---	---
652	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
653	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
654	5 M	364	362	350	357	346	339	342	333	354	330	317	260	---	---	---
655	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
656	5 M	354	354	347	352	350	---	---	---	---	---	---	---	---	---	---
657	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
658	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
659	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
660	5 M	251	288	230	296	234	251	---	---	---	---	---	---	---	---	---
661	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
662	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
663	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
664	5 M	387	376	372	332	---	---	---	---	---	---	---	---	---	---	---
665	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
666	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
667	5 M	352	345	352	348	352	346	349	354	358	346	348	345	344	355	---
668	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
669	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
670	5 M	358	352	355	351	357	349	338	330	338	338	332	335	327	314	265
671	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
672	5 M	388	401	390	398	389	388	383	364	385	371	390	386	385	317	---
673	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
674	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
675	5 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
676	5 F	256	261	261	259	272	267	267	253	265	256	258	264	254	260	253
677	5 F	238	246	258	243	261	266	262	232	257	258	265	---	---	---	---
678	5 F	233	244	248	242	248	249	251	242	254	254	263	249	255	249	251
679	5 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
680	5 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I M A L	N O S O P	S X	TEST WEEK																104
			76	78	80	82	84	86	88	90	92	94	96	98	100	102			
681	5	F	259	248	251	251	255	256	259	252	260	255	201	---	---	---	---		
682	5	F	241	244	250	259	267	268	242	250	246	250	253	242	242	229	223		
683	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
684	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
685	5	F	248	253	255	255	250	248	256	242	249	241	242	237	235	235	252		
686	5	F	264	261	264	272	271	266	259	262	259	255	251	244	237	256	250		
687	5	F	261	258	259	256	244	228	---	---	---	---	---	---	---	---	---		
688	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
689	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
690	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
691	5	F	248	247	247	262	264	256	258	254	251	246	250	244	246	210	---		
692	5	F	252	273	271	272	281	275	275	277	274	271	271	271	273	262	264		
693	5	F	292	287	285	287	296	287	284	291	274	268	280	281	273	272	271		
694	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
695	5	F	245	242	245	253	261	266	258	266	263	262	263	268	261	261	265		
696	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
697	5	F	274	266	266	265	270	267	260	254	266	260	262	258	268	266	247		
698	5	F	255	266	275	271	274	278	257	251	262	255	272	261	257	266	258		
699	5	F	231	226	227	228	236	234	230	230	231	209	207	214	204	213	---		
700	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
701	5	F	270	270	266	269	260	260	228	---	---	---	---	---	---	---	---		
702	5	F	263	243	250	248	258	256	241	242	231	188	169	---	---	---	---		
703	5	F	276	273	272	261	264	269	275	265	264	263	264	239	204	---	---		
704	5	F	245	251	252	245	258	248	265	262	248	---	---	---	---	---	---		
705	5	F	279	271	270	273	275	275	271	271	269	266	266	259	267	270	---		
706	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
707	5	F	276	271	264	272	273	269	281	279	279	276	281	284	276	261	256		
708	5	F	248	251	256	253	257	259	254	259	262	258	252	215	---	---	---		
709	5	F	279	275	278	292	297	282	286	289	286	275	293	294	294	299	288		
710	5	F	242	237	241	238	244	246	231	245	243	243	241	251	253	252	---		
711	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
712	5	F	251	249	---	---	---	---	---	---	---	---	---	---	---	---	---		
713	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
714	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
715	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
716	5	F	268	264	273	284	266	220	219	244	218	---	---	---	---	---	---		
717	5	F	242	237	242	238	240	240	246	240	237	238	261	261	254	251	238		
718	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
719	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---		
720	5	F	260	272	261	273	277	269	271	262	268	266	264	272	268	262	240		

--- = NO AVAILABLE DATA

Table VI.2 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYLTHIO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL BODY WEIGHTS (G)

A N I T I M A L N O	S E X	TEST WEEK												100	102	104
		76	78	80	82	84	86	88	90	92	94	96	98			
721	S	258	263	260	257	271	266	270	259	298	268	277	284	240	---	---
722	S	276	273	284	285	291	280	288	288	268	298	299	293	309	291	282
723	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
724	S	251	252	251	252	250	254	254	248	259	251	254	264	261	258	252
725	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
726	S	278	277	278	279	280	284	288	282	282	283	268	276	285	272	---
727	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
728	S	265	273	272	272	280	265	267	274	278	240	---	---	---	---	---
729	S	275	277	274	267	278	268	259	257	265	266	262	265	260	263	256
730	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
731	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
732	S	265	---	272	292	260	---	---	---	---	---	---	---	---	---	---
733	S	269	259	273	267	280	267	256	272	271	280	286	277	278	266	271
734	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
735	S	251	---	263	266	276	273	270	263	251	219	182	182	174	---	---
736	S	256	260	257	242	251	254	258	251	254	244	250	247	242	243	232
737	S	269	270	277	280	277	284	286	284	288	290	294	297	289	303	293
738	S	221	222	224	229	228	224	220	218	221	219	220	229	223	218	223
739	S	248	252	250	254	258	248	253	252	258	251	266	258	252	214	236
740	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
741	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
742	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
743	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
744	S	243	256	255	251	250	249	249	252	254	252	249	261	263	264	258
745	S	254	---	250	260	259	255	254	251	261	261	265	265	252	249	237
746	S	266	262	261	258	252	252	242	240	---	---	---	---	---	---	---
747	S	259	260	264	263	258	266	259	268	258	260	270	275	287	284	279
748	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
749	S	247	263	276	258	253	270	267	260	264	269	262	260	249	254	249
750	S	249	233	259	260	273	256	246	267	256	213	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.3

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R E A T M E N T G R O U P	S E X	TEST WEEK																										
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28				
1	1	M	11.2	13.4	15.0	15.1	15.5	16.0	16.7	16.3	16.2	16.1	14.8	15.0	15.5	15.8	16.5	15.7	14.6	14.8	16.0	15.4	16.0	15.1	14.9				
2	1	M	11.2	13.4	15.0	15.1	15.5	16.0	16.7	16.3	16.2	16.1	14.8	15.0	15.5	15.8	16.5	15.7	14.6	14.8	16.0	15.4	16.0	15.1	14.9				
3	1	M	11.2	13.4	15.0	15.1	15.5	16.0	16.7	16.3	16.2	16.1	14.8	15.0	15.5	15.8	16.5	15.7	14.6	14.8	16.0	15.4	16.0	15.1	14.9				
4	1	M	12.4	13.3	15.1	15.6	16.5	16.8	17.0	16.7	16.8	16.6	16.3	15.8	16.2	15.7	16.8	16.4	17.3	15.2	16.6	17.4	16.7	16.0	14.6				
5	1	M	12.4	13.3	15.1	15.6	16.5	16.8	17.0	16.7	16.8	16.6	16.3	15.8	16.2	15.7	16.8	16.4	17.3	15.2	16.6	17.4	16.7	16.0	14.6				
6	1	M	12.4	13.3	15.1	15.6	16.5	16.8	17.0	16.7	16.8	16.6	16.3	15.8	16.2	15.7	16.8	16.4	17.3	15.2	16.6	17.4	16.7	16.0	14.6				
7	1	M	11.6	13.1	11.3	15.3	15.5	16.5	16.4	15.9	16.4	15.7	16.4	15.8	16.1	16.0	16.1	16.0	15.3	15.1	16.3	16.3	16.6	15.8	16.4				
8	1	M	11.6	13.1	11.3	15.3	15.5	16.5	16.4	15.9	16.4	15.7	16.4	15.8	16.1	16.0	16.1	16.0	15.3	15.1	16.3	16.3	16.6	15.8	16.4				
9	1	M	11.6	13.1	11.3	15.3	15.5	16.5	16.4	15.9	16.4	15.7	16.4	15.8	16.1	16.0	16.1	16.0	15.3	15.1	16.3	16.3	16.6	15.8	16.4				
10	1	M	11.9	13.2	14.5	22.3	17.4	18.8	17.9	17.7	17.3	16.7	16.6	17.1	16.2	16.0	16.0	16.0	16.1	16.3	17.2	17.1	16.7	16.2	15.4				
11	1	M	11.9	13.2	14.5	22.3	17.4	18.8	17.9	17.7	17.3	16.7	16.6	17.1	16.2	16.0	16.0	16.0	16.1	16.3	17.2	17.1	16.7	16.2	15.4				
12	1	M	11.9	13.2	14.5	22.3	17.4	18.8	17.9	17.7	17.3	16.7	16.6	17.1	16.2	16.0	16.0	16.0	16.1	16.3	17.2	17.1	16.7	16.2	15.4				
13	1	M	11.7	12.3	14.3	15.3	15.7	15.5	16.7	16.4	15.2	14.8	15.2	14.9	15.0	15.5	16.3	16.1	15.0	15.3	16.7	15.5	15.7	16.2	15.5				
14	1	M	11.7	12.3	14.3	15.3	15.7	15.5	16.7	16.4	15.2	14.8	15.2	14.9	15.0	15.5	16.3	16.1	15.0	15.3	16.7	15.5	15.7	16.2	15.5				
15	1	M	11.7	12.3	14.3	15.3	15.7	15.5	16.7	16.4	15.2	14.8	15.2	14.9	15.0	15.5	16.3	16.1	15.0	15.3	16.7	15.5	15.7	16.2	15.5				
16	1	M	12.6	14.2	16.0	16.5	16.7	17.6	17.1	16.5	17.0	16.4	16.5	16.3	16.1	16.5	16.8	15.9	16.2	15.0	16.6	16.5	16.6	16.0	16.5				
17	1	M	12.6	14.2	16.0	16.5	16.7	17.6	17.1	16.5	17.0	16.4	16.5	16.3	16.1	16.5	16.8	15.9	16.2	15.0	16.6	16.5	16.6	16.0	16.5				
18	1	M	12.6	14.2	16.0	16.5	16.7	17.6	17.1	16.5	17.0	16.4	16.5	16.3	16.1	16.5	16.8	15.9	16.2	15.0	16.6	16.5	16.6	16.0	16.5				
19	1	M	11.3	12.6	14.2	5.3	16.8	15.7	16.0	15.7	16.4	16.7	15.7	14.9	15.0	15.6	15.1	15.3	16.7	14.6	16.2	15.7	15.1	15.2	16.4				
20	1	M	11.3	12.6	14.2	5.3	16.8	15.7	16.0	15.7	16.4	16.7	15.7	14.9	15.0	15.6	15.1	15.3	16.7	14.6	16.2	15.7	15.1	15.2	16.4				
21	1	M	11.3	12.6	14.2	5.3	16.8	15.7	16.0	15.7	16.4	16.7	15.7	14.9	15.0	15.6	15.1	15.3	16.7	14.6	16.2	15.7	15.1	15.2	16.4				
22	1	M	12.5	14.0	16.0	16.2	16.9	16.3	17.2	17.0	15.9	15.5	16.1	16.0	16.6	16.0	16.5	16.9	16.1	16.3	16.2	16.5	16.9	15.6	17.0				
23	1	M	12.5	14.0	16.0	16.2	16.9	16.3	17.2	17.0	15.9	15.5	16.1	16.0	16.6	16.0	16.5	16.9	16.1	16.3	16.2	16.5	16.9	15.6	17.0				
24	1	M	12.5	14.0	16.0	16.2	16.9	16.3	17.2	17.0	15.9	15.5	16.1	16.0	16.6	16.0	16.5	16.9	16.1	16.3	16.2	16.5	16.9	15.6	17.0				
25	1	M	13.2	14.0	15.2	16.2	16.6	18.5	17.1	17.1	17.0	17.0	17.2	16.4	16.4	16.8	16.3	16.7	16.3	16.2	17.5	16.6	16.6	16.4	16.9				
26	1	M	13.2	14.0	15.2	16.2	16.6	18.5	17.1	17.1	17.0	17.0	17.2	16.4	16.4	16.8	16.3	16.7	16.3	16.2	17.5	16.6	16.6	16.4	16.9				
27	1	M	13.2	14.0	15.2	16.2	16.6	18.5	17.1	17.1	17.0	17.0	17.2	16.4	16.4	16.8	16.3	16.7	16.3	16.2	17.5	16.6	16.6	16.4	16.9				
28	1	M	12.3	13.6	15.2	15.5	16.2	17.2	16.9	16.4	16.5	15.7	16.2	16.7	16.1	15.1	15.8	16.1	16.8	16.1	16.2	16.9	17.0	15.4	15.6				
29	1	M	12.3	13.6	15.2	15.5	16.2	17.2	16.9	16.4	16.5	15.7	16.2	16.7	16.1	15.1	15.8	16.1	16.8	16.1	16.2	16.9	17.0	15.4	15.6				
30	1	M	12.3	13.6	15.2	15.5	16.2	17.2	16.9	16.4	16.5	15.7	16.2	16.7	16.1	15.1	15.8	16.1	16.8	16.1	16.2	16.9	17.0	15.4	15.6				
31	1	M	12.2	13.6	15.0	16.6	17.0	18.1	18.0	16.5	16.8	16.0	16.1	16.0	14.8	17.2	16.5	16.6	16.9	16.3	16.9	17.7	17.7	16.7	16.8				
32	1	M	12.2	13.6	15.0	16.6	17.0	18.1	18.0	16.5	16.8	16.0	16.1	16.0	14.8	17.2	16.5	16.6	16.9	16.3	16.9	17.7	17.7	16.7	16.8				
33	1	M	12.2	13.6	15.0	16.6	17.0	18.1	18.0	16.5	16.8	16.0	16.1	16.0	14.8	17.2	16.5	16.6	16.9	16.3	16.9	17.7	17.7	16.7	16.8				
34	1	M	12.4	13.5	15.1	15.3	15.7	16.0	16.0	17.0	16.2	16.7	15.9	15.7	15.9	16.7	16.6	16.6	15.9	16.0	16.2	16.0	16.0	15.4	17.1				
35	1	M	12.4	13.5	15.1	15.3	15.7	16.0	16.0	17.0	16.2	16.7	15.9	15.7	15.9	16.7	16.6	16.6	15.9	16.0	16.2	16.0	16.0	15.4	17.1				
36	1	M	12.4	13.5	15.1	15.3	15.7	16.0	16.0	17.0	16.2	16.7	15.9	15.7	15.9	16.7	16.6	16.6	15.9	16.0	16.2	16.0	16.0	15.4	17.1				
37	1	M	11.6	13.5	15.6	15.8	15.4	15.4	16.2	16.6	16.8	16.2	15.4	15.5	15.9	16.8	16.4	16.7	16.3	15.7	16.9	16.8	16.3	16.0	16.1				
38	1	M	11.6	13.5	15.6	15.8	15.4	15.4	16.2	16.6	16.8	16.2	15.4	15.5	15.9	16.8	16.4	16.7	16.3	15.7	16.9	16.8	16.3	16.0	16.1				
39	1	M	11.6	13.5	15.6	15.8	15.4	15.4	16.2	16.6	16.8	16.2	15.4	15.5	15.9	16.8	16.4	16.7	16.3	15.7	16.9	16.8	16.3	16.0	16.1				
40	1	M	11.7	13.6	16.5	16.5	17.1	16.5	16.5	16.0	16.1	15.4	15.6	15.6	15.6	15.7	16.2	15.3	15.4	14.7	15.7	15.6	15.6	15.2	16.0				

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T I M A L N O U P	T R G R O U P	S E X	TEST WEEK																										
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28				
41	1	M	11.7	13.6	16.5	16.5	17.1	16.5	16.5	16.0	16.1	15.4	15.6	15.6	15.6	15.7	16.2	15.3	15.4	14.7	15.7	15.6	15.6	15.2	16.0				
42	1	M	11.7	13.6	16.5	16.5	17.1	16.5	16.5	16.0	16.1	15.4	15.6	15.6	15.6	15.7	16.2	15.3	15.4	14.7	15.7	15.6	15.6	15.2	16.0				
43	1	M	11.8	12.6	14.7	15.8	15.5	16.1	16.3	16.0	16.1	15.7	14.7	15.3	15.5	15.4	15.7	16.4	15.6	15.1	16.6	15.5	15.9	15.1	14.6				
44	1	M	11.8	12.6	14.7	15.8	15.5	16.1	16.3	16.0	16.1	15.7	14.7	15.3	15.5	15.4	15.7	16.4	15.6	15.1	16.6	15.5	15.9	15.1	14.6				
45	1	M	11.8	12.6	14.7	15.8	15.5	16.1	16.3	16.0	16.1	15.7	14.7	15.3	15.5	15.4	15.7	16.4	15.6	15.1	16.6	15.5	15.9	15.1	14.6				
46	1	M	11.9	13.4	15.1	16.1	16.5	16.2	17.1	16.6	16.3	16.0	16.1	15.7	16.3	15.5	16.3	15.7	15.7	15.3	17.2	16.9	15.6	15.0	15.5				
47	1	M	11.9	13.4	15.1	16.1	16.5	16.2	17.1	16.6	16.3	16.0	16.1	15.7	16.3	15.5	16.3	15.7	15.7	15.3	17.2	16.9	15.6	15.0	15.5				
48	1	M	11.9	13.4	15.1	16.1	16.5	16.2	17.1	16.6	16.3	16.0	16.1	15.7	16.3	15.5	16.3	15.7	15.7	15.3	17.2	16.9	15.6	15.0	15.5				
49	1	M	12.1	14.1	15.9	15.9	17.0	17.3	17.4	16.2	15.9	16.4	11.1	15.9	15.3	15.0	16.4	15.8	16.4	15.5	15.9	15.6	16.6	16.4	15.4				
50	1	M	12.1	14.1	15.9	15.9	17.0	17.3	17.4	16.2	15.9	16.4	11.1	15.9	15.3	15.0	16.4	15.8	16.4	15.5	15.9	15.6	16.6	16.4	15.4				
51	1	M	12.1	14.1	15.9	15.9	17.0	17.3	17.4	16.2	15.9	16.4	11.1	15.9	15.3	15.0	16.4	15.8	16.4	15.5	15.9	15.6	16.6	16.4	15.4				
52	1	M	12.1	14.0	16.1	15.6	17.0	17.2	17.5	16.8	16.7	16.7	15.8	16.1	15.8	15.5	15.8	16.5	16.5	15.6	16.3	16.8	16.2	15.4	15.4				
53	1	M	12.1	14.0	16.1	15.6	17.0	17.2	17.5	16.8	16.7	16.7	15.8	16.1	15.8	15.5	15.8	16.5	16.5	15.6	16.3	16.8	16.2	15.4	15.4				
54	1	M	12.1	14.0	16.1	15.6	17.0	17.2	17.5	16.8	16.7	16.7	15.8	16.1	15.8	15.5	15.8	16.5	16.5	15.6	16.3	16.8	16.2	15.4	15.4				
55	1	M	11.5	13.1	12.3	15.9	16.6	17.0	17.2	17.0	16.8	16.5	16.2	15.9	16.1	15.8	17.0	16.6	16.7	15.5	17.0	16.6	16.5	17.0	16.4				
56	1	M	11.5	13.1	12.3	15.9	16.6	17.0	17.2	17.0	16.8	16.5	16.2	15.9	16.1	15.8	17.0	16.6	16.7	15.5	17.0	16.6	16.5	17.0	16.4				
57	1	M	11.5	13.1	12.3	15.9	16.6	17.0	17.2	17.0	16.8	16.5	16.2	15.9	16.1	15.8	17.0	16.6	16.7	15.5	17.0	16.6	16.5	17.0	16.4				
58	1	M	10.6	12.1	12.6	13.2	13.5	14.2	13.8	14.9	14.6	14.5	14.7	13.9	14.1	15.0	16.0	16.4	14.6	14.6	16.0	15.5	15.4	14.9	14.7				
59	1	M	10.6	12.1	12.6	13.2	13.5	14.2	13.8	14.9	14.6	14.5	14.7	13.9	14.1	15.0	16.0	16.4	14.6	14.6	16.0	15.5	15.4	14.9	14.7				
60	1	M	11.8	13.1	14.9	16.0	16.3	16.9	16.7	17.4	17.4	17.1	16.8	16.2	16.0	17.0	16.7	17.7	17.2	17.3	18.2	17.4	18.0	16.0	---				
61	1	M	11.8	13.1	14.9	16.0	16.3	16.9	16.7	17.4	17.4	17.1	16.8	16.2	16.0	17.0	16.7	17.7	17.2	17.3	18.2	17.4	18.0	16.0	---				
62	1	M	11.8	13.1	14.9	16.0	16.3	16.9	16.7	17.4	17.4	17.1	16.8	16.2	16.0	17.0	16.7	17.7	17.2	17.3	18.2	17.4	18.0	16.0	---				
63	1	M	11.5	7.9	14.7	14.4	15.1	16.7	17.2	15.9	15.9	15.1	15.0	16.0	15.6	15.1	14.8	15.9	15.2	15.4	15.7	15.9	16.3	15.0	15.4				
64	1	M	11.5	7.9	14.7	14.4	15.1	16.7	17.2	15.9	15.9	15.1	15.0	16.0	15.6	15.1	14.8	15.9	15.2	15.4	15.7	15.9	16.3	15.0	15.4				
65	1	M	11.5	7.9	14.7	14.4	15.1	16.7	17.2	15.9	15.9	15.1	15.0	16.0	15.6	15.1	14.8	15.9	15.2	15.4	15.7	15.9	16.3	15.0	15.4				
66	1	M	11.5	7.9	14.7	14.4	15.1	16.7	17.2	15.9	15.9	15.1	15.0	16.0	15.6	15.1	14.8	15.9	15.2	15.4	15.7	15.9	16.3	15.0	15.4				
67	1	M	12.4	13.7	15.5	16.1	16.7	16.7	16.5	16.5	16.0	15.7	16.2	15.1	15.8	15.5	16.1	15.7	15.6	15.3	16.8	16.1	16.9	15.7	15.6				
68	1	M	12.4	13.7	15.5	16.1	16.7	16.7	16.5	16.5	16.0	15.7	16.2	15.1	15.8	15.5	16.1	15.7	15.6	15.3	16.8	16.1	16.9	15.7	15.6				
69	1	M	12.0	13.9	15.9	16.3	17.0	17.6	18.0	16.3	16.2	15.4	16.2	15.9	16.0	16.1	18.0	16.5	15.6	15.5	16.4	16.1	17.4	16.0	16.0				
70	1	M	12.0	13.9	15.9	16.3	17.0	17.6	18.0	16.3	16.2	15.4	16.2	15.9	16.0	16.1	18.0	16.5	15.6	15.5	16.4	16.1	17.4	16.0	16.0				
71	1	M	12.0	13.9	15.9	16.3	17.0	17.6	18.0	16.3	16.2	15.4	16.2	15.9	16.0	16.1	18.0	16.5	15.6	15.5	16.4	16.1	17.4	16.0	16.0				
72	1	M	12.0	13.9	15.9	16.3	17.0	17.6	18.0	16.3	16.2	15.4	16.2	15.9	16.0	16.1	18.0	16.5	15.6	15.5	16.4	16.1	17.4	16.0	16.0				
73	1	M	11.8	13.8	15.0	15.3	16.0	17.2	18.0	16.3	16.4	15.4	15.7	15.4	15.7	16.1	13.8	16.4	16.0	15.9	16.2	16.2	16.5	14.4	15.8				
74	1	M	11.8	13.8	15.0	15.3	16.0	17.2	18.0	16.3	16.4	15.4	15.7	15.4	15.7	16.1	13.8	16.4	16.0	15.9	16.2	16.2	16.5	14.4	15.8				
75	1	M	11.8	13.8	15.0	15.3	16.0	17.2	18.0	16.3	16.4	15.4	15.7	15.4	15.7	16.1	13.8	16.4	16.0	15.9	16.2	16.2	16.5	14.4	15.8				
76	1	F	10.2	11.2	12.0	12.0	11.6	11.3	11.4	10.9	10.8	10.1	10.0	10.4	10.2	10.6	10.4	10.8	10.4	9.7	10.1	10.3	11.0	10.4	10.4				
77	1	F	10.2	11.2	12.0	12.0	11.6	11.3	11.4	10.9	10.8	10.1	10.0	10.4	10.2	10.6	10.4	10.8	10.4	9.7	10.1	10.3	11.0	10.4	10.4				
78	1	F	10.2	11.2	12.0	12.0	11.6	11.3	11.4	10.9	10.8	10.1	10.0	10.4	10.2	10.6	10.4	10.8	10.4	9.7	10.1	10.3	11.0	10.4	10.4				
79	1	F	10.0	10.6	10.8	10.6	10.8	10.1	10.6	10.3	9.4	9.2	9.8	9.8	9.6	9.1	10.1	9.9	9.3	9.6	9.3	10.0	9.8	9.6	9.7				
80	1	F	10.0	10.6	10.8	10.6	10.8	10.1	10.6	10.3	9.4	9.2	9.8	9.8	9.6	9.1	10.1	9.9	9.3	9.6	9.3	10.0	9.8	9.6	9.7				

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T E M A L N O	T R A G R O P S E X	TEST WEEK																											
		-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28					
81	F	10.0	10.6	10.8	10.6	10.8	10.1	10.6	10.3	9.4	9.2	9.8	9.8	9.6	9.1	10.1	9.9	9.3	9.6	9.3	10.0	9.8	9.6	--	--				
82	F	10.0	10.6	10.8	11.1	10.7	11.3	9.6	11.8	10.5	9.9	9.8	10.3	10.2	9.7	10.2	10.4	9.8	9.4	9.8	10.2	10.5	10.2	9.2	9.2				
83	F	10.0	10.6	10.8	11.1	10.7	11.3	9.6	11.8	10.5	9.9	9.8	10.3	10.2	9.7	10.2	10.4	9.8	9.4	9.8	10.2	10.5	10.2	9.2	9.2				
84	F	10.0	10.6	10.8	11.1	10.7	11.3	9.6	11.8	10.5	9.9	9.8	10.3	10.2	9.7	10.2	10.4	9.8	9.4	9.8	10.2	10.5	10.2	9.2	9.2				
85	F	8.9	9.6	10.1	11.1	11.2	10.7	10.7	10.3	9.6	9.0	9.8	9.0	9.6	8.9	8.9	10.6	10.0	9.9	9.6	11.3	9.6	7.5	10.7					
86	F	8.9	9.6	10.1	11.1	11.2	10.7	10.7	10.3	9.6	9.0	9.8	9.0	9.6	8.9	8.9	10.6	10.0	9.9	9.6	11.3	9.6	7.5	10.7					
87	F	8.9	9.6	10.1	11.1	11.2	10.7	10.7	10.3	9.6	9.0	9.8	9.0	9.6	8.9	8.9	10.6	10.0	9.9	9.6	11.3	9.6	7.5	10.7					
88	F	9.3	10.4	10.7	11.4	10.8	11.3	10.9	10.5	9.6	10.1	9.7	10.0	10.3	10.2	10.0	10.8	10.5	10.0	10.0	10.6	10.3	10.3	10.6					
89	F	9.3	10.4	10.7	11.4	10.8	11.3	10.9	10.5	9.6	10.1	9.7	10.0	10.3	10.2	10.0	10.8	10.5	10.0	10.0	10.6	10.3	10.3	10.6					
90	F	9.3	10.4	10.7	11.4	10.8	11.3	10.9	10.5	9.6	10.1	9.7	10.0	10.3	10.2	10.0	10.8	10.5	10.0	10.0	10.6	10.3	10.3	10.6					
91	F	9.9	10.0	11.0	10.9	10.9	11.0	11.0	10.7	9.8	9.9	9.9	10.0	10.7	9.7	10.7	10.4	10.5	10.0	9.0	10.6	6.0	10.8	10.1					
92	F	9.9	10.0	11.0	10.9	10.9	11.0	11.0	10.7	9.8	9.9	9.9	10.0	10.7	9.7	10.7	10.4	10.5	10.0	9.0	10.6	6.0	10.8	10.1					
93	F	9.9	10.0	11.0	10.9	10.9	11.0	11.0	10.7	9.8	9.9	9.9	10.0	10.7	9.7	10.7	10.4	10.5	10.0	9.0	10.6	6.0	10.8	10.1					
94	F	10.0	10.0	11.0	10.9	11.0	10.9	10.6	10.0	9.7	9.2	9.8	9.6	9.6	9.1	10.6	10.1	10.0	9.3	9.9	10.1	9.9	10.2	10.0					
95	F	10.0	10.0	11.0	10.9	11.0	10.9	10.6	10.0	9.7	9.2	9.8	9.6	9.6	9.1	10.6	10.1	10.0	9.3	9.9	10.1	9.9	10.2	10.0					
96	F	10.0	10.0	11.0	10.9	11.0	10.9	10.6	10.0	9.7	9.2	9.8	9.6	9.6	9.1	10.6	10.1	10.0	9.3	9.9	10.1	9.9	10.2	10.0					
97	F	10.4	11.0	11.1	11.1	10.5	10.4	10.1	9.7	9.4	9.7	9.6	9.2	9.8	9.5	10.9	10.4	9.7	9.1	9.9	10.0	10.4	10.5	10.1					
98	F	10.4	11.0	11.1	11.1	10.5	10.4	10.1	9.7	9.4	9.7	9.6	9.2	9.8	9.5	10.9	10.4	9.7	9.1	9.9	10.0	10.4	10.5	10.1					
99	F	10.4	11.0	11.1	11.1	10.5	10.4	10.1	9.7	9.4	9.7	9.6	9.2	9.8	9.5	10.9	10.4	9.7	9.1	9.9	10.0	10.4	10.5	10.1					
100	F	9.1	12.2	10.9	11.3	11.2	10.7	10.7	10.9	10.5	9.7	10.0	10.3	10.4	10.1	10.6	11.1	10.9	10.0	10.8	11.0	10.8	10.7	10.8					
101	F	9.1	12.2	10.9	11.3	11.2	10.7	10.7	10.9	10.5	9.7	10.0	10.3	10.4	10.1	10.6	11.1	10.9	10.0	10.8	11.0	10.8	10.7	10.8					
102	F	9.1	12.2	10.9	11.3	11.2	10.7	10.7	10.9	10.5	9.7	10.0	10.3	10.4	10.1	10.6	11.1	10.9	10.0	10.8	11.0	10.8	10.7	10.8					
103	F	9.3	10.7	11.1	12.2	12.0	11.3	11.0	11.0	10.4	9.7	9.8	10.7	10.3	10.1	10.7	11.2	10.5	10.1	10.6	10.7	9.4	10.4	10.4					
104	F	9.3	10.7	11.1	12.2	12.0	11.3	11.0	11.0	10.4	9.7	9.8	10.7	10.3	10.1	10.7	11.2	10.5	10.1	10.6	10.7	9.4	10.4	10.4					
105	F	9.3	10.7	11.1	12.2	12.0	11.3	11.0	11.0	10.4	9.7	9.8	10.7	10.3	10.1	10.7	11.2	10.5	10.1	10.6	10.7	9.4	10.4	10.4					
106	F	9.7	10.8	11.5	11.0	10.7	10.4	10.3	10.6	9.9	9.6	9.8	9.4	10.2	8.4	9.4	9.5	10.1	9.0	9.6	9.8	10.3	9.8	9.6					
107	F	9.7	10.8	11.5	11.0	10.7	10.4	10.3	10.6	9.9	9.6	9.8	9.4	10.2	8.4	9.4	9.5	10.1	9.0	9.6	9.8	10.3	9.8	9.6					
108	F	9.7	10.8	11.5	11.0	10.7	10.4	10.3	10.6	9.9	9.6	9.8	9.4	10.2	8.4	9.4	9.5	10.1	9.0	9.6	9.8	10.3	9.8	9.6					
109	F	9.5	10.3	11.0	10.7	11.2	11.1	10.4	10.4	10.0	9.4	9.8	9.7	9.7	9.6	9.5	10.3	10.3	9.1	9.8	9.9	10.5	10.6	10.1					
110	F	9.5	10.3	11.0	10.7	11.2	11.1	10.4	10.4	10.0	9.4	9.8	9.7	9.7	9.6	9.5	10.3	10.3	9.1	9.8	9.9	10.5	10.6	10.1					
111	F	9.5	10.3	11.0	10.7	11.2	11.1	10.4	10.4	10.0	9.4	9.8	9.7	9.7	9.6	9.5	10.3	10.3	9.1	9.8	9.9	10.5	10.6	10.1					
112	F	9.8	10.6	11.3	11.4	11.5	11.3	11.6	11.1	10.4	9.5	10.2	10.1	10.7	10.0	10.8	11.2	11.0	10.5	10.0	10.8	11.1	12.1	10.3					
113	F	9.8	10.6	11.3	11.4	11.5	11.3	11.6	11.1	10.4	9.5	10.2	10.1	10.7	10.0	10.8	11.2	11.0	10.5	10.0	10.8	11.1	12.1	10.3					
114	F	9.8	10.6	11.3	11.4	11.5	11.3	11.6	11.1	10.4	9.5	10.2	10.1	10.7	10.0	10.8	11.2	11.0	10.5	10.0	10.8	11.1	12.1	10.3					
115	F	9.4	10.6	11.0	11.1	10.7	10.4	10.5	10.1	9.6	9.0	9.9	10.1	10.3	9.3	10.6	9.7	9.8	9.6	10.2	10.1	10.5	10.0	9.4					
116	F	9.4	10.6	11.0	11.1	10.7	10.4	10.5	10.1	9.6	9.0	9.9	10.1	10.3	9.3	10.6	9.7	9.8	9.6	10.2	10.1	10.5	10.0	9.4					
117	F	9.4	10.6	11.0	11.1	10.7	10.4	10.5	10.1	9.6	9.0	9.9	10.1	10.3	9.3	10.6	9.7	9.8	9.6	10.2	10.1	10.5	10.0	9.4					
118	F	9.0	10.0	10.5	10.9	10.7	10.6	7.0	10.2	9.9	9.8	9.9	9.4	9.5	9.4	9.5	10.4	10.5	9.8	11.1	10.4	9.3	11.2	11.7					
119	F	9.0	10.0	10.5	10.9	10.7	10.6	7.0	10.2	9.9	9.8	9.9	9.4	9.5	9.4	9.5	10.4	10.5	9.8	11.1	10.4	9.3	11.2	11.7					
120	F	9.0	10.0	10.5	10.9	10.7	10.6	7.0	10.2	9.9	9.8	9.9	9.4	9.5	9.4	9.5	10.4	10.5	9.8	11.1	10.4	9.3	11.2	11.7					

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L	T R G R O U P	S E X	TEST WEEK																											
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28					
121	1	F	9.4	10.4	10.3	11.2	11.2	11.3	11.0	11.0	10.8	10.5	10.2	10.2	10.6	10.2	10.2	11.1	10.8	10.2	11.0	11.5	9.4	10.1	11.0	11.0				
122	1	F	9.4	10.4	10.3	11.2	11.2	11.3	11.0	11.0	10.8	10.5	10.2	10.2	10.6	10.2	10.2	11.1	10.8	10.2	11.0	11.5	9.4	10.1	11.0	11.0				
123	1	F	9.4	10.4	10.3	11.2	11.2	11.3	11.0	11.0	10.8	10.5	10.2	10.2	10.6	10.2	10.2	11.1	10.8	10.2	11.0	11.5	9.4	10.1	11.0	11.0				
124	1	F	8.6	11.0	11.4	11.7	11.7	11.0	10.5	10.3	10.3	10.6	10.0	9.7	10.1	9.4	9.5	10.4	10.3	9.0	9.8	10.4	10.9	10.0	9.8	---				
125	1	F	8.6	11.0	11.4	11.7	11.7	11.0	10.5	10.3	10.3	10.6	10.0	9.7	10.1	9.4	9.5	10.4	10.3	9.0	9.8	10.4	10.9	10.0	9.8	---				
126	1	F	8.6	11.0	11.4	11.7	11.7	11.0	10.5	10.3	10.3	10.6	10.0	9.7	10.1	9.4	9.5	10.4	10.3	9.0	9.8	10.4	10.9	10.0	9.8	---				
127	1	F	9.5	10.5	11.4	9.5	11.3	11.5	11.6	11.5	11.0	9.7	10.1	10.4	11.0	10.4	10.9	11.3	11.4	9.9	10.0	10.8	10.7	11.6	10.8	---				
128	1	F	9.5	10.5	11.4	9.5	11.3	11.5	11.6	11.5	11.0	9.7	10.1	10.4	11.0	10.4	10.9	11.3	11.4	9.9	10.0	10.8	10.7	11.6	10.8	---				
129	1	F	9.5	10.5	11.4	9.5	11.3	11.5	11.6	11.5	11.0	9.7	10.1	10.4	11.0	10.4	10.9	11.3	11.4	9.9	10.0	10.8	10.7	11.6	10.8	---				
130	1	F	9.7	10.1	11.2	12.4	11.8	11.9	11.2	10.9	10.0	9.9	9.9	10.2	10.5	10.0	10.0	10.0	10.6	10.2	10.1	10.1	9.9	9.4	10.4	---				
131	1	F	9.7	10.1	11.2	12.4	11.8	11.9	11.2	10.9	10.0	9.9	9.9	10.2	10.5	10.0	10.0	10.0	10.6	10.2	10.1	10.1	9.9	9.4	10.4	---				
132	1	F	9.7	10.1	11.2	12.4	11.8	11.9	11.2	10.9	10.0	9.9	9.9	10.2	10.5	10.0	10.0	10.0	10.6	10.2	10.1	10.1	9.9	9.4	10.4	---				
133	1	F	9.3	10.3	11.0	11.5	11.6	11.0	11.0	10.8	9.9	9.8	10.0	9.8	10.2	9.6	10.2	10.5	10.4	10.7	11.1	11.4	9.9	10.5	11.5	---				
134	1	F	9.3	10.3	11.0	11.5	11.6	11.0	11.0	10.8	9.9	9.8	10.0	9.8	10.2	9.6	10.2	10.5	10.4	10.7	11.1	11.4	9.9	10.5	11.5	---				
135	1	F	9.3	10.3	11.0	11.5	11.6	11.0	11.0	10.8	9.9	9.8	10.0	9.8	10.2	9.6	10.2	10.5	10.4	10.7	11.1	11.4	9.9	10.5	11.5	---				
136	1	F	9.0	14.9	7.9	12.4	11.2	10.5	10.4	10.0	9.4	9.6	9.5	10.1	10.1	8.9	9.8	10.5	10.5	9.7	10.1	10.6	9.6	10.1	10.1	---				
137	1	F	9.0	14.9	7.9	12.4	11.2	10.5	10.4	10.0	9.4	9.6	9.5	10.1	10.1	8.9	9.8	10.5	10.5	9.7	10.1	10.6	9.6	10.1	10.1	---				
138	1	F	9.0	14.9	7.9	12.4	11.2	10.5	10.4	10.0	9.4	9.6	9.5	10.1	10.1	8.9	9.8	10.5	10.5	9.7	10.1	10.6	9.6	10.1	10.1	---				
139	1	F	10.1	10.9	10.9	11.1	10.9	11.0	11.0	10.2	10.5	9.7	10.4	10.1	10.5	10.1	10.1	10.4	10.6	10.0	10.6	10.8	11.5	10.8	---	---				
140	1	F	10.1	10.9	10.9	11.1	10.9	11.0	11.0	10.2	10.5	9.7	10.4	10.1	10.5	10.1	10.1	10.4	10.6	10.0	10.6	10.8	11.5	10.8	---	---				
141	1	F	10.1	10.9	10.9	11.1	10.9	11.0	11.0	10.2	10.5	9.7	10.4	10.1	10.5	10.1	10.1	10.4	10.6	10.0	10.6	10.8	11.5	10.8	---	---				
142	1	F	9.4	10.8	10.6	9.9	11.4	11.0	11.7	11.0	10.6	9.7	9.8	11.0	9.6	10.0	9.6	9.9	9.4	9.3	9.9	10.5	10.6	9.3	9.4	---				
143	1	F	9.4	10.8	10.6	9.9	11.4	11.0	11.7	11.0	10.6	9.7	9.8	11.0	9.6	10.0	9.6	9.9	9.4	9.3	9.9	10.5	10.6	9.3	9.4	---				
144	1	F	9.4	10.8	10.6	9.9	11.4	11.0	11.7	11.0	10.6	9.7	9.8	11.0	9.6	10.0	9.6	9.9	9.4	9.3	9.9	10.5	10.6	9.3	9.4	---				
145	1	F	9.1	10.6	10.9	11.2	11.0	10.8	10.3	10.7	9.8	10.9	9.8	9.6	11.4	9.6	10.3	10.6	10.3	9.6	10.7	10.5	10.3	10.7	11.1	---				
146	1	F	9.1	10.6	10.9	11.2	11.0	10.8	10.3	10.7	9.8	10.9	9.8	9.6	11.4	9.6	10.3	10.6	10.3	9.6	10.7	10.5	10.3	10.7	11.1	---				
147	1	F	9.1	10.6	10.9	11.2	11.0	10.8	10.3	10.7	9.8	10.9	9.8	9.6	11.4	9.6	10.3	10.6	10.3	9.6	10.7	10.5	10.3	10.7	11.1	---				
148	1	F	9.2	11.0	11.0	11.8	11.3	11.2	10.6	10.8	9.9	9.9	9.5	10.0	10.8	9.8	10.8	11.0	10.3	10.2	10.1	10.7	10.0	10.2	11.4	---				
149	1	F	9.2	11.0	11.0	11.8	11.3	11.2	10.6	10.8	9.9	9.9	9.5	10.0	10.8	9.8	10.8	11.0	10.3	10.2	10.1	10.7	10.0	10.2	11.4	---				
150	1	F	9.2	11.0	11.0	11.8	11.3	11.2	10.6	10.8	9.9	9.9	9.5	10.0	10.8	9.8	10.8	11.0	10.3	10.2	10.1	10.7	10.0	10.2	11.4	---				
151	2	M	11.0	12.5	14.7	15.6	16.8	17.8	17.5	16.2	15.8	16.1	16.4	15.6	15.1	15.2	15.1	16.0	16.0	16.0	15.7	16.2	15.8	15.8	15.6	---				
152	2	M	11.0	12.5	14.7	15.6	16.8	17.8	17.5	16.2	15.8	16.1	16.4	15.6	15.1	15.2	15.1	16.0	16.0	16.0	15.7	16.2	15.8	15.8	15.6	---				
153	2	M	11.0	12.5	14.7	15.6	16.8	17.8	17.5	16.2	15.8	16.1	16.4	15.6	15.1	15.2	15.1	16.0	16.0	16.0	15.7	16.2	15.8	15.8	15.6	---				
154	2	M	13.0	14.5	16.0	15.6	20.0	17.5	17.4	16.9	17.0	15.4	16.6	16.6	15.2	15.1	16.4	17.3	17.9	16.9	18.0	17.8	18.4	16.7	16.9	---				
155	2	M	13.0	14.5	16.0	15.6	20.0	17.5	17.4	16.9	17.0	15.4	16.6	16.6	15.2	15.1	16.4	17.3	17.9	16.9	18.0	17.8	18.4	16.7	16.9	---				
156	2	M	13.0	14.5	16.0	15.6	20.0	17.5	17.4	16.9	17.0	15.4	16.6	16.6	15.2	15.1	16.4	17.3	17.9	16.9	18.0	17.8	18.4	16.7	16.9	---				
157	2	M	12.5	13.3	11.6	14.3	17.3	16.0	16.6	15.6	17.0	15.0	14.4	14.6	14.7	15.6	15.7	16.1	15.7	14.9	16.1	15.5	15.3	13.7	8.5	---				
158	2	M	12.5	13.3	11.6	14.3	17.3	16.0	16.6	15.6	17.0	15.0	14.4	14.6	14.7	15.6	15.7	16.1	15.7	14.9	16.1	15.5	15.3	13.7	8.5	---				
159	2	M	12.5	13.3	11.6	14.3	17.3	16.0	16.6	15.6	17.0	15.0	14.4	14.6	14.7	15.6	15.7	16.1	15.7	14.9	16.1	15.5	15.3	13.7	8.5	---				
160	2	M	11.5	13.7	14.4	16.5	18.1	18.8	19.4	18.7	18.0	17.4	18.3	18.1	17.2	17.5	18.9	17.8	16.8	17.3	17.1	18.3	18.6	17.4	16.4	---				

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R G R O U P	S E X	TEST WEEK																											
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28					
161	2	M	11.5	13.7	14.4	16.5	18.1	18.8	19.4	18.7	18.0	17.4	18.3	18.1	17.2	17.5	18.9	17.8	16.8	17.3	17.1	18.3	18.6	17.4						
162	2	M	11.5	13.7	14.4	16.5	18.1	18.8	19.4	18.7	18.0	17.4	18.3	18.1	17.2	17.5	18.9	17.8	16.8	17.3	17.1	18.3	18.6	17.4						
163	2	M	13.1	14.4	17.0	17.2	15.9	18.6	17.8	16.9	17.5	15.6	17.0	16.3	15.6	15.3	17.1	17.7	16.9	16.3	16.8	17.4	17.6	16.8	16.1					
164	2	M	13.1	14.4	17.0	17.2	15.9	18.6	17.8	16.9	17.5	15.6	17.0	16.3	15.6	15.3	17.1	17.7	16.9	16.3	16.8	17.4	17.6	16.8						
165	2	M	13.1	14.4	17.0	17.2	15.9	18.6	17.8	16.9	17.5	15.6	17.0	16.3	15.6	15.3	17.1	17.7	16.9	16.3	16.8	17.4	17.6	16.8	16.1					
166	2	M	12.5	14.0	14.8	16.7	16.9	17.6	17.3	16.5	17.1	16.7	16.8	17.3	16.7	16.8	18.7	17.2	16.4	16.4	16.1	16.7	16.9	18.4	16.6					
167	2	M	12.5	14.0	14.8	16.7	16.9	17.6	17.3	16.5	17.1	16.7	16.8	17.3	16.7	16.8	18.7	17.2	16.4	16.4	16.1	16.7	16.9	18.4	16.6					
168	2	M	12.5	14.0	14.8	16.7	16.9	17.6	17.3	16.5	17.1	16.7	16.8	17.3	16.7	16.8	18.7	17.2	16.4	16.4	16.1	16.7	16.9	18.4	16.6					
169	2	M	12.2	13.7	15.3	16.1	16.4	17.0	18.3	16.5	16.2	15.6	15.8	16.7	15.8	16.1	16.7	16.6	17.0	15.8	16.4	16.0	16.2	15.7	16.2					
170	2	M	12.2	13.7	15.3	16.1	16.4	17.0	18.3	16.5	16.2	15.6	15.8	16.7	15.8	16.1	16.7	16.6	17.0	15.8	16.4	16.0	16.2	15.7	16.2					
171	2	M	12.2	13.7	15.3	16.1	16.4	17.0	18.3	16.5	16.2	15.6	15.8	16.7	15.8	16.1	16.7	16.6	17.0	15.8	16.4	16.0	16.2	15.7	16.2					
172	2	M	12.6	13.8	15.3	16.6	16.6	16.7	17.7	17.3	16.7	17.2	17.8	17.7	17.4	17.2	17.1	17.8	17.7	17.3	16.0	17.9	18.0	16.4	11.6					
173	2	M	12.6	13.8	15.3	16.6	16.6	16.7	17.7	17.3	16.7	17.2	17.8	17.7	17.4	17.2	17.1	17.8	17.7	17.3	16.0	17.9	18.0	16.4	11.6					
174	2	M	12.6	13.8	15.3	16.6	16.6	16.7	17.7	17.3	16.7	17.2	17.8	17.7	17.4	17.2	17.1	17.8	17.7	17.3	16.0	17.9	18.0	16.4	11.6					
175	2	M	11.7	13.6	15.9	16.2	17.0	17.1	18.9	17.1	16.8	16.7	16.4	15.3	15.4	16.2	15.3	16.4	15.9	15.0	15.2	15.7	17.4	15.6	13.1					
176	2	M	11.7	13.6	15.9	16.2	17.0	17.1	18.9	17.1	16.8	16.7	16.4	15.3	15.4	16.2	15.3	16.4	15.9	15.0	15.2	15.7	17.4	15.6	13.1					
177	2	M	11.7	13.6	15.9	16.2	17.0	17.1	18.9	17.1	16.8	16.7	16.4	15.3	15.4	16.2	15.3	16.4	15.9	15.0	15.2	15.7	17.4	15.6	13.1					
178	2	M	12.1	13.4	14.7	15.5	16.0	16.5	16.8	16.7	16.2	16.1	16.1	16.1	16.0	16.2	16.8	16.5	16.1	15.5	16.6	16.8	16.6	16.2	11.1					
179	2	M	12.1	13.4	14.7	15.5	16.0	16.5	16.8	16.7	16.2	16.1	16.1	16.1	16.0	16.2	16.8	16.5	16.1	15.5	16.6	16.8	16.6	16.2	11.1					
180	2	M	12.1	13.4	14.7	15.5	16.0	16.5	16.8	16.7	16.2	16.1	16.1	16.1	16.0	16.2	16.8	16.5	16.1	15.5	16.6	16.8	16.6	16.2	11.1					
181	2	M	12.1	12.5	15.1	15.2	18.0	16.4	15.7	15.1	15.9	15.0	15.6	15.8	16.5	17.0	16.0	16.2	16.1	16.0	16.9	15.9	16.8	15.5	10.3					
182	2	M	12.1	12.5	15.1	15.2	18.0	16.4	15.7	15.1	15.9	15.0	15.6	15.8	16.5	17.0	16.0	16.2	16.1	16.0	16.9	15.9	16.8	15.5	10.3					
183	2	M	12.1	12.5	15.1	15.2	18.0	16.4	15.7	15.1	15.9	15.0	15.6	15.8	16.5	17.0	16.0	16.2	16.1	16.0	16.9	15.9	16.8	15.5	10.3					
184	2	M	11.5	14.2	15.1	15.4	17.1	17.1	16.9	15.9	16.0	16.3	15.9	15.5	15.4	16.0	16.7	16.4	16.2	15.9	16.0	15.7	17.8	15.6	16.1					
185	2	M	11.5	14.2	15.1	15.4	17.1	17.1	16.9	15.9	16.0	16.3	15.9	15.5	15.4	16.0	16.7	16.4	16.2	15.9	16.0	15.7	17.8	15.6	16.1					
186	2	M	11.4	12.6	14.6	14.5	18.0	17.1	17.0	16.8	17.0	17.5	16.9	16.3	15.4	16.4	17.0	17.0	17.2	15.7	16.4	16.6	17.8	17.1	9.4					
187	2	M	11.4	12.6	14.6	14.5	18.0	17.1	17.0	16.8	17.0	17.5	16.9	16.3	15.4	16.4	17.0	17.0	17.2	15.7	16.4	16.6	17.8	17.1	9.4					
188	2	M	11.4	12.6	14.6	14.5	18.0	17.1	17.0	16.8	17.0	17.5	16.9	16.3	15.4	16.4	17.0	17.0	17.2	15.7	16.4	16.6	17.8	17.1	9.4					
189	2	M	12.0	13.9	15.3	14.9	15.2	16.3	16.0	15.6	15.6	15.6	15.1	15.0	14.9	14.9	16.1	16.2	15.0	15.4	15.8	16.8	16.2	15.0	15.7					
190	2	M	12.0	13.9	15.3	14.9	15.2	16.3	16.0	15.6	15.6	15.6	15.1	15.0	14.9	14.9	16.1	16.2	15.0	15.4	15.8	16.8	16.2	15.0	15.7					
191	2	M	12.0	13.9	15.3	14.9	15.2	16.3	16.0	15.6	15.6	15.6	15.1	15.0	14.9	14.9	16.1	16.2	15.0	15.4	15.8	16.8	16.2	15.0	15.7					
192	2	M	12.0	13.9	15.3	14.9	15.2	16.3	16.0	15.6	15.6	15.6	15.1	15.0	14.9	14.9	16.1	16.2	15.0	15.4	15.8	16.8	16.2	15.0	15.7					
193	2	M	12.4	13.2	15.0	15.0	18.3	16.6	15.9	15.3	15.2	15.3	16.0	15.7	15.9	15.8	15.4	15.9	15.4	15.4	15.8	16.0	16.4	15.3	11.6					
194	2	M	12.4	13.2	15.0	15.0	18.3	16.6	15.9	15.3	15.2	15.3	16.0	15.7	15.9	15.8	15.4	15.9	15.4	15.4	15.8	16.0	16.4	15.3	11.6					
195	2	M	12.4	13.2	15.0	15.0	18.3	16.6	15.9	15.3	15.2	15.3	16.0	15.7	15.9	15.8	15.4	15.9	15.4	15.4	15.8	16.0	16.4	15.3	11.6					
196	2	M	12.0	13.9	16.0	16.7	17.5	17.4	18.9	16.6	16.9	16.4	17.6	17.3	16.2	16.9	16.6	16.2	15.8	16.6	17.0	17.0	17.1	15.9	17.3					
197	2	M	12.0	13.9	16.0	16.7	17.5	17.4	18.9	16.6	16.9	16.4	17.6	17.3	16.2	16.9	16.6	16.2	15.8	16.6	17.0	17.0	17.1	15.9	17.3					
198	2	M	12.0	13.9	16.0	16.7	17.5	17.4	18.9	16.6	16.9	16.4	17.6	17.3	16.2	16.9	16.6	16.2	15.8	16.6	17.0	17.0	17.1	15.9	17.3					
199	2	M	11.6	13.6	15.3	15.4	16.3	17.0	18.2	17.4	16.6	16.6	16.2	16.7	16.4	16.1	16.5	16.7	16.2	16.1	16.0	16.7	16.1	16.6	15.0					
200	2	M	11.6	13.6	15.3	15.4	16.3	17.0	18.2	17.4	16.6	16.6	16.2	16.7	16.4	16.1	16.5	16.7	16.2	16.1	16.0	16.7	16.1	16.6	15.0					

--- = NO AVAILABLE DATA

Table VI.3 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(ROX) IN THE FISCHER RAT
INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N T I M A L N O	T R G R O U P	S E X	TEST WEEK																											
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28					
201	2	M	11.6	13.6	15.3	15.4	16.3	17.0	18.2	17.4	16.6	16.6	16.2	16.7	16.4	16.1	16.5	16.7	16.2	16.1	16.0	16.7	16.1	16.6	15.0	14.7				
202	2	M	11.6	12.8	14.0	14.7	15.7	15.9	15.8	15.7	15.6	15.5	15.5	15.5	14.9	15.0	15.6	15.6	15.3	15.7	15.8	16.4	16.0	15.3	14.7					
203	2	M	11.6	12.8	14.0	14.7	15.7	15.9	15.8	15.7	15.6	15.5	15.5	15.5	14.9	15.0	15.6	15.6	15.3	15.7	15.8	16.4	16.0	15.3	14.7					
204	2	M	11.6	12.8	14.0	14.7	15.7	15.9	15.8	15.7	15.6	15.5	15.5	15.5	14.9	15.0	15.6	15.6	15.3	15.7	15.8	16.4	16.0	15.3	14.7					
205	2	M	12.2	13.3	14.5	15.0	15.7	15.8	17.0	16.2	16.0	15.7	15.1	14.6	15.2	15.6	16.6	16.2	16.0	14.7	15.7	15.0	15.0	14.7	10.1					
206	2	M	12.2	13.3	14.5	15.0	15.7	15.8	17.0	16.2	16.0	15.7	15.1	14.6	15.2	15.6	16.6	16.2	16.0	14.7	15.7	15.0	15.0	14.7	10.1					
207	2	M	12.2	13.3	14.5	15.0	15.7	15.8	17.0	16.2	16.0	15.7	15.1	14.6	15.2	15.6	16.6	16.2	16.0	14.7	15.7	15.0	15.0	14.7	10.1					
208	2	M	11.8	14.6	15.4	15.7	17.0	17.3	17.7	16.8	16.5	15.6	15.9	15.6	15.4	15.4	15.4	16.0	16.4	15.6	15.9	16.0	16.4	15.3	16.1					
209	2	M	11.8	14.6	15.4	15.7	17.0	17.3	17.7	16.8	16.5	15.6	15.9	15.6	15.4	15.4	15.4	16.0	16.4	15.6	15.9	16.0	16.4	15.3	16.1					
210	2	M	11.8	14.6	15.4	15.7	17.0	17.3	17.7	16.8	16.5	15.6	15.9	15.6	15.4	15.4	15.4	16.0	16.4	15.6	15.9	16.0	16.4	15.3	16.1					
211	2	M	11.7	12.7	14.2	15.3	16.8	16.7	17.1	16.9	16.5	16.2	16.4	15.8	15.7	15.4	15.8	16.4	16.6	15.5	15.4	16.0	16.1	16.0	16.0					
212	2	M	11.7	12.7	14.2	15.3	16.8	16.7	17.1	16.9	16.5	16.2	16.4	15.8	15.7	15.4	15.8	16.4	16.6	15.5	15.4	16.0	16.1	16.0	16.0					
213	2	M	11.7	12.7	14.2	15.3	16.8	16.7	17.1	16.9	16.5	16.2	16.4	15.8	15.7	15.4	15.8	16.4	16.6	15.5	15.4	16.0	16.1	16.0	16.0					
214	2	M	11.4	12.3	14.0	15.2	15.4	15.7	16.5	17.0	16.8	16.1	16.0	15.5	15.3	15.5	15.7	15.5	15.4	14.7	16.4	15.1	16.1	14.1	9.8					
215	2	M	11.4	12.3	14.0	15.2	15.4	15.7	16.5	17.0	16.8	16.1	16.0	15.5	15.3	15.5	15.7	15.5	15.4	14.7	16.4	15.1	16.1	14.1	9.8					
216	2	M	11.4	12.3	14.0	15.2	15.4	15.7	16.5	17.0	16.8	16.1	16.0	15.5	15.3	15.5	15.7	15.5	15.4	14.7	16.4	15.1	16.1	14.1	9.8					
217	2	M	11.1	12.6	15.0	14.1	17.2	15.8	16.0	16.0	15.6	15.6	16.0	15.5	15.0	15.6	15.3	15.2	14.7	14.6	14.8	15.6	15.4	14.6	15.8					
218	2	M	11.1	12.6	15.0	14.1	17.2	15.8	16.0	16.0	15.6	15.6	16.0	15.5	15.0	15.6	15.3	15.2	14.7	14.6	14.8	15.6	15.4	14.6	15.8					
219	2	M	11.1	12.6	15.0	14.1	17.2	15.8	16.0	16.0	15.6	15.6	16.0	15.5	15.0	15.6	15.3	15.2	14.7	14.6	14.8	15.6	15.4	14.6	15.8					
220	2	M	11.5	12.6	14.4	14.6	16.2	15.9	16.8	16.0	15.8	15.6	16.0	15.5	15.3	15.1	15.2	15.3	15.4	15.0	15.4	15.5	17.0	16.2	14.3	15.4				
221	2	M	11.5	12.6	14.4	14.6	16.2	15.9	16.8	16.0	15.8	15.6	16.0	15.5	15.3	15.1	15.2	15.3	15.4	15.0	15.4	15.5	17.0	16.2	14.3	15.4				
222	2	M	11.5	12.6	14.4	14.6	16.2	15.9	16.8	16.0	15.8	15.6	16.0	15.5	15.3	15.1	15.2	15.3	15.4	15.0	15.4	15.5	17.0	16.2	14.3	15.4				
223	2	M	13.1	14.2	15.7	15.8	17.0	14.8	19.0	16.5	15.9	16.0	15.9	15.6	14.3	14.9	16.2	15.7	15.4	15.4	16.0	15.5	16.5	15.2	15.1					
224	2	M	13.1	14.2	15.7	15.8	17.0	14.8	19.0	16.5	15.9	16.0	15.9	15.6	14.3	14.9	16.2	15.7	15.4	15.4	16.0	15.5	16.5	15.2	15.1					
225	2	M	13.1	14.2	15.7	15.8	17.0	14.8	19.0	16.5	15.9	16.0	15.9	15.6	14.3	14.9	16.2	15.7	15.4	15.4	16.0	15.5	16.5	15.2	15.1					
226	2	F	9.4	10.6	10.5	11.0	10.4	10.3	10.9	10.0	9.9	9.4	9.7	9.9	10.0	9.8	9.9	10.0	10.1	9.5	9.4	10.2	10.1	9.2	9.7					
227	2	F	9.4	10.6	10.5	11.0	10.4	10.3	10.9	10.0	9.9	9.4	9.7	9.9	10.0	9.8	9.9	10.0	10.1	9.5	9.4	10.2	10.1	9.2	9.7					
228	2	F	9.4	10.6	10.5	11.0	10.4	10.3	10.9	10.0	9.9	9.4	9.7	9.9	10.0	9.8	9.9	10.0	10.1	9.5	9.4	10.2	10.1	9.2	9.7					
229	2	F	10.0	10.9	11.1	11.6	11.8	10.9	11.9	11.3	11.4	10.4	10.3	11.2	11.1	11.3	11.2	11.9	11.9	11.1	11.4	11.5	10.4	10.9	11.0					
230	2	F	10.0	10.9	11.1	11.6	11.8	10.9	11.9	11.3	11.4	10.4	10.3	11.2	11.1	11.3	11.2	11.9	11.9	11.1	11.4	11.5	10.4	10.9	11.0					
231	2	F	10.0	10.9	11.1	11.6	11.8	10.9	11.9	11.3	11.4	10.4	10.3	11.2	11.1	11.3	11.2	11.9	11.9	11.1	11.4	11.5	10.4	10.9	11.0					
232	2	F	10.0	11.1	11.4	11.5	12.4	10.8	11.0	10.8	10.4	9.9	10.2	10.0	10.8	10.4	10.6	11.3	11.1	9.6	10.4	11.0	11.0	10.7	10.6					
233	2	F	10.0	11.1	11.4	11.5	12.4	10.8	11.0	10.8	10.4	9.9	10.2	10.0	10.8	10.4	10.6	11.3	11.1	9.6	10.4	11.0	11.0	10.7	10.6					
234	2	F	10.0	11.1	11.4	11.5	12.4	10.8	11.0	10.8	10.4	9.9	10.2	10.0	10.8	10.4	10.6	11.3	11.1	9.6	10.4	11.0	11.0	10.7	10.6					
235	2	F	9.6	9.4	11.2	11.4	11.5	11.4	11.3	11.8	10.3	9.7	10.2	9.9	10.8	10.5	10.1	10.5	10.6	9.9	9.7	10.1	10.5	9.9	10.0					
236	2	F	9.6	9.4	11.2	11.4	11.5	11.4	11.3	11.8	10.3	9.7	10.2	9.9	10.8	10.5	10.1	10.5	10.6	9.9	9.7	10.1	10.5	9.9	10.0					
237	2	F	9.6	9.4	11.2	11.4	11.5	11.4	11.3	11.8	10.3	9.7	10.2	9.9	10.8	10.5	10.1	10.5	10.6	9.9	9.7	10.1	10.5	9.9	10.0					
238	2	F	10.3	10.9	11.1	11.4	9.8	11.9	11.3	10.7	10.5	9.9	10.6	10.6	10.3	9.9	10.0	10.8	10.7	9.9	10.0	10.4	10.8	10.0	10.1					
239	2	F	10.3	10.9	11.1	11.4	9.8	11.9	11.3	10.7	10.5	9.9	10.6	10.6	10.3	9.9	10.0	10.8	10.7	9.9	10.0	10.4	10.8	10.0	10.1					
240	2	F	10.3	10.9	11.1	11.4	9.8	11.9	11.3	10.7	10.5	9.9	10.6	10.6	10.3	9.9	10.0	10.8	10.7	9.9	10.0	10.4	10.8	10.0	10.1					

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R E A T M E N T G R O U P	S E X	TEST WEEK																										
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28				
2241	2	F	5.4	10.6	9.9	10.1	9.6	9.4	9.8	9.8	9.6	9.0	9.0	9.3	14.2	9.0	9.3	10.0	9.6	9.4	9.5	10.4	9.4	8.8	2.7				
2242	2	F	5.4	10.6	9.9	10.1	9.6	9.4	9.8	9.8	9.6	9.0	9.0	9.3	14.2	9.0	9.3	10.0	9.6	9.4	9.5	10.4	9.4	8.8	2.7				
2243	2	F	5.4	10.6	9.9	10.1	9.6	9.4	9.8	9.8	9.6	9.0	9.0	9.3	14.2	9.0	9.3	10.0	9.6	9.4	9.5	10.4	9.4	8.8	--				
2244	2	F	10.1	10.5	10.8	11.0	10.8	10.5	10.6	9.6	9.8	9.0	9.6	9.6	9.7	9.6	9.5	9.9	9.8	9.3	9.1	10.0	10.3	9.6	9.6				
2245	2	F	10.1	10.5	10.8	11.0	10.8	10.5	10.6	9.6	9.8	9.0	9.6	9.6	9.7	9.6	9.5	9.9	9.8	9.3	9.1	10.0	10.3	9.6	9.6				
2246	2	F	10.1	10.5	10.8	11.0	10.8	10.5	10.6	9.6	9.8	9.0	9.6	9.6	9.7	9.6	9.5	9.9	9.8	9.3	9.1	10.0	10.3	9.6	9.6				
2247	2	F	9.9	10.4	10.8	11.2	10.7	10.7	10.7	10.5	9.7	9.3	9.2	9.4	10.4	9.4	9.9	10.3	10.1	10.0	10.6	9.8	10.5	9.8	9.5				
2248	2	F	9.9	10.4	10.8	11.2	10.7	10.7	10.7	10.5	9.7	9.3	9.2	9.4	10.4	9.4	9.9	10.3	10.1	10.0	10.6	9.8	10.5	9.8	9.5				
2249	2	F	9.9	10.4	10.8	11.2	10.7	10.7	10.7	10.5	9.7	9.3	9.2	9.4	10.4	9.4	9.9	10.3	10.1	10.0	10.6	9.8	10.5	9.8	9.5				
2250	2	F	9.1	9.5	10.5	10.2	10.1	9.9	10.5	9.8	11.0	9.2	9.4	9.0	9.3	8.9	9.6	10.0	10.4	8.6	9.6	10.1	10.0	10.2	4.6				
2251	2	F	9.1	9.5	10.5	10.2	10.1	9.9	10.5	9.8	11.0	9.2	9.4	9.0	9.3	8.9	9.6	10.0	10.4	8.6	9.6	10.1	10.0	10.2	4.6				
2252	2	F	9.1	9.5	10.5	10.2	10.1	9.9	10.5	9.8	11.0	9.2	9.4	9.0	9.3	8.9	9.6	10.0	10.4	8.6	9.6	10.1	10.0	10.2	4.6				
2253	2	F	9.6	10.1	10.5	10.9	12.3	10.3	10.6	10.2	10.3	9.9	9.7	9.5	9.6	9.9	10.9	11.1	10.3	10.0	9.8	10.5	10.9	11.3	10.7				
2254	2	F	9.6	10.1	10.5	10.9	12.3	10.3	10.6	10.2	10.3	9.9	9.7	9.5	9.6	9.9	10.9	11.1	10.3	10.0	9.8	10.5	10.9	11.3	10.7				
2255	2	F	9.6	10.1	10.5	10.9	12.3	10.3	10.6	10.2	10.3	9.9	9.7	9.5	9.6	9.9	10.9	11.1	10.3	10.0	9.8	10.5	10.9	11.3	10.7				
2256	2	F	10.4	11.5	11.7	11.1	11.1	11.1	11.0	10.8	10.6	10.5	10.2	10.4	14.5	10.0	10.2	10.8	10.4	10.1	10.2	10.6	10.6	9.6	8.9				
2257	2	F	10.4	11.5	11.7	11.1	11.1	11.1	11.0	10.8	10.6	10.5	10.2	10.4	14.5	10.0	10.2	10.8	10.4	10.1	10.2	10.6	10.6	9.6	--				
2258	2	F	10.4	11.5	11.7	11.1	11.1	11.1	11.0	10.8	10.6	10.5	10.2	10.4	14.5	10.0	10.2	10.8	10.4	10.1	10.2	10.6	10.6	9.6	--				
2259	2	F	9.6	10.8	11.1	11.2	10.8	11.0	10.9	10.7	11.0	10.1	11.1	10.3	10.5	9.7	10.6	10.9	10.6	9.5	10.1	10.9	11.0	10.8	10.4				
2260	2	F	9.6	10.8	11.1	11.2	10.8	11.0	10.9	10.7	11.0	10.1	11.1	10.3	10.5	9.7	10.6	10.9	10.6	9.5	10.1	10.9	11.0	10.8	10.4				
2261	2	F	9.6	10.8	11.1	11.2	10.8	11.0	10.9	10.7	11.0	10.1	11.1	10.3	10.5	9.7	10.6	10.9	10.6	9.5	10.1	10.9	11.0	10.8	10.4				
2262	2	F	10.3	11.3	11.6	11.2	11.4	10.5	11.7	11.0	10.5	10.0	9.8	9.8	10.3	9.5	10.1	10.2	9.9	9.2	9.5	10.5	11.2	9.6	9.8				
2263	2	F	10.3	11.3	11.6	11.2	11.4	10.5	11.7	11.0	10.5	10.0	9.8	9.8	10.3	9.5	10.1	10.2	9.9	9.2	9.5	10.5	11.2	9.6	9.8				
2264	2	F	10.3	11.3	11.6	11.2	11.4	10.5	11.7	11.0	10.5	10.0	9.8	9.8	10.3	9.5	10.1	10.2	9.9	9.2	9.5	10.5	11.2	9.6	9.8				
2265	2	F	9.4	10.3	11.2	12.1	11.8	11.2	10.9	11.7	10.9	10.0	10.3	10.9	10.4	9.7	10.2	11.7	11.6	10.2	10.2	11.1	11.0	11.0	10.6				
2266	2	F	9.4	10.3	11.2	12.1	11.8	11.2	10.9	11.7	10.9	10.0	10.3	10.9	10.4	9.7	10.2	11.7	11.6	10.2	10.2	11.1	11.0	11.0	10.6				
2267	2	F	9.4	10.3	11.2	12.1	11.8	11.2	10.9	11.7	10.9	10.0	10.3	10.9	10.4	9.7	10.2	11.7	11.6	10.2	10.2	11.1	11.0	11.0	10.6				
2268	2	F	10.2	10.7	11.4	11.5	11.6	11.4	9.1	11.5	10.8	10.3	11.0	10.8	10.9	10.0	11.0	11.9	10.0	9.9	9.7	10.4	11.1	10.3	10.7				
2269	2	F	10.2	10.7	11.4	11.5	11.6	11.4	9.1	11.5	10.8	10.3	11.0	10.8	10.9	10.0	11.0	11.9	10.0	9.9	9.7	10.4	11.1	10.3	10.7				
2270	2	F	10.2	10.7	11.4	11.5	11.6	11.4	9.1	11.5	10.8	10.3	11.0	10.8	10.9	10.0	11.0	11.9	10.0	9.9	9.7	10.4	11.1	10.3	10.7				
2271	2	F	10.6	11.1	11.1	18.6	11.6	11.8	11.7	11.0	11.3	10.6	10.7	10.9	10.9	9.1	10.8	10.8	10.9	10.0	10.8	11.3	11.3	10.1	10.4				
2272	2	F	10.6	11.1	11.1	18.6	11.6	11.8	11.7	11.0	11.3	10.6	10.7	10.9	10.9	9.1	10.8	10.8	10.9	10.0	10.8	11.3	11.3	10.1	10.4				
2273	2	F	10.6	11.1	11.1	18.6	11.6	11.8	11.7	11.0	11.3	10.6	10.7	10.9	10.9	9.1	10.8	10.8	10.9	10.0	10.8	11.3	11.3	10.1	10.4				
2274	2	F	8.9	10.1	10.0	10.2	10.7	12.0	12.9	9.7	9.3	9.3	9.5	9.2	9.8	9.2	9.4	10.1	9.8	9.8	9.5	10.0	10.0	9.8	9.7				
2275	2	F	8.9	10.1	10.0	10.2	10.7	12.0	12.9	9.7	9.3	9.3	9.5	9.2	9.8	9.2	9.4	10.1	9.8	9.8	9.5	10.0	10.0	9.8	--				
2276	2	F	8.9	10.1	10.0	10.2	10.7	12.0	12.9	9.7	9.3	9.3	9.5	9.2	9.8	9.2	9.4	10.1	9.8	9.8	9.5	10.0	10.0	9.8	9.7				
2277	2	F	9.6	10.4	10.8	11.5	11.4	11.2	11.4	11.5	10.9	9.8	9.9	10.3	10.6	10.2	10.6	11.3	11.2	9.6	10.7	11.4	11.7	10.1	10.8				
2278	2	F	9.6	10.4	10.8	11.5	11.4	11.2	11.4	11.5	10.9	9.8	9.9	10.3	10.6	10.2	10.6	11.3	11.2	9.6	10.7	11.4	11.7	10.1	10.8				
2279	2	F	9.6	10.4	10.8	11.5	11.4	11.2	11.4	11.5	10.9	9.8	9.9	10.3	10.6	10.2	10.6	11.3	11.2	9.6	10.7	11.4	11.7	10.1	--				
2280	2	F	9.0	10.1	11.1	10.8	10.5	10.5	11.1	10.5	14.5	9.8	9.4	9.8	9.9	9.2	9.6	9.8	9.6	9.3	9.2	10.1	10.9	9.3	9.4				

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O D U P	T R G R O U P	S E X	TEST WEEK																											
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28					
281	2	F	9.0	10.1	11.1	10.8	10.5	10.5	11.1	10.5	14.5	9.8	9.4	9.8	9.9	9.2	9.6	9.8	9.6	9.3	9.2	10.1	10.9	9.3	9.4					
282	2	F	9.0	10.1	11.1	10.8	10.5	10.5	11.1	10.5	14.5	9.8	9.4	9.8	9.9	9.2	9.6	9.8	9.6	9.3	9.2	10.1	10.9	9.3	9.4					
283	2	F	9.0	10.0	11.3	11.2	11.2	10.8	11.1	10.2	10.5	9.7	10.4	9.9	10.0	11.4	10.4	10.7	10.5	9.8	10.1	10.5	10.9	10.4	10.0					
284	2	F	9.0	10.0	11.3	11.2	11.2	10.8	11.1	10.2	10.5	9.7	10.4	9.9	10.0	11.4	10.4	10.7	10.5	9.8	10.1	10.5	10.9	10.4	10.0					
285	2	F	9.0	10.0	11.3	11.2	11.2	10.8	11.1	10.2	10.5	9.7	10.4	9.9	10.0	11.4	10.4	10.7	10.5	9.8	10.1	10.5	10.9	10.4	10.0					
286	2	F	9.1	9.5	9.8	10.7	10.7	10.1	10.5	10.6	10.0	9.5	9.4	9.5	9.6	9.8	9.7	10.8	10.0	9.6	9.3	10.1	11.2	9.5	8.9					
287	2	F	9.1	9.5	9.8	10.7	10.7	10.1	10.5	10.6	10.0	9.5	9.4	9.5	9.6	9.8	9.7	10.8	10.0	9.6	9.3	10.1	11.2	9.5	8.9					
288	2	F	9.1	9.5	9.8	10.7	10.7	10.1	10.5	10.6	10.0	9.5	9.4	9.5	9.6	9.8	9.7	10.8	10.0	9.6	9.3	10.1	11.2	9.5	8.9					
289	2	F	9.7	10.8	10.9	11.0	10.0	12.0	11.0	10.6	10.2	9.4	10.0	10.1	10.2	10.5	9.7	10.1	10.6	9.5	9.5	10.0	10.3	9.1	10.4					
290	2	F	9.7	10.8	10.9	11.0	10.0	12.0	11.0	10.6	10.2	9.4	10.0	10.1	10.2	10.5	9.7	10.1	10.6	9.5	9.5	10.0	10.3	9.1	10.4					
291	2	F	9.7	10.8	10.9	11.0	10.0	12.0	11.0	10.6	10.2	9.4	10.0	10.1	10.2	10.5	9.7	10.1	10.6	9.5	9.5	10.0	10.3	9.1	10.4					
292	2	F	9.9	10.7	11.4	10.8	10.3	10.7	10.6	11.2	10.4	9.9	9.9	9.6	10.2	9.4	10.2	10.6	10.5	9.3	9.5	10.1	10.0	9.3	10.2					
293	2	F	9.9	10.7	11.4	10.8	10.3	10.7	10.6	11.2	10.4	9.9	9.9	9.6	10.2	9.4	10.2	10.6	10.5	9.3	9.5	10.1	10.0	9.3	10.2					
294	2	F	9.9	10.7	11.4	10.8	10.3	10.7	10.6	11.2	10.4	9.9	9.9	9.6	10.2	9.4	10.2	10.6	10.5	9.3	9.5	10.1	10.0	9.3	10.2					
295	2	F	8.9	9.3	7.7	12.7	10.9	10.3	11.0	10.6	10.2	9.7	9.8	9.9	9.6	10.2	10.2	11.0	11.0	10.1	10.0	10.4	11.0	10.0	10.4					
296	2	F	8.9	9.3	7.7	12.7	10.9	10.3	11.0	10.6	10.2	9.7	9.8	9.9	9.6	10.2	10.2	11.0	11.0	10.1	10.0	10.4	11.0	10.0	10.4					
297	2	F	8.9	9.3	7.7	12.7	10.9	10.3	11.0	10.6	10.2	9.7	9.8	9.9	9.6	10.2	10.2	11.0	11.0	10.1	10.0	10.4	11.0	10.0	10.4					
298	2	F	10.3	11.1	11.1	11.7	11.6	11.2	12.0	10.3	10.5	9.6	10.3	10.0	10.0	10.1	10.1	10.6	10.3	9.6	9.9	10.5	11.2	9.8	10.3					
299	2	F	10.3	11.1	11.1	11.7	11.6	11.2	12.0	10.3	10.5	9.6	10.3	10.0	10.0	10.1	10.1	10.6	10.3	9.6	9.9	10.5	11.2	9.8	10.3					
300	2	F	10.3	11.1	11.1	11.7	11.6	11.2	12.0	10.3	10.5	9.6	10.3	10.0	10.0	10.1	10.1	10.6	10.3	9.6	9.9	10.5	11.2	9.8	10.3					
301	3	M	11.6	12.9	14.5	15.3	16.1	16.2	16.0	16.7	16.3	16.0	15.1	15.7	15.7	15.8	15.4	15.1	15.1	15.2	16.0	15.4	15.8	14.8	15.4					
302	3	M	11.6	12.9	14.5	15.3	16.1	16.2	16.0	16.7	16.3	16.0	15.1	15.7	15.7	15.8	15.4	15.1	15.1	15.2	16.0	15.4	15.8	14.8	15.4					
303	3	M	11.6	12.9	14.5	15.3	16.1	16.2	16.0	16.7	16.3	16.0	15.1	15.7	15.7	15.8	15.4	15.1	15.1	15.2	16.0	15.4	15.8	14.8	15.4					
304	3	M	12.0	13.5	15.3	16.1	17.0	16.8	17.4	17.0	16.6	16.1	16.3	16.5	17.0	15.8	16.0	16.4	16.6	15.3	15.0	16.3	17.7	15.4	15.5					
305	3	M	12.0	13.5	15.3	16.1	17.0	16.8	17.4	17.0	16.6	16.1	16.3	16.5	17.0	15.8	16.0	16.4	16.6	15.3	15.0	16.3	17.7	15.4	15.5					
306	3	M	12.0	13.5	15.3	16.1	17.0	16.8	17.4	17.0	16.6	16.1	16.3	16.5	17.0	15.8	16.0	16.4	16.6	15.3	15.0	16.3	17.7	15.4	15.5					
307	3	M	11.8	12.9	14.4	15.4	15.8	15.7	16.6	16.0	15.9	15.9	15.2	15.3	15.4	15.0	15.5	16.0	15.8	15.6	17.2	15.5	15.7	15.5	15.8					
308	3	M	11.8	12.9	14.4	15.4	15.8	15.7	16.6	16.0	15.9	15.9	15.2	15.3	15.4	15.0	15.5	16.0	15.8	15.6	17.2	15.5	15.7	15.5	15.8					
309	3	M	11.8	12.9	14.4	15.4	15.8	15.7	16.6	16.0	15.9	15.9	15.2	15.3	15.4	15.0	15.5	16.0	15.8	15.6	17.2	15.5	15.7	15.5	15.8					
310	3	M	12.6	13.8	15.5	15.9	16.6	16.1	17.2	15.7	15.8	16.3	15.7	15.7	16.3	16.1	15.5	16.1	15.7	15.9	16.7	15.6	16.3	16.2	15.6					
311	3	M	12.6	13.8	15.5	15.9	16.6	16.1	17.2	15.7	15.8	16.3	15.7	15.7	16.3	16.1	15.5	16.1	15.7	15.9	16.7	15.6	16.3	16.2	15.6					
312	3	M	12.6	13.8	15.5	15.9	16.6	16.1	17.2	15.7	15.8	16.3	15.7	15.7	16.3	16.1	15.5	16.1	15.7	15.9	16.7	15.6	16.3	16.2	15.6					
313	3	M	10.3	12.7	14.8	15.5	16.0	16.0	16.5	16.5	16.5	16.0	15.5	15.5	15.9	16.3	17.0	16.9	15.6	16.8	15.9	17.0	15.8	16.0						
314	3	M	10.3	12.7	14.8	15.5	16.0	16.0	16.5	16.5	16.5	16.0	15.5	15.5	15.9	16.3	17.0	16.9	15.6	16.8	15.9	17.0	15.8	16.0						
315	3	M	10.3	12.7	14.8	15.5	16.0	16.0	16.5	16.5	16.5	16.0	15.5	15.5	15.9	16.3	17.0	16.9	15.6	16.8	15.9	17.0	15.8	16.0						
316	3	M	11.5	13.5	15.0	15.7	15.9	16.4	17.1	16.9	16.6	15.9	15.5	15.7	14.3	15.0	15.5	16.1	16.4	15.8	16.1	14.8	16.5	15.8	14.6					
317	3	M	11.5	13.5	15.0	15.7	15.9	16.4	17.1	16.9	16.6	15.9	15.5	15.7	14.3	15.0	15.5	16.1	16.4	15.8	16.1	14.8	16.5	15.8	14.6					
318	3	M	11.5	13.5	15.0	15.7	15.9	16.4	17.1	16.9	16.6	15.9	15.5	15.7	14.3	15.0	15.5	16.1	16.4	15.8	16.1	14.8	16.5	15.8	14.6					
319	3	M	11.5	13.5	15.0	15.7	15.9	16.4	17.1	16.9	16.6	15.9	15.5	15.7	14.3	15.0	15.5	16.1	16.4	15.8	16.1	14.8	16.5	15.8	14.6					
320	3	M	11.3	12.7	14.6	15.0	15.2	15.6	17.3	17.3	16.1	16.6	16.0	15.6	15.9	16.3	15.9	16.1	16.2	16.0	17.6	15.8	16.1	15.0	16.0					
321	3	M	11.3	12.7	14.6	15.0	15.2	15.6	17.3	17.3	16.1	16.6	16.0	15.6	15.9	16.3	15.9	16.1	16.2	16.0	17.6	15.8	16.1	15.0	16.0					

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R E A T M E N T G R O U P	S E X	TEST WEEK																										
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	18	20	22	24	26	28			
321	3	M	11.3	12.7	14.6	15.0	15.2	15.6	17.3	17.3	16.1	16.6	16.0	15.6	15.9	16.3	15.9	16.1	16.2	16.0	17.6	15.8	16.1	15.0	16.0				
322	3	M	11.6	13.4	15.2	16.7	16.4	16.4	17.6	18.3	18.0	17.4	17.4	17.1	17.4	17.4	17.3	17.2	17.1	16.3	15.9	17.0	18.1	16.3	17.0				
323	3	M	11.6	13.4	15.2	16.7	16.4	16.4	17.6	18.3	18.0	17.4	17.4	17.1	17.4	17.4	17.3	17.2	17.1	16.3	15.9	17.0	18.1	16.3	17.0				
324	3	M	11.6	13.4	15.2	16.7	16.4	16.4	17.6	18.3	18.0	17.4	17.4	17.1	17.4	17.4	17.3	17.2	17.1	16.3	15.9	17.0	18.1	16.3	17.0				
325	3	M	12.1	13.3	14.6	14.9	15.7	15.8	16.3	15.6	15.7	15.4	16.0	15.6	15.7	16.0	17.3	16.8	16.0	15.4	16.4	15.5	15.8	17.3	15.2				
326	3	M	12.1	13.3	14.6	14.9	15.7	15.8	16.3	15.6	15.7	15.4	16.0	15.6	15.7	16.0	17.3	16.8	16.0	15.4	16.4	15.5	15.8	17.3	15.2				
327	3	M	12.1	13.3	14.6	14.9	15.7	15.8	16.3	15.6	15.7	15.4	16.0	15.6	15.7	16.0	17.3	16.8	16.0	15.4	16.4	15.5	15.8	17.3	15.2				
328	3	M	11.8	13.2	14.9	15.5	16.2	16.9	17.4	17.0	17.0	17.3	17.3	16.6	15.7	16.1	15.8	16.5	16.1	16.2	16.3	16.7	17.4	15.8	16.4				
329	3	M	11.8	13.2	14.9	15.5	16.2	16.9	17.4	17.0	17.0	17.3	17.3	16.6	15.7	16.1	15.8	16.5	16.1	16.2	16.3	16.7	17.4	15.8	16.4				
330	3	M	11.8	13.2	14.9	15.5	16.2	16.9	17.4	17.0	17.0	17.3	17.3	16.6	15.7	16.1	15.8	16.5	16.1	16.2	16.3	16.7	17.4	15.8	16.4				
331	3	M	13.1	14.2	16.0	17.0	17.5	17.4	18.5	17.7	16.7	16.7	16.3	16.4	16.2	15.9	16.6	15.8	15.7	16.1	16.6	15.7	17.1	15.1	15.7				
332	3	M	13.1	14.2	16.0	17.0	17.5	17.4	18.5	17.7	16.7	16.7	16.3	16.4	16.2	15.9	16.6	15.8	15.7	16.1	16.6	15.7	17.1	15.1	15.7				
333	3	M	13.1	14.2	16.0	17.0	17.5	17.4	18.5	17.7	16.7	16.7	16.3	16.4	16.2	15.9	16.6	15.8	15.7	16.1	16.6	15.7	17.1	15.1	15.7				
334	3	M	12.1	13.0	14.7	15.2	18.1	15.7	16.9	16.2	14.9	15.0	14.5	15.6	14.5	14.0	15.0	15.3	15.9	15.7	16.6	16.3	16.9	14.7	12.3				
335	3	M	12.1	13.0	14.7	15.2	18.1	15.7	16.9	16.2	14.9	15.0	14.5	15.6	14.5	14.0	15.0	15.3	15.9	15.7	16.6	16.3	16.9	14.7	12.3				
336	3	M	12.1	13.0	14.7	15.2	18.1	15.7	16.9	16.2	14.9	15.0	14.5	15.6	14.5	14.0	15.0	15.3	15.9	15.7	16.6	16.3	16.9	14.7	12.3				
337	3	M	12.7	13.9	15.9	16.1	16.2	16.1	16.7	16.2	16.9	16.6	16.2	16.2	16.5	15.7	16.3	16.5	16.0	16.3	16.4	15.3	16.2	14.5	16.0				
338	3	M	12.7	13.9	15.9	16.1	16.2	16.1	16.7	16.2	16.9	16.6	16.2	16.2	16.5	15.7	16.3	16.5	16.0	16.3	16.4	15.3	16.2	14.5	16.0				
339	3	M	12.7	13.9	15.9	16.1	16.2	16.1	16.7	16.2	16.9	16.6	16.2	16.2	16.5	15.7	16.3	16.5	16.0	16.3	16.4	15.3	16.2	14.5	16.0				
340	3	M	13.0	14.5	15.5	16.2	14.8	18.0	16.7	17.4	17.0	16.0	16.3	16.2	16.2	17.1	17.6	16.9	16.6	16.0	16.6	15.9	16.6	15.9	15.4				
341	3	M	13.0	14.5	15.5	16.2	14.8	18.0	16.7	17.4	17.0	16.0	16.3	16.2	16.2	17.1	17.6	16.9	16.6	16.0	16.6	15.9	16.6	15.9	15.4				
342	3	M	13.0	14.5	15.5	16.2	14.8	18.0	16.7	17.4	17.0	16.0	16.3	16.2	16.2	17.1	17.6	16.9	16.6	16.0	16.6	15.9	16.6	15.9	15.4				
343	3	M	12.4	13.4	15.8	16.2	16.2	17.4	17.1	17.0	16.4	16.3	16.3	16.2	16.5	16.2	16.0	16.0	14.4	15.5	15.5	15.6	16.2	14.3	14.6				
344	3	M	12.4	13.4	15.8	16.2	16.2	17.4	17.1	17.0	16.4	16.3	16.3	16.2	16.5	16.2	16.0	16.0	14.4	15.5	15.5	15.6	16.2	14.3	14.6				
345	3	M	12.4	13.4	15.8	16.2	16.2	17.4	17.1	17.0	16.4	16.3	16.3	16.2	16.5	16.2	16.0	16.0	14.4	15.5	15.5	15.6	16.2	14.3	14.6				
346	3	M	12.1	13.1	14.6	16.1	16.3	15.9	16.9	16.7	16.6	16.0	15.5	16.4	16.7	16.7	17.6	17.2	16.0	15.5	17.2	16.6	16.5	16.0	16.0				
347	3	M	12.1	13.1	14.6	16.1	16.3	15.9	16.9	16.7	16.6	16.0	15.5	16.4	16.7	16.7	17.6	17.2	16.0	15.5	17.2	16.6	16.5	16.0	16.0				
348	3	M	12.1	13.1	14.6	16.1	16.3	15.9	16.9	16.7	16.6	16.0	15.5	16.4	16.7	16.7	17.6	17.2	16.0	15.5	17.2	16.6	16.5	16.0	16.0				
349	3	M	11.9	13.3	14.5	15.5	15.5	16.2	16.0	16.6	16.3	16.1	16.5	16.4	17.2	17.6	16.8	16.2	16.3	16.1	17.1	16.8	16.0	14.9	15.6				
350	3	M	11.9	13.3	14.5	15.5	15.5	16.2	16.0	16.6	16.3	16.1	16.5	16.4	17.2	17.6	16.8	16.2	16.3	16.1	17.1	16.8	16.0	14.9	15.6				
351	3	M	11.9	13.3	14.5	15.5	15.5	16.2	16.0	16.6	16.3	16.1	16.5	16.4	17.2	17.6	16.8	16.2	16.3	16.1	17.1	16.8	16.0	14.9	15.6				
352	3	M	13.0	13.6	15.4	17.0	16.8	17.0	17.9	19.0	19.7	18.0	17.8	18.1	17.3	18.5	17.0	17.0	17.1	17.0	17.1	16.9	16.7	16.3	16.1				
353	3	M	13.0	13.6	15.4	17.0	16.8	17.0	17.9	19.0	19.7	18.0	17.8	18.1	17.3	18.5	17.0	17.0	17.1	17.0	17.1	16.9	16.7	16.3	16.1				
354	3	M	13.0	13.6	15.4	17.0	16.8	17.0	17.9	19.0	19.7	18.0	17.8	18.1	17.3	18.5	17.0	17.0	17.1	17.0	17.1	16.9	16.7	16.3	16.1				
355	3	M	10.7	12.5	13.6	14.7	16.0	16.6	17.0	15.6	16.1	16.9	16.1	16.5	16.3	15.7	15.6	16.1	15.6	15.8	15.5	16.0	17.4	15.2	15.1				
356	3	M	10.7	12.5	13.6	14.7	16.0	16.6	17.0	15.6	16.1	16.9	16.1	16.5	16.3	15.7	15.6	16.1	15.6	15.8	15.5	16.0	17.4	15.2	15.1				
357	3	M	10.7	12.5	13.6	14.7	16.0	16.6	17.0	15.6	16.1	16.9	16.1	16.5	16.3	15.7	15.6	16.1	15.6	15.8	15.5	16.0	17.4	15.2	15.1				
358	3	M	11.6	12.6	13.7	15.0	14.8	15.4	18.0	15.2	15.3	16.3	16.4	15.4	15.2	15.6	15.3	16.1	16.5	17.1	16.2	15.6	16.9	15.2	16.1				
359	3	M	11.6	12.6	13.7	15.0	14.8	15.4	18.0	15.2	15.3	16.3	16.4	15.4	15.2	15.6	15.3	16.1	16.5	17.1	16.2	15.6	16.9	15.2	16.1				
360	3	M	11.6	12.6	13.7	15.0	14.8	15.4	18.0	15.2	15.3	16.3	16.4	15.4	15.2	15.6	15.3	16.1	16.5	17.1	16.2	15.6	16.9	15.2	16.1				

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T I M A L R O N O	S E X	TEST WEEK																											
		-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28					
361	M	11.4	11.9	13.2	13.7	13.7	14.9	15.6	15.5	14.9	15.6	14.4	14.0	14.3	14.2	14.2	13.2	14.6	14.4	15.9	14.0	14.0	13.2	14.2	14.2				
362	M	11.4	11.9	13.2	13.7	13.7	14.9	15.6	15.5	14.9	15.6	14.4	14.0	14.3	14.2	14.2	13.2	14.6	14.4	15.9	14.0	14.0	13.2	14.2	14.2				
363	M	11.4	11.9	13.2	13.7	13.7	14.9	15.6	15.5	14.9	15.6	14.4	14.0	14.3	14.2	14.2	13.2	14.6	14.4	15.9	14.0	14.0	13.2	14.2	14.2				
364	M	12.6	14.4	15.8	17.5	16.4	15.8	17.1	17.2	16.1	16.0	16.1	15.8	15.6	15.0	14.7	16.3	16.1	15.8	15.7	15.4	12.2	17.8	16.4					
365	M	12.6	14.4	15.8	17.5	16.4	15.8	17.1	17.2	16.1	16.0	16.1	15.8	15.6	15.0	14.7	16.3	16.1	15.8	15.7	15.4	12.2	17.8	16.4					
366	M	12.6	14.4	15.8	17.5	16.4	15.8	17.1	17.2	16.1	16.0	16.1	15.8	15.6	15.0	14.7	16.3	16.1	15.8	15.7	15.4	12.2	17.8	16.4					
367	M	12.1	13.3	14.9	15.6	16.6	15.8	16.6	17.1	17.3	17.4	16.4	16.8	16.7	16.3	15.4	16.2	15.9	16.2	16.7	16.0	16.9	17.0	16.0					
368	M	12.1	13.3	14.9	15.6	16.6	15.8	16.6	17.1	17.3	17.4	16.4	16.8	16.7	16.3	15.4	16.2	15.9	16.2	16.7	16.0	16.9	17.0	16.0					
369	M	12.1	13.3	14.9	15.6	16.6	15.8	16.6	17.1	17.3	17.4	16.4	16.8	16.7	16.3	15.4	16.2	15.9	16.2	16.7	16.0	16.9	17.0	16.0					
370	M	11.4	9.7	13.8	13.9	15.0	14.3	16.0	15.2	15.5	16.0	15.6	15.7	15.6	15.6	16.0	15.6	15.8	15.7	16.0	15.1	16.1	15.7	15.3					
371	M	11.4	9.7	13.8	13.9	15.0	14.3	16.0	15.2	15.5	16.0	15.6	15.7	15.6	15.6	16.0	15.6	15.8	15.7	16.0	15.1	16.1	15.7	15.3					
372	M	11.4	9.7	13.8	13.9	15.0	14.3	16.0	15.2	15.5	16.0	15.6	15.7	15.6	15.6	16.0	15.6	15.8	15.7	16.0	15.1	16.1	15.7	15.3					
373	M	12.4	13.3	14.9	15.5	16.4	16.8	17.5	17.0	17.1	16.8	17.0	17.4	17.1	17.3	16.6	16.5	16.2	16.0	17.0	16.6	17.1	17.0	16.1					
374	M	12.4	13.3	14.9	15.5	16.4	16.8	17.5	17.0	17.1	16.8	17.0	17.4	17.1	17.3	16.6	16.5	16.2	16.0	17.0	16.6	17.1	17.0	16.1					
375	M	12.4	13.3	14.9	15.5	16.4	16.8	17.5	17.0	17.1	16.8	17.0	17.4	17.1	17.3	16.6	16.5	16.2	16.0	17.0	16.6	17.1	17.0	16.1					
376	F	9.4	10.1	10.7	10.8	10.3	10.1	10.9	10.3	10.2	10.0	10.7	10.2	10.0	9.4	10.6	10.2	9.5	9.5	9.6	9.9	10.3	10.2	9.5					
377	F	9.4	10.1	10.7	10.8	10.3	10.1	10.9	10.3	10.2	10.0	10.7	10.2	10.0	9.4	10.6	10.2	9.5	9.5	9.6	9.9	10.3	10.2	9.5					
378	F	9.4	10.1	10.7	10.8	10.3	10.1	10.9	10.3	10.2	10.0	10.7	10.2	10.0	9.4	10.6	10.2	9.5	9.5	9.6	9.9	10.3	10.2	9.5					
379	F	9.3	10.5	10.6	11.4	11.2	11.0	11.3	11.0	10.7	9.8	9.9	9.7	10.6	10.4	11.7	11.4	10.7	9.9	10.0	10.5	10.4	10.6	10.4					
380	F	9.3	10.5	10.6	11.4	11.2	11.0	11.3	11.0	10.7	9.8	9.9	9.7	10.6	10.4	11.7	11.4	10.7	9.9	10.0	10.5	10.4	10.6	10.4					
381	F	9.8	9.7	10.2	9.3	11.6	10.3	10.8	9.7	9.3	9.5	9.5	9.6	9.8	9.0	9.4	10.2	9.8	9.9	10.4	9.6	9.9	9.2	10.1					
382	F	9.8	9.7	10.2	9.3	11.6	10.3	10.8	9.7	9.3	9.5	9.5	9.6	9.8	9.0	9.4	10.2	9.8	9.9	10.4	9.6	9.9	9.2	10.1					
383	F	9.8	9.7	10.2	9.3	11.6	10.3	10.8	9.7	9.3	9.5	9.5	9.6	9.8	9.0	9.4	10.2	9.8	9.9	10.4	9.6	9.9	9.2	10.1					
384	F	9.8	9.7	10.2	9.3	11.6	10.3	10.8	9.7	9.3	9.5	9.5	9.6	9.8	9.0	9.4	10.2	9.8	9.9	10.4	9.6	9.9	9.2	10.1					
385	F	9.1	10.7	10.7	11.0	11.3	11.0	11.7	11.2	10.1	10.1	9.7	10.4	10.6	9.7	10.9	10.9	10.7	10.6	10.9	10.6	11.0	10.3	11.0					
386	F	9.1	10.7	10.7	11.0	11.3	11.0	11.7	11.2	10.1	10.1	9.7	10.4	10.6	9.7	10.9	10.9	10.7	10.6	10.9	10.6	11.0	10.3	11.0					
387	F	9.1	10.7	10.7	11.0	11.3	11.0	11.7	11.2	10.1	10.1	9.7	10.4	10.6	9.7	10.9	10.9	10.7	10.6	10.9	10.6	11.0	10.3	11.0					
388	F	9.7	10.3	10.8	11.3	11.6	4.7	13.3	11.7	11.1	10.3	10.3	10.5	10.6	10.2	9.9	10.5	10.4	10.2	10.0	10.1	11.0	10.2	10.1					
389	F	9.7	10.3	10.8	11.3	11.6	4.7	13.3	11.7	11.1	10.3	10.3	10.5	10.6	10.2	9.9	10.5	10.4	10.2	10.0	10.1	11.0	10.2	10.1					
390	F	9.7	10.3	10.8	11.3	11.6	4.7	13.3	11.7	11.1	10.3	10.3	10.5	10.6	10.2	9.9	10.5	10.4	10.2	10.0	10.1	11.0	10.2	10.1					
391	F	10.0	11.0	10.5	11.1	11.3	11.3	11.4	10.9	10.6	9.7	9.7	10.2	10.6	10.0	10.2	10.7	10.3	9.7	10.3	10.8	11.5	9.1	10.4					
392	F	10.0	11.0	10.5	11.1	11.3	11.3	11.4	10.9	10.6	9.7	9.7	10.2	10.6	10.0	10.2	10.7	10.3	9.7	10.3	10.8	11.5	9.1	10.4					
393	F	10.0	11.0	10.5	11.1	11.3	11.3	11.4	10.9	10.6	9.7	9.7	10.2	10.6	10.0	10.2	10.7	10.3	9.7	10.3	10.8	11.5	9.1	10.4					
394	F	8.8	10.0	10.3	11.1	10.8	10.4	10.8	11.0	10.9	10.0	9.8	10.1	10.0	9.7	9.7	10.3	10.0	9.9	10.0	9.8	9.6	9.2	10.0					
395	F	8.8	10.0	10.3	11.1	10.8	10.4	10.8	11.0	10.9	10.0	9.8	10.1	10.0	9.7	9.7	10.3	10.0	9.9	10.0	9.8	9.6	9.2	10.0					
396	F	8.8	10.0	10.3	11.1	10.8	10.4	10.8	11.0	10.9	10.0	9.8	10.1	10.0	9.7	9.7	10.3	10.0	9.9	10.0	9.8	9.6	9.2	10.0					
397	F	10.3	10.9	10.9	11.4	10.9	9.6	11.9	10.6	10.7	9.8	9.9	9.5	9.9	9.5	9.7	10.5	10.2	9.8	9.9	10.0	10.4	9.5	9.6					
398	F	10.3	10.9	10.9	11.4	10.9	9.6	11.9	10.6	10.7	9.8	9.9	9.5	9.9	9.5	9.7	10.5	10.2	9.8	9.9	10.0	10.4	9.5	9.6					
399	F	10.3	10.9	10.9	11.4	10.9	9.6	11.9	10.6	10.7	9.8	9.9	9.5	9.9	9.5	9.7	10.5	10.2	9.8	9.9	10.0	10.4	9.5	9.6					
400	F	9.3	10.7	11.1	11.2	10.8	10.3	11.0	10.4	10.4	9.7	10.1	10.3	11.0	10.4	10.3	11.0	10.5	10.0	10.5	10.9	10.9	9.5	9.9					

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R T G R O U P	S E X	TEST WEEK																									
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28			
401	3	F	9.3	10.7	11.1	11.2	10.8	10.3	11.0	10.4	10.4	9.7	10.1	10.3	11.0	10.4	10.3	11.0	10.5	10.0	10.5	10.9	10.9	9.5	9.9			
402	3	F	9.3	10.7	11.1	11.2	10.8	10.3	11.0	10.4	10.4	9.7	10.1	10.3	11.0	10.4	10.3	11.0	10.5	10.0	10.5	10.9	10.9	9.5	9.9			
403	3	F	9.9	11.1	10.7	11.9	11.3	12.0	12.1	11.4	11.4	10.4	10.5	10.8	10.6	10.7	10.2	11.1	10.8	10.6	10.0	10.5	10.9	10.2	9.7			
404	3	F	9.9	11.1	10.7	11.9	11.3	12.0	12.1	11.4	11.4	10.4	10.5	10.8	10.6	10.7	10.2	11.1	10.8	10.6	10.0	10.5	10.9	10.2	9.7			
405	3	F	9.9	11.1	10.7	11.9	11.3	12.0	12.1	11.4	11.4	10.4	10.5	10.8	10.6	10.7	10.2	11.1	10.8	10.6	10.0	10.5	10.9	10.2	9.7			
406	3	F	9.7	10.2	10.6	11.1	11.0	10.5	11.2	10.3	10.2	9.4	9.6	9.5	9.6	9.8	9.2	10.4	10.0	9.4	10.5	9.9	9.9	9.3	9.2			
407	3	F	9.7	10.2	10.6	11.1	11.0	10.5	11.2	10.3	10.2	9.4	9.6	9.5	9.6	9.8	9.2	10.4	10.0	9.4	10.5	9.9	9.9	9.3	9.2			
408	3	F	9.7	10.2	10.6	11.1	11.0	10.5	11.2	10.3	10.2	9.4	9.6	9.5	9.6	9.8	9.2	10.4	10.0	9.4	10.5	9.9	9.9	9.3	9.2			
409	3	F	9.9	10.1	10.6	10.6	10.7	10.7	10.5	10.5	10.8	9.7	10.4	10.5	11.0	10.2	11.1	10.8	10.2	10.3	10.4	10.5	11.6	10.0	10.2			
410	3	F	9.9	10.1	10.6	10.6	10.7	10.7	10.5	10.5	10.8	9.7	10.4	10.5	11.0	10.2	11.1	10.8	10.2	10.3	10.4	10.5	11.6	10.0	10.2			
411	3	F	9.9	10.1	10.6	10.6	10.7	10.7	10.5	10.5	10.8	9.7	10.4	10.5	11.0	10.2	11.1	10.8	10.2	10.3	10.4	10.5	11.6	10.0	10.2			
412	3	F	9.8	10.4	11.0	10.9	11.0	7.9	11.0	10.5	10.4	9.9	10.2	10.2	10.3	9.9	9.9	10.7	10.4	9.3	10.7	9.8	10.8	9.6	9.7			
413	3	F	9.8	10.4	11.0	10.9	11.0	7.9	11.0	10.5	10.4	9.9	10.2	10.2	10.3	9.9	9.9	10.7	10.4	9.3	10.7	9.8	10.8	9.6	9.7			
414	3	F	9.8	10.4	11.0	10.9	11.0	7.9	11.0	10.5	10.4	9.9	10.2	10.2	10.3	9.9	9.9	10.7	10.4	9.3	10.7	9.8	10.8	9.6	9.7			
415	3	F	10.0	10.9	11.6	10.8	11.0	11.5	11.9	10.5	10.7	9.9	17.0	9.9	10.2	9.8	9.8	10.3	10.3	9.9	10.2	9.9	10.5	9.6	9.5			
416	3	F	10.0	10.9	11.6	10.8	11.0	11.5	11.9	10.5	10.7	9.9	17.0	9.9	10.2	9.8	9.8	10.3	10.3	9.9	10.2	9.9	10.5	9.6	9.5			
417	3	F	10.0	10.9	11.6	10.8	11.0	11.5	11.9	10.5	10.7	9.9	17.0	9.9	10.2	9.8	9.8	10.3	10.3	9.9	10.2	9.9	10.5	9.6	9.5			
418	3	F	9.0	10.2	10.6	1.8	13.2	10.8	10.6	11.0	10.8	10.1	10.0	10.1	10.0	9.6	9.9	11.0	10.8	10.1	10.2	9.5	9.2	9.4	9.0			
419	3	F	9.0	10.2	10.6	1.8	13.2	10.8	10.6	11.0	10.8	10.1	10.0	10.1	10.0	9.6	9.9	11.0	10.8	10.1	10.2	9.5	9.2	9.4	9.0			
420	3	F	9.0	10.2	10.6	1.8	13.2	10.8	10.6	11.0	10.8	10.1	10.0	10.1	10.0	9.6	9.9	11.0	10.8	10.1	10.2	9.5	9.2	9.4	9.0			
421	3	F	9.0	10.1	10.5	10.7	10.6	10.7	10.4	10.1	10.3	9.8	9.7	9.4	9.9	9.5	9.8	10.1	9.8	9.8	9.7	9.6	9.8	8.8	9.2			
422	3	F	9.0	10.1	10.5	10.7	10.6	10.7	10.4	10.1	10.3	9.8	9.7	9.4	9.9	9.5	9.8	10.1	9.8	9.8	9.7	9.6	9.8	8.8	9.2			
423	3	F	9.0	10.1	10.5	10.7	10.6	10.7	10.4	10.1	10.3	9.8	9.7	9.4	9.9	9.5	9.8	10.1	9.8	9.8	9.7	9.6	9.8	8.8	9.2			
424	3	F	9.7	10.5	11.2	11.6	10.8	10.4	11.0	10.5	10.3	10.0	10.0	10.0	10.1	9.8	10.7	11.2	10.4	9.8	10.6	10.5	10.1	10.6	10.6			
425	3	F	9.7	10.5	11.2	11.6	10.8	10.4	11.0	10.5	10.3	10.0	10.0	10.0	10.1	9.8	10.7	11.2	10.4	9.8	10.6	10.5	10.1	10.6	10.6			
426	3	F	9.7	10.5	11.2	11.6	10.8	10.4	11.0	10.5	10.3	10.0	10.0	10.0	10.1	9.8	10.7	11.2	10.4	9.8	10.6	10.5	10.1	10.6	10.6			
427	3	F	8.7	9.7	10.1	11.1	11.0	10.8	10.5	10.9	10.1	9.8	10.0	10.2	10.5	10.1	10.1	10.7	10.0	9.9	10.5	10.1	10.7	9.5	10.0			
428	3	F	8.7	9.7	10.1	11.1	11.0	10.8	10.5	10.9	10.1	9.8	10.0	10.2	10.5	10.1	10.1	10.7	10.0	9.9	10.5	10.1	10.7	9.5	10.0			
429	3	F	8.7	9.7	10.1	11.1	11.0	10.8	10.5	10.9	10.1	9.8	10.0	10.2	10.5	10.1	10.1	10.7	10.0	9.9	10.5	10.1	10.7	9.5	10.0			
430	3	F	9.6	10.4	10.6	10.7	10.5	11.4	11.0	10.5	10.0	10.0	10.0	9.7	10.3	9.0	10.7	11.1	10.1	9.1	9.5	9.4	10.6	9.6	10.2			
431	3	F	9.6	10.4	10.6	10.7	10.5	11.4	11.0	10.5	10.0	10.0	10.0	9.7	10.3	9.0	10.7	11.1	10.1	9.1	9.5	9.4	10.6	9.6	10.2			
432	3	F	9.6	10.4	10.6	10.7	10.5	11.4	11.0	10.5	10.0	10.0	10.0	9.7	10.3	9.0	10.7	11.1	10.1	9.1	9.5	9.4	10.6	9.6	10.2			
433	3	F	11.2	10.3	10.6	10.6	10.6	12.0	11.0	10.5	10.4	10.0	10.0	10.1	9.9	9.7	10.0	10.6	10.4	9.8	9.6	11.0	10.3	8.2	9.9			
434	3	F	11.2	10.3	10.6	10.6	10.6	12.0	11.0	10.5	10.4	10.0	10.0	10.1	9.9	9.7	10.0	10.6	10.4	9.8	9.6	11.0	10.3	8.2	9.9			
435	3	F	11.2	10.3	10.6	10.6	10.6	12.0	11.0	10.5	10.4	10.0	10.0	10.1	9.9	9.7	10.0	10.6	10.4	9.8	9.6	11.0	10.3	8.2	9.9			
436	3	F	9.9	10.6	11.1	11.3	11.5	10.8	10.8	11.1	10.2	10.3	9.8	10.4	10.4	9.7	12.0	11.7	9.7	10.2	10.9	10.2	11.2	10.4	10.7			
437	3	F	9.9	10.6	11.1	11.3	11.5	10.8	10.8	11.1	10.2	10.3	9.8	10.4	10.4	9.7	12.0	11.7	9.7	10.2	10.9	10.2	11.2	10.4	10.7			
438	3	F	9.9	10.6	11.1	11.3	11.5	10.8	10.8	11.1	10.2	10.3	9.8	10.4	10.4	9.7	12.0	11.7	9.7	10.2	10.9	10.2	11.2	10.4	10.7			
439	3	F	9.6	9.9	10.0	10.6	10.8	10.8	10.7	10.3	10.2	9.4	9.5	10.0	10.4	10.7	9.7	10.5	10.1	8.7	10.0	10.0	10.5	9.4	8.9			
440	3	F	9.6	9.9	10.0	10.6	10.8	10.8	10.7	10.3	10.2	9.4	9.5	10.0	10.4	10.7	9.7	10.5	10.1	8.7	10.0	10.0	10.5	9.4	8.9			

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO 1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L I D E N T I F I C A T I O N	S E X	TEST WEEK																										
		-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28				
441	F	9.6	9.9	10.0	10.6	10.8	10.8	10.7	10.3	10.2	9.4	9.5	10.0	10.4	10.7	9.7	10.5	10.1	8.7	10.0	10.0	10.5	9.4	---				
442	F	9.2	9.8	10.2	11.3	10.6	10.7	11.0	11.2	10.3	9.9	28.4	10.5	10.1	10.0	9.8	10.9	10.0	10.2	10.7	10.4	8.7	10.2	9.4				
443	F	9.2	9.8	10.2	11.3	10.6	10.7	11.0	11.2	10.3	9.9	28.4	10.5	10.1	10.0	9.8	10.9	10.0	10.2	10.7	10.4	8.7	10.2	---				
444	F	9.2	9.8	10.2	11.3	10.6	10.7	11.0	11.2	10.3	9.9	28.4	10.5	10.1	10.0	9.8	10.9	10.0	10.2	10.7	10.4	8.7	10.2	9.4				
445	F	9.7	10.5	11.0	11.3	11.4	11.1	11.9	10.8	10.6	10.3	10.1	10.5	9.9	10.8	10.3	9.7	10.7	10.6	10.2	10.5	---	9.9	10.2				
446	F	9.7	10.5	11.0	11.3	11.4	11.1	11.9	10.8	10.6	10.3	10.1	10.5	9.9	10.8	10.3	9.7	10.7	10.6	10.2	10.5	---	9.9	10.2				
447	F	9.7	10.5	11.0	11.3	11.4	11.1	11.9	10.8	10.6	10.3	10.1	10.5	9.9	10.8	10.3	9.7	10.7	10.6	10.2	10.5	---	9.9	10.2				
448	F	9.4	10.1	10.4	11.2	11.1	11.0	11.1	10.9	10.2	10.1	10.1	10.6	10.6	10.5	10.4	11.4	11.4	10.5	10.8	10.8	9.9	11.0	11.0				
449	F	9.4	10.1	10.4	11.2	11.1	11.0	11.1	10.9	10.2	10.1	10.1	10.6	10.6	10.5	10.4	11.4	11.4	10.5	10.8	10.8	9.9	11.0	11.0				
450	F	9.4	10.1	10.4	11.2	11.1	11.0	11.1	10.9	10.2	10.1	10.1	10.6	10.6	10.5	10.4	11.4	11.4	10.5	10.8	10.8	9.9	11.0	11.0				
451	M	11.8	13.7	14.5	15.7	16.0	16.0	16.8	16.9	17.0	16.3	15.7	16.1	15.7	15.9	16.4	15.9	15.6	15.7	16.0	14.6	15.9	14.7	15.1				
452	M	11.8	13.7	14.5	15.7	16.0	16.0	16.8	16.9	17.0	16.3	15.7	16.1	15.7	15.9	16.4	15.9	15.6	15.7	16.0	14.6	15.9	14.7	15.1				
453	M	11.8	13.7	14.5	15.7	16.0	16.0	16.8	16.9	17.0	16.3	15.7	16.1	15.7	15.9	16.4	15.9	15.6	15.7	16.0	14.6	15.9	14.7	15.1				
454	M	12.3	11.6	14.3	15.0	14.7	15.9	15.4	15.1	15.3	14.3	14.7	14.7	15.5	16.1	16.5	17.6	14.7	15.5	15.6	13.6	15.8	15.4	15.1				
455	M	12.3	11.6	14.3	15.0	14.7	15.9	15.4	15.1	15.3	14.3	14.7	14.7	15.5	16.1	16.5	17.6	14.7	15.5	15.6	13.6	15.8	15.4	15.1				
456	M	12.3	11.6	14.3	15.0	14.7	15.9	15.4	15.1	15.3	14.3	14.7	14.7	15.5	16.1	16.5	17.6	14.7	15.5	15.6	13.6	15.8	15.4	15.1				
457	M	10.6	11.7	12.9	13.8	13.7	13.6	14.3	14.5	14.9	14.7	14.9	14.4	14.4	14.8	15.6	16.4	15.2	14.9	11.7	15.8	15.8	14.4	15.2				
458	M	10.6	11.7	12.9	13.8	13.7	13.6	14.3	14.5	14.9	14.7	14.9	14.4	14.4	14.8	15.6	16.4	15.2	14.9	11.7	15.8	15.8	14.4	15.2				
459	M	12.0	12.9	13.8	14.6	14.8	15.1	15.4	15.0	15.3	15.1	14.1	14.1	14.6	12.0	14.8	15.6	15.9	14.9	16.0	15.2	15.9	15.0	14.4				
460	M	12.0	12.9	13.8	14.6	14.8	15.1	15.4	15.0	15.3	15.1	14.1	14.1	14.6	12.0	14.8	15.6	15.9	14.9	16.0	15.2	15.9	15.0	14.4				
461	M	12.0	12.9	13.8	14.6	14.8	15.1	15.4	15.0	15.3	15.1	14.1	14.1	14.6	12.0	14.8	15.6	15.9	14.9	16.0	15.2	15.9	15.0	14.4				
462	M	12.8	13.6	15.1	16.7	18.1	16.1	16.2	16.6	17.0	16.7	17.0	16.9	16.3	16.8	18.1	17.0	16.8	15.7	17.0	17.0	16.6	16.3	15.6				
463	M	12.8	13.6	15.1	16.7	18.1	16.1	16.2	16.6	17.0	16.7	17.0	16.9	16.3	16.8	18.1	17.0	16.8	15.7	17.0	17.0	16.6	16.3	15.6				
464	M	11.5	13.6	15.1	16.7	18.1	16.1	16.2	16.6	17.0	16.7	17.0	16.9	16.3	16.8	18.1	17.0	16.8	15.7	17.0	17.0	16.6	16.3	15.6				
465	M	11.5	13.6	15.1	16.7	18.1	16.1	16.2	16.6	17.0	16.7	17.0	16.9	16.3	16.8	18.1	17.0	16.8	15.7	17.0	17.0	16.6	16.3	15.6				
466	M	11.5	13.6	15.1	16.7	18.1	16.1	16.2	16.6	17.0	16.7	17.0	16.9	16.3	16.8	18.1	17.0	16.8	15.7	17.0	17.0	16.6	16.3	15.6				
467	M	11.5	13.6	15.1	16.7	18.1	16.1	16.2	16.6	17.0	16.7	17.0	16.9	16.3	16.8	18.1	17.0	16.8	15.7	17.0	17.0	16.6	16.3	15.6				
468	M	11.5	13.6	15.1	16.7	18.1	16.1	16.2	16.6	17.0	16.7	17.0	16.9	16.3	16.8	18.1	17.0	16.8	15.7	17.0	17.0	16.6	16.3	15.6				
469	M	11.5	13.6	15.1	16.7	18.1	16.1	16.2	16.6	17.0	16.7	17.0	16.9	16.3	16.8	18.1	17.0	16.8	15.7	17.0	17.0	16.6	16.3	15.6				
470	M	11.5	13.6	15.1	16.7	18.1	16.1	16.2	16.6	17.0	16.7	17.0	16.9	16.3	16.8	18.1	17.0	16.8	15.7	17.0	17.0	16.6	16.3	15.6				
471	M	11.5	13.6	15.1	16.7	18.1	16.1	16.2	16.6	17.0	16.7	17.0	16.9	16.3	16.8	18.1	17.0	16.8	15.7	17.0	17.0	16.6	16.3	15.6				
472	M	12.4	13.1	15.1	14.6	15.3	15.8	15.5	15.3	16.0	16.0	15.1	14.2	14.7	15.2	16.3	15.4	15.2	15.2	16.4	15.6	16.7	15.4	---				
473	M	12.4	13.1	15.1	14.6	15.3	15.8	15.5	15.3	16.0	16.0	15.1	14.2	14.7	15.2	16.3	15.4	15.2	15.2	16.4	15.6	16.7	15.4	---				
474	M	12.4	13.1	15.1	14.6	15.3	15.8	15.5	15.3	16.0	16.0	15.1	14.2	14.7	15.2	16.3	15.4	15.2	15.2	16.4	15.6	16.7	15.4	---				
475	M	11.9	12.7	14.2	14.7	14.6	16.1	16.8	17.5	17.4	15.6	16.1	16.5	16.9	16.4	16.2	17.0	17.7	16.2	17.0	16.1	17.2	16.2	18.3				
476	M	11.9	12.7	14.2	14.7	14.6	16.1	16.8	17.5	17.4	15.6	16.1	16.5	16.9	16.4	16.2	17.0	17.7	16.2	17.0	16.1	17.2	16.2	18.3				
477	M	11.9	12.7	14.2	14.7	14.6	16.1	16.8	17.5	17.4	15.6	16.1	16.5	16.9	16.4	16.2	17.0	17.7	16.2	17.0	16.1	17.2	16.2	18.3				
478	M	11.8	12.2	12.4	14.4	15.4	16.7	17.0	16.8	18.0	14.7	17.9	16.1	15.9	16.8	17.3	16.7	13.8	14.3	17.4	15.8	15.5	16.6	15.6				
479	M	11.8	12.2	12.4	14.4	15.4	16.7	17.0	16.8	18.0	14.7	17.9	16.1	15.9	16.8	17.3	16.7	13.8	14.3	17.4	15.8	15.5	16.6	15.6				
480	M	11.8	12.2	12.4	14.4	15.4	16.7	17.0	16.8	18.0	14.7	17.9	16.1	15.9	16.8	17.3	16.7	13.8	14.3	17.4	15.8	15.5	16.6	15.6				

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T E M A L R O U P	S E X	TEST WEEK																											
		-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28					
481	M	11.9	12.5	13.7	14.9	14.3	14.5	14.8	14.9	16.0	14.7	14.8	16.3	16.5	16.3	16.1	16.0	16.4	15.1	16.6	15.3	17.3	15.6	14.7					
482	M	11.9	12.5	13.7	14.9	14.3	14.5	14.8	14.9	16.0	14.7	14.8	16.3	16.5	16.3	16.1	16.0	16.4	15.1	16.6	15.3	17.3	15.6	14.7					
483	M	11.9	12.5	13.7	14.9	14.3	14.5	14.8	14.9	16.0	14.7	14.8	16.3	16.5	16.3	16.1	16.0	16.4	15.1	16.6	15.3	17.3	15.6	14.7					
484	M	10.2	12.3	13.2	14.1	14.1	14.1	15.0	15.5	16.0	15.6	15.1	15.1	15.4	15.8	16.0	15.7	14.7	14.9	14.9	14.9	14.8	15.4	--					
485	M	10.2	12.3	13.2	14.1	14.1	14.1	15.0	15.5	16.0	15.6	15.1	15.1	15.4	15.8	16.0	15.7	14.7	14.9	14.9	14.9	14.8	15.4	14.6					
486	M	10.2	12.3	13.2	14.1	14.1	14.1	15.0	15.5	16.0	15.6	15.1	15.1	15.4	15.8	16.0	15.7	14.7	14.9	14.9	14.9	14.8	15.4	14.6					
487	M	11.7	13.0	12.9	13.8	14.9	15.1	15.8	15.6	16.0	15.5	15.0	15.4	15.5	15.9	15.8	16.1	16.1	15.8	16.0	16.1	16.7	16.2	--					
488	M	11.7	13.0	12.9	13.8	14.9	15.1	15.8	15.6	16.0	15.5	15.0	15.4	15.5	15.9	15.8	16.1	16.1	15.8	16.0	16.1	16.7	16.2	14.9					
489	M	12.7	13.6	15.2	16.2	16.7	16.7	16.9	17.0	16.4	16.6	16.1	15.8	15.3	15.8	16.9	17.0	16.2	16.8	17.3	17.3	17.5	16.0	15.8					
491	M	12.7	13.6	15.2	16.2	16.7	16.7	16.9	17.0	16.4	16.6	16.1	15.8	15.3	15.8	16.9	17.0	16.2	16.8	17.3	17.3	17.5	16.0	15.8					
492	M	12.7	13.6	15.2	16.2	16.7	16.7	16.9	17.0	16.4	16.6	16.1	15.8	15.3	15.8	16.9	17.0	16.2	16.8	17.3	17.3	17.5	16.0	15.8					
493	M	11.8	13.1	14.6	12.6	16.7	15.9	15.6	15.9	16.0	15.5	15.0	15.4	15.5	16.0	18.0	16.7	17.0	16.7	17.2	16.1	17.4	16.4	16.2					
494	M	11.8	13.1	14.6	12.6	16.7	15.9	15.6	15.9	16.0	15.5	15.0	15.4	15.5	16.0	18.0	16.7	17.0	16.7	17.2	16.1	17.4	16.4	16.2					
495	M	11.8	13.1	14.6	12.6	16.7	15.9	15.6	15.9	16.0	15.5	15.0	15.4	15.5	16.0	18.0	16.7	17.0	16.7	17.2	16.1	17.4	16.4	16.2					
496	M	12.0	13.2	15.1	15.1	16.1	15.0	15.8	15.9	16.0	16.1	16.3	14.8	15.3	15.8	16.6	16.7	15.5	14.9	16.1	16.1	16.0	16.0	16.2					
497	M	12.0	13.2	15.1	15.1	16.1	15.0	15.8	15.9	16.0	16.1	16.3	14.8	15.3	15.8	16.6	16.7	15.5	14.9	16.1	16.1	16.0	16.0	16.2					
498	M	12.0	13.2	15.1	15.1	16.1	15.0	15.8	15.9	16.0	16.1	16.3	14.8	15.3	15.8	16.6	16.7	15.5	14.9	16.1	16.1	16.0	16.0	16.2					
499	M	12.6	13.0	14.1	15.6	15.4	15.0	17.0	17.3	18.0	15.8	16.6	16.3	17.4	17.1	17.6	17.4	16.6	16.9	16.4	15.7	16.8	16.3	16.4					
500	M	12.6	13.0	14.1	15.6	15.4	15.0	17.0	17.3	18.0	15.8	16.6	16.3	17.4	17.1	17.6	17.4	16.6	16.9	16.4	15.7	16.8	16.3	16.4					
501	M	12.6	13.0	14.1	15.6	15.4	15.0	17.0	17.3	18.0	15.8	16.6	16.3	17.4	17.1	17.6	17.4	16.6	16.9	16.4	15.7	16.8	16.3	16.4					
502	M	11.8	12.8	13.3	13.9	14.5	15.4	15.6	15.8	16.5	15.6	15.9	16.0	15.6	15.8	16.4	16.8	16.1	15.6	15.8	15.3	15.9	15.8	15.1					
503	M	11.8	12.8	13.3	13.9	14.5	15.4	15.6	15.8	16.5	15.6	15.9	16.0	15.6	15.8	16.4	16.8	16.1	15.6	15.8	15.3	15.9	15.8	15.1					
504	M	11.8	12.8	13.3	13.9	14.5	15.4	15.6	15.8	16.5	15.6	15.9	16.0	15.6	15.8	16.4	16.8	16.1	15.6	15.8	15.3	15.9	15.8	15.1					
505	M	12.0	13.5	12.2	16.6	16.1	17.4	17.5	16.8	17.7	16.7	18.0	17.9	18.0	17.1	16.8	18.0	17.5	16.7	17.6	17.6	17.0	16.9	15.4					
506	M	12.0	13.5	12.2	16.6	16.1	17.4	17.5	16.8	17.7	16.7	18.0	17.9	18.0	17.1	16.8	18.0	17.5	16.7	17.6	17.6	17.0	16.9	15.4					
507	M	12.0	13.5	12.2	16.6	16.1	17.4	17.5	16.8	17.7	16.7	18.0	17.9	18.0	17.1	16.8	18.0	17.5	16.7	17.6	17.6	17.0	16.9	15.4					
508	M	8.7	13.7	14.8	14.9	15.0	15.1	15.0	14.8	15.4	14.9	14.4	14.8	14.7	14.5	14.5	15.3	14.4	14.4	15.1	15.2	15.6	15.0	--					
509	M	8.7	13.7	14.8	14.9	15.0	15.1	15.0	14.8	15.4	14.9	14.4	14.8	14.7	14.5	14.5	15.3	14.4	14.4	15.1	15.2	15.6	15.0	--					
510	M	8.7	13.7	14.8	14.9	15.0	15.1	15.0	14.8	15.4	14.9	14.4	14.8	14.7	14.5	14.5	15.3	14.4	14.4	15.1	15.2	15.6	15.0	14.4					
511	M	13.0	14.3	16.3	17.2	17.1	17.6	18.1	17.9	18.2	16.8	17.6	17.8	17.7	17.6	16.2	17.0	16.3	16.7	17.4	16.0	17.2	16.0	15.6					
512	M	13.0	14.3	16.3	17.2	17.1	17.6	18.1	17.9	18.2	16.8	17.6	17.8	17.7	17.6	16.2	17.0	16.3	16.7	17.4	16.0	17.2	16.0	15.6					
513	M	13.0	14.3	16.3	17.2	17.1	17.6	18.1	17.9	18.2	16.8	17.6	17.8	17.7	17.6	16.2	17.0	16.3	16.7	17.4	16.0	17.2	16.0	15.6					
514	M	12.5	14.7	16.0	16.4	17.0	17.8	17.7	17.0	17.2	16.5	18.4	16.3	16.5	16.2	16.4	16.6	17.4	17.0	16.8	17.6	19.3	17.2	16.7					
515	M	12.5	14.7	16.0	16.4	17.0	17.8	17.7	17.0	17.2	16.5	18.4	16.3	16.5	16.2	16.4	16.6	17.4	17.0	16.8	17.6	19.3	17.2	16.7					
516	M	12.5	14.7	16.0	16.4	17.0	17.8	17.7	17.0	17.2	16.5	18.4	16.3	16.5	16.2	16.4	16.6	17.4	17.0	16.8	17.6	19.3	17.2	16.7					
517	M	11.1	11.9	13.9	14.7	15.3	15.7	15.7	15.8	18.3	15.6	16.4	16.7	15.5	16.2	18.0	18.4	18.1	16.6	17.9	16.5	17.2	17.6	17.7					
518	M	11.1	11.9	13.9	14.7	15.3	15.7	15.7	15.8	18.3	15.6	16.4	16.7	15.5	16.2	18.0	18.4	18.1	16.6	17.9	16.5	17.2	17.6	17.7					
519	M	11.1	11.9	13.9	14.7	15.3	15.7	15.7	15.8	18.3	15.6	16.4	16.7	15.5	16.2	18.0	18.4	18.1	16.6	17.9	16.5	17.2	17.6	17.7					
520	M	11.6	13.0	14.8	15.3	16.4	16.4	15.6	15.3	16.4	16.3	15.8	15.0	17.0	15.9	16.1	16.7	16.1	15.7	15.9	16.3	17.7	13.8	--					

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T I M A L N O S	T R G R O U P	S E X	TEST WEEK																										
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28				
521	4	M	11.6	13.0	14.8	15.3	16.4	16.4	15.6	15.3	16.4	16.3	15.8	15.0	17.0	15.9	16.1	16.7	16.1	15.7	15.9	16.3	17.7	13.8	16.0				
522	4	M	11.6	13.0	14.8	15.3	16.4	16.4	15.6	15.3	16.4	16.3	15.8	15.0	17.0	15.9	16.1	16.7	16.1	15.7	15.9	16.3	17.7	13.8	16.0				
523	4	M	11.1	12.3	13.5	13.8	12.7	16.3	14.8	14.2	14.3	14.1	13.6	13.7	15.0	14.1	14.2	14.5	14.8	14.3	15.1	13.2	15.4	14.6	14.3				
524	4	M	11.1	12.3	13.5	13.8	12.7	16.3	14.8	14.2	14.3	14.1	13.6	13.7	15.0	14.1	14.2	14.5	14.8	14.3	15.1	13.2	15.4	14.6	14.3				
525	4	M	11.1	12.3	13.5	13.8	12.7	16.3	14.8	14.2	14.3	14.1	13.6	13.7	15.0	14.1	14.2	14.5	14.8	14.3	15.1	13.2	15.4	14.6	14.3				
526	4	F	9.5	11.0	11.0	11.7	11.8	11.4	11.5	11.8	12.0	10.7	10.7	11.2	11.2	11.6	11.1	11.8	11.3	10.7	11.5	10.6	11.0	10.9	10.1				
527	4	F	9.5	11.0	11.0	11.7	11.8	11.4	11.5	11.8	12.0	10.7	10.7	11.2	11.2	11.6	11.1	11.8	11.3	10.7	11.5	10.6	11.0	10.9	10.1				
528	4	F	9.5	11.0	11.0	11.7	11.8	11.4	11.5	11.8	12.0	10.7	10.7	11.2	11.2	11.6	11.1	11.8	11.3	10.7	11.5	10.6	11.0	10.9	10.1				
529	4	F	9.4	10.5	10.7	9.4	11.2	10.9	11.4	10.0	10.1	9.9	9.6	9.7	9.6	9.8	9.3	10.5	10.3	10.1	10.0	10.0	10.8	10.5	10.1				
530	4	F	9.4	10.5	10.7	9.4	11.2	10.9	11.4	10.0	10.1	9.9	9.6	9.7	9.6	9.8	9.3	10.5	10.3	10.1	10.0	10.0	10.8	10.5	10.1				
531	4	F	9.4	10.5	10.7	9.4	11.2	10.9	11.4	10.0	10.1	9.9	9.6	9.7	9.6	9.8	9.3	10.5	10.3	10.1	10.0	10.0	10.8	10.5	10.1				
532	4	F	9.7	10.8	11.6	11.2	11.6	11.2	11.0	10.9	10.9	10.0	10.0	10.0	10.4	10.1	10.2	10.9	10.8	10.5	10.1	10.1	10.7	11.0	10.5				
533	4	F	9.7	10.8	11.6	11.2	11.6	11.2	11.0	10.9	10.9	10.0	10.0	10.0	10.4	10.1	10.2	10.9	10.8	10.5	10.1	10.1	10.7	11.0	10.5				
534	4	F	9.7	10.8	11.6	11.2	11.6	11.2	11.0	10.9	10.9	10.0	10.0	10.0	10.4	10.1	10.2	10.9	10.8	10.5	10.1	10.1	10.7	11.0	10.5				
535	4	F	8.9	9.7	10.2	10.0	10.2	10.5	11.7	10.1	9.8	9.9	9.6	9.5	10.0	9.2	10.0	10.4	10.3	9.1	9.5	9.7	10.8	9.6	10.1				
536	4	F	8.9	9.7	10.2	10.0	10.2	10.5	11.7	10.1	9.8	9.9	9.6	9.5	10.0	9.2	10.0	10.4	10.3	9.1	9.5	9.7	10.8	9.6	10.1				
537	4	F	8.9	9.7	10.2	10.0	10.2	10.5	11.7	10.1	9.8	9.9	9.6	9.5	10.0	9.2	10.0	10.4	10.3	9.1	9.5	9.7	10.8	9.6	10.1				
538	4	F	9.8	10.8	10.6	11.2	10.8	11.1	11.5	10.9	10.1	9.8	10.5	10.0	10.5	9.9	10.1	10.6	10.5	10.3	9.4	9.3	10.7	9.7	---				
539	4	F	9.8	10.8	10.6	11.2	10.8	11.1	11.5	10.9	10.1	9.8	10.5	10.0	10.5	9.9	10.1	10.6	10.5	10.3	9.4	9.3	10.7	9.7	---				
540	4	F	9.8	10.8	10.6	11.2	10.8	11.1	11.5	10.9	10.1	9.8	10.5	10.0	10.5	9.9	10.1	10.6	10.5	10.3	9.4	9.3	10.7	9.7	9.0				
541	4	F	9.0	9.8	10.6	10.4	10.7	10.0	10.7	10.5	10.0	9.4	9.6	10.4	10.2	9.8	10.2	10.7	10.9	10.4	10.0	10.6	10.1	9.9	---				
542	4	F	9.0	9.8	10.6	10.4	10.7	10.0	10.7	10.5	10.0	9.4	9.6	10.4	10.2	9.8	10.2	10.7	10.9	10.4	10.0	10.6	10.1	9.9	---				
543	4	F	9.0	9.8	10.6	10.4	10.7	10.0	10.7	10.5	10.0	9.4	9.6	10.4	10.2	9.8	10.2	10.7	10.9	10.4	10.0	10.6	10.1	9.9	---				
544	4	F	10.0	10.4	11.0	12.0	11.1	11.3	11.6	11.5	11.2	10.4	10.5	11.0	11.1	11.8	11.4	10.9	10.3	10.4	10.4	10.0	10.3	10.7	10.1				
545	4	F	10.0	10.4	11.0	12.0	11.1	11.3	11.6	11.5	11.2	10.4	10.5	11.0	11.1	11.8	11.4	10.9	10.3	10.4	10.4	10.0	10.3	10.7	10.1				
546	4	F	10.0	10.4	11.0	12.0	11.1	11.3	11.6	11.5	11.2	10.4	10.5	11.0	11.1	11.8	11.4	10.9	10.3	10.4	10.4	10.0	10.3	10.7	10.1				
547	4	F	9.3	9.8	9.7	10.4	10.8	10.0	10.0	9.8	9.6	9.0	9.6	9.3	9.8	9.8	9.7	10.3	10.1	8.9	9.8	9.7	10.0	9.7	9.1				
548	4	F	9.3	9.8	9.7	10.4	10.8	10.0	10.0	9.8	9.6	9.0	9.6	9.3	9.8	9.8	9.7	10.3	10.1	8.9	9.8	9.7	10.0	9.7	9.1				
549	4	F	9.3	9.8	9.7	10.4	10.8	10.0	10.0	9.8	9.6	9.0	9.6	9.3	9.8	9.8	9.7	10.3	10.1	8.9	9.8	9.7	10.0	9.7	9.1				
550	4	F	10.6	10.9	11.0	11.1	10.7	11.1	11.7	11.2	11.0	10.6	10.0	10.5	10.0	10.7	10.9	10.9	10.3	10.4	10.5	10.1	10.9	10.2	10.6				
551	4	F	10.6	10.9	11.0	11.1	10.7	11.1	11.7	11.2	11.0	10.6	10.0	10.5	10.0	10.7	10.9	10.9	10.3	10.4	10.5	10.1	10.9	10.2	10.6				
552	4	F	10.6	10.9	11.0	11.1	10.7	11.1	11.7	11.2	11.0	10.6	10.0	10.5	10.0	10.7	10.9	10.9	10.3	10.4	10.5	10.1	10.9	10.2	10.6				
553	4	F	10.0	11.3	11.7	11.5	11.5	11.5	11.7	11.3	11.2	10.3	10.5	10.8	12.9	11.1	10.8	11.4	11.0	10.1	10.4	10.6	12.1	12.3	10.7				
554	4	F	10.0	11.3	11.7	11.5	11.5	11.5	11.7	11.3	11.2	10.3	10.5	10.8	12.9	11.1	10.8	11.4	11.0	10.1	10.4	10.6	12.1	12.3	10.7				
555	4	F	10.0	11.3	11.7	11.5	11.5	11.5	11.7	11.3	11.2	10.3	10.5	10.8	12.9	11.1	10.8	11.4	11.0	10.1	10.4	10.6	12.1	12.3	10.7				
556	4	F	9.9	11.3	11.2	11.4	11.1	11.7	11.9	11.2	10.8	10.2	9.8	10.0	10.5	10.4	10.6	11.3	11.0	10.4	10.8	10.4	10.7	10.6	10.6				
557	4	F	9.9	11.3	11.2	11.4	11.1	11.7	11.9	11.2	10.8	10.2	9.8	10.0	10.5	10.4	10.6	11.3	11.0	10.4	10.8	10.4	10.7	10.6	10.6				
558	4	F	9.9	11.3	11.2	11.4	11.1	11.7	11.9	11.2	10.8	10.2	9.8	10.0	10.5	10.4	10.6	11.3	11.0	10.4	10.8	10.4	10.7	10.6	10.6				
559	4	F	10.0	10.1	11.1	10.6	10.6	10.6	10.8	10.0	10.0	9.8	9.8	10.0	10.0	9.7	9.8	10.0	9.8	9.5	9.7	9.5	9.7	9.3	9.9				
560	4	F	10.0	10.1	11.1	10.6	10.6	10.6	10.8	10.0	10.0	9.8	9.8	10.0	10.0	9.7	9.8	10.0	9.8	9.5	9.7	9.5	9.7	9.3	9.9				

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T M A L R O U P	S E X	TEST WEEK																									
		-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28			
561	F	10.0	10.1	11.1	10.6	10.6	10.6	10.8	10.0	10.0	9.8	9.9	10.0	10.0	9.7	9.8	10.0	9.8	9.5	9.7	9.5	9.7	9.3	9.3	9.9		
562	F	9.9	10.5	11.0	11.4	11.0	10.9	11.3	10.8	10.7	10.0	10.1	10.0	10.4	10.3	9.5	10.3	10.4	10.1	9.8	10.0	10.6	10.7	10.3	9.9		
563	F	9.9	10.5	11.0	11.4	11.0	10.9	11.3	10.8	10.7	10.0	10.1	10.0	10.4	10.3	9.5	10.3	10.4	10.1	9.8	10.0	10.6	10.7	10.3	9.9		
564	F	9.9	10.5	11.0	11.4	11.0	10.9	11.3	10.8	10.7	10.0	10.1	10.0	10.4	10.3	9.5	10.3	10.4	10.1	9.8	10.0	10.6	10.7	10.3	9.9		
565	F	10.3	8.0	12.6	11.8	11.3	11.8	11.9	11.6	11.1	10.0	9.9	10.7	11.1	10.8	11.7	9.8	9.4	10.8	10.3	10.0	10.7	10.4	9.9	9.9		
566	F	10.3	8.0	12.6	11.8	11.3	11.8	11.9	11.6	11.1	10.0	9.9	10.7	11.1	10.8	11.7	9.8	9.4	10.8	10.3	10.0	10.7	10.4	9.9	9.9		
567	F	9.0	9.4	9.8	10.2	10.6	10.9	10.4	10.0	9.7	10.4	9.6	9.6	10.0	9.9	10.3	10.9	9.7	9.7	9.8	10.4	10.2	9.4	9.7	9.7		
568	F	9.0	9.4	9.8	10.2	10.6	10.9	10.4	10.0	9.7	10.4	9.6	9.6	10.0	9.9	10.3	10.9	9.7	9.7	9.8	10.4	10.2	9.4	9.7	9.7		
569	F	9.0	9.4	9.8	10.2	10.6	10.9	10.4	10.0	9.7	10.4	9.6	9.6	10.0	9.9	10.3	10.9	9.7	9.7	9.8	10.4	10.2	9.4	9.7	9.7		
570	F	9.0	9.4	9.8	10.2	10.6	10.9	10.4	10.0	9.7	10.4	9.6	9.6	10.0	9.9	10.3	10.9	9.7	9.7	9.8	10.4	10.2	9.4	9.7	9.7		
571	F	9.6	10.5	11.2	12.0	11.9	11.7	11.9	12.1	11.7	10.8	11.0	11.0	10.8	10.6	10.6	11.0	11.1	10.0	10.8	10.9	10.6	10.8	10.2	9.9		
572	F	9.6	10.5	11.2	12.0	11.9	11.7	11.9	12.1	11.7	10.8	11.0	11.0	10.8	10.6	10.6	11.0	11.1	10.0	10.8	10.9	10.6	10.8	10.2	9.9		
573	F	10.4	11.0	11.1	11.6	12.0	11.7	12.1	11.9	11.4	10.7	11.1	10.8	11.1	10.1	11.5	10.6	11.4	10.6	10.2	10.8	11.3	10.9	10.8	9.9		
574	F	10.4	11.0	11.1	11.6	12.0	11.7	12.1	11.9	11.4	10.7	11.1	10.8	11.1	10.1	11.5	10.6	11.4	10.6	10.2	10.8	11.3	10.9	10.8	9.9		
575	F	10.4	11.0	11.1	11.6	12.0	11.7	12.1	11.9	11.4	10.7	11.1	10.8	11.1	10.1	11.5	10.6	11.4	10.6	10.2	10.8	11.3	10.9	10.8	9.9		
576	F	9.3	9.6	10.3	10.5	10.3	10.3	10.7	10.4	9.5	9.5	9.3	9.8	10.5	10.0	10.1	10.1	10.1	9.8	9.9	10.1	10.5	9.6	9.7	9.7		
577	F	9.3	9.6	10.3	10.5	10.3	10.3	10.7	10.4	9.5	9.5	9.3	9.8	10.5	10.0	10.1	10.1	10.1	9.8	9.9	10.1	10.5	9.6	9.7	9.7		
578	F	9.3	9.6	10.3	10.5	10.3	10.3	10.7	10.4	9.5	9.5	9.3	9.8	10.5	10.0	10.1	10.1	10.1	9.8	9.9	10.1	10.5	9.6	9.7	9.7		
579	F	9.3	9.6	10.3	10.5	10.3	10.3	10.7	10.4	9.5	9.5	9.3	9.8	10.5	10.0	10.1	10.1	10.1	9.8	9.9	10.1	10.5	9.6	9.7	9.7		
580	F	9.5	10.0	11.3	11.3	10.7	10.3	10.6	10.1	10.0	9.6	9.9	10.3	10.4	9.9	10.4	10.6	10.5	10.0	10.0	10.1	9.9	10.2	10.5	9.9		
581	F	9.5	10.0	11.3	11.3	10.7	10.3	10.6	10.1	10.0	9.6	9.9	10.3	10.4	9.9	10.4	10.6	10.5	10.0	10.0	10.1	9.9	10.2	10.5	9.9		
582	F	9.5	10.0	11.3	11.3	10.7	10.3	10.6	10.1	10.0	9.6	9.9	10.3	10.4	9.9	10.4	10.6	10.5	10.0	10.0	10.1	9.9	10.2	10.5	9.9		
583	F	9.0	10.0	9.6	11.0	11.0	10.6	11.2	10.5	10.8	9.7	9.8	9.7	10.4	10.0	10.2	10.9	10.6	10.1	10.2	10.2	10.4	10.0	10.7	9.9		
584	F	9.0	10.0	9.6	11.0	11.0	10.6	11.2	10.5	10.8	9.7	9.8	9.7	10.4	10.0	10.2	10.9	10.6	10.1	10.2	10.2	10.4	10.0	10.7	9.9		
585	F	9.6	10.4	10.7	10.5	11.3	10.3	10.6	10.6	9.9	9.9	9.6	9.2	10.0	9.4	9.7	10.0	10.2	9.7	9.8	9.3	10.2	10.9	10.0	9.9		
586	F	9.6	10.4	10.7	10.5	11.3	10.3	10.6	10.6	9.9	9.9	9.6	9.2	10.0	9.4	9.7	10.0	10.2	9.7	9.8	9.3	10.2	10.9	10.0	9.9		
587	F	9.6	10.4	10.7	10.5	11.3	10.3	10.6	10.6	9.9	9.9	9.6	9.2	10.0	9.4	9.7	10.0	10.2	9.7	9.8	9.3	10.2	10.9	10.0	9.9		
588	F	9.6	10.4	10.7	10.5	11.3	10.3	10.6	10.6	9.9	9.9	9.6	9.2	10.0	9.4	9.7	10.0	10.2	9.7	9.8	9.3	10.2	10.9	10.0	9.9		
589	F	9.5	10.2	10.4	10.3	10.7	10.5	10.5	10.3	10.3	9.5	9.3	9.6	10.3	10.0	10.7	10.3	10.2	9.3	9.4	9.6	10.3	10.0	9.9	9.9		
590	F	9.5	10.2	10.4	10.3	10.7	10.5	10.5	10.3	10.3	9.5	9.3	9.6	10.3	10.0	10.7	10.3	10.2	9.3	9.4	9.6	10.3	10.0	9.9	9.9		
591	F	9.5	10.2	10.4	10.3	10.7	10.5	10.5	10.3	10.3	9.5	9.3	9.6	10.3	10.0	10.7	10.3	10.2	9.3	9.4	9.6	10.3	10.0	9.9	9.9		
592	F	9.2	10.1	10.5	10.8	10.9	9.7	10.0	10.5	9.8	9.7	9.4	10.0	10.4	10.0	10.0	10.3	10.6	10.3	10.8	10.1	9.7	10.2	9.9	9.9		
593	F	9.2	10.1	10.5	10.8	10.9	9.7	10.0	10.5	9.8	9.7	9.4	10.0	10.4	10.0	10.0	10.3	10.6	10.3	10.8	10.1	9.7	10.2	9.9	9.9		
594	F	9.2	10.1	10.5	10.8	10.9	9.7	10.0	10.5	9.8	9.7	9.4	10.0	10.4	10.0	10.0	10.3	10.6	10.3	10.8	10.1	9.7	10.2	9.9	9.9		
595	F	9.4	9.8	9.9	10.9	10.2	10.8	10.7	10.9	10.0	9.2	9.8	10.0	10.5	10.1	10.1	10.6	10.8	10.3	10.2	10.8	10.8	11.1	9.6	9.9		
596	F	9.4	9.8	9.9	10.9	10.2	10.8	10.7	10.9	10.0	9.2	9.8	10.0	10.5	10.1	10.1	10.6	10.8	10.3	10.2	10.8	10.8	11.1	9.6	9.9		
597	F	9.4	9.8	9.9	10.9	10.2	10.8	10.7	10.9	10.0	9.2	9.8	10.0	10.5	10.1	10.1	10.6	10.8	10.3	10.2	10.8	10.8	11.1	9.6	9.9		
598	F	8.8	9.7	10.5	11.0	10.5	10.7	10.9	10.8	11.0	10.3	10.2	11.1	10.6	10.6	10.9	11.0	11.2	10.3	10.0	10.2	10.4	11.0	9.9	9.9		
599	F	8.8	9.7	10.5	11.0	10.5	10.7	10.9	10.8	11.0	10.3	10.2	11.1	10.6	10.6	10.9	11.0	11.2	10.3	10.0	10.2	10.4	11.0	9.9	9.9		
600	F	8.8	9.7	10.5	11.0	10.5	10.7	10.9	10.8	11.0	10.3	10.2	11.1	10.6	10.6	10.9	11.0	11.2	10.3	10.0	10.2	10.4	11.0	9.9	9.9		

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRIAZINE-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R A G R O U P	S E X	TEST WEEK																										
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28				
601	5	M	12.0	12.8	11.9	13.2	12.7	14.4	15.1	14.7	15.9	15.2	15.0	15.3	15.3	16.3	16.0	14.6	14.4	15.2	10.3	15.9	17.5	16.5	17.4				
602	5	M	12.0	12.8	11.9	13.2	12.7	14.4	15.1	14.7	15.9	15.2	15.0	15.3	15.3	16.3	16.0	14.6	14.4	15.2	10.3	15.9	17.5	16.5	17.4				
603	5	M	12.0	12.8	11.9	13.2	12.7	14.4	15.1	14.7	15.9	15.2	15.0	15.3	15.3	16.3	16.0	14.6	14.4	15.2	10.3	15.9	17.5	16.5	17.4				
604	5	M	10.7	13.5	12.9	14.7	13.1	13.8	14.9	16.0	17.0	16.9	14.5	16.2	15.2	16.2	18.4	15.5	15.8	16.8	17.0	14.0	15.3	15.5	19.3				
605	5	M	10.7	13.5	12.9	14.7	13.1	13.8	14.9	16.0	17.0	16.9	14.5	16.2	15.2	16.2	18.4	15.5	15.8	16.8	17.0	14.0	15.3	15.5	19.3				
606	5	M	10.7	13.5	12.9	14.7	13.1	13.8	14.9	16.0	17.0	16.9	14.5	16.2	15.2	16.2	18.4	15.5	15.8	16.8	17.0	14.0	15.3	15.5	19.3				
607	5	M	12.2	14.4	12.8	14.5	15.5	15.9	16.2	16.6	16.7	17.4	17.0	16.0	15.6	16.5	15.8	17.0	13.8	13.4	15.2	19.0	17.5	18.0	12.1				
608	5	M	12.2	14.4	12.8	14.5	15.5	15.9	16.2	16.6	16.7	17.4	17.0	16.0	15.6	16.5	15.8	17.0	13.8	13.4	15.2	19.0	17.5	18.0	12.1				
609	5	M	12.2	14.4	12.8	14.5	15.5	15.9	16.2	16.6	16.7	17.4	17.0	16.0	15.6	16.5	15.8	17.0	13.8	13.4	15.2	19.0	17.5	18.0	12.1				
610	5	M	12.1	13.2	12.6	14.3	13.1	14.2	14.3	14.0	14.6	14.5	15.0	15.3	15.0	14.8	14.8	15.9	15.8	13.4	14.3	14.9	19.2	16.2	17.9				
611	5	M	12.1	13.2	12.6	14.3	13.1	14.2	14.3	14.0	14.6	14.5	15.0	15.3	15.0	14.8	14.8	15.9	15.8	13.4	14.3	14.9	19.2	16.2	17.9				
612	5	M	12.1	13.2	12.6	14.3	13.1	14.2	14.3	14.0	14.6	14.5	15.0	15.3	15.0	14.8	14.8	15.9	15.8	13.4	14.3	14.9	19.2	16.2	17.9				
613	5	M	12.4	13.4	12.5	15.0	13.4	14.2	15.0	16.1	16.6	16.0	15.4	16.7	16.5	16.5	16.1	16.9	16.5	15.8	16.0	15.4	16.8	15.7	---				
614	5	M	12.4	13.4	12.5	15.0	13.4	14.2	15.0	16.1	16.6	16.0	15.4	16.7	16.5	16.5	16.1	16.9	16.5	15.8	16.0	15.4	16.8	15.7	17.1				
615	5	M	12.4	13.4	12.5	15.0	13.4	14.2	15.0	16.1	16.6	16.0	15.4	16.7	16.5	16.5	16.1	16.9	16.5	15.8	16.0	15.4	16.8	15.7	17.1				
616	5	M	11.2	12.8	11.8	14.3	12.7	14.0	14.3	14.0	13.0	13.3	13.4	13.0	14.4	14.3	15.2	15.5	15.5	14.0	15.0	14.7	15.0	16.1	13.6				
617	5	M	11.2	12.8	11.8	14.3	12.7	14.0	14.3	14.0	13.0	13.3	13.4	13.0	14.4	14.3	15.2	15.5	15.5	14.0	15.0	14.7	15.0	16.1	13.6				
618	5	M	11.2	12.8	11.8	14.3	12.7	14.0	14.3	14.0	13.0	13.3	13.4	13.0	14.4	14.3	15.2	15.5	15.5	14.0	15.0	14.7	15.0	16.1	13.6				
619	5	M	11.8	12.5	12.3	13.4	13.6	14.0	10.2	15.5	15.1	14.2	14.0	13.3	13.8	14.2	14.5	13.1	14.0	14.4	15.8	13.6	17.1	17.0	20.1				
620	5	M	11.8	12.5	12.3	13.4	13.6	14.0	10.2	15.5	15.1	14.2	14.0	13.3	13.8	14.2	14.5	13.1	14.0	14.4	15.8	13.6	17.1	17.0	20.1				
621	5	M	11.8	12.5	12.3	13.4	13.6	14.0	10.2	15.5	15.1	14.2	14.0	13.3	13.8	14.2	14.5	13.1	14.0	14.4	15.8	13.6	17.1	17.0	20.1				
622	5	M	12.3	13.3	12.4	13.7	13.4	13.5	15.8	15.4	16.5	15.6	16.0	15.3	15.1	15.9	15.1	15.9	16.4	15.2	15.4	13.6	18.5	17.5	16.6				
623	5	M	12.3	13.3	12.4	13.7	13.4	13.5	15.8	15.4	16.5	15.6	16.0	15.3	15.1	15.9	15.1	15.9	16.4	15.2	15.4	13.6	18.5	17.5	16.6				
624	5	M	12.3	13.3	12.4	13.7	13.4	13.5	15.8	15.4	16.5	15.6	16.0	15.3	15.1	15.9	15.1	15.9	16.4	15.2	15.4	13.6	18.5	17.5	16.6				
625	5	M	12.7	13.5	12.9	14.4	13.8	15.0	15.0	15.7	16.1	15.4	15.3	15.0	14.4	14.8	14.8	16.0	16.2	12.6	14.8	13.4	17.6	18.4	---				
626	5	M	12.7	13.5	12.9	14.4	13.8	15.0	15.0	15.7	16.1	15.4	15.3	15.0	14.4	14.8	14.8	16.0	16.2	12.6	14.8	13.4	17.6	18.4	13.7				
627	5	M	10.7	13.8	13.2	14.0	14.4	16.3	16.4	16.4	15.8	16.1	16.0	15.4	16.1	16.2	15.4	15.5	15.0	15.6	16.5	16.2	16.6	15.1	16.4				
628	5	M	10.7	13.8	13.2	14.0	14.4	16.3	16.4	16.4	15.8	16.1	16.0	15.4	16.1	16.2	15.4	15.5	15.0	15.6	16.5	16.2	16.6	15.1	16.4				
629	5	M	10.7	13.8	13.2	14.0	14.4	16.3	16.4	16.4	15.8	16.1	16.0	15.4	16.1	16.2	15.4	15.5	15.0	15.6	16.5	16.2	16.6	15.1	16.4				
630	5	M	10.7	13.8	13.2	14.0	14.4	16.3	16.4	16.4	15.8	16.1	16.0	15.4	16.1	16.2	15.4	15.5	15.0	15.6	16.5	16.2	16.6	15.1	16.4				
631	5	M	12.2	12.7	12.2	13.4	13.3	13.9	13.0	13.6	13.1	14.0	13.8	13.5	14.5	14.5	14.3	15.5	15.3	16.5	13.1	16.0	18.6	19.4	17.1				
632	5	M	12.2	12.7	12.2	13.4	13.3	13.9	13.0	13.6	13.1	14.0	13.8	13.5	14.5	14.5	14.3	15.5	15.3	16.5	13.1	16.0	18.6	19.4	17.1				
633	5	M	12.2	12.7	12.2	13.4	13.3	13.9	13.0	13.6	13.1	14.0	13.8	13.5	14.5	14.5	14.3	15.5	15.3	16.5	13.1	16.0	18.6	19.4	17.1				
634	5	M	11.9	12.9	12.7	14.2	13.4	14.0	13.8	14.1	13.5	13.9	13.9	13.5	13.9	14.1	14.6	16.3	14.8	13.3	15.3	15.2	15.2	17.6	18.4				
635	5	M	11.9	12.9	12.7	14.2	13.4	14.0	13.8	14.1	13.5	13.9	13.9	13.5	13.9	14.1	14.6	16.3	14.8	13.3	15.3	15.2	15.2	17.6	18.4				
636	5	M	11.9	12.9	12.7	14.2	13.4	14.0	13.8	14.1	13.5	13.9	13.9	13.5	13.9	14.1	14.6	16.3	14.8	13.3	15.3	15.2	15.2	17.6	18.4				
637	5	M	11.5	13.0	12.2	13.6	13.5	13.7	13.7	14.0	13.5	13.7	13.5	14.9	14.9	15.5	15.0	15.3	15.9	14.4	14.3	16.8	16.9	15.2	13.4				
638	5	M	11.5	13.0	12.2	13.6	13.5	13.7	13.7	14.0	13.5	13.7	13.5	14.9	14.9	15.5	15.0	15.3	15.9	14.4	14.3	16.8	16.9	15.2	13.4				
639	5	M	11.5	13.0	12.2	13.6	13.5	13.7	13.7	14.0	13.5	13.7	13.5	14.9	14.9	15.5	15.0	15.3	15.9	14.4	14.3	16.8	16.9	15.2	13.4				
640	5	M	13.0	13.8	12.7	14.7	14.3	15.8	15.7	15.5	16.0	16.4	15.6	15.4	15.4	16.6	15.2	16.8	17.3	16.3	15.4	20.2	19.5	19.6	16.7				

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R E A T M E N T G R O U P	S E X	TEST WEEK																											
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28					
641	5	M	13.0	13.8	12.7	14.7	14.3	15.8	15.7	15.5	16.0	16.4	15.6	15.4	15.4	16.6	15.2	16.8	17.3	16.3	15.4	20.2	19.5	19.6	16.7					
642	5	M	13.0	13.8	12.7	14.7	14.3	15.8	15.7	15.5	16.0	16.4	15.6	15.4	15.4	16.6	15.2	16.8	17.3	16.3	15.4	20.2	19.5	19.6	16.7					
643	5	M	11.7	12.3	12.0	13.4	12.3	13.7	14.2	14.4	15.3	15.7	15.2	14.5	14.8	14.7	13.4	14.8	14.6	15.8	15.1	15.8	16.5	15.7	11.6					
644	5	M	11.7	12.3	12.0	13.4	12.3	13.7	14.2	14.4	15.3	15.7	15.2	14.5	14.8	14.7	13.4	14.8	14.6	15.8	15.1	15.8	16.5	15.7	11.6					
645	5	M	11.7	12.3	12.0	13.4	12.3	13.7	14.2	14.4	15.3	15.7	15.2	14.5	14.8	14.7	13.4	14.8	14.6	15.8	15.1	15.8	16.5	15.7	11.6					
646	5	M	12.6	14.2	13.2	14.8	15.1	16.2	15.4	15.7	15.5	15.8	15.8	15.4	15.5	15.9	17.9	17.2	16.2	15.5	16.0	15.8	15.6	17.0	16.0					
647	5	M	12.6	14.2	13.2	14.8	15.1	16.2	15.4	15.7	15.5	15.8	15.8	15.4	15.5	15.9	17.9	17.2	16.2	15.5	16.0	15.8	15.6	17.0	16.0					
648	5	M	12.6	14.2	13.2	14.8	15.1	16.2	15.4	15.7	15.5	15.8	15.8	15.4	15.5	15.9	17.9	17.2	16.2	15.5	16.0	15.8	15.6	17.0	16.0					
649	5	M	12.0	13.5	11.0	14.0	13.9	14.5	14.5	14.7	15.7	16.0	14.3	15.7	14.9	15.8	15.8	16.5	16.1	16.5	16.5	16.0	14.9	15.2	13.9					
650	5	M	12.0	13.5	11.0	14.0	13.9	14.5	14.5	14.7	15.7	16.0	14.3	15.7	14.9	15.8	15.8	16.5	16.1	16.5	16.5	16.0	14.9	15.2	13.9					
651	5	M	12.0	13.5	11.0	14.0	13.9	14.5	14.5	14.7	15.7	16.0	14.3	15.7	14.9	15.8	15.8	16.5	16.1	16.5	16.5	16.0	14.9	15.2	13.9					
652	5	M	7.7	13.2	13.2	14.6	13.7	14.9	14.4	15.9	15.0	15.3	15.2	15.5	14.2	14.3	15.4	15.5	14.6	13.2	13.6	15.8	17.9	18.0	17.7					
653	5	M	7.7	13.2	13.2	14.6	13.7	14.9	14.4	15.9	15.0	15.3	15.2	15.5	14.2	14.3	15.4	15.5	14.6	13.2	13.6	15.8	17.9	18.0	17.7					
654	5	M	7.7	13.2	13.2	14.6	13.7	14.9	14.4	15.9	15.0	15.3	15.2	15.5	14.2	14.3	15.4	15.5	14.6	13.2	13.6	15.8	17.9	18.0	17.7					
655	5	M	11.4	13.2	12.7	14.0	14.5	15.5	15.1	14.7	15.4	14.5	14.2	15.2	15.2	16.4	16.4	16.2	14.4	14.7	15.4	10.4	16.0	15.8	14.1					
656	5	M	11.4	13.2	12.7	14.0	14.5	15.5	15.1	14.7	15.4	14.5	14.2	15.2	15.2	16.4	16.4	16.2	14.4	14.7	15.4	10.4	16.0	15.8	14.1					
657	5	M	11.4	13.2	12.7	14.0	14.5	15.5	15.1	14.7	15.4	14.5	14.2	15.2	15.2	16.4	16.4	16.2	14.4	14.7	15.4	10.4	16.0	15.8	14.1					
658	5	M	12.5	14.2	14.1	14.7	13.2	14.2	15.2	16.0	15.2	14.2	14.9	15.0	15.8	15.2	15.3	16.0	13.5	15.5	16.9	17.5	15.3	19.2	14.9					
659	5	M	12.5	14.2	14.1	14.7	13.2	14.2	15.2	16.0	15.2	14.2	14.9	15.0	15.8	15.2	15.3	16.0	13.5	15.5	16.9	17.5	15.3	19.2	14.9					
660	5	M	12.5	14.2	14.1	14.7	13.2	14.2	15.2	16.0	15.2	14.2	14.9	15.0	15.8	15.2	15.3	16.0	13.5	15.5	16.9	17.5	15.3	19.2	14.9					
661	5	M	12.6	13.8	12.7	13.3	13.6	15.7	15.4	16.3	17.1	16.4	15.4	14.9	15.5	15.3	14.8	15.7	15.4	16.4	16.0	12.7	16.3	15.6	15.8					
662	5	M	12.6	13.8	12.7	13.3	13.6	15.7	15.4	16.3	17.1	16.4	15.4	14.9	15.5	15.3	14.8	15.7	15.4	16.4	16.0	12.7	16.3	15.6	15.8					
663	5	M	12.6	13.8	12.7	13.3	13.6	15.7	15.4	16.3	17.1	16.4	15.4	14.9	15.5	15.3	14.8	15.7	15.4	16.4	16.0	12.7	16.3	15.6	15.8					
664	5	M	11.7	13.6	12.3	13.4	14.1	15.7	14.8	17.2	16.4	15.0	15.2	14.2	16.5	15.2	15.0	15.5	14.9	15.3	14.0	13.4	13.0	16.1	16.7					
665	5	M	11.7	13.6	12.3	13.4	14.1	15.7	14.8	17.2	16.4	15.0	15.2	14.2	16.5	15.2	15.0	15.5	14.9	15.3	14.0	13.4	13.0	16.1	16.7					
666	5	M	11.7	13.6	12.3	13.4	14.1	15.7	14.8	17.2	16.4	15.0	15.2	14.2	16.5	15.2	15.0	15.5	14.9	15.3	14.0	13.4	13.0	16.1	16.7					
667	5	M	12.0	13.5	12.3	14.2	14.6	16.1	15.2	16.1	15.9	16.8	15.8	15.4	16.0	16.4	17.8	20.0	14.6	15.5	14.0	17.5	18.6	17.2	18.1					
668	5	M	12.0	13.5	12.3	14.2	14.6	16.1	15.2	16.1	15.9	16.8	15.8	15.4	16.0	16.4	17.8	20.0	14.6	15.5	14.0	17.5	18.6	17.2	18.1					
669	5	M	12.0	13.5	12.3	14.2	14.6	16.1	15.2	16.1	15.9	16.8	15.8	15.4	16.0	16.4	17.8	20.0	14.6	15.5	14.0	17.5	18.6	17.2	18.1					
670	5	M	12.2	14.1	13.1	14.3	15.1	16.6	16.2	16.4	16.7	17.1	15.8	16.5	15.2	16.9	16.2	16.4	16.9	15.5	16.3	14.9	17.6	13.8	14.0					
671	5	M	12.2	14.1	13.1	14.3	15.1	16.6	16.2	16.4	16.7	17.1	15.8	16.5	15.2	16.9	16.2	16.4	16.9	15.5	16.3	14.9	17.6	13.8	14.0					
672	5	M	12.2	14.1	13.1	14.3	15.1	16.6	16.2	16.4	16.7	17.1	15.8	16.5	15.2	16.9	16.2	16.4	16.9	15.5	16.3	14.9	17.6	13.8	14.0					
673	5	M	11.8	12.6	12.7	14.5	14.0	14.9	15.1	15.0	14.9	15.9	15.1	15.7	16.0	15.3	15.4	15.4	14.8	14.5	12.9	17.0	15.6	17.4	18.0					
674	5	M	11.8	12.6	12.7	14.5	14.0	14.9	15.1	15.0	14.9	15.9	15.1	15.7	16.0	15.3	15.4	15.4	14.8	14.5	12.9	17.0	15.6	17.4	18.0					
675	5	M	11.8	12.6	12.7	14.5	14.0	14.9	15.1	15.0	14.9	15.9	15.1	15.7	16.0	15.3	15.4	15.4	14.8	14.5	12.9	17.0	15.6	17.4	18.0					
676	5	F	8.8	10.1	9.0	10.6	9.4	10.1	9.5	9.2	8.4	8.9	8.7	8.6	9.1	9.0	8.7	9.0	9.0	8.9	8.9	9.9	10.3	9.2	9.3					
677	5	F	8.8	10.1	9.0	10.6	9.4	10.1	9.5	9.2	8.4	8.9	8.7	8.6	9.1	9.0	8.7	9.0	9.0	8.9	8.9	9.9	10.3	9.2	9.3					
678	5	F	8.8	10.1	9.0	10.6	9.4	10.1	9.5	9.2	8.4	8.9	8.7	8.6	9.1	9.0	8.7	9.0	9.0	8.9	8.9	9.9	10.3	9.2	9.3					
679	5	F	9.5	10.1	9.4	11.3	10.0	10.1	10.0	9.8	9.3	9.4	9.4	9.8	10.3	10.6	11.2	11.3	10.7	10.0	10.0	10.7	10.6	11.0	---					
680	5	F	9.5	10.1	9.4	11.3	10.0	10.1	10.0	9.8	9.3	9.4	9.4	9.8	10.3	10.6	11.2	11.3	10.7	10.0	10.0	10.7	10.6	11.0	---					

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O U P	S E X	TEST WEEK																											
		-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28					
681	5	F	9.5	10.1	9.4	11.3	10.0	10.1	10.0	9.8	9.3	9.4	9.4	9.8	10.3	10.6	11.2	11.3	10.7	10.0	10.0	10.7	10.6	11.0	10.9	10.6			
682	5	F	10.0	10.3	9.6	11.6	10.4	10.7	10.6	10.0	10.4	9.9	9.2	9.9	9.9	10.1	9.9	10.4	10.3	10.2	10.0	10.5	11.3	10.9	11.4				
683	5	F	10.0	10.3	9.6	11.6	10.4	10.7	10.6	10.0	10.4	9.9	9.2	9.9	9.9	10.1	9.9	10.4	10.3	10.2	10.0	10.5	11.3	10.9	11.4				
684	5	F	10.0	10.3	9.6	11.6	10.4	10.7	10.6	10.0	10.4	9.9	9.2	9.9	9.9	10.1	9.9	10.4	10.3	10.2	10.0	10.5	11.3	10.9	11.4				
685	5	F	9.7	10.5	9.7	12.0	10.0	10.6	9.7	9.7	10.1	9.1	9.3	9.8	13.3	7.9	10.3	9.9	9.9	9.4	9.5	10.1	11.7	12.2	10.5				
686	5	F	9.7	10.5	9.7	12.0	10.0	10.6	9.7	9.7	10.1	9.1	9.3	9.8	13.3	7.9	10.3	9.9	9.9	9.4	9.5	10.1	11.7	12.2	10.5				
687	5	F	9.7	10.5	9.7	12.0	10.0	10.6	9.7	9.7	10.1	9.1	9.3	9.8	13.3	7.9	10.3	9.9	9.9	9.4	9.5	10.1	11.7	12.2	10.5				
688	5	F	7.9	10.5	9.8	11.1	10.3	11.0	10.8	11.2	9.8	9.2	9.4	9.0	9.7	9.5	9.0	10.4	10.1	9.5	9.2	9.6	11.6	11.4	12.3				
689	5	F	7.9	10.5	9.8	11.1	10.3	11.0	10.8	11.2	9.8	9.2	9.4	9.0	9.7	9.5	9.0	10.4	10.1	9.5	9.2	9.6	11.6	11.4	12.3				
690	5	F	7.9	10.5	9.8	11.1	10.3	11.0	10.8	11.2	9.8	9.2	9.4	9.0	9.7	9.5	9.0	10.4	10.1	9.5	9.2	9.6	11.6	11.4	12.3				
691	5	F	9.2	9.9	9.2	10.8	10.1	10.7	10.0	10.4	9.7	9.4	9.3	9.5	9.7	9.3	10.3	10.3	9.2	10.0	9.1	9.9	9.8	9.7	10.0				
692	5	F	9.2	9.9	9.2	10.8	10.1	10.7	10.0	10.4	9.7	9.4	9.3	9.5	9.7	9.3	10.3	10.3	9.2	10.0	9.1	9.9	9.8	9.7	10.0				
693	5	F	9.2	9.9	9.2	10.8	10.1	10.7	10.0	10.4	9.7	9.4	9.3	9.5	9.7	9.3	10.3	10.3	9.2	10.0	9.1	9.9	9.8	9.7	10.0				
694	5	F	10.0	11.3	10.7	11.4	10.6	10.0	11.1	10.5	10.0	10.3	9.1	9.8	9.7	9.9	10.2	10.6	10.5	10.0	9.5	10.6	12.6	11.7	11.2				
695	5	F	10.0	11.3	10.7	11.4	10.6	10.0	11.1	10.5	10.0	10.3	9.1	9.8	9.7	9.9	10.2	10.6	10.5	10.0	9.5	10.6	12.6	11.7	11.2				
696	5	F	10.0	11.3	10.7	11.4	10.6	10.0	11.1	10.5	10.0	10.3	9.1	9.8	9.7	9.9	10.2	10.6	10.5	10.0	9.5	10.6	12.6	11.7	11.2				
697	5	F	10.0	10.6	9.1	10.8	10.2	9.9	10.2	9.4	9.0	8.9	8.6	8.9	9.4	9.0	8.8	9.3	9.7	9.0	9.2	10.7	11.1	11.0	11.7				
698	5	F	10.0	10.6	9.1	10.8	10.2	9.9	10.2	9.4	9.0	8.9	8.6	8.9	9.4	9.0	8.8	9.3	9.7	9.0	9.2	10.7	11.1	11.0	11.7				
699	5	F	10.0	10.6	9.1	10.8	10.2	9.9	10.2	9.4	9.0	8.9	8.6	8.9	9.4	9.0	8.8	9.3	9.7	9.0	9.2	10.7	11.1	11.0	11.7				
700	5	F	9.2	10.4	9.6	11.2	11.0	11.0	9.6	9.6	9.4	9.0	9.1	10.5	10.0	10.9	10.4	10.8	10.0	10.3	9.5	10.8	9.3	10.8	10.8				
701	5	F	9.2	10.4	9.6	11.2	11.0	11.0	9.6	9.6	9.4	9.0	9.1	10.5	10.0	10.9	10.4	10.8	10.0	10.3	9.5	10.8	9.3	10.8	10.8				
702	5	F	9.2	10.4	9.6	11.2	11.0	11.0	9.6	9.6	9.4	9.0	9.1	10.5	10.0	10.9	10.4	10.8	10.0	10.3	9.5	10.8	9.3	10.8	10.8				
703	5	F	9.1	10.5	9.2	11.6	10.4	10.8	10.0	10.5	10.0	9.7	9.8	10.1	9.9	9.9	10.4	11.3	11.3	9.9	10.2	10.9	11.1	10.7	8.9				
704	5	F	9.1	10.5	9.2	11.6	10.4	10.8	10.0	10.5	10.0	9.7	9.8	10.1	9.9	9.9	10.4	11.3	11.3	9.9	10.2	10.9	11.1	10.7	8.9				
705	5	F	9.1	10.5	9.2	11.6	10.4	10.8	10.0	10.5	10.0	9.7	9.8	10.1	9.9	9.9	10.4	11.3	11.3	9.9	10.2	10.9	11.1	10.7	8.9				
706	5	F	9.4	10.8	9.9	11.2	10.2	10.7	10.4	10.2	9.6	9.6	7.4	10.6	10.4	9.6	9.9	10.7	10.8	10.1	10.0	12.1	10.3	12.3	10.2				
707	5	F	9.4	10.8	9.9	11.2	10.2	10.7	10.4	10.2	9.6	9.6	7.4	10.6	10.4	9.6	9.9	10.7	10.8	10.1	10.0	12.1	10.3	12.3	10.2				
708	5	F	9.4	10.8	9.9	11.2	10.2	10.7	10.4	10.2	9.6	9.6	7.4	10.6	10.4	9.6	9.9	10.7	10.8	10.1	10.0	12.1	10.3	12.3	10.2				
709	5	F	10.0	10.8	8.8	11.3	10.0	10.8	10.1	10.0	9.6	9.4	9.9	10.2	9.2	9.0	10.0	10.5	10.5	9.6	8.9	10.3	12.0	11.2	11.5				
710	5	F	10.0	10.8	8.8	11.3	10.0	10.8	10.1	10.0	9.6	9.4	9.9	10.2	9.2	9.0	10.0	10.5	10.5	9.6	8.9	10.3	12.0	11.2	11.5				
711	5	F	10.0	10.8	8.8	11.3	10.0	10.8	10.1	10.0	9.6	9.4	9.9	10.2	9.2	9.0	10.0	10.5	10.5	9.6	8.9	10.3	12.0	11.2	11.5				
712	5	F	10.8	11.3	10.1	11.5	10.8	11.1	11.5	10.3	10.1	10.0	9.5	9.7	10.3	10.6	10.0	11.5	11.8	10.2	11.3	12.0	13.7	11.3	10.4				
713	5	F	10.8	11.3	10.1	11.5	10.8	11.1	11.5	10.3	10.1	10.0	9.5	9.7	10.3	10.6	10.0	11.5	11.8	10.2	11.3	12.0	13.7	11.3	10.4				
714	5	F	10.8	11.3	10.1	11.5	10.8	11.1	11.5	10.3	10.1	10.0	9.5	9.7	10.3	10.6	10.0	11.5	11.8	10.2	11.3	12.0	13.7	11.3	10.4				
715	5	F	10.6	10.4	9.0	10.6	10.0	10.1	9.8	9.8	9.6	9.7	8.5	9.0	9.8	9.9	9.8	11.0	10.9	10.1	11.3	7.8	10.0	12.0	11.7				
716	5	F	10.6	10.4	9.0	10.6	10.0	10.1	9.8	9.8	9.6	9.7	8.5	9.0	9.8	9.9	9.8	11.0	10.9	10.1	11.3	7.8	10.0	12.0	11.7				
717	5	F	10.6	10.4	9.0	10.6	10.0	10.1	9.8	9.8	9.6	9.7	8.5	9.0	9.8	9.9	9.8	11.0	10.9	10.1	11.3	7.8	10.0	12.0	11.7				
718	5	F	10.0	10.7	9.2	10.6	9.6	10.8	9.8	10.0	9.7	9.1	9.0	8.7	10.2	15.4	9.5	10.3	10.6	8.9	10.2	11.7	10.6	9.4	11.8				
719	5	F	10.0	10.7	9.2	10.6	9.6	10.8	9.8	10.0	9.7	9.1	9.0	8.7	10.2	15.4	9.5	10.3	10.6	8.9	10.2	11.7	10.6	9.4	11.8				
720	5	F	10.0	10.7	9.2	10.6	9.6	10.8	9.8	10.0	9.7	9.1	9.0	8.7	10.2	15.4	9.5	10.3	10.6	8.9	10.2	11.7	10.6	9.4	11.8				

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T I M A L N O	T R A G R O U P	S E X	TEST WEEK																											
			-2	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	16	18	20	22	24	26	28					
721	5	F	9.9	10.6	9.6	11.7	10.5	11.2	10.8	10.9	10.3	10.1	10.0	10.3	10.4	10.4	10.1	11.0	10.6	10.0	10.1	8.0	11.0	12.6	13.8					
722	5	F	9.9	10.6	9.6	11.7	10.5	11.2	10.8	10.9	10.3	10.1	10.0	10.3	10.4	10.4	10.1	11.0	10.6	10.0	10.1	8.0	11.0	12.6	13.8					
723	5	F	9.9	10.6	9.6	11.7	10.5	11.2	10.8	10.9	10.3	10.1	10.0	10.3	10.4	10.4	10.1	11.0	10.6	10.0	10.1	8.0	11.0	12.6	13.8					
724	5	F	9.0	9.9	8.7	10.9	9.4	10.8	9.9	9.7	9.7	9.0	9.4	10.0	10.0	9.5	10.0	10.9	10.5	10.3	9.9	11.2	13.8	10.0	13.0					
725	5	F	9.0	9.9	8.7	10.9	9.4	10.8	9.9	9.7	9.7	9.0	9.4	10.0	10.0	9.5	10.0	10.9	10.5	10.3	9.9	11.2	13.8	10.0	13.0					
726	5	F	9.0	9.9	8.7	10.9	9.4	10.8	9.9	9.7	9.7	9.0	9.4	10.0	10.0	9.5	10.0	10.9	10.5	10.3	9.9	11.2	13.8	10.0	13.0					
727	5	F	10.3	11.0	9.4	11.8	10.7	11.3	10.8	10.3	9.8	9.6	9.5	9.7	10.0	10.3	9.8	10.2	10.6	10.7	10.1	10.8	11.6	12.6	11.8					
728	5	F	10.3	11.0	9.4	11.8	10.7	11.3	10.8	10.3	9.8	9.6	9.5	9.7	10.0	10.3	9.8	10.2	10.6	10.7	10.1	10.8	11.6	12.6	11.8					
729	5	F	10.3	11.0	9.4	11.8	10.7	11.3	10.8	10.3	9.8	9.6	9.5	9.7	10.0	10.3	9.8	10.2	10.6	10.7	10.1	10.8	11.6	12.6	11.8					
730	5	F	10.5	10.9	9.8	11.8	10.6	11.2	10.8	11.0	10.3	10.3	10.0	10.7	11.4	11.1	10.4	11.6	11.4	10.5	10.1	10.4	11.0	10.4	9.3					
731	5	F	10.5	10.9	9.8	11.8	10.6	11.2	10.8	11.0	10.3	10.3	10.0	10.7	11.4	11.1	10.4	11.6	11.4	10.5	10.1	10.4	11.0	10.4	9.3					
732	5	F	10.5	10.9	9.8	11.8	10.6	11.2	10.8	11.0	10.3	10.3	10.0	10.7	11.4	11.1	10.4	11.6	11.4	10.5	10.1	10.4	11.0	10.4	9.3					
733	5	F	9.2	10.0	9.1	10.8	10.6	11.7	10.5	10.4	10.2	9.4	9.4	9.8	10.1	10.4	9.8	11.1	11.0	11.1	11.3	12.8	12.8	13.4	10.9					
734	5	F	9.2	10.0	9.1	10.8	10.6	11.7	10.5	10.4	10.2	9.4	9.4	9.8	10.1	10.4	9.8	11.1	11.0	11.1	11.3	12.8	12.8	13.4	10.9					
735	5	F	9.2	10.3	10.9	10.6	10.0	10.9	9.9	9.8	9.7	9.1	8.8	9.2	9.7	10.4	9.0	10.1	9.2	9.1	9.4	9.6	11.2	10.1	10.4					
736	5	F	9.2	10.3	10.9	10.6	10.0	10.9	9.9	9.8	9.7	9.1	8.8	9.2	9.7	10.4	9.0	10.1	9.2	9.1	9.4	9.6	11.2	10.1	10.4					
737	5	F	9.2	10.3	10.9	10.6	10.0	10.9	9.9	9.8	9.7	9.1	8.8	9.2	9.7	10.4	9.0	10.1	9.2	9.1	9.4	9.6	11.2	10.1	10.4					
738	5	F	9.4	10.0	9.1	11.4	10.1	10.8	10.3	10.1	9.3	9.0	8.8	9.2	9.7	10.4	9.0	10.1	9.2	9.1	9.4	9.6	11.2	10.1	10.4					
739	5	F	9.4	10.0	9.1	11.4	10.1	10.8	10.3	10.1	9.3	9.0	8.8	9.2	9.7	10.4	9.0	10.1	9.2	9.1	9.4	9.6	11.2	10.1	10.4					
740	5	F	9.4	10.0	9.1	11.4	10.1	10.8	10.3	10.1	9.3	9.0	8.8	9.2	9.7	10.4	9.0	10.1	9.2	9.1	9.4	9.6	11.2	10.1	10.4					
741	5	F	9.4	10.0	9.1	11.4	10.1	10.8	10.3	10.1	9.3	9.0	8.8	9.2	9.7	10.4	9.0	10.1	9.2	9.1	9.4	9.6	11.2	10.1	10.4					
742	5	F	9.3	9.9	9.4	11.5	9.9	10.9	10.2	9.9	9.8	8.6	8.9	9.7	9.6	10.4	9.8	10.7	10.9	9.8	10.4	10.8	10.4	13.5	10.0					
743	5	F	9.3	9.9	9.4	11.5	9.9	10.9	10.2	9.9	9.8	8.6	8.9	9.7	9.6	10.4	9.8	10.7	10.9	9.8	10.4	10.8	10.4	13.5	10.0					
744	5	F	9.3	9.9	9.4	11.5	9.9	10.9	10.2	9.9	9.8	8.6	8.9	9.7	9.6	10.4	9.8	10.7	10.9	9.8	10.4	10.8	10.4	13.5	10.0					
745	5	F	9.1	10.8	9.8	11.6	10.7	10.6	10.2	9.6	9.5	9.8	9.1	9.3	10.0	10.0	9.5	9.7	10.1	10.1	10.0	10.8	10.8	11.9	10.9					
746	5	F	9.1	10.8	9.8	11.6	10.7	10.6	10.2	9.6	9.5	9.8	9.1	9.3	10.0	10.0	9.5	9.7	10.1	10.1	10.0	10.8	10.8	11.9	10.9					
747	5	F	9.1	10.8	9.8	11.6	10.7	10.6	10.2	9.6	9.5	9.8	9.1	9.3	10.0	10.0	9.5	9.7	10.1	10.1	10.0	10.8	10.8	11.9	10.9					
748	5	F	9.8	10.7	9.2	10.9	10.5	10.8	10.4	10.2	9.6	9.8	10.0	9.9	10.1	9.7	9.8	10.5	10.5	9.2	9.2	10.1	12.9	10.4	10.8					
749	5	F	9.8	10.7	9.2	10.9	10.5	10.8	10.4	10.2	9.6	9.8	10.0	9.9	10.1	9.7	9.8	10.5	10.5	9.2	9.2	10.1	12.9	10.4	10.8					
750	5	F	9.8	10.7	9.2	10.9	10.5	10.8	10.4	10.2	9.6	9.8	10.0	9.9	10.1	9.7	9.8	10.5	10.5	9.2	9.2	10.1	12.9	10.4	10.8					

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

		TEST WEEK																				
		30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66		
A N I T I M R A L G R	N O U P																					
	S E X																					
	1	1	M	16.4	16.1	16.2	16.0	16.4	10.9	18.1	16.6	16.0	16.3	15.9	14.0	15.7	17.3	19.6	16.6	17.1	15.1	16.9
	2	1	M	16.4	16.1	16.2	16.0	16.4	10.9	18.1	16.6	16.0	16.3	15.9	14.0	---	---	---	---	---	---	
N O U P	3	1	M	17.5	17.7	17.0	16.2	16.3	16.0	16.4	18.0	16.4	16.8	15.9	16.9	16.9	17.0	16.7	15.1	16.5	10.6	17.8
	4	1	M	17.5	17.7	17.0	16.2	16.3	16.0	16.4	18.0	16.4	16.8	15.9	16.9	16.9	17.0	16.7	15.1	16.5	10.6	17.8
	5	1	M	17.5	17.7	17.0	16.2	16.3	16.0	16.4	18.0	16.4	16.8	15.9	16.9	16.9	17.0	16.7	15.1	16.5	10.6	17.8
	6	1	M	17.5	17.7	17.0	16.2	16.3	16.0	16.4	18.0	16.4	16.8	15.9	16.9	16.9	17.0	16.7	15.1	16.5	10.6	17.8
S E X	7	1	M	16.1	17.5	16.7	16.6	18.2	16.1	16.8	16.8	17.0	17.3	16.6	16.7	18.6	17.1	17.4	17.6	17.4	9.9	18.8
	8	1	M	16.1	17.5	16.7	16.6	18.2	16.1	16.8	16.8	17.0	17.3	16.6	16.7	18.6	17.1	17.4	17.6	17.4	9.9	18.8
	9	1	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	10	1	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
N O U P	11	1	M	17.4	18.2	17.8	15.4	17.4	17.7	16.9	17.1	16.6	18.4	16.6	17.4	18.4	18.3	18.8	17.6	17.4	18.0	18.5
	12	1	M	17.4	18.2	17.8	15.4	17.4	17.7	16.9	17.1	16.6	18.4	16.6	17.4	18.4	18.3	18.8	17.6	17.4	18.0	18.5
	13	1	M	16.5	16.2	15.5	16.0	16.5	16.1	15.6	17.0	16.2	16.3	15.0	16.1	16.6	15.9	16.1	16.6	16.2	15.3	15.9
	14	1	M	16.5	16.2	15.5	16.0	16.5	16.1	15.6	17.0	16.2	16.3	15.0	16.1	16.6	15.9	16.1	16.6	16.2	15.3	15.9
S E X	15	1	M	16.5	16.2	15.5	16.0	16.5	16.1	15.6	17.0	16.2	16.3	15.0	16.1	16.6	15.9	16.1	16.6	16.2	15.3	15.9
	16	1	M	17.4	17.4	16.7	15.1	15.2	16.9	15.7	16.8	16.6	17.0	16.8	12.2	17.3	15.4	17.1	16.6	16.8	9.4	18.2
	17	1	M	17.4	17.4	16.7	15.1	15.2	16.9	15.7	16.8	16.6	17.0	16.8	12.2	17.3	15.4	17.1	16.6	16.8	9.4	18.2
	18	1	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
N O U P	19	1	M	16.3	15.9	15.7	17.0	16.6	16.8	16.6	16.8	17.4	15.6	---	---	---	---	---	---	---	---	
	20	1	M	16.3	15.9	15.7	17.0	16.6	16.8	16.6	16.8	17.4	15.6	15.0	16.7	17.6	19.0	18.9	17.0	19.3	20.3	
	21	1	M	16.3	15.9	15.7	17.0	16.6	16.8	16.6	16.8	17.4	15.6	15.0	---	---	---	---	---	---	---	
	22	1	M	17.6	16.5	17.9	16.9	16.4	15.8	16.5	17.2	16.4	16.6	16.4	15.2	15.7	16.3	19.0	17.3	16.3	11.6	18.8
S E X	23	1	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	24	1	M	17.6	16.5	17.9	16.9	16.4	15.8	16.5	17.2	16.4	16.6	16.4	15.2	---	---	---	---	---	---	
	25	1	M	17.0	17.7	16.2	17.3	17.6	16.0	17.1	15.7	15.7	16.8	15.6	16.6	17.0	15.8	16.0	16.4	10.6	17.6	17.5
	26	1	M	17.0	17.7	16.2	17.3	17.6	16.0	17.1	15.7	15.7	16.8	15.6	16.6	17.0	15.8	16.0	16.4	10.6	17.6	17.5
N O U P	27	1	M	16.6	16.3	16.2	16.1	16.3	15.2	16.5	15.6	15.4	15.7	15.5	16.4	16.6	16.9	17.9	16.5	17.9	13.7	17.6
	28	1	M	16.6	16.3	16.2	16.1	16.3	15.2	16.5	15.6	15.4	15.7	15.5	16.4	16.6	16.9	17.9	16.5	17.9	13.7	17.6
	29	1	M	16.6	16.3	16.2	16.1	16.3	15.2	16.5	15.6	15.4	15.7	15.5	16.4	16.6	16.9	17.9	16.5	17.9	13.7	17.6
	30	1	M	16.6	16.3	16.2	16.1	16.3	15.2	16.5	15.6	15.4	15.7	15.5	16.4	16.6	16.9	17.9	16.5	17.9	13.7	17.6
S E X	31	1	M	17.1	17.4	16.1	16.6	17.0	16.6	17.4	16.0	16.1	17.3	16.6	17.4	16.6	16.8	17.7	18.0	17.4	13.2	17.9
	32	1	M	17.1	17.4	16.1	16.6	17.0	16.6	17.4	16.0	16.1	17.3	16.6	17.4	16.6	16.8	17.7	18.0	17.4	13.2	17.9
	33	1	M	17.1	17.4	16.1	16.6	17.0	16.6	17.4	16.0	16.1	17.3	16.6	17.4	---	---	---	---	---	---	---
	34	1	M	18.8	17.7	18.1	17.9	18.5	12.4	20.2	18.3	18.6	18.4	17.1	16.4	16.5	18.1	17.6	18.3	10.9	19.2	18.7
N O U P	35	1	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	36	1	M	18.8	17.7	18.1	17.9	18.5	12.4	20.2	18.3	18.6	18.4	17.1	16.4	16.5	18.1	17.6	18.3	10.9	19.2	18.7
	37	1	M	16.3	15.5	16.0	16.0	16.0	13.5	16.9	15.5	15.8	16.1	15.9	16.9	18.6	18.0	17.7	18.8	9.3	18.3	19.6
	38	1	M	16.3	15.5	16.0	16.0	16.0	13.5	16.9	15.5	15.8	16.1	15.9	16.9	18.6	18.0	17.7	18.8	9.3	18.3	19.6
S E X	39	1	M	16.3	15.5	16.0	16.0	16.0	13.5	16.9	15.5	15.8	16.1	15.9	16.9	18.6	18.0	17.7	18.8	9.3	18.3	19.6
	40	1	M	15.7	16.1	16.0	16.0	16.0	15.5	15.9	15.2	15.6	16.0	15.1	15.4	16.8	15.6	15.7	16.1	16.2	14.5	16.4

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T R A L N O P	S E X	TEST WEEK																		
		30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
41	M	15.7	16.1	16.0	16.0	16.0	15.5	15.9	15.2	15.6	16.0	15.1	15.4	16.8	15.6	15.7	16.1	16.2	14.5	16.4
42	M	15.7	16.1	16.0	16.0	16.0	15.5	15.9	15.2	15.6	16.0	15.1	15.4	16.8	15.6	15.7	16.1	16.2	14.5	16.4
43	M	15.8	15.5	15.4	16.3	14.0	15.6	15.6	15.8	16.9	16.1	15.0	15.0	15.9	15.4	15.7	14.9	12.2	15.5	16.1
44	M	15.8	15.5	15.4	16.3	14.0	15.6	15.6	15.8	16.9	16.1	15.0	15.0	15.9	15.4	15.7	14.9	12.2	15.5	16.1
45	M	15.8	15.5	15.4	16.3	14.0	15.6	15.6	15.8	16.9	16.1	15.0	15.0	15.9	15.4	15.7	14.9	12.2	15.5	16.1
46	M	16.3	16.6	16.1	16.6	14.1	16.8	16.8	16.9	16.5	16.3	16.2	16.9	16.6	17.1	17.5	15.3	17.1	18.9	17.1
47	M	16.3	16.6	16.1	16.6	14.1	16.8	16.8	16.9	16.5	16.3	16.2	16.9	16.6	17.1	17.5	15.3	17.1	18.9	17.1
48	M	16.3	16.6	16.1	16.6	14.1	16.8	16.8	16.9	16.5	16.3	16.2	16.9	16.6	17.1	17.5	15.3	17.1	18.9	17.1
49	M	17.9	16.8	16.9	16.3	17.1	14.9	17.6	15.6	15.8	17.6	16.3	17.6	17.4	16.3	15.6	15.6	16.7	12.3	19.4
50	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
51	M	17.9	16.8	16.9	16.3	17.1	14.9	17.6	15.6	15.8	17.6	16.3	17.6	17.4	16.3	15.6	15.6	16.7	12.3	19.4
52	M	14.4	17.4	16.6	16.3	17.5	16.5	13.5	17.2	16.0	16.5	15.8	16.0	14.8	16.6	16.6	15.6	16.5	11.8	15.7
53	M	14.4	17.4	16.6	16.3	17.5	16.5	13.5	17.2	16.0	16.5	15.8	16.0	14.8	16.6	16.6	15.6	16.5	11.8	15.7
54	M	14.4	17.4	16.6	16.3	17.5	16.5	13.5	17.2	16.0	16.5	15.8	16.0	14.8	16.6	16.6	15.6	16.5	11.8	15.7
55	M	16.8	16.5	16.6	15.8	16.3	16.2	16.6	17.0	15.1	16.7	14.7	13.0	16.1	15.6	16.7	16.0	17.3	11.7	16.0
56	M	16.8	16.5	16.6	15.8	16.3	16.2	16.6	17.0	15.1	16.7	14.7	13.0	16.1	15.6	16.7	16.0	17.3	11.7	16.0
57	M	16.8	16.5	16.6	15.8	16.3	16.2	16.6	17.0	15.1	16.7	14.7	13.0	16.1	15.6	16.7	16.0	17.3	11.7	16.0
58	M	15.4	14.5	15.0	15.6	15.7	15.9	15.9	16.0	15.8	15.5	15.8	15.7	15.8	16.1	16.1	13.5	17.8	15.0	15.5
59	M	15.4	14.5	15.0	15.6	15.7	15.9	15.9	16.0	15.8	15.5	15.8	15.7	15.8	16.1	16.1	13.5	17.8	15.0	15.5
60	M	15.4	14.5	15.0	15.6	15.7	15.9	15.9	16.0	15.8	15.5	15.8	15.7	15.8	16.1	16.1	13.5	17.8	15.0	15.5
61	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
62	M	18.1	17.9	18.5	16.9	15.3	19.4	18.9	19.4	20.4	20.8	20.1	---	---	---	---	---	---	---	---
63	M	18.1	17.9	18.5	16.9	15.3	19.4	18.9	19.4	20.4	20.8	20.1	17.4	19.1	20.9	18.3	16.7	---	---	---
64	M	16.2	17.1	15.5	16.2	17.8	16.5	16.4	16.1	15.8	16.6	16.2	---	---	---	---	---	---	---	---
65	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
66	M	16.2	17.1	15.5	16.2	17.8	16.5	16.4	16.1	15.8	16.6	16.2	15.3	18.3	18.4	19.4	18.0	19.1	12.4	21.7
67	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
68	M	17.9	18.1	18.7	18.2	17.7	17.5	17.7	18.1	18.1	18.4	18.1	17.1	18.0	17.6	18.4	17.9	15.6	18.0	18.0
69	M	17.9	18.1	18.7	18.2	17.7	17.5	17.7	18.1	18.1	18.4	18.1	17.1	18.0	17.6	18.4	17.9	15.6	18.0	18.0
70	M	16.0	16.6	15.7	16.0	16.5	16.3	16.0	16.0	16.6	16.4	17.0	16.4	17.1	16.6	16.6	16.6	16.7	16.0	16.2
71	M	16.0	16.6	15.7	16.0	16.5	16.3	16.0	16.0	16.6	16.4	17.0	16.4	17.1	16.6	16.6	16.6	16.7	16.0	16.2
72	M	16.0	16.6	15.7	16.0	16.5	16.3	16.0	16.0	16.6	16.4	17.0	16.4	17.1	16.6	16.6	16.6	16.7	16.0	16.2
73	M	15.8	15.1	14.3	14.7	15.4	15.1	15.4	16.2	15.0	16.9	15.5	16.6	16.4	15.4	16.7	16.6	14.5	16.1	17.1
74	M	15.8	15.1	14.3	14.7	15.4	15.1	15.4	16.2	15.0	16.9	15.5	16.6	16.4	15.4	16.7	16.6	14.5	16.1	17.1
75	M	15.8	15.1	14.3	14.7	15.4	15.1	15.4	16.2	15.0	16.9	15.5	16.6	16.4	15.4	16.7	16.6	14.5	16.1	17.1
76	F	11.4	11.1	8.4	11.1	11.4	11.3	12.1	12.1	11.0	11.7	12.4	12.6	12.6	12.8	12.4	13.4	13.2	10.8	13.5
77	F	11.4	11.1	8.4	11.1	11.4	11.3	12.1	12.1	11.0	11.7	12.4	12.6	12.6	12.8	12.4	13.4	13.2	10.8	13.5
78	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
79	F	12.9	10.6	11.7	10.6	12.1	11.3	12.3	11.7	11.7	11.3	10.4	---	---	---	---	---	---	---	---
80	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

ANIMAL	T R G	S	TEST WEEK																		
			30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
81	1	F	10.0	10.1	9.4	9.0	9.7	9.3	10.7	10.6	9.8	9.8	10.9	10.8	11.5	10.6	10.8	10.3	10.8	9.6	11.6
82	1	F	10.0	10.1	9.4	9.0	9.7	9.3	10.7	10.6	9.8	9.8	10.9	10.8	11.5	10.6	10.8	10.3	10.8	9.6	11.6
83	1	F	10.0	10.1	9.4	9.0	9.7	9.3	10.7	10.6	9.8	9.8	10.9	10.8	11.5	10.6	10.8	10.3	10.8	9.6	11.6
84	1	F	10.0	10.0	9.9	9.5	10.3	10.8	11.1	11.2	11.0	11.4	11.5	11.4	11.6	11.8	12.9	12.9	10.4	12.2	12.8
85	1	F	10.0	10.0	9.9	9.5	10.3	10.8	11.1	11.2	11.0	11.4	11.5	11.4	11.6	11.8	12.9	12.9	10.4	12.2	12.8
86	1	F	10.0	10.0	9.9	9.5	10.3	10.8	11.1	11.2	11.0	11.4	11.5	11.4	11.6	11.8	12.9	12.9	10.4	12.2	12.8
87	1	F	10.0	10.0	9.9	9.5	10.3	10.8	11.1	11.2	11.0	11.4	11.5	11.4	11.6	11.8	12.9	12.9	10.4	12.2	12.8
88	1	F	9.7	10.3	10.3	9.7	10.3	9.7	11.2	11.3	11.4	11.4	12.3	12.9	13.9	12.8	13.4	12.7	14.9	13.5	14.6
89	1	F	9.7	10.3	10.3	9.7	10.3	9.7	11.2	11.3	11.4	11.4	12.3	12.9	13.9	12.8	13.4	12.7	14.9	13.5	14.6
90	1	F	9.7	10.3	10.3	9.7	10.3	9.7	11.2	11.3	11.4	11.4	12.3	12.9	13.9	12.8	13.4	12.7	14.9	13.5	14.6
91	1	F	10.0	10.4	9.8	10.0	9.9	9.4	11.0	10.6	10.4	10.6	11.5	10.8	10.0	11.0	11.6	12.1	12.1	10.1	11.9
92	1	F	10.0	10.4	9.8	10.0	9.9	9.4	11.0	10.6	10.4	10.6	11.5	10.8	10.0	11.0	11.6	12.1	12.1	10.1	11.9
93	1	F	10.0	10.4	9.8	10.0	9.9	9.4	11.0	10.6	10.4	10.6	11.5	10.8	10.0	11.0	11.6	12.1	12.1	10.1	11.9
94	1	F	8.9	9.4	9.7	9.3	9.7	9.1	10.2	10.2	10.2	10.4	10.3	11.3	11.2	11.0	11.0	11.9	11.2	11.7	11.4
95	1	F	8.9	9.4	9.7	9.3	9.7	9.1	10.2	10.2	10.2	10.4	10.3	11.3	11.2	11.0	11.0	11.9	11.2	11.7	11.4
96	1	F	8.9	9.4	9.7	9.3	9.7	9.1	10.2	10.2	10.2	10.4	10.3	11.3	11.2	11.0	11.0	11.9	11.2	11.7	11.4
97	1	F	9.7	9.8	9.7	9.6	9.6	8.2	10.6	11.0	11.0	10.9	11.3	11.3	13.2	13.5	13.4	13.2	12.9	10.7	13.8
98	1	F	9.7	9.8	9.7	9.6	9.6	8.2	10.6	11.0	11.0	10.9	11.3	11.3	13.2	13.5	13.4	13.2	12.9	10.7	13.8
99	1	F	9.7	9.8	9.7	9.6	9.6	8.2	10.6	11.0	11.0	10.9	11.3	11.3	13.2	13.5	13.4	13.2	12.9	10.7	13.8
100	1	F	10.2	10.5	10.5	10.4	11.0	11.2	11.5	11.6	11.5	12.8	12.3	11.8	12.1	12.6	12.6	12.7	11.9	12.6	12.7
101	1	F	10.2	10.5	10.5	10.4	11.0	11.2	11.5	11.6	11.5	12.8	12.3	11.8	12.1	12.6	12.6	12.7	11.9	12.6	12.7
102	1	F	10.2	10.5	10.5	10.4	11.0	11.2	11.5	11.6	11.5	12.8	12.3	11.8	12.1	12.6	12.6	12.7	11.9	12.6	12.7
103	1	F	10.3	9.9	10.4	10.7	8.7	10.7	11.3	11.1	10.5	11.6	11.2	10.7	11.9	12.0	11.8	11.4	7.1	11.0	11.2
104	1	F	10.3	9.9	10.4	10.7	8.7	10.7	11.3	11.1	10.5	11.6	11.2	10.7	11.9	12.0	11.8	11.4	7.1	11.0	11.2
105	1	F	10.3	9.9	10.4	10.7	8.7	10.7	11.3	11.1	10.5	11.6	11.2	10.7	11.9	12.0	11.8	11.4	7.1	11.0	11.2
106	1	F	10.0	9.7	10.5	10.5	10.7	10.4	11.9	10.7	11.4	11.7	11.4	11.3	11.0	11.9	12.4	11.8	9.2	11.8	12.7
107	1	F	10.0	9.7	10.5	10.5	10.7	10.4	11.9	10.7	11.4	11.7	11.4	11.3	11.0	11.9	12.4	11.8	9.2	11.8	12.7
108	1	F	10.0	9.7	10.5	10.5	10.7	10.4	11.9	10.7	11.4	11.7	11.4	11.3	11.0	11.9	12.4	11.8	9.2	11.8	12.7
109	1	F	10.9	10.1	10.3	10.2	10.7	10.6	11.6	11.1	10.8	10.6	11.6	12.4	12.5	11.1	12.1	12.0	12.4	10.7	12.8
110	1	F	10.9	10.1	10.3	10.2	10.7	10.6	11.6	11.1	10.8	10.6	11.6	12.4	12.5	11.1	12.1	12.0	12.4	10.7	12.8
111	1	F	11.1	11.1	11.1	11.1	11.1	11.1	11.1	11.1	11.1	11.1	11.1	11.1	11.1	11.1	11.1	11.1	11.1	11.1	11.1
112	1	F	10.7	10.6	9.5	8.4	10.9	10.5	11.1	10.5	10.3	10.6	11.7	10.6	12.1	12.4	12.4	12.2	12.4	11.5	12.9
113	1	F	10.7	10.6	9.5	8.4	10.9	10.5	11.1	10.5	10.3	10.6	11.7	10.6	12.1	12.4	12.4	12.2	12.4	11.5	12.9
114	1	F	10.7	10.6	9.5	8.4	10.9	10.5	11.1	10.5	10.3	10.6	11.7	10.6	12.1	12.4	12.4	12.2	12.4	11.5	12.9
115	1	F	11.2	10.1	9.6	9.5	8.9	9.9	10.1	10.6	10.0	9.9	10.1	10.6	11.5	11.0	10.7	10.9	11.3	10.0	11.9
116	1	F	11.2	10.1	9.6	9.5	8.9	9.9	10.1	10.6	10.0	9.9	10.1	10.6	11.5	11.0	10.7	10.9	11.3	10.0	11.9
117	1	F	11.2	10.1	9.6	9.5	8.9	9.9	10.1	10.6	10.0	9.9	10.1	10.6	11.5	11.0	10.7	10.9	11.3	10.0	11.9
118	1	F	10.9	10.7	9.9	10.6	11.4	12.1	12.3	11.3	12.1	13.1	12.4	13.2	13.1	12.4	13.3	13.1	12.9	13.3	13.9
119	1	F	10.9	10.7	9.9	10.6	11.4	12.1	12.3	11.3	12.1	13.1	12.4	13.2	13.1	12.4	13.3	13.1	12.9	13.3	13.9
120	1	F	10.9	10.7	9.9	10.6	11.4	12.1	12.3	11.3	12.1	13.1	12.4	13.2	13.1	12.4	13.3	13.1	12.9	13.3	13.9

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T I M A L G R O U P	S E X	TEST WEEK																		
		30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
121	1	10.7	10.5	10.2	9.9	10.3	9.1	11.7	11.4	10.7	11.0	11.5	11.2	---	---	---	---	---	---	---
122	1	10.7	10.5	10.2	9.9	10.3	9.1	11.7	11.4	10.7	11.0	11.5	11.2	10.4	11.6	11.7	12.5	10.1	12.1	13.0
123	1	10.7	10.5	10.2	9.9	10.3	9.1	11.7	11.4	10.7	11.0	11.5	11.2	10.4	11.6	11.7	12.5	10.1	12.1	13.0
124	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
125	1	10.7	10.6	10.1	10.8	11.6	10.5	11.3	11.6	10.8	17.7	11.1	11.0	11.6	12.6	11.9	11.6	12.6	10.7	13.8
126	1	10.7	10.6	10.1	10.8	11.6	10.5	11.3	11.6	10.8	17.7	11.1	11.0	11.6	12.6	11.9	11.6	12.6	10.7	13.8
127	1	10.0	10.7	11.1	10.3	10.6	10.9	11.8	11.5	11.1	11.8	11.6	11.9	12.4	9.5	13.1	13.2	12.6	12.4	12.9
128	1	10.0	10.7	11.1	10.3	10.6	10.9	11.8	11.5	11.1	11.8	11.6	11.9	12.4	9.5	13.1	13.2	12.6	12.4	12.9
129	1	10.0	10.7	11.1	10.3	10.6	10.9	11.8	11.5	11.1	11.8	11.6	11.9	12.4	9.5	13.1	13.2	12.6	12.4	12.9
130	1	9.9	9.8	10.0	9.2	10.1	10.1	11.1	10.7	10.4	11.3	11.0	10.7	11.3	12.1	11.9	12.3	10.2	12.0	12.8
131	1	9.9	9.8	10.0	9.2	10.1	10.1	11.1	10.7	10.4	11.3	11.0	10.7	11.3	12.1	11.9	12.3	10.2	12.0	12.8
132	1	9.9	9.8	10.0	9.2	10.1	10.1	11.1	10.7	10.4	11.3	11.0	10.7	11.3	12.1	11.9	12.3	10.2	12.0	12.8
133	1	10.8	9.3	10.0	11.0	11.1	11.0	10.6	10.5	10.6	11.5	11.3	10.2	10.6	10.5	12.1	10.3	9.4	12.4	11.4
134	1	10.8	9.3	10.0	11.0	11.1	11.0	10.6	10.5	10.6	11.5	11.3	10.2	10.6	10.5	12.1	10.3	9.4	12.4	11.4
135	1	10.8	9.3	10.0	11.0	11.1	11.0	10.6	10.5	10.6	11.5	11.3	10.2	---	---	---	---	---	---	---
136	1	10.0	9.4	9.5	9.6	10.0	10.7	10.7	10.6	10.1	9.6	9.2	11.0	11.1	11.1	11.8	11.0	8.6	10.7	11.3
137	1	10.0	9.4	9.5	9.6	10.0	10.7	10.7	10.6	10.1	9.6	9.2	11.0	11.1	11.1	11.8	11.0	8.6	10.7	11.3
138	1	10.0	9.4	9.5	9.6	10.0	10.7	10.7	10.6	10.1	9.6	9.2	11.0	11.1	11.1	11.8	11.0	8.6	10.7	11.3
139	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
140	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
141	1	11.7	11.3	11.9	10.3	12.7	12.0	12.6	12.7	11.9	13.4	13.0	---	---	---	---	---	---	---	---
142	1	10.8	9.6	10.0	9.6	8.4	10.8	11.3	11.1	10.6	10.6	10.6	10.3	11.6	12.9	12.6	11.1	11.0	11.9	12.6
143	1	10.8	9.6	10.0	9.6	8.4	10.8	11.3	11.1	10.6	10.6	10.6	---	---	---	---	---	---	---	---
144	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
145	1	10.0	10.0	10.3	10.5	10.2	10.7	11.1	11.8	11.0	11.4	10.9	10.5	12.5	11.4	9.3	13.0	11.8	12.5	12.6
146	1	10.0	10.0	10.3	10.5	10.2	10.7	11.1	11.8	11.0	11.4	10.9	10.5	12.5	11.4	9.3	13.0	11.8	12.5	12.6
147	1	10.0	10.0	10.3	10.5	10.2	10.7	11.1	11.8	11.0	11.4	10.9	10.5	12.5	11.4	9.3	13.0	11.8	12.5	12.6
148	1	12.5	10.8	11.1	10.6	11.4	10.4	11.8	11.4	10.4	12.0	11.5	12.0	10.9	11.8	12.6	12.2	10.4	12.0	13.9
149	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
150	1	12.5	10.8	11.1	10.6	11.4	10.4	11.8	11.4	10.4	12.0	11.5	12.0	10.9	11.8	12.6	12.2	10.4	12.0	13.9
151	2	16.9	16.0	16.5	16.3	16.2	17.3	18.0	16.1	17.1	17.4	16.0	17.0	17.5	15.0	17.2	15.0	---	---	---
152	2	16.9	16.0	16.5	16.3	16.2	17.3	18.0	16.1	17.1	17.4	16.0	17.0	17.5	15.0	17.2	15.0	17.9	18.6	18.2
153	2	16.9	16.0	16.5	16.3	16.2	17.3	18.0	16.1	17.1	17.4	16.0	17.0	17.5	15.0	17.2	15.0	17.9	18.6	18.2
154	2	17.1	17.5	17.7	16.7	16.6	16.8	17.2	16.1	16.8	16.8	16.9	---	---	---	---	---	---	---	---
155	2	17.1	17.5	17.7	16.7	16.6	16.8	17.2	16.1	16.8	16.8	16.9	18.2	18.3	15.9	19.4	18.7	19.4	17.3	20.2
156	2	17.1	17.5	17.7	16.7	16.6	16.8	17.2	16.1	16.8	16.8	16.9	18.2	18.3	15.9	19.4	18.7	19.4	17.3	20.2
157	2	17.5	17.7	17.6	18.0	17.6	17.3	18.4	17.1	17.9	18.6	17.4	18.2	18.1	17.4	17.9	18.3	18.9	19.1	20.2
158	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
159	2	17.5	17.7	17.6	18.0	17.6	17.3	18.4	17.1	17.9	18.6	17.4	18.2	18.1	17.4	17.9	18.3	18.9	19.1	20.2
160	2	21.0	20.3	20.9	19.9	22.4	21.1	20.9	21.6	20.3	21.4	21.0	21.9	22.3	22.0	21.3	22.9	22.3	17.9	22.3

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T M A L G R O U P	S E X	TEST WEEK																	66
		30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	
161	2 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
162	2 M	17.9	17.3	17.7	18.3	18.8	18.4	18.1	17.7	17.6	17.9	17.1	15.6	17.8	18.0	17.4	19.0	9.2	18.6
163	2 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
164	2 M	17.9	17.3	17.7	18.3	18.8	18.4	18.1	17.7	17.6	17.9	17.1	15.6	17.8	18.0	17.4	19.0	9.2	18.6
165	2 M	17.3	16.4	16.0	15.4	15.8	15.3	15.8	15.7	16.0	15.6	16.5	16.3	16.8	17.8	18.6	17.7	17.5	19.9
166	2 M	17.3	16.4	16.0	15.4	15.8	15.3	15.8	15.7	16.0	15.6	16.5	16.3	16.8	17.8	18.6	17.7	17.5	19.9
167	2 M	17.3	16.4	16.0	15.4	15.8	15.3	15.8	15.7	16.0	15.6	16.5	16.3	16.8	17.8	18.6	17.7	17.5	19.9
168	2 M	16.3	15.7	15.9	17.0	16.1	16.2	15.5	16.3	15.9	15.1	15.0	12.7	16.7	14.0	18.4	19.0	15.3	16.0
169	2 M	16.3	15.7	15.9	17.0	16.1	16.2	15.5	16.3	15.9	15.1	15.0	---	---	---	---	---	---	---
170	2 M	16.3	15.7	15.9	17.0	16.1	16.2	15.5	16.3	15.9	15.1	15.0	---	---	---	---	---	---	---
171	2 M	18.7	18.3	16.1	16.2	18.9	17.6	18.6	17.2	18.4	19.0	16.7	18.9	19.0	23.3	16.1	16.3	13.2	17.8
172	2 M	18.7	18.3	16.1	16.2	18.9	17.6	18.6	17.2	18.4	19.0	16.7	18.9	19.0	23.3	16.1	16.3	13.2	17.8
173	2 M	18.7	18.3	16.1	16.2	18.9	17.6	18.6	17.2	18.4	19.0	16.7	18.9	19.0	23.3	16.1	16.3	13.2	17.8
174	2 M	18.7	18.3	16.1	16.2	18.9	17.6	18.6	17.2	18.4	19.0	16.7	18.9	19.0	23.3	16.1	16.3	13.2	17.8
175	2 M	17.4	18.4	17.6	17.0	17.6	17.6	20.0	17.9	14.1	19.0	---	17.4	18.4	18.6	17.3	19.3	19.3	20.1
176	2 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
177	2 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
178	2 M	15.9	16.7	16.6	16.8	16.7	16.2	16.5	16.5	17.0	16.9	16.8	16.8	17.8	19.6	16.3	16.1	17.1	17.5
179	2 M	15.9	16.7	16.6	16.8	16.7	16.2	16.5	16.5	17.0	16.9	16.8	16.8	17.8	19.6	16.3	16.1	17.1	17.5
180	2 M	15.9	16.7	16.6	16.8	16.7	16.2	16.5	16.5	17.0	16.9	16.8	16.8	17.8	19.6	16.3	16.1	17.1	17.5
181	2 M	16.0	17.0	15.6	16.9	15.7	15.8	16.6	15.9	16.9	16.2	15.7	15.9	18.0	18.7	18.7	20.3	17.4	20.1
182	2 M	16.0	17.0	15.6	16.9	15.7	15.8	16.6	15.9	16.9	16.2	15.7	15.9	18.0	18.7	18.7	20.3	17.4	20.1
183	2 M	16.0	17.0	15.6	16.9	15.7	15.8	16.6	15.9	16.9	16.2	15.7	15.9	18.0	18.7	18.7	20.3	17.4	20.1
184	2 M	16.4	17.3	16.4	15.8	16.7	12.8	17.0	15.6	16.1	16.0	16.5	17.1	17.1	20.7	15.6	16.2	16.1	19.5
185	2 M	16.4	17.3	16.4	15.8	16.7	12.8	17.0	15.6	16.1	16.0	16.5	17.1	17.1	20.7	15.6	16.2	16.1	19.5
186	2 M	16.4	17.3	16.4	15.8	16.7	12.8	17.0	15.6	16.1	16.0	16.5	17.1	17.1	20.7	15.6	16.2	16.1	19.5
187	2 M	17.6	17.9	17.6	17.5	17.1	18.4	17.1	17.9	18.4	18.1	17.9	18.0	18.8	18.1	18.8	18.9	17.2	19.2
188	2 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
189	2 M	17.6	17.9	17.6	17.5	17.1	18.4	17.1	17.9	18.4	18.1	17.9	18.0	18.8	18.1	18.8	18.9	17.2	19.2
190	2 M	15.9	16.2	16.4	16.6	16.8	16.2	16.1	16.0	15.7	15.7	15.8	16.1	17.1	16.0	17.8	18.1	17.1	18.0
191	2 M	15.9	16.2	16.4	16.6	16.8	16.2	16.1	16.0	15.7	15.7	15.8	16.1	17.1	16.0	17.8	18.1	17.1	18.0
192	2 M	15.9	16.2	16.4	16.6	16.8	16.2	16.1	16.0	15.7	15.7	15.8	16.1	17.1	16.0	17.8	18.1	17.1	18.0
193	2 M	14.8	15.3	16.2	15.9	15.5	14.4	16.7	15.3	15.9	16.4	15.8	17.1	16.7	15.9	16.0	16.5	15.2	16.2
194	2 M	14.8	15.3	16.2	15.9	15.5	14.4	16.7	15.3	15.9	16.4	15.8	17.1	16.7	15.9	16.0	16.5	15.2	16.2
195	2 M	14.8	15.3	16.2	15.9	15.5	14.4	16.7	15.3	15.9	16.4	15.8	17.1	16.7	15.9	16.0	16.5	15.2	16.2
196	2 M	19.1	18.1	18.3	16.7	17.5	18.1	19.3	18.6	17.5	17.5	17.2	18.0	17.9	17.9	17.7	18.6	18.5	12.1
197	2 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
198	2 M	19.1	18.1	18.3	16.7	17.7	18.1	19.3	18.6	17.5	17.1	17.2	18.0	17.9	17.1	17.7	18.6	18.5	12.1
199	2 M	17.0	17.2	16.2	17.4	17.1	16.9	17.8	16.5	16.5	16.9	16.3	17.3	17.3	17.0	15.8	17.6	11.2	18.0
200	2 M	17.0	17.2	16.2	17.4	17.1	16.9	17.8	16.5	16.5	16.9	16.3	17.3	17.3	17.0	15.8	17.6	11.2	18.0

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R E A T M E N T G R O U P	S E X	TEST WEEK																64	66
			30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	
201	2	M	17.0	17.2	16.2	17.4	17.1	16.9	17.8	16.5	16.5	16.9	16.3	17.3	17.3	17.0	15.8	17.6	11.2	18.0
202	2	M	17.1	16.8	15.9	16.6	16.9	16.8	18.1	17.2	17.8	17.2	17.1	17.6	18.2	17.4	18.1	18.9	15.4	18.4
203	2	M	17.1	16.8	15.9	16.6	16.9	16.8	18.1	17.2	17.8	17.2	17.1	17.6	18.2	17.4	18.1	18.9	15.4	18.4
204	2	M	16.1	14.7	15.1	15.2	17.0	15.7	16.7	15.7	16.6	16.2	16.0	15.7	16.3	20.3	15.1	15.0	16.1	16.6
205	2	M	16.1	14.7	15.1	15.2	17.0	15.7	16.7	15.7	16.6	16.2	16.0	15.7	16.3	20.3	15.1	15.0	16.1	16.6
206	2	M	16.1	14.7	15.1	15.2	17.0	15.7	16.7	15.7	16.6	16.2	16.0	15.7	16.3	20.3	15.1	15.0	16.1	16.6
207	2	M	16.6	17.0	16.2	15.5	16.6	17.0	17.2	16.3	16.6	16.4	16.8	17.1	17.6	17.0	17.3	17.7	17.0	12.0
208	2	M	16.6	17.0	16.2	15.5	16.6	17.0	17.2	16.3	16.6	16.4	16.8	17.1	17.6	17.0	17.3	17.7	17.0	12.0
209	2	M	16.6	17.0	16.2	15.5	16.6	17.0	17.2	16.3	16.6	16.4	16.8	17.1	17.6	17.0	17.3	17.7	17.0	12.0
210	2	M	16.6	17.0	16.2	15.5	16.6	17.0	17.2	16.3	16.6	16.4	16.8	17.1	17.6	17.0	17.3	17.7	17.0	12.0
211	2	M	15.3	16.9	16.1	15.7	16.0	16.5	16.0	16.2	15.8	16.3	16.0	16.3	16.9	20.4	15.1	16.9	16.0	11.1
212	2	M	15.3	16.9	16.1	15.7	16.0	16.5	16.0	16.2	15.8	16.3	16.0	16.3	16.9	20.4	15.1	16.9	16.0	11.1
213	2	M	15.3	16.9	16.1	15.7	16.0	16.5	16.0	16.2	15.8	16.3	16.0	16.3	16.9	20.4	15.1	16.9	16.0	11.1
214	2	M	15.3	15.6	15.2	15.6	15.5	15.4	15.9	15.1	15.8	14.4	15.7	15.6	16.7	16.4	16.6	16.4	15.4	17.8
215	2	M	15.3	15.6	15.2	15.6	15.5	15.4	15.9	15.1	15.8	14.4	15.7	15.6	16.7	16.4	16.6	16.4	15.4	17.8
216	2	M	15.3	15.6	15.2	15.6	15.5	15.4	15.9	15.1	15.8	14.4	15.7	15.6	16.7	16.4	16.6	16.4	15.4	17.8
217	2	M	16.4	16.9	16.9	15.9	16.4	17.1	17.0	15.6	15.8	17.3	16.4	17.4	19.0	18.6	19.4	19.9	19.6	19.1
218	2	M	16.4	16.9	16.9	15.9	16.4	17.1	17.0	15.6	15.8	17.3	16.4	17.4	19.0	18.6	19.4	19.9	19.6	19.1
219	2	M	16.4	16.9	16.9	15.9	16.4	17.1	17.0	15.6	15.8	17.3	16.4	17.4	19.0	18.6	19.4	19.9	19.6	19.1
220	2	M	16.8	16.9	15.9	15.1	15.9	14.9	16.1	15.1	14.8	15.5	15.6	15.6	16.3	16.6	15.4	16.6	16.0	15.2
221	2	M	16.8	16.9	15.9	15.1	15.9	14.9	16.1	15.1	14.8	15.5	15.6	15.6	16.3	16.6	15.4	16.6	16.0	15.2
222	2	M	16.8	16.9	15.9	15.1	15.9	14.9	16.1	15.1	14.8	15.5	15.6	15.6	16.3	16.6	15.4	16.6	16.0	15.2
223	2	M	17.8	16.9	16.1	18.2	18.0	17.8	18.4	17.6	18.1	17.1	17.1	17.6	18.6	18.3	17.3	17.6	14.4	18.2
224	2	M	17.8	16.9	16.1	18.2	18.0	17.8	18.4	17.6	18.1	17.1	17.1	17.6	18.6	18.3	17.3	17.6	14.4	18.2
225	2	M	17.8	16.9	16.1	18.2	18.0	17.8	18.4	17.6	18.1	17.1	17.1	17.6	18.6	18.3	17.3	17.6	14.4	18.2
226	2	F	10.2	9.9	9.9	10.2	10.6	10.4	10.9	11.5	10.7	11.1	11.6	10.9	12.0	11.7	12.4	13.4	13.0	12.3
227	2	F	10.2	9.9	9.9	10.2	10.6	10.4	10.9	11.5	10.7	11.1	11.6	10.9	12.0	11.7	12.4	13.4	13.0	12.3
228	2	F	10.8	10.7	11.0	10.1	11.4	10.7	11.2	10.9	11.1	11.7	12.2	12.1	13.6	12.6	13.6	13.7	13.7	12.4
229	2	F	10.8	10.7	11.0	10.1	11.4	10.7	11.2	10.9	11.1	11.7	12.2	12.1	13.6	12.6	13.6	13.7	13.7	12.4
230	2	F	10.8	10.7	11.0	10.1	11.4	10.7	11.2	10.9	11.1	11.7	12.2	12.1	13.6	12.6	13.6	13.7	13.7	12.4
231	2	F	10.8	10.7	11.0	10.1	11.4	10.7	11.2	10.9	11.1	11.7	12.2	12.1	13.6	12.6	13.6	13.7	13.7	12.4
232	2	F	10.3	10.9	11.5	10.3	10.9	10.9	11.7	10.3	11.0	11.4	12.1	12.2	12.4	12.6	13.2	14.1	13.3	8.7
233	2	F	10.3	10.9	11.5	10.3	10.9	10.9	11.7	10.3	11.0	11.4	12.1	12.2	12.4	12.6	13.2	14.1	13.3	8.7
234	2	F	10.3	10.9	11.5	10.3	10.9	10.9	11.7	10.3	11.0	11.4	12.1	12.2	12.4	12.6	13.2	14.1	13.3	8.7
235	2	F	9.2	9.6	10.0	9.6	10.4	9.7	10.6	11.4	11.4	10.9	10.5	11.9	11.4	9.7	11.2	12.0	10.8	12.1
236	2	F	9.2	9.6	10.0	9.6	10.4	9.7	10.6	11.4	11.4	10.9	10.5	11.9	11.4	9.7	11.2	12.0	10.8	12.1
237	2	F	9.2	9.6	10.0	9.6	10.4	9.7	10.6	11.4	11.4	10.9	10.5	11.9	11.4	9.7	11.2	12.0	10.8	12.1
238	2	F	11.5	10.6	11.0	10.8	11.2	11.7	12.2	12.8	12.4	11.4	13.1	12.4	14.1	12.8	11.9	12.2	11.6	12.7
239	2	F	11.5	10.6	11.0	10.8	11.2	11.7	12.2	12.8	12.4	11.4	13.1	12.4	14.1	12.8	11.9	12.2	11.6	12.7
240	2	F	11.5	10.6	11.0	10.8	11.2	11.7	12.2	12.8	12.4	11.4	13.1	12.4	14.1	12.8	11.9	12.2	11.6	12.7

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T R A G R O U P	S E X	TEST WEEK																66		
		30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60		62	64
241	F	10.2	5.9	10.6	9.7	10.8	8.6	11.5	10.8	11.9	11.9	11.9	11.7	11.9	11.4	13.6	11.5	9.4	12.1	13.1
242	F	10.2	5.9	10.6	9.7	10.8	8.6	11.5	10.8	11.9	11.9	11.9	11.7	11.9	11.4	13.6	11.5	9.4	12.1	13.1
243	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
244	F	10.4	9.7	11.4	10.4	11.7	11.3	11.9	11.7	12.1	11.8	11.6	11.6	11.5	12.1	11.5	12.3	13.4	12.4	13.9
245	F	10.4	9.7	11.4	10.4	11.7	11.3	11.9	11.7	12.1	11.8	11.6	11.6	11.5	12.1	11.5	12.3	13.4	12.4	13.9
246	F	10.4	9.7	11.4	10.4	11.7	11.3	11.9	11.7	12.1	11.8	11.6	11.6	11.5	12.1	11.5	12.3	13.4	12.4	13.9
247	F	10.4	10.0	10.0	9.4	9.0	8.4	11.7	10.7	11.3	10.5	11.3	11.3	11.9	11.6	12.3	11.7	12.3	12.4	9.5
248	F	10.4	10.0	10.0	9.4	9.0	8.4	11.7	10.7	11.3	10.5	11.3	11.3	11.9	11.6	12.3	11.7	12.3	12.4	13.9
249	F	10.4	10.0	10.0	9.4	9.0	8.4	11.7	10.7	11.3	10.5	11.3	11.3	11.9	11.6	12.3	11.7	12.3	12.4	13.4
250	F	9.5	9.5	9.8	8.8	10.0	9.9	10.3	10.6	10.1	10.4	10.2	11.0	11.0	11.1	11.5	11.2	11.1	11.0	12.1
251	F	9.5	9.5	9.8	8.8	10.0	9.9	10.3	10.6	10.1	10.4	10.2	11.0	11.0	11.1	11.5	11.2	11.1	11.0	12.1
252	F	9.5	9.5	9.8	8.8	10.0	9.9	10.3	10.6	10.1	10.4	10.2	11.0	11.0	11.1	11.5	11.2	11.1	11.0	12.1
253	F	10.8	10.3	10.2	9.7	11.0	10.8	11.3	11.0	11.3	10.5	11.3	11.3	11.6	12.5	11.4	12.0	13.3	9.9	9.6
254	F	10.8	10.3	10.2	9.7	11.0	10.8	11.3	11.0	11.3	10.5	11.3	11.3	11.6	12.5	11.4	12.0	13.3	9.9	9.6
255	F	10.8	10.3	10.2	9.7	11.0	10.8	11.3	11.0	11.3	10.5	11.3	11.3	11.6	12.5	11.4	12.0	13.3	9.9	9.6
256	F	11.9	11.1	12.9	11.0	12.1	13.1	12.7	12.6	11.7	13.3	13.1	---	---	---	---	---	---	---	---
257	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
258	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
259	F	11.4	11.3	10.9	10.9	11.7	11.9	11.8	11.6	11.8	12.4	12.7	13.8	14.3	13.5	10.4	11.9	14.7	12.4	15.0
260	F	11.4	11.3	10.9	10.9	11.7	11.9	11.8	11.6	11.8	12.4	12.7	13.8	14.3	13.5	10.4	11.9	14.7	12.4	15.0
261	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
262	F	11.0	10.8	10.6	10.9	11.3	11.6	12.1	11.0	12.2	12.1	12.2	12.7	12.1	12.0	11.7	13.0	11.0	12.7	14.3
263	F	11.0	10.8	10.6	10.9	11.3	11.6	12.1	11.0	12.2	12.1	12.2	12.7	12.1	12.0	11.7	13.0	11.0	12.7	14.3
264	F	11.0	10.8	10.6	10.9	11.3	11.6	12.1	11.0	12.2	12.1	12.2	12.7	12.1	12.0	11.7	13.0	11.0	12.7	14.3
265	F	11.0	10.5	11.3	10.3	11.2	10.9	11.5	11.3	11.3	11.3	11.3	11.9	12.5	13.5	12.6	12.4	13.4	12.8	14.4
266	F	11.0	10.5	11.3	10.3	11.2	10.9	11.5	11.3	11.3	11.3	11.3	11.9	12.5	13.5	12.6	12.4	14.4	13.4	12.8
267	F	11.0	10.5	11.3	10.3	11.2	10.9	11.5	11.3	11.3	11.3	11.3	11.9	12.5	13.5	12.6	12.4	14.4	13.4	12.8
268	F	11.0	10.6	10.0	10.1	10.6	10.7	10.9	10.8	10.8	10.5	11.6	10.9	12.0	11.0	11.8	9.4	11.5	11.6	13.4
269	F	11.0	10.6	10.0	10.1	10.6	10.7	10.9	10.8	10.8	10.5	11.6	10.9	12.0	11.0	11.8	9.4	11.5	11.6	13.4
270	F	11.0	10.6	10.0	10.1	10.6	10.7	10.9	10.8	10.8	10.5	11.6	10.9	12.0	11.0	11.8	9.4	11.5	11.3	15.3
271	F	10.0	11.0	11.1	10.1	10.7	10.1	11.2	11.0	11.0	11.0	11.0	11.8	12.3	12.0	12.0	12.4	13.1	8.3	12.6
272	F	10.0	11.0	11.1	10.1	10.7	10.1	11.2	11.0	11.0	11.0	11.0	11.8	12.3	12.0	12.0	12.4	13.1	8.3	12.6
273	F	10.0	11.0	11.1	10.1	10.7	10.1	11.2	11.0	11.0	11.0	11.0	11.8	12.3	12.0	12.0	12.4	13.1	8.3	12.6
274	F	9.6	10.1	10.2	9.6	10.2	10.4	10.9	11.6	10.9	10.1	10.8	19.0	---	---	---	---	---	---	---
275	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
276	F	9.6	10.1	10.2	9.6	10.2	10.4	10.9	11.6	10.9	10.1	10.8	19.0	---	---	---	---	---	---	---
277	F	11.4	11.1	11.6	10.4	12.6	12.4	12.9	12.4	11.8	13.1	12.6	10.5	11.7	13.1	16.0	14.7	13.3	15.3	16.4
278	F	11.4	11.1	11.6	10.4	12.6	12.4	12.9	12.4	11.8	13.1	12.6	10.5	---	---	---	---	---	---	---
279	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
280	F	9.9	9.3	9.5	9.0	9.7	9.0	10.8	10.2	10.0	10.0	10.0	12.3	11.5	11.6	11.8	10.6	12.6	12.4	11.5

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R A G R O U P	S E X	TEST WEEK																66		
			30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60		62	64
281	2	F	9.9	9.3	9.5	9.0	9.7	9.0	10.8	10.2	10.0	10.0	12.3	11.5	11.6	11.8	10.6	12.6	12.4	11.5	12.1
282	2	F	9.9	9.3	9.5	9.0	9.7	9.0	10.8	10.2	10.0	10.0	12.3	11.5	11.6	11.8	10.6	12.6	12.4	11.5	12.1
283	2	F	9.8	10.3	10.6	9.0	10.9	10.2	11.1	10.7	10.9	11.1	11.2	11.6	12.1	11.9	11.6	11.7	11.7	11.7	12.2
284	2	F	9.8	10.3	10.6	9.0	10.9	10.2	11.1	10.7	10.9	11.1	11.2	11.6	12.1	11.9	11.6	11.7	11.7	11.7	12.2
285	2	F	9.8	10.3	10.6	9.0	10.9	10.2	11.1	10.7	10.9	11.1	11.2	11.6	12.1	11.9	11.6	11.7	11.7	11.7	12.2
286	2	F	9.0	9.7	10.4	9.7	10.0	9.9	10.3	10.8	10.7	10.6	10.8	13.4	11.0	12.6	11.7	11.5	10.3	11.7	12.9
287	2	F	9.0	9.7	10.4	9.7	10.0	9.9	10.3	10.8	10.7	10.6	10.8	13.4	11.0	12.6	11.7	11.5	10.3	11.7	12.9
288	2	F	9.0	9.7	10.4	9.7	10.0	9.9	10.3	10.8	10.7	10.6	10.8	13.4	11.0	12.6	11.7	11.5	10.3	11.7	12.9
289	2	F	11.1	9.9	10.1	8.2	11.1	10.3	9.2	11.1	10.4	11.6	11.2	10.9	11.9	11.8	11.5	12.3	11.4	10.3	11.9
290	2	F	11.1	9.9	10.1	8.2	11.1	10.3	9.2	11.1	10.4	11.6	11.2	10.9	11.9	11.8	11.5	12.3	11.4	10.3	11.9
291	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
292	2	F	9.6	9.8	9.8	9.5	10.0	10.5	10.0	9.7	10.5	10.7	10.6	10.7	11.4	10.0	11.4	11.0	10.7	10.6	11.9
293	2	F	9.6	9.8	9.8	9.5	10.0	10.5	10.0	9.7	10.5	10.7	10.6	10.7	11.4	10.0	11.4	11.0	10.7	10.6	11.9
294	2	F	9.6	9.8	9.8	9.5	10.0	10.5	10.0	9.7	10.5	10.7	10.6	10.7	11.4	10.0	11.4	11.0	10.7	10.6	11.9
295	2	F	9.6	9.0	9.7	9.6	10.6	11.2	10.9	10.6	10.9	10.6	10.7	11.0	12.0	11.3	11.3	10.3	11.8	11.5	12.0
296	2	F	9.6	9.0	9.7	9.6	10.6	11.2	10.9	10.6	10.9	10.6	10.7	11.0	12.0	11.3	11.3	10.3	11.8	11.5	12.0
297	2	F	9.6	9.0	9.7	9.6	10.6	11.2	10.9	10.6	10.9	10.6	10.7	11.0	12.0	11.3	11.3	10.3	11.8	11.5	12.0
298	2	F	12.0	10.8	10.9	10.0	11.1	11.3	11.4	11.4	11.8	11.8	12.2	11.1	12.3	13.6	12.9	13.9	13.3	13.7	---
299	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
300	2	F	12.0	10.8	10.9	10.0	11.1	11.3	11.4	11.4	11.8	11.8	12.2	11.1	12.3	13.6	12.9	13.9	13.3	13.7	---
301	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
302	3	M	15.4	17.0	16.1	16.5	16.1	15.8	16.7	16.4	15.9	15.8	17.4	16.1	16.7	16.3	17.3	18.0	18.3	16.9	18.9
303	3	M	15.4	17.0	16.1	16.5	16.1	15.8	16.7	16.4	15.9	15.8	17.4	16.1	16.7	16.3	17.3	18.0	18.3	16.9	18.9
304	3	M	16.9	16.8	16.9	17.3	17.1	16.3	17.1	18.2	16.4	14.6	17.3	17.6	17.9	17.4	16.6	17.4	17.1	16.6	18.4
305	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
306	3	M	16.9	16.8	16.9	17.3	17.1	16.3	17.1	18.2	16.4	14.6	17.3	17.6	17.9	17.4	16.6	17.4	17.1	16.6	18.4
307	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
308	3	M	16.3	17.0	16.3	17.6	17.3	16.0	17.6	16.4	16.8	18.0	16.4	16.5	17.6	16.3	16.5	17.1	14.3	18.1	17.3
309	3	M	16.3	17.0	16.3	17.6	17.3	16.0	17.6	16.4	16.8	18.0	16.4	16.5	17.6	16.3	16.5	17.1	14.3	18.1	17.3
310	3	M	15.9	16.0	15.9	16.4	17.2	16.1	16.4	16.4	17.0	17.1	15.9	---	---	---	---	---	---	---	---
311	3	M	15.9	16.0	15.9	16.4	17.2	16.1	16.4	16.4	17.0	17.1	15.9	16.8	17.9	17.6	16.8	18.3	15.4	16.9	18.8
312	3	M	15.9	16.0	15.9	16.4	17.2	16.1	16.4	16.4	17.0	17.1	15.9	16.8	17.9	17.6	16.8	18.3	15.4	16.9	18.8
313	3	M	15.3	16.0	15.8	15.8	16.3	15.7	17.0	16.5	16.1	15.3	16.0	17.0	17.4	20.6	15.5	13.6	17.6	16.1	11.8
314	3	M	15.3	16.0	15.8	15.8	16.3	15.7	17.0	16.5	16.1	15.3	16.0	17.0	17.4	20.6	15.5	13.6	17.6	16.1	11.8
315	3	M	15.3	16.0	15.8	15.8	16.3	15.7	17.0	16.5	16.1	15.3	16.0	17.0	17.4	20.6	15.5	13.6	17.6	16.1	11.8
316	3	M	15.7	15.4	16.0	16.3	17.4	16.3	16.5	15.3	15.4	17.3	17.8	16.9	---	---	---	---	---	---	---
317	3	M	15.7	15.4	16.0	16.3	17.4	16.3	16.5	15.3	15.4	17.3	17.8	16.9	---	---	---	---	---	---	---
318	3	M	15.7	15.4	16.0	16.3	17.4	16.3	16.5	15.3	15.4	17.3	17.8	16.9	17.6	17.7	19.7	19.6	19.0	16.3	19.6
319	3	M	16.6	16.6	16.5	16.6	16.4	15.5	16.8	16.1	16.0	17.2	16.6	16.6	17.0	19.2	15.9	16.1	11.6	17.5	16.6
320	3	M	16.6	16.6	16.5	16.6	16.4	15.5	16.8	16.1	16.0	17.2	16.6	16.6	17.0	19.2	15.9	16.1	11.6	17.5	16.6

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R G R O U P	S E X	TEST WEEK																		66
			30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	
321	3	M	16.6	16.6	16.5	16.6	16.4	15.5	16.8	16.1	16.0	17.2	16.6	16.6	17.0	19.2	15.9	16.1	11.6	17.5	16.6
322	3	M	17.9	16.8	17.3	17.8	18.0	16.1	18.4	17.1	18.2	17.8	17.4	---	---	---	---	---	---	---	---
323	3	M	17.9	16.8	17.3	17.8	18.0	16.1	18.4	17.1	18.2	17.8	17.4	17.9	19.2	18.6	19.1	18.4	18.7	18.5	18.3
324	3	M	17.9	16.8	17.3	17.8	18.0	16.1	18.4	17.1	18.2	17.8	17.4	17.9	19.2	18.6	19.1	18.4	18.7	18.5	18.3
325	3	M	16.0	14.9	15.5	15.5	16.3	16.4	15.7	16.2	16.5	17.0	16.1	16.8	17.1	17.3	16.0	16.5	17.3	15.6	18.4
326	3	M	16.0	14.9	15.5	15.5	16.3	16.4	15.7	16.2	16.5	17.0	16.1	16.8	17.1	17.3	16.0	16.5	17.3	15.6	18.4
327	3	M	16.0	14.9	15.5	15.5	16.3	16.4	15.7	16.2	16.5	17.0	16.1	16.8	17.1	17.3	16.0	16.5	17.3	15.6	18.4
328	3	M	16.9	17.2	17.4	17.7	17.9	17.9	17.8	17.6	17.8	15.4	7.7	15.9	18.0	18.4	18.7	18.6	17.7	20.1	---
329	3	M	16.9	17.2	17.4	17.7	17.9	17.9	17.8	17.6	17.8	15.4	7.7	---	---	---	---	---	---	---	---
330	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
331	3	M	15.9	16.3	16.9	16.3	17.2	16.6	16.5	15.8	15.8	17.0	15.9	16.8	16.6	20.3	15.9	16.0	15.3	11.0	16.9
332	3	M	15.9	16.3	16.9	16.3	17.2	16.6	16.5	15.8	15.8	17.0	15.9	16.8	16.6	20.3	15.9	16.0	15.3	11.0	---
333	3	M	15.9	16.3	16.9	16.3	17.2	16.6	16.5	15.8	15.8	17.0	15.9	16.8	16.6	20.3	15.9	16.0	15.3	11.0	---
334	3	M	16.0	17.1	17.6	18.3	17.6	17.6	20.0	16.1	18.9	19.4	18.9	19.6	19.9	18.6	20.3	19.6	11.9	19.9	20.3
335	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
336	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
337	3	M	16.0	16.7	16.0	16.2	16.5	16.1	16.4	15.8	15.4	16.5	15.8	16.5	16.2	16.7	16.9	17.4	17.0	13.2	17.0
338	3	M	16.0	16.7	16.0	16.2	16.5	16.1	16.4	15.8	15.4	16.5	15.8	16.5	16.2	16.7	16.9	17.4	17.0	13.2	17.0
339	3	M	16.0	16.7	16.0	16.2	16.5	16.1	16.4	15.8	15.4	16.5	15.8	16.5	16.2	16.7	16.9	17.4	17.0	13.2	17.0
340	3	M	16.1	15.9	16.9	17.2	16.8	15.7	17.1	15.9	15.6	17.1	16.2	16.9	18.1	18.1	18.4	20.0	14.9	19.4	19.4
341	3	M	16.1	15.9	16.9	17.2	16.8	15.7	17.1	15.9	15.6	17.1	16.2	16.9	18.1	18.1	18.4	20.0	14.9	19.4	19.4
342	3	M	16.1	15.9	16.9	17.2	16.8	15.7	17.1	15.9	15.6	17.1	16.2	16.9	18.1	18.1	18.4	20.0	14.9	19.4	19.4
343	3	M	15.7	16.2	15.4	15.2	16.2	15.7	15.9	15.5	15.7	15.7	15.2	15.9	16.6	15.9	16.2	16.5	16.0	15.7	16.6
344	3	M	15.7	16.2	15.4	15.2	16.2	15.7	15.9	15.5	15.7	15.7	15.2	15.9	16.6	15.9	16.2	16.5	16.0	15.7	16.6
345	3	M	15.7	16.2	15.4	15.2	16.2	15.7	15.9	15.5	15.7	15.7	15.2	15.9	16.6	15.9	16.2	16.5	16.0	15.7	16.6
346	3	M	15.8	15.7	16.9	16.8	16.8	16.9	17.5	16.3	17.5	17.3	17.4	15.7	16.4	20.1	15.8	16.5	9.5	17.8	13.0
347	3	M	15.8	15.7	16.9	16.8	16.8	16.9	17.5	16.3	17.5	17.3	17.4	15.7	16.4	20.1	15.8	16.5	9.5	17.8	13.0
348	3	M	15.8	15.7	16.9	16.8	16.8	16.9	17.5	16.3	17.5	17.3	17.4	15.7	16.4	20.1	15.8	16.5	9.5	17.8	13.0
349	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
350	3	M	17.7	17.6	21.1	20.0	20.6	20.4	22.7	20.3	20.9	21.4	20.3	20.7	21.3	19.9	20.6	20.9	19.7	21.1	22.7
351	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
352	3	M	16.0	15.9	15.4	16.6	16.7	16.5	17.1	16.6	16.6	17.0	16.1	17.6	17.2	20.3	16.9	16.5	12.4	19.4	17.8
353	3	M	16.0	15.9	15.4	16.6	16.7	16.5	17.1	16.6	16.6	17.0	16.1	17.6	17.2	20.3	16.9	16.5	12.4	19.4	17.8
354	3	M	16.0	15.9	15.4	16.6	16.7	16.5	17.1	16.6	16.6	17.0	16.1	17.6	17.2	20.3	16.9	16.5	12.4	19.4	17.8
355	3	M	16.7	15.8	16.1	16.2	15.9	16.2	15.7	15.6	15.8	16.0	15.9	17.1	17.2	17.1	17.1	17.6	17.1	16.5	14.1
356	3	M	16.7	15.8	16.1	16.2	15.9	16.2	15.7	15.6	15.8	16.0	15.9	---	---	---	---	---	---	---	---
357	3	M	16.7	15.8	16.1	16.2	15.9	16.2	15.7	15.6	15.8	16.0	15.9	17.1	17.2	17.1	17.1	17.6	17.1	16.5	14.1
358	3	M	16.2	15.8	16.3	16.2	17.0	16.3	17.8	16.1	16.0	17.1	16.5	17.5	17.6	20.7	17.0	14.0	13.4	18.6	18.0
359	3	M	16.2	15.8	16.3	16.2	17.0	16.3	17.8	16.1	16.0	17.1	16.5	17.5	17.6	20.7	17.0	14.0	13.4	18.6	18.0
360	3	M	16.2	15.8	16.3	16.2	17.0	16.3	17.8	16.1	16.0	17.1	16.5	17.5	17.6	20.7	17.0	14.0	13.4	18.6	18.0

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

ANIMAL NUMBER	SEX	TEST WEEK																		
		30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
361	M	14.1	14.6	14.0	15.2	14.9	14.2	15.4	15.0	14.6	14.6	14.8	15.1	16.9	15.5	15.1	16.2	11.9	16.4	17.1
362	M	14.1	14.6	14.0	15.2	14.9	14.2	15.4	15.0	14.6	14.6	14.8	15.1	16.9	15.5	15.1	16.2	11.9	16.4	17.1
363	M	14.1	14.6	14.0	15.2	14.9	14.2	15.4	15.0	14.6	14.6	14.8	15.1	16.9	15.5	15.1	16.2	11.9	16.4	17.1
364	M	15.3	15.9	17.1	17.3	17.0	17.7	17.9	18.3	17.4	18.0	19.3	19.0	18.3	18.1	18.3	20.0	18.6	16.4	18.9
365	M	15.3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
366	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
367	M	16.0	16.9	18.4	18.1	17.4	16.6	18.0	17.1	17.1	16.6	18.2	15.4	18.1	18.7	19.3	20.3	17.6	18.3	20.3
368	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
369	M	16.0	16.9	18.4	18.1	17.4	16.6	18.0	17.1	17.1	16.6	18.2	15.4	---	---	---	---	---	---	---
370	M	16.0	15.7	15.3	16.1	16.4	16.2	16.9	14.4	16.4	17.1	17.0	17.1	---	---	---	---	---	---	---
371	M	16.0	15.7	15.3	16.1	16.4	16.2	16.9	14.4	16.4	17.1	17.0	17.1	17.2	16.4	16.6	16.4	17.1	13.8	17.7
372	M	16.0	15.7	15.3	16.1	16.4	16.2	16.9	14.4	16.4	17.1	17.0	17.1	17.2	16.4	16.6	16.4	17.1	13.8	17.7
373	M	16.9	17.1	16.9	18.0	17.8	17.9	18.6	17.5	17.2	18.1	16.6	15.7	17.9	19.2	15.5	16.4	10.6	15.8	13.3
374	M	16.9	17.1	16.9	18.0	17.8	17.9	18.6	17.5	17.2	18.1	16.6	15.7	17.9	19.2	15.5	16.4	10.6	15.8	13.3
375	M	16.9	17.1	16.9	18.0	17.8	17.9	18.6	17.5	17.2	18.1	16.6	15.7	17.9	19.2	15.5	16.4	10.6	15.8	13.3
376	F	10.0	9.6	9.7	9.9	9.7	9.8	10.2	10.0	10.3	10.4	10.8	10.6	11.2	11.1	11.7	12.6	12.4	7.1	12.9
377	F	10.0	9.6	9.7	9.9	9.7	9.8	10.2	10.0	10.3	10.4	10.8	10.6	11.2	11.1	11.7	12.6	12.4	7.1	12.9
378	F	10.0	9.6	9.7	9.9	9.7	9.8	10.2	10.0	10.3	10.4	10.8	10.6	11.2	11.1	11.7	12.6	12.4	7.1	12.9
379	F	10.5	10.2	9.9	10.1	10.2	10.7	11.1	10.8	11.1	11.6	11.9	11.5	12.5	12.1	12.4	13.4	10.2	12.4	12.7
380	F	10.5	10.2	9.9	10.1	10.2	10.7	11.1	10.8	11.1	11.6	11.9	11.5	12.5	12.1	12.4	13.4	10.2	12.4	12.7
381	F	10.5	10.2	9.9	10.1	10.2	10.7	11.1	10.8	11.1	11.6	11.9	11.5	12.5	12.1	12.4	13.4	10.2	12.4	12.7
382	F	10.5	9.7	10.5	10.5	10.2	10.7	11.6	10.8	11.0	11.4	11.2	11.6	11.7	11.4	12.3	13.0	7.3	9.4	---
383	F	10.5	9.7	10.5	10.5	10.2	10.7	11.6	10.8	11.0	11.4	11.2	11.6	11.7	11.4	12.3	13.0	7.3	9.4	13.3
384	F	10.5	9.7	10.5	10.5	10.2	10.7	11.6	10.8	11.0	11.4	11.2	11.6	11.7	11.4	12.3	13.0	7.3	9.4	13.3
385	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
386	F	10.4	10.5	10.3	11.4	11.6	11.4	12.4	12.2	12.6	12.1	12.1	12.8	11.6	8.7	13.3	15.3	11.7	13.7	14.4
387	F	10.4	10.5	10.3	11.4	11.6	11.4	12.4	12.2	12.6	12.1	12.1	12.8	11.6	8.7	13.3	15.3	11.7	13.7	14.4
388	F	10.4	9.9	10.1	10.7	11.2	11.7	12.1	10.9	10.8	12.3	11.7	11.1	11.6	12.8	12.9	14.0	12.3	13.1	15.4
389	F	10.4	9.9	10.1	10.7	11.2	11.7	12.1	10.9	10.8	12.3	11.7	11.1	11.6	12.8	12.9	14.0	12.3	13.1	15.4
390	F	10.4	9.9	10.1	10.7	11.2	11.7	12.1	10.9	10.8	12.3	11.7	11.1	---	---	---	---	---	---	---
391	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
392	F	12.1	11.0	10.9	10.8	11.0	11.2	11.4	10.8	11.1	11.2	12.3	12.0	---	---	---	---	---	---	---
393	F	12.1	11.0	10.9	10.8	11.0	11.2	11.4	10.8	11.1	11.2	12.3	12.0	---	---	---	---	---	---	---
394	F	9.6	9.5	9.7	9.9	10.2	9.4	10.7	10.6	10.0	10.8	11.1	10.9	10.9	11.3	11.6	12.0	9.0	11.2	12.4
395	F	9.6	9.5	9.7	9.9	10.2	9.4	10.7	10.6	10.0	10.8	11.1	10.9	10.9	11.3	11.6	12.0	9.0	11.2	12.4
396	F	9.6	9.5	9.7	9.9	10.2	9.4	10.7	10.6	10.0	10.8	11.1	10.9	10.9	11.3	11.6	12.0	9.0	11.2	12.4
397	F	10.4	10.2	9.7	9.1	10.0	10.2	10.9	11.0	10.5	10.2	11.0	10.4	11.6	11.2	10.0	11.7	11.5	9.8	12.4
398	F	10.4	10.2	9.7	9.1	10.0	10.2	10.9	11.0	10.5	10.2	11.0	10.4	11.6	11.2	10.0	11.7	11.5	9.8	12.4
399	F	10.4	10.2	9.7	9.1	10.0	10.2	10.9	11.0	10.5	10.2	11.0	10.4	11.6	11.2	10.0	11.7	11.5	9.8	12.4
400	F	9.6	9.9	9.9	10.2	10.8	7.0	12.6	11.2	11.1	11.3	11.2	11.5	12.6	12.3	12.5	13.1	7.4	9.8	13.5

--- = NO AVAILABLE DATA

Table VI.3 (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R A G R O U P	S E X	TEST WEEK														64	66		
			30	32	34	36	38	40	42	44	46	48	50	52	54	56			58	60
401	3	F	9.6	9.9	9.9	10.2	10.8	7.0	12.6	11.2	11.1	11.3	11.2	11.5	12.6	12.3	12.5	13.1	7.4	9.8
402	3	F	9.6	9.9	9.9	10.2	10.8	7.0	12.6	11.2	11.1	11.3	11.2	11.5	12.6	12.3	12.5	13.1	7.4	9.8
403	3	F	9.9	10.5	10.3	11.2	10.5	11.2	11.4	10.3	10.2	12.0	11.5	11.2	12.0	11.6	12.2	13.2	12.7	10.0
404	3	F	9.9	10.5	10.3	11.2	10.5	11.2	11.4	10.3	10.2	12.0	11.5	11.2	12.0	11.6	12.2	13.2	12.7	10.0
405	3	F	9.9	10.5	10.3	11.2	10.5	11.2	11.4	10.3	10.2	12.0	11.5	11.2	12.0	11.6	12.2	13.2	12.7	10.0
406	3	F	10.1	10.6	11.0	11.1	10.9	11.0	12.4	10.9	12.0	11.6	12.6	11.5	11.0	12.7	12.3	11.8	12.5	12.8
407	3	F	10.1	10.6	11.0	11.1	10.9	11.0	12.4	10.9	12.0	11.6	12.6	11.5	11.0	12.7	12.3	11.8	12.5	12.8
408	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
409	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
410	3	F	10.4	10.6	10.6	11.4	11.3	11.8	11.6	11.9	11.4	12.1	12.5	11.9	13.3	13.3	14.3	14.6	13.4	13.6
411	3	F	10.4	10.6	10.6	11.4	11.3	11.8	11.6	11.9	11.4	12.1	12.5	11.9	---	---	---	---	---	---
412	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
413	3	F	11.7	11.0	11.3	11.9	13.9	12.1	12.3	12.6	12.0	12.3	14.1	12.7	13.0	12.1	10.1	13.9	13.7	5.6
414	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
415	3	F	11.2	10.4	10.0	11.0	11.2	11.0	12.0	11.7	11.7	12.3	12.2	11.8	13.1	12.5	12.6	13.0	12.0	12.8
416	3	F	11.2	10.4	10.0	11.0	11.2	11.0	12.0	11.7	11.7	12.3	12.2	11.8	13.1	12.5	12.6	13.0	12.0	12.8
417	3	F	11.2	10.4	10.0	11.0	11.2	11.0	12.0	11.7	11.7	12.3	12.2	11.8	13.1	12.5	12.6	13.0	12.0	12.8
418	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
419	3	F	10.0	9.6	10.6	10.4	10.6	9.6	10.5	11.4	11.1	11.2	11.1	11.1	11.2	11.0	12.1	12.6	10.5	11.7
420	3	F	10.0	9.6	10.6	10.4	10.6	9.6	10.5	11.4	11.1	11.2	11.1	11.1	11.2	11.0	12.1	12.6	10.5	11.7
421	3	F	9.3	10.0	9.6	9.7	9.4	8.9	10.9	10.4	10.2	11.1	11.4	11.0	12.0	10.5	11.0	10.9	12.6	11.3
422	3	F	9.3	10.0	9.6	9.7	9.4	8.9	10.9	10.4	10.2	11.1	11.4	11.0	12.0	10.5	11.0	10.9	12.6	11.3
423	3	F	9.3	10.0	9.6	9.7	9.4	8.9	10.9	10.4	10.2	11.1	11.4	11.0	12.0	10.5	11.0	10.9	12.6	11.3
424	3	F	10.1	10.2	9.8	10.0	10.4	10.0	11.6	10.6	10.9	11.4	11.3	10.3	12.3	11.2	11.7	11.9	11.2	9.8
425	3	F	10.1	10.2	9.8	10.0	10.4	10.0	11.6	10.6	10.9	11.4	11.3	10.3	12.3	11.2	11.7	11.9	11.2	9.8
426	3	F	10.1	10.2	9.8	10.0	10.4	10.0	11.6	10.6	10.9	11.4	11.3	10.3	12.3	11.2	11.7	11.9	11.2	9.8
427	3	F	10.2	9.9	9.9	10.3	10.7	9.8	10.7	10.8	10.6	10.7	11.1	---	---	---	---	---	---	---
428	3	F	10.2	9.9	9.9	10.3	10.7	9.8	10.7	10.8	10.6	10.7	11.1	---	---	---	---	---	---	---
429	3	F	10.2	9.9	9.9	10.3	10.7	9.8	10.7	10.8	10.6	10.7	11.1	12.6	12.9	13.0	13.3	14.9	15.0	11.3
430	3	F	10.0	10.4	10.2	9.4	9.9	10.3	10.4	10.2	9.7	10.1	11.3	11.1	11.1	11.9	11.1	12.3	9.9	11.3
431	3	F	10.0	10.4	10.2	9.4	9.9	10.3	10.4	10.2	9.7	10.1	11.3	11.1	11.1	11.9	11.1	12.3	9.9	11.3
432	3	F	10.0	10.4	10.2	9.4	9.9	10.3	10.4	10.2	9.7	10.1	11.3	---	---	---	---	---	---	---
433	3	F	10.4	10.5	10.0	9.8	10.1	9.5	11.0	10.6	10.1	9.3	11.6	11.6	12.3	11.6	12.1	13.1	11.6	10.1
434	3	F	10.4	10.5	10.0	9.8	10.1	9.5	11.0	10.6	10.1	9.3	11.6	---	---	---	---	---	---	---
435	3	F	10.4	10.5	10.0	9.8	10.1	9.5	11.0	10.6	10.1	9.3	11.6	11.6	12.3	11.6	12.1	13.1	11.6	10.1
436	3	F	10.0	9.3	10.6	11.0	9.9	10.0	11.1	11.0	11.0	11.7	11.3	11.5	13.0	12.1	11.5	11.6	11.6	12.3
437	3	F	10.0	9.3	10.6	11.0	9.9	10.0	11.1	11.0	11.0	11.7	11.3	---	---	---	---	---	---	---
438	3	F	10.0	9.3	10.6	11.0	9.9	10.0	11.1	11.0	11.0	11.7	11.3	11.5	13.0	12.1	11.5	11.6	11.6	12.3
439	3	F	9.9	9.6	10.6	11.1	11.2	10.9	11.5	10.6	11.5	12.3	12.1	12.2	12.4	12.4	12.4	12.6	9.9	12.6
440	3	F	9.9	9.6	10.6	11.1	11.2	10.9	11.5	10.6	11.5	12.3	12.1	12.2	12.4	12.4	12.4	12.6	9.9	12.6

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T R A L R O U P	S E X	TEST WEEK																		
		30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
441	F	10.6	10.3	11.1	9.2	11.5	10.6	11.7	11.6	11.0	11.1	11.2	11.9	11.9	12.0	13.3	12.5	12.7	11.2	13.4
442	F	10.6	10.3	11.1	9.2	11.5	10.6	11.7	11.6	11.0	11.1	11.2	11.9	11.9	12.0	13.3	12.5	12.7	11.2	13.4
443	F	11.2	10.6	10.3	10.1	11.1	10.4	11.4	11.0	11.4	11.6	11.8	11.6	12.5	12.1	12.3	13.8	13.9	11.6	13.4
444	F	11.2	10.6	10.3	10.1	11.1	10.4	11.4	11.0	11.4	11.6	11.8	11.6	12.5	12.1	12.3	13.8	13.9	11.6	13.4
445	F	11.2	10.6	10.3	10.1	11.1	10.4	11.4	11.0	11.4	11.6	11.8	11.6	12.5	12.1	12.3	13.8	13.9	11.6	13.4
446	F	9.7	10.6	11.0	10.4	11.2	10.6	11.9	11.4	11.6	12.4	12.5	11.6	12.7	11.5	12.5	13.6	12.6	12.5	13.1
447	F	9.7	10.6	11.0	10.4	11.2	10.6	11.9	11.4	11.6	12.4	12.5	11.6	12.7	11.5	12.5	13.6	12.6	12.5	13.1
448	F	9.7	10.6	11.0	10.4	11.2	10.6	11.9	11.4	11.6	12.4	12.5	11.6	12.7	11.5	12.5	13.6	12.6	12.5	13.1
449	F	9.7	10.6	11.0	10.4	11.2	10.6	11.9	11.4	11.6	12.4	12.5	11.6	12.7	11.5	12.5	13.6	12.6	12.5	13.1
450	F	16.0	15.8	15.6	15.7	16.9	15.9	16.1	15.9	15.0	16.2	15.8	18.0	18.4	18.0	17.4	17.4	17.3	14.8	19.1
451	M	16.0	15.8	15.6	15.7	16.9	15.9	16.1	15.9	15.0	16.2	15.8	18.0	18.4	18.0	17.4	17.4	17.3	14.8	19.1
452	M	16.0	15.8	15.6	15.7	16.9	15.9	16.1	15.9	15.0	16.2	15.8	18.0	18.4	18.0	17.4	17.4	17.3	14.8	19.1
453	M	15.2	15.1	15.6	15.3	16.2	15.6	15.3	15.8	15.0	16.1	15.7	15.6	16.1	15.8	15.9	16.7	12.0	15.1	16.0
454	M	15.2	15.1	15.6	15.3	16.2	15.6	15.3	15.8	15.0	16.1	15.7	15.6	16.1	15.8	15.9	16.7	12.0	15.1	16.0
455	M	15.2	15.1	15.6	15.3	16.2	15.6	15.3	15.8	15.0	16.1	15.7	15.6	16.1	15.8	15.9	16.7	12.0	15.1	16.0
456	M	15.2	15.1	15.6	15.3	16.2	15.6	15.3	15.8	15.0	16.1	15.7	15.6	16.1	15.8	15.9	16.7	12.0	15.1	16.0
457	M	15.2	14.5	15.0	15.9	16.1	16.3	16.5	15.3	16.4	16.0	16.0	15.3	16.5	16.3	16.3	17.2	9.8	18.1	17.8
458	M	15.2	14.5	15.0	15.9	16.1	16.3	16.5	15.3	16.4	16.0	16.0	15.3	16.5	16.3	16.3	17.2	9.8	18.1	17.8
459	M	15.2	14.5	15.0	15.9	16.1	16.3	16.5	15.3	16.4	16.0	16.0	15.3	16.5	16.3	16.3	17.2	9.8	18.1	17.8
460	M	15.6	15.1	15.9	15.9	16.9	15.5	16.4	16.1	15.8	16.6	16.3	16.7	17.1	16.4	13.2	17.2	14.0	16.1	17.1
461	M	15.6	15.1	15.9	15.9	16.9	15.5	16.4	16.1	15.8	16.6	16.3	16.7	17.1	16.4	13.2	17.2	14.0	16.1	17.1
462	M	16.4	15.8	16.9	17.4	17.7	16.3	16.4	15.8	16.2	16.6	16.4	16.1	16.9	17.1	17.6	19.1	16.9	16.9	18.0
463	M	16.4	15.8	16.9	17.4	17.7	16.3	16.4	15.8	16.2	16.6	16.4	16.1	16.9	17.1	17.6	19.1	16.9	16.9	18.0
464	M	16.4	15.8	16.9	17.4	17.7	16.3	16.4	15.8	16.2	16.6	16.4	16.1	16.9	17.1	17.6	19.1	16.9	16.9	18.0
465	M	16.4	16.0	16.3	16.3	16.2	16.4	17.6	17.2	15.9	17.0	16.4	16.1	18.5	18.4	18.6	15.9	18.9	18.8	20.0
466	M	16.4	16.0	16.3	16.3	16.2	16.4	17.6	17.2	15.9	17.0	16.4	16.1	18.5	18.4	18.6	15.9	18.9	18.8	20.0
467	M	16.4	16.0	16.3	16.3	16.2	16.4	17.6	17.2	15.9	17.0	16.4	16.1	18.5	18.4	18.6	15.9	18.9	18.8	20.0
468	M	16.4	16.0	16.3	16.3	16.2	16.4	17.6	17.2	15.9	17.0	16.4	16.1	18.5	18.4	18.6	15.9	18.9	18.8	20.0
469	M	16.0	15.8	17.0	15.2	16.8	16.0	16.6	15.5	16.2	16.6	16.4	17.4	17.9	16.6	16.9	17.1	17.0	12.7	16.1
470	M	16.0	15.8	17.0	15.2	16.8	16.0	16.6	15.5	16.2	16.6	16.4	17.4	17.9	16.6	16.9	17.1	17.0	12.7	16.1
471	M	16.0	15.8	17.0	15.2	16.8	16.0	16.6	15.5	16.2	16.6	16.4	17.4	17.9	16.6	16.9	17.1	17.0	12.7	16.1
472	M	16.9	17.1	16.8	17.2	17.6	15.8	17.3	18.1	16.9	18.0	17.9	17.4	19.2	18.1	18.7	17.4	17.5	12.5	19.5
473	M	16.9	17.1	16.8	17.2	17.6	15.8	17.3	18.1	16.9	18.0	17.9	17.4	19.2	18.1	18.7	17.4	17.5	12.5	19.5
474	M	16.9	17.1	16.8	17.2	17.6	15.8	17.3	18.1	16.9	18.0	17.9	17.4	19.2	18.1	18.7	17.4	17.5	12.5	19.5
475	M	15.1	16.6	17.2	16.8	17.9	17.5	18.8	16.5	16.9	17.9	16.1	18.0	18.4	17.9	17.4	17.1	14.9	19.5	18.1
476	M	15.1	16.6	17.2	16.8	17.9	17.5	18.8	16.5	16.9	17.9	16.1	18.0	18.4	17.9	17.4	17.1	14.9	19.5	18.1
477	M	15.6	15.5	15.7	16.2	16.2	15.9	16.3	15.6	16.0	15.3	16.7	16.6	16.9	16.3	17.6	17.2	16.8	15.1	18.0
478	M	15.6	15.5	15.7	16.2	16.2	15.9	16.3	15.6	16.0	15.3	16.7	16.6	16.9	16.3	17.6	17.2	16.8	15.1	18.0
479	M	15.6	15.5	15.7	16.2	16.2	15.9	16.3	15.6	16.0	15.3	16.7	16.6	16.9	16.3	17.6	17.2	16.8	15.1	18.0
480	M	15.6	15.5	15.7	16.2	16.2	15.9	16.3	15.6	16.0	15.3	16.7	16.6	16.9	16.3	17.6	17.2	16.8	15.1	18.0

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R A G R O U P	S E X	TEST WEEK																		
			30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
481	4	M	16.9	16.4	16.3	17.0	16.9	15.6	18.0	16.4	16.9	16.6	16.6	---	---	---	---	---	---	---	---
482	4	M	16.9	16.4	16.3	17.0	16.9	15.6	18.0	16.4	16.9	16.6	16.6	17.9	19.3	16.9	17.1	18.1	15.7	18.1	17.8
483	4	M	16.9	16.4	16.3	17.0	16.9	15.6	18.0	16.4	16.9	16.6	16.6	17.9	19.3	16.9	17.1	18.1	15.7	18.1	17.8
484	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
485	4	M	16.5	14.6	15.9	15.9	15.9	15.8	16.6	15.7	15.4	16.6	16.4	17.6	18.2	16.9	17.0	15.8	18.0	16.8	18.4
486	4	M	16.5	14.6	15.9	15.9	15.9	15.8	16.6	15.7	15.4	16.6	16.4	17.6	18.2	16.9	17.0	15.8	18.0	16.8	18.4
487	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
488	4	M	15.6	14.7	16.7	15.7	16.6	16.4	16.8	16.1	15.6	15.7	17.1	18.0	17.2	17.6	17.2	17.2	15.7	17.4	18.2
489	4	M	15.6	14.7	16.7	15.7	16.6	16.4	16.8	16.1	15.6	15.7	17.1	18.0	17.2	17.6	17.2	17.2	15.7	17.4	18.2
490	4	M	17.4	18.0	15.4	17.0	17.2	18.2	17.6	16.7	15.6	18.1	17.9	16.1	18.9	18.3	19.8	20.6	19.6	16.4	19.1
491	4	M	17.4	18.0	15.4	17.0	17.2	18.2	17.6	16.7	15.6	18.1	17.9	16.1	18.9	18.3	19.8	20.6	19.6	16.4	19.1
492	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
493	4	M	16.9	17.6	17.1	17.1	17.1	18.0	17.7	17.0	16.1	17.0	16.6	17.6	17.6	17.9	17.4	17.8	17.0	17.3	17.7
494	4	M	16.9	17.6	17.1	17.1	17.1	18.0	17.7	17.0	16.1	17.0	16.6	17.6	17.6	17.9	17.4	17.8	17.0	17.3	17.7
495	4	M	16.9	17.6	17.1	17.1	17.1	18.0	17.7	17.0	16.1	17.0	16.6	17.6	17.6	17.9	17.4	17.8	17.0	17.3	17.7
496	4	M	16.8	16.9	16.4	16.9	15.5	15.8	16.5	15.0	15.1	15.5	15.3	17.1	---	---	---	---	---	---	---
497	4	M	16.8	16.9	16.4	16.9	15.5	15.8	16.5	15.0	15.1	15.5	15.3	17.1	---	---	---	---	---	---	---
498	4	M	16.8	16.9	16.4	16.9	15.5	15.8	16.5	15.0	15.1	15.5	15.3	17.1	19.4	19.3	21.3	19.9	18.6	16.7	20.0
499	4	M	15.9	16.4	15.3	15.5	15.1	16.5	17.9	16.0	17.0	17.4	17.9	17.0	19.6	19.1	21.0	21.4	18.4	20.7	21.0
500	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
501	4	M	15.9	16.4	15.3	15.5	15.1	16.5	17.9	16.0	17.0	17.4	17.9	17.0	---	---	---	---	---	---	---
502	4	M	15.3	15.7	15.9	16.0	16.6	16.3	16.9	17.0	15.9	16.5	15.6	17.0	17.2	16.7	16.5	16.4	13.5	16.6	17.7
503	4	M	15.3	15.7	15.9	16.0	16.6	16.3	16.9	17.0	15.9	16.5	15.6	17.0	17.2	16.7	16.5	16.4	13.5	16.6	17.7
504	4	M	15.3	15.7	15.9	16.0	16.6	16.3	16.9	17.0	15.9	16.5	15.6	17.0	17.2	16.7	16.5	16.4	13.5	16.6	17.7
505	4	M	18.0	17.0	17.5	17.0	18.2	17.0	18.2	16.5	16.0	17.4	17.1	17.0	18.3	18.2	17.7	17.2	16.6	18.6	16.8
506	4	M	18.0	17.0	17.5	17.0	18.2	17.0	18.2	16.5	16.0	17.4	17.1	17.0	18.3	18.2	17.7	17.2	16.6	18.6	16.8
507	4	M	18.0	17.0	17.5	17.0	18.2	17.0	18.2	16.5	16.0	17.4	17.1	17.0	18.3	18.2	17.7	17.2	16.6	18.6	16.8
508	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
509	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
510	4	M	16.1	16.9	17.9	18.1	19.3	18.7	18.9	17.3	17.1	18.3	18.7	18.6	17.9	18.9	18.4	15.1	18.7	18.4	20.4
511	4	M	17.0	17.6	17.2	17.8	18.0	---	17.6	17.7	16.6	17.1	17.4	17.6	18.7	17.0	17.7	17.4	17.6	14.7	19.6
512	4	M	17.0	17.6	17.2	17.8	18.0	---	17.6	17.7	16.6	17.1	17.4	17.6	18.7	17.0	17.7	17.4	17.6	14.7	19.6
513	4	M	17.0	17.6	17.2	17.8	18.0	---	17.6	17.7	16.6	17.1	17.4	17.6	18.7	17.0	17.7	17.4	17.6	14.7	19.6
514	4	M	17.3	17.0	17.5	17.4	17.7	17.0	17.4	16.3	16.0	16.9	16.7	17.5	19.4	19.9	18.9	20.1	18.6	12.9	20.1
515	4	M	17.3	17.0	17.5	17.4	17.7	17.0	17.4	16.3	16.0	16.9	16.7	17.5	19.4	19.9	18.9	20.1	18.6	12.9	20.1
516	4	M	17.3	17.0	17.5	17.4	17.7	17.0	17.4	16.3	16.0	16.9	16.7	17.5	19.4	19.9	18.9	20.1	18.6	12.9	20.1
517	4	M	16.0	15.8	17.0	16.8	15.9	17.0	17.0	17.1	17.2	16.8	15.4	18.6	17.4	17.1	17.8	16.1	13.5	17.2	18.1
518	4	M	16.0	15.8	17.0	16.8	15.9	17.0	17.0	17.1	17.2	16.8	15.4	18.6	17.4	17.1	17.8	16.1	13.5	17.2	18.1
519	4	M	16.0	15.8	17.0	16.8	15.9	17.0	17.0	17.1	17.2	16.8	15.4	18.6	17.4	17.1	17.8	16.1	13.5	17.2	18.1
520	4	M	16.0	15.8	17.0	16.8	15.9	17.0	17.0	17.1	17.2	16.8	15.4	18.6	17.4	17.1	17.8	16.1	13.5	17.2	18.1

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O .	T R T U P S E X	TEST WEEK																64	66
		30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60		
521	4 M	16.7	16.0	18.4	16.9	17.8	17.4	20.1	17.7	17.1	19.1	18.0	20.1	18.7	18.5	19.8	18.7	18.2	20.8
522	4 M	16.7	16.0	18.4	16.9	17.8	17.4	20.1	17.7	17.1	19.1	18.0	20.1	18.7	18.5	19.8	18.7	18.2	20.8
523	4 M	15.2	15.3	15.2	15.0	15.6	14.8	15.7	14.4	15.2	15.9	15.4	15.8	16.7	16.0	15.1	16.1	16.2	16.4
524	4 M	15.2	15.3	15.2	15.0	15.6	14.8	15.7	14.4	15.2	15.9	15.4	15.8	16.7	16.0	15.1	16.1	16.2	16.4
525	4 M	15.2	15.3	15.2	15.0	15.6	14.8	15.7	14.4	15.2	15.9	15.4	15.8	16.7	16.0	15.1	16.1	16.2	16.4
526	4 F	10.9	10.2	10.4	10.5	10.4	11.0	11.4	11.3	10.7	11.3	11.4	12.1	12.5	12.0	13.2	13.1	12.4	13.9
527	4 F	10.9	10.2	10.4	10.5	10.4	11.0	11.4	11.3	10.7	11.3	11.4	12.1	12.5	12.0	13.2	13.1	12.4	13.9
528	4 F	10.9	10.2	10.4	10.5	10.4	11.0	11.4	11.3	10.7	11.3	11.4	12.1	12.5	12.0	13.2	13.1	12.4	13.9
529	4 F	9.8	10.3	10.2	10.5	10.5	10.1	10.2	10.4	10.7	10.8	10.8	11.3	11.5	11.5	12.0	12.0	11.9	10.8
530	4 F	9.8	10.3	10.2	10.5	10.5	10.1	10.2	10.4	10.7	10.8	10.8	11.3	11.5	11.5	12.0	12.0	11.9	10.8
531	4 F	9.8	10.3	10.2	10.5	10.5	10.1	10.2	10.4	10.7	10.8	10.8	11.3	11.5	11.5	12.0	12.0	11.9	10.8
532	4 F	10.2	10.2	10.2	10.6	11.1	9.6	10.8	11.2	10.2	10.8	11.6	11.4	12.1	11.0	12.4	13.0	12.3	9.0
533	4 F	10.2	10.2	10.2	10.6	11.1	9.6	10.8	11.2	10.2	10.8	11.6	11.4	12.1	11.0	12.4	13.0	12.3	9.0
534	4 F	10.2	10.2	10.2	10.6	11.1	9.6	10.8	11.2	10.2	10.8	11.6	11.4	12.1	11.0	12.4	13.0	12.3	9.0
535	4 F	9.8	9.2	9.5	9.7	10.3	10.1	10.3	10.6	9.9	9.7	11.4	11.8	12.0	11.3	12.7	12.0	12.4	11.7
536	4 F	9.8	9.2	9.5	9.7	10.3	10.1	10.3	10.6	9.9	9.7	11.4	11.8	12.0	11.3	12.7	12.0	12.4	11.7
537	4 F	9.8	9.2	9.5	9.7	10.3	10.1	10.3	10.6	9.9	9.7	11.4	11.8	12.0	11.3	12.7	12.0	12.4	11.7
538	4 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
539	4 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
540	4 F	10.7	10.7	11.4	11.4	11.6	9.7	11.6	11.6	11.3	11.6	13.0	---	---	---	---	---	---	---
541	4 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
542	4 F	10.1	9.9	11.9	11.1	12.1	12.3	12.7	11.9	12.0	12.0	13.0	12.1	13.1	12.9	12.9	12.9	12.3	13.7
543	4 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
544	4 F	9.6	9.5	10.0	9.7	11.0	10.7	11.3	10.7	10.7	11.1	11.0	11.7	---	---	---	---	---	---
545	4 F	9.6	9.5	10.0	9.7	11.0	10.7	11.3	10.7	10.7	11.1	11.0	11.7	11.9	11.7	12.6	12.9	9.4	12.0
546	4 F	9.6	9.5	10.0	9.7	11.0	10.7	11.3	10.7	10.7	11.1	11.0	11.7	11.9	11.7	12.6	12.9	9.4	12.0
547	4 F	10.3	10.4	11.6	10.9	11.8	11.2	12.2	11.7	11.3	12.0	11.9	12.7	12.5	12.8	12.7	13.2	12.6	13.5
548	4 F	10.3	10.4	11.6	10.9	11.8	11.2	12.2	11.7	11.3	12.0	11.9	12.7	12.5	12.8	12.7	13.2	12.6	13.5
549	4 F	10.3	10.4	11.6	10.9	11.8	11.2	12.2	11.7	11.3	12.0	11.9	12.7	12.5	12.8	12.7	13.2	12.6	13.5
550	4 F	9.4	9.7	9.8	10.2	10.1	10.6	11.1	10.0	10.3	11.2	11.0	11.4	12.3	12.0	12.6	13.0	12.2	9.4
551	4 F	9.4	9.7	9.8	10.2	10.1	10.6	11.1	10.0	10.3	11.2	11.0	11.4	12.3	12.0	12.6	13.0	12.2	9.4
552	4 F	9.4	9.7	9.8	10.2	10.1	10.6	11.1	10.0	10.3	11.2	11.0	11.4	12.3	12.0	12.6	13.0	12.2	9.4
553	4 F	11.4	11.9	9.6	11.6	11.7	11.4	11.8	12.2	11.8	11.4	12.0	12.5	13.0	12.9	13.0	14.5	13.3	10.8
554	4 F	11.4	11.9	9.6	11.6	11.7	11.4	11.8	12.2	11.8	11.4	12.0	12.5	13.0	12.9	13.0	14.5	13.3	10.8
555	4 F	11.4	11.9	9.6	11.6	11.7	11.4	11.8	12.2	11.8	11.4	12.0	12.5	13.0	12.9	13.0	14.5	13.3	10.8
556	4 F	10.7	10.6	11.4	11.4	12.1	10.6	10.8	11.9	11.6	11.1	12.0	12.1	13.4	13.5	13.4	14.0	15.1	13.1
557	4 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
558	4 F	10.7	10.6	11.4	11.4	12.1	10.6	10.8	11.9	11.6	11.1	12.0	12.1	13.4	13.5	13.4	14.0	15.1	13.1
559	4 F	10.0	9.7	9.3	9.5	10.3	9.5	9.8	10.4	10.1	9.9	10.0	10.8	11.0	11.7	12.7	13.0	14.1	9.3
560	4 F	10.0	9.7	9.3	9.5	10.3	9.5	9.8	10.4	10.1	9.9	10.0	10.8	11.0	11.7	12.7	13.0	14.1	9.3

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRIAZINE-2,4,6-TRIOL (RDX) IN THE FISHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T I M A L G R O U P	S E X	TEST WEEK																		
		30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
561	F	10.0	9.7	9.3	9.5	10.3	9.5	9.8	10.4	10.1	9.9	10.0	---	---	---	---	---	---	---	---
562	F	10.0	10.2	9.9	10.4	10.1	10.2	10.8	10.6	9.9	10.6	11.2	11.1	11.6	10.8	11.4	12.6	11.6	11.5	12.7
563	F	10.0	10.2	9.9	10.4	10.1	10.2	10.8	10.6	9.9	10.6	11.2	11.1	11.6	10.8	11.4	12.6	11.6	11.5	12.7
564	F	10.0	10.2	9.9	10.4	10.1	10.2	10.8	10.6	9.9	10.6	11.2	11.1	11.6	10.8	11.4	12.6	11.6	11.5	12.7
565	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
566	F	11.1	10.5	10.8	8.3	11.8	10.9	10.6	10.7	10.9	11.1	11.8	11.9	10.1	12.6	12.0	13.6	13.1	11.1	12.9
567	F	11.1	10.5	10.8	8.3	11.8	10.9	10.6	10.7	10.9	11.1	11.8	11.9	10.1	12.6	12.0	13.6	13.1	11.1	12.9
568	F	9.7	9.5	9.6	9.5	10.1	9.2	10.4	10.3	10.6	10.4	10.8	11.1	10.8	11.4	12.0	11.6	11.4	11.0	12.2
569	F	9.7	9.5	9.6	9.5	10.1	9.2	10.4	10.3	10.6	10.4	10.8	11.1	10.8	11.4	12.0	11.6	11.4	11.0	12.2
570	F	9.7	9.5	9.6	9.5	10.1	9.2	10.4	10.3	10.6	10.4	10.8	11.1	10.8	11.4	12.0	11.6	11.4	11.0	12.2
571	F	10.2	10.5	10.6	11.0	11.6	10.4	11.1	10.6	11.1	11.5	12.3	12.9	13.1	12.4	13.9	14.7	13.2	13.8	15.3
572	F	10.2	10.5	10.6	11.0	11.6	10.4	11.1	10.6	11.1	11.5	12.3	12.9	13.1	12.4	13.9	14.7	13.2	13.8	15.3
573	F	10.2	10.5	10.6	11.0	11.6	10.4	11.1	10.6	11.1	11.5	12.3	---	---	---	---	---	---	---	---
574	F	10.7	10.7	10.6	10.0	11.2	11.0	11.0	11.2	10.8	11.0	11.7	12.9	12.2	12.1	12.0	12.9	12.8	11.1	13.2
575	F	10.7	10.7	10.6	10.0	11.2	11.0	11.0	11.2	10.8	11.0	11.7	12.9	12.2	12.1	12.0	12.9	12.8	11.1	13.2
576	F	10.7	10.7	10.6	10.0	11.2	11.0	11.0	11.2	10.8	11.0	11.7	12.9	12.2	12.1	12.0	12.9	12.8	11.1	13.2
577	F	11.2	10.6	10.6	10.2	11.4	10.8	11.3	11.8	10.6	11.7	11.5	11.8	12.6	12.0	12.0	12.0	12.3	13.4	12.9
578	F	11.2	10.6	10.6	10.2	11.4	10.8	11.3	11.8	10.6	11.7	11.5	11.8	12.6	12.0	12.0	12.0	12.3	13.4	12.9
579	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
580	F	10.6	9.9	10.4	10.1	10.9	10.6	11.2	11.0	10.4	11.2	11.3	---	---	---	---	---	---	---	---
581	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
582	F	10.6	9.9	10.4	10.1	10.9	10.6	11.2	11.0	10.4	11.2	11.3	11.3	12.4	12.7	13.3	14.0	13.1	13.1	14.0
583	F	10.6	10.4	9.6	9.7	10.1	9.9	11.4	10.3	10.7	10.6	11.6	11.6	11.7	11.2	11.6	11.8	11.3	11.0	12.3
584	F	10.6	10.4	9.6	9.7	10.1	9.9	11.4	10.3	10.7	10.6	11.6	11.6	11.7	11.2	11.6	11.8	11.3	11.0	12.3
585	F	10.6	10.4	9.6	9.7	10.1	9.9	11.4	10.3	10.7	10.6	11.6	11.6	11.7	11.2	11.6	11.8	11.3	11.0	12.3
586	F	9.9	10.0	9.3	10.3	10.6	9.9	10.0	10.5	10.8	10.1	9.2	10.7	11.1	10.4	10.5	10.4	11.7	11.1	11.6
587	F	9.9	10.0	9.3	10.3	10.6	9.9	10.0	10.5	10.8	10.1	9.2	10.7	11.1	10.4	10.5	10.4	11.7	11.1	11.6
588	F	9.9	10.0	9.3	10.3	10.6	9.9	10.0	10.5	10.8	10.1	9.2	---	---	---	---	---	---	---	---
589	F	10.2	10.1	9.9	9.6	9.9	10.1	10.4	10.2	9.8	11.1	11.0	11.2	10.4	11.4	12.3	12.5	11.7	8.7	11.1
590	F	10.2	10.1	9.9	9.6	9.9	10.1	10.4	10.2	9.8	11.1	11.0	11.2	10.4	11.4	12.3	12.5	11.7	8.7	11.1
591	F	10.2	10.1	9.9	9.6	9.9	10.1	10.4	10.2	9.8	11.1	11.0	11.2	10.4	11.4	12.3	12.5	11.7	8.7	11.1
592	F	10.3	10.2	11.1	10.4	11.1	11.1	11.2	11.4	11.3	11.3	11.6	10.6	11.1	10.9	11.9	12.6	9.6	11.3	12.0
593	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
594	F	10.3	10.2	11.1	10.4	11.1	11.1	11.2	11.4	11.3	11.3	11.6	10.6	---	---	---	---	---	---	---
595	F	10.4	10.2	10.9	10.8	10.8	11.7	12.0	11.8	10.6	11.4	11.5	---	---	---	---	---	---	---	---
596	F	10.4	10.2	10.9	10.8	10.8	11.7	12.0	11.8	10.6	11.4	11.5	11.9	9.5	11.5	9.0	11.1	9.5	---	---
597	F	10.4	10.2	10.9	10.8	10.8	11.7	12.0	11.8	10.6	11.4	11.5	11.9	9.5	11.5	9.0	11.1	9.5	12.3	14.7
598	F	10.4	10.3	11.7	11.4	11.6	10.1	11.7	12.0	11.1	11.0	12.6	11.8	13.1	12.8	12.6	13.4	12.1	13.4	14.3
599	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
600	F	10.4	10.3	11.7	11.4	11.6	10.1	11.7	12.0	11.1	11.0	12.6	11.8	13.1	12.8	12.6	13.4	12.1	13.4	14.3

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R G R O U P	S E X	TEST WEEK																		
			30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
601	5	M	16.2	18.4	16.3	15.4	15.7	18.0	18.7	16.6	15.4	16.7	18.3	14.0	---	---	---	---	---	---	---
602	5	M	16.2	18.4	16.3	15.4	15.7	18.1	18.3	18.6	17.4	17.4	18.3	17.9	19.3	19.0	21.1	19.7	10.0	---	---
603	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
604	5	M	19.3	20.8	17.6	16.9	16.4	29.6	20.3	18.3	---	---	---	---	---	---	---	---	---	---	---
605	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
606	5	M	19.3	20.8	17.6	16.9	16.4	7.7	18.0	16.6	15.4	18.3	16.3	18.9	18.0	16.4	17.4	19.4	6.0	---	---
607	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
608	5	M	22.6	18.9	16.7	18.3	16.3	17.7	17.1	17.9	18.6	16.3	16.7	---	---	---	---	---	---	---	---
609	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
610	5	M	18.4	19.0	14.9	13.4	17.4	11.9	15.9	13.9	15.3	16.6	13.7	16.3	18.0	15.6	16.0	15.1	---	---	---
611	5	M	17.7	13.6	14.6	13.0	16.1	16.1	16.9	16.4	15.6	16.1	17.4	15.1	16.7	17.9	17.9	18.4	16.9	12.9	20.0
612	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
613	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
614	5	M	15.6	19.1	18.3	17.4	17.6	10.7	18.7	16.4	14.6	15.9	16.9	25.0	---	---	---	---	---	---	---
615	5	M	15.6	19.1	18.3	17.4	17.6	15.7	18.6	17.7	---	---	---	---	---	---	---	---	---	---	---
616	5	M	15.3	15.3	14.0	13.1	15.1	19.0	15.4	15.1	14.7	15.1	17.4	---	---	---	---	---	---	---	---
617	5	M	13.9	17.4	15.3	16.0	10.9	15.7	15.9	16.7	14.3	14.3	15.1	15.9	17.1	13.9	16.0	17.6	4.0	---	---
618	5	M	13.0	14.6	13.7	14.7	18.4	16.1	15.4	16.3	12.6	15.1	14.6	16.5	17.7	15.0	14.4	15.4	14.7	17.0	17.0
619	5	M	16.1	16.9	17.3	16.7	16.6	16.6	16.7	17.6	16.7	17.4	16.4	25.0	---	---	---	---	---	---	---
620	5	M	19.3	18.4	15.9	15.9	15.1	15.3	17.0	16.4	15.6	15.4	18.1	17.9	19.4	17.6	16.0	17.7	17.9	15.9	17.1
621	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
622	5	M	19.4	17.5	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
623	5	M	19.4	17.5	15.4	15.3	16.4	17.6	18.0	15.9	16.4	12.3	12.4	13.0	17.1	20.3	12.1	16.1	13.3	16.4	19.1
624	5	M	18.1	17.9	18.0	17.1	16.3	16.3	18.3	17.7	15.0	17.1	16.4	17.7	22.1	18.4	14.7	---	---	---	---
625	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
626	5	M	20.7	19.1	17.1	17.6	16.4	16.4	17.4	15.0	7.4	---	---	---	---	---	---	---	---	---	---
627	5	M	16.0	15.6	17.3	17.0	16.1	17.7	18.1	15.9	17.6	16.1	16.9	17.7	18.4	16.3	14.3	15.4	16.6	14.9	18.1
628	5	M	15.9	16.7	16.7	13.8	16.0	15.9	16.7	17.6	16.0	15.6	14.7	---	---	---	---	---	---	---	---
629	5	M	15.9	16.7	16.7	13.8	16.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---
630	5	M	15.9	16.7	16.7	13.8	16.0	11.4	13.7	13.4	16.0	16.9	16.0	14.7	14.1	14.1	16.0	15.1	13.1	11.9	15.3
631	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
632	5	M	16.9	15.9	16.9	17.3	15.0	18.1	17.4	16.4	10.7	---	---	---	---	---	---	---	---	---	---
633	5	M	16.9	19.0	20.0	19.1	19.1	18.0	21.3	19.1	18.1	18.7	19.4	19.1	20.0	19.3	19.1	16.6	19.6	19.0	22.6
634	5	M	13.6	18.1	16.7	12.6	12.4	17.9	19.0	17.6	16.7	16.1	16.0	17.2	19.7	20.0	16.9	17.7	14.3	16.9	17.6
635	5	M	13.6	18.1	16.7	12.6	12.4	21.1	19.9	17.0	13.9	14.0	17.0	---	---	---	---	---	---	---	---
636	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
637	5	M	21.1	19.3	17.1	16.4	16.3	16.4	16.0	17.7	16.0	15.0	18.3	17.9	18.3	19.6	18.4	19.1	17.4	---	---
638	5	M	17.9	16.3	15.4	15.3	15.4	16.3	18.9	15.9	15.6	15.9	15.4	---	---	---	---	---	---	---	---
639	5	M	17.7	18.9	18.6	17.4	17.3	13.9	15.1	16.4	15.7	14.6	16.4	16.3	17.0	14.6	16.4	16.3	9.3	---	---
640	5	M	18.0	17.7	16.0	18.3	18.0	17.3	19.4	17.1	16.0	16.1	5.3	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO 1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R E A T M E N T G R O U P	S E X	TEST WEEK																66
			30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	
641	5	M	19.9	18.9	14.9	16.9	17.7	---	---	---	---	---	---	---	---	---	---	---	---
642	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
643	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
644	5	M	17.9	17.3	15.9	17.0	16.3	16.9	17.6	15.3	4.9	---	---	---	---	---	---	---	---
645	5	M	19.7	17.7	17.4	17.3	8.3	---	---	---	---	---	---	---	---	---	---	---	---
646	5	M	19.6	19.3	19.4	20.9	20.7	18.3	16.1	19.1	14.7	16.6	16.1	18.3	18.9	17.7	19.4	16.3	16.4
647	5	M	14.7	17.0	16.4	15.0	18.1	17.1	16.4	15.4	17.9	14.9	14.4	16.4	19.6	15.0	15.7	14.7	16.9
648	5	M	18.0	19.6	16.4	13.6	15.9	17.3	14.7	9.1	---	---	---	---	---	---	---	---	---
649	5	M	19.8	16.4	16.1	15.9	18.4	20.1	19.7	19.0	16.7	18.1	17.3	19.1	21.1	18.0	18.3	18.1	19.0
650	5	M	17.6	19.3	18.6	18.6	19.6	18.1	16.9	15.4	15.0	14.4	16.4	17.0	16.9	17.3	18.6	17.3	19.0
651	5	M	19.8	16.4	16.1	15.9	18.4	17.3	19.3	18.7	17.0	19.0	18.3	18.9	19.9	20.0	20.3	19.0	20.7
652	5	M	16.7	17.4	17.0	15.6	18.1	14.7	1.0	---	---	---	---	---	---	---	---	---	---
653	5	M	17.9	18.9	16.7	15.9	16.0	15.9	15.3	15.6	14.9	14.3	14.9	15.3	14.9	17.9	17.0	12.6	4.1
654	5	M	18.0	16.9	15.3	14.4	14.7	15.6	17.6	14.1	15.7	17.3	16.9	17.3	18.6	15.9	16.9	15.6	16.9
655	5	M	17.9	16.9	16.4	16.3	15.4	16.3	17.6	17.3	16.1	15.9	16.6	17.4	18.3	18.0	18.0	17.1	18.4
656	5	M	18.3	17.4	16.9	15.6	15.6	14.7	15.1	15.9	13.3	14.1	14.9	15.4	14.1	12.4	11.7	11.9	14.4
657	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
658	5	M	17.1	17.9	15.4	15.0	16.7	14.3	15.1	15.4	14.3	11.0	15.9	16.7	10.6	6.0	---	---	---
659	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
660	5	M	15.0	19.1	16.3	9.7	14.4	18.9	18.6	15.7	15.0	15.1	18.3	18.3	18.0	16.7	16.0	16.1	20.3
661	5	M	19.1	20.3	16.9	14.1	13.9	19.0	19.1	18.0	18.4	16.6	16.4	---	---	---	---	---	---
662	5	M	18.7	19.6	17.9	15.7	16.0	16.7	18.3	17.3	16.9	13.6	15.9	14.0	13.7	7.6	17.7	17.6	15.3
663	5	M	17.0	16.3	17.6	13.6	14.3	16.0	5.3	---	---	---	---	---	---	---	---	---	---
664	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
665	5	M	18.1	18.1	16.1	16.0	17.4	18.4	17.4	16.6	16.4	15.0	17.6	17.3	18.0	15.9	15.7	16.9	17.3
666	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
667	5	M	20.1	17.6	15.3	16.4	16.3	17.3	17.4	16.6	14.3	15.0	16.3	17.0	17.0	17.3	15.7	16.3	16.6
668	5	M	19.4	19.1	19.0	16.3	16.9	18.6	18.0	13.9	17.4	---	---	---	---	---	---	---	---
669	5	M	20.1	17.6	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
670	5	M	18.3	17.6	16.9	14.1	17.0	18.0	14.4	14.0	13.6	14.1	14.9	16.4	16.6	15.3	14.3	17.1	16.6
671	5	M	19.6	19.4	18.1	17.7	16.7	15.9	15.4	15.1	16.0	16.7	16.4	---	---	---	---	---	---
672	5	M	19.1	18.4	16.3	15.6	15.4	15.0	15.1	17.4	15.0	17.4	16.1	17.9	16.3	20.7	20.7	16.1	19.1
673	5	M	13.4	19.2	17.2	17.9	15.5	18.1	20.0	17.9	16.1	18.3	18.0	17.7	19.3	16.7	19.1	17.4	18.6
674	5	M	13.4	19.2	17.2	17.9	15.5	17.7	18.6	18.0	16.7	18.7	---	---	---	---	---	---	---
675	5	M	13.4	19.2	17.2	17.9	15.5	15.9	18.3	15.1	15.3	15.9	17.1	24.0	---	---	---	---	---
676	5	F	10.1	11.5	8.9	9.2	9.0	9.9	10.5	10.0	10.6	10.0	10.3	11.6	10.6	11.4	11.3	12.1	12.2
677	5	F	10.1	11.5	8.9	9.2	9.0	9.9	10.5	10.0	10.6	10.0	10.3	11.6	10.6	11.4	11.3	12.1	12.2
678	5	F	10.1	11.5	8.9	9.2	9.0	9.9	10.5	10.0	10.6	10.0	10.3	11.6	10.6	11.4	11.3	12.1	12.2
679	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
680	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R A G R O U P	S E X	TEST WEEK																		
			30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
681	5	F	13.1	14.1	12.3	11.9	11.0	9.6	13.7	13.0	13.0	12.3	---	13.4	16.1	14.9	15.0	16.6	13.9	16.3	16.7
682	5	F	12.3	12.6	12.7	9.9	12.9	12.4	12.4	11.5	11.9	12.4	12.5	14.6	13.3	12.0	14.7	16.6	13.7	12.3	16.4
683	5	F	12.3	12.6	12.7	9.9	12.9	12.4	12.4	11.5	11.9	12.4	12.5	---	---	---	---	---	---	---	---
684	5	F	12.3	12.6	12.7	9.9	12.9	12.4	12.4	11.5	11.9	12.4	12.5	---	---	---	---	---	---	---	---
685	5	F	10.1	11.3	10.2	10.9	11.8	11.4	12.0	12.6	11.1	11.5	12.0	13.1	14.5	12.2	13.8	13.1	11.7	13.0	13.3
686	5	F	10.1	11.3	10.2	10.9	11.8	11.4	12.0	12.6	11.1	11.5	12.0	13.1	14.5	12.2	13.8	13.1	11.7	13.0	13.3
687	5	F	10.1	11.3	10.2	10.9	11.8	11.4	12.0	12.6	11.1	11.5	12.0	13.1	14.5	12.2	13.8	13.1	11.7	13.0	13.3
688	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
689	5	F	10.3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
690	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
691	5	F	10.2	12.2	13.1	14.5	12.0	13.1	13.8	14.1	12.4	12.9	12.5	14.4	14.5	13.3	13.5	13.7	12.0	12.9	13.6
692	5	F	10.2	12.2	13.1	14.5	12.0	13.1	13.8	14.1	12.4	12.9	12.5	14.4	14.5	13.3	13.5	13.7	12.0	12.9	13.6
693	5	F	10.2	12.2	13.1	14.5	12.0	13.1	13.8	14.1	12.4	12.9	12.5	14.4	14.5	13.3	13.5	13.7	12.0	12.9	13.6
694	5	F	10.8	11.4	10.8	11.1	11.6	12.9	13.3	13.4	11.0	11.4	13.6	---	---	---	---	---	---	---	---
695	5	F	10.8	11.4	10.8	11.1	11.6	12.9	13.3	13.4	11.0	11.4	13.6	10.7	13.0	14.4	14.3	12.7	14.0	11.4	15.6
696	5	F	10.8	11.4	10.8	11.1	11.6	12.9	13.3	13.4	11.0	11.4	13.6	---	---	---	---	---	---	---	---
697	5	F	12.4	10.8	10.0	10.0	10.7	10.6	13.5	12.7	11.0	12.2	12.5	13.9	12.9	14.2	11.2	12.9	11.3	9.0	14.7
698	5	F	12.4	10.8	10.0	10.0	10.7	10.6	13.5	12.7	11.0	12.2	12.5	13.9	12.9	14.2	11.2	12.9	11.3	9.0	14.7
699	5	F	12.4	10.8	10.0	10.0	10.7	10.6	13.5	12.7	11.0	12.2	12.5	13.9	12.9	14.2	11.2	12.9	11.3	9.0	14.7
700	5	F	12.1	13.4	14.0	12.0	11.3	12.7	12.7	13.3	11.4	11.7	12.9	13.3	---	---	---	---	---	---	---
701	5	F	12.1	13.4	14.0	12.0	11.3	12.7	12.7	13.3	11.4	11.7	12.9	13.3	13.2	13.6	13.6	14.5	12.7	13.3	14.5
702	5	F	12.1	13.4	14.0	12.0	11.3	12.7	12.7	13.3	11.4	11.7	12.9	13.3	13.2	13.6	13.6	14.5	12.7	13.3	14.5
703	5	F	11.0	12.8	13.0	12.6	12.2	13.0	14.0	11.7	12.3	13.6	13.0	14.5	13.4	14.4	13.5	14.1	9.8	14.5	15.2
704	5	F	11.0	12.8	13.0	12.6	12.2	13.0	14.0	11.7	12.3	13.6	13.0	14.5	13.4	14.4	13.5	14.1	9.8	14.5	15.2
705	5	F	11.0	12.8	13.0	12.6	12.2	13.0	14.0	11.7	12.3	13.6	13.0	14.5	13.4	14.4	13.5	14.1	9.8	14.5	15.2
706	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
707	5	F	11.2	11.6	12.2	13.1	12.7	14.5	14.1	12.7	12.1	12.6	13.0	12.9	14.4	14.2	13.1	14.3	12.1	13.9	14.9
708	5	F	11.2	11.6	12.2	13.1	12.7	14.5	14.1	12.7	12.1	12.6	13.0	12.9	14.4	14.2	13.1	14.3	12.1	13.9	14.9
709	5	F	13.0	10.8	10.2	9.7	9.9	12.4	13.9	11.9	12.4	12.4	14.3	13.8	14.9	13.6	12.3	8.1	13.8	9.9	13.5
710	5	F	13.0	10.8	10.2	9.7	9.9	12.4	13.9	11.9	12.4	12.4	14.3	13.8	14.9	13.6	12.3	8.1	13.8	9.9	13.5
711	5	F	13.0	10.8	10.2	9.7	9.9	12.4	13.9	11.9	12.4	12.4	14.3	13.8	14.9	13.6	12.3	8.1	13.8	9.9	13.5
712	5	F	11.5	13.4	13.9	11.1	14.2	13.8	14.1	12.9	13.4	13.0	13.6	13.4	16.3	16.7	15.4	16.1	18.3	15.0	19.4
713	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
714	5	F	11.5	13.4	13.9	11.1	14.2	13.8	14.1	12.9	13.4	13.0	13.6	---	---	---	---	---	---	---	---
715	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
716	5	F	11.1	12.6	12.9	14.4	12.9	10.3	15.0	14.1	13.3	12.7	13.6	13.6	13.6	14.1	13.6	14.1	12.6	11.6	15.8
717	5	F	11.1	12.6	12.9	14.4	12.9	10.3	15.0	14.1	13.3	12.7	13.6	13.6	13.6	14.1	13.6	14.1	12.6	11.6	15.8
718	5	F	10.5	10.8	11.4	11.9	12.0	12.5	9.9	14.1	12.7	13.1	13.3	16.0	---	---	---	---	---	---	---
719	5	F	10.5	10.8	11.4	11.9	12.0	12.5	9.9	14.1	12.7	13.1	13.3	---	---	---	---	---	---	---	---
720	5	F	10.5	10.8	11.4	11.9	12.0	12.5	9.9	14.1	12.7	13.1	13.3	16.0	15.7	15.1	14.1	14.7	13.7	12.9	14.6

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R E A T M E N T G R O U P	S E X	TEST WEEK																		
			30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
721	5	F	12.1	13.4	11.9	11.2	11.1	12.9	12.5	12.6	13.0	13.6	13.6	8.9	15.9	15.2	14.6	14.9	14.6	14.9	17.3
722	5	F	12.1	13.4	11.9	11.2	11.1	12.9	12.5	12.6	13.0	13.6	13.6	8.9	15.9	15.2	14.6	14.9	14.6	14.9	17.3
723	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
724	5	F	11.5	11.3	13.3	12.6	11.4	11.6	11.7	11.4	11.4	12.1	13.0	14.3	14.5	15.1	14.6	14.4	9.9	10.6	14.3
725	5	F	11.5	11.3	13.3	12.6	11.4	11.6	11.7	11.4	11.4	12.1	13.0	14.3	14.5	15.1	14.6	14.4	9.9	10.6	14.3
726	5	F	11.5	11.3	13.3	12.6	11.4	11.6	11.7	11.4	11.4	12.1	13.0	14.3	14.5	15.1	14.6	14.4	9.9	10.6	14.3
727	5	F	11.0	13.1	13.2	14.0	12.3	12.8	13.9	13.9	13.0	13.0	13.3	13.4	13.2	13.4	12.9	12.5	---	---	---
728	5	F	11.0	13.1	13.2	14.0	12.3	12.8	13.9	13.9	13.0	13.0	13.3	13.4	13.2	13.4	12.9	12.5	11.6	11.1	14.8
729	5	F	11.0	13.1	13.2	14.0	12.3	12.8	13.9	13.9	13.0	13.0	13.3	13.4	13.2	13.4	12.9	12.5	11.6	11.1	14.8
730	5	F	11.0	12.0	11.9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
731	5	F	11.0	12.0	11.9	11.9	10.7	12.9	13.4	13.0	12.5	12.8	13.3	---	---	---	---	---	---	---	---
732	5	F	11.0	12.0	11.9	11.9	10.7	12.9	13.4	13.0	12.5	12.8	13.3	13.8	12.4	13.4	13.9	14.3	15.6	13.9	17.1
733	5	F	13.9	22.9	14.0	12.6	13.9	14.0	13.1	13.1	15.4	12.0	14.0	13.5	13.4	14.0	14.9	11.2	10.6	13.6	13.8
734	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
735	5	F	13.9	22.9	14.0	12.6	13.9	14.0	13.1	13.1	15.4	12.0	14.0	13.5	13.4	14.0	14.9	11.2	10.6	13.6	13.8
736	5	F	10.3	9.9	10.4	9.9	10.2	11.4	12.6	11.6	11.5	11.4	11.2	11.7	12.4	13.4	12.0	11.8	12.7	10.1	13.0
737	5	F	10.3	9.9	10.4	9.9	10.2	11.4	12.6	11.6	11.5	11.4	11.2	11.7	12.4	13.4	12.0	11.8	12.7	10.1	13.0
738	5	F	10.3	9.9	10.4	9.9	10.2	11.4	12.6	11.6	11.5	11.4	11.2	11.7	12.4	13.4	12.0	11.8	12.7	10.1	13.0
739	5	F	9.2	12.4	13.6	11.0	12.1	11.8	12.0	14.3	12.0	14.1	13.9	14.3	14.4	13.7	14.0	16.0	11.1	13.4	15.0
740	5	F	9.2	12.4	13.6	11.0	12.1	11.8	12.0	---	---	---	---	---	---	---	---	---	---	---	---
741	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
742	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
743	5	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
744	5	F	11.5	11.1	12.6	8.9	11.2	---	---	---	---	---	---	---	---	---	---	---	---	---	---
745	5	F	11.5	11.1	12.6	8.9	11.2	12.7	15.6	14.3	12.6	13.7	13.4	13.9	16.0	15.0	12.1	13.4	14.4	14.9	14.0
746	5	F	11.8	11.2	11.5	11.4	12.6	11.6	11.5	12.3	12.4	11.8	12.2	12.8	13.3	13.0	12.7	13.1	13.0	11.1	13.7
747	5	F	11.8	11.2	11.5	11.4	12.6	11.6	11.5	12.3	12.4	11.8	12.2	12.8	13.3	13.0	12.7	13.1	13.0	11.1	13.7
748	5	F	12.4	11.0	11.3	11.0	10.1	9.3	13.9	12.6	11.7	11.6	12.3	12.5	10.7	---	---	---	---	---	---
749	5	F	12.4	11.0	11.3	11.0	10.1	9.3	13.9	12.6	11.7	11.6	12.3	12.5	10.7	14.1	15.1	12.5	14.3	8.7	13.9
750	5	F	12.4	11.0	11.3	11.0	10.1	9.3	13.9	12.6	11.7	11.6	12.3	12.5	10.7	14.1	15.1	12.5	14.3	8.7	13.9

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O D O P S	T R G R S E X	TEST WEEK																	104
		68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	100	
1	M	16.1	17.0	18.0	19.7	18.6	18.7	18.4	16.4	16.7	17.1	16.0	13.1	13.9	10.6	---	---	---	---
2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
4	M	16.0	16.6	16.0	16.7	16.3	15.6	15.4	15.5	14.5	14.6	14.3	15.2	15.3	15.0	13.6	13.3	---	---
5	M	16.0	16.6	16.0	16.7	16.3	15.6	15.4	15.5	14.5	14.6	14.3	15.2	15.3	15.0	13.6	13.3	15.2	15.0
6	M	16.0	16.6	16.0	16.7	16.3	15.6	15.4	15.5	14.5	14.6	14.3	15.2	15.3	15.0	13.6	13.3	15.2	15.0
7	M	17.1	18.1	17.2	17.3	16.1	16.2	16.6	15.5	15.7	15.1	15.1	12.9	3.7	---	---	---	---	---
8	M	17.1	18.1	17.2	17.3	16.1	16.2	16.6	15.5	15.7	15.1	15.1	12.9	3.7	---	---	---	---	---
9	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
10	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
11	M	18.4	18.0	17.1	17.9	16.1	15.6	16.4	17.1	15.1	16.0	17.2	14.0	16.8	15.1	12.1	12.2	13.6	14.7
12	M	18.4	18.0	17.1	17.9	16.1	15.6	16.4	17.1	15.1	16.0	17.2	14.0	16.8	15.1	12.1	12.2	13.6	14.7
13	M	16.3	16.5	16.2	15.8	15.1	15.2	15.5	15.9	15.0	13.9	14.7	14.6	14.7	13.3	13.3	13.2	13.7	13.7
14	M	16.3	16.5	16.2	15.8	15.1	15.2	15.5	15.9	15.0	13.9	14.7	14.6	14.7	13.3	13.3	13.2	13.7	13.7
15	M	16.3	16.5	16.2	15.8	15.1	15.2	15.5	15.9	15.0	13.9	14.7	14.6	14.7	13.3	13.3	13.2	13.7	13.7
16	M	16.0	17.1	16.5	17.1	15.9	15.1	15.6	15.9	14.9	15.1	15.9	15.4	16.1	15.4	15.9	16.1	15.4	16.6
17	M	16.0	17.1	16.5	17.1	15.9	15.1	15.6	15.9	14.9	15.1	15.9	15.4	16.1	15.4	15.9	16.1	15.4	16.6
18	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
19	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
20	M	20.7	21.7	20.7	22.0	18.7	18.6	19.7	20.1	19.3	20.3	20.7	20.1	21.4	20.4	20.6	21.1	21.7	22.3
21	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
22	M	17.7	18.6	17.7	19.1	16.4	16.3	17.6	16.1	16.4	14.9	17.6	15.7	17.9	16.4	16.6	15.9	17.4	18.6
23	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
24	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
25	M	17.2	17.7	16.5	17.3	15.3	15.8	15.9	15.0	15.2	15.0	15.0	13.5	14.6	14.7	11.4	9.9	15.3	15.8
26	M	17.2	17.7	16.5	17.3	15.3	15.8	15.9	15.0	15.2	15.0	15.0	13.5	14.6	14.7	11.4	9.9	15.3	15.8
27	M	17.2	17.7	16.5	17.3	15.3	15.8	15.9	15.0	15.2	15.0	15.0	13.5	14.6	14.7	11.4	9.9	15.3	15.8
28	M	18.1	17.7	17.0	17.3	17.1	15.6	16.4	16.8	15.3	12.8	14.0	14.9	15.1	15.0	12.7	6.7	9.0	5.5
29	M	18.1	17.7	17.0	17.3	17.1	15.6	16.4	16.8	15.3	12.8	14.0	14.9	15.1	15.0	12.7	6.7	9.0	5.5
30	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
31	M	17.9	17.7	16.9	17.2	17.4	16.3	15.1	16.7	17.1	15.8	16.6	16.1	16.7	15.6	14.4	14.5	13.9	12.4
32	M	17.9	17.7	16.9	17.2	17.4	16.3	15.1	16.7	17.1	15.8	16.6	16.1	16.7	15.6	14.4	14.5	13.9	12.4
33	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
34	M	19.3	16.2	17.9	18.0	16.6	15.9	16.9	16.9	15.9	16.4	16.7	16.7	16.9	16.6	16.4	16.9	17.9	18.5
35	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
36	M	19.3	16.2	17.9	18.0	16.6	15.9	16.9	16.9	15.9	16.4	16.7	16.7	16.9	16.6	16.4	16.9	17.9	18.5
37	M	20.1	19.3	19.2	18.8	17.2	17.6	18.4	18.4	17.6	17.4	16.7	18.1	19.4	18.1	17.6	17.8	18.4	18.8
38	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
39	M	20.1	19.3	19.2	18.8	17.2	17.6	18.4	18.4	17.6	17.4	16.7	18.1	19.4	18.1	17.6	17.8	18.4	18.8
40	M	16.2	16.4	16.0	15.9	13.9	12.9	13.0	11.4	12.4	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T R A L R O U P	S E X	TEST WEEK																104		
		68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98		100	102
41	M	16.2	16.4	16.0	15.9	13.9	12.9	13.0	11.4	12.4	14.7	15.1	13.5	---	---	---	---	---	---	---
42	M	16.2	16.4	16.0	15.9	13.9	12.9	13.0	11.4	12.4	14.7	15.1	13.5	14.0	16.0	15.1	8.0	5.6	5.9	---
43	M	14.8	16.5	15.2	15.9	15.6	13.5	14.8	15.2	14.1	13.9	14.1	14.7	14.8	14.6	14.6	15.9	16.2	15.3	15.0
44	M	14.8	16.5	15.2	15.9	15.6	13.5	14.8	15.2	14.1	13.9	14.1	14.7	14.8	14.6	14.6	15.9	16.2	15.3	15.0
45	M	14.8	16.5	15.2	15.9	15.6	13.5	14.8	15.2	14.1	13.9	14.1	14.7	14.8	14.6	14.6	15.9	16.2	15.3	15.0
46	M	17.0	17.3	17.3	16.3	16.1	16.0	16.9	16.5	14.8	15.1	16.1	15.6	17.0	16.4	15.7	15.4	16.1	16.1	14.4
47	M	17.0	17.3	17.3	16.3	16.1	16.0	16.9	16.5	14.8	15.1	16.1	15.6	17.0	16.4	15.7	15.4	16.1	16.1	14.4
48	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
49	M	17.7	17.1	16.4	16.4	17.1	16.7	17.1	15.4	16.0	15.9	16.5	15.5	16.4	16.4	14.6	15.2	14.3	8.5	12.4
50	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
51	M	17.7	17.1	16.4	16.4	17.1	16.7	17.1	15.4	16.0	15.9	16.5	15.5	16.4	16.4	14.6	15.2	14.3	8.5	12.4
52	M	17.0	16.6	15.9	15.9	15.5	15.7	15.6	15.1	13.9	13.9	14.7	13.1	12.2	13.6	13.5	15.6	15.6	16.2	16.2
53	M	17.0	16.6	15.9	15.9	15.5	15.7	15.6	15.1	13.9	13.9	14.7	13.1	12.2	13.6	13.5	---	---	---	---
54	M	17.0	16.6	15.9	15.9	15.5	15.7	15.6	15.1	13.9	13.9	14.7	13.1	12.2	13.6	13.5	---	---	---	---
55	M	16.2	16.3	16.4	16.5	15.4	15.8	16.1	15.0	14.6	13.5	11.0	12.1	---	---	---	---	---	---	---
56	M	16.2	16.3	16.4	16.5	15.4	15.8	16.1	15.0	14.6	13.5	11.0	12.1	11.6	15.1	17.6	18.0	17.3	18.6	19.6
57	M	16.2	16.3	16.4	16.5	15.4	15.8	16.1	15.0	14.6	13.5	11.0	12.1	13.9	14.2	14.3	14.5	15.1	15.0	12.9
58	M	16.0	16.7	15.9	16.6	15.0	12.4	15.4	15.3	14.8	13.8	13.9	14.3	13.9	14.2	14.3	14.5	15.1	15.0	12.9
59	M	16.0	16.7	15.9	16.6	15.0	12.4	15.4	15.3	14.8	13.8	13.8	13.9	14.3	14.2	14.3	14.5	15.1	15.0	12.9
60	M	16.0	16.7	15.9	16.6	15.0	12.4	15.4	15.3	14.8	13.8	13.8	---	---	---	---	---	---	---	---
61	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
62	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
63	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
64	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
65	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
66	M	18.7	18.6	17.7	19.1	17.4	16.6	17.9	16.0	16.1	15.3	16.4	16.3	17.0	16.9	16.6	17.3	16.9	17.3	17.0
67	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
68	M	18.6	18.0	17.9	17.8	16.0	16.7	17.5	17.4	16.3	16.6	16.9	16.9	17.1	17.1	10.9	14.2	---	---	---
69	M	18.6	18.0	17.9	17.8	16.0	16.7	17.5	17.4	16.3	16.6	16.9	16.9	17.1	17.1	10.9	14.2	17.0	16.7	17.9
70	M	16.4	16.6	15.7	16.7	16.4	15.2	15.7	14.9	12.7	14.6	15.7	14.0	14.9	16.5	15.3	16.8	15.4	14.8	14.9
71	M	16.4	16.6	15.7	16.7	16.4	15.2	15.7	14.9	12.7	14.6	15.7	14.0	14.9	16.5	15.3	16.8	15.4	14.8	14.9
72	M	16.4	16.6	15.7	16.7	16.4	15.2	15.7	14.9	12.7	14.6	15.7	14.0	14.9	16.5	15.3	16.8	15.4	14.8	14.9
73	M	16.6	16.7	16.4	16.7	16.3	14.9	15.2	13.9	14.1	14.4	15.6	14.8	14.9	15.0	14.5	15.0	14.7	13.5	13.5
74	M	16.6	16.7	16.4	16.7	16.3	14.9	15.2	13.9	14.1	14.4	15.6	14.8	14.9	15.0	14.5	15.0	14.7	13.5	13.5
75	M	16.6	16.7	16.4	16.7	16.3	14.9	15.2	13.9	14.1	14.4	15.6	14.8	14.9	15.0	14.5	15.0	14.7	13.5	13.5
76	F	13.2	13.2	12.4	12.9	11.6	12.3	12.5	13.0	11.9	11.4	12.6	13.4	13.1	12.6	12.6	11.5	13.0	13.1	12.1
77	F	13.2	13.2	12.4	12.9	11.6	12.3	12.5	13.0	11.9	11.4	12.6	13.4	13.1	12.6	12.6	11.5	13.0	13.1	12.1
78	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
79	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
80	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O P	T R E A T M E N T G R O U P	S E X	TEST WEEK																104		
			68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98		100	102
81	1	F	10.6	12.0	11.4	11.5	11.4	11.6	11.8	11.6	10.9	11.4	11.4	12.4	12.2	10.8	11.3	11.0	9.7	---	---
82	1	F	10.6	12.0	11.4	11.5	11.4	11.6	11.8	11.6	10.9	11.4	11.4	12.4	12.2	10.8	11.3	11.0	9.7	11.4	11.4
83	1	F	10.6	12.0	11.4	11.5	11.4	11.6	11.8	11.6	10.9	11.4	11.4	12.4	12.2	10.8	11.3	11.0	9.7	11.4	11.4
84	1	F	13.0	13.6	12.9	12.9	12.3	12.7	13.6	14.4	12.1	12.7	11.3	13.8	13.8	12.4	13.1	13.5	10.9	14.3	13.4
85	1	F	13.0	13.6	12.9	12.9	12.3	12.7	13.6	14.4	12.1	12.7	11.3	13.8	13.8	12.4	13.1	13.5	10.9	14.3	13.4
86	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
87	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
88	1	F	14.2	13.8	14.0	13.3	13.2	13.4	14.2	13.6	12.7	12.6	13.8	13.7	14.1	14.4	14.5	14.4	13.9	10.7	12.1
89	1	F	14.2	13.8	14.0	13.3	13.2	13.4	14.2	13.6	12.7	12.6	13.8	13.7	14.1	14.4	14.5	14.4	13.9	10.7	12.1
90	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
91	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
92	1	F	11.9	13.0	12.9	12.9	12.1	10.2	11.0	12.7	12.0	12.9	13.0	12.1	12.4	11.4	11.3	11.7	11.1	12.1	13.7
93	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
94	1	F	12.4	8.5	11.7	11.6	11.4	8.5	13.3	12.0	10.8	11.5	11.7	12.3	12.6	11.5	12.6	12.6	12.6	13.0	12.8
95	1	F	12.4	8.5	11.7	11.6	11.4	8.5	13.3	12.0	10.8	11.5	11.7	12.3	12.6	11.5	12.6	12.6	12.6	13.0	12.8
96	1	F	12.4	8.5	11.7	11.6	11.4	8.5	13.3	12.0	10.8	11.5	11.7	12.3	12.6	11.5	12.6	12.6	12.6	13.0	12.8
97	1	F	12.0	8.9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
98	1	F	12.0	8.9	12.9	14.1	12.9	12.7	13.3	8.7	12.9	13.6	15.6	11.3	19.3	20.0	9.9	---	---	---	---
99	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
100	1	F	13.4	13.5	12.8	12.7	11.9	13.0	13.9	13.2	11.5	12.5	13.7	12.3	13.3	12.4	12.6	12.7	13.0	13.9	13.0
101	1	F	13.4	13.5	12.8	12.7	11.9	13.0	13.9	13.2	11.5	12.5	13.7	12.3	13.3	12.4	12.6	12.7	13.0	13.9	13.0
102	1	F	13.4	13.5	12.8	12.7	11.9	13.0	13.9	13.2	11.5	12.5	13.7	12.3	13.3	12.4	12.6	12.7	13.0	13.9	13.0
103	1	F	12.2	12.1	11.1	12.0	12.0	12.1	12.3	11.9	11.1	12.0	12.7	12.3	13.5	12.2	12.7	12.6	13.1	13.1	12.4
104	1	F	12.2	12.1	11.1	12.0	12.0	12.1	12.3	11.9	11.1	12.0	12.7	12.3	13.5	12.2	12.7	12.6	13.1	13.1	12.4
105	1	F	12.2	12.1	11.1	12.0	12.0	12.1	12.3	11.9	11.1	12.0	12.7	12.3	13.5	12.2	12.7	12.6	13.1	13.1	12.4
106	1	F	12.8	13.0	12.6	11.7	11.2	11.6	12.1	12.1	11.3	12.2	11.6	13.2	12.8	12.7	12.8	13.0	12.9	10.5	9.8
107	1	F	12.8	13.0	12.6	11.7	11.2	11.6	12.1	12.1	11.3	12.2	11.6	13.2	12.8	12.7	12.8	13.0	12.9	10.5	9.8
108	1	F	12.8	13.0	12.6	11.7	11.2	11.6	12.1	12.1	11.3	12.2	11.6	13.2	12.8	12.7	12.8	13.0	12.9	10.5	9.8
109	1	F	13.1	12.7	11.9	12.4	12.4	13.5	13.9	12.3	11.4	9.5	7.3	11.6	12.1	11.9	10.4	11.0	12.0	13.6	15.7
110	1	F	13.1	12.7	11.9	12.4	12.4	13.5	13.9	12.3	11.4	9.5	7.3	11.6	12.1	11.9	10.4	11.0	12.0	13.6	15.7
111	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
112	1	F	13.1	13.3	11.4	8.9	9.5	13.3	14.9	14.6	13.3	13.7	15.1	14.4	---	---	---	---	---	---	---
113	1	F	13.1	13.3	11.4	8.9	9.5	---	---	---	---	---	---	---	---	---	---	---	---	---	---
114	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
115	1	F	11.4	11.5	10.6	11.7	11.1	11.5	12.1	11.7	11.3	11.4	11.6	11.3	12.1	10.9	11.9	12.7	11.7	11.4	7.6
116	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
117	1	F	11.4	11.5	10.6	11.7	11.1	11.5	12.1	11.7	11.3	11.4	11.6	11.3	12.1	10.9	11.9	12.7	11.7	11.4	7.6
118	1	F	13.6	13.2	12.5	12.0	13.1	13.1	15.2	13.4	12.4	13.9	13.6	13.9	15.2	14.9	13.8	11.7	11.0	11.6	---
119	1	F	13.6	13.2	12.5	12.0	13.1	13.1	15.2	13.4	12.4	13.9	13.6	13.9	15.2	14.9	13.8	11.7	11.0	11.6	13.4
120	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R A G R O U P	S E X	TEST WEEK																102	104	
			68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98			100
21	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
22	1	F	12.6	12.7	12.7	12.6	11.4	12.1	11.9	13.4	11.6	11.2	13.6	12.4	13.0	12.9	11.6	12.9	12.6	10.1	13.7
23	1	F	12.6	12.7	12.7	12.6	11.4	12.1	11.9	13.4	11.6	11.2	13.6	12.4	13.0	12.9	11.6	12.9	12.6	10.1	13.7
24	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
25	1	F	13.7	13.4	12.1	11.9	11.1	10.0	---	---	---	---	---	---	---	---	---	---	---	---	---
26	1	F	13.7	13.4	12.1	11.9	11.1	10.0	12.3	12.0	11.4	11.9	13.0	13.0	12.4	12.9	13.1	13.6	14.1	14.7	13.6
27	1	F	13.7	13.1	12.6	11.0	10.2	12.4	13.8	13.0	12.0	13.4	12.4	12.7	13.4	12.4	12.9	11.7	10.7	14.9	13.5
28	1	F	13.7	13.1	12.6	11.0	10.2	12.4	13.8	13.0	12.0	13.4	12.4	12.7	13.4	12.4	12.9	11.7	10.7	14.9	13.5
29	1	F	13.7	13.1	12.6	11.0	10.2	12.4	13.8	13.0	12.0	13.4	12.4	12.7	13.4	12.4	12.9	11.7	10.7	14.9	13.5
30	1	F	12.6	12.7	12.0	12.0	12.0	12.5	13.1	12.2	11.9	12.5	12.2	12.9	14.2	13.4	13.5	13.8	14.2	13.6	7.6
31	1	F	12.6	12.7	12.0	12.0	12.0	12.5	13.1	12.2	11.9	12.5	12.2	12.9	14.2	13.4	13.5	13.8	14.2	13.6	7.6
32	1	F	12.6	12.7	12.0	12.0	12.0	12.5	13.1	12.2	11.9	12.5	12.2	12.9	14.2	13.4	13.5	13.8	14.2	13.6	7.6
33	1	F	12.8	13.0	12.6	12.2	11.8	12.6	13.6	13.1	12.3	12.7	13.7	13.6	14.5	13.7	13.2	13.2	12.8	12.6	12.1
34	1	F	12.8	13.0	12.6	12.2	11.8	12.6	13.6	13.1	12.3	12.7	13.7	13.6	14.5	13.7	13.2	13.2	12.8	12.6	12.1
35	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
36	1	F	11.8	12.2	11.0	11.7	11.4	11.5	11.7	11.6	10.3	11.3	11.7	11.3	12.5	12.0	11.8	11.5	12.0	12.6	12.2
37	1	F	11.8	12.2	11.0	11.7	11.4	11.5	11.7	11.6	10.3	11.3	11.7	11.3	12.5	12.0	11.8	11.5	12.0	12.6	12.2
38	1	F	11.8	12.2	11.0	11.7	11.4	11.5	11.7	11.6	10.3	11.3	11.7	11.3	12.5	12.0	11.8	11.5	12.0	12.6	12.2
39	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
40	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
41	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
42	1	F	12.4	11.7	11.4	11.3	13.6	12.3	13.3	10.3	17.9	15.6	14.3	16.4	14.3	13.6	13.4	12.3	15.3	---	---
43	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
44	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
45	1	F	12.3	12.6	11.4	11.0	11.6	11.9	12.3	12.7	10.7	11.7	12.2	12.7	14.0	13.1	12.4	9.2	14.0	14.4	14.0
46	1	F	12.3	12.6	11.4	11.0	11.6	11.9	12.3	12.7	10.7	11.7	12.2	12.7	14.0	13.1	12.4	9.2	14.0	14.4	14.0
47	1	F	12.3	12.6	11.4	11.0	11.6	11.9	12.3	12.7	10.7	11.7	12.2	12.7	14.0	13.1	12.4	9.2	14.0	14.4	14.0
48	1	F	13.1	13.9	13.0	13.3	13.0	14.3	14.4	13.5	12.1	12.0	12.4	13.7	5.3	12.1	12.3	12.2	13.0	13.4	12.4
49	1	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
50	1	F	13.1	13.9	13.0	13.3	13.0	14.3	14.4	13.5	12.1	12.0	12.4	13.7	5.3	12.1	12.3	12.2	13.0	13.4	12.4
51	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
52	2	M	18.0	19.1	18.7	18.1	15.6	16.9	17.4	17.4	17.0	17.4	16.3	16.6	17.2	15.7	16.9	17.5	16.4	17.4	17.4
53	2	M	18.0	19.1	18.7	18.1	15.6	16.9	17.4	17.4	17.0	17.4	16.3	16.6	17.2	15.7	16.9	17.5	16.4	17.4	17.4
54	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
55	2	M	18.7	18.1	18.1	17.5	17.9	16.4	15.9	12.6	9.6	8.9	13.4	17.1	19.1	18.3	17.9	18.7	18.3	20.0	19.6
56	2	M	18.7	18.1	18.1	17.5	17.9	16.4	15.9	12.6	9.6	8.9	13.4	17.1	19.1	18.3	17.9	18.7	18.3	20.0	19.6
57	2	M	18.9	19.2	17.4	19.4	17.8	17.9	18.1	7.4	17.3	17.6	16.4	15.7	14.2	12.7	10.0	20.9	17.7	22.3	19.4
58	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
59	2	M	18.9	19.2	17.4	19.4	17.8	17.9	18.1	17.4	17.3	17.6	16.4	15.7	14.2	12.7	10.0	20.9	17.7	22.3	19.4
60	2	M	22.0	20.1	21.3	22.3	19.3	20.3	21.4	19.4	19.3	19.7	18.0	20.4	20.6	19.7	18.9	20.0	20.6	20.3	18.8

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R A G G R O U P	S E X	TEST WEEK																104		
			68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98		100	102
161	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
162	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
163	2	M	19.1	18.9	18.4	18.7	15.4	16.8	17.0	16.4	16.9	16.4	16.5	16.1	15.6	10.9	17.9	20.9	18.4	18.1	19.4
164	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
165	2	M	19.1	18.9	18.4	18.7	15.4	16.8	17.0	16.4	16.9	16.4	16.5	16.1	15.6	10.9	---	---	---	---	---
166	2	M	16.8	18.1	17.9	17.6	17.0	17.7	18.1	16.5	15.4	14.9	16.4	17.3	16.8	15.3	15.3	13.6	15.9	15.9	15.5
167	2	M	16.8	18.1	17.9	17.6	17.0	17.7	18.1	16.5	15.4	14.9	16.4	17.3	16.8	15.3	15.3	13.6	15.9	15.9	15.5
168	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
169	2	M	18.4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
170	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
171	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
172	2	M	16.3	17.5	15.0	17.1	16.6	14.9	16.0	16.4	15.7	14.9	15.5	14.7	16.0	15.6	14.8	11.6	12.2	17.4	17.4
173	2	M	16.3	17.5	15.0	17.1	16.6	14.9	16.0	16.4	15.7	14.9	15.5	14.7	16.0	15.6	14.8	11.6	12.2	17.4	17.4
174	2	M	16.3	17.5	15.0	17.1	16.6	14.9	16.0	16.4	15.7	14.9	15.5	14.7	16.0	15.6	14.8	11.6	12.2	17.4	17.4
175	2	M	19.0	20.3	19.7	19.6	17.3	18.4	19.0	17.4	15.1	18.7	18.7	18.1	18.4	17.3	16.6	16.6	16.7	17.7	14.6
176	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
177	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
178	2	M	16.8	17.6	16.2	16.5	16.0	15.2	14.0	14.7	12.5	13.7	15.5	15.9	18.4	16.1	16.4	16.4	21.8	15.9	13.0
179	2	M	16.8	17.6	16.2	16.5	16.0	15.2	14.0	14.7	12.5	13.7	15.5	15.9	18.4	16.1	16.4	16.4	21.8	15.9	13.0
180	2	M	16.8	17.6	16.2	16.5	16.0	15.2	14.0	14.7	12.5	13.7	15.5	15.9	18.4	16.1	16.4	16.4	21.8	15.9	13.0
181	2	M	19.1	21.1	21.0	21.4	18.6	17.9	20.0	19.0	17.9	16.9	17.1	16.3	14.0	19.4	18.6	19.6	18.1	18.3	20.4
182	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
183	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
184	2	M	15.7	16.4	16.0	15.5	15.2	14.7	15.1	15.0	14.5	15.0	13.6	15.0	15.0	14.0	13.5	13.0	10.5	10.7	12.0
185	2	M	15.7	16.4	16.0	15.5	15.2	14.7	15.1	15.0	14.5	15.0	13.6	15.0	15.0	14.0	13.5	13.0	10.5	10.7	12.0
186	2	M	15.7	16.4	16.0	15.5	15.2	14.7	15.1	15.0	14.5	15.0	13.6	15.0	15.0	14.0	13.5	13.0	10.5	10.7	12.0
187	2	M	19.1	18.9	18.8	17.9	18.4	16.5	18.0	17.5	16.4	15.5	15.9	17.9	17.5	16.6	16.4	16.6	17.2	16.9	17.3
188	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
189	2	M	19.1	18.9	18.8	17.9	18.4	16.5	18.0	17.5	16.4	15.5	15.9	17.9	17.5	16.6	16.4	16.6	17.2	16.9	17.3
190	2	M	15.9	16.0	15.8	16.1	15.2	14.9	15.2	14.4	15.1	15.1	13.5	16.1	15.5	15.0	13.9	15.4	15.4	15.4	15.2
191	2	M	15.9	16.0	15.8	16.1	15.2	14.9	15.2	14.4	15.1	15.1	13.5	16.1	15.5	15.0	13.9	15.4	15.4	15.4	15.2
192	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
193	2	M	15.9	15.9	16.0	14.6	14.7	13.0	16.0	14.8	15.3	14.6	14.3	14.8	15.0	14.2	14.1	13.9	14.1	15.0	11.0
194	2	M	15.9	15.9	16.0	14.6	14.7	13.0	16.0	14.8	15.3	14.6	14.3	14.8	15.0	14.2	14.1	13.9	14.1	15.0	11.0
195	2	M	15.9	15.9	16.0	14.6	14.7	13.0	16.0	14.8	15.3	14.6	14.3	14.8	15.0	14.2	14.1	13.9	14.1	15.0	11.0
196	2	M	17.2	18.2	17.1	17.9	16.3	16.6	17.0	16.8	15.6	15.7	16.6	15.1	15.8	15.4	14.5	13.4	10.9	---	---
197	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
198	2	M	17.2	18.2	17.1	17.9	16.3	16.6	17.0	16.8	15.6	15.7	16.6	15.1	15.8	15.4	14.5	13.4	10.9	18.4	18.9
199	2	M	15.8	17.5	15.9	16.3	15.5	15.8	16.4	16.5	15.4	16.3	12.2	---	---	---	---	---	---	---	---
200	2	M	15.8	17.5	15.9	16.3	15.5	15.8	16.4	16.5	15.4	16.3	12.2	16.9	17.9	17.5	17.6	19.7	20.2	20.1	8.4

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R A G R O U P	S E X	TEST WEEK																100	102	104
			68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98			
201	2	M	15.8	17.5	15.9	16.3	15.5	15.8	16.4	16.5	15.4	16.3	12.2	16.9	17.9	17.5	17.6	19.7	20.2	20.1	8.4
202	2	M	19.2	19.2	17.9	16.4	16.1	16.9	17.6	17.0	17.3	18.2	17.4	18.9	18.0	19.1	17.9	18.1	17.0	16.4	15.1
203	2	M	19.2	19.2	17.9	16.4	16.1	16.9	17.6	17.0	17.3	18.2	17.4	18.9	18.0	19.1	17.9	18.1	17.0	16.4	15.1
204	2	M	16.5	16.5	15.6	16.2	15.0	14.5	15.5	15.4	14.7	14.7	13.7	14.3	15.5	14.3	11.8	10.7	---	---	---
205	2	M	16.5	16.5	15.6	16.2	15.0	14.5	15.5	15.4	14.7	14.7	13.7	14.3	15.5	14.3	11.8	10.7	---	---	---
206	2	M	16.5	16.5	15.6	16.2	15.0	14.5	15.5	15.4	14.7	14.7	13.7	14.3	15.5	14.3	11.8	10.7	14.4	15.6	14.2
207	2	M	16.5	16.5	15.6	16.2	15.0	14.5	15.5	15.4	14.7	14.7	13.7	14.3	15.5	14.3	11.8	10.7	14.4	15.6	14.2
208	2	M	15.9	16.2	15.5	15.4	15.3	16.6	16.9	16.4	16.1	16.0	16.4	16.4	14.2	16.3	15.4	16.5	15.9	14.7	11.8
209	2	M	15.9	16.2	15.5	15.4	15.3	16.6	16.9	16.4	16.1	16.0	16.4	16.4	14.2	16.3	15.4	16.5	15.9	14.7	11.8
210	2	M	15.9	16.2	15.5	15.4	15.3	16.6	16.9	16.4	16.1	16.0	16.4	16.4	14.2	16.3	15.4	16.5	15.9	14.7	11.8
211	2	M	15.6	15.8	14.9	14.5	13.2	10.9	---	---	---	---	---	---	---	---	---	---	---	---	---
212	2	M	15.6	15.8	14.9	14.5	13.2	10.9	16.4	15.5	15.8	16.6	15.9	16.6	16.5	15.8	14.9	14.6	15.1	10.6	12.1
213	2	M	15.6	15.8	14.9	14.5	13.2	10.9	16.4	15.5	15.8	16.6	15.9	16.6	16.5	15.8	14.9	14.6	15.1	10.6	12.1
214	2	M	16.8	16.4	16.6	16.6	14.1	10.7	14.4	14.2	12.9	---	---	---	---	---	---	---	---	---	---
215	2	M	16.8	16.4	16.6	16.6	14.1	10.7	14.4	14.2	12.9	14.4	15.4	16.7	18.7	16.7	10.7	18.4	17.9	19.3	17.7
216	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
217	2	M	19.7	20.3	20.4	20.0	18.7	17.1	18.1	16.9	17.7	15.6	4.1	---	---	---	---	---	---	---	---
218	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
219	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
220	2	M	15.1	16.1	14.5	15.9	15.2	13.5	14.9	15.1	14.9	13.8	13.1	13.1	14.6	15.2	14.0	15.6	14.6	15.1	15.2
221	2	M	15.1	16.1	14.5	15.9	15.2	13.5	14.9	15.1	14.9	13.8	13.1	13.1	14.6	15.2	14.0	15.6	14.6	15.1	15.2
222	2	M	15.1	16.1	14.5	15.9	15.2	13.5	14.9	15.1	14.9	13.8	13.1	13.1	14.6	15.2	14.0	15.6	14.6	15.1	15.2
223	2	M	18.3	18.7	18.0	18.6	15.2	16.2	18.4	17.6	17.6	16.3	17.4	18.7	22.1	20.7	18.7	20.0	19.6	20.1	18.9
224	2	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
225	2	M	18.3	18.7	18.0	18.6	15.2	16.2	18.4	17.6	17.6	16.3	---	---	---	---	---	---	---	---	---
226	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
227	2	F	14.0	13.9	12.1	12.0	11.6	14.0	14.9	13.6	13.9	11.9	13.1	12.9	13.3	8.7	12.0	9.0	14.1	9.9	13.6
228	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
229	2	F	13.9	13.6	12.6	12.2	12.4	12.9	14.8	13.0	12.5	12.6	13.9	13.9	14.4	13.3	9.2	10.6	---	16.1	16.4
230	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
231	2	F	13.9	13.6	12.6	12.2	12.4	12.9	14.8	13.0	12.6	12.6	13.9	13.9	14.4	13.3	9.2	10.6	---	---	---
232	2	F	13.1	14.0	12.5	13.0	12.2	12.6	13.7	12.4	11.7	11.7	11.4	11.4	10.6	9.0	12.0	12.0	13.5	9.6	12.3
233	2	F	13.1	14.0	12.5	13.0	12.2	12.6	13.7	12.4	11.7	11.7	11.4	11.4	10.6	9.0	12.0	12.0	13.5	9.6	12.3
234	2	F	13.1	14.0	12.5	13.0	12.2	12.6	13.7	12.4	11.7	11.7	11.4	11.4	10.6	9.0	12.0	12.0	13.5	9.6	12.3
235	2	F	12.1	12.7	12.5	11.6	11.5	11.0	12.2	12.7	11.4	9.9	10.8	8.9	12.4	11.7	12.4	13.9	12.1	12.7	13.5
236	2	F	12.1	12.7	12.5	11.6	11.5	11.0	12.2	12.7	11.4	9.9	10.8	8.9	12.4	11.7	12.4	13.9	12.1	12.7	13.5
237	2	F	12.1	12.7	12.5	11.6	11.5	11.0	12.2	12.7	11.4	9.9	10.8	8.9	12.4	11.7	12.4	13.9	12.1	12.7	13.5
238	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
239	2	F	13.6	13.8	15.6	13.9	11.6	12.4	12.4	11.8	11.7	12.9	12.6	13.9	12.8	12.5	12.3	13.9	13.8	13.6	11.6
240	2	F	13.6	13.8	15.6	13.9	11.6	12.4	12.4	11.8	11.7	12.9	12.6	13.9	12.8	12.5	12.3	13.9	13.8	13.6	11.6

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T M A L N O	T R E A T M E N T G R O U P	S E X	TEST WEEK																		
			68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	100	102	104
241	2	F	11.8	13.6	13.9	12.3	10.6	13.0	13.6	11.0	11.6	13.9	11.9	13.9	14.2	11.4	10.5	7.7	12.4	15.6	14.4
242	2	F	11.8	13.6	13.9	12.3	10.6	13.0	13.6	11.0	11.6	13.9	11.9	13.9	14.2	11.4	10.5	7.7	---	---	---
243	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
244	2	F	14.3	14.7	14.2	12.7	11.6	12.5	14.2	13.2	13.9	13.4	14.9	14.6	14.8	15.4	15.3	14.9	15.3	15.5	15.7
245	2	F	14.3	14.7	14.2	12.7	11.6	12.5	14.2	13.2	13.9	13.4	14.9	14.6	14.8	15.4	15.3	14.9	15.3	15.5	15.7
246	2	F	14.3	14.7	14.2	12.7	11.6	12.5	14.2	13.2	13.9	13.4	14.9	14.6	14.8	15.4	15.3	14.9	15.3	15.5	15.7
247	2	F	12.1	13.1	11.8	12.1	12.2	13.4	12.5	12.7	12.7	12.9	12.9	13.1	13.7	12.5	12.8	13.0	12.9	13.3	13.6
248	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
249	2	F	12.1	13.1	11.8	12.1	12.2	13.4	12.5	12.7	12.7	12.9	12.9	13.1	13.7	12.5	12.8	13.0	12.9	13.3	13.6
250	2	F	11.5	13.2	12.3	11.6	10.7	11.6	12.1	11.6	11.2	10.6	10.0	13.2	12.5	11.6	12.4	11.6	12.3	11.3	10.5
251	2	F	11.5	13.2	12.3	11.6	10.7	11.6	12.1	11.6	11.2	10.6	10.0	13.2	12.5	11.6	12.4	11.6	12.3	11.3	10.5
252	2	F	11.5	13.2	12.3	11.6	10.7	11.6	12.1	11.6	11.2	10.6	10.0	13.2	12.5	11.6	12.4	11.6	12.3	11.3	10.5
253	2	F	12.9	12.8	12.5	11.4	9.3	11.0	10.9	11.5	11.1	11.7	12.5	13.7	14.4	13.4	13.0	14.1	13.3	14.1	12.1
254	2	F	12.9	12.8	12.5	11.4	9.3	11.0	10.9	11.5	11.1	11.7	12.5	13.7	14.4	13.4	13.0	14.1	13.3	14.1	12.1
255	2	F	12.9	12.8	12.5	11.4	9.3	11.0	10.9	11.5	11.1	11.7	12.5	13.7	14.4	13.4	13.0	14.1	13.3	14.1	12.1
256	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
257	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
258	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
259	2	F	13.9	13.6	12.5	12.6	11.6	12.4	13.9	13.1	12.9	14.4	13.5	14.1	13.7	13.2	12.5	14.1	13.1	13.6	13.4
260	2	F	13.9	13.6	12.5	12.6	11.6	12.4	13.9	13.1	12.9	14.4	13.5	14.1	13.7	13.2	12.5	14.1	13.1	13.6	13.4
261	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
262	2	F	14.5	14.7	14.0	12.4	11.8	13.5	13.9	13.9	13.0	13.2	13.8	14.9	15.0	13.4	13.8	13.2	13.1	10.0	7.8
263	2	F	14.5	14.7	14.0	12.4	11.8	13.5	13.9	13.9	13.0	13.2	13.8	14.9	15.0	13.4	13.8	13.2	13.1	10.0	7.8
264	2	F	14.5	14.7	14.0	12.4	11.8	13.5	13.9	13.9	13.0	13.2	13.8	14.9	15.0	13.4	13.8	13.2	13.1	10.0	7.8
265	2	F	13.9	14.3	13.3	12.4	12.4	13.4	14.6	13.9	13.8	13.1	14.7	13.8	12.9	14.8	15.1	13.6	14.8	14.5	13.0
266	2	F	13.9	14.3	13.3	12.4	12.4	13.4	14.6	13.9	13.8	13.1	14.7	13.8	12.9	14.8	15.1	13.6	14.8	14.5	13.0
267	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
268	2	F	14.3	13.4	13.4	12.9	13.1	13.2	14.4	13.5	12.2	12.7	11.5	13.6	13.0	11.1	9.1	9.1	8.9	8.7	13.4
269	2	F	14.3	13.4	13.4	12.9	13.1	13.2	14.4	13.5	12.2	12.7	11.5	13.6	13.0	11.1	9.1	9.1	8.9	8.7	---
270	2	F	8.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
271	2	F	12.1	13.0	12.4	12.0	11.6	12.6	13.1	12.7	12.1	12.3	12.1	13.1	13.0	12.6	12.2	12.8	12.7	12.9	12.3
272	2	F	12.1	13.0	12.4	12.0	11.6	12.6	13.1	12.7	12.1	12.3	12.1	13.1	13.0	12.6	12.2	12.8	12.7	12.9	12.3
273	2	F	12.1	13.0	12.4	12.0	11.6	12.6	13.1	12.7	12.1	12.3	12.1	13.1	13.0	12.6	12.2	12.8	12.7	12.9	12.3
274	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
275	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
276	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
277	2	F	15.4	14.9	15.1	14.4	13.4	13.6	15.0	13.7	13.4	12.9	13.3	14.1	14.3	13.0	13.3	15.9	13.7	15.0	15.0
278	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
279	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
280	2	F	12.0	12.6	13.1	11.9	11.9	11.9	13.1	11.6	12.3	12.4	11.5	13.4	14.0	13.2	13.3	13.2	12.3	10.6	7.4

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R T G R O U P	S E X	TEST WEEK																102	104
			68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98		
281	2	F	12.0	12.6	13.1	11.9	11.9	11.9	13.1	11.6	12.3	12.4	11.5	13.4	14.0	13.2	13.3	13.2	12.3	10.6
282	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
283	2	F	12.0	12.3	11.9	7.1	12.4	12.6	12.5	12.0	11.3	10.5	12.6	12.6	12.7	12.1	12.7	12.4	12.3	12.5
284	2	F	12.0	12.3	11.9	7.1	12.4	12.6	12.5	12.0	11.3	10.5	12.6	12.6	12.7	12.1	12.7	12.4	12.3	12.5
285	2	F	12.0	12.3	11.9	7.1	12.4	12.6	12.5	12.0	11.3	10.5	12.6	12.6	12.7	12.1	12.7	12.4	12.3	12.5
286	2	F	12.9	12.3	11.6	11.5	11.5	11.4	12.6	12.8	11.4	9.4	11.8	12.8	12.7	12.7	12.4	12.2	11.7	12.5
287	2	F	12.9	12.3	11.6	11.5	11.5	11.4	12.6	12.8	11.4	9.4	11.8	12.8	12.7	12.7	12.4	12.2	11.7	12.5
288	2	F	12.9	12.3	11.6	11.5	11.5	11.4	12.6	12.8	11.4	9.4	11.8	12.8	12.7	12.7	12.4	12.2	11.7	12.5
289	2	F	12.2	12.4	11.6	11.8	11.4	12.3	12.6	12.4	12.4	12.0	13.0	12.6	12.6	6.3	13.2	12.9	13.3	13.4
290	2	F	12.2	12.4	11.6	11.8	11.4	12.3	12.6	12.4	12.4	12.0	13.0	12.6	12.6	6.3	13.2	12.9	13.3	13.4
291	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
292	2	F	11.3	11.8	11.9	11.0	11.0	11.4	11.3	11.3	10.8	10.6	11.2	11.3	11.6	10.8	10.9	11.5	12.6	14.0
293	2	F	11.3	11.8	11.9	11.0	11.0	11.4	11.3	11.3	10.8	10.6	11.2	11.3	11.6	10.8	10.9	11.5	12.6	14.0
294	2	F	11.3	11.8	11.9	11.0	11.0	11.4	11.3	11.3	10.8	10.6	11.2	11.3	11.6	10.8	10.9	11.5	12.6	14.0
295	2	F	12.0	13.2	12.5	9.6	11.3	11.4	12.5	12.4	11.4	11.3	12.8	12.8	12.1	12.0	12.8	12.8	11.5	10.8
296	2	F	12.0	13.2	12.5	9.6	11.3	11.4	12.5	12.4	11.4	11.3	12.8	12.8	12.1	12.0	12.8	12.8	11.5	10.8
297	2	F	12.0	13.2	12.5	9.6	11.3	11.4	12.5	12.4	11.4	11.3	12.8	12.8	12.1	12.0	12.8	12.8	11.5	10.8
298	2	F	13.0	13.9	14.3	15.1	13.0	13.0	13.0	13.0	12.6	13.3	13.3	12.0	18.1	15.1	14.3	17.9	15.1	18.1
299	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
300	2	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
301	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
302	3	M	18.4	19.0	18.6	17.6	16.6	16.0	16.1	17.6	16.6	16.3	16.9	16.7	17.6	18.3	17.1	16.6	15.9	11.0
303	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
304	3	M	16.6	16.6	16.2	14.5	14.9	13.5	14.1	12.1	13.6	15.3	14.6	14.4	14.0	15.3	15.7	16.1	15.4	11.7
305	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
306	3	M	16.6	16.6	16.2	14.5	14.9	13.5	14.1	12.1	13.6	15.3	14.6	14.4	14.0	---	---	---	---	---
307	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
308	3	M	17.4	17.9	16.9	16.6	15.5	14.6	16.4	15.9	15.4	14.6	14.3	15.9	15.4	14.9	9.3	10.6	9.3	15.4
309	3	M	17.4	17.9	16.9	16.6	15.5	14.6	16.4	15.9	15.4	14.6	14.3	15.9	15.4	14.9	9.3	10.6	9.3	15.4
310	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
311	3	M	20.8	20.7	19.7	20.9	19.1	19.0	17.3	9.4	18.7	16.8	18.0	14.5	16.1	13.3	15.4	16.3	17.6	17.7
312	3	M	20.8	20.7	19.7	20.9	19.1	19.0	17.3	9.4	18.7	16.8	18.0	14.5	16.1	13.3	---	---	---	---
313	3	M	17.8	17.9	18.0	17.7	15.5	15.6	16.9	15.8	15.1	13.9	16.1	14.1	16.6	16.0	12.7	14.1	13.3	15.8
314	3	M	17.8	17.9	18.0	17.7	15.5	15.6	16.9	15.8	15.1	13.9	16.1	14.1	16.6	16.0	12.7	14.1	13.3	15.8
315	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
316	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
317	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
318	3	M	19.4	19.4	19.4	19.0	17.9	18.4	17.3	17.6	16.1	16.3	15.6	16.7	17.1	17.3	16.7	17.0	18.4	13.4
319	3	M	17.3	17.2	16.2	16.4	15.2	14.3	15.1	15.2	14.8	14.7	14.2	5.3	15.3	14.3	14.7	8.2	12.4	12.0
320	3	M	17.3	17.2	16.2	16.4	15.2	14.3	15.4	15.2	14.8	14.7	14.2	15.3	15.3	14.3	14.7	8.2	12.4	12.0

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R T G R O U P	S E X	TEST WEEK																104		
			68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98		100	102
321	3	M	17.3	17.2	16.2	16.4	15.2	14.3	15.4	15.2	14.8	14.7	14.2	15.3	15.3	14.3	14.7	8.2	12.4	12.0	14.7
322	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
323	3	M	19.0	18.4	18.2	17.7	17.0	16.6	17.9	17.2	16.4	15.1	15.0	15.5	14.5	16.4	16.6	17.6	16.7	16.3	18.4
324	3	M	19.0	18.4	18.2	17.7	17.0	16.6	17.9	17.2	16.4	15.1	15.0	15.5	14.5	---	---	---	---	---	---
325	3	M	16.5	15.6	16.0	16.5	14.9	14.3	15.7	15.4	15.0	15.0	15.2	15.3	15.8	15.2	14.5	15.0	13.8	12.9	10.2
326	3	M	16.5	15.6	16.0	16.5	14.9	14.3	15.7	15.4	15.0	15.0	15.2	15.3	15.8	15.2	14.5	15.0	13.8	12.9	10.2
327	3	M	16.5	15.6	16.0	16.5	14.9	14.3	15.7	15.4	15.0	15.0	15.2	15.3	15.8	15.2	14.5	15.0	13.8	12.9	10.2
328	3	M	20.1	19.9	19.1	19.1	18.1	18.1	18.9	17.0	16.3	15.6	9.4	10.7	9.2	---	---	---	---	---	---
329	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
330	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
331	3	M	18.4	19.4	17.6	16.7	16.9	16.1	17.3	17.2	17.4	14.4	17.1	16.6	16.9	17.2	16.7	16.5	17.2	16.5	15.9
332	3	M	18.4	19.4	17.6	16.7	16.9	16.1	17.3	17.2	17.4	14.4	17.1	16.6	16.9	17.2	16.7	16.5	17.2	16.5	15.9
333	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
334	3	M	21.1	20.3	19.3	20.7	16.7	15.7	17.6	17.4	14.0	16.6	11.9	19.0	17.9	14.7	15.9	18.1	17.4	17.9	15.9
335	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
336	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
337	3	M	15.7	16.8	15.8	16.9	14.7	14.5	12.3	---	---	---	---	---	---	---	---	---	---	---	---
338	3	M	15.7	16.8	15.8	16.9	14.7	14.5	12.3	15.4	14.9	13.6	16.6	15.5	15.3	15.1	14.1	12.6	13.6	10.3	5.7
339	3	M	15.7	16.8	15.8	16.9	14.7	14.5	12.3	15.4	14.9	13.6	16.6	15.5	15.3	15.1	14.1	12.6	13.6	10.3	5.7
340	3	M	15.9	17.3	16.6	18.9	17.1	17.3	18.1	17.4	17.1	17.1	16.9	16.7	17.6	17.1	17.6	16.9	18.3	17.7	16.0
341	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
342	3	M	15.9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
343	3	M	16.4	16.8	16.3	16.1	15.7	15.0	14.7	14.5	14.0	14.2	13.8	10.5	---	---	---	---	---	---	---
344	3	M	16.4	16.8	16.3	16.1	15.7	15.0	14.7	14.5	14.0	14.2	13.8	10.5	14.1	12.9	7.2	14.6	17.9	17.6	14.4
345	3	M	16.4	16.8	16.3	16.1	15.7	15.0	14.7	14.5	14.0	14.2	13.8	10.5	14.1	12.9	7.2	---	---	---	---
346	3	M	13.2	17.5	17.4	16.9	16.9	18.2	19.9	18.0	17.3	16.4	17.3	14.7	17.6	17.6	16.9	16.9	18.0	18.3	18.4
347	3	M	13.2	17.5	17.4	16.9	16.9	18.2	19.9	18.0	17.3	16.4	17.3	14.7	17.6	17.8	16.9	16.9	18.0	18.3	18.4
348	3	M	13.2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
349	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
350	3	M	20.4	21.4	21.0	20.0	17.9	19.4	19.4	19.1	19.1	19.4	19.7	20.6	20.4	15.7	12.6	9.9	4.7	---	---
351	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
352	3	M	17.0	17.6	16.6	17.4	14.9	14.2	11.0	12.7	---	---	---	---	---	---	---	---	---	---	---
353	3	M	17.0	17.6	16.6	17.4	14.9	14.2	11.0	12.7	15.9	16.4	17.0	17.9	17.6	15.6	14.3	12.9	15.1	18.4	17.6
354	3	M	17.0	17.6	16.6	17.4	14.9	14.2	11.0	12.7	15.9	16.4	17.0	17.9	17.6	15.6	14.3	12.9	15.1	---	---
355	3	M	18.0	17.6	17.0	17.1	16.1	16.1	16.5	16.3	15.7	16.0	16.1	15.1	15.1	11.7	8.0	16.0	16.9	17.6	17.1
356	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
357	3	M	18.0	17.6	17.0	17.1	16.1	16.1	16.5	16.3	15.7	16.0	16.1	15.1	15.1	11.7	8.0	---	---	---	---
358	3	M	17.0	16.0	14.6	15.1	16.4	17.0	16.8	17.6	16.8	17.1	17.1	17.6	17.3	16.2	12.4	15.7	18.6	17.4	17.7
359	3	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
360	3	M	17.0	16.0	14.6	15.1	16.4	17.0	16.8	17.6	16.8	17.1	17.1	17.6	17.3	16.2	12.4	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T R O G R O U P	S E X	TEST WEEK																104
		68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	
361	3 M	16.9	17.1	16.4	16.0	14.4	13.4	7.9	6.3	---	---	---	---	---	---	---	---	---
362	3 M	16.9	17.1	16.4	16.0	14.4	13.4	7.9	6.3	---	---	---	---	---	---	---	---	16.6
363	3 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
364	3 M	18.9	18.4	19.1	18.4	17.4	18.4	18.0	16.3	16.0	16.6	16.6	16.4	17.0	15.0	11.7	13.1	13.6
365	3 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
366	3 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
367	3 M	20.0	20.1	19.7	18.0	16.9	18.0	18.4	17.4	16.9	17.3	17.3	17.9	17.1	16.9	16.1	18.7	18.6
368	3 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
369	3 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
370	3 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
371	3 M	17.1	16.9	16.6	15.6	13.9	11.4	11.5	11.3	12.4	9.9	12.6	---	---	---	---	---	---
372	3 M	17.1	16.9	16.6	15.6	13.9	11.4	11.5	11.3	12.4	9.9	12.6	14.9	17.0	16.9	17.1	16.6	17.1
373	3 M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
374	3 M	17.2	17.4	17.3	17.6	16.6	15.7	17.1	17.8	19.8	19.1	19.6	18.4	19.5	19.6	20.4	11.6	14.0
375	3 M	17.2	17.4	17.3	17.6	16.6	15.7	17.1	17.8	19.8	19.1	19.6	18.4	19.5	19.6	20.4	11.6	14.0
376	3 F	12.2	13.3	12.6	12.5	11.8	12.8	13.5	12.8	12.4	12.9	12.3	13.4	13.6	12.9	12.5	12.8	12.9
377	3 F	12.2	13.3	12.6	12.5	11.8	12.8	13.5	12.8	12.4	12.9	12.3	13.4	13.6	12.9	12.5	12.8	12.9
378	3 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
379	3 F	13.6	14.0	13.2	11.9	12.0	12.1	13.5	11.9	12.0	11.4	12.8	13.6	11.8	11.0	9.6	---	---
380	3 F	13.6	14.0	13.2	11.9	12.0	12.1	13.5	11.9	12.0	11.4	12.8	13.6	11.8	11.0	9.6	14.4	15.2
381	3 F	13.6	14.0	13.2	11.9	12.0	12.1	13.5	11.9	12.0	11.4	12.8	13.6	11.8	11.0	9.6	14.4	15.2
382	3 F	13.4	12.9	12.9	13.0	11.8	12.6	13.9	12.4	11.5	12.7	12.7	12.9	13.1	12.4	12.4	13.0	13.3
383	3 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
384	3 F	13.4	12.9	12.9	13.0	11.8	12.6	13.9	12.4	11.5	12.7	12.7	12.9	13.1	12.4	12.4	13.0	13.3
385	3 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
386	3 F	15.9	8.1	12.6	17.4	15.4	7.6	10.0	---	---	---	---	---	---	---	---	---	---
387	3 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
388	3 F	14.9	14.6	13.9	13.4	11.9	14.4	15.1	14.9	12.7	13.7	12.9	14.4	13.4	13.9	12.8	13.7	13.1
389	3 F	14.9	14.6	13.9	13.4	11.9	14.4	15.1	14.9	12.7	13.7	12.9	14.4	13.4	13.9	12.8	13.7	13.1
390	3 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
391	3 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
392	3 F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
393	3 F	15.4	16.4	15.6	14.4	12.6	13.9	15.0	13.1	13.6	11.9	14.0	13.9	15.6	13.9	14.1	6.6	1.6
394	3 F	12.2	10.8	11.0	13.1	11.8	12.0	12.4	12.8	11.6	11.7	11.7	11.5	12.8	11.2	13.0	11.8	11.0
395	3 F	12.2	10.8	11.0	13.1	11.8	12.0	12.4	12.8	11.6	11.7	11.7	11.5	12.8	11.2	13.0	11.8	11.0
396	3 F	12.2	10.8	11.0	13.1	11.8	12.0	12.4	12.8	11.6	11.7	11.7	11.5	12.8	11.2	13.0	11.8	11.0
397	3 F	11.5	12.0	11.3	11.1	10.7	12.3	12.0	11.5	9.9	9.8	11.0	10.7	12.8	12.6	11.6	12.4	12.2
398	3 F	11.5	12.0	11.3	11.1	10.7	12.3	12.0	11.5	9.9	9.8	11.0	10.7	12.8	12.6	11.6	12.4	12.2
399	3 F	11.5	12.0	11.3	11.1	10.7	12.3	12.0	11.5	9.9	9.8	11.0	10.7	12.8	12.6	11.6	12.4	12.2
400	3 F	9.6	15.6	14.6	12.9	12.4	12.4	12.9	13.1	12.1	14.1	12.5	13.4	13.7	13.3	13.6	14.2	12.3

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L I D	T R E A T M E N T G R O U P	S E X	TEST WEEK																		
			68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	100	102	104
401	3	F	9.6	15.6	14.6	12.9	12.4	12.4	12.9	13.1	12.1	14.1	12.5	13.4	13.7	13.3	13.6	14.2	12.3	11.5	14.9
402	3	F	13.0	13.4	13.2	12.3	11.3	11.9	12.2	11.4	12.5	12.1	12.9	12.8	12.7	11.7	11.4	11.7	5.9	11.4	12.2
403	3	F	13.0	13.4	13.2	12.3	11.3	11.9	12.2	11.4	12.5	12.1	12.9	12.8	12.7	11.7	11.4	11.7	5.9	11.4	12.2
404	3	F	13.0	13.4	13.2	12.3	11.3	11.9	12.2	11.4	12.5	12.1	12.9	12.8	12.7	11.7	11.4	11.7	5.9	11.4	12.2
405	3	F	14.1	13.6	13.2	12.9	11.9	12.9	14.5	13.3	12.6	13.6	12.2	13.7	14.1	13.6	13.0	13.8	14.6	17.1	13.1
406	3	F	14.1	13.6	13.2	12.9	11.9	12.9	14.5	13.3	12.6	13.6	12.2	13.7	14.1	13.6	13.0	13.8	14.6	17.1	13.1
407	3	F	14.1	13.6	13.2	12.9	11.9	12.9	14.5	13.3	12.6	13.6	12.2	13.7	14.1	13.6	13.0	13.8	14.6	17.1	13.1
408	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
409	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
410	3	F	14.9	14.9	14.4	13.4	12.4	18.0	---	---	---	---	---	---	---	---	---	---	---	---	---
411	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
412	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
413	3	F	13.4	13.3	13.7	13.4	12.0	12.6	13.4	13.1	12.9	12.7	12.4	14.1	14.1	13.6	14.6	13.9	14.6	14.4	14.1
414	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
415	3	F	13.9	13.6	12.5	12.1	11.3	11.8	12.9	12.6	12.0	14.0	12.8	13.4	13.3	12.5	11.6	12.4	12.9	11.0	13.3
416	3	F	13.9	13.6	12.5	12.1	11.3	11.8	12.9	12.6	12.0	14.0	12.8	13.4	13.3	12.5	11.6	12.4	12.9	11.0	13.3
417	3	F	13.9	13.6	12.5	12.1	11.3	11.8	12.9	12.6	12.0	14.0	12.8	13.4	13.3	12.5	11.6	12.4	12.9	11.0	13.3
418	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
419	3	F	12.1	12.1	11.1	11.0	10.8	11.0	11.9	10.9	10.6	11.1	12.1	12.8	12.8	12.6	11.7	12.1	13.0	12.6	12.4
420	3	F	12.1	12.1	11.1	11.0	10.8	11.0	11.9	10.9	10.6	11.1	12.1	12.8	12.8	12.6	11.7	12.1	13.0	12.6	12.4
421	3	F	11.1	13.3	11.6	11.9	11.6	11.1	11.0	9.0	9.2	9.7	9.5	9.0	10.3	6.4	---	---	---	---	---
422	3	F	11.1	13.3	11.6	11.9	11.6	11.1	11.0	9.0	9.2	9.7	9.5	9.0	10.3	6.4	6.1	7.2	14.6	14.6	16.7
423	3	F	11.1	13.3	11.6	11.9	11.6	11.1	11.0	9.0	9.2	9.7	9.5	9.0	10.3	6.4	6.1	7.2	14.6	14.6	16.7
424	3	F	13.1	12.5	11.3	11.2	11.0	11.4	12.7	12.4	10.4	11.1	11.3	13.1	12.8	12.7	12.7	12.7	12.9	13.6	11.6
425	3	F	13.1	12.5	11.3	11.2	11.0	11.4	12.7	12.4	10.4	11.1	11.3	13.1	12.8	12.7	12.7	12.7	12.9	13.6	11.6
426	3	F	13.1	12.5	11.3	11.2	11.0	11.4	12.7	12.4	10.4	11.1	11.3	13.1	12.8	12.7	12.7	12.7	12.9	13.6	11.6
427	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
428	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
429	3	F	14.1	13.9	15.1	11.7	11.3	14.0	14.4	12.3	12.3	11.7	12.9	13.4	12.0	6.1	7.3	7.0	3.9	3.5	---
430	3	F	11.5	11.4	12.2	12.4	11.5	12.2	11.1	10.4	11.6	11.6	11.7	13.1	12.5	11.8	12.5	12.7	12.4	13.3	12.0
431	3	F	11.5	11.4	12.2	12.4	11.5	12.2	11.1	10.4	11.6	11.6	11.7	13.1	12.5	11.8	12.5	12.7	12.4	13.3	12.0
432	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
433	3	F	13.9	14.3	12.5	12.2	11.6	11.8	13.7	12.4	11.4	12.9	13.8	13.2	12.9	12.2	13.9	11.6	14.2	14.3	11.5
434	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
435	3	F	13.9	14.3	12.5	12.2	11.6	11.8	13.7	12.4	11.4	12.9	13.8	13.2	12.9	12.2	13.9	11.6	14.2	14.3	11.5
436	3	F	13.9	14.6	13.9	12.3	11.6	12.0	13.8	14.3	12.6	12.1	11.9	15.1	13.9	12.7	13.6	13.6	13.9	13.9	11.6
437	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
438	3	F	13.9	14.6	13.9	12.3	11.6	12.0	13.8	14.3	12.6	12.1	11.9	15.1	13.9	12.7	13.6	13.6	13.9	13.9	11.6
439	3	F	13.6	13.4	12.5	11.9	12.6	12.8	13.9	12.8	11.1	12.9	11.9	13.6	12.9	13.0	10.1	12.9	13.9	12.3	13.9
440	3	F	13.6	13.4	12.5	11.9	12.6	12.8	13.9	12.8	11.1	12.9	11.9	13.6	12.9	13.0	10.1	12.9	13.9	12.3	13.9

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(ROX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R A G R O U P	S E X	TEST WEEK																104		
			68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98		100	102
441	3	F	14.4	13.4	13.1	12.5	11.1	10.9	12.1	10.9	10.4	10.7	10.7	11.4	11.6	11.4	12.1	8.9	11.4	11.6	12.6
442	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
443	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
444	3	F	14.4	13.4	13.1	12.5	11.1	10.9	12.1	10.9	10.4	10.7	10.7	11.4	11.6	11.4	12.1	8.9	11.4	11.6	12.6
445	3	F	12.5	13.6	13.6	11.3	10.8	13.4	13.9	13.6	12.3	11.2	12.9	13.6	13.9	13.1	13.1	13.3	13.9	14.1	14.1
446	3	F	12.5	13.6	13.6	11.3	10.8	13.4	13.9	13.6	12.3	11.2	12.9	13.6	13.9	13.1	13.1	13.3	13.9	14.1	14.1
447	3	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
448	3	F	13.4	13.5	12.7	12.4	11.6	12.1	13.5	12.8	11.5	11.6	11.3	9.8	9.6	---	---	---	---	---	---
449	3	F	13.4	13.5	12.7	12.4	11.6	12.1	13.5	12.8	11.5	11.6	11.3	9.8	9.6	13.6	13.7	15.4	15.0	13.6	14.4
450	3	F	13.4	13.5	12.7	12.4	11.6	12.1	13.5	12.8	11.5	11.6	11.3	9.8	9.6	13.6	13.7	15.4	15.0	13.6	14.4
451	4	M	17.0	17.7	16.5	16.6	16.4	14.8	16.4	16.2	16.0	15.7	15.6	16.1	15.6	14.9	14.1	14.7	17.1	15.8	18.7
452	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
453	4	M	17.0	17.7	16.5	16.6	16.4	14.8	16.4	16.2	16.0	15.7	15.6	16.1	15.6	14.9	14.1	14.7	17.1	15.8	18.7
454	4	M	16.7	16.3	15.2	14.7	14.9	15.0	16.0	16.0	15.1	14.3	14.8	14.8	15.0	14.7	14.1	14.3	14.4	12.7	13.5
455	4	M	16.7	16.3	15.2	14.7	14.9	15.0	16.0	16.0	15.1	14.3	14.8	14.8	15.0	14.7	14.1	14.3	14.4	12.7	13.5
456	4	M	16.7	16.3	15.2	14.7	14.9	15.0	16.0	16.0	15.1	14.3	14.8	14.8	15.0	14.7	14.1	14.3	14.4	12.7	13.5
457	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
458	4	M	17.8	17.8	16.7	16.4	15.1	15.4	16.1	13.9	15.6	16.0	15.7	14.2	15.9	16.5	13.2	---	---	---	---
459	4	M	17.8	17.8	16.7	16.4	15.1	15.4	16.1	13.9	15.6	16.0	15.7	14.2	15.9	16.5	13.2	5.3	26.4	17.4	---
460	4	M	17.3	17.2	15.6	16.4	16.1	15.6	15.3	15.9	15.6	15.6	15.1	14.7	15.6	15.9	15.2	14.1	16.2	15.6	16.0
461	4	M	17.3	17.2	15.6	16.4	16.1	15.6	15.3	15.9	15.6	15.6	15.1	14.7	15.6	15.9	15.2	14.1	16.2	15.6	16.0
462	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
463	4	M	17.9	17.6	16.3	16.9	15.9	16.9	16.0	16.9	16.3	15.6	14.6	13.5	13.8	8.9	7.9	7.9	---	---	---
464	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
465	4	M	17.9	17.6	16.3	16.9	15.9	16.9	16.0	16.9	16.3	15.6	14.6	13.5	13.8	8.9	7.9	7.9	13.7	---	---
466	4	M	19.7	19.8	17.6	18.8	18.2	17.3	17.6	19.8	17.6	15.9	11.9	15.9	18.4	17.0	16.9	17.7	17.9	18.4	18.0
467	4	M	19.7	19.8	17.6	18.8	18.2	17.3	17.6	19.8	17.6	15.9	11.9	15.9	18.4	17.0	16.9	17.7	17.9	18.4	18.0
468	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
469	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
470	4	M	17.7	17.5	16.7	16.5	15.3	15.9	16.5	15.9	15.4	15.8	15.5	14.4	16.6	15.0	15.0	8.8	---	---	---
471	4	M	17.7	17.5	16.7	16.5	15.3	15.9	16.5	15.9	15.4	15.8	15.5	14.4	16.6	15.0	15.0	8.8	13.6	17.0	16.9
472	4	M	18.4	19.1	17.8	17.9	17.4	18.0	17.4	16.5	16.2	16.5	17.4	14.0	17.4	15.8	15.1	12.4	14.1	12.8	7.2
473	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
474	4	M	18.4	19.1	17.8	17.9	17.4	18.0	17.4	16.5	16.2	16.5	17.4	14.0	17.4	15.8	15.1	12.4	14.1	12.8	7.2
475	4	M	19.2	17.4	16.9	17.4	15.9	16.1	15.8	16.5	15.4	15.2	15.3	14.7	14.1	7.1	1.3	---	---	---	---
476	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
477	4	M	19.2	17.4	16.9	17.4	15.9	16.1	15.8	16.5	15.4	15.2	15.3	14.7	14.1	7.1	1.3	---	---	---	---
478	4	M	17.1	16.3	16.2	16.1	14.6	15.2	14.6	15.5	13.1	11.7	13.6	---	---	---	---	---	---	---	---
479	4	M	17.1	16.3	16.2	16.1	14.6	15.2	14.6	15.5	13.1	11.7	13.6	15.9	16.3	16.4	16.0	14.9	16.9	17.0	16.2
480	4	M	17.1	16.3	16.2	16.1	14.6	15.2	14.6	15.5	13.1	11.7	13.6	15.9	16.3	16.4	16.0	14.9	16.9	17.0	16.2

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L	T R A G G R O U P	S E X	TEST WEEK																104		
			68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98		100	102
481	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
482	4	M	19.4	18.5	18.4	17.8	17.6	15.6	17.1	17.1	17.1	16.3	16.4	15.8	16.9	15.8	13.6	12.2	11.8	19.4	19.9
483	4	M	19.4	18.5	18.4	17.8	17.6	15.6	17.1	17.1	17.1	16.3	16.4	15.8	16.9	15.8	13.6	12.2	11.8	---	---
484	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
485	4	M	17.1	16.6	17.3	17.0	15.7	15.4	17.0	16.2	16.1	15.9	16.4	16.4	16.2	15.8	15.7	16.2	16.2	16.6	16.5
486	4	M	17.1	16.6	17.3	17.0	15.7	15.4	17.0	16.2	16.1	15.9	16.4	16.4	16.2	15.8	15.7	16.2	16.2	16.6	16.5
487	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
488	4	M	15.6	17.1	15.1	17.9	16.1	14.8	16.0	16.9	16.0	14.5	16.0	15.9	15.9	14.1	17.4	17.3	15.0	15.9	16.9
489	4	M	15.6	17.1	15.1	17.9	16.1	14.8	16.0	16.9	16.0	14.5	16.0	15.9	15.9	14.1	17.4	17.3	15.0	15.9	16.9
490	4	M	18.4	18.1	16.9	18.5	16.4	15.4	16.6	16.5	15.8	16.7	16.9	18.1	17.5	17.0	16.8	18.1	16.7	15.0	17.8
491	4	M	18.4	18.1	16.9	18.5	16.4	15.4	16.6	16.5	15.8	16.7	16.9	18.1	17.5	17.0	16.8	18.1	16.7	15.0	17.8
492	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
493	4	M	18.1	17.8	15.7	17.2	14.4	15.5	16.0	13.1	---	---	---	---	---	---	---	---	---	---	---
494	4	M	18.1	17.8	15.7	17.2	14.4	15.5	16.0	13.1	13.9	13.2	13.9	14.2	14.0	11.8	---	---	---	---	---
495	4	M	18.1	17.8	15.7	17.2	14.4	15.5	16.0	13.1	13.9	13.2	13.9	14.2	14.0	11.8	15.9	17.4	18.0	16.4	3.2
496	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
497	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
498	4	M	12.9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
499	4	M	21.7	21.3	22.4	21.9	19.4	16.6	19.9	18.6	18.7	18.1	18.0	18.4	19.1	17.9	17.7	20.1	20.4	20.0	17.7
500	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
501	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
502	4	M	17.9	17.3	15.0	17.6	16.4	15.8	16.4	15.5	15.6	15.0	15.6	15.0	15.5	15.0	14.3	14.7	13.8	12.8	16.5
503	4	M	17.9	17.3	15.0	17.6	16.4	15.8	16.4	15.5	15.6	15.0	15.6	15.0	15.5	15.0	14.3	14.7	13.8	12.8	16.5
504	4	M	17.9	17.3	15.0	17.6	16.4	15.8	16.4	15.5	15.6	15.0	15.6	15.0	15.5	15.0	14.3	14.7	13.8	12.8	16.5
505	4	M	18.0	17.0	17.4	17.8	16.5	14.0	15.8	15.7	12.1	15.4	16.0	15.1	16.1	12.0	---	---	---	---	---
506	4	M	18.0	17.0	17.4	17.8	16.5	14.0	15.8	15.7	12.1	---	---	---	---	---	---	---	---	---	---
507	4	M	18.0	17.0	17.4	17.8	16.5	14.0	15.8	15.7	12.1	15.4	16.0	15.1	16.1	12.0	15.0	17.1	17.3	17.6	17.4
508	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
509	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
510	4	M	21.3	19.9	18.3	19.6	17.3	17.4	18.3	17.6	17.0	16.4	17.4	18.9	18.0	18.0	18.6	18.9	18.7	17.1	16.7
511	4	M	17.6	17.5	17.0	15.5	17.9	15.0	16.3	16.8	15.6	17.0	15.1	10.3	16.7	16.0	15.7	12.4	16.6	18.6	18.5
512	4	M	17.6	17.5	17.0	15.5	17.9	15.0	16.3	16.8	15.6	17.0	15.1	10.3	16.7	16.0	15.7	12.4	16.6	18.6	18.5
513	4	M	17.6	17.5	17.0	15.5	17.9	15.0	16.3	16.8	15.6	17.0	15.1	10.3	16.7	16.0	15.7	12.4	---	---	---
514	4	M	19.9	19.8	18.4	17.7	18.2	17.5	17.5	17.2	16.9	17.0	16.8	16.5	15.5	15.1	14.0	11.6	9.9	---	---
515	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
516	4	M	19.9	19.8	18.4	17.7	18.2	17.5	17.5	17.2	16.9	17.0	16.8	16.5	15.5	15.1	14.0	11.6	9.9	15.4	18.2
517	4	M	18.2	16.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
518	4	M	18.2	16.0	17.0	19.0	17.1	16.5	19.2	19.6	17.0	15.0	15.2	11.8	9.1	---	---	---	---	---	---
519	4	M	18.2	16.0	17.0	19.0	17.1	16.5	19.2	19.6	17.0	15.0	15.2	11.8	9.1	---	---	---	---	---	---
520	4	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T R O P O S	T R G R S	E X	TEST WEEK																104		
			68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98		100	102
521	4	M	19.6	20.1	18.4	19.0	18.3	16.6	19.9	18.1	18.4	17.4	17.3	17.1	18.4	14.1	11.1	18.6	19.7	19.7	19.0
522	4	M	19.6	20.1	18.4	19.0	18.3	16.6	19.9	18.1	18.4	17.4	17.3	17.1	18.4	14.1	11.1	18.6	19.7	19.7	19.0
523	4	M	16.2	15.9	14.7	15.4	15.2	14.6	15.6	15.2	14.6	14.3	14.7	15.3	15.2	14.0	15.0	14.9	14.7	14.1	14.5
524	4	M	16.2	15.9	14.7	15.4	15.2	14.6	15.6	15.2	14.6	14.3	14.7	15.3	15.2	14.0	15.0	14.9	14.7	14.1	14.5
525	4	M	16.2	15.9	14.7	15.4	15.2	14.6	15.6	15.2	14.6	14.3	14.7	15.3	15.2	14.0	15.0	14.9	14.7	14.1	14.5
526	4	F	15.2	13.9	13.4	11.9	11.8	12.4	13.5	12.5	11.8	11.7	12.6	12.2	13.7	14.1	13.7	12.7	13.0	13.4	14.6
527	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
528	4	F	15.2	13.9	13.4	11.9	11.8	12.4	13.5	12.5	11.8	11.7	12.6	12.2	13.7	14.1	13.7	12.7	13.0	13.4	14.6
529	4	F	12.3	13.6	11.5	10.9	10.0	10.6	12.4	11.5	10.8	7.9	8.1	9.2	9.9	---	---	---	---	---	---
530	4	F	12.3	13.6	11.5	10.9	10.0	10.6	12.4	11.5	10.8	7.9	8.1	9.2	9.9	12.9	13.0	12.6	12.3	12.6	12.1
531	4	F	12.3	13.6	11.5	10.9	10.0	10.6	12.4	11.5	10.8	7.9	8.1	9.2	9.9	12.9	13.0	12.6	12.3	12.6	12.1
532	4	F	13.3	13.5	13.5	13.1	11.7	12.4	13.7	12.7	11.5	12.0	13.0	13.1	13.6	14.3	13.0	12.4	13.3	13.1	12.6
533	4	F	13.3	13.5	13.5	13.1	11.7	12.4	13.7	12.7	11.5	12.0	13.0	13.1	13.6	14.3	13.0	12.4	13.3	13.1	12.6
534	4	F	13.3	13.5	13.5	13.1	11.7	12.4	13.7	12.7	11.5	12.0	13.0	13.1	13.6	14.3	13.0	12.4	13.3	13.1	12.6
535	4	F	13.7	12.7	12.6	12.4	11.4	12.6	12.8	12.5	12.2	12.3	13.7	13.0	14.0	13.6	13.3	13.0	14.0	13.6	8.1
536	4	F	13.7	12.7	12.6	12.4	11.4	12.6	12.8	12.5	12.2	12.3	13.7	13.0	14.0	13.6	13.3	13.0	14.0	13.6	8.1
537	4	F	13.7	12.7	12.6	12.4	11.4	12.6	12.8	12.5	12.2	12.3	13.7	13.0	14.0	13.6	13.3	13.0	14.0	13.6	8.1
538	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
539	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
540	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
541	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
542	4	F	15.1	14.3	12.6	12.6	12.4	12.9	13.9	13.0	12.1	13.1	13.3	13.0	14.1	14.9	13.0	13.3	14.1	15.1	12.7
543	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
544	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
545	4	F	13.9	13.9	12.5	12.1	11.4	11.4	12.5	13.1	11.4	11.6	7.6	15.6	15.7	16.4	16.0	14.7	15.3	17.6	16.7
546	4	F	13.9	13.9	12.5	12.1	11.4	11.4	12.5	13.1	11.4	11.6	7.6	15.6	15.7	16.4	16.0	14.7	15.3	17.6	16.7
547	4	F	14.1	13.8	12.8	11.5	10.7	11.8	12.9	12.2	11.0	11.3	12.0	13.2	13.6	13.4	13.7	13.2	13.5	14.3	12.7
548	4	F	14.1	13.8	12.8	11.5	10.7	11.8	12.9	12.2	11.0	11.3	12.0	13.2	13.6	13.4	13.7	13.2	13.5	14.3	12.7
549	4	F	14.1	13.8	12.8	11.5	10.7	11.8	12.9	12.2	11.0	11.3	12.0	13.2	13.6	13.4	13.7	13.2	13.5	14.3	12.7
550	4	F	12.3	12.6	12.1	12.0	11.6	11.0	12.1	11.4	11.3	11.1	12.5	12.3	12.7	11.5	9.7	10.6	13.6	13.1	11.1
551	4	F	12.3	12.6	12.1	12.0	11.6	11.0	12.1	11.4	11.3	11.1	12.5	12.3	12.7	11.5	9.7	10.6	13.6	13.1	11.1
552	4	F	12.3	12.6	12.1	12.0	11.6	11.0	12.1	11.4	11.3	11.1	12.5	12.3	12.7	11.5	9.7	10.6	13.6	13.1	11.1
553	4	F	13.9	14.5	13.9	12.9	12.4	12.8	14.0	13.2	12.3	12.7	12.1	13.5	13.3	13.4	13.5	14.2	13.9	14.3	12.7
554	4	F	13.9	14.5	13.9	12.9	12.4	12.8	14.0	13.2	12.3	12.7	12.1	13.5	13.3	13.4	13.5	14.2	13.9	14.3	12.7
555	4	F	13.9	14.5	13.9	12.9	12.4	12.8	14.0	13.2	12.3	12.7	12.1	13.5	13.3	13.4	13.5	14.2	13.9	14.3	12.7
556	4	F	14.9	15.0	13.6	12.8	12.5	13.4	13.6	13.3	13.2	12.9	13.9	12.4	13.9	13.6	12.9	14.4	14.5	14.4	13.8
557	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
558	4	F	14.9	15.0	13.6	12.8	12.5	13.4	13.6	13.3	13.2	12.9	13.9	12.4	13.9	13.6	12.9	14.4	14.5	14.4	13.8
559	4	F	13.7	14.0	13.3	13.3	12.4	12.6	13.9	14.4	13.3	13.3	13.3	12.6	14.4	14.7	13.9	13.6	14.9	15.7	13.3
560	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T M A L N O	T R G R O U P	S E X	TEST WEEK																104		
			68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98		100	102
561	4	F	12.2	12.5	11.5	10.8	10.8	11.1	12.8	11.9	11.0	11.1	13.0	12.4	12.7	12.7	11.8	11.1	10.4	10.7	10.1
562	4	F	12.2	12.5	11.5	10.8	10.8	11.1	12.8	11.9	11.0	11.1	13.0	12.4	12.7	12.7	11.8	11.1	10.4	10.7	10.1
563	4	F	12.2	12.5	11.5	10.8	10.8	11.1	12.8	11.9	11.0	11.1	13.0	12.4	12.7	12.7	11.8	11.1	10.4	10.7	10.1
564	4	F	12.2	12.5	11.5	10.8	10.8	11.1	12.8	11.9	11.0	11.1	13.0	12.4	12.7	12.7	11.8	11.1	10.4	10.7	10.1
565	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
566	4	F	13.4	13.2	11.8	12.2	12.1	11.8	13.9	13.9	13.2	11.1	12.4	12.7	12.7	13.0	12.8	7.5	10.9	8.1	13.0
567	4	F	13.4	13.2	11.8	12.2	12.1	11.8	13.9	13.9	13.2	11.1	12.4	12.7	12.7	13.0	12.8	7.5	10.9	8.1	---
568	4	F	11.9	11.8	11.6	11.3	9.9	10.6	11.8	10.2	9.6	10.4	9.9	10.8	12.6	12.6	12.4	8.6	19.3	14.3	10.6
569	4	F	11.9	11.8	11.6	11.3	9.9	10.6	11.8	10.2	9.6	10.4	9.9	10.8	---	---	---	---	---	---	---
570	4	F	11.9	11.8	11.6	11.3	9.9	10.6	11.8	10.2	---	---	---	---	---	---	---	---	---	---	---
571	4	F	16.7	15.3	14.8	13.6	13.4	13.9	13.8	8.9	11.9	12.9	12.8	13.8	14.3	13.6	14.3	12.9	14.9	15.5	15.1
572	4	F	16.7	15.3	14.8	13.6	13.4	13.9	13.8	8.9	11.9	12.9	12.8	13.8	14.3	13.6	14.3	12.9	14.9	15.5	15.1
573	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
574	4	F	13.5	13.0	12.0	11.8	11.4	12.4	13.0	12.7	11.8	12.0	12.8	13.0	13.4	13.5	13.4	11.5	9.3	14.1	12.4
575	4	F	13.5	13.0	12.0	11.8	11.4	12.4	13.0	12.7	11.8	12.0	12.8	13.0	13.4	13.5	13.4	11.5	9.3	---	---
576	4	F	13.5	13.0	12.0	11.8	11.4	12.4	13.0	12.7	11.8	12.0	12.8	13.0	13.4	13.5	13.4	11.5	9.3	14.1	12.4
577	4	F	13.9	13.0	12.4	12.6	11.3	13.1	14.1	13.5	12.8	12.9	13.9	14.1	13.6	13.9	---	---	---	---	---
578	4	F	13.9	13.0	12.4	12.6	11.3	13.1	14.1	13.5	12.8	12.9	13.9	14.1	13.6	13.9	11.7	13.0	7.9	4.0	---
579	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
580	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
581	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
582	4	F	14.3	14.4	14.1	13.7	12.3	13.3	15.4	13.1	12.6	12.2	13.9	13.6	13.4	7.0	5.1	9.4	6.9	---	---
583	4	F	13.5	14.6	12.9	12.1	11.2	11.2	13.3	12.1	15.9	12.0	12.0	12.7	13.1	13.3	13.2	13.4	13.9	13.2	12.9
584	4	F	13.5	14.6	12.9	12.1	11.2	11.2	13.3	12.1	15.9	12.0	12.0	12.7	13.1	13.3	13.2	13.4	13.9	13.2	12.9
585	4	F	13.5	14.6	12.9	12.1	11.2	11.2	13.3	12.1	15.9	12.0	12.0	12.7	13.1	13.3	13.2	13.4	13.9	13.2	12.9
586	4	F	10.6	10.9	11.4	11.7	11.8	11.7	12.9	11.8	12.0	11.5	11.4	12.2	12.9	11.9	11.5	12.0	11.9	13.9	13.0
587	4	F	10.6	10.9	11.4	11.7	11.8	11.7	12.9	11.8	12.0	11.5	11.4	12.2	12.9	11.9	11.5	12.0	11.9	13.9	13.0
588	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
589	4	F	11.0	11.8	12.0	11.4	11.0	11.7	12.4	11.8	11.7	11.2	12.1	12.2	11.9	11.3	12.0	11.8	11.6	12.1	10.8
590	4	F	11.0	11.8	12.0	11.4	11.0	11.7	12.4	11.8	11.7	11.2	12.1	12.2	11.9	11.3	12.0	11.8	11.6	12.1	10.8
591	4	F	11.0	11.8	12.0	11.4	11.0	11.7	12.4	11.8	11.7	11.2	12.1	12.2	11.9	11.3	12.0	11.8	11.6	12.1	10.8
592	4	F	12.7	13.6	12.0	12.9	11.4	12.1	12.1	12.6	10.1	8.3	6.9	6.1	5.0	---	---	---	---	---	---
593	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
594	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
595	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
596	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
597	4	F	13.9	14.7	14.0	14.1	13.7	7.0	13.3	14.1	13.6	12.4	14.3	15.9	15.6	16.3	15.4	10.7	17.7	17.9	15.7
598	4	F	15.5	14.9	12.7	12.1	11.5	11.9	12.4	12.4	9.0	8.6	---	---	---	---	---	---	---	---	---
599	4	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
600	4	F	15.5	14.9	12.7	12.1	11.5	11.9	12.4	12.4	9.0	8.6	11.7	14.1	14.7	14.1	13.7	14.4	15.4	15.7	12.6

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L N O	T R T G R O U P	S E X	TEST WEEK																			
			68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	100	102	104	
601	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
602	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
603	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
604	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
605	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
606	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
607	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
608	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
609	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
610	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
611	5	M	17.1	17.7	18.3	17.3	16.7	17.0	11.7	---	---	---	---	---	---	---	---	---	---	---	---	
612	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
613	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
614	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
615	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
616	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
617	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
618	5	M	17.3	17.6	13.4	15.3	14.7	12.2	14.9	13.3	13.0	14.1	14.7	15.1	14.6	16.4	10.0	---	---	---	---	
619	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
620	5	M	16.7	15.6	17.9	16.3	15.4	15.8	17.3	17.0	16.4	15.1	16.4	16.0	16.9	16.0	16.8	17.7	17.3	18.4	16.0	
621	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
622	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
623	5	M	19.0	20.1	11.3	19.1	20.6	13.3	---	---	---	---	---	---	---	---	---	---	---	---	---	
624	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
625	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
626	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
627	5	M	21.0	18.7	17.1	18.7	13.6	14.8	15.3	12.6	---	---	---	---	---	---	---	---	---	---	---	
628	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
629	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
630	5	M	14.1	14.9	16.4	6.3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
631	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
632	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
633	5	M	21.9	12.6	12.3	15.4	15.3	14.7	13.4	8.3	---	---	---	---	---	---	---	---	---	---	---	
634	5	M	16.4	16.6	15.9	17.7	14.6	15.8	16.3	16.4	12.4	14.4	15.3	16.0	15.9	15.1	17.0	18.1	18.3	18.1	17.1	
635	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
636	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
637	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
638	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
639	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
640	5	M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I T T R A L R O N O	S E X	TEST WEEK																		
		68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	100	102	104
641	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
642	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
643	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
644	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
645	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
646	S M	16.3	16.3	18.4	15.7	14.6	15.3	15.7	14.4	5.0	---	---	---	---	---	---	---	---	---	---
647	S M	15.3	13.7	15.6	16.7	13.0	13.5	12.6	6.7	---	---	---	---	---	---	---	---	---	---	---
648	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
649	S M	18.0	20.6	16.9	16.4	15.7	17.0	16.6	16.0	16.3	15.0	16.7	16.1	16.9	17.9	16.6	17.3	18.0	18.1	12.5
650	S M	17.3	19.4	16.7	15.3	14.9	3.8	---	---	---	---	---	---	---	---	---	---	---	---	---
651	S M	20.1	21.4	19.0	18.6	16.7	17.6	17.4	19.1	18.9	15.0	19.9	19.3	18.0	11.9	11.6	16.5	---	---	---
652	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
653	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
654	S M	17.1	17.3	15.7	17.0	15.4	13.2	17.3	16.3	11.0	13.6	16.1	15.9	15.3	15.1	11.6	6.0	---	---	---
655	S M	17.4	18.1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
656	S M	15.7	14.1	15.7	14.7	14.4	13.4	14.9	13.6	9.0	---	---	---	---	---	---	---	---	---	---
657	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
658	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
659	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
660	S M	18.6	14.3	13.7	10.6	14.9	15.0	12.7	15.6	9.7	7.9	---	---	---	---	---	---	---	---	---
661	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
662	S M	13.9	12.1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
663	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
664	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
665	S M	18.4	19.1	16.6	17.1	15.0	13.1	16.0	8.7	---	---	---	---	---	---	---	---	---	---	---
666	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
667	S M	15.0	18.6	18.7	19.4	17.0	17.6	17.9	16.6	17.7	15.6	18.4	17.7	18.0	18.1	17.4	17.6	18.4	18.9	17.4
668	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
669	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
670	S M	18.3	19.1	17.4	16.9	15.3	16.1	15.0	16.9	13.9	13.6	15.1	17.3	15.4	15.0	15.1	15.7	14.9	9.1	3.8
671	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
672	S M	17.4	19.4	19.1	16.6	16.9	17.3	18.7	18.9	15.6	16.7	17.0	16.0	17.3	20.1	18.0	15.7	16.0	11.7	---
673	S M	20.0	11.6	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
674	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
675	S M	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
676	S F	11.7	12.3	10.6	11.2	9.8	11.5	12.4	12.4	12.1	11.9	12.3	11.3	11.9	12.3	10.3	14.4	12.3	12.4	12.6
677	S F	11.7	12.3	10.6	11.2	9.8	11.5	12.4	12.4	12.1	11.9	12.3	11.3	11.9	12.3	10.3	---	---	---	---
678	S F	11.7	12.3	10.6	11.2	9.8	11.5	12.4	12.4	12.1	11.9	12.3	11.3	11.9	12.3	10.3	14.4	12.3	12.4	12.6
679	S F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
680	S F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-IRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I J M A L N O	T R G R S E X	TEST WEEK																104
		68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	
681	S	16.1	13.6	14.9	13.4	11.7	12.6	14.7	15.9	13.4	12.3	13.9	13.3	12.1	13.1	32.7	---	---
682	F	16.1	15.1	15.6	13.9	12.9	15.3	16.0	14.0	15.3	14.0	13.4	11.0	15.4	14.1	13.6	5.4	11.7
683	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
684	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
685	S	12.4	13.6	12.1	12.4	11.1	11.2	13.0	12.9	10.3	10.1	12.4	13.3	11.2	11.9	11.4	11.9	12.6
686	F	12.4	13.6	12.1	12.4	11.1	11.2	13.0	12.9	10.3	10.1	12.4	13.3	11.2	11.9	11.4	11.9	12.6
687	S	12.4	13.6	12.1	12.4	11.1	11.2	13.0	12.9	10.3	10.1	---	---	---	---	---	---	---
688	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
689	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
690	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
691	S	13.8	15.0	14.3	12.9	11.2	12.8	14.2	14.9	12.2	12.4	11.2	12.8	11.8	12.8	12.8	12.7	12.8
692	F	13.8	15.0	14.3	12.9	11.2	12.8	14.2	14.9	12.2	12.4	11.2	12.8	11.8	12.8	12.8	12.7	12.8
693	S	13.8	15.0	14.3	12.9	11.2	12.8	14.2	14.9	12.2	12.4	11.2	12.8	11.8	12.8	12.8	12.7	12.8
694	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
695	S	13.9	13.9	12.7	12.9	11.0	11.9	13.3	12.6	12.3	11.4	11.3	13.3	14.3	14.6	12.3	12.9	16.1
696	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
697	S	14.8	13.3	13.0	12.7	10.5	10.7	11.9	12.6	11.6	11.3	11.0	10.8	10.9	10.8	11.3	12.3	12.3
698	F	14.8	13.3	13.0	12.7	10.5	10.7	11.9	12.6	11.6	11.3	11.0	10.8	10.9	10.8	11.3	12.3	12.3
699	S	14.8	13.3	13.0	12.7	10.5	10.7	11.9	12.6	11.6	11.3	11.0	10.8	10.9	10.8	11.3	12.3	12.3
700	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
701	S	14.5	12.4	15.2	14.2	12.1	12.4	14.2	12.4	12.0	6.7	9.5	---	---	---	---	---	---
702	F	14.5	12.4	15.2	14.2	12.1	12.4	14.2	12.4	12.0	6.7	9.5	12.7	10.9	12.3	5.7	---	---
703	S	15.3	15.0	13.0	12.5	13.3	11.8	13.0	13.9	11.8	12.8	13.0	12.7	9.2	13.4	12.8	8.1	10.2
704	F	15.3	15.0	13.0	12.5	13.3	11.8	13.0	13.9	11.8	12.8	13.0	12.7	9.2	13.4	12.8	8.1	10.2
705	S	15.3	15.0	13.0	12.5	13.3	11.8	13.0	13.9	11.8	12.8	13.0	12.7	9.2	13.4	12.8	8.1	10.2
706	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
707	S	13.8	14.4	13.9	12.1	11.8	12.1	13.6	13.3	13.1	12.9	14.1	13.2	14.0	13.1	13.4	7.4	15.0
708	F	13.8	14.4	13.9	12.1	11.8	12.1	13.6	13.3	13.1	12.9	14.1	13.2	14.0	13.1	13.4	7.4	15.0
709	S	13.6	13.3	12.1	12.4	11.3	14.0	12.5	13.2	11.9	11.8	11.4	11.9	12.4	14.3	13.7	12.6	15.0
710	F	13.6	13.3	12.1	12.4	11.3	14.0	12.5	13.2	11.9	11.8	11.4	11.9	12.4	14.3	13.7	12.6	15.0
711	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
712	F	18.7	18.9	15.1	15.6	10.3	11.7	---	---	---	---	---	---	---	---	---	---	---
713	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
714	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
715	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
716	F	14.4	13.9	12.1	12.8	12.0	13.0	13.7	12.3	9.6	7.6	10.3	12.1	10.5	---	---	---	---
717	S	14.4	13.9	12.1	12.8	12.0	13.0	13.7	12.3	9.6	7.6	10.3	12.1	10.5	17.4	16.0	16.6	16.1
718	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
719	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
720	F	14.4	15.7	12.9	14.7	14.4	11.6	13.9	16.1	12.3	11.6	11.3	14.1	15.9	10.7	13.9	14.9	14.0

--- = NO AVAILABLE DATA

Table VI.3 (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL FOOD CONSUMPTION MEASUREMENTS (g/day)

A N I M A L I D E N T I F I C A T I O N	T R E A T M E N T G R O U P	TEST WEEK																		
		68	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	100	102	104
721	S	16.0	13.6	14.3	13.9	13.4	14.0	15.9	14.1	15.0	13.2	13.8	14.4	14.6	17.2	16.2	17.9	8.4	---	---
722	F	16.0	13.6	14.3	13.9	13.4	14.0	15.9	14.1	15.0	13.2	13.8	14.4	14.6	17.2	16.2	17.9	8.4	16.6	17.0
723	F	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
724	S	15.4	12.9	12.2	14.1	12.1	11.7	13.1	14.1	12.4	12.7	13.7	14.2	13.9	13.4	14.0	14.0	14.1	14.1	11.8
725	S	725	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
726	S	15.4	12.9	12.2	14.1	12.1	11.7	13.1	14.1	12.4	12.7	13.7	14.2	13.9	13.4	14.0	14.0	14.1	14.1	11.8
727	S	727	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
728	S	14.4	13.9	18.2	14.6	13.7	12.6	13.6	12.0	12.0	11.9	12.3	12.4	11.4	8.7	---	---	---	---	---
729	S	14.4	13.9	18.2	14.6	13.7	12.6	13.6	12.0	12.0	11.9	12.3	12.4	11.4	8.7	13.3	13.7	14.1	15.0	14.1
730	S	730	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
731	S	731	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
732	S	16.6	15.6	16.0	14.1	12.7	14.7	15.7	17.0	8.0	---	---	---	---	---	---	---	---	---	---
733	S	12.8	15.7	13.9	11.4	11.5	12.6	15.8	14.1	14.1	11.3	13.9	13.6	14.1	9.5	12.1	16.5	8.7	14.0	13.1
734	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
735	S	12.8	15.7	13.9	11.4	11.5	12.6	15.8	14.1	14.1	11.3	13.9	13.6	14.1	9.5	12.1	16.5	8.7	---	---
736	S	13.0	11.5	11.7	12.2	11.3	10.0	12.0	11.0	11.2	12.5	12.6	11.9	13.1	12.7	12.4	12.4	13.5	14.0	13.7
737	S	13.0	11.5	11.7	12.2	11.3	10.0	12.0	11.0	11.2	12.5	12.6	11.9	13.1	12.7	12.4	12.4	13.5	14.0	13.7
738	S	13.0	11.5	11.7	12.2	11.3	10.0	12.0	11.0	11.2	12.5	12.6	11.9	13.1	12.7	12.4	12.4	13.5	14.0	13.7
739	S	15.9	13.4	15.4	13.3	11.7	11.9	16.6	15.0	13.4	11.7	14.1	15.1	16.0	14.7	16.1	12.9	11.6	14.7	12.0
740	S	740	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
741	S	741	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
742	S	742	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
743	S	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
744	S	14.7	13.1	13.0	14.0	13.4	12.4	14.9	13.0	14.1	11.4	14.3	13.1	12.9	15.1	16.3	16.4	16.7	14.7	16.0
745	S	13.9	13.0	12.1	13.9	10.9	12.4	11.8	14.0	12.5	12.0	12.3	11.7	14.1	12.3	15.2	14.9	13.7	11.9	14.7
746	S	13.9	13.0	12.1	13.9	10.9	12.4	11.8	14.0	12.5	12.0	12.3	11.7	---	---	---	---	---	---	---
747	S	13.9	13.0	12.1	13.9	10.9	12.4	11.8	14.0	12.5	12.0	12.3	11.7	14.1	12.3	15.2	14.9	13.7	11.9	14.7
748	S	748	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
749	S	14.4	13.1	11.0	13.5	10.5	12.7	13.6	12.5	12.5	12.5	12.8	13.0	13.9	7.7	15.0	12.9	14.0	14.4	13.9
750	S	14.4	13.1	11.0	13.5	10.5	12.7	13.6	12.5	12.5	12.5	12.8	13.0	13.9	7.7	---	---	---	---	---

--- = NO AVAILABLE DATA

[illegible]

----- = NO AVAILABLE DATA

Table VI.4b
 TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 METHYLAHEDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL HEMATOLOGY VALUES - TEST WEEK 26

A	N	I	T	R	G	S	E	X	H	C	T	%	R	B	C	1	d	g	M	C	H	p	g	M	C	H	g	/	%	R	B	C	1	d	g	M	C	H	p	g	M	C	H	g	/	%	R	B	C	1	d	g	M	C	H	p	g	M	C	H	g	/	%	R	B	C	1	d	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p	g	M	C	H	p

----- = NO AVAILABLE DATA

Table VI.4b (continued)

A	N	I	T	R	A	L	G	S	E	X	H	C	H	G	B	H	M	C	H	M	C	H	P	g	M	C	H	g	/	d	i	R	B	C	x	x	W	B	C	P	L	T	x	x	1	1	O	3	/	m	m	3	I	M	N	E	U	T	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	M	O	N	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	Y	M	%	W	B	C	E	O	S	%	W

--- = NO AVAILABLE DATA

----- = NO AVAILABLE DATA

INDIVIDUAL HEMATOLOGY VALUES - TEST WEEK 52

[illegible]

----- = NO AVAILABLE DATA

[illegible]

- - - - NO AVAILABLE DATA

Table VI.4d (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF HEXAHYDRO 1,3,5-TRINITRO-1,3,5-IRIAZINE (RDX) IN THE FISCHER RAT INDIVIDUAL HEMATOLOGY VALUES - TEST WEEK 78

[illegible]

--- = NO AVAILABLE DATA

Table VI.4e
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO 1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL HEMATOLOGY VALUES - TEST WEEK 104

[illegible]

--- = NO AVAILABLE DATA

Table VI.4e (continued)

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT INDIVIDUAL HEMATOLOGY VALUES - TEST WEEK 104

A	N	T	R	G	U	P	S	F	X	H	C	T	H	M	C	V	U	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	M	D	N	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V	M	C	H	P	q	M	C	H	g	/	d	t	R	B	C	W	B	C	P	L	T	I	M	N	E	U	T	%	W	B	C	L	Y	M	%	W	B	C	E	O	S	%	W	B	C	B	A	S	D	%	W	B	C	N	R	B	C	P	L	A	S	M	A	%	W	B	C	O	U	P	S	F	X	H	C	T	H	M	C	V

--- = NO AVAILABLE DATA

Table VI.5a (continued)
 TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 THE PARENT 1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISHER RAT
 INDIVIDUAL CLINICAL CHEMISTRY VALUES - TEST WEEK 13

A	N	I	R	G	P	A	T	R	T	A	C	D	T	N	K	C	C	P	L	A	L	G	A																						
313	314	326	331	333	344	346	361	367	373	376	379	380	389	410	426	431	433	435	436	472	474	478	485	489	493	495	498	503	519	535	554	555	567	576	583	590	591	600							
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3						
17	17	19	16	17	14	18	14	15	20	14	15	20	14	15	16	15	16	10	16	14	16	16	16	16	13	16	13	19	13	16	14	14	15	15	13	16	16	13	13	14					
106	140	105	95	100	108	86	91	130	103	120	92	95	80	124	84	78	85	93	95	84	111	103	84	110	97	111	78	102	90	104	122	68	97	122	92	81	78	123	92						
127	143	94	73	132	75	332	131	33	151	50	32	88	92	167	33	89	88	92	167	33	89	88	92	167	33	89	88	92	167	33	89	88	92	167	33	89	88	92	167	33	89				
0.0	0.0	0.15	0.10	0.17	0.0	0.34	0.12	0.24	0.04	0.21	0.13	0.0	0.0	0.14	0.0	0.07	0.22	0.12	0.18	0.0	0.0	0.14	0.11	0.0	0.0	0.14	0.11	0.0	0.0	0.14	0.11	0.0	0.0	0.14	0.11	0.0	0.0	0.14	0.11	0.0	0.0				
147	163	143	150	154	167	142	149	142	157	143	146	159	147	148	164	151	149	154	154	146	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148			
5.7	5.0	5.2	4.9	4.9	4.9	4.9	5.1	5.0	5.7	5.1	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0			
98	98	98	93	96	94	98	98	98	94	95	102	94	102	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	
222	346	194	328	284	198	160	266	222	360	230	266	264	88	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222	222
1040	830	764	1080	738	771	710	882	790	1560	618	724	1263	408	646	591	764	764	434	592	842	262	870	1224	414	1680	632	816	592	729	1086	646	658	1026	724	394	566									
96	86	98	80	90	93	84	98	98	93	60	74	93	56	60	63	62	78	66	66	72	90	96	108	126	126	72	104	66	66	72	63	74	62	90	62	90	74	60	72						

--- = NO AVAILABLE DATA

Table VI.5a (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYL-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL CLINICAL CHEMISTRY VALUES - TEST WEEK 13

A	N	I	T	R	G	R	A	T	C	D	T	C	N	K	C	C	L	A	G	L	B	A
610	5	M	76	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
615	5	M	86	11	36	11	36	11	36	11	36	11	36	11	36	11	36	11	36	11	36	11
620	5	M	77	14	16	14	16	14	16	14	16	14	16	14	16	14	16	14	16	14	16	14
630	5	M	94	13	14	13	14	13	14	13	14	13	14	13	14	13	14	13	14	13	14	13
634	5	M	83	17	20	17	20	17	20	17	20	17	20	17	20	17	20	17	20	17	20	17
646	5	M	101	14	16	14	16	14	16	14	16	14	16	14	16	14	16	14	16	14	16	14
647	5	M	75	10	6	10	6	10	6	10	6	10	6	10	6	10	6	10	6	10	6	10
652	5	M	118	15	9	15	9	15	9	15	9	15	9	15	9	15	9	15	9	15	9	15
656	5	M	79	15	14	15	14	15	14	15	14	15	14	15	14	15	14	15	14	15	14	15
674	5	M	80	17	10	17	10	17	10	17	10	17	10	17	10	17	10	17	10	17	10	17
685	5	F	85	18	24	18	24	18	24	18	24	18	24	18	24	18	24	18	24	18	24	18
688	5	F	87	14	24	14	24	14	24	14	24	14	24	14	24	14	24	14	24	14	24	14
704	5	F	91	15	16	15	16	15	16	15	16	15	16	15	16	15	16	15	16	15	16	15
710	5	F	73	19	24	19	24	19	24	19	24	19	24	19	24	19	24	19	24	19	24	19
721	5	F	102	14	15	14	15	14	15	14	15	14	15	14	15	14	15	14	15	14	15	14
726	5	F	84	14	16	14	16	14	16	14	16	14	16	14	16	14	16	14	16	14	16	14
735	5	F	113	17	30	17	30	17	30	17	30	17	30	17	30	17	30	17	30	17	30	17
740	5	F	87	18	14	18	14	18	14	18	14	18	14	18	14	18	14	18	14	18	14	18
743	5	F	89	13	9	13	9	13	9	13	9	13	9	13	9	13	9	13	9	13	9	13
748	5	F	88	19	20	19	20	19	20	19	20	19	20	19	20	19	20	19	20	19	20	19

--- = NO AVAILABLE DATA

Table VI.5b
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYL-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL CLINICAL CHEMISTRY VALUES - TEST WEEK 26

A	N	T	J	R	G	B	A	T	T	C	D	T	C	N	K	C	P	L	A	G
I	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
42	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
49	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
55	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
58	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
70	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
74	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
83	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
92	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
94	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
97	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
103	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
111	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
113	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
117	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
128	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
148	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
160	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
166	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
167	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
179	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
184	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
189	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
190	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
206	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
221	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
233	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
252	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
254	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
255	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
259	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
260	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
262	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
269	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
283	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

--- = NO AVAILABLE DATA

Table VI.5b (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO 1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISHER RAT
 INDIVIDUAL CLINICAL CHEMISTRY VALUES - TEST WEEK 26

A	N	T	P	G	B	A	T	T	C	U	T	N	K	C	C	P	L	A	G
I	M	I	I	I	U	L	R	I	H	B	I	a	m	I	I	K	D	L	L
A	A	T	T	m	m	B	G	m	m	m	m	m	m	m	m	m	H	P	B
I	R	G	m	g	g	L	g	g	g	g	g	g	g	g	g	g	I	I	g
N	D	U	E	S	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
O	P	x																	
313	3	M	231	32	32	3.8	5.2	3.8	45	0.09	0.20	9.4	158	4.4	100	164	224	63	1.4
314	3	M	79	16	28	4.2	6.7	4.2	77	0.07	0.20	10.5	153	5.3	104	498	618	61	2.5
326	3	M	107	17	28	4.3	7.1	4.3	74	0.17	0.44	10.2	151	5.5	104	1120	---	---	---
331	3	M	89	15	20	4.5	7.1	4.5	70	0.06	0.18	11.1	154	5.0	100	217	514	67	2.6
333	3	M	91	15	24	4.4	6.9	4.4	63	0.06	0.17	10.6	155	5.0	102	200	460	73	2.5
344	3	M	148	16	28	4.5	6.7	4.5	76	0.06	0.18	9.9	148	4.8	104	280	420	81	2.2
346	3	M	106	15	24	4.4	6.7	4.4	88	0.04	0.18	10.4	149	5.2	106	386	1330	75	---
361	3	M	84	13	24	4.3	6.9	4.3	61	0.04	0.15	10.0	146	4.9	102	591	750	67	2.6
367	3	M	128	15	20	4.6	6.9	4.6	76	0.10	0.22	10.4	155	4.9	104	240	842	100	2.3
373	3	M	105	15	32	4.5	6.5	4.5	71	0.12	0.31	10.2	157	6.4	104	524	1212	72	2.0
376	3	F	94	17	24	4.7	6.6	4.7	106	0.04	0.12	10.2	156	4.7	106	200	710	72	1.9
379	3	F	105	16	24	4.6	7.1	4.6	122	0.04	0.14	11.1	150	4.7	106	471	552	48	2.5
380	3	F	87	15	16	4.5	7.1	4.5	119	0.02	0.07	10.1	146	4.7	103	271	738	73	2.5
389	3	F	87	17	24	4.5	6.3	4.5	104	0.05	0.16	10.0	149	4.9	102	351	882	82	1.8
410	3	F	108	16	20	4.6	6.8	4.6	113	0.13	0.39	9.6	155	6.5	107	1583	---	34	2.2
426	3	F	123	15	20	4.4	7.0	4.4	134	0.05	0.15	11.0	151	4.9	100	284	460	55	2.6
431	3	F	128	20	28	4.7	6.7	4.7	134	0.08	0.29	10.0	149	5.2	100	409	592	57	2.0
433	3	F	93	16	20	4.4	6.9	4.4	117	0.03	0.12	9.8	147	4.8	100	306	1000	75	2.5
435	3	F	98	16	16	4.4	6.9	4.4	117	0.06	0.18	10.9	152	5.2	96	1850	724	67	2.5
436	3	F	84	16	24	4.1	6.4	4.1	131	0.09	0.23	10.2	149	5.5	105	1187	580	69	2.3
472	4	M	109	14	24	4.3	7.0	4.3	81	0.05	0.16	11.2	155	5.2	94	240	684	69	2.7
474	4	M	81	16	14	4.4	---	4.4	85	0.05	0.15	10.2	148	5.1	92	311	922	73	---
478	4	M	82	17	16	4.3	---	4.3	67	0.07	0.19	9.8	148	5.6	94	582	606	60	---
485	4	M	112	14	16	4.4	---	4.4	82	0.07	0.21	10.4	149	4.6	101	342	672	75	---
489	4	M	117	15	24	4.4	6.4	4.4	68	0.04	0.11	9.7	152	4.9	93	484	592	73	2.0
493	4	M	130	15	20	4.4	6.4	4.4	89	0.06	0.19	10.2	149	5.6	102	173	408	73	2.0
495	4	M	112	13	20	4.4	6.4	4.4	74	0.07	0.19	10.0	159	5.4	102	306	1000	78	2.0
498	4	M	113	14	28	4.5	---	4.5	78	0.04	0.10	10.7	147	5.3	100	351	698	63	---
503	4	M	149	13	16	4.2	6.9	4.2	91	0.06	0.16	11.1	153	5.3	104	209	618	64	2.7
519	4	M	99	14	16	4.4	6.9	4.4	77	0.04	0.14	10.9	155	5.8	105	173	486	67	2.6
535	4	F	85	17	24	4.4	5.9	4.4	88	0.10	0.27	10.0	153	5.6	108	729	738	64	1.7
554	4	F	120	16	16	4.6	6.7	4.6	130	0.03	0.14	9.8	147	4.7	100	231	486	79	2.1
555	4	F	70	18	16	4.8	6.7	4.8	120	0.07	0.20	10.4	156	6.0	103	453	1000	76	1.9
567	4	F	95	15	20	4.5	6.3	4.5	105	0.03	0.08	10.0	151	5.1	102	160	460	66	1.8
570	4	F	96	15	16	4.4	6.5	4.4	121	0.03	0.12	9.9	146	4.8	99	653	1132	85	2.1
576	4	F	127	16	24	4.4	6.7	4.4	115	0.15	0.41	11.0	153	5.8	94	458	606	63	2.3
583	4	F	92	16	24	4.5	6.4	4.5	148	0.05	0.16	9.8	147	4.7	102	484	580	72	1.9
590	4	F	117	17	24	4.4	7.0	4.4	123	0.03	0.11	10.4	154	5.1	106	200	460	66	2.6
591	4	F	87	15	14	4.5	7.1	4.5	116	0.03	0.13	9.9	147	4.8	102	235	78	94	2.6
600	4	F	111	14	16	4.3	6.7	4.3	106	0.04	0.17	10.0	147	5.8	109	484	842	55	2.4

--- = NO AVAILABLE DATA

Table VI.5c (continued)

A	N	I	G	P	A	T	D	T	N	C	K	C	C	A	G	A
I	T	R	U	N	I	P	I	R	a	I	m	I	P	L	L	L
M	M	G	m	m	A	R	L	L	m	m	m	e	K	D	O	B
A	I	G	m	m	B	O	R	m	m	m	m	M	P	H	B	B
I	R	m	g	g	g	g	g	g	g	g	g	I	I	I	g	g
N	O	U	/	/	/	/	/	/	/	/	/	q	/	/	/	/
O	P	I	I	I	I	I	I	I	I	I	I	/	/	/	/	B
3	313	3	120	12	38	73	7.1	0.05	163	99	5.1	---	329	---	73	2.9
3	314	3	162	14	61	85	6.9	0.14	148	107	4.8	---	124	---	---	2.7
3	326	3	112	17	95	153	7.4	0.04	140	80	4.3	---	4580	---	---	1.6
3	331	3	135	12	82	134	7.1	0.81	154	88	4.9	---	120	---	---	3.1
3	333	3	115	13	77	74	6.9	0.19	149	79	5.1	---	564	---	---	1.3
3	341	3	114	11	42	139	6.8	0.57	156	104	5.5	---	369	---	---	2.5
3	346	3	127	15	79	114	7.3	0.23	154	103	5.5	---	253	---	75	2.8
3	361	3	102	13	74	80	7.1	0.08	157	92	5.1	---	235	---	---	1.4
3	367	3	98	14	38	174	6.1	0.11	154	70	5.3	---	295	---	---	3.1
3	373	3	119	16	38	121	6.7	0.09	164	85	5.8	---	653	---	73	2.2
3	376	3	88	16	16	67	7.0	0.31	179	102	6.1	---	435	---	52	2.7
3	379	3	112	15	59	75	7.9	0.13	168	104	5.5	---	226	---	45	2.5
3	380	3	101	17	36	52	7.7	0.05	158	124	4.9	---	213	---	---	3.3
3	389	3	100	19	28	59	6.9	0.18	157	138	4.9	---	182	---	---	1.4
3	410	3	135	16	41	57	7.5	0.06	166	144	5.9	---	186P	---	51	2.9
3	426	3	101	19	38	49	7.7	0.14	150	118	4.5	---	71	---	---	1.6
3	431	3	95	19	20	45	7.2	0.10	160	145	5.0	---	106	---	---	2.7
3	435	3	132	18	41	48	7.8	0.12	146	139	4.5	---	636	---	49	3.4
3	436	3	105	16	46	40	8.1	0.08	152	126	4.6	---	48	---	---	1.3
3	472	3	108	12	64	63	7.0	0.27	157	129	4.8	---	111	---	---	2.9
3	472	3	124	14	59	80	7.6	0.12	149	187	4.9	---	128	---	---	1.5
3	474	3	151	16	61	110	7.3	0.15	164	108	4.9	---	146	---	---	3.6
3	478	3	129	15	61	88	7.7	0.66	140	80	4.7	---	137	---	---	1.1
3	485	3	132	15	56	145	7.2	0.14	140	84	4.3	---	1120	---	---	3.7
3	489	3	116	15	16	90	6.7	0.04	150	116	4.6	---	137	---	---	2.9
3	493	3	124	15	34	247	6.8	0.11	138	110	4.5	---	80	---	---	2.6
3	495	3	102	12	34	173	6.9	0.15	156	120	4.9	---	662	---	67	1.4
3	498	3	114	12	48	60	7.0	0.08	158	96	5.4	---	324	---	76	2.8
3	503	3	137	13	92	147	7.2	0.28	182	105	6.2	---	106	---	70	1.5
3	519	3	116	14	61	33	6.6	0.11	141	11.2	5.5	---	1619	---	---	2.9
3	535	3	87	17	48	32	6.1	0.06	158	91	5.0	---	209	---	---	1.4
3	551	3	100	18	16	91	7.3	0.45	144	86	5.0	---	1031	---	---	3.3
3	555	3	88	20	16	153	7.3	0.14	156	102	5.0	---	164	---	48	2.0
3	567	3	97	16	16	69	7.2	0.17	175	162	4.8	---	146	---	43	2.9
3	570	3	138	14	36	57	7.0	0.07	160	144	5.0	---	84	---	39	1.5
3	576	3	118	15	41	52	7.4	0.04	157	153	4.9	---	44	---	---	2.6
3	583	3	90	15	14	41	6.9	0.11	157	134	4.9	---	102	---	---	1.7
3	590	3	108	16	41	36	6.4	0.61	158	146	5.5	---	378	---	55	3.1
3	591	3	132	17	41	55	7.6	0.05	152	119	5.0	---	142	---	---	2.7
3	596	3	96	18	41	38	7.3	0.45	147	146	4.7	---	137	---	---	1.5
3	600	3	132	17	41	38	7.3	0.02	158	116	5.2	---	186	---	---	2.7

--- = NO AVAILABLE DATA

Table VI.5c (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 MFXAN/DDO 1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL CLINICAL CHEMISTRY VALUES - TEST WEEK 52

A	N	I	T	R	G	B	U	N	I	T	T	C	D	T	N	K	C	C	P	L	A	G
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
610	618	620	627	630	634	646	647	653	656	685	691	704	710	721	726	732	735	745	748	751	754	757
16	14	41	16	48	16	46	25	33	38	30	33	43	41	38	30	10	138	10	33	33	33	33
56	44	25	40	46	58	24	48	---	29	46	45	30	39	32	36	28	46	39	21	21	21	21
7.0	6.7	6.9	6.4	7.0	6.4	6.6	6.8	6.6	6.9	7.4	6.6	6.5	7.0	6.3	6.6	6.6	6.7	5.9	6.1	6.1	6.1	6.1
4.2	4.2	4.2	4.0	4.5	3.9	5.0	4.3	4.3	4.3	4.1	3.9	4.2	4.2	4.0	4.1	4.1	4.1	3.8	4.1	4.1	4.1	4.1
80	69	67	84	118	72	72	70	55	87	102	98	108	110	61	89	119	108	106	83	83	83	83
0.06	0.05	---	0.05	0.13	0.30	0.13	0.04	0.12	0.03	0.14	0.15	0.24	0.12	0.04	0.03	0.05	0.06	0.04	0.14	0.14	0.14	0.14
0.19	0.19	---	0.16	0.54	0.72	0.54	0.10	0.50	0.11	0.71	0.68	0.82	0.27	0.12	0.11	0.15	0.18	0.14	0.57	0.57	0.57	0.57
10.7	10.6	10.9	10.8	10.8	10.1	10.3	11.0	11.0	10.7	11.4	10.9	9.9	11.2	10.5	11.0	10.7	10.0	10.7	10.5	10.5	10.5	10.5
167	168	168	145	143	159	147	155	155	154	160	155	144	142	154	140	145	172	144	142	142	142	142
5.7	5.8	5.7	4.6	5.1	7.2	5.1	5.3	5.6	5.6	5.1	5.2	5.2	5.0	4.5	3.9	5.9	4.5	4.6	4.6	4.6	4.6	4.6
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
213	160	226	191	80	1512	80	391	155	511	182	333	707	822	733	738	97	146	124	102	102	102	102
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
78	72	---	64	---	54	---	---	---	---	---	---	---	---	---	---	61	93	58	---	---	---	---
2.8	2.5	2.7	2.4	2.5	2.5	1.6	2.5	1.6	2.5	2.3	3.3	2.7	2.8	2.3	2.5	2.5	2.6	2.1	2.0	2.0	2.0	2.0
1.5	1.7	1.6	1.7	1.8	1.6	3.1	1.7	1.9	1.6	1.2	1.4	1.8	1.5	1.7	1.6	1.6	1.6	1.8	2.1	2.1	2.1	2.1

--- = NO AVAILABLE DATA

Table VI.5d (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO 1,3,5-TRIAZINO 1,3,5-TRIAZINE (ROX) IN THE FISCHER RAT
 INDIVIDUAL CLINICAL CHEMISTRY VALUES - TEST WEEK 78

A	N	I	T	R	G	R	A	T	T	C	D	T	C	N	K	C	C	L	A	G	L	A
I	M	A	L	N	U	G	L	U	R	P	O	B	I	L	L	A	L	D	H	P	B	A
L	N	O	P	S	X	I	U	F	D	I	I	I	I	I	I	I	I	I	I	I	I	I
311	313	314	326	331	344	346	352	361	367	376	379	380	389	410	426	431	433	435	436	454	472	474
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
12	16	14	15	14	11	15	13	14	14	15	13	18	15	15	16	12	14	13	13	14	16	12
101	93	161	85	123	115	115	103	111	111	105	112	99	107	111	125	92	114	112	120	99	108	112
6.3	6.6	6.5	8.1	6.5	6.8	7.9	6.4	6.5	6.5	7.2	6.6	6.8	6.5	6.5	7.4	7.8	7.6	7.0	6.9	8.8	8.1	9.2
4.1	4.0	3.9	4.3	4.1	4.1	4.2	4.1	4.4	4.4	4.6	4.3	4.6	4.3	4.6	4.9	4.9	4.7	4.7	4.3	4.6	4.2	4.5
0.07	0.10	0.07	0.04	0.05	0.05	0.09	0.09	0.06	0.06	0.03	0.08	0.08	0.03	0.03	0.02	0.06	0.01	0.07	0.20	0.09	0.06	0.20
102	92	223	58	121	153	199	144	100	123	90	130	110	90	130	130	144	124	124	190	139	126	116
4.1	4.0	3.9	4.3	4.1	4.1	4.2	4.1	4.4	4.4	4.6	4.3	4.6	4.3	4.6	4.9	4.9	4.7	4.7	4.3	4.6	4.2	4.5
0.21	0.28	0.23	0.15	0.18	0.14	0.24	0.25	0.20	0.27	0.11	0.10	0.14	0.11	0.10	0.12	0.19	0.11	0.11	0.16	0.26	0.20	0.20
10.7	10.6	10.4	10.0	10.7	11.0	9.9	10.5	10.4	10.3	10.2	10.2	10.7	10.2	10.2	11.1	11.6	9.9	10.1	10.8	10.1	9.9	10.1
144	145	144	148	142	144	143	145	145	143	142	142	144	142	142	146	146	143	142	144	146	144	144
4.7	5.1	4.8	5.0	4.7	4.4	5.1	4.5	4.7	5.4	4.9	4.6	4.9	4.9	4.3	4.1	4.3	4.2	4.5	5.1	4.6	4.7	4.7
105	104	102	104	101	102	102	103	106	105	102	102	104	102	102	101	101	102	102	106	104	108	102
160	1316	155	142	53	213	71	1160	378	1174	200	262	351	355	80	44	97	160	164	329	151	560	284
2.2	1.9	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7	2.3	2.1	2.4	2.6	2.1	2.2	2.3	2.5	2.9	2.9	2.3	2.6	2.7	3.8	3.7	4.7
1.9	1.5	1.5	1.1	1.7	1.5	1.1	1.8	2.1	1.6	2.0	2.2	1.9	1.8	2.0	2.5	2.9	2.9	2.3	2.6	3.8	3.7	4.7
2.2	2.6	2.6	3.8	2.4	3.7	3.7																

Table VI.5d (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL CLINICAL CHEMISTRY VALUES - TEST WEEK 78

A	N	T	R	G	B	A	T	C	D	T	N	K	C	C	L	A	L	G
I	T	I	I	L	U	L	P	H	B	B	a	m	i	i	D	I	L	L
M	M	M	G	T	N	B	O	O	I	I		m	m	m	H	K	L	L
A	A	A	R															
L	L	L	O	m	m	m	O	m	m	m								
N	N	N	/	g	g	g	/	g	g	g	o	o	e	u	I	I	g	G
n	n	n	/	d	d	d	d	d	d	d	/	/	/	/	/	/	/	/
P	P	P	i	i	i	i	i	i	i	i	i	i	i	i	i	i	i	B
611	5	M	48	46	6.4	4.3	0.05	53	0.17	10.7	145	4.9	104	627	---	---	2.1	2.1
618	5	M	33	26	6.4	4.1	0.04	71	0.12	11.1	146	5.1	104	102	---	---	2.3	1.8
620	5	M	38	33	6.6	4.1	0.06	95	0.10	10.2	140	5.1	105	120	---	---	2.5	1.6
627	5	M	370	102	7.6	4.2	0.15	170	0.60	11.5	140	4.7	108	137	---	---	3.4	1.2
634	5	M	33	32	6.6	4.2	0.06	86	0.18	11.1	149	5.3	103	662	---	---	2.4	1.8
646	5	M	48	54	6.3	4.1	0.06	106	0.17	10.3	144	5.3	102	960	---	---	2.2	1.9
647	5	M	69	45	6.4	4.3	0.12	94	0.54	10.2	145	4.8	107	582	---	---	2.1	2.1
650	5	M	23	39	6.0	3.7	0.03	111	0.08	11.5	140	6.6	96	151	---	---	2.3	1.6
654	5	M	38	23	6.0	4.0	0.03	87	0.10	10.4	146	4.6	102	226	---	---	2.0	2.0
656	5	M	36	36	6.8	4.3	0.03	86	0.14	10.0	145	4.8	104	124	---	---	2.5	1.7
685	5	F	59	46	6.7	4.2	0.02	103	0.10	10.1	143	4.4	100	498	---	---	2.5	1.7
691	5	F	33	31	6.3	4.4	0.01	107	0.06	10.7	144	5.1	104	155	---	---	1.9	2.3
704	5	F	36	33	6.6	4.4	0.03	141	0.12	10.3	145	4.3	104	115	---	---	2.2	2.0
710	5	F	25	33	7.9	4.4	0.03	122	0.14	9.8	141	4.4	103	302	---	---	3.5	1.3
712	5	F	41	55	7.3	4.7	0.03	219	0.10	10.8	145	4.3	97	40	---	---	2.6	1.8
721	5	F	30	32	6.2	4.2	0.03	95	0.11	10.5	141	4.7	104	35	---	---	2.0	2.1
726	5	F	33	56	7.6	4.4	0.03	104	0.13	10.0	146	4.5	104	275	---	---	3.2	1.4
732	5	F	33	31	6.5	3.9	0.04	105	0.11	10.8	137	4.7	102	93	---	---	2.6	1.5
735	5	F	41	36	6.8	4.2	0.07	116	0.18	10.5	142	4.9	100	1294	---	---	2.6	1.6
745	5	F	33	30	6.4	4.1	0.03	88	0.10	11.0	142	4.5	102	146	---	---	2.3	1.8

--- = NO AVAILABLE DATA

Table VI.5e
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO 1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL CLINICAL CHEMISTRY VALUES - TEST WEEK 104

A	N	T	R	G	B	A	T	C	D	T	C	N	K	C	C	P	G	A
I	M	A	L	U	U	N	T	H	B	I	O	A	M	I	I	K	L	B
L	R	T	I	m	m	m	P	m	m	m	m	m	m	m	m	m	m	m
N	O	P	S	E	X	I	d	d	d	d	d	d	d	d	d	d	d	d
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
49	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
53	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
58	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
70	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
73	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
74	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
83	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
92	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
94	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
103	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
107	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
117	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
129	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
132	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
137	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
148	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
152	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
160	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
166	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
167	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
179	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
184	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
189	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
190	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
194	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
206	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
233	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
252	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
255	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
259	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
260	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
262	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
266	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
271	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
283	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
297	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

--- = NO AVAILABLE DATA

Table VI.5e (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYL-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL CLINICAL CHEMISTRY VALUES - TEST WEEK 104

A	N	I	T	R	G	B	A	T	C	D	T	C	N	K	C	P	C	L	A
313	314	326	331	339	340	344	346	367	375	376	380	384	389	403	426	431	433	435	436
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M
16	81	12	20	18	77	18	16	20	21	22	16	14	20	14	17	12	12	12	14
111	57	116	116	125	80	90	77	77	110	106	117	126	87	99	148	104	127	83	123
36	151	23	33	77	79	46	38	54	41	38	61	38	73	69	46	33	43	54	46
3.9	2.8	3.6	3.5	3.8	4.1	3.8	3.9	3.6	3.6	4.4	4.5	4.5	7.2	7.9	4.7	4.6	4.7	4.6	4.3
6.6	5.8	6.0	5.7	6.9	7.0	7.3	7.0	5.6	5.6	6.8	7.3	7.2	7.3	7.5	7.1	7.3	6.9	7.4	7.3
86	26	201	110	120	82	244	79	112	144	78	73	118	55	234	63	107	173	117	83
0.17	0.07	0.08	0.08	0.08	0.06	0.08	0.09	0.28	0.09	0.11	0.05	0.11	0.04	0.09	0.06	0.06	0.05	0.08	0.05
0.54	0.24	0.23	0.23	0.27	0.25	0.22	0.27	0.44	0.28	0.15	0.15	0.15	0.32	0.09	0.22	0.21	0.15	0.20	0.17
10.3	10.5	10.7	10.4	11.0	10.6	10.8	11.2	10.6	10.6	10.5	10.6	10.6	11.7	11.2	10.3	10.7	10.7	10.9	10.6
142	147	142	146	142	142	143	146	141	143	138	141	136	140	140	139	137	142	140	138
5.7	4.2	4.3	4.1	4.9	4.2	4.5	4.9	4.4	4.6	3.9	4.6	5.0	4.1	4.4	4.7	4.3	4.4	4.6	4.4
110	114	109	116	110	109	108	114	108	106	108	109	106	108	111	106	113	117	111	114
1833	195	44	409	102	84	115	378	137	160	44	515	4088	106	40	84	97	2228	71	102
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.9	1.7	1.7	1.8	1.6	1.6	1.3	0.9
2.7	3.0	2.4	2.2	3.1	2.9	3.5	3.1	2.0	2.5	2.4	2.7	2.5	2.9	2.5	2.5	2.7	2.6	2.7	3.9
1.4	0.9	1.5	1.6	1.2	1.4	1.1	1.3	1.8	1.9	1.8	1.7	1.							

Table VI.5e (continued)

TWENTY-FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAFLUORO 1,3,5-TRINITRO 1,3,5-TRIAZINE (RDX) IN THE FISCHER RAT
 INDIVIDUAL CLINICAL CHEMISTRY VALUES TEST WEEK 104

[illegible]

- NO AVAILABLE DATA

Table VI.6a

TWENTY FOUR MONTH CHRONIC TOXICITY (CARCINOGENICITY) STUDY OF
HEXAMETHYL-1,3,5-TRINITRO-1,3,5-TRIAZINE (RDX) IN THE RAT
INDIVIDUAL ORGAN WEIGHTS (G) TEST WEEK 24

A N T I M A L N O D U P	T R G R D U P	B O D Y W T	B R A I N	H E A R T	K I D N E Y	A D R E N A L	L I V E R	S P L E N	G O N A D S
2	1	360	2 120	1 103	2 479	0 053	9 917	0 780	3 087
9	1	345	2 118	0 984	2 318	0 037	10 034	0 688	2 945
10	1	379	1 967	1 061	2 590	0 045	10 425	0 763	2 944
18	1	389	2 021	1 004	2 754	0 054	12 185	0 747	3 064
23	1	391	2 157	1 281	2 902	0 045	11 508	0 686	3 088
35	1	325	1 913	0 960	2 259	0 061	11 931	0 651	3 154
50	1	372	2 074	1 037	2 442	0 048	10 898	0 616	3 208
61	1	361	2 084	0 995	2 608	0 050	10 095	0 675	3 125
65	1	352	1 942	1 042	2 412	0 058	10 602	0 612	3 111
67	1	347	1 933	0 962	2 422	0 065	10 451	0 716	2 949
78	1	210	2 005	0 713	1 636	0 068	5 990	0 487	0 122
80	1	195	1 786	0 673	1 409	0 064	5 354	0 470	0 104
81	1	200	1 931	0 720	1 552	0 041	5 461	0 506	0 083
116	1	187	1 852	0 719	1 335	0 046	4 840	0 480	0 100
120	1	167	1 739	0 565	1 376	0 052	5 810	0 350	0 052
124	1	189	1 791	0 584	1 309	0 042	5 216	0 415	0 075
139	1	189	1 839	0 712	1 593	0 051	5 210	0 452	0 109
140	1	182	1 781	0 670	1 429	0 067	5 090	0 442	0 117
144	1	185	1 843	0 647	1 428	0 060	5 775	0 473	0 104
149	1	193	1 939	0 647	1 581	0 054	6 009	0 496	0 112
158	2	344	1 971	0 886	2 292	0 044	10 435	0 658	2 844
161	2	395	2 218	1 269	2 476	0 045	10 405	0 770	3 443
162	2	426	2 018	1 147	2 952	0 054	13 064	0 814	3 241
164	2	366	2 034	1 069	2 897	0 079	11 464	0 732	3 070
176	2	387	2 147	0 980	2 645	0 045	10 968	0 750	3 356
177	2	381	2 033	1 075	2 660	0 071	11 039	0 729	3 120
188	2	382	1 963	1 005	2 527	0 060	12 413	0 628	3 076
197	2	372	2 139	0 962	2 584	0 036	10 612	0 748	3 114
218	2	333	2 039	0 938	2 267	0 045	9 179	0 700	3 130
224	2	364	1 990	0 972	2 489	0 045	10 252	0 694	2 212
226	2	194	1 892	0 647	1 511	0 052	5 141	0 424	0 104
238	2	187	1 772	0 609	1 542	0 065	4 973	0 430	0 082
243	2	190	1 913	0 705	1 453	0 069	5 192	0 516	0 105
257	2	209	1 865	0 668	1 497	0 050	5 800	0 460	0 078
258	2	199	1 989	0 707	1 581	0 064	5 173	0 447	0 102
261	2	193	1 769	0 595	1 352	0 031	---	0 424	0 083
275	2	188	1 905	0 651	1 487	0 056	5 410	0 448	0 154
279	2	172	1 782	0 663	1 436	0 058	5 561	0 442	0 098
291	2	195	1 882	0 713	1 386	0 054	5 808	0 488	0 110
299	2	205	1 826	0 696	1 663	0 073	6 289	0 464	0 093

--- = NO AVAILABLE DATA

Table VI.6a (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL ORGAN WEIGHTS (G) - TEST WEEK 27

A	N	I	M	R	T	B	R	H	K	A	L	S	P	G
N	I	M	R	T	B	R	H	K	A	L	S	P	G	D
A	N	I	M	R	T	B	R	H	K	A	L	S	P	D
L	R	O	S	E	X	W	T	E	I	D	N	E	L	N
N	O	U	P	X	W	T	E	I	D	N	E	L	S	A
O	P	X	W	T	E	I	D	N	E	I	D	N	E	A
P	X	W	T	E	I	D	N	E	I	D	N	E	L	S
301	3	M	380	1.153	2.054	2.651	0.050	10.168	0.689	3.352				
305	3	M	397	0.974	2.045	2.732	0.046	11.964	0.838	3.285				
307	3	M	378	1.253	2.247	2.362	0.054	10.913	0.854	3.160				
330	3	M	363	1.007	1.980	2.603	0.058	10.270	0.737	3.231				
335	3	M	363	0.957	1.917	2.337	0.041	10.290	0.688	3.186				
336	3	M	382	1.010	2.013	2.632	0.050	11.424	0.826	3.111				
349	3	M	349	1.119	1.949	2.508	0.064	10.581	0.854	3.130				
351	3	M	348	0.964	2.012	2.442	0.044	10.794	0.650	3.042				
366	3	M	377	1.004	1.977	2.602	0.074	11.313	0.745	3.082				
368	3	M	384	1.118	2.011	2.634	0.047	10.683	0.724	3.317				
385	3	F	202	0.642	1.687	1.503	0.052	5.730	0.454	0.058				
391	3	F	200	0.644	1.818	1.543	0.052	6.060	0.426	0.092				
408	3	F	180	0.572	1.760	1.349	0.066	6.360	0.458	0.104				
409	3	F	201	0.659	1.870	1.609	0.052	6.088	0.489	0.068				
412	3	F	198	0.643	1.932	1.502	0.048	5.474	0.459	0.113				
414	3	F	193	0.630	1.783	1.440	0.047	5.305	0.413	---				
418	3	F	194	0.661	1.930	1.490	0.051	5.112	0.447	0.107				
441	3	F	195	0.660	1.992	1.544	0.040	5.682	0.441	0.100				
443	3	F	195	0.760	1.958	1.593	0.052	5.222	0.475	0.124				
447	3	F	190	0.721	1.985	1.672	0.046	5.217	0.454	0.104				
462	4	M	392	1.326	2.159	2.812	0.052	11.302	0.766	3.403				
473	4	M	360	1.046	2.067	2.328	0.035	9.636	0.732	3.086				
476	4	M	370	0.992	2.020	2.483	0.050	10.538	0.634	3.132				
484	4	M	366	0.983	1.969	2.350	0.044	9.717	0.669	3.078				
487	4	M	382	1.099	2.112	2.786	0.101	12.524	0.695	3.034				
492	4	M	365	1.005	2.003	2.568	0.075	10.089	0.682	3.042				
500	4	M	346	1.360	2.215	2.695	0.078	10.118	0.728	3.236				
508	4	M	341	0.958	2.093	2.461	0.050	9.279	0.699	2.932				
509	4	M	359	0.932	1.868	2.616	0.055	10.254	0.705	2.874				
520	4	M	373	1.093	2.134	2.663	0.048	11.460	0.807	3.181				
538	4	F	191	0.661	2.080	1.491	0.071	6.398	0.476	0.139				
539	4	F	193	0.685	1.934	1.514	0.051	6.331	0.580	0.119				
541	4	F	208	0.662	1.988	1.484	0.049	6.132	0.463	0.098				
543	4	F	175	0.605	1.810	1.460	0.039	4.955	0.436	0.132				
557	4	F	204	0.673	1.866	1.525	0.062	5.690	0.476	0.092				
565	4	F	208	0.820	2.029	1.621	0.057	5.552	0.492	0.133				
579	4	F	190	0.577	1.834	1.336	0.059	4.910	0.459	0.096				
581	4	F	201	0.675	1.931	1.668	0.046	5.386	0.471	0.098				
593	4	F	183	0.578	1.809	1.357	0.053	4.512	0.442	0.089				
599	4	F	174	0.624	1.737	1.480	0.066	5.228	0.418	0.101				

--- - NO AVAILABLE DATA

Table VI.6a (continued)

--- = NO AVAILABLE DATA

Table VI.6b
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL ORGAN WEIGHTS (G) - TEST WEEK 52

A	N	T	I	R	B	O	D	Y	W	T	S	E	X	P	A	D	R	E	N	A	L	I	V	E	R	S	P	L	E	E	N	G	O	N	A	D	S	
3	1	1	1	1	2	059	1	196	2	599	0	057	13	363	0	057	0	072	0	072	13	565	0	072	0	072	0	072	0	072	0	072	0	072	0	072	0	072
9	1	1	1	1	2	166	1	223	2	799	0	072	12	565	0	072	0	072	0	072	12	565	0	072	0	072	0	072	0	072	0	072	0	072	0	072	0	072
43	1	1	1	1	2	061	1	305	3	108	0	057	13	260	0	057	0	057	0	057	13	260	0	057	0	057	0	057	0	057	0	057	0	057	0	057	0	057
44	1	1	1	1	2	199	1	334	3	212	0	064	12	316	0	064	0	064	0	064	12	316	0	064	0	064	0	064	0	064	0	064	0	064	0	064	0	064
49	1	1	1	1	2	215	1	272	2	974	0	038	12	174	0	038	0	038	0	038	12	174	0	038	0	038	0	038	0	038	0	038	0	038	0	038	0	038
53	1	1	1	1	2	235	1	310	2	968	0	052	12	466	0	052	0	052	0	052	12	466	0	052	0	052	0	052	0	052	0	052	0	052	0	052	0	052
58	1	1	1	1	2	100	1	224	2	907	0	066	11	614	0	066	0	066	0	066	11	614	0	066	0	066	0	066	0	066	0	066	0	066	0	066	0	066
68	1	1	1	1	2	226	1	232	3	459	0	053	15	636	0	053	0	053	0	053	15	636	0	053	0	053	0	053	0	053	0	053	0	053	0	053	0	053
72	1	1	1	1	1	186	1	253	3	312	0	076	14	355	0	076	0	076	0	076	14	355	0	076	0	076	0	076	0	076	0	076	0	076	0	076	0	076
74	1	1	1	1	2	179	1	433	3	122	0	052	12	424	0	052	0	052	0	052	12	424	0	052	0	052	0	052	0	052	0	052	0	052	0	052	0	052
79	1	1	1	1	2	036	0	760	1	688	0	063	7	119	0	063	0	063	0	063	7	119	0	063	0	063	0	063	0	063	0	063	0	063	0	063	0	063
89	1	1	1	1	1	1855	0	686	1	479	0	055	5	728	0	055	0	055	0	055	5	728	0	055	0	055	0	055	0	055	0	055	0	055	0	055	0	055
97	1	1	1	1	1	1937	0	702	1	609	0	048	5	577	0	048	0	048	0	048	5	577	0	048	0	048	0	048	0	048	0	048	0	048	0	048	0	048
107	1	1	1	1	1	1953	0	826	1	737	0	075	7	006	0	075	0	075	0	075	7	006	0	075	0	075	0	075	0	075	0	075	0	075	0	075	0	075
111	1	1	1	1	2	019	0	820	1	777	0	042	6	191	0	042	0	042	0	042	6	191	0	042	0	042	0	042	0	042	0	042	0	042	0	042	0	042
139	1	1	1	1	1	1884	0	735	1	727	0	073	5	788	0	073	0	073	0	073	5	788	0	073	0	073	0	073	0	073	0	073	0	073	0	073	0	073
143	1	1	1	1	1	1922	0	852	1	696	0	043	6	193	0	043	0	043	0	043	6	193	0	043	0	043	0	043	0	043	0	043	0	043	0	043	0	043
155	1	1	1	1	1	1985	0	790	1	700	0	068	7	136	0	068	0	068	0	068	7	136	0	068	0	068	0	068	0	068	0	068	0	068	0	068	0	068
156	1	1	1	1	1	1894	0	741	1	763	0	072	5	970	0	072	0	072	0	072	5	970	0	072	0	072	0	072	0	072	0	072	0	072	0	072	0	072
220	1	1	1	1	1	1968	0	809	1	706	0	065	5	880	0	065	0	065	0	065	5	880	0	065	0	065	0	065	0	065	0	065	0	065	0	065	0	065
229	1	1	1	1	2	154	1	264	2	682	0	044	12	865	0	044	0	044	0	044	12	865	0	044	0	044	0	044	0	044	0	044	0	044	0	044	0	044
416	2	2	2	2	2	210	1	128	2	866	0	046	13	042	0	046	0	046	0	046	13	042	0	046	0	046	0	046	0	046	0	046	0	046	0	046	0	046
428	2	2	2	2	2	230	1	087	2	973	0	047	13	135	0	047	0	047	0	047	13	135	0	047	0	047	0	047	0	047	0	047	0	047	0	047	0	047
401	2	2	2	2	2	148	1	259	2	606	0	043	10	872	0	043	0	043	0	043	10	872	0	043	0	043	0	043	0	043	0	043	0	043	0	043	0	043
400	2	2	2	2	2	1988	1	147	3	062	0	069	12	606	0	069	0	069	0	069	12	606	0	069	0	069	0	069	0	069	0	069	0	069	0	069	0	069
413	2	2	2	2	2	108	1	164	2	927	0	052	12	111	0	052	0	052	0	052	12	111	0	052	0	052	0	052	0	052	0	052	0	052	0	052	0	052
426	2	2	2	2	2	198	1	079	2	833	0	025	12	327	0	025	0	025	0	025	12	327	0	025	0	025	0	025	0	025	0	025	0	025	0	025	0	025
381	2	2	2	2	2	118	1	472	2	928	0	049	12	134	0	049	0	049	0	049	12	134	0	049	0	049	0	049	0	049	0	049	0	049	0	049	0	049
406	2	2	2	2	2	2040	1	186	2	640	0	059	12	100	0	059	0	059	0	059	12	100	0	059	0	059	0	059	0	059	0	059	0	059	0	059	0	059
405	2	2	2	2	2	2117	1	212	2	819	0	062	12	236	0	062	0	062	0	062	12	236	0	062	0	062	0	062	0	062	0	062	0	062	0	062	0	062
228	2	2	2	2	2	2009	1	073	2	819	0	087	6	447	0	087	0	087	0	087	6	447	0	087	0	087	0	087	0	087	0	087	0	087	0	087	0	087
220	2	2	2	2	2	1999	1	085	2	819	0	031	6	080	0	031	0	031	0	031	6	080	0	031	0	031	0	031	0	031	0	031	0	031	0	031	0	031
220	2	2	2	2	2	1931	1	0746	2	819	0	055	6	721	0	055	0	055	0	055	6	721	0	055	0	055	0	055	0	055	0	055	0	055	0	055	0	055
256	2	2	2	2	2	1872	1	079	2	819	0	055	6	721	0	055	0	055	0	055	6	721	0	055	0	055	0	055	0	055	0	055	0	055	0	055	0	055
248	2	2	2	2	2	1955	1	0807	2	819	0	051	7	508	0	051	0	051	0	051	7	508	0	051	0	051	0	051	0	051	0	051	0	051	0	051	0	051
219	2	2	2	2	2	2002	1	0724	2	819	0	053	5	928	0	053	0	053	0	053	5	928	0	053	0	053	0	053	0	053	0	053	0	053	0	053	0	053
228	2	2	2	2	2	1998	1	0789	2	819	0	056	6	452	0	056	0	056	0	056	6	452	0	056	0	056	0	056	0	056	0	056	0	056	0	056	0	056
260	2	2	2	2	2	1942	1	0899	2	819	0	092	8	268	0	092</																						

--- = NO AVAILABLE DATA

Table VI.6b (continued)

--- = NO AVAILABLE DATA

Table VI.6b (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HF XALHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL ORGAN WEIGHTS (G) - TEST WEEK 52

A N I T M A L N O U P	T R G R O U P	S E X	B O D Y W T	B R A I N	H E A R T	K I D N E Y S	A D R E N A L S	L I V E R	S P L E E N	G O N A D S
608	5	M	390	2 289	1.300	3.298	0.061	12.672	0.809	3.100
614	5	M	360	2 212	1.157	3.015	0.047	12.804	0.762	3.118
616	5	M	338	2 136	1.077	2.777	0.055	11.112	0.561	3.062
619	5	M	337	2 139	1.137	2.965	0.055	13.888	0.665	2.667
628	5	M	433	2 126	0.963	2.833	0.055	12.827	0.607	2.849
635	5	M	322	2 131	0.961	2.730	0.040	12.608	0.675	2.855
638	5	M	322	2 114	0.880	2.571	0.037	10.950	0.714	2.899
661	5	M	355	2 222	1.291	3.329	0.086	14.450	0.715	1.854
671	5	M	475	2 166	1.173	3.067	0.075	12.714	0.862	2.611
675	5	M	455	2 176	1.150	2.742	0.088	13.065	0.722	2.894
683	5	F	---	2 130	0.848	1.899	0.074	8.346	0.584	0.096
684	5	F	242	2 118	0.971	1.911	0.099	8.229	0.726	0.148
694	5	F	236	1.882	0.842	1.759	0.071	7.515	0.481	0.093
696	5	F	222	1.970	0.812	1.628	0.080	6.331	0.456	0.108
700	5	F	250	2 106	0.909	2.029	0.062	7.958	0.528	0.105
714	5	F	260	2 083	0.958	1.979	0.071	8.660	0.557	0.089
718	5	F	258	2 048	0.836	1.985	0.077	8.996	0.595	0.147
719	5	F	242	2 079	0.837	1.992	0.077	8.496	0.500	0.089
725	5	F	228	2 018	0.824	1.839	0.097	7.687	0.541	0.157
731	5	F	250	2 029	0.883	2.186	0.103	9.125	0.583	0.168

--- = NO AVAILABLE DATA

Table VI.6c
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYL-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL ORGAN WEIGHTS (G) - TEST WEEK 105

A	N	I	T	B	R	H	K	A	L	S	P	G			
N	M	R		O	R	E	I	D	I	N	L	O			
A	A	G		D	R	A	N	E	A	L	E	N			
N	N	S		Y	I	R	Y	E	L	E	E	A			
O	O	E		W	N	T	S	S	S	R	N	D			
U	U	X		T								S			
5	1	M	365	2	105	1	593	3	553	0	065	19	520	3	948
6	1	M	403	2	156	1	670	3	631	0	073	16	303	21	889
11	1	M	140	2	200	1	341	3	473	0	063	15	020	1	469
12	1	M	262	2	080	1	143	2	940	0	137	9	073	0	862
13	1	M	380	2	070	1	504	2	967	0	054	11	271	1	743
14	1	M	323	2	132	1	080	3	082	0	061	16	137	2	823
15	1	M	310	2	188	1	122	3	380	0	074	15	648	6	078
16	1	M	407	2	124	1	355	3	774	0	057	16	998	1	928
17	1	M	394	2	147	1	284	3	801	0	066	13	382	1	740
20	1	M	323	2	190	1	463	4	065	0	084	15	852	2	833
22	1	M	387	2	263	1	318	3	554	0	064	20	672	0	900
25	1	M	398	2	246	1	298	3	101	0	058	14	032	2	487
27	1	M	396	2	201	1	295	3	797	0	068	16	514	1	667
31	1	M	296	2	065	1	349	3	436	0	078	11	112	1	256
32	1	M	418	2	183	1	156	3	536	0	051	15	092	4	946
34	1	M	341	2	097	1	521	4	617	0	084	18	479	1	319
36	1	M	348	2	207	1	609	3	535	0	058	15	334	8	013
37	1	M	444	2	128	1	317	3	434	0	067	13	275	1	479
39	1	M	464	2	286	1	455	3	566	0	084	15	448	3	588
43	1	M	395	2	106	1	304	3	527	0	062	14	437	1	999
44	1	M	377	2	111	1	260	2	977	0	061	9	206	0	749
45	1	M	444	2	244	1	347	3	525	0	068	14	450	1	661
46	1	M	383	2	151	1	141	3	333	0	058	17	188	7	322
47	1	M	418	2	268	1	444	3	856	0	084	15	106	1	381
49	1	M	341	2	113	1	408	3	529	0	054	15	009	3	147
52	1	M	382	2	156	1	363	3	300	0	058	13	074	1	502
53	1	M	414	2	174	1	440	3	621	0	065	16	218	2	545
57	1	M	406	2	003	1	373	3	487	0	107	14	929	1	425
58	1	M	345	2	077	1	215	2	929	0	083	12	484	0	975
59	1	M	344	2	148	1	319	3	123	0	052	13	006	1	506
66	1	M	373	2	137	1	255	3	355	0	086	13	167	1	245
69	1	M	341	2	122	0	971	4	236	0	085	17	911	0	977
70	1	M	363	2	169	1	718	3	260	0	049	11	539	1	726
71	1	M	463	2	341	1	724	3	373	0	062	13	826	1	067
72	1	M	394	2	231	1	748	3	214	---	---	12	049	1	275
73	1	M	---	2	143	1	420	3	654	0	066	14	497	5	310
74	1	M	381	2	082	1	231	3	522	0	070	13	190	1	731
75	1	M	354	2	293	1	307	3	354	---	---	17	871	11	265
76	1	F	309	1	871	1	064	2	207	0	062	8	675	0	626
77	1	F	287	2	025	1	022	2	201	0	069	12	218	5	911
														0	141
														0	138

--- = NO AVAILABLE DATA

Table VI.6c (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYL-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL ORGAN WEIGHTS (G) TEST WEEK 105

A	N	T	B	B	H	K	A	L	S	P	G
I	M	R	O	R	E	I	D	I	D	L	O
A	A	G	D	A	A	D	R	I	R	P	N
L	L	R	Y	I	R	N	E	N	N	L	A
N	O	S	W	N	T	S	L	V	E	E	D
O	U	X	T				S	R	N	N	S
83	1	F	243	2	0.04	0.967	2.125	7.685	0.938	0.103	
84	1	F	297	1	911	0.946	2.205	8.408	0.521	0.105	
85	1	F	298	2	002	1.234	2.426	10.257	2.318	0.105	
86	1	F	271	1	959	0.879	2.139	8.870	0.622	0.121	
88	1	F	312	1	958	1.184	2.588	10.604	0.559	0.112	
89	1	F	254	2	018	1.297	2.359	11.708	3.322	0.114	
92	1	F	236	1	989	0.907	2.007	6.777	0.727	0.131	
94	1	F	278	1	896	1.120	2.218	7.618	0.566	0.134	
95	1	F	274	1	993	0.957	2.150	7.361	0.652	0.120	
96	1	F	311	2	012	1.056	2.333	8.754	0.582	0.121	
100	1	F	284	1	969	0.964	2.162	8.544	0.522	0.092	
101	1	F	276	1	920	0.939	2.053	8.220	0.796	0.120	
102	1	F	295	1	945	1.016	2.115	9.614	1.075	0.140	
103	1	F	272	1	976	0.970	2.099	7.464	0.664	0.111	
104	1	F	304	1	979	0.850	2.179	8.509	0.663	0.095	
105	1	F	290	1	936	1.070	2.108	8.464	0.579	0.134	
106	1	F	191	1	972	1.160	2.254	10.944	6.877	0.083	
107	1	F	258	2	020	1.023	2.085	7.836	0.618	0.092	
108	1	F	277	1	995	0.994	1.948	9.371	4.757	0.117	
109	1	F	277	1	819	0.841	2.110	11.130	0.587	0.090	
115	1	F	217	2	114	0.563	2.253	10.237	3.894	0.110	
117	1	F	264	2	013	0.968	2.017	8.073	0.591	0.129	
119	1	F	287	1	977	1.056	2.228	8.772	0.586	0.127	
122	1	F	258	1	923	0.993	2.137	---	0.675	0.088	
123	1	F	283	2	021	0.994	2.171	8.616	0.573	0.121	
126	1	F	287	1	827	0.899	2.202	9.363	0.560	0.086	
127	1	F	318	1	953	1.111	2.281	9.907	0.601	0.125	
129	1	F	297	1	988	1.011	2.175	9.926	1.155	0.137	
130	1	F	314	2	223	1.081	2.288	10.033	1.085	0.063	
131	1	F	288	2	030	0.933	2.480	9.633	0.792	0.107	
132	1	F	274	2	018	1.041	2.051	8.229	0.562	0.128	
133	1	F	286	1	938	1.050	2.047	8.593	2.368	0.093	
134	1	F	282	1	969	0.946	2.054	7.898	0.562	0.134	
136	1	F	301	2	020	0.952	2.127	8.337	0.545	0.131	
137	1	F	247	2	025	0.994	2.177	11.156	4.276	0.108	
138	1	F	277	1	867	0.933	1.865	7.939	0.687	0.137	
145	1	F	308	1	916	0.967	2.222	9.977	0.647	0.090	
146	1	F	313	2	014	1.052	2.321	---	0.712	0.139	
147	1	F	296	1	983	1.007	2.133	9.201	0.916	0.115	
148	1	F	299	1	962	1.069	2.515	9.663	0.698	0.115	

--- = NO AVAILABLE DATA

Table VI.6c (continued)

----- = NO AVAILABLE DATA

TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
INDIVIDUAL ORGAN WEIGHTS (G) - TEST WEEK 105

A N T I M A L N O P	T R G R D U P	S F X	B D Y W T	B R A I N	H E A R T	K I D N E Y S	A D R E N A L S	L I V E R	S P L E E N	G O N A O S
233	2	F	232	1.907	1.008	2.522	0.075	10.029	0.728	0.115
234	2	F	282	1.920	0.939	2.012	0.068	8.352	0.597	0.166
235	2	F	263	1.927	0.905	2.375	0.055	8.602	0.621	0.102
236	2	F	284	2.051	0.913	2.070	0.061	8.344	0.557	0.136
239	2	F	252	1.791	0.811	2.174	0.056	8.021	0.654	0.101
240	2	F	305	1.908	1.109	2.529	0.058	10.292	0.589	0.089
241	2	F	266	1.823	0.903	1.944	0.054	10.629	0.810	0.094
244	2	F	278	1.938	1.038	2.188	0.062	9.434	1.337	0.112
246	2	F	301	2.003	1.102	2.222	0.060	9.027	0.640	0.110
247	2	F	321	1.978	1.097	2.455	0.063	10.282	0.591	0.102
249	2	F	291	1.952	1.040	2.255	0.059	9.456	0.611	0.136
250	2	F	279	2.002	0.897	2.118	0.062	8.744	0.576	0.110
251	2	F	250	1.996	0.929	2.200	0.064	9.120	0.643	0.100
252	2	F	256	1.941	0.885	2.136	0.065	8.694	0.693	0.113
253	2	F	293	1.926	1.001	2.150	0.062	8.340	0.544	0.082
255	2	F	278	2.021	0.982	2.244	0.071	8.239	0.648	0.163
259	2	F	295	1.862	1.015	2.247	0.071	9.678	0.757	0.111
260	2	F	300	1.903	1.072	2.289	0.074	10.144	1.788	0.101
262	2	F	226	1.960	1.066	2.644	0.101	10.778	0.743	0.108
263	2	F	266	2.011	0.986	2.243	0.053	7.699	0.578	0.076
265	2	F	307	1.975	1.117	2.551	0.078	14.687	9.615	0.132
266	2	F	316	2.015	1.121	2.285	0.065	10.094	0.747	0.132
268	2	F	306	2.052	1.108	2.454	0.062	9.638	0.711	0.152
271	2	F	305	1.989	1.000	2.250	0.070	9.266	0.608	0.104
272	2	F	246	1.913	0.894	2.049	0.061	8.550	1.821	0.114
273	2	F	309	2.072	1.116	2.460	0.064	9.553	0.586	0.121
277	2	F	313	2.059	0.992	2.598	0.060	9.414	0.615	0.114
280	2	F	215	1.897	0.827	2.280	0.062	7.695	0.459	0.077
281	2	F	276	1.917	1.135	2.330	0.055	10.332	5.516	0.094
283	2	F	279	1.919	1.073	2.320	0.061	9.729	0.624	0.161
284	2	F	320	1.960	1.060	2.243	0.080	9.015	0.576	0.130
285	2	F	223	1.868	0.973	2.204	0.069	7.420	0.362	0.078
286	2	F	271	1.962	0.921	2.025	0.046	7.866	0.671	0.103
287	2	F	286	1.967	0.952	2.078	0.055	8.376	0.649	0.107
288	2	F	277	2.052	0.962	2.258	0.057	8.585	0.630	0.115
289	2	F	296	1.852	0.977	2.164	0.061	9.233	0.669	0.107
292	2	F	297	1.992	1.015	2.265	0.070	9.181	0.461	0.097
294	2	F	273	1.887	1.008	2.245	0.050	8.604	0.560	0.093
294	2	F	285	2.049	0.966	2.188	0.059	11.335	0.864	0.116
296	2	F	271	1.910	1.000	2.185	0.048	8.647	0.664	0.106

--- = NO AVAILABLE DATA

Table VI.6c (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL ORGAN WEIGHTS (G) - TEST WEEK 105

A N T I M A L N O N	T R G R S E P X	B O D Y W T	B R A I N	H E A R T	K I D N E Y S	A O R E N A L S	L I V E R	S P L E E N	G O N A D S
297	2	274	1.982	0.948	2.098	0.052	7.878	0.593	0.119
298	2	306	2.421	1.058	2.407	0.082	10.425	0.840	0.095
302	3	316	2.230	1.454	3.187	---	16.140	10.339	---
304	3	286	2.030	1.517	3.029	0.127	10.612	7.791	---
308	3	390	1.823	1.282	3.055	0.134	14.365	1.305	---
313	3	384	2.088	1.338	3.080	0.070	13.416	4.747	---
320	3	358	2.270	1.155	2.388	0.033	10.773	0.996	---
321	3	364	2.195	1.218	3.171	0.059	13.999	1.475	---
323	3	358	2.183	1.347	3.682	0.290	21.055	2.109	---
325	3	476	2.292	1.619	3.920	0.090	14.990	1.533	---
326	3	253	2.062	1.090	2.624	0.064	9.693	9.410	---
327	3	331	2.155	1.287	3.170	0.065	16.806	4.974	---
331	3	415	2.158	1.384	3.552	0.101	13.971	1.405	---
332	3	440	2.184	1.320	3.340	0.058	13.185	1.335	---
334	3	260	2.119	1.837	3.238	0.087	13.431	2.142	---
339	3	229	2.250	1.086	2.683	0.412	9.797	0.483	---
340	3	357	2.145	1.425	2.997	0.071	11.547	1.757	---
344	3	318	1.935	1.169	2.992	0.066	11.107	1.386	---
346	3	45C	2.088	1.571	3.577	0.062	15.038	0.829	---
347	3	427	2.213	1.301	3.185	0.062	13.007	1.646	---
353	3	386	2.168	1.355	3.339	0.063	6.610	1.865	---
355	3	373	2.224	0.992	3.267	0.062	12.744	1.200	---
358	3	376	2.231	1.317	3.673	0.087	15.518	1.807	---
362	3	373	2.135	1.171	3.077	0.050	12.136	0.935	---
364	3	256	2.004	1.277	3.488	0.067	14.436	0.528	---
367	3	368	2.100	1.390	3.131	0.083	15.523	2.620	---
372	3	389	2.179	1.326	3.630	0.076	17.303	2.858	---
375	3	421	2.256	1.401	3.648	0.074	19.124	5.950	---
376	3	285	1.932	0.948	2.122	0.057	---	0.580	0.121
377	3	276	1.747	1.009	2.269	0.070	9.896	0.788	0.078
380	3	278	1.989	1.024	2.167	0.060	8.089	0.754	0.108
381	3	335	2.095	1.210	2.633	0.078	10.720	0.580	0.128
382	3	262	1.959	0.979	2.048	0.058	8.280	0.548	0.123
384	3	255	1.976	0.976	2.101	0.060	7.981	0.561	0.093
388	3	314	1.984	1.067	2.578	0.075	9.850	0.677	0.096
389	3	268	1.976	1.023	2.125	0.068	8.527	0.633	0.127
394	3	268	2.092	1.023	2.139	0.073	8.003	0.524	0.132
395	3	278	1.973	1.000	2.338	0.068	8.779	1.302	0.130
397	3	285	1.964	1.007	2.340	0.050	8.497	1.462	0.104
398	3	282	1.988	0.955	2.159	0.065	8.165	0.941	0.140

--- = NO AVAILABLE DATA

Table VI.6c (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL ORGAN WEIGHTS (G) - TEST WEEK 105

A N I T M A L N D P	T R G R O U P	B O D Y W T	B R A I N	H E A R T	K I D N E Y S	A D R E N A L S	L I V E R	S P L E E N	G O N A D S
399	3	300	2.057	0.991	2.235	0.057	8.261	0.552	0.122
401	3	277	1.965	1.185	2.110	0.068	7.656	0.550	0.140
402	3	310	2.098	0.962	2.492	0.077	10.571	0.651	0.139
403	3	204	1.953	1.040	2.701	0.054	7.761	0.496	0.091
406	3	327	2.034	1.052	2.302	0.068	10.321	0.655	0.105
407	3	279	1.956	1.098	2.051	0.063	---	0.751	0.111
413	3	285	1.937	1.001	2.229	0.063	9.546	1.153	0.139
415	3	241	1.939	1.017	2.756	0.070	9.820	0.672	0.092
416	3	244	1.963	0.915	2.408	0.054	6.666	0.667	0.098
417	3	267	1.966	0.925	2.222	0.111	10.741	0.909	0.070
419	3	264	1.907	0.934	2.053	0.095	7.514	0.647	0.106
420	3	248	1.959	0.995	2.118	0.070	8.608	0.627	0.118
422	3	190	1.923	1.035	2.111	0.090	9.320	1.981	0.058
424	3	241	1.997	1.001	2.479	0.063	7.747	0.697	0.114
425	3	294	2.025	0.970	2.216	0.055	9.695	0.631	0.160
426	3	263	1.958	0.944	2.176	0.070	8.315	1.201	0.093
430	3	259	2.061	0.980	2.015	0.059	7.956	0.688	0.118
431	3	264	1.966	0.947	1.982	0.048	7.568	0.541	0.093
433	3	293	2.083	1.045	2.225	0.067	8.257	0.592	0.141
435	3	254	1.882	0.863	2.386	0.071	8.183	0.555	0.132
436	3	280	1.887	1.023	2.388	0.064	10.734	2.215	0.132
438	3	282	1.897	1.143	2.429	0.068	9.519	1.317	0.123
439	3	293	1.932	1.023	2.429	0.054	9.836	0.517	0.120
440	3	254	1.947	1.170	2.174	0.071	8.944	0.961	0.107
442	3	176	1.847	1.029	1.999	0.054	6.160	0.465	0.064
444	3	270	1.956	0.969	2.354	0.064	9.989	0.563	0.130
445	3	275	1.909	0.984	2.202	0.058	8.651	0.557	0.094
446	3	326	1.995	1.010	2.071	0.065	9.053	0.603	0.138
449	3	313	2.011	1.010	2.327	0.073	9.318	0.594	0.135
450	3	304	2.034	1.009	2.237	0.062	9.008	0.803	0.124
451	4	411	2.230	1.282	3.299	0.054	13.119	1.398	---
453	4	413	2.205	1.569	3.328	0.057	13.541	1.423	---
455	4	364	2.208	1.493	4.045	0.081	24.044	9.689	---
456	4	372	2.132	1.124	2.852	0.057	12.854	0.867	---
460	4	391	2.324	1.217	3.295	0.055	12.105	1.179	---
461	4	406	2.093	1.257	3.457	0.067	12.959	1.652	---
466	4	347	2.275	1.228	3.261	0.073	13.490	0.956	---
471	4	351	2.266	1.190	3.333	0.057	15.660	3.551	---
479	4	321	2.222	1.250	3.264	0.074	12.186	1.973	---
480	4	402	2.221	1.506	3.848	0.076	17.114	4.089	---

--- = NO AVAILABLE DATA

Table VI.6c (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL ORGAN WEIGHTS (G) - TEST WEEK 105

A N I M A L N O D O P E R A T O R	B O D Y W E I G H T	B R A I N	H E A R T	K I D N E Y S	A D D R E S S	L I V E R	S P L E E N	G O N A D S
482	384	2.270	1.264	3.535	0.107	16.444	3.886	---
485	335	2.138	1.186	2.980	0.080	16.760	5.350	---
486	378	2.261	1.416	3.932	0.077	15.533	1.303	---
488	343	2.123	1.256	3.237	0.057	10.477	0.797	---
489	368	2.044	1.237	2.943	0.062	11.156	0.870	---
490	377	2.312	1.329	3.808	0.056	14.431	1.136	---
491	426	2.276	1.518	3.878	0.079	13.610	1.009	---
499	361	2.153	1.285	4.084	0.070	16.249	1.872	---
502	373	1.929	1.382	3.171	0.064	12.396	0.881	---
504	420	2.168	1.388	3.867	0.082	14.520	2.331	---
507	385	2.156	1.338	3.664	0.111	15.123	1.149	---
510	396	2.303	1.350	3.590	---	14.204	1.477	---
511	389	2.271	1.334	3.777	0.071	15.701	2.158	---
512	325	2.182	1.366	4.241	0.253	17.461	0.918	---
516	374	2.205	1.514	3.902	0.086	19.550	5.380	---
522	345	2.046	1.728	3.961	0.066	19.914	1.240	---
523	371	2.198	1.326	3.169	0.065	12.298	0.897	---
524	394	2.254	1.322	3.381	0.066	13.997	1.560	---
525	369	2.085	1.339	2.930	0.054	13.153	1.302	---
526	285	1.988	0.972	2.326	0.054	11.537	2.424	---
528	251	1.890	0.883	1.976	0.071	8.260	0.552	0.160
530	279	1.932	0.915	2.208	0.051	8.683	0.567	0.099
531	275	2.043	0.914	2.129	0.051	8.985	0.773	0.107
532	314	2.023	0.895	2.075	0.063	8.565	0.606	0.105
533	294	2.038	1.011	2.192	0.066	8.821	0.624	0.090
534	243	1.909	0.922	2.167	0.053	8.423	0.907	0.146
535	190	1.913	0.814	2.026	0.067	8.625	0.519	0.080
536	251	1.890	0.883	2.180	0.065	10.028	0.506	0.103
537	255	1.930	0.882	1.853	0.053	7.286	0.538	0.114
542	263	1.941	0.959	2.216	0.063	8.747	0.708	0.107
545	291	2.083	1.064	2.618	0.072	9.951	0.651	0.096
547	262	1.895	1.045	---	0.061	9.550	1.057	0.127
548	158	1.879	0.912	2.276	0.117	7.255	1.018	0.059
549	272	2.070	0.979	2.287	0.060	9.124	0.732	0.137
550	240	2.041	1.211	2.274	0.067	12.441	3.524	0.121
551	276	1.955	0.912	2.080	0.060	8.901	0.104	0.104
553	353	2.203	1.121	2.967	0.068	11.006	0.584	0.105
554	300	2.046	1.291	2.333	0.076	9.311	0.725	0.165
555	291	2.057	1.051	2.124	0.065	8.998	1.950	0.148
556	329	2.075	1.066	2.521	0.077	10.898	0.683	0.129

--- = NO AVAILABLE DATA

Table VI.6c (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 HEXAMETHYLTHIO-1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL ORGAN WEIGHTS (G) - TEST WEEK 105

A N I M A L N O U P	T R G O S X	R O D Y W T	B R A I N	H E A R T	K I D N E Y S	A D R E N A L S	L I V E R	S P L E E N	G O N A D S
558	4	297	1.989	0.920	2.044	0.055	8.674	0.579	0.133
559	4	276	1.951	1.003	2.330	0.069	8.934	0.548	0.113
562	4	261	2.120	0.966	2.077	0.055	8.855	0.614	0.123
563	4	267	1.867	1.000	2.478	0.064	11.494	2.268	0.128
566	4	262	2.075	1.001	2.182	0.079	9.099	0.628	0.188
568	4	263	1.966	0.885	2.010	0.060	8.488	0.560	0.112
571	4	320	2.108	1.080	2.410	0.068	10.682	0.779	0.166
572	4	294	2.019	1.093	2.472	0.076	10.651	0.812	0.089
574	4	269	2.090	0.994	2.126	0.062	9.643	0.698	0.128
576	4	265	1.957	0.830	2.035	0.063	8.211	0.730	0.119
583	4	238	1.939	0.912	1.956	0.075	8.693	0.587	0.127
584	4	307	2.064	0.996	2.222	0.071	9.776	0.678	0.165
585	4	276	2.024	0.951	2.165	0.069	9.383	0.488	0.126
586	4	309	1.897	0.954	2.507	0.072	14.200	0.676	0.075
587	4	241	1.971	0.891	1.895	0.050	7.470	0.705	0.117
589	4	285	1.991	1.001	2.484	0.057	9.584	0.569	0.116
590	4	261	1.944	0.935	1.982	0.052	9.090	0.629	0.134
591	4	239	1.955	0.940	2.215	0.057	8.029	1.022	0.120
597	4	262	2.105	0.967	2.770	0.071	11.722	0.577	0.163
600	4	267	1.951	1.036	2.152	0.074	9.251	3.351	0.160
620	5	296	2.191	1.684	3.283	0.062	12.537	0.803	---
634	5	333	2.230	1.285	3.737	0.064	12.617	1.184	---
649	5	315	2.212	1.367	3.411	0.063	13.543	0.873	---
667	5	315	2.122	1.151	3.493	0.051	15.381	3.528	---
676	5	244	2.035	0.936	2.157	0.088	9.050	0.736	0.105
678	5	235	1.960	0.919	1.920	0.073	9.639	0.631	0.102
682	5	214	1.970	0.961	2.009	0.083	8.135	0.535	0.111
685	5	220	2.073	0.891	2.492	0.071	15.190	13.208	0.125
686	5	243	2.153	0.939	2.425	0.067	8.436	0.551	0.112
692	5	---	1.933	0.898	2.202	0.078	10.409	8.914	0.104
693	5	258	2.064	0.992	2.430	0.078	10.478	2.395	0.118
695	5	241	2.037	1.000	2.369	0.074	9.037	0.730	0.119
697	5	235	2.039	1.007	2.350	0.083	7.939	0.651	0.077
698	5	233	1.976	0.919	1.873	0.055	8.286	0.508	0.101
699	5	---	1.990	0.849	1.780	0.078	7.650	1.366	0.100
707	5	254	2.010	1.047	2.277	0.088	10.212	2.147	0.162
709	5	276	1.937	0.961	2.476	0.136	8.940	0.641	0.150
710	5	232	1.951	0.909	2.096	0.078	7.881	1.069	0.096
717	5	232	1.932	1.003	2.342	0.090	8.759	0.510	0.134
722	5	273	2.042	1.090	2.474	0.076	10.200	0.707	0.097

--- = NO AVAILABLE DATA

Table VI.6c (continued)
 TWENTY FOUR MONTH CHRONIC TOXICITY/CARCINOGENICITY STUDY OF
 1,3,5-TRINITRO-1,3,5-TRIAZINE(RDX) IN THE FISCHER RAT
 INDIVIDUAL ORGAN WEIGHTS (G) - TEST WEEK 105

A N I M A L N O O	T R G R O U P	B O D Y W E I G H T	B R A I N	H E A R T	K I D N E Y S	A D R E N A L S	L I V E R	S P L E E N	G O N A D S
724	5	233	2.072	0.936	1.970	0.072	7.250	0.554	0.095
726	5	255	2.091	0.897	2.381	0.068	8.943	1.647	0.053
729	5	240	2.120	1.000	2.352	0.067	9.200	1.672	0.116
733	5	242	1.954	1.062	2.437	0.074	9.422	1.508	0.075
736	5	202	1.959	1.119	2.282	0.070	10.095	0.682	0.048
737	5	268	2.040	1.049	---	0.088	10.898	0.541	0.111
738	5	209	1.983	0.859	1.977	0.067	7.456	0.606	0.105
739	5	170	1.969	1.191	2.235	0.084	7.031	0.959	0.079
744	5	241	2.080	1.009	2.171	0.068	10.808	0.563	0.118
745	5	228	2.037	0.954	2.193	0.078	7.723	0.492	0.076
747	5	268	2.043	1.104	2.287	0.070	9.505	0.810	0.079
749	5	237	2.005	0.945	2.218	0.073	9.077	0.612	0.129

--- = NO AVAILABLE DATA

APPENDIX VII
CHLORTETRACYCLINE CONTENT OF 5002

CHLORTETRACYCLINE CONTENT OF 5002

ANALYTICAL RESULTS (ppm)

SOURCE OF ANALYSIS	SAMPLE IDENTIFICATION			
	A	B	C	D
TEI ANALYTICAL*			9.9	
TEI ANALYTICAL*	12	9.9	7.7	10.2
SCIENTIFIC ASSOCIATES**	1.76	1.72	1.20	1.64
WOODSEN-TENENT LABS, INC.**	N. D.	N. D.	N. D.	N. D.
HARRIS LABS, INC.**	<0.05	<0.05	<0.05	<0.05

Sample A = Lot No Sept.18.81

Sample B = Lot No Dec.10.81

Sample C = Lot No March.24.82 (Original lot)

Sample D = Lot No Sept.10.82

*Method: Snell and Snell, Colorimetric method of analysis.
Vol. IVAAA, pg. 184

**Method: AOAC, XIII, pg.722-723, paragraph 42.211-42.214;
Detection limit ≥ 9.1 ppm
N. D. = None Detected

APPENDIX VIII
NITRATE, NITRITE AND MERCURY CONTENT
OF 5002

NITRATE, NITRITE, AND MERCURY CONTENT OF 5002

LOT NUMBER	NITRATES(ug/g)	NITRITES(ug/g)	MERCURY(ug/g)
SEPT 17-801G	7.8	0.04	0.03
OCT 29-801N	5.6	0.4	0.06
NOV 19-802K	3.4	<0.1	0.05
DEC 02-801G	1.1	<0.1	0.04
JAN 08-811J	14	<0.1	0.04
JAN 15-812E	32	<0.1	0.02
FEB 03-811B	9.2	<0.1	0.04
JAN 21-811N	32	<0.1	0.11
MARCH 05-811A	13	<0.1	0.14
MARCH 17-811M	<3	<0.1	0.02
APRIL 30-811D	<3	0.3	0.01
MAY 13-812K	15.3	0.2	<0.06
JUNE 01-812D	<2.0	0.6	<0.1
AUG 04-811T	28	0.5	0.03
SEPT 18-811A	<2.0	<0.1	0.05
OCT 07-811J	6.3	0.2	0.15
NOV 12-811G	16	0.4	<0.02
10-811A	12	<0.2	0.09
22-821K	14	<0.2	<0.05
FEB 09-821C	7.2	0.4	0.05
MARCH 24-822G	19.0	0.24	<0.05
MAY 12-822F	16.4	0.1	<0.05
JUNE 04-821K	17.0	0.1	<0.05
JULY 29-821G	11.8	0.1	0.06
SEPT 10-822J	5.0	0.1	0.2
OCT 20-822L	4.7	0.1	0.2
NOV 23-821M	15.4	0.2	0.05

APPENDIX IX
CHICAGO WATER CHEMICAL ANALYSIS

CITY OF CHICAGO			DEPARTMENT OF WATER			BUREAU OF WATER OPERATIONS		
WATER PURIFICATION DIVISION			WATER PURIFICATION LABORATORY			ANALYSIS COMPLETED		
SAMPLES COLLECTED			FEB. 3			MARCH 30		
PARAMETER			SOUTH WATER DISTRICT			CENTRAL AND NORTH WATER DISTRICTS		
PARAMETER	IPC#	MCL	1979	DETERMINED AS	STORET NUMBER	COMPOSITE SAMPLES		NOR. DISTR.
						RAW CRIB	OUTLET	
TEMPERATURE				°C	00010	3	3	3
TURBIDITY	1			NTU	00076	5.0	0.15	0.20
THRESHOLD OOR, STRAIGHT	3			T.O.M.	00086	20	10c	10c
THRESHOLD OOR, DECHLORINATED	3			T.O.M.		-	10c	10c
COLOR	18			PCU-UNIT	00080	2	0	0
PH	6.5-8.5			STD. UNITS	00400	8.3	8.3	8.5
ALKALINITY, PHTN.				CaCO ₃	00415	0	0	1
ALKALINITY, TOTAL				CaCO ₃	00410	108	115	118
SULFATE	250			SO ₄	00945	25.0	27.5	27.5
CHLORIDE	250			CL	00940	10.5	11.5	10.2
FLUORIDE	1.6			F	00950	0.16	0.90	0.92
PHOSPHATE, TOTAL				PO ₄	00650	0.05	0.02	0.02
PHOSPHATE, DISSOLVED				PO ₄	00653	0.01	0.01	0.01
SILICA				SiO ₂	00956	0.9	1.1	1.2
CALCIUM				Ca	00916	38	41	40
MAGNESIUM				Mg	00927	10	10	10
POTASSIUM				K	00937	1.9	1.7	1.5
SODIUM				Na	00929	5.2	5.2	5.8
RESIDUE, TOTAL				TOT. SOLIDS	00900	175	175	162
RESIDUE, FILTRABLE	500			DISS. SOLIDS	00915	176	177	164
OXYGEN, DISSOLVED				O ₂	00300	14.1	13.8	14.2
OXYGEN DEMAND, CHEMICAL				O	00335	15.4	15.4	15.4
NITROGEN, AMMONIA				N	00610	0.04	0.01	0.01
NITROGEN, NITRITE/NITRATE	1/10			N	00650	0.27	0.26	0.25
NITROGEN, ORGANIC				N	00605	0.08	0.10	0.08
CYANIDE	0.2			CN	00720	0.002	0.002	0.002
FOAMING AGENTS	0.5			MBAS	38260	0.05	0.05	0.05
HARDNESS				CaCO ₃	00900	138	144	141
ALUMINUM				Al	01150	<10	<10	<10
ARSENIC	50			As	01002	<1	<1	<1
BARIUM	1000			Ba	01007	<25	<25	<25
BORON	1000			B	01022	<2	<2	<2
CADMIUM	10			Cd	01027	<1	<1	<1
CHROMIUM	50			Cr	01034	<1	<1	<1
COBALT				Co	01037	<1	<1	<1
COPPER	5000			Cu	01042	2	<1	<1
IRON, TOTAL	1000			Fe	01045	105	<10	<10
LEAD	50			Pb	01051	5	<1	<1
LITHIUM				Li	01132	2	2	2
MANGANESE	150			Mn	01055	2	2	2
MERCURY	2			Hg	71900	<0.01	<0.01	<0.01
NICKEL				Ni	01067	<1	<1	<1
STRONTIUM				Sr	01082	160	130	130
ZINC	5000			Zn	01082	3	<1	<1
PHENOL-LIKE SUBSTANCES	1			PHENOL	32730	<1	<1	<1
SILVER	50			Ag	01077	<1	<1	<1
SELENIUM	10			Se	01145	<1	<1	<1
RADIOACTIVITY	50			BETA Pci/l	03501	EQUIPMENT	NON - FUNCTIONAL	<1
SATURATION INDEX				(LI)		-0.08	+0.08	+0.13

REV. 9-81 CHIEF WATER CHEMIST

DIR., WATER PURIFICATION LABORATORIES

ENGINEER OF WATER PURIFICATION

DISTRIBUTION LIST

25 copies	Commander ATTN: SGRD-UBG U.S. Army Medical Bioengineering Research and Development Laboratory Fort Detrick, Frederick, MD 21701-5010
4 copies	Commander U.S. Army Medical Research and Development Command ATTN: SGRD-RMS Fort Detrick, Frederick, MD 21701-5012
12 copies	Defense Technical Information Center (DTIC) ATTN: DTIC-DDAC Cameron Station Alexandria, VA 22304-6145
1 copy	Dean School of Medicine Uniformed Services University of the Health Sciences 4301 Jones Bridge Road Bethesda, MD 20814-4799
1 copy	Commandant Academy of Health Sciences, U.S. Army ATTN: AHS-CDM Fort Sam Houston, TX 78234-6100
1 copy	Commander U.S. Army Medical Bioengineering Research and Development Laboratory ATTN: SGRD-UBD-A/Librarian Fort Detrick, Frederick, MD 21701-5010

IIT RESEARCH INSTITUTE