

AD-A188 079


ADA (TRADENAME) COMPILER VALIDATION SUMMARY REPORT NEM  
YORK UNIVERSITY NY. (U) INFORMATION SYSTEMS AND  
TECHNOLOGY CENTER W-P AFB OH ADA VALI.. 23 APR 86


1/1

UNCLASSIFIED

F/G 12/5

NL





MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS 1963 A

DTIC FILE UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

2

| REPORT DOCUMENTATION PAGE                                                                                                                                                                                                                                                                                                                       |                        | READ INSTRUCTIONS<br>BEFORE COMPLETING FORM                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------------------------------------------------------------------|
| 1. REPORT NUMBER                                                                                                                                                                                                                                                                                                                                | 12. GOVT ACCESSION NO. | 3. RECIPIENT'S CATALOG NUMBER                                    |
| 4. TITLE (and Subtitle)<br>Ada Compiler Validation Summary Report:<br>New York University NYU Ada/ED-C,<br>Versopm 1.7, VAX-11/780                                                                                                                                                                                                              |                        | 5. TYPE OF REPORT & PERIOD COVERED<br>23 APR 1986 to 23 APR 1987 |
|                                                                                                                                                                                                                                                                                                                                                 |                        | 6. PERFORMING ORG. REPORT NUMBER                                 |
| 7. AUTHOR(s)<br>Wright-Patterson                                                                                                                                                                                                                                                                                                                |                        | 8. CONTRACT OR GRANT NUMBER(s)                                   |
| 9. PERFORMING ORGANIZATION AND ADDRESS<br>Ada Validation Facility<br>ASD/SIOL<br>Wright-Patterson AFB OH 45433-6503                                                                                                                                                                                                                             |                        | 10. PROGRAM ELEMENT, PROJECT, TASK<br>AREA & WORK UNIT NUMBERS   |
| 11. CONTROLLING OFFICE NAME AND ADDRESS<br>Ada Joint Program Office<br>United States Department of Defense<br>Washington, DC 20301-3081                                                                                                                                                                                                         |                        | 12. REPORT DATE<br>23 APR 1986                                   |
|                                                                                                                                                                                                                                                                                                                                                 |                        | 13. NUMBER OF PAGES<br>66                                        |
| 14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)<br>Wright-Patterson                                                                                                                                                                                                                                                 |                        | 15. SECURITY CLASS (of this report)<br>UNCLASSIFIED              |
|                                                                                                                                                                                                                                                                                                                                                 |                        | 15a. DECLASSIFICATION/DOWNGRADING<br>SCHEDULE<br>N/A             |
| 16. DISTRIBUTION STATEMENT (of this Report)<br><br>Approved for public release; distribution unlimited.                                                                                                                                                                                                                                         |                        |                                                                  |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20. If different from Report)<br><br>UNCLASSIFIED                                                                                                                                                                                                                                  |                        |                                                                  |
| 18. SUPPLEMENTARY NOTES                                                                                                                                                                                                                                                                                                                         |                        |                                                                  |
| 19. KEYWORDS (Continue on reverse side if necessary and identify by block number)<br><br>Ada Programming language, Ada Compiler Validation Summary Report, Ada<br>Compiler Validation Capability, ACVC, Validation Testing, Ada<br>Validation Office, AVO, Ada Validation Facility, AVF, ANSI/MIL-STD-<br>1815A, Ada Joint Program Office, AJPO |                        |                                                                  |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number)<br><br>See Attached.                                                                                                                                                                                                                                          |                        |                                                                  |

DTIC  
ELECTE  
MAY 06 1987  
S D  
E

AD-A180 079

CLEARED  
FOR OPEN PUBLICATION

MAR 27 1987 12

Ada® Compiler Validation Summary Report:

DIRECTORATE FOR FREEDOM OF INFORMATION  
AND SECURITY REVIEW (DASD-PA)  
DEPARTMENT OF DEFENSE

Compiler Name: NYU Ada/Ed-C, Version 1.7

Host Computer:  
VAX-11/780  
under  
UNIX 4.2 BSD

Target Computer:  
VAX-11/780  
under  
UNIX 4.2 BSD

Testing Completed 23 APR 1986 Using ACVC 1.7

This report has been reviewed and is approved.

*Georgeanne Chitwood*

Ada Validation Facility  
Georgeanne Chitwood  
ASD/SIOL  
Wright-Patterson AFB OH 45433-6503

*for JFR*

Ada Validation Office  
Dr. John F. Kramer  
Institute for Defense Analyses  
Alexandria VA

*Virginia L. Castor*

Ada Joint Program Office  
Virginia L. Castor  
Director  
Department of Defense  
Washington DC

|                    |                                     |
|--------------------|-------------------------------------|
| Accession For      |                                     |
| NTIS GRA&I         | <input checked="" type="checkbox"/> |
| DTIC TAB           | <input type="checkbox"/>            |
| Unannounced        | <input type="checkbox"/>            |
| Justification      |                                     |
| By                 |                                     |
| Distribution/      |                                     |
| Availability Codes |                                     |
| Dist               | Avail and/or Special                |
| A-1                |                                     |



®Ada is a registered trademark of the United States Government  
(Ada Joint Program Office).

87 1362

AVF Control Number: AVF-VSR-34.0886

Ada<sup>®</sup> COMPILER  
VALIDATION SUMMARY REPORT:  
New York University  
NYU Ada/Ed-C, Version 1.7  
VAX-11/780

Completion of On-Site Validation:  
23 APR 1986

Prepared By:  
Ada Validation Facility  
ASD/SIOL  
Wright-Patterson AFB OH 45433-6503

Prepared For:  
Ada Joint Program Office  
United States Department of Defense  
Washington, D.C.

---

®Ada is a registered trademark of the United States Government  
(Ada Joint Program Office).

+++++

+ +

+ Place NTIS form here +

+ +

+++++

## EXECUTIVE SUMMARY

This Validation Summary Report (VSR) summarizes the results and conclusions of validation testing performed on the NYU Ada/Ed-C, Version 1.7, using Version 1.7 of the Ada<sup>®</sup> Compiler Validation Capability (ACVC).

The validation process includes submitting a suite of standardized tests (the ACVC) as inputs to an Ada compiler and evaluating the results. The purpose is to ensure conformance of the compiler to ANSI/MIL-STD-1815A Ada by testing that it properly implements legal language constructs and that it identifies and rejects illegal language constructs. The testing also identifies behavior that is implementation dependent but permitted by ANSI/MIL-STD-1815A. Six classes of tests are used. These tests are designed to perform checks at compile time, at link time, or during execution.

On-site testing was performed 21 APR 1986 through 23 APR 1986 at New York University, New York City NY, under the auspices of the Ada Validation Facility (AVF), according to Ada Validation Organization (AVO) policies and procedures. The NYU Ada/Ed-C, Version 1.7, is hosted on a VAX-11/780 operating under UNIX 4.2 BSD.

The results of validation are summarized in the following table:

| RESULT       | TEST CLASS |     |      |    |    |    | TOTAL |
|--------------|------------|-----|------|----|----|----|-------|
|              | A          | B   | C    | D  | E  | L  |       |
| Passed       | 66         | 814 | 987  | 16 | 6  | 21 | 1910  |
| Failed       | 0          | 0   | 0    | 0  | 0  | 0  | 0     |
| Inapplicable | 2          | 10  | 333  | 1  | 5  | 2  | 353   |
| Withdrawn    | 0          | 4   | 12   | 0  | 0  | 0  | 16    |
| TOTAL        | 68         | 828 | 1332 | 17 | 11 | 23 | 2279  |

---

<sup>®</sup>Ada is a registered trademark of the United States Government  
(Ada Joint Program Office).

There were 16 withdrawn tests in ACVC Version 1.7 at the time of this validation attempt. A list of these tests appears in Appendix D.

Some tests demonstrate that some language features are or are not supported by an implementation. For this implementation, the tests determined the following:

- . SHORT\_INTEGER is not supported.
- . LONG\_INTEGER is not supported.
- . SHORT\_FLOAT is not supported.
- . LONG\_FLOAT is not supported.
- . Representation specifications for noncontiguous enumeration representations are not supported.
- . The 'SIZE clause is not supported.
- . The 'STORAGE\_SIZE clause is not supported.
- . The 'SMALL clause is not supported.
- . Generic unit specifications and bodies cannot be compiled in separate compilations.
- . Pragma INLINE is not supported for procedures nor for functions.
- . The package SYSTEM is not used by package TEXT\_IO.
- . Modes IN\_FILE and OUT\_FILE are supported for sequential I/O.
- . Instantiation of the package SEQUENTIAL\_IO with unconstrained array types is not supported.
- . Instantiation of the package SEQUENTIAL\_IO with unconstrained record types with discriminants is not supported.
- . RESET and DELETE are supported for sequential and direct I/O.
- . Modes IN\_FILE, INOUT\_FILE, and OUT\_FILE are supported for direct I/O.
- . Instantiation of package DIRECT\_IO with unconstrained array types and unconstrained types with discriminants is not supported.
- . Dynamic creation and deletion of files are supported.
- . No more than one internal file can be associated with the same external file.

. Illegal file names can exist.

ACVC Version 1.7 was taken on-site via magnetic tape to New York University, New York City NY. All tests, except the withdrawn tests and any executable tests that make use of a floating-point precision greater than SYSTEM.MAX\_DIGITS, were compiled on a VAX-11/780. Class A, C, D, and E tests were executed on a VAX-11/780.

On completion of testing, execution results for Class A, C, D, or E tests were examined. Compilation results for Class B tests were analyzed for correct diagnosis of syntax and semantic errors. Compilation and link results of Class L tests were analyzed for correct detection of errors.

The AVF identified 1985 of the 2279 tests in Version 1.7 of the ACVC as potentially applicable to the validation of the NYU Ada/Ed-C, Version 1.7. Excluded were 278 tests requiring a floating-point precision greater than that supported by the implementation and the 16 withdrawn tests. After the 1985 tests were processed, 75 tests were determined to be inapplicable. The remaining 1910 tests were passed by the compiler.

The AVF concludes that these results demonstrate acceptable conformance to ANSI/MIL-STD-1815A.

## TABLE OF CONTENTS

|            |                                                     |     |
|------------|-----------------------------------------------------|-----|
| CHAPTER 1  | INTRODUCTION                                        |     |
| 1.1        | PURPOSE OF THIS VALIDATION SUMMARY REPORT . . . . . | 1-1 |
| 1.2        | USE OF THIS VALIDATION SUMMARY REPORT . . . . .     | 1-2 |
| 1.3        | RELATED DOCUMENTS . . . . .                         | 1-3 |
| 1.4        | DEFINITION OF TERMS . . . . .                       | 1-3 |
| 1.5        | ACVC TEST CLASSES . . . . .                         | 1-4 |
| CHAPTER 2  | CONFIGURATION INFORMATION                           |     |
| 2.1        | CONFIGURATION TESTED . . . . .                      | 2-1 |
| 2.2        | CERTIFICATE INFORMATION . . . . .                   | 2-2 |
| 2.3        | IMPLEMENTATION CHARACTERISTICS . . . . .            | 2-2 |
| CHAPTER 3  | TEST INFORMATION                                    |     |
| 3.1        | TEST RESULTS . . . . .                              | 3-1 |
| 3.2        | SUMMARY OF TEST RESULTS BY CLASS . . . . .          | 3-1 |
| 3.3        | SUMMARY OF TEST RESULTS BY CHAPTER . . . . .        | 3-2 |
| 3.4        | WITHDRAWN TESTS . . . . .                           | 3-2 |
| 3.5        | INAPPLICABLE TESTS . . . . .                        | 3-2 |
| 3.6        | SPLIT TESTS . . . . .                               | 3-4 |
| 3.7        | ADDITIONAL TESTING INFORMATION . . . . .            | 3-5 |
| 3.7.1      | Prevalidation . . . . .                             | 3-5 |
| 3.7.2      | Test Method . . . . .                               | 3-5 |
| 3.7.3      | Test Site . . . . .                                 | 3-6 |
| APPENDIX A | COMPLIANCE STATEMENT ,                              |     |
| APPENDIX B | APPENDIX F OF THE Ada STANDARD                      |     |
| APPENDIX C | TEST PARAMETERS                                     |     |
| APPENDIX D | WITHDRAWN TESTS                                     |     |

## CHAPTER 1

### INTRODUCTION

This Validation Summary Report (VSR) describes the extent to which a specific Ada compiler conforms to ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability (ACVC). An Ada compiler must be implemented according to the Ada Standard (ANSI/MIL-STD-1815A). Any implementation-dependent features must conform to the requirements of the Ada Standard. The entire Ada Standard must be implemented, and nothing can be implemented that is not in the Standard.

Even though all validated Ada compilers conform to ANSI/MIL-STD-1815A, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies--for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from limitations imposed on a compiler by the operating system and by the hardware. All of the dependencies demonstrated during the process of testing this compiler are given in this report.

VSRs are written according to a standardized format. The reports for several different compilers may, therefore, be easily compared. The information in this report is derived from the test results produced during validation testing. Additional testing information as well as details which are unique for this compiler are given in section 3.7. The format of a validation report limits variance between reports, enhances readability of the report, and minimizes the delay between the completion of validation testing and the publication of the report.

#### 1.1 PURPOSE OF THIS VALIDATION SUMMARY REPORT

This VSR documents the results of the validation testing performed on an Ada compiler. Testing was carried out for the following purposes:

- . To attempt to identify any language constructs supported by the compiler that do not conform to the Ada Standard

## INTRODUCTION

- . To attempt to identify any unsupported language constructs required by the Ada Standard
- . To determine that the implementation-dependent behavior is allowed by the Ada Standard

Testing of this compiler was conducted by SofTech, Inc., under the direction of the AVF according to policies and procedures established by the Ada Validation Organization (AVO). Testing was conducted from 21 APR 1986 through 23 APR 1986 at New York University, New York City NY.

### 1.2 USE OF THIS VALIDATION SUMMARY REPORT

Consistent with the national laws of the originating country, the AVO may make full and free public disclosure of this report. In the United States, this is provided in accordance with the "Freedom of Information Act" (5 U.S.C. #552). The results of this validation apply only to the computers, operating systems, and compiler versions identified in this report.

The organizations represented on the signature page of this report do not represent or warrant that all statements set forth in this report are accurate and complete, or that the subject compiler has no nonconformances to ANSI/MIL-STD-1815A other than those presented. Copies of this report are available to the public from:

Ada Information Clearinghouse  
Ada Joint Program Office  
OUSDRE  
The Pentagon, Rm 3D-139  
1211 S. Fern, C-107  
Washington DC 20301-3081

or from:

Ada Validation Facility  
ASD/SIOL  
Wright-Patterson AFB OH 45433-6503

## INTRODUCTION

Questions regarding this report or the validation test results should be directed to the AVF listed above or to:

Ada Validation Organization  
Institute for Defense Analyses  
1801 North Beauregard  
Alexandria VA 22311

### 1.3 RELATED DOCUMENTS

1. Reference Manual for the Ada Programming Language, ANSI/MIL-STD-1815A, FEB 1983.
2. Ada Validation Organization: Policies and Procedures, MITRE Corporation, JUN 1982, PB 83-110601.
3. Ada Compiler Validation Capability Implementers' Guide, SofTech, Inc., DEC 1984.

### 1.4 DEFINITION OF TERMS

|              |                                                                                                                                                                          |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ACVC         | The Ada Compiler Validation Capability. A set of programs that evaluates the conformance of a compiler to the Ada language specification, ANSI/MIL-STD-1815A.            |
| Ada Standard | ANSI/MIL-STD-1815A, February 1983.                                                                                                                                       |
| Applicant    | The agency requesting validation.                                                                                                                                        |
| AVF          | The Ada Validation Facility. In the context of this report, the AVF is responsible for conducting compiler validations according to established policies and procedures. |
| AVO          | The Ada Validation Organization. In the context of this report, the AVO is responsible for setting policies and procedures for compiler validations.                     |
| Compiler     | A processor for the Ada language. In the context of this report, a compiler is any language processor, including cross-compilers, translators, and interpreters.         |
| Failed test  | A test for which the compiler generates a result that demonstrates nonconformance to the Ada Standard.                                                                   |
| Host         | The computer on which the compiler resides.                                                                                                                              |

## INTRODUCTION

|                   |                                                                                                                                                                                                                                         |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inapplicable test | A test that uses features of the language that a compiler is not required to support or may legitimately support in a way other than the one expected by the test.                                                                      |
| LMC               | The Language Maintenance Committee whose function is to resolve issues concerning the Ada language.                                                                                                                                     |
| Passed test       | A test for which a compiler generates the expected result.                                                                                                                                                                              |
| Target            | The computer for which a compiler generates code.                                                                                                                                                                                       |
| Test              | A program that evaluates the conformance of a compiler to a language specification. In the context of this report, the term is used to designate a single ACVC test. The text of a program may be the text of one or more compilations. |
| Withdrawn test    | A test found to be inaccurate in checking conformance to the Ada language specification. A withdrawn test has an invalid test objective, fails to meet its test objective, or contains illegal or erroneous use of the language.        |

### 1.5 ACVC TEST CLASSES

Conformance to ANSI/MIL-STD-1815A is measured using the ACVC. The ACVC contains both legal and illegal Ada programs structured into six test classes: A, B, C, D, E, and L. The first letter of a test name identifies the class to which it belongs. Special program units are used to report the results of the Class A, C, D, and E tests during execution. Class B tests are expected to produce compilation errors, and Class L tests are expected to produce link errors.

Class A tests check that legal Ada programs can be successfully compiled and executed. (However, no checks are performed during execution to see if the test objective has been met.) For example, a Class A test checks that reserved words of another language (other than those already reserved in the Ada language) are not treated as reserved words by an Ada compiler. A Class A test is passed if no errors are detected at compile time and the program executes to produce a message indicating that it has passed.

Class B tests check that a compiler detects illegal language usage. Class B tests are not executable. Each test in this class is compiled and the resulting compilation listing is examined to verify that every syntactical or semantic error in the test is detected. A Class B test is passed if every illegal construct that it contains is detected by the compiler.

Class C tests check that legal Ada programs can be correctly compiled and executed. Each Class C test is self-checking and produces a PASSED, FAILED, or NOT-APPLICABLE message indicating the result when it is executed.

## INTRODUCTION

Class D tests check the compilation and execution capacities of a compiler. Since there are no requirements placed on a compiler by the Ada Standard for some parameters (e.g., the number of identifiers permitted in a compilation, the number of units in a library, and the number of nested loops in a subprogram body), a compiler may refuse to compile a Class D test and still be a conforming compiler. Therefore, if a Class D test fails to compile because the capacity of the compiler is exceeded, the test is classified as inapplicable. If a Class D test compiles successfully, it is self-checking and produces a PASSED or FAILED message during execution.

Each Class E test is self-checking and produces a NOT-APPLICABLE, PASSED, or FAILED message when it is compiled and executed. However, the Ada Standard permits an implementation to reject programs containing some features addressed by Class E tests during compilation. Therefore, a Class E test is passed by a compiler if it is compiled successfully and executes to produce a PASSED message, or if it is rejected by the compiler for an allowable reason.

Class L tests check that incomplete or illegal Ada programs involving multiple, separately compiled units are detected and not allowed to execute. Class L tests are compiled separately and execution is attempted. A Class L test passes if it is rejected at link time--that is, an attempt to execute the main program must generate an error message before any declarations in the main program or any units referenced by the main program are elaborated.

Two library units, the package REPORT and the procedure CHECK\_FILE, support the self-checking features of the executable tests. The package REPORT provides the mechanism by which executable tests report results. It also provides a set of identity functions used to defeat some compiler optimization strategies and force computations to be made by the target computer instead of by the compiler on the host computer. The procedure CHECK\_FILE is used to check the contents of text files written by some of the Class C tests for chapter 14 of the Ada Standard.

The operation of these units is checked by a set of executable tests. These tests produce messages that are examined to verify that the units are operating correctly. If these units are not operating correctly, then the validation is not attempted.

Some of the conventions followed in the ACVC are intended to ensure that the tests are reasonably portable without modification. For example, the tests make use of only the basic set of 55 characters, contain lines with a maximum length of 72 characters, use small numeric values, and place features that may not be supported by all implementations in separate tests. However, some tests contain values that require the test to be customized according to implementation-specific values. The values used for this validation are listed in Appendix C.

A compiler must correctly process each of the tests in the suite and demonstrate conformance to the Ada Standard by either meeting the pass criteria given for the test or by showing that the test is inapplicable to the implementation. Any test that was determined to contain an illegal

## INTRODUCTION

language construct or an erroneous language construct is withdrawn from the ACVC and, therefore, is not used in testing a compiler. The nonconformant tests are given in Appendix D.

## CHAPTER 2

### CONFIGURATION INFORMATION

#### 2.1 CONFIGURATION TESTED

The candidate compilation system for this validation was tested under the following configuration:

Compiler: NYU Ada/Ed-C, Version 1.7

Test Suite: Ada Compiler Validation Capability, Version 1.7

Host Computer:

|                   |              |
|-------------------|--------------|
| Machine(s):       | VAX-11/780   |
| Operating System: | UNIX 4.2 BSD |
| Memory Size:      | 4 megabytes  |

Target Computer:

|                   |              |
|-------------------|--------------|
| Machine(s):       | VAX-11/780   |
| Operating System: | UNIX 4.2 BSD |
| Memory Size:      | 4 megabytes  |

## CONFIGURATION INFORMATION

### 2.2 CERTIFICATE INFORMATION

#### Base Configuration:

Compiler: NYU Ada/Ed-C, Version 1.7

Test Suite: Ada Compiler Validation Capability, Version 1.7

Certificate Date: 16 JUN 1986

#### Host Computer:

Machine(s): VAX-11/780

Operating System: UNIX 4.2 BSD

#### Target Computer:

Machine(s): VAX-11/780

Operating System: UNIX 4.2 BSD

### 2.3 IMPLEMENTATION CHARACTERISTICS

One of the purposes of validating compilers is to determine the behavior of a compiler in those areas of the Ada Standard that permit implementations to differ. Class D and E tests specifically check for such implementation differences. However, tests in other classes also characterize an implementation. This compiler is characterized by the following interpretations of the Ada Standard:

#### . Nongraphic characters.

Nongraphic characters are defined in the ASCII character set but are not permitted in Ada programs, even within character strings. The compiler correctly recognizes these characters as illegal in Ada compilations. The characters are not printed in the output listing. (See test B26005A.)

- Capacities.

The compiler correctly processes compilations containing loop statements nested to 65 levels, block statements nested to 65 levels, and recursive procedures nested to 10 levels. It correctly processes a compilation containing 723 variables in the same declarative part. (See tests D55A03A through D55A03H, D56001B, D64005E through D64005G, and D29002K.)

- Universal integer calculations.

An implementation is allowed to reject universal integer calculations having values that exceed `SYSTEM.MAX_INT`. This implementation does not reject such calculations and processes them correctly. (See tests D4A002A, D4A002B, D4A004A, and D4A004B.)

- Predefined types.

This implementation does not support any additional predefined types in the package `STANDARD`. (See tests B86001CR, B86001CS, B86001CP, B86001CQ, and B86001DT.)

- Based literals.

An implementation is allowed to reject a based literal with a value exceeding `SYSTEM.MAX_INT` during compilation, or it may raise `NUMERIC_ERROR` during execution. This implementation raises `NUMERIC_ERROR` during execution. (See test E24101A.)

- Array types.

When an array type is declared with an index range exceeding the `INTEGER'LAST` values and with a component that is a null `BOOLEAN` array, this compiler raises `CONSTRAINT_ERROR` when the length of the array is computed (see page 3-3, first item). No exception is raised when the array type is declared. (See tests E36202A and E36202B.)

A packed `BOOLEAN` array having a `'LENGTH` exceeding `INTEGER'LAST` raises `CONSTRAINT_ERROR` when the array type is declared (see page 3-3, first item). (See test C52103X.)

A packed two-dimensional `BOOLEAN` array with more than `INTEGER'LAST` components raises `CONSTRAINT_ERROR` when the array type is declared (see page 3-3, first item). (See test C52104Y.)

A null array with one dimension of length greater than `INTEGER'LAST` may raise `NUMERIC_ERROR` or `CONSTRAINT_ERROR` either when declared or assigned. Alternatively, an implementation may accept the declaration. However, lengths must match in array slice assignments. This implementation raises `CONSTRAINT_ERROR` when the array type is declared (see page 3-3, first item). (See

## CONFIGURATION INFORMATION

test E52103Y.)

In assigning one-dimensional and two-dimensional array types, the entire expression does not appear to be evaluated before `CONSTRAINT_ERROR` is raised when checking whether the expression's subtype is compatible with the target's subtype (see page 3-3, first item). (See test C52013A.)

### . Discriminated types.

During compilation, an implementation is allowed to either accept or reject an incomplete type with discriminants that is used in an access type definition with a compatible discriminant constraint. This implementation accepts such subtype indications during compilation. (See test E38104A.)

In assigning record types with discriminants, the entire expression appears to be evaluated before `CONSTRAINT_ERROR` is raised when checking whether the expression's subtype is compatible with the target's subtype (see page 3-3, first item). (See test C52013A.)

### . Aggregates.

In the evaluation of a multi-dimensional aggregate, the order in which choices are evaluated and index subtype checks are made appears to depend upon the aggregate itself. (See tests C43207A and C43207B.)

In the evaluation of an aggregate containing subaggregates, all choices are evaluated before being checked for identical bounds. (See test E43212B.)

All choices are not evaluated before `CONSTRAINT_ERROR` is raised if a bound in a nonnull range of a nonnull aggregate does not belong to an index subtype (see page 3-3, first item). (See test E43211B.)

### . Functions.

The declaration of a parameterless function with the same profile as an enumeration literal in the same immediate scope is rejected by the implementation. (See test E66001D.)

### . Representation clauses.

'SMALL length clauses are not supported. (See test C87B62C.)

Enumeration representation clauses are not supported. (See test BC1002A.)

## CONFIGURATION INFORMATION

### . Pragas.

The pragma `INLINE` is not supported for procedures nor is it supported for functions. (See tests CA3004E and CA3004F.)

### . Input/output.

The package `SEQUENTIAL_IO` cannot be instantiated with unconstrained array types and record types with discriminants. The package `DIRECT_IO` cannot be instantiated with unconstrained array types and record types with discriminants without defaults. (See tests CE2201D, CE2201E, and CE2401D.)

Only one internal file can be associated with each external file for sequential I/O for both reading and writing. (See tests CE2107A through CE2107F.)

Only one internal file can be associated with each external file for direct I/O for both reading and writing. (See tests CE2107A through CE2107F.)

Only one internal file can be associated with each external file for text I/O for both reading and writing. (See test CE3111A through CE3111E.)

An existing text file can be opened in `OUT_FILE` mode, and can be created in both `IN_FILE` mode and `OUT_FILE` mode. (See test EE3102C.)

Temporary sequential and direct files are given a name. Temporary files given names are not deleted when they are closed. (See tests CE2108A and CE2108C.)

CHAPTER 3  
TEST INFORMATION

3.1 TEST RESULTS

The AVF identified 1985 of the 2279 tests in Version 1.7 of the ACVC as potentially applicable to the validation of the NYU Ada/Ed-C, Version 1.7. Excluded were 278 tests requiring a floating-point precision greater than that supported by the implementation and the 16 withdrawn tests. After they were processed, 75 tests were determined to be inapplicable. The remaining 1910 tests were passed by the compiler.

The AVF concludes that the testing results demonstrate acceptable conformance to the Ada Standard.

3.2 SUMMARY OF TEST RESULTS BY CLASS

| RESULT       | TEST CLASS |     |      |    |    |    | TOTAL |
|--------------|------------|-----|------|----|----|----|-------|
|              | A          | B   | C    | D  | E  | L  |       |
| Passed       | 66         | 814 | 987  | 16 | 6  | 21 | 1910  |
| Failed       | 0          | 0   | 0    | 0  | 0  | 0  | 0     |
| Inapplicable | 2          | 10  | 333  | 1  | 5  | 2  | 353   |
| Withdrawn    | 0          | 4   | 12   | 0  | 0  | 0  | 16    |
| TOTAL        | 68         | 828 | 1332 | 17 | 11 | 23 | 2279  |

## TEST INFORMATION

### 3.3 SUMMARY OF TEST RESULTS BY CHAPTER

| RESULT       | CHAPTER |     |     |     |     |    |     |     |     |    |     |     |       |
|--------------|---------|-----|-----|-----|-----|----|-----|-----|-----|----|-----|-----|-------|
|              | 2       | 3   | 4   | 5   | 6   | 7  | 8   | 9   | 10  | 11 | 12  | 14  | TOTAL |
| Passed       | 93      | 184 | 251 | 233 | 159 | 97 | 152 | 190 | 96  | 28 | 215 | 212 | 1910  |
| Failed       | 0       | 0   | 0   | 0   | 0   | 0  | 0   | 0   | 0   | 0  | 0   | 0   | 0     |
| Inapplicable | 23      | 123 | 143 | 14  | 2   | 0  | 9   | 9   | 9   | 0  | 1   | 20  | 353   |
| Withdrawn    | 0       | 1   | 4   | 0   | 0   | 0  | 1   | 2   | 6   | 0  | 1   | 1   | 16    |
| TOTAL        | 116     | 308 | 398 | 247 | 161 | 97 | 162 | 201 | 111 | 28 | 217 | 233 | 2279  |

### 3.4 WITHDRAWN TESTS

The following tests have been withdrawn from the ACVC Version 1.7:

|         |         |                                   |
|---------|---------|-----------------------------------|
| B4A010C | C41404A | CA1003B                           |
| B83A06B | C48008A | CA3005A through CA3005D (4 tests) |
| BA2001E | C4A014A | CE2107E                           |
| BC3204C | C92005A |                                   |
| C35904A | C940ACA |                                   |

See Appendix D for the test descriptions.

### 3.5 INAPPLICABLE TESTS

Some tests do not apply to all compilers because they make use of features that a compiler is not required by the Ada Standard to support. Others may depend on the result of another test that is either inapplicable or withdrawn. For this validation attempt, 353 tests were inapplicable for the reasons indicated:

- . C34001D, B52004E, B55B09D, B86001CR, and C55B07B use SHORT\_INTEGER which is not supported by this compiler.
- . C34001E, B52004D, B55B09C, B86001CS, and C55B07A use LONG\_INTEGER which is not supported by this compiler.
- . C34001F, C35702A, and B86001CP use SHORT\_FLOAT which is not supported by this compiler.
- . C34001G, C35702B, and B86001CQ use LONG\_FLOAT which is not supported by this compiler.

- E36202A, E36202B, C4A005A, C4A005B, C4A012A, C52012A, C52012B, C52103X, C52104X, C52104Y, E52103Y, C64103A, C86003A, C93005A, C93005C, C93005D, C93005E, C93005F, C93005G, C93005H, and C96005C all contain predefined operations designed to raise NUMERIC\_ERROR; ADA/Ed-C follows the recommendation of AI-00387 that CONSTRAINT\_ERROR be raised in preference to NUMERIC\_ERROR for such operations. Because most of these tests contain exception handlers for only NUMERIC\_ERROR and "others", it was not possible to determine that in fact CONSTRAINT\_ERROR was the exception raised. However, tests E36202A, E36202B, and C64013A do contain handlers for CONSTRAINT\_ERROR; test results showed that it was the exception raised. The error messages generated by Ada/Ed-C for tests C52012A and C52012B, which contain handlers only for NUMERIC\_ERROR, also indicated that CONSTRAINT\_ERROR was raised. It is important to note that the objectives of the tests were met in two ways: and exception was raised; and the exception was raised at the appropriate place. For the series of tests checking task activation, namely C93005C..H, test results showed that the behaviour of Ada/Ed-C was correct.

Although these tests are strictly inapplicable due to their yielding a failed result for certain conforming behaviour (the raising of CONSTRAINT\_ERROR instead of NUMERIC\_ERROR), the tests should be considered to have been substantively passed.

- C52008B declares a record type with four discriminants of type integer. The type may be used in the declaration of unconstrained objects, but the size of these objects exceeds the maximum object size of this implementation and CONSTRAINT\_ERROR is raised.
- C55B16A makes use of an enumeration representation clause containing noncontiguous values which is not supported by this compiler.
- D64005G is inapplicable because the compiler does not permit 17 levels of nested recursive procedures.
- B86001DT requires a predefined numeric type other than those defined by the Ada language in package STANDARD. There is no such type for this implementation.
- C87B62A through C87B62C use length clauses to specify the collection size for an access type which is not supported by this compiler.
- C96005B checks implementations for which the smallest and largest values in type DURATION are different from the smallest and largest values in DURATIONS's base type. This is not the case for this implementation.
- CA1012A compiles generic subroutine declarations and bodies in separate compilation units. Separate compilation of generic specifications and bodies is not supported by this compiler.

## TEST INFORMATION

- . CA2009C and CA2009F compile generic subunits in separate compilation files. Separate compilation of generic specifications and bodies is not supported by this compiler.
- . CA3004E, EA3004C, and LA3004A use `INLINE` pragma for procedures which is not supported by this compiler.
- . CA3004F, EA3004D, and LA3004B use `INLINE` pragma for functions which is not supported by this compiler.
- . BC3205D compiles generic subunits in separate compilation files. Separate compilation of generic specifications and bodies is not supported by this compiler.
- . AE2101C, AE2101H, CE2201D, CE2201E, and CE2401D use instantiation of package `SEQUENTIAL_IO` with unconstrained array types which is not supported by this compiler.
- . CE2107A through CE2107D, CE2107F, CE2110B, CE2111D, CE2111H, CE3111A through CE3111E, CE3114B, and CE3115A are inapplicable because multiple internal files cannot be associated with the same external file.
- . 278 tests were not processed because `SYSTEM.MAX_DIGITS` was six. These tests were:

C24113C through C24113Y (23 tests)  
C35705C through C35705Y (23 tests)  
C35706C through C35706Y (23 tests)  
C35707C through C35707Y (23 tests)  
C35708C through C35708Y (23 tests)  
C35802C through C35802Y (23 tests)  
C45241C through C45241Y (23 tests)  
C45321C through C45321Y (23 tests)  
C45421C through C45421Y (23 tests)  
C45424C through C45424Y (23 tests)  
C45521C through C45521Z (24 tests)  
C45621C through C45621Z (24 tests)

### 3.6 SPLIT TESTS

If one or more errors do not appear to have been detected in a Class B test because of compiler error recovery, then the test is split into a set of smaller tests that contain the undetected errors. These splits are then compiled and examined. The splitting process continues until all errors are detected by the compiler or until there is exactly one error per split. Any Class A, Class C, or Class E test that cannot be compiled and executed because of its size is split into a set of smaller subtests that can be processed.

Splits were required for three Class B tests.

B97101E

BE3001A

BE3002A

### 3.7 ADDITIONAL TESTING INFORMATION

#### 3.7.1 Prevalidation

Prior to validation, a set of test results for ACVC Version 1.7 produced by the NYU Ada/Ed-C, Version 1.7, was submitted to the AVF by the applicant for prevalidation review. Analysis of these results demonstrated that the compiler successfully passed all applicable tests.

#### 3.7.2 Test Method

Testing of the NYU Ada/Ed-C using ACVC Version 1.7 was conducted on-site by a validation team. The base configuration consisted of a VAX-11/780 host and target operating under UNIX 4.2 BSD.

A magnetic tape containing ACVC Version 1.7 was taken on-site by the validation team. The magnetic tape contained all tests applicable to this validation, as well as all tests inapplicable to this validation except for any Class C tests that require floating-point precision exceeding the maximum value supported by the implementation. Tests that make use of values that are specific to an implementation were customized before being written to the magnetic tape. Tests requiring splits during the prevalidation testing were included in their split form on the magnetic tape.

The contents of the magnetic tape were loaded onto the VAX-11/780 operating under UNIX 4.2 BSD. After the test files were loaded to disk, the full set of tests was compiled, and all executable tests were run on the VAX-11/780. Tests withdrawn from ACVC Version 1.7 were not run.

The compiler was tested using command scripts provided by New York University. These scripts were reviewed by the validation team.

Tests were run in batch mode using a single computer. Test output, compilation listings, and job logs were captured on magnetic tape and archived at the AVF. The listings examined on-site by the validation team were also archived.

## TEST INFORMATION

### 3.7.3 Test Site

The validation team arrived at New York University, New York City NY on 21 APR 1986 and departed after testing was completed on 23 APR 1986.

APPENDIX A  
COMPLIANCE STATEMENT

New York University has submitted the following  
compliance statement concerning the NYU Ada/Ed-C.

## **Compliance Statement**

### **Basic configuration:**

**Compiler: Ada/Ed, Version 1.7**

**Test Suite: Ada Compiler Validation Capability, Version 1.7**

### **Host Computer:**

**Machine: Digital Equipment VAX-11/780**

**Operating System: BSD 4.2**

### **Target Computer:**

**Machine: Digital Equipment VAX-11/780**

**Operating System: BSD 4.2**

**New York University has made no deliberate extensions to the Ada language standard.**

**New York University agrees to the public disclosure of this report.**

**New York University agrees to comply with the Ada trademark policy, as defined by the Ada Joint Program Office.**

Edmond Schonberg      **Date: 4-23-86**  
**Edmond Schonberg, Ph. D.**

**New York University**

## APPENDIX B

### APPENDIX F OF THE Ada STANDARD

The only allowed implementation dependencies correspond to implementation-dependent pragmas, to certain machine-dependent conventions as mentioned in chapter 13 of MIL-STD-1815A, and to certain allowed restrictions on representation classes. The implementation-dependent characteristics of the NYU Ada/Ed-C, Version 1.7, are described in the following sections which discuss topics one through eight as stated in Appendix F of the Ada Language Reference Manual (ANSI/MIL-STD-1815A). Two other sections, package STANDARD and file naming conventions, are also included in this appendix.

#### F.1 The form, allowed places, and effect of every implementation-dependent pragma.

NYU Ada/Ed does not recognize any implementation pragmas. The language defined pragmas are correctly recognized and their legality is checked, but, with the exception of LIST and PRIORITY, they have no effect on the execution of the program. A warning message is generated to indicate that the pragma is ignored.

#### F.2 The name and the type of every implementation-dependent attribute.

There are no implementation-dependent attributes in NYU Ada/Ed.

#### F.3 The specification of the package SYSTEM (see 13.7).

package SYSTEM is

```
type SEGMENT_TYPE is new INTEGER range 0..255;
type OFFSET_TYPE is new INTEGER range 0..32767;
type ADDRESS is record
  SEGMENT: SEGMENT_TYPE := SEGMENT_TYPE'LAST;
  OFFSET: OFFSET_TYPE := OFFSET_TYPE'LAST;
end record;
type NAME is (ADA_ED);

SYSTEM_NAME : constant NAME := ADA_ED;
```

## APPENDIX F OF THE Ada STANDARD

```
STORAGE_UNIT      : constant := 8;  
MEMORY__SIZE      : constant := 2**16-1;
```

-- System-Dependent Named Numbers:

```
MIN_INT           : constant := -2**31;  
MAX__INT          : constant := 2**31-1;  
MAX__DIGITS       : constant := 6;  
MAX__MANTISSA     : constant := 31;  
FINE__DELTA      : constant := 2.0**(-30);  
TICK__            : constant := 0.01;
```

-- Other System-Dependent Declarations

```
subtype PRIORITY is integer range 1..4;  
SYSTEM__ERROR : exception;
```

end SYSTEM;

### F.4 The list of all restrictions on representation clauses (see 13.1).

NYU Ada/Ed supports no representation clauses, and a program containing any instance of any representation clause is considered to be illegal.

### F.5 The conventions used for any implementation-generated name denoting implementation-dependent components (see 13.4).

NYU Ada/Ed does not provide any system generated names denoting system dependent entities, since in any case, representation specifications are not permitted.

### F.6 The interpretation of expressions that appear in address clauses, including those for interrupts (see 13.5).

Addresses in NYU Ada/Ed are fully supported. The ADDRESS type defined in the package SYSTEM is a record consisting of two fields. The first is an unsigned byte which contains the segment number. The second is the offset within the segment, ranging from 0 to 32767.

### F.7 Any restriction on unchecked conversions (see 13.10.2).

NYU Ada/Ed will correctly recognize and check the validity of any use of unchecked conversion. However, any program which executes an unchecked conversion is considered to be erroneous, and the exception PROGRAM\_\_ERROR will be raised.

### F.8 Any implementation-dependent characteristics of the input-output packages (see 14).

A) Temporary files are fully supported. The naming convention is as follows:

ADATEMP\_XXXXXL where XXXXX is the Unix current process identification and L is a unique letter.

- B) Deletion of files is fully supported.
- C) Only one internal file may be associated with the same external file (no multiple accessing of files allowed).
- D) File names used in the CREATE and OPEN procedures are standard UNIX file names. The function FORM returns the string given as a FORM parameter when a file is created. No system-dependent characteristics are associated with that parameter.
- E) A maximum of 20 files can be open at any given time during program execution.
- F) The standard input file is stdin; the standard output file is stdout.
- G) SEQUENTIAL\_IO and DIRECT\_IO support constrained array types, record types without discriminants and record types with discriminants with defaults. SEQUENTIAL\_IO and DIRECT\_IO are not supported for unconstrained types.
- H) I/O on access types is possible, but usage of access values read in another program execution is erroneous.
- I) Normal termination of the main program causes all open files to be closed, and all temporary files to be deleted.
- J) LOW\_LEVEL\_IO is not supported.
- K) The form feed character (ASCII.FF) is used as the page terminator indicator. Its usage as a data element of a file is therefore undefined.

Package STANDARD contains the following declarations:

```

type INTEGER is range -214_783_648 .. 214_783_647;
type FLOAT is digits 6 range -(2.0**96) .. 2.0**96;
type DURATION is delta 0.001 range -86_400.0 .. 86_400.0;
```

DURATION'SMALL = 9.765625 E-4 seconds

# APPENDIX C TEST PARAMETERS

Certain tests in the ACVC make use of implementation-dependent values, such as the maximum length of an input line and invalid file names. A test that makes use of such values is identified by the extension .TST in its file name. Actual values to be substituted are identified by names that begin with a dollar sign. A value is substituted for each of these names before the test is run. The values used for this validation are given below.

| <u>Name and Meaning</u>                                                                                                        | <u>Value</u>                       |
|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| \$BIG_ID1<br>Identifier of size MAX_IN_LEN<br>with varying last character.                                                     | (1..120 => 'A')                    |
| \$BIG_ID2<br>Identifier of size MAX_IN_LEN<br>with varying last character.                                                     | (1..119 => 'A', 120 => 'B')        |
| \$BIG_ID3<br>Identifier of size MAX_IN_LEN<br>with varying middle character.                                                   | (1..59 61..120 => 'A', 60 => '3')  |
| \$BIG_ID4<br>Identifier of size MAX_IN_LEN<br>with varying middle character.                                                   | (1..59 61..120 => 'A', 60 => '4')  |
| \$BIG_INT_LIT<br>An integer literal of value 298<br>with enough leading zeroes so<br>that it is MAX_IN_LEN characters<br>long. | (1..117 => '0', 118..120 => '298') |

## TEST PARAMETERS

| <u>Name and Meaning</u>                                                                                                                                                       | <u>Value</u>                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| <b>\$BIG_REAL_LIT</b><br>A real literal that can be either of floating- or fixed-point type, has value 690.0, and has enough leading zeroes to be MAX_IN_LEN characters long. | (1..114 => '0', 115..120 => '69.0E1')      |
| <b>\$BLANKS</b><br>Blanks of length MAX_IN_LEN - 20                                                                                                                           | (1..100 => ' ')                            |
| <b>\$COUNT_LAST</b><br>Value of COUNT'LAST in TEXT_IO package.                                                                                                                | 4096                                       |
| <b>\$EXTENDED_ASCII_CHARS</b><br>A string literal containing all the ASCII characters with printable graphics that are not in the basic 55 Ada character set.                 | "abcdefghijklmnopqrstuvwxyz!\$%?@[\]^`{}~" |
| <b>\$FIELD_LAST</b><br>Value of FIELD'LAST in TEXT_IO package.                                                                                                                | 100                                        |
| <b>\$FILE_NAME_WITH_BAD_CHARS</b><br>An illegal external file name that either contains invalid characters or is too long.                                                    | (1..256 => 'A')                            |
| <b>\$FILE_NAME_WITH_WILD_CARD_CHAR</b><br>An external file name that either contains a wild card character or is too long.                                                    | (1..256 => 'A')                            |
| <b>\$GREATER_THAN_DURATION</b><br>A universal real value that lies between DURATION'BASE'LAST and DURATION'LAST or any value in the range of DURATION.                        | 100_000.0                                  |
| <b>\$GREATER_THAN_DURATION_BASE_LAST</b><br>The universal real value that is greater than DURATION'BASE'LAST.                                                                 | 10_000_000.0                               |
| <b>\$ILLEGAL_EXTERNAL_FILE_NAME1</b><br>Illegal external file name.                                                                                                           | (1..256 => 'A')                            |
| <b>\$ILLEGAL_EXTERNAL_FILE_NAME2</b><br>Illegal external file names.                                                                                                          | (1..256 => 'A')                            |

# TEST PARAMETERS

| <u>Name and Meaning</u>                                                                                                                                                             | <u>Value</u>      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| <b>\$INTEGER_FIRST</b><br>The universal integer literal expression whose value is INTEGER'FIRST.                                                                                    | -214_783_648      |
| <b>\$INTEGER_LAST</b><br>The universal integer literal expression whose value is INTEGER'LAST.                                                                                      | 214_783_647       |
| <b>\$LESS_THAN_DURATION</b><br>A universal real value that lies between DURATION'BASE'FIRST and DURATION'FIRST or any value in the range of DURATION.                               | -100_000.0        |
| <b>\$LESS_THAN_DURATION_BASE_FIRST</b><br>The universal real value that is less than DURATION'BASE'FIRST.                                                                           | -10_000_000.0     |
| <b>\$MAX_DIGITS</b><br>Maximum digits supported for floating-point types.                                                                                                           | 6                 |
| <b>\$MAX_IN_LEN</b><br>Maximum input line length permitted by the implementation.                                                                                                   | 120               |
| <b>\$NAME</b><br>A name of a predefined numeric type other than FLOAT, INTEGER, SHORT_FLOAT, SHORT_INTEGER, LONG_FLOAT, or LONG_INTEGER.                                            | LONG_LONG_INTEGER |
| <b>\$NEG_BASED_INT</b><br>A based integer literal whose highest order nonzero bit falls in the sign bit position of the representation for SYSTEM.MAX_INT.                          | 16#FFFFFFFD#      |
| <b>\$NON_ASCII_CHAR_TYPE</b><br>An enumerated type definition for a character type whose literals are the identifier NON_NULL and all non-ASCII characters with printable graphics. | (NON_NULL)        |

## APPENDIX D

### WITHDRAWN TESTS

Some tests are withdrawn from the ACVC because they do not conform to the Ada Standard. When testing was performed, the following 16 tests had been withdrawn at the time of validation testing for the reasons indicated:

- . B4A010C: The object declaration in line 18 follows a subprogram body of the same declarative part.
- . B83A06B: The Ada Standard 8.3(17) and AI-00330 permit the label LAB\_ENUMERAL of line 80 to be considered a homograph of the enumeration literal in line 25.
- . BA2001E: The Ada Standard 10.2(5) states: "Simple names of all subunits that have the same ancestor library unit must be distinct identifiers." This test checks for the above condition when stubs are declared. However, the Ada Standard does not preclude the check being made when the subunit is compiled.
- . BC3204C: The file BC3204C4 should contain the body for BC3204C0 as indicated in line 25 of BC3204C3M.
- . C35904A: The elaboration of subtype declarations SFX3 and SFX4 may raise NUMERIC\_ERROR (instead of CONSTRAINT\_ERROR).
- . C41404A: The values of 'LAST and 'LENGTH are incorrect in IF statements from line 74 to the end of the test.
- . C48008A: This test requires that the evaluation of default initial values not occur when an exception is raised by an allocator. However, the Language Maintenance Committee (LMC) has ruled that such a requirement is incorrect (AI-00397/01).

## WITHDRAWN TESTS

- . C4A014A: The number declarations in lines 19-22 are incorrect because conversions are not static.
- . C92005A: At line 40, "/=" for type PACK.BIG\_INT is not visible without a USE clause for package PACK.
- . C940ACA: This test assumes that allocated task TT1 will run prior to the main program, and thus assign SPYNUMB the value checked for by the main program; however, such an execution order is not required by the Ada Standard, so the test is erroneous.
- . CA1003B: This test requires all of the legal compilation units of a file containing some illegal units to be compiled and executed. According to AI-00255, such a file may be rejected as a whole.
- . CA3005A..D (4 tests): No valid elaboration order exists for these tests.
- . CE2107E: This test has a variable, TEMP\_HAS\_NAME, that needs to be given an initial value of TRUE.

END

5-87

DTic