

AD-A187 593

CDTE(110)-MN INTERFACE REACTION AND THE FORMATION OF
NON-EQUILIBRIUM TERN. (U) MINNESOTA UNIV MINNEAPOLIS
DEPT OF CHEMICAL ENGINEERING AND M. A WALL ET AL.
23 OCT 87 TR-13 N00014-84-K-0545

1/1

UNCLASSIFIED

F/G 20/3

NL





DTIC FILE COPY

1

AD-A187 593

SUMMARY ABSTRACT: CdTe(110)-Mn INTERFACE REACTION AND THE FORMATION OF NON-EQUILIBRIUM TERNARY SEMIMAGNETIC SEMICONDUCTOR ALLOYS

A. Wall, A. Raisanen, S. Chang, N. Troullier and A. Franciosi

Department of Chemical Engineering and Materials Science
University of Minnesota, Minneapolis, MN 55455

R. Reifenberger

Department of Physics, Purdue University
West Lafayette, IN 47907

DTIC
SELECTED
NOV 17 1987
H

In the past few years our understanding of the electronic properties of ternary semimagnetic semiconductors has been greatly improved by systematic photoemission spectroscopy studies of bulk single crystal alloys¹⁻⁵. These materials can be synthesized in the form of high quality single crystals in a wide but limited range of composition (for example, $0 < x < 0.70$ for $\text{Cd}_{1-x}\text{Mn}_x\text{Te}$). They exhibit composition-dependent optical and transport properties and, because of the presence of Mn or Fe 3d orbitals, new magneto-transport and magneto-optical properties⁶⁻⁹.

We have synthesized for the first time non-equilibrium ternary alloys through interface reaction in situ of CdTe single crystals and Mn thin films. We analyzed the electronic structure of these phases with synchrotron radiation resonant photoemission, and probed their composition through escape-depth-dependent core level photoemission. We also obtained for comparison results for bulk $\text{Cd}_{1-x}\text{Mn}_x\text{Te}$ single crystals cleaved in situ at composition $x=0, 0.20, 0.32$ and 0.68 . The bulk data confirm that interface reaction is an effective method of producing non-equilibrium alloys, and allowed us an independent calibration of the composition of the surface alloy.

Details of the experimental procedure and sample preparation will be given in a longer forthcoming paper¹⁰. Oriented CdTe single crystals were cleaved in

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

87 12 22 350

A187 593

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 13	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) CdTe(110)-Mn INTERFACE REACTION AND THE FORMATION OF NON-EQUILIBRIUM TERNARY SEMIMAGNETIC SEMICONDUCTOR ALLOYS		5. TYPE OF REPORT & PERIOD COVERED Interim, 8/1/86-8/31/88
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) A. Wall, A. Raisanen, S. Chang, N. Troullier, A. Franciosi, R. Reifenberger (Purdue University)		8. CONTRACT OR GRANT NUMBER(s) N00014-84-K-0545
9. PERFORMING ORGANIZATION NAME AND ADDRESS University of Minnesota 1919 University Ave St. Paul, MN 55104		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Task NR 372-162
11. CONTROLLING OFFICE NAME AND ADDRESS Dr. K. Hathaway Office of Naval Research, Electronics Division Department of the Navy		12. REPORT DATE 10/23/87
		13. NUMBER OF PAGES 7
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release. Unlimited distribution.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES To be published in J. Vac. Sci. Technol. A		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Interface <i>S</i> , Metal-semiconductor interfaces. ←		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Because of the high stability of the divalent Mn atomic configuration Mn atoms diffuse readily in II-VI semiconductors. We have synthesized for the first time non-equilibrium ternary alloys through interface reaction in situ of CdTe single crystals and Mn thin films. We analyzed the electronic structure of these phases with synchrotron radiation resonant photoemission and probed their composition through escape-depth-dependent core level photoemission. <i>Reynolds</i>		

situ in a photoelectron spectrometer at pressures in the 10^{-11} torr range. Sequential submonolayer deposition of Mn from a resistively heated source was performed in the same pressure range, with thickness monitored by a quartz microbalance. The substrate was at room temperature during deposition. Single crystals of bulk $\text{Cd}_{1-x}\text{Mn}_x\text{Te}$ alloys grown at Purdue University through a modified Bridgeman method were also cleaved in situ for comparison. Synchrotron radiation from the 1 GeV electron storage ring at the Synchrotron Radiation Center of the University of Wisconsin-Madison was monochromatized by a 3m toroidal grating monochromator and focused onto the sample. Angular integrated photoelectron energy distribution curves (EDC's) were obtained with a hemispherical energy analyzer. The overall resolution (electrons + photons) was typically 0.1eV in the 15-70eV energy range, and about 0.25eV in the 70-150eV range.

Representative EDC's for the valence band emission of the bulk ternary alloys at $x=0$, 0.20, and 0.68 are shown in the leftmost section of fig. 1. EDC's for the valence band emission from the CdTe-Mn interface appear in the rightmost section of fig. 1, at metal coverages of 0.2, 0.4, 1.0 and 3.0Å. In terms of the substrate (110) surface atomic density it is 1 monolayer = 0.83Å. The spectra of fig. 1 have been obtained at a photon energy of 50eV, near the Mn 3p-3d resonance¹, and emphasize the Mn 3d contribution. The EDC's for the bulk alloys have been normalized to the integrated Cd core intensity taking into account the Cd content from X-ray microprobe analysis¹⁰. The EDC's for the CdTe-Mn interface are shown in relative units. The zero of the binding energy scale corresponds to the position of the valence band maximum as derived from a linear extrapolation of the leading valence band edge.

The interface EDC's in fig. 1 show striking similarities with those of the ternary alloys. Emission features in the 0-2eV range, at 3.4eV and in the 5-9eV range reflect mostly 3d emission as demonstrated by resonance-antiresonance

Availability Codes	
Dist	Avail and/or Special
A-1	

difference curves⁷⁻¹⁰, or ternary-binary alloy difference curves¹⁰. A major emission feature in the 9-11eV range corresponds to the Cd 4d cores, that appear progressively attenuated with increasing coverage in the interface spectra. We note that no Fermi-level cut-off appears in the interface EDC's for coverages below 3 monolayers, that the valence band emission is dramatically different from that of an unreacted Mn film¹⁰, and that the major Mn 3d feature appears at about 3.4eV in all interface and bulk alloy spectra.

Independent evidence of CdTe-Mn interdiffusion is provided by the coverage dependence of the core emission of the different elemental species. We measured the integrated intensity of the Cd 4d doublet (at $h\nu=40$ and 95eV) and of the Te 4d core levels (at $h\nu=58$ and 110eV) in order to obtain escape-depth-dependent information on the surface composition¹⁰. Since direct emission from the Mn 3p cores was insufficient to provide a reliable indication of the Mn concentration, we used the integrated area of the valence band resonance-antiresonance difference curves¹⁰ to estimate the overall Mn emission intensity. The Mn emission in the submonolayer and monolayer coverage range increases with coverage at a rate that is less than 50% of that expected from the growth on an unreacted Mn film¹⁰. Correspondingly the Cd emission decreases at a rate that is more than twice that expected from layer-by-layer coverage of the CdTe substrates¹⁰. This suggests that for coverages up to 1-3Å, Mn diffuses into the semiconductor substrate displacing part of the Cd atoms in the matrix.

The decrease with coverage of the Te emission appears much slower than that of the Cd emission. The apparent Te/Cd ratio increases by a factor of 5 at 3Å coverage, further indicating a preferential Te-Mn interaction with Cd depletion¹⁰. Core emission data at different escape depth (3-10Å) show only small variations of the surface composition within the sampled depth, suggesting a substantial room temperature diffusion length for Mn in CdTe¹⁰. In fig. 1 a

weak metallic Fermi level emission is seen at 3Å coverage. However, only at much higher coverages ($\theta > 20\text{\AA}$) the EDC's converge to a bulk-Mn emission spectrum, with intense emission at E_F and no evidence of the 3.4eV Mn 3d localized feature.

We can use the low-escape-depth Mn/Cd and Mn/Te emission intensity ratios from the ternary alloy to estimate the composition at the CdTe-Mn interface. Because of the relatively large Mn diffusion length an average stoichiometry can be defined in the first few monolayers of the semiconductor¹⁰. At coverages of 0.2, 0.4 and 1.0Å, respectively, the Mn/Cd and Mn/Te ratios are consistent with composition $x = 0.23 \pm 0.06$, 0.35 ± 0.09 , and 0.74 ± 0.19 , respectively. At 3Å the presence of unreacted Mn prevents a rough estimate of this kind¹⁰.

Binding energy and width of the main Mn 3d feature at 3.4eV remain unaffected by composition changes. In the picture proposed in ref. 5 the 3.4eV feature reflects complete ligand-induced screening of the d-hole (d^5L final state) and is therefore the one that can be more appropriately compared to the result of one-electron first-principle calculations. The agreement with the local density calculations of Wei and Zunger is remarkable⁷⁻¹⁰. If one considers the intensity of the different Mn emission features in the resonance-antiresonance difference curves¹⁰ as a function of coverage, one observes that the emission intensity in the 0-2eV region follows closely the behavior of the major 3.4eV structure. The satellites in the 5-9eV range appear instead to increase in relative intensity at coverages near 3Å, where Fermi level emission is also observed. If the satellites correspond to the unscreened d^4 final state configuration, as proposed in ref. 5, one could expect them to increase in intensity when unreacted Mn is formed. On the other hand, the formation of a metallic Fermi-level should be accompanied by an effective d-hole screening due to the formation of d-bands, and the d^4 satellite should eventually disappear, so that this argument supports only in part the identification proposed in ref. 5.

In conclusion, we have shown that atomic interdiffusion at the CdTe-Mn interface can be exploited to synthesize ternary surface alloys in a wide range of composition, and that these alloys represent important test cases to verify our understanding of the electronic structure of semimagnetic semiconductors. This work was supported in part by the Graduate School of the University of Minnesota and by the Office of Naval Research. We thank J.K. Furdyna for providing us with the bulk crystals used in the present study and the whole staff of the University of Wisconsin-Madison Synchrotron Radiation Center (supported by NSF) for their cheerful support.


References

1. A. Franciosi, S. Chang, C. Caprile, R. Reifenberger, and U. Debska, J. Vac. Sci. Technol. A 3, 926 (1985); A. Wall, S. Chang, P. Philip, C. Caprile, A. Franciosi, R. Reifenberger and F. Pool, J. Vac. Sci. Technol. A 5, 2051 (1987) and references therein.
2. B.A. Orlowski, Phys. Status. Solidi B 95, K31 (1979); C. Webb, M. Kaminska, M. Lichtensteiger, and J. Lagowski, Solid State Commun. 40, 609 (1981).
3. P. Oelhafen, M.P. Vecchi, J.L. Freeouf, and V.L. Moruzzi, Solid State Commun. 44, 1547 (1982).
4. M. Taniguchi, L. Ley, R.L. Johnson, J. Ghijsen, and M. Cardona, Phys. Rev. B 33, 1206 (1986).
5. L. Ley, M. Taniguchi, J. Ghijsen, R.L. Johnson, and A. Fujimori, Phys. Rev. B 35, 2839 (1987).
6. H. Ehrenreich, K.C. Hass, N.F. Johnson, B.E. Larson, and R.J. Lampert, in Proc. 18th Int. Conf. on the Phys. of Semiconductors, O. Engstrom, ed., World Scientific Publ. Co.; Singapore, 1987, p. 1751 and references therein.
7. S.-H. Wei and A. Zunger, Phys. Rev. B 35, 2340 (1987).
8. J.K. Furdyna, J. Appl. Phys. 53, 7637 (1982).
9. R.R. Galazka and J. Kossut, Narrow Gap Semiconductors: Physics and Applications, in lecture notes in Physics Series/Springer, Berlin 1980), vol. 133.
10. A more extensive report will appear elsewhere: A. Wall, A. Raisanen, S. Chang, N. Troullier, A. Franciosi, R. Reifenberger, and U. Debska, to be published.

Figure Captions

Figure 1

- Left: Photoelectron energy distribution curves (EDC's) for the valence band emission of cleaved $\text{Cd}_{1-x}\text{Mn}_x\text{Te}$ alloys at $x=0$, 0.20 and 0.68. The Cd 4d integrated emission was used to normalize the spectra to the bulk composition, as measured through X-ray microprobe analysis. The photon energy of 50eV corresponds to the Mn 3p-3d resonance and enhances the Mn 3d contribution.
- Right: EDC's for the valence band emission from the CdTe(110)-Mn interfaces as a function of metal coverage θ . For $\theta < 3\text{\AA}$ atomic interdiffusion yields ternary semimagnetic surface semiconductor alloys.



END

DATE

FILMED

FEB.

1988