

AD-A207 978

OTIS FILE 15

(2)

OFFICE OF NAVAL RESEARCH

CONTRACT NO. N000 14-86-K-0234

R&T No. 4134005

TECHNICAL REPORT NO. 20

PREPARATION AND CHARACTERIZATION OF MEMBERS OF THE SYSTEM

$\text{La}_{2-x}\text{A}_{1+x}\text{Cu}_2\text{C}_{6-y}$ Where A = Ca, Sr

by

K. Doverspike, J-H. Liu, K. Dwight and A. Wold

DTIC
ELECTE
MAY 18 1989
S D

Prepared for Publication in
JOURNAL OF SOLID STATE CHEMISTRY

May 12, 1989

Brown University
Department of Chemistry
Providence, RI 02912

Reproduction in whole or in part is permitted for
any purpose of the United States Government


This document has been approved for public release and sale;
its distribution is unlimited

89 5 17 086

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT APPROVED FOR PUBLIC RELEASE DISTRIBUTION UNLIMITED		
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) #10			5. MONITORING ORGANIZATION REPORT NUMBER(S) N000 14 86 0234 David Nelson		
6a. NAME OF PERFORMING ORGANIZATION BROWN UNIVERSITY AARON WOLD		6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION OFFICE OF NAVAL RESEARCH		
6c. ADDRESS (City, State, and ZIP Code) DEPARTMENT OF CHEMISTRY PROVIDENCE, RI 02912			7b. ADDRESS (City, State, and ZIP Code) CODE 472 800 N. Quincy Street Arlington, VA 22217		
8a. NAME OF FUNDING / SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State, and ZIP Code)			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.
					WORK UNIT NO.
11. TITLE (Include Security Classification) PREPARATION AND CHARACTERIZATION OF MEMBERS OF THE SYSTEM $\text{La}_{2-x}\text{A}_{1+x}\text{Cu}_2\text{O}_{6+y}$ WHERE A = Ca, Sr					
12. PERSONAL AUTHOR(S) K. Doverspike, J-H. Liu, K. Dwight and A. Wold					
13a. TYPE OF REPORT Technical		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Year, Month, Day) May 12, 1989	
15. PAGE COUNT 14					
16. SUPPLEMENTARY NOTATION TO BE PUBLISHED IN JOURNAL OF SOLID STATE CHEMISTRY					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP			
19. ABSTRACT (Continue on reverse if necessary and identify by block number) Members of the system $\text{La}_{2-x}\text{A}_{1+x}\text{Cu}_2\text{O}_{6+y}$ where A = Ca, Sr were prepared by decomposition of the nitrates. The tolerance of these compounds for oxygen uptake, as well as the substitution for the A-site ions, is shown to be closely related to the distribution of the alkali earth ions on the 8- and 9-coordinated A-sites. <i>Lanthanum compounds, Calcium compounds, Strontium compounds, Copper oxides.</i>					
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT ☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED		
22a. NAME OF RESPONSIBLE INDIVIDUAL			22b. TELEPHONE (Include Area Code)		22c. OFFICE SYMBOL

PREPARATION AND CHARACTERIZATION OF MEMBERS OF THE SYSTEM



K. Doverspike, J-H. Liu, K. Dwight and A. Wold+

Department of Chemistry

Brown University, Providence, RI 02912

+Address all correspondence

Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	



ABSTRACT

Members of the system $\text{La}_{2-x}\text{A}_{1+x}\text{Cu}_2\text{O}_{6\pm y}$ where $\text{A} = \text{Ca}, \text{Sr}$ were prepared by decomposition of the nitrates. The tolerance of these compounds for oxygen uptake, as well as the ease of substitution for the A-site ions, is shown to be closely related to the distribution of the alkali earth ions on the 8- and 9-coordinated A-sites.

Introduction

In 1978 Shaplygin et al. reported on the synthesis of compounds with the composition $(\text{La,Sr})_2\text{CuO}_4$ (1). Raveau, in a series of papers (2-4) has reported on the preparation and characterization of the series of compounds with the composition $\text{La}_{2-x}\text{A}_{1+x}\text{Cu}_2\text{O}_{6-x/2+\delta}$ where $\text{A} = \text{Ca, Sr}$. These compounds represent oxygen defect intergrowths of compounds crystallizing with the $\text{Sr}_3\text{Ti}_2\text{O}_7$ structure. The studies showed that the oxygen content is different for the strontium and corresponding calcium compounds after post-preparation oxygen anneals. It was reported that the values of δ are much higher in the strontium oxides than for the corresponding calcium oxides. These results are correlated with changes in the cell parameters. However, there was no report concerning A-site ion substitutions for lanthanum, strontium or calcium in these materials. It was the purpose of this study to investigate such substitutions and to correlate oxygen uptake with structural changes.

Experimental

Sample preparation

The samples were prepared by dissolving stoichiometric amounts of the starting materials in 30 ml of 1:1 nitric acid. The starting materials were copper metal (5-9's Aesar Chemical Co.), La_2O_3 (4-9's Aesar Chemical Co.), CaCO_3 and SrCO_3 (reagent grade), Y_2O_3 (4-9's Gallard & Schlesinger) and Nd_2O_3 (Research Chemicals 99%). The solution was evaporated on a hot plate to dryness, then placed in a furnace and heated to 500°C for 2 hours in order to decompose the nitrates. The sample was ground and heated to 950°C for 24 hours. Sintered pellets of both $\text{La}_{1.9}\text{Ca}_{1.1}\text{Cu}_2\text{O}_{6\pm y}$ and $\text{La}_2\text{SrCu}_2\text{O}_{6\pm y}$ were prepared at 1000° and 1050°C , respectively, and air quenched to room temperature. Samples were annealed under 600 psi O_2 at 500°C for 12 hours. A Cahn thermal balance was used to determine the oxygen content of the samples by reduction with argon:hydrogen (85:15) at 1000°C . At this

temperature constant weight was achieved and the reduction products were determined by x-ray analysis to be copper metal and a mixture of rare earth and alkaline earth oxides.

Characterization of samples

Powder diffraction patterns were obtained with a Philips diffractometer using monochromatic high intensity $\text{CuK}\alpha_1$ radiation ($\lambda = 1.5405\text{\AA}$). For qualitative phase identification, patterns were taken with a scan rate of $1^\circ 2\theta/\text{min}$, while cell parameters were determined from scans taken at $.25^\circ 2\theta/\text{min}$. Diffraction patterns were obtained over the range $12^\circ < 2\theta < 72^\circ$, and the lattice parameters were determined by a least-squares refinement of the data using a computer program which corrected for the systematic errors in the measurements.

Magnetic susceptibility measurements were made using a Faraday balance (5) from 77 to 300 K with a field strength of 10.4 kOe. At both 77 and 300 K, the field dependence was determined from 6.22 to 10.4 kOe. The van der Pauw method was used to measure the electrical resistivity. Contacts were made by ultrasonically soldering indium directly onto sintered pellets with their ohmic behavior being established by measuring the current-voltage characteristics.

Results and Discussion

Polycrystalline samples of the compound $\text{La}_{1.9}\text{Ca}_{1.1}\text{Cu}_2\text{O}_{5.97}$ were prepared by decomposition of the nitrates. This phase crystallizes with a tetragonal cell ($a = 3.825(2)\text{\AA}$ and $c = 19.40(1)\text{\AA}$). The compound $\text{La}_2\text{CaCu}_2\text{O}_6$ could not be made as a single phase, which is consistent with Raveau's work (2, 3). The oxygen content of the phase was determined by thermogravimetric analysis to be $\text{La}_{1.9}\text{Ca}_{1.1}\text{Cu}_2\text{O}_{5.97}$. The oxygen defect structure adopted by this compound is shown in Fig. 1. There are copper-oxygen planes separated by 8-coordinated cations and the copper atoms occupy square pyramidal sites. The lanthanum

and calcium can occupy two crystallographically different sites. One site is 8-coordinated and lies between the copper-oxygen planes, and the other is 9-coordinated and lies above or below these copper-oxygen planes. In this structure there are twice as many 9-coordinated sites as 8-coordinated sites. According to Raveau (2), the calcium atoms primarily occupy the 8-coordinated sites and the lanthanum atoms primarily occupy the 9-coordinated sites.

The compounds $\text{La}_2\text{SrCu}_2\text{O}_{6+y}$ and $\text{La}_{1.9}\text{Sr}_{1.1}\text{Cu}_2\text{O}_{6+y}$ were prepared by decomposition of the nitrates. Both strontium compositions adopted a tetragonal unit cell with cell parameters of $a = 3.867(2)\text{\AA}$, $c = 19.91\text{\AA}(1)$. Hence, the cell parameters of the strontium compounds are significantly larger than those of the corresponding calcium phase. The oxygen content of samples prepared from decomposition of the nitrates was found to be $\text{La}_2\text{SrCu}_2\text{O}_{6.08}$ and $\text{La}_{1.9}\text{Sr}_{1.1}\text{Cu}_2\text{O}_{6.08}$ (Table I). Raveau (3) reports the composition of the same strontium phases, which were prepared by ceramic techniques, to be $\text{La}_2\text{SrCu}_2\text{O}_{6.0}$ and $\text{La}_{1.9}\text{Sr}_{1.1}\text{Cu}_2\text{O}_{5.97}$. These compositions correspond to almost all of the copper being in a formal oxidation state of (II). Such results are consistent with the expectation that preparation by decomposition of the nitrates may lead to more oxidized samples than by ceramic methods.

The occupancy of the sites is quite different in the lanthanum strontium system. The 8-coordinated sites are equally occupied by strontium and lanthanum, and the 9-coordinated sites are 3/4 lanthanum and 1/4 strontium (2). In this structure, there are vacant anion sites located between the copper oxygen planes. If additional oxygen did occupy these vacancies, the copper now would occupy octahedral sites instead of square-pyramidal sites. Furthermore, the occupancy of these anion sites would result in 9-coordinated A-site strontium or lanthanum atoms.

The compound $\text{La}_{1.9}\text{Ca}_{1.1}\text{Cu}_2\text{O}_{5.97}$ was annealed at 500°C under 600 psi O_2 for 24 hours. The oxygen content rose slightly to $\text{La}_{1.9}\text{Ca}_{1.1}\text{Cu}_2\text{O}_{6.0}$. Therefore, the lanthanum calcium system is only able to stabilize a small

amount of copper(III). In the lanthanum calcium system, the calcium ions prefer to be 8-coordinated. Occupancy of oxygen vacancies would force the calcium to be 9-coordinated. Since the calcium prefers 8-fold coordination, it is not surprising that the structure does not incorporate excess oxygen after annealing.

The compounds $\text{La}_2\text{SrCu}_2\text{O}_{6.08}$ and $\text{La}_{1.9}\text{Sr}_{1.1}\text{Cu}_2\text{O}_{6.08}$ were also annealed at 500°C under 600 psi O_2 for 12 hours. There was a significant increase in the oxygen content from $y = .08$ to $y = .21$ for $\text{La}_{1.9}\text{Sr}_{1.1}\text{Cu}_2\text{O}_{6+y}$. The compound $\text{La}_2\text{SrCu}_2\text{O}_{6+y}$ showed a similar increase in the oxygen content after annealing. Both lanthanum and strontium are known to occupy 8- and 9-coordinated sites (2); hence, it is favorable for this system to incorporate excess oxygen. The incorporation of additional anions results in a corresponding change of Cu(II) to Cu(III).

In an attempt to stabilize larger amounts of copper(III) in the lanthanum calcium system, strontium was substituted for calcium up to the composition $\text{La}_{1.9}\text{Ca}_{.9}\text{Sr}_{.2}\text{Cu}_2\text{O}_{6.0}$. The TGA results indicate no detectable change in the oxygen content before and after oxygen anneal. This is not surprising since at these compositions, the calcium still occupies most of the 8-coordinated sites and therefore limits the amount of excess oxygen that can be introduced into the structure.

Substitutions into $\text{La}_{1.9}\text{Ca}_{1.1}\text{Cu}_2\text{O}_{5.97}$ were made both for lanthanum and calcium. Yttrium and neodymium could be substituted for lanthanum, and barium and strontium were substituted for calcium. There were small changes observed in the cell parameters for the above substitutions (Table II). Neodymium and yttrium are slightly smaller than lanthanum, which is consistent with the decrease in the c parameter. Strontium and barium are larger than calcium, and the x-ray data indicate an increase of both the a and c parameters. The lanthanum calcium system is primarily ordered with the calcium atoms on the 8-coordinated sites and lanthanum on the 9-coordinated sites (2). The planes of

oxygen and 9-coordinated cations consist primarily of La--O--La bonds which appear to allow substitutions to be readily made for lanthanum. In this system it is also possible to substitute strontium and barium for calcium.

When substitutions for lanthanum or strontium are attempted in $\text{La}_2\text{SrCu}_2\text{O}_{6+y}$, the materials are no longer single phase by x-ray analysis. Additional phases such as La_2CuO_4 are observed to be present in the products. In the lanthanum strontium system, both lanthanum and strontium occupy the 8- and 9-coordinated sites. Since strontium is more basic than lanthanum, the La--O--Sr bonds are relatively strong. The strength of this bonding may be an important factor affecting substitutions into this system. All the ions that might be substituted for lanthanum or strontium are less basic and can not form bonds as strong as La--O--Sr bonds. On the other hand, in the lanthanum calcium system there are primarily La--O--La bonds because of the ordering of the lanthanum and calcium atoms. These La--O--La bonds are believed to be weaker than La--O--Sr bonds. Therefore, substitutions can be made more easily in the lanthanum calcium system.

The magnetic susceptibility data are shown in Fig. 2. There are relatively small differences in the magnetic susceptibility among the samples that are shown, with all of them indicating Pauli-paramagnetic behavior. The resistivity results of two lanthanum strontium samples systems are shown in Fig. 3. There is a significant decrease in the resistivity after annealing at 500°C under 600 psi oxygen. This behavior is consistent with the formation of additional holes in the π^* band, i.e., increase in concentrations of Cu(III).

Acknowledgements

This research was supported in part by the Office of Naval Research and by the Eastman Kodak Co. of Rochester, New York.

References

1. I. S. Shaplygin, B. G. Kakhan and V. B. Lazarev, Russian Journ. Inorg. Chem., 6, 24 (1979).
2. N. Nguyen, L. Er-Rakho, C. Michel, J. Choisnet and B. Raveau, Mat. Res. Bull., 15, 891 (1980).
3. N. Nguyen, C. Michel, F. Studer, B. Raveau, Mat. Chem., 7, 413 (1982).
4. C. Michel and B. Raveau, Revue de Chimie Minerale, 21, 407 (1984).
5. B. Morris and A. Wold, Rev. Sci. Inst., 39, 1937 (1968).

TABLE I
OXYGEN CONTENT OF $\text{La}_{2-x}\text{A}_{1+x}\text{Cu}_2\text{O}_{6\pm y}$

Compound	Preparation	Reference
$\text{La}_2\text{SrCu}_2\text{O}_{6.0}$	as made	Raveau (2)
$\text{La}_2\text{SrCu}_2\text{O}_{6.08}$	as made	present work
$\text{La}_2\text{SrCu}_2\text{O}_{6.20}$	O_2 anneal	Raveau (2)
$\text{La}_2\text{SrCu}_2\text{O}_{6.22}$	O_2 anneal	present work
$\text{La}_{1.9}\text{Sr}_{1.1}\text{Cu}_2\text{O}_{5.97}$	as made	Raveau (2)
$\text{La}_{1.9}\text{Sr}_{1.1}\text{Cu}_2\text{O}_{6.08}$	as made	present work
$\text{La}_{1.9}\text{Sr}_{1.1}\text{Cu}_2\text{O}_{6.21}$	O_2 anneal	present work

TABLE II
CELL CONSTANTS OF $\text{Ln}_{2-x}\text{A}_{1+x}\text{Cu}_2\text{O}_{6\pm y}$
Where Ln = La, Nd, Y and A = Ca, Ba, Sr

Sample	a ($\pm .002$)	c ($\pm .01$)
$\text{La}_{1.9}\text{Ca}_{1.1}\text{Cu}_2\text{O}_{5.97}$	3.825 Å	19.40 Å
$\text{La}_{1.6}\text{Nd}_{.3}\text{Ca}_{1.1}\text{Cu}_2\text{O}_{6-y}$	3.826 Å	19.36 Å
$\text{La}_{1.7}\text{Y}_{.2}\text{Ca}_{1.1}\text{Cu}_2\text{O}_{6-y}$	3.826 Å	19.36 Å
$\text{La}_{1.9}\text{Ca}_{1.03}\text{Ba}_{.07}\text{Cu}_2\text{O}_{6-y}$	3.830 Å	19.48 Å
$\text{La}_{1.9}\text{Ca}_{.9}\text{Sr}_{.2}\text{Cu}_2\text{O}_{6-y}$	3.832 Å	19.52 Å

Figure Captions

- Fig. 1. Structure of $\text{La}_2(\text{Sr,Ca})\text{Cu}_2\text{O}_6$ showing the Cu-O planes surrounding a plane of 8-coordinated sites, and the 9-coordinated sites.
- Fig. 2. Temperature dependence of the magnetic susceptibilities of $\text{La}_2\text{SrCu}_2\text{O}_{6+y}$ as made and as annealed in O_2 and of $\text{La}_{1.9}\text{Ca}_{1.1}\text{Cu}_2\text{O}_{5.97}$.
- Fig. 3. Temperature dependence of the resistivities of $\text{La}_2\text{SrCu}_2\text{O}_{6+y}$ as made and as annealed in O_2 .