

9-1785
ATION
DTIC
ELECTE
JAN 04 1990
S E

90 01 04 025

UNCLASSIFIED

Interim Scientific Report

Contract AFOSR-89-0016

Visual Perception of Structure from Motion

November 1, 1988 - October 31, 1989

Principal Investigator: James T. Todd

Boston University
Center for Adaptive Systems
111 Cummington St.
Boston, MA 02215

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

My research during the past year has been primarily concerned with the fundamental mechanisms of 3D form perception, and has been specifically motivated by recent theoretical advances in neural and computational modelling. My basic strategy has been to identify the key assumptions of various competing models, and to empirically examine the relative psychological validity of these assumptions using appropriate psychophysical procedures.

Much of this research has been specifically directed at the visual perception of structure from motion. During the past decade, there have been numerous algorithms proposed in the literature for computing an object's 3D form from a sequence of projected images taken from different perspectives. One of the primary results of these analyses is that a minimum of three distinct images in an apparent motion sequence is required in order to obtain an unambiguous interpretation of an object's 3D form. In an effort to test the psychological validity of this conclusion, I have performed numerous experiments, using a wide variety of stimuli and response tasks. The results indicate that different aspects of an object's 3D form are judged with varying degrees of accuracy. Of primary theoretical importance, however, is that none of these tasks are significantly influenced by varying the number of distinct images in an apparent motion sequence if other factors are carefully controlled. I am currently developing a modified computational analysis for approximating various aspects of 3D structure that I believe can account for all of my psychophysical findings.

One fundamental issue that has become a central focus of my research during the past several years concerns the specific nature of an observer's knowledge about objects depicted in visual images. In many theoretical analyses of 3D form perception, it is often taken for granted that an object's structure is perceptually represented as a point-by-point mapping of metric depth or orientation relative to the observer (e.g., the 2 1/2D sketch). My results have not always been supportive of this view. When observers are asked to make judgments that require knowledge of metric structure, they are often surprisingly inaccurate and unreliable, whereas performance is often significantly improved for other types of judgments involving nonmetric structure. In order to account for the wide variation of performance on these tasks, I have adopted a working hypothesis that visual knowledge may be perceptually represented at several different levels of abstraction, including metric representations, ordinal representations, and nominal representations. My plan for the coming year is to compare and contrast the perceptual analyses of these different levels of structure for many different types of moving displays over a wide range of conditions, and to discover the specific sources of optical structure from which they are determined.

I am also beginning to investigate the lower order processes of 2D motion detection, on which the perception of 3D structure from motion must ultimately be based. I am particularly interested in the temporal integration of motion signals over multiple frames of an apparent motion sequence. The initial results of this research, which were reported at the 1989 meeting of the Psychonomic Society, have indicated that temporal integration may occur over multiple time scales. I am currently attempting to elaborate these findings in greater detail, and to develop a neural network analysis to account for the overall pattern of results.

AFOSR-TR. 89 - 1785

Published Manuscripts and Abstracts

- Todd, J.T., Akerstrom, R.A., Reichel, F.D., & Hayes, W. (1988). Apparent rotation in 3-dimensional space: Effects of temporal, spatial and structural factors. Perception & Psychophysics, 43, 179-188.
- Todd, J.T. (1988). Perceived 3D structure from 2-frame apparent motion. Investigative Ophthalmology, 29, 265.
- Akerstrom, R.A., & Todd, J.T. (1988). Perception of stereoscopic transparency. Perception & Psychophysics, 44, 421-432.
- Todd, J.T. (1988). Minimal conditions for the perception of structure from motion. Bulletin of the Psychonomic Society, 26, 476-488.
- Todd, J.T. (1989). Models of static form perception. In J.I. Elkind, S.K. Carol, J. Hochberg and B.M. Huey (Eds.), Human Performance Models for Computer-Aided Engineering (pp. 75-88). Washington, D.C.: National Academy Press.
- Todd, J.T., & Reichel, F.D. (1989). Ordinal structure in the visual perception and cognition of smoothly curved surfaces. Psychological Review, 96, 643-657.
- Reichel, F.D., & Todd, J.T. (1989). Perceptual depth inversion of smoothly curved surfaces. Investigative Ophthalmology, 30, 252.
- Mingolla, E., & Todd, J.T. (1989). Perception of solid shape from shading. In B.K.P. Horn & M.J. Brooks (Eds.), Shape from shading (pp. 402-442). Cambridge, MA: MIT Press.
- Braunstein, M., & Todd, J.T. (1990). On the perceptual distinction between artifacts and information. Journal of Experimental Psychology: Human Perception and Performance, in press.
- Reichel, F.D., & Todd, J.T. (1990). Perceived depth reversals of smoothly curved surfaces from changes in image orientation. Journal of Experimental Psychology: Human Perception and Performance, in press.
- Todd, J.T., & Reichel, F.D. (1990). The visual perception of smoothly curved surfaces from double projected contour patterns. Journal of Experimental Psychology: Human Perception and Performance, in press.
- Todd, J.T. (1989). The visual perception of 3-dimensional structure from minimal apparent motion sequences. Perception & Psychophysics, in preparation.

Invited Conferences and Colloquia

- Todd, J.T. Ordinal structure from shading. Conference on Vision and Shape from Shading. Toronto, Canada, September, 1988.
- Todd, J.T. Perception of smoothly curved surfaces. Columbia University, September, 1988.
- Todd, J.T. Visual perception of structure from motion. Boston University, November, 1988.
- Todd, J.T. Minimal conditions for the perception of structure from motion. Meeting of the Psychonomic Society, Chicago, Illinois, November, 1988.
- Todd, J.T. Perception of smoothly curved surfaces. Massachusetts Institute of Technology, December, 1988.
- Todd, J.T. Perception of 3D structure from motion. Conference on Vision and Three-Dimensional Representation. Minneapolis, Minnesota, May, 1989.
- Todd, J.T. Discriminability of 3D structures in kinetic depth displays. Fifth International Conference on Event Perception and Action, Oxford, Ohio, July, 1989.
- Todd, J.T. Visual representation of surfaces. Conference on Imaging in Medicine and Biology: Current Issues and Prospects. Philadelphia, Pennsylvania, September, 1989.
- Todd, J.T. Visual perception of 3-Dimensional Form. Conference on Domains of Mental Functioning: Attempts at a Synthesis. Bielefeld, Germany, December, 1989.
- Todd, J.T. The short-range limit increases for multiple frame apparent motion sequences. Meeting of the Psychonomic Society, Atlanta, Georgia, November, 1989.