

DTIC FILE COPY

④

AD-A217 469

OFFICE OF NAVAL RESEARCH

CONTRACT NOOO 14 85 0177  
-K-

R & T Code 431a003-4

Technical report No. 14

PREPARATION AND CHARACTERIZATION OF  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$

by

K. Doverspike, K. Dwight and A. Wold

Prepared for Publication in

CHEMISTRY OF MATERIALS

January 15, 1990

Brown University  
Department of Chemistry  
Providence, Rhode Island 02912

DTIC  
ELECTE  
FEB 02 1990  
S E D  
CO

Reproduction in whole or in part is permitted for any  
purpose of the United States Government

This document has been approved for public release and sale;  
its distribution is unlimited

90 02 02 031

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION <b>UNCLASSIFIED</b>		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION / AVAILABILITY OF REPORT <b>APPROVED FOR PUBLIC RELEASE DISTRIBUTION UNLIMITED</b>	
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE			
4. PERFORMING ORGANIZATION REPORT NUMBER(S) <b>#14</b>		5. MONITORING ORGANIZATION REPORT NUMBER(S) <b>NOO0 14-85-0177</b>	
6a. NAME OF PERFORMING ORGANIZATION <b>BROWN UNIVERSITY AARON WOLD</b>	6b. OFFICE SYMBOL <i>(if applicable)</i>	7a. NAME OF MONITORING ORGANIZATION <b>OFFICE OF NAVAL RESEARCH R. SCHWARTZ</b>	
6c. ADDRESS (City, State, and ZIP Code) <b>DEPARTMENT OF CHEMISTRY BROWN UNIVERSITY PROVIDENCE, RI 02912</b>		7b. ADDRESS (City, State, and ZIP Code) <b>CODE 373 NAVAL WEAPONS CENTER CHINA LAKE, CA 93555</b>	
8a. NAME OF FUNDING / SPONSORING ORGANIZATION	8b. OFFICE SYMBOL <i>(if applicable)</i>	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO.	PROJECT NO.
		TASK NO.	WORK UNIT NO.
11. TITLE (Include Security Classification) <b>PREPARATION AND CHARACTERIZATION OF <math>Cu_2ZnGeS_{4-y}Se_y</math></b>			
12. PERSONAL AUTHOR(S) <b>K. Doverspike, K. Dwight and A. Wold</b>			
13a. TYPE OF REPORT <b>Technical</b>	13b. TIME COVERED FROM _____ TO _____	14. DATE OF REPORT (Year, Month, Day) <b>Jan 15, 1990</b>	15. PAGE COUNT <b>20</b>
16. SUPPLEMENTARY NOTATION <b>PREPARED FOR PUBLICATION IN CHEMISTRY OF MATERIALS</b>			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	
		<b>COPPER ZINC Germanium Selenide</b>	
19. ABSTRACT (Continue on reverse if necessary and identify by block number)			
<p><b><math>Cu_2ZnGeS_4</math> can be prepared in both tetragonal stannite and orthorhombic wurtz-stannite phases, whereas <math>Cu_2ZnGeSe_4</math> only exists in the tetragonal phase. Selenium can be substituted for sulfur up to 100% in the tetragonal structure of <math>Cu_2ZnGeS_{4-y}Se_y</math> prepared at 700°C, and up to 75% in the orthorhombic structure prepared at 900°C. The temperature at which the phase transformation takes place was found to increase with higher selenium concentration. Iron was substituted into both forms of <math>Cu_2Zn_{1-x}Fe_xGeS_{4-y}Se_y</math> and the resulting magnetic properties indicated that the FeFe superexchange interactions are the same in both structures. Keywords: Chalcogenides.</b></p>			
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION	
22a. NAME OF RESPONSIBLE INDIVIDUAL		22b. TELEPHONE (Include Area Code)	22c. OFFICE SYMBOL

PREPARATION AND CHARACTERIZATION OF  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$

K. Doverspike, K. Dwight and A. Wold

Department of Chemistry, Brown University  
Providence, RI 02912



<b>Accession For</b>	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
<b>By</b>	
<b>Distribution/</b>	
<b>Availability Codes</b>	
<b>Dist</b>	<b>Avail and/or Special</b>
A-1	

ABSTRACT

$\text{Cu}_2\text{ZnGeS}_4$  can be prepared in both tetragonal stannite and orthorhombic wurtz-stannite phases, whereas  $\text{Cu}_2\text{ZnGeSe}_4$  only exists in the tetragonal phase. Selenium can be substituted for sulfur up to 100% in the tetragonal structure of  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$  prepared at 700°C, and up to 75% in the orthorhombic structure prepared at 900°C. The temperature at which the phase transformation takes place was found to increase with higher selenium concentration. Iron was substituted into both forms of  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_{4-y}\text{Se}_y$  and the resulting magnetic properties indicated that the FeFe superexchange interactions are the same in both structures.

Introduction

In recent years, ternary chalcopyrites and quaternary chalcogenides have been studied to observe their semiconducting and optical properties. Some of them are promising for non-linear optics<sup>1</sup>. Quaternary chalcogenides having

the formula  $\text{Cu(I)}_2\text{B(II)C(IV)X}_4$ , where B(II) = Mn, Fe, Co, Ni, Zn, have been prepared and characterized previously<sup>2-5</sup>.

These chalcogenides form a large class of structurally related compounds. Their structure is derived from the zinc blende or wurtzite cell with an ordering of the metals on the cation sites. This leads to superstructures giving either a tetragonal or orthorhombic cell. The tetragonal stannite structure is derived from the zinc blende by doubling the lattice parameters in the c direction and has the space group  $I4_2m$  (Fig. 1). The orthorhombic wurtz-stannite cell is a superstructure of the wurtzite cell and has the space group  $Pmn2_1$  (Fig. 2). In both structures, there are two formula units per cell and each anion X is surrounded by two Cu(I), one B(II) and one C(IV), and every cation is tetrahedrally coordinated by X.

The compound  $\text{Cu}_2\text{ZnGeS}_4$  crystallizes in the tetragonal stannite structure below  $810^\circ\text{C}$  and the wurtz-stannite structure above  $810^\circ\text{C}$ <sup>6</sup>. It is clear that the free energies of formation for these two structures are close in value. Schäfer and Nitsche<sup>4</sup> have indicated that the stannite and the wurtz-stannite structures are equally probable for compounds containing Ge(IV). However, the compound  $\text{Cu}_2\text{ZnGeSe}_4$  crystallizes with the tetragonal stannite structure<sup>4</sup>. There have been no reports concerning studies of the system  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$ . It is the purpose of this study to investigate the substitution of sulfur by selenium in the system  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$ . Selenium will be substituted for sulfur in both the low temperature and high temperature phases in order to determine the solubility limits in each phase. The temperature at which the phase transformation occurs will also be studied as a function of selenium concentration.

The compound  $\text{Cu}_2\text{FeGeS}_4$  crystallizes with the tetragonal stannite structure at all temperatures<sup>6</sup>. In this structure, the magnetic ions are never nearest-neighbors. Nevertheless, antiferromagnetic Fe-Fe interactions yield a Weiss constant of  $-47 \text{ K}^3$ . Solid solutions between  $\text{Cu}_2\text{ZnGeS}_4$  and  $\text{Cu}_2\text{MnGeS}_4$  were shown to be interesting semimagnetic semiconductors<sup>7</sup>. It has been shown previously<sup>6</sup> that iron can be substituted for zinc in the tetragonal phase of  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_4$  ( $0 \leq x \leq 1$ ). More recently, it has also been observed that by quenching the samples, iron can be substituted in the high temperature orthorhombic phase of  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_4$  ( $0 \leq x \leq 0.15$ )<sup>8</sup>. The magnetic properties of samples with the composition of  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_4$  ( $0 \leq x \leq 0.15$ ), crystallizing in the tetragonal phase ( $700^\circ\text{C}$ ) or the orthorhombic phase ( $900^\circ\text{C}$ ), were measured and showed the same Curie and Weiss constants. It would be interesting to attempt iron substitution into several thioselenides of  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_{4-y}\text{Se}_y$  where both the tetragonal and orthorhombic phases can be obtained as single phase materials. The magnetic properties would then be studied and compared to the magnetic properties of  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_4$ .

#### Experimental

Polycrystalline samples of  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_{4-y}\text{Se}_y$  ( $x = 0, 0.15, 0.20$ ), ( $0 \leq y \leq 4$ ), were prepared by combining stoichiometric weights of the elements. Prior to use, copper (Matthey 99.999%) and iron (Leico 99.999%) were reduced in an 85% Ar/15%  $\text{H}_2$  atmosphere. Germanium (Cominco 7-9's, 40  $\Omega\text{-cm}$ ) and zinc (Gallard and Schlesinger 99.999%) were used after size reduction, while sulfur (Gallard and Schlesinger 99.999%) was sublimed before using. To each gram of charge, 5 mg iodine was added (sublimed, Deepwater Chemical Co., Ltd., ACS reagent 99.9%).

The stoichiometric weights of the elements were introduced into a silica tube which was evacuated to  $5 \times 10^{-5}$  torr. The tube was then sealed and

enclosed in a tightly wound Kanthal coil to even out temperature gradients. The tube was then placed in a furnace and heated to 600°C at the rate of 30°/hr. The temperature was then raised to 650°C for 24 hrs and then 700°C for 72 hrs. The tube was then removed from the furnace and was opened and the product was ground under a nitrogen atmosphere. The sample was then placed in another silica tube, evacuated, sealed and placed back in the furnace for an additional 24 hrs at 700°C. Since selenides are known to be toxic, it is advisable to use disposable gloves for these preparations.

### **Quenching Experiments**

A portion of the tetragonal phase obtained at 700°C was placed in a silica tube, evacuated, sealed and then suspended by nichrome wire in a vertical furnace. The sample was heated to 900°C and after 24 hrs the wire was cut and the tube quenched into ice water.

### **Phase Transformation Experiments**

A portion of the tetragonal phase obtained at 700°C for each of the three samples  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$  ( $y = 0, 2.0, 3.0$ ) was placed in another silica tube and heated in the same furnace at each of the following temperatures for 24 hrs: 780, 790, 800, 820, 840, 875, and 900°C. Each of the samples was then quenched immediately into ice water.

### **X-ray Analysis**

Powder diffraction patterns of packed slides of these samples were obtained with a Philips diffractometer using high intensity  $\text{CuK}\alpha_1$  radiation ( $\lambda = 1.5405 \text{ \AA}$ ). For qualitative phase identification, patterns were taken with a scan rate of  $1^\circ 2\theta/\text{min}$ , while cell parameters were determined from scans taken at  $0.25^\circ 2\theta/\text{min}$ . Diffraction patterns were obtained over the range  $12^\circ \leq 2\theta \leq 72^\circ$  and lattice parameters were determined by a least squares

refinement of the data using a computer program which corrected for the systematic errors in the measurement.

### **Magnetic Measurements**

Magnetic measurements were made using the Faraday balance previously described<sup>9</sup>, which utilizes platinum as a standard. Magnetic susceptibilities were obtained as a function of temperature from 77 to 300 K in a field strength of 10.4 kOe. At both 77 and 300 K the field dependence from 6.22 to 10.4 kOe was also determined. The data were corrected for core diamagnetism using the value for  $\text{Cu}_2\text{ZnGeS}_4$  ( $1.305 \times 10^{-4}$  emu/mol) previously reported<sup>10</sup>.

### Results and Discussion

The compound  $\text{Cu}_2\text{ZnGeS}_4$  crystallizes with the tetragonal stannite structure below 810°C and transforms to the orthorhombic wurtz-stannite structure above this temperature (Fig. 1). The selenium end member  $\text{Cu}_2\text{ZnGeSe}_4$  crystallizes with the tetragonal stannite structure. In the present study, samples of  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$  with  $0 \leq y \leq 4$  have been prepared both at 700°C and 900°C. At 700°C a pure tetragonal stannite structure was obtained when selenium was substituted for sulfur in  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$  for  $0 \leq y \leq 4$ . There is an increase in the cell parameters as the larger selenium ion is substituted for the sulfur ion (Table 1). The increase in the cell volume obeys Vegard's Law as is illustrated in Fig. 2. Therefore, in the low temperature tetragonal phase, there is complete solid solution in  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$ . When these samples were heated to 900°C and quenched into ice water, a pure orthorhombic wurtz-stannite structure was obtained for  $0 \leq y \leq 3$ . By x-ray analysis, a multi-phase region consisting of both the tetragonal and orthorhombic phases is found between  $3 < y \leq 3.5$ , but for samples with  $3.5 < y \leq 4.0$  there is no sign of the orthorhombic phase. Higher temperatures could not be used because above 900°C these samples begin to decompose. Hence, it has been shown that  $\text{Cu}_2\text{ZnGeSe}_4$

remains tetragonal at temperatures up to the decomposition point. The cell parameters for the high temperature orthorhombic phase are shown in Table 2, while a Vegards' Law plot for the orthorhombic phase is shown in Fig. 3. There is a linear increase in the cell volume from  $y = 0$  to  $y = 3$  in  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$ . Above  $y = 3$ , the cell volume no longer increases which is consistent with the two-phase region identified by x-ray analysis. Therefore, a maximum of 75 atomic percent selenium can be substituted for sulfur in  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$  while still obtaining pure materials both below and above the transition temperature.

The phase transformation temperature from the low temperature stannite structure to the high temperature wurtz-stannite structure of  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$  ( $y = 0, 2.0, 3.0$ ) was also investigated. It has been reported previously<sup>6</sup> that the phase transformation temperature of  $\text{Cu}_2\text{ZnGeS}_4$  was  $810^\circ\text{C}$ . In the present study, samples of  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$  ( $y = 0, 2.0, 3.0$ ) were heated at the temperatures listed in Table 3 for 24 hrs and were then quenched immediately into ice water in order to stabilize the high temperature phase. The pure end member  $\text{Cu}_2\text{ZnGeS}_4$  crystallizes with the tetragonal stannite structure at  $700^\circ\text{C}$ , and as shown in Table 3, at  $790^\circ\text{C}$  the phase transition to the orthorhombic phase is complete. This transition temperature of  $790^\circ\text{C}$  is slightly lower than reported by Ottenburgs<sup>6</sup>. When half the sulfur is replaced by selenium ( $\text{Cu}_2\text{ZnGeS}_2\text{Se}_2$ ) the transition temperature is approximately  $820^\circ\text{C}$  (Table 3) which is  $30^\circ\text{C}$  higher than the transition temperature in  $\text{Cu}_2\text{ZnGeS}_4$ . When there is a higher concentration of selenium present as in  $\text{Cu}_2\text{ZnGeSSe}_3$ , the transition temperature is raised further to  $900^\circ\text{C}$ . Finally, the selenium end member  $\text{Cu}_2\text{ZnGeSe}_4$  shows no phase transformation and crystallizes with the tetragonal stannite structure at all temperatures. Thus, as the selenium concentration in  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$  increases, the low temperature tetragonal phase is stabilized with respect to the high temperature orthorhombic phase.

This can be seen in Fig. 4 which shows three x-ray patterns of  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$  ( $y = 0, 2.0, 3.0$ ) all heated to  $790^\circ\text{C}$  for 24 hrs. For  $y = 0$ , only the high temperature orthorhombic phase is present; for  $y = 2.0$ , there is a mixture of tetragonal and orthorhombic phases; and finally for  $y = 3.0$ , only the low temperature tetragonal phase exists.

In previous studies<sup>6,8</sup>, iron was substituted for zinc in  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_4$ . The compound  $\text{Cu}_2\text{FeGeS}_4$  crystallizes with the tetragonal stannite structure at all temperatures. It has been shown previously<sup>6</sup> that there was complete solid solution of  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_4$  ( $0 \leq x \leq 1$ ) in the low temperature tetragonal phase. In the high temperature orthorhombic phase of  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_4$ , single phase materials with  $x = 0.05, 0.10, 0.15$  were made by quenching the samples into ice water from  $900^\circ\text{C}$ <sup>8</sup>. The magnetic properties of samples where  $x = 0.05, 0.10, 0.15$  in both the tetragonal and the orthorhombic phases with the same composition were measured and found to be similar in the two phases<sup>8</sup>.

It was reported by Schäfer and Nitsche<sup>4</sup> that the compound  $\text{Cu}_2\text{FeGeSe}_4$  crystallizes with the tetragonal structure. In the present study, iron was substituted for zinc in the system  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_{4-y}\text{Se}_y$  ( $x = 0.15, 0.20$ ), ( $y = 2, 2.5, 3.0, 4.0$ ). These compounds have a much larger cell volume than  $\text{Cu}_2\text{ZnGeS}_4$  due to the anion substitution (Tables 1,2). The results of the iron substitution are that samples with  $x = 0.15$  can be stabilized in the high temperature orthorhombic phase of  $\text{Cu}_2\text{ZnGeS}_2\text{Se}_2$  by quenching into ice water from  $900^\circ\text{C}$ . By x-ray analysis, it is observed that a small amount of the tetragonal phase is also present in the  $x = 0.20$  sample of  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_2\text{Se}_2$ . Therefore, 15 atomic percent Fe could be stabilized in both the tetragonal and the orthorhombic phases of  $\text{Cu}_2\text{Zn}_{.85}\text{Fe}_{.15}\text{GeS}_{4-y}\text{Se}_y$  ( $y = 0, 2.0$ ). When the selenium concentration is higher ( $y = 2.5, 3.0, 4.0$ ), single phase material

where  $x = 0.15$  could only be obtained in the low temperature tetragonal phase. Since the end members  $\text{Cu}_2\text{FeGeS}_4$  and  $\text{Cu}_2\text{FeGeSe}_4$  both crystallize with the tetragonal cell at all temperatures, substituting iron and selenium into  $\text{Cu}_2\text{ZnGeS}_4$  will stabilize the low temperature stannite phase with respect to the high temperature wurtz-stannite phase.

Magnetic susceptibility measurements were done on  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_2\text{Se}_2$  ( $x = 0.15$ ) both in the tetragonal and the orthorhombic phases. Field independent behavior was observed, which indicated that there were no ferromagnetic phases present. The paramagnetic susceptibilities are shown in Fig. 5 and obey the Curie-Weiss law. The observed Curie constants, Fe(II) magnetic moments, and Weiss constants are given in Table 4 along with the magnetic data for both the tetragonal and orthorhombic phases of  $\text{Cu}_2\text{Zn}_{.85}\text{Fe}_{.15}\text{GeS}_4$  and  $\text{Cu}_2\text{Zn}_{.85}\text{Fe}_{.15}\text{GeS}_2\text{Se}_2$ . The results indicate that the magnetic interactions of iron in both the tetragonal and orthorhombic phases of  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_2\text{Se}_2$  ( $x = 0.15$ ) are essentially equivalent. The results are similar to those observed for the system  $\text{Cu}_2\text{Zn}_{1-x}\text{Fe}_x\text{GeS}_4$  ( $x = 0.15$ ). The Weiss constants are small and negative in both systems for  $x = 0.15$  indicating that weak net antiferromagnetic interactions predominate.

### Conclusions

The pure end member  $\text{Cu}_2\text{ZnGeS}_4$  crystallizes in the tetragonal stannite structure below  $790^\circ\text{C}$ , and the orthorhombic wurtz-stannite structure above  $790^\circ\text{C}$ . The selenium end member crystallizes with the tetragonal stannite structure at all temperatures. Selenium can be substituted for sulfur up to 100% in the tetragonal structure of  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$  prepared at  $700^\circ\text{C}$  and up to 75% in the orthorhombic structure prepared at  $900^\circ\text{C}$ . The temperature at which the phase transformation takes place was found to increase with higher selenium concentration. Iron was substituted into both the low and high

temperature forms of  $\text{Cu}_2\text{Zn}_{.85}\text{Fe}_{0.15}\text{GeS}_2\text{Se}_2$ . Magnetic susceptibility measurements indicate no significant variation in the Curie or Weiss constants obtained from the tetragonal or orthorhombic samples, which implies equality of the Fe-Fe superexchange interactions in both structures.

#### Acknowledgments

This research was partially supported by the Office of Naval Research and by the National Science Foundation, DMR 890 1270, as well as the Exxon Education Foundation and Eastman Kodak Company.

#### References

1. L. K. Samanta, G. C. Bhar, *Phys. Stat. Sol., (a)* 41, 331 (1977).
2. H. Hahn, H. Schulze, *Naturwissenschaften*, 52, 426 (1965).
3. R. Nitsche, D. F. Sargent, P. Wild, *J. Cryst. Growth*, 1, 52 (1967).
4. W. Schäfer, R. Nitsche, *Mat. Res. Bull.*, 9, 645 (1974).
5. L. Guen, W. S. Glausinger, A. Wold, *Mat. Res. Bull.*, 14, 463 (1979).
6. R. Ottenburgs, H. Goethals, *Bull. Soc. Fr. Min. Crist.*, 95, 458 (1972).

7. Y. Shapira, E. J. McNiff, Jr., N. F. Oliveira, Jr., E. D. Honig, K. Dwight and A. Wold, *Phys. Rev. B*, 37 (1), 411 (1988).
8. K. Doverspike, R. Kershaw, K. Dwight and A. Wold, *Mat. Res. Bull.*, 23, 959 (1988).
9. B. Morris and A. Wold, *Rev. Sci. Inst.*, 39, 1937 (1968).
10. E. Honig, H-S. Shen, G-Q. Yao, K. Doverspike, R. Kershaw, K. Dwight and A. Wold, *Mat. Res. Bull.*, 23, 307 (1988).

Table 1

Cell Constants for Tetragonal  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$   
Prepared at 700°C.

---

y	cell volume	a (Å)	c (Å)
0.00	300.1	5.342(2)	10.516(5)
0.25	302.5	5.357(2)	10.540(5)
0.50	304.9	5.373(2)	10.561(5)
2.00	323.5	5.479(2)	10.776(5)
3.00	335.2	5.541(2)	10.919(5)
3.35	338.9	5.563(2)	10.951(5)
3.50	341.3	5.578(2)	10.970(5)
3.75	344.3	5.592(2)	11.009(5)
4.00	347.7	5.610(2)	11.049(5)

---

Table 2

Cell Constants for Orthorhombic  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$   
Quenched from 900°C

$y$	Cell volume	a (Å)	b (Å)	c (Å)
0.00	301.2	7.509 (2)	6.479 (2)	6.192 (2)
0.50	306.0	7.549 (2)	6.514 (2)	6.222 (2)
0.75	308.6	7.572 (2)	6.532 (2)	6.239 (2)
1.00	312.3	7.604 (2)	6.558 (2)	6.263 (2)
2.00	323.7	7.694 (2)	6.638 (2)	6.338 (2)
2.50	328.9	7.737 (2)	6.673 (2)	6.371 (2)
3.00	335.7	7.794 (2)	6.717 (2)	6.412 (2)

Table 3

Phases Adopted by  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$  at Various Temperatures

$^{\circ}\text{C}$	$\text{Cu}_2\text{ZnGeS}_4$	$\text{Cu}_2\text{ZnGeS}_2\text{Se}_2$	$\text{Cu}_2\text{ZnGeSSe}_3$
700	tetragonal	tetragonal	tetragonal
780	tetragonal + small amt. orth.	tetragonal + trace orth.	tetragonal
790	orthorhombic	mixed	tetragonal
800	orthorhombic	mixed	tetragonal
820	orthorhombic	orthorhombic	mixed
840	orthorhombic	orthorhombic	mixed
875	orthorhombic	orthorhombic	mixed
900	orthorhombic	orthorhombic	orthorhombic


Table 4

Magnetic Data for  $\text{Cu}_2\text{Zn}_{.85}\text{Fe}_{0.15}\text{GeS}_{4-y}\text{Se}_y$ 



Composition	Phase	Magnetic		
		Curie constant	moment ( $\mu_B$ )	Weiss constant
$\text{Cu}_2\text{Zn}_{.85}\text{Fe}_{0.15}\text{GeS}_4$	tet (700°C)	3.3	5.1	-20(2)
$\text{Cu}_2\text{Zn}_{.85}\text{Fe}_{0.15}\text{GeS}_4$	orth (900°C)	3.2	5.2	-22(2)
$\text{Cu}_2\text{Zn}_{.85}\text{Fe}_{0.15}\text{GeS}_2\text{Se}_2$	tet (700°C)	3.2	5.1	-22(2)
$\text{Cu}_2\text{Zn}_{.85}\text{Fe}_{0.15}\text{GeS}_2\text{Se}_2$	orth (900°C)	3.1	5.0	-25(2)

### Figure Captions

- Fig. 1. The two possible structures of  $\text{Cu}_2\text{B(II)C(IV)X}_4$ .
- Fig. 2. Vegards' Law for tetragonal  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$ .
- Fig. 3. Vegards' Law for orthorhombic  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$ .
- Fig. 4. X-ray patterns for members of the  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$  prepared at  $790^\circ\text{C}$ .
- Fig. 5. Magnetic susceptibility as a function of temperature for both phases of  $\text{Cu}_2\text{Zn}_{.85}\text{Fe}_{.15}\text{GeS}_2\text{Se}_2$ .




(a) Stannite




(b) Wurtz-Stannite

Tetragonal  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$



Orthorhombic  $\text{Cu}_2\text{ZnGeS}_{4-y}\text{Se}_y$





Relative Intensity

