

AD-A223 916

A STRATEGY FOR COMPUTING DISEASE AND NON-BATTLE INJURY RATES

W. M. PUGH

REPORT NO. 89-45

Approved for public release: distribution unlimited.

NAVAL HEALTH RESEARCH CENTER
P.O. BOX 85122
SAN DIEGO, CALIFORNIA 92186-5122


NAVAL MEDICAL RESEARCH AND DEVELOPMENT COMMAND
BETHESDA, MARYLAND



DTIC
ELECTE
JUL 18 1990
S 9 E D

**A STRATEGY FOR COMPUTING
DISEASE AND NON-BATTLE INJURY RATES**

William M. Pugh



Medical Decision Support Department
Naval Health Research Center
P.O. Box 85122
San Diego, CA 92138-9174

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

*Report 89-45, supported by the Naval Research and Development Command, Department of the Navy, under Work Unit No. M0095.005-6050. The views expressed in this article are those of the author and do not reflect the official policy or position of the Department of Defense, nor the U.S. government. Approved for public release, distribution unlimited.

Summary

The Naval Health Research Center has initiated an effort to compute the Disease and Non-Battle Injury (DNBI) rates needed to determine the medical requirements for Navy and Marine Corps personnel afloat and ashore. A data base has been compiled which includes information on all hospital admissions since 1965, information on outpatient visits, monthly morbidity reports, service history data, environment data, and deployment information. In addition, more outpatient data are being collected with a Patient Encounter Report designed to document specific diagnoses, treatments, and, the disposition of each patient. These data will be used to document current DNBI rates and project rates for situations in which no data are available, to extrapolate geographic and temporal trends, and estimate the effect of different levels of combat intensity. The approach taken in this effort started by specifying the population in terms of a person's duty station. Therefore, determination of population strengths, which is often a problem, can be accomplished by extracting information from available service history records.

A STRATEGY FOR COMPUTING DISEASE AND NON-BATTLE INJURY RATES

William M. Pugh

Medical planners need an estimate of the total patient load for a combat scenario before they can determine medical resource requirements. However, it is useful to derive separate estimates for the number of patients Wounded In Action (WIA) and the number of patients treated for Disease and Non-Battle Injury (DNBI) in a population, and to convert these quantities to WIA and DNBI rates per 1000 men per day. Separate WIA and DNBI rates are used because they tend to reflect different sources of variation. WIA rates are a direct function of combat intensity and are indirectly related to environmental factors while DNBI rates vary as a direct function of environmental factors and as an indirect function of combat intensity or operational tempo. Moreover, a single factor may have very different effects on WIA rates versus DNBI rates. For example, poor weather conditions may lead to an increase in disease but interfere with combat operations and thus result in a decrease in combat casualties, or extremely high levels of combat intensity may result in high casualty rates and low DNBI rates. The discussion in the current paper will concentrate on methods for determining DNBI rates.

The Naval Health Research Center's effort to determine DNBI rates has focused on three theaters of operation; Europe, Northeast Asia, and Southwest Asia. In addition, each of these populations have been divided into Navy and Marine Corps sub-groups which, in turn, have been separated into forces afloat and forces ashore. For each of the resulting subpopulations, separate Disease and Non-Battle Injury (DNBI) rates are being computed. The initial work involved the location and acquisition of historical data, and the creation of a DNBI data base. Then, these data were augmented by the collection of current illness and injury data, and a system for keeping the DNBI data base up-to-date was developed. Currently, methods are being devised for projecting DNBI rates to a wide range of situations from the information in the DNBI data base.

Historical Data: Computation of DNBI rates for the designated subpopulations requires that the necessary medical data, strength data, and environmental data be collected and analyzed. To accomplish this task, information was drawn from a variety of sources and organized within the DNBI data base. For individual patients, medical information was extracted from computerized files maintained at NHRC on all hospital admissions since 1965. In addition, computer files were obtained for outpatient visits from selected Navy ships deployed between 1968 and 1979. The population information was acquired from service history files. These data included information on the patients' age, sex, birthdate, and duty station. Environmental data includes information about the ship, such as ship location data from deck logs and ship profile information from Janes Fighting Ships¹. At the present time, data have been collected from each of these sources and organized into individual records as shown in figure 1.

Initial analysis of the historic data concentrated upon a set of ships for which data on individual outpatient visits were available. Rates of DNBI outpatient visits were computed using location information from each ship's deck log and by processing data contained in the service history file to determine the number of men aboard each ship. Hospital admission rates were found for the same population by extracting from the medical history file the admission records for individuals aboard the ships providing outpatient data. This way hospital admission rates for geographic areas could be calculated using the location and strength data obtained for the computation of outpatient visit rates. DNBI rates computed from available historical data have been reported by Blood, Pugh, Griffith, and Nirona².

The above analyses not only provide some initial DNBI statistics, they suggest a method for computing DNBI rates on a routine basis. By targeting the patients' reporting facility as the unit of analyses, a population can be defined by specifying the reporting facilities to be considered. Once a population is defined this way, the denominator can be found (crew strength) and a ship's location can be retrieved. For numerator information, hospital admissions can be extracted from medical history tapes, and outpatient data can be obtained from Monthly Morbidity reports completed by each Navy treatment facility. Therefore, a record can be created for each duty station for each month. Such records contain information on the number of illnesses and injuries that occurred, the number of people onboard, and the

location of the unit. The conceptual organization of these data is shown in figure 2.

With regard to the outpatient data, however, it should be noted that the Monthly Morbidity reports present a number of problems. First, they are compiled by treatment facility - not by that patient's duty station. So, for shore facilities, and possibly some of the large ships, the catchment area is ill defined. However, for many ships treatment facility and duty station are nearly synonymous, at least while the ship is deployed. Second, Navy and Marine Corps visits are combined. Third, rather than documenting data in an on-going fashion, completion of these reports requires the visits for the past month to be reviewed and summarized. Such a procedure is very susceptible to recording errors. These problems can be avoided, however, by gathering data upon each patient visit. Then the information can be processed to generate tallies by treatment facility, duty station, or branch of service.

Current Data Sampling: The available data base contains a large amount of data on individual hospital admissions and monthly totals for outpatient clinics but very little information on individual outpatient visits. Therefore, to augment the historical sources of data, the collection of outpatient data was initiated. Outpatient information is of interest because there are conditions requiring aggressive treatment and bed rest that are treated at forward echelons and never become a hospital admission. Consequently, it is useful to monitor outpatient visits and the disposition of those visits to determine which encounters resulted in the patient being returned to duty, returned to limited duty, kept in quarters, hospitalized, or evacuated. Finally, by collecting outpatient information upon each patient visit, it is possible to accumulate the data for any subpopulation of interest.

A patient encounter form was devised to expedite the outpatient data gathering process and minimize the administrative impact on the medical clinic. This form (shown in figure 3) was used to collect identifying information, demographic data, diagnosis, treatment, and disposition information for each patient visit. To reduce the time required by medical personnel, the form was designed so the patient could complete the identifying and demographic items. Further, the remaining portions of the

form were designed so they could be completed by the corpsman or physician through the selection of appropriate items from lists that were provided. The design and use of this form is discussed in detail by Hermansen and Wilcox³.

These outpatient forms were used to collect data from 12 ships and three shore facilities. The forms were processed monthly. The data from each form was entered into the DNBI data base. Accumulating these data by the patients' duty station for each month generated the information needed to compute DNBI rates. Accumulating these data by treatment facility produced monthly patient load statistics which were forwarded to the Navy Medical Data Services Center in the format shown in figure 4.

Projection. Although useful and interesting information can be retrieved from the DNBI data base, the possibilities for using the available data for projecting future outcomes are more exciting. First, statistical estimation techniques can be used to compute rates for environments for which no data have been collected and for situations that have never occurred. This is accomplished by combining data from two or more sources to predict the outcome when the combined event occurs. For example, the population of interest could be Navy men aboard minesweepers in the Persian Gulf. If no data on that population are available, one might use information about Navy men versus Marine Corps men along with information about Marine Corps personnel in the Persian Gulf. In such a situation, the available data would be used to make a series of adjustments to average DNBI rates. The information about Marine Corps personnel in the Persian Gulf would be adjusted for any overall differences between the Navy and Marine Corps to generate an estimate for the Navy men in the Persian Gulf. Then historic differences in illness rates among ship types could be used to further adjust this estimate to arrive at the DNBI rate for Navy men aboard minesweepers in the Persian Gulf.

This type of estimation is performed using a comprehensive statistical model that specifies all variables within the DNBI data base which are related to variations in DNBI rates. In addition, the model specifies whether each variable has a primary (main) effect, a second order effect (two-way interaction), or a third order effect (three-way interaction). Then, when a target population is specified prediction weights for those

variables needed to define the population are extracted from the data base and all other effects in the overall equation are set to zero. Summing the separate effect score, then, yields a projected DNBI rate for the target population. A detailed explanation of this statistical projection method is provided by Pugh ⁴.

A second type of projection that can be performed using the DNBI data base is the extrapolation of trends. This type of projection would be relevant to the geographic and temporal spread of infectious diseases. A study currently in progress, was undertaken to determine how frequently illness data must be sampled to detect temporal trends, where data must be obtained to detect geographic trends, and which Navy and Marine Corps facilities should be monitored. Results will be used to recommend a program of sampling outpatient visits to Navy medical clinics so that temporal and geographical illness patterns can be detected, followed, and ultimately anticipated.

A third type of projection is the estimation of DNBI rates under various levels of combat intensity. Clearly, the difficulty in projecting from available DNBI data to wartime operations and high combat intensity situations results from the paucity of available medical information from combat situations. However, some data do exist ^{5,6,7} which can be used to estimate DNBI rates during wartime. An algorithm for projecting the wartime rates from peacetime data can be developed by simply building a prediction equation using the peacetime data to calculate all prediction parameters. This peacetime equation would then be used to predict the wartime rates. If the peacetime equation systematically underestimates the actual wartime rates, then the amount of bias can be measured and used to adjust peacetime data to reflect wartime circumstances. For example, if the peacetime projections were too low by 1.5 cases per 1000 men per day, then it would be concluded that peacetime projections need to be increased by a factor of 1.5 cases per 1000 men per day to obtain an estimate for wartime.

When projecting to combat scenarios, the feasibility of separating estimates of wartime rates into five levels of combat intensity will be investigated. The current definitions of Intense Combat, Heavy Combat, Moderate Combat, Light Combat, and No Combat are being revised to form a Navy relevant scale. Experts are being asked to provide a Navy-specific definition for each level. Historic events will be classified using the

revised definition. Finally, a projected rate for each level of intensity will be determined in the manner described above. That is, predicted scores for each level of intensity will be generated from a peacetime model, and the difference between the predicted rates and actual wartime rates will be used to determine an adjustment factor for each level of Combat Intensity.


Summary and Conclusions. Many efforts to compute illness and injury rates go awry because they start with the documentation of patient visits at a clinic or hospital. From this information, a frequency count of all patient visits for a given period of time is obtained. However, this approach is doomed to failure because the population cannot be defined. Even with unlimited resources one cannot compose a roster of people who are the potential patients for a given clinic during a specific period of time. For instance, when a ship makes a port call, individuals from the ship may go to the clinic aboard the ship, to a shore-based clinic, or both.

The strategy taken to avoid this pitfall starts by defining the study population first. Specifically, those individuals assigned to selected duty stations. A second part of the strategy is the documentation of each patient visit. The patient encounter forms can be tallied according to treatment facility to meet the requirement to compile patient load statistics, and they can be sorted and counted by the patient's reporting facility to provide denominator data for illness rate computations. A third aspect of the strategy is the use of a representative sample to determine population trends. Furthermore, there is no need to collect data from all reporting facilities to estimate DNBI rates for a specific population when a representative sample formed by selecting certain reporting facilities can provide the same information. Finally, the tack taken to extrapolate from peacetime to wartime estimates is to view the state of combat as a factor that may increase or decrease the DNBI rate with respect to the peacetime levels. This factor, then, is assessed by finding the difference between DNBI rates that occurred during periods of combat and projected peacetime rates.

On the one hand, one must abandon some illness data to obtain valid DNBI rates. Only illness data for which strength information is available can be used. On the other hand, the acquisition of new data and the updating of the DNBI data base must be an ongoing process so that illness trends can be followed.

REFERENCES

1. Jane's Fighting Ships 1984-85, Jane's Publishing Company Limited, London, England.
2. Blood, C.G., Pugh, W.M., Griffith, D.K., and Nirona, C.B. Navy Medical Resource Planning: Rates of Illness for Various Operational Theaters. Report No. 88-42, Naval Health Research Center, San Diego, CA.
3. Hermansen, L.A., and Wilcox, W.W., An Analysis of Navy Outpatient Morbidity Reporting. Report No. 89-9, Naval Health Research Center, San Diego, CA.
4. Pugh, W.M., Use of Artificial Intelligence Techniques for Medical Readiness Planning. Report No. 88-33. Naval Health Research Center, San Diego, CA.
5. Palinkas, L.A., Coben, P., Disease and Non-Battle Injuries Among U.S. Marines in Vietnam. Military Medicine, 153, 152-155, 1988.
6. Blood, C.G., Nirona, C.B., Outpatient Illness Incidence Aboard U.S. Navy Ships During and Following the Vietnam Conflict. Report No. 89-15, Naval Health Research Center, San Diego, CA.
7. Statistical Reports of the Surgeon General, U.S. Navy, 1890-1972. Department of the Navy, Bureau of Medicine and Surgery, Washington, D.C.



Identification Data	Duty Station Identifier
Medical Data	Location Data
Demographic Data	Unit Profile

Figure 1. Conceptual Organization of the Individual Level File

UNIT	M O N T H	Month Days in Month	
- Unit ID - Type of Platform		• No. Navy • No. Marines • Location • No. Disease (Navy) • No. NBI (Navy) • No. Disease (Marine) • No. NBI (Marine)	

Figure 2. Conceptual Organization of the Unit Level File

I. PATIENT INFORMATION

TODAY'S DATE (MM DD YY) _____ NAME (LAST FIRST MI) _____ SOCIAL SECURITY NUMBER _____

BIRTHDATE (MM DD YY) _____ BRANCH OF SERVICE _____ PAY GRADE _____

_____ ☐ NAVY ☐ MARINE CORPS ☐ OTHER _____ E _____ O _____ W _____

SHIP NAME DUTY STATION _____ STATUS _____ SEX _____

_____ ☐ ACTIVE DUTY ☐ OTHER _____ ☐ MALE ☐ FEMALE

VISIT NUMBER FOR PRESENT PROBLEM _____ IF INJURED _____ WHERE? _____

☐ 1 ☐ 2 ☐ 3 ☐ 4 OR MORE ☐ ON DUTY ☐ OFF DUTY ☐ ASHORE ☐ ABOARD

WAS INJURY CAUSED BY _____ TREATMENT FACILITY _____ TYPE (CHECK ONE)

☐ MOTOR VEHICLE ☐ BATTLE CASUALTY ☐ OTHER ☐ HOSPITAL ☐ SICK BAY

☐ BAS ☐ BRANCH CLINIC

II. SIGNS, SYMPTOMS, AND DIAGNOSES

RESPIRATORY:

- ☐ 450 URI
☐ 447 PHARYNGITIS
☐ 448 TONSILLITIS
☐ 452 INFLUENZA
☐ 464 BRONCHITIS
☐ 466 ASTHMA
☐ 446 SINUSITIS
☐ 483 OCCUPATIONAL INHALATION DISORDER
☐ 489 PNEUMONIA
☐ 474 RHINITIS

☐ OTHER SPECIFY _____

GASTROINTESTINAL

- ☐ 512 ACUTE GASTROENTERITIS/COLITIS
☐ 498 ULCER
☐ 010 DIARRHEA
☐ 62008 CONSTIPATION
☐ 806 APPENDICITIS
☐ 006 ACUTE BACILLARY DYSENTERY

☐ OTHER SPECIFY _____

MUSCULOSKELETAL

- ☐ 665 TENDONITIS
☐ 658 JOINT DERANGEMENT
☐ 659 INTERVERTEBRAL DISC DISORDER

☐ OTHER SPECIFY _____

BEHAVIORAL

- ☐ 27401 ANXIETY
☐ 287 SITUATIONAL DISTURBANCE
☐ 280 DRUG ABUSE
☐ 278 ALCOHOL ABUSE
☐ 27407 DEPRESSION

☐ OTHER SPECIFY _____

EYE/EAR:

- ☐ 357 OTITIS EXTERNA
☐ 358 OTITIS MEDIA
☐ 337 CONJUNCTIVITIS

☐ OTHER SPECIFY _____

SEXUALLY TRANSMITTED DISEASES:

- ☐ 087 GONORRHEA
☐ 538 NON-GONOCOCCAL URETHRITIS
☐ 04716 GENITAL HERPES VIRUS
☐ 086 SYPHILIS
☐ 08801 CHANCROID

☐ OTHER SPECIFY _____

SKIN:

- ☐ 094 FUNGAL INFECTION (TINEA)
☐ 615 PYODERMA/BOIL/ABSCESS/CARBUNCLE
☐ 640 ACNE
☐ 627 DERMATITIS/RASH
☐ 115 SCABIES
☐ 618 CELLULITIS
☐ 638 FOLLICULITIS
☐ 114 PEDICULOSIS
☐ 621 CYST
☐ 06902 WART
☐ 62608 HEAT RASH
☐ 63701 INGROWN TOENAIL

☐ OTHER SPECIFY _____

OTHER MEDICAL PROBLEMS:

- ☐ 012 ACTIVE CLINICAL TUBERCULOSIS
☐ 73710 FEVER OF UNDETERMINED ORIGIN
☐ 30606 GENERAL MALAISE/FATIGUE
☐ 738 HEADACHE
☐ 440 HEMORRHOIDS
☐ 807 HERNIA
☐ 047 HERPES SIMPLEX VIRUS
☐ 382 HYPERTENSION
☐ 917 IMMUNOLOGICAL REACTION
☐ 94209 MOTION SICKNESS
☐ 249 OVERWEIGHT

☐ DENTAL SPECIFY _____

☐ OTHER SPECIFY UNLISTED CONDITION _____

ACCIDENTS/TRAUMA

Enter TYPE OF BLAST and BLAST LOCATION by filling the space to the left with the appropriate LETTER CODE from LOCATION LETTER CODES list

CODE	TYPE OF BLAST	LOCATION LETTER CODES
11	ABRASION	SCALP
12	BRUISE	FACE
13	BURN (CHEMICAL)	NECK
14	BURN (HEAT)	THROAT
15	FOREIGN BODY	STOMACH
16	FRACTURE	UPPER ARM
17	HEAT EXHAUSTION	LOWER ARM
18	HEAT STROKE	Wrist
19	LACERATION	Hand
20	POISONING	FOOT
21	PUNCTURE WOUND	HEEL
22	SPRAIN/STRAIN	DOES NOT APPLY
OTHER	SPECIFY	

III. TREATMENT PROVIDED (Check any that apply.)

- | | | |
|---|---|--|
| ☐ 01 COUNSELING | ☐ 06 SURGERY/SUTURE PROCEDURES | ☐ 11 VISION SCREENING |
| ☐ 02 PRESCRIPTION(S) (# _____) | ☐ 07 CAST/SPLINT/ACE WRAP | ☐ 12 ISSUE EARPLUGS |
| ☐ 03 IMMUNIZATION(S) (# _____) | ☐ 08 DRESSING | ☐ 13 ORDER SPECTACLES |
| ☐ 04 LAB TEST(S) (# _____) | ☐ 09 PHYSICAL EXAM | ☐ 14 REFERRAL |
| ☐ 05 X-RAY(S) (# _____) | ☐ 10 AUDIOGRAM | ☐ 15 OTHER _____ |

VISIT TYPE:

- ☐ 1 LIMITED SERVICE
☐ 2 OUTPATIENT
☐ 3 INPATIENT

IV. DISPOSITION

- ☐ 1 FULL DUTY
☐ 2 LIGHT DUTY (8 days _____)
☐ 3 NO DUTY/SICK IN QUARTERS (8 days _____)
- ☐ 4 EVACUATED
☐ 5 HOSPITALIZED

V. TUBERCULIN TESTING (Check any that apply.)

- ☐ 1 REACTIVE SKIN TEST
☐ 2 NEW-REACTOR
☐ 3 NONREACTIVE SKIN TEST
- ☐ 4 X-RAY SCREEN
☐ 5 X-RAY SCREEN ABNORMAL
- ☐ 6 PLACED ON DRG
☐ 7 REACTION TO DRG

FOR OFFICIAL USE ONLY
 DATA CONTAINED HEREIN ARE SUBJECT TO THE PRIVACY ACT OF 1974 AND/OR PROTECTION IN ACCORDANCE WITH SECNAVINST 5711 SC

NOTE AFTER COMPLETION, DETACH TOP PAGE AND USE BACK OF PAGE TWO FOR SF800 ENTRY.

NAAC 6370 20 111 001

Figure 3. Outpatient Morbidity Reporting Form

MEDICAL SERVICES AND OUTPATIENT MORBIDITY REPORT
NAVJED 6300/1 (REV. 1-80) S/N 0105-LF-206-3006

REPORT SYMBOL MED 6300-1

NAME, ADDRESS, ZIP CODE OF FACILITY

FACILITY AND LOCATION CODE REPORT PERIOD

USS BATTLESHIP
FPO NEW YORK, N.Y. 09582

XXXXXXXXX JUL 1989

SECTION I - GENERAL WORKLOAD

	ACTIVE DUTY - U.S. UNIFORMED SERVICES			DEPENDENTS		
	A NAVY	B MARINE	C OTHER	D NAVY	E MARINE	F OTHER
01 OUTPATIENT VISITS	606	51				
02 INPATIENT VISITS						
03 ADMITTED TO QUARTERS	45	2				
04 QUARTERS PATIENT DAYS	45	2				

SECTION II - ADJUNCT SERVICES

	A OUTPATIENT	B INPATIENT		C OUTPATIENT	D INPATIENT
07 LABORATORY TEST(S)	56	0	PHARMACY UNIT(S)	7441	1
08 PULMONARY FUNCTION STUDY	0	0	X-RAY FILM EXPOSURE	366	0
09 AUDIOGRAM(S)	150	0	DIALYSIS PROCEDURE	0	0
10 COMBAT/CESTION	0	0	EEG	0	0
11 ECG	0	0	FLUOROSCOPIC EXAM	0	0
12 RADIOISOTOPE STUDY	0	0	RADIUM/RADIOISOTOPE THERAPY	0	0
13 OTHER DEEP THERAPY	0	0			

SECTION III - OTHER SERVICES

	A REFRACTION NC	B REFRACTION NSC	C OPHTHALMOLOGY ORDER SPECTACLES (SINGLE)	D OPHTHALMOLOGY ORDER SPECTACLES (BIFOCAL)	E FABRICATE SINGLE VISION	F FLIGHT PHYSICAL EXAM	G MISCELLANEOUS OTHER COMPREHENSIVE PHYS	H IMMUNIZATION(S)	I LIMITED SERVICE
14	0	0	0	0	0	0	67	0	0

SECTION IV - SELECTED DATA

SECTION V - ACTIVE DUTY AVERAGE STRENGTH

	A FETAL DEATH	B VASECTOMIES	C PEAK CENSUS	D NAVY	E MARINES	F OTHER
	0	0	0	4720	300	0

SECTION VI - INDIVIDUAL CLINIC/SERVICE WORKLOAD

	A LIMITED SERVICES	B OUTPATIENT VISITS	C INPATIENT VISITS		D LIMITED SERVICES	E OUTPATIENT VISITS	F INPATIENT VISITS
16 ALLERGY	0	0	0	ANESTHESIOLOGY	0	0	0
17 CARDIOLOGY	0	0	0	CHEST DISEASE	0	0	0
18 NEPHROLOGY	0	0	0	EMERGENCY ROOM	0	0	0
19 ENDOCRINOLOGY	0	0	0	FAMILY PRACTICE	0	0	0
20 GASTROENTEROLOGY	0	0	0	GENERAL INTERNAL MED	0	0	0
21 GENERAL PRACTICE	0	0	0	GENERAL SURGERY	0	0	0
22 GYNECOLOGY	0	0	0	NEPHROLOGY	0	0	0
23 NEPHROLOGY	0	0	0	NEUROLOGY	0	0	0
24 OBSTETRICS	0	0	0	OCULAR THERAPY	0	0	0
25 OPTOMETRY	0	0	0	OPTOMETRY	0	0	0
26 ORTHOPEDICS	0	0	0	OTO-RHINO-LARYNGOLOGY	0	0	0
27 PEDIATRICS	0	0	0	PHYSICAL THERAPY	0	0	0
28 PLASTIC SURGERY	0	0	0	PODIATRY	0	0	0
29 PROCTOLOGY	0	0	0	PSYCHIATRY	0	0	0
30 PSYCHOLOGY	0	0	0	THORACIC SURGERY	0	0	0
31 UROLOGY	0	0	0				

G.P.O.:1980-699-120/1097

Figure 4. Computer generated Monthly Morbidity Report

SECTION VII - OUTPATIENT MORBIDITY - ACTIVE DUTY NAVY AND MARINE CORPS PERSONNEL

ITEM	NEW CASE A	RE- VISIT B	ITEM	NEW CASE C	RE- VISIT D	ITEM	NEW CASE E	RE- VISIT F
33 INFECTIVE & PARASITIC DISEASE	153	27	RESPIRATORY SYSTEM DIS.	140	9	ACCIDENTS/POISONINGS/VIOLENCE	49	6
34 ACUTE GASTRIT/DIARRH/DYSENTER	16	4	ACUTE RESPIRATORY DIS. (URI)	113	6	BATTLE CASUALTIES (81)	0	0
35 GONORRHEA	4	0	INFLUENZA SYNDROME	5	0	ADVERSE EFFECTS OF NOISE	0	0
36 SYPHILIS	0	1	OCCUPATIONAL INHALATION DIS.	1	1	ADVERSE EFFECTS OF HEAT, LOCAL	1	0
37 GENITAL HERPES VIRUS	5	1	ALL OTHER RESPIRATORY DISEASE	21	2	ADVERSE EFFECTS OF HEAT, SYSTN	1	0
38 NONGONOCOCCAL URETHRITIS	10	5	DIGESTIVE SYSTEM DISEASES	34	3	ADVERSE EFFECTS OF COLD	0	0
39 OTHER SEXUALLY TRANSMITTED	2	0	GENITOURINARY SYSTEM DISEASES	4	2	NOTION SICKNESS	0	0
40 EXTERNAL PARASITES	4	1	COMP OF PREGNANCY/PUERPERIUM	0	0	MOTOR VEHICLE ACCIDENTS	0	0
41 FUNGAL DISEASES/ATHLETE'S FT	68	13	SKIN & SUBCUTANEOUS DISEASES	104	36	OCCUPATIONAL INJURIES	18	1
42 OTHER INFECTIVE & PARASITIC	44	2	CELLULITIS/PHYDERMA/ABSCESS	11	3	OCCUPATIONAL POISONING	0	0
43 NEOPLASMS	1	0	OCCUPATIONAL DERMATITIS	15	9	NONOCCUPATIONAL INJURIES	6	2
44 ENDOCRINE/NUTR/METABOLIC	1	0	HEAT RASH	19	4	ADVERSE EFFECTS OF MEDICATION	0	0
45 BLOOD DISEASES	0	0	NONOCCUP ALLERGIC DERMATITIS	1	0	OTHER ACCIDENTS/POISON/VIO	0	1
46 MENTAL DISORDERS	1	0	MOLES/WARTS/CYSTS	5	1	FAMILY PLANNING/CONTRACEPTION	0	0
47 ALCOHOLISM	0	0	ALL OTHER SKIN DISEASES	53	19	FAMILY CONTRACEPTION-FEMALE	0	0
48 MARIJUANA	0	0	MUSCULOSKELETAL SYSTEM	22	3	FAMILY CONTRACEPTION-MALE	0	0
49 BARCOTIC DRUGS	0	0	CONGENITAL ANOMALIES	1	1	SUPPLEMENTARY CLASSIFICATIONS	11	2
50 NON-BARCOTIC DRUGS	0	0	SIGNS/SYMPOMS/ILL-DEFINED CO	40	13	TUBERCULIN TESTING		
51 COMBINATION	0	0	GENERAL MALAISE/FATIGUE	0	1	SKIN TESTS READ	0	
52 OTHER MENTAL & BEHAVIORAL DIS	1	0	HEADACHE	8	1	SKIN TESTS REACTIVE	0	
53 NERVOUS SYSTEM & SENSE ORGAN	44	8	FEVER (UNDETERMINED ORIGIN)	2	0	SKIN TESTS CONVERTORS	0	
54 CIRCULATORY SYSTEM DIS.	10	3	ALL OTHER SIGNS AND SYMPTOMS	30	11	SKIN TESTS NONREACTIVE	0	
55						SCREENING X-RAYS	0	
56						SCREENING X-RAYS ABNORMAL	0	
57						PATIENTS PLACED ON INH	1	
58						REACTIONS TO INH	0	
59								
60								
61								

REMARKS:

SIGNATURE AND TITLE

DATE SUBMITTED 8/10/89

NAVVED 6300/1 (REV. 1-80) BACK

REPORT DOCUMENTATION PAGE

1a REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b RESTRICTIVE MARKINGS NONE	
2a SECURITY CLASSIFICATION AUTHORITY N/A			3 DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited.	
2b DECLASSIFICATION/DOWNGRADING SCHEDULE N/A				
4 PERFORMING ORGANIZATION REPORT NUMBER(S) NHRC Report No. 89-45			5 MONITORING ORGANIZATION REPORT NUMBER(S)	
6a NAME OF PERFORMING ORGANIZATION Naval Health Research Center		6b OFFICE SYMBOL (If applicable) Code 20	7a NAME OF MONITORING ORGANIZATION Commander Bureau of Medicine and Surgery	
6c ADDRESS (City, State, and ZIP Code) P.O. Box 85122 San Diego, CA 92138-9174			7b ADDRESS (City, State, and ZIP Code) Department of the Navy Washington, DC 20372	
8a NAME OF FUNDING/SPONSORING ORGANIZATION National Naval Medical Center		8b OFFICE SYMBOL (If applicable)	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
8c ADDRESS (City, State, and ZIP Code) Capital Region Bethesda, MD 20814			10 SOURCE OF FUNDING NUMBERS	
			PROGRAM ELEMENT NO. 63706N	TASK NO. M0095
			WORK UNIT ACCESSION NO. .005	6050
11 TITLE (Include Security Classification) (U) A STRATEGY FOR COMPUTING DISEASE AND NON-BATTLE INJURY RATES				
12 PERSONAL AUTHOR(S) W.M. PUGH				
13a TYPE OF REPORT Final	13b TIME COVERED FROM TO	14 DATE OF REPORT (Year, Month, Day) 1989, December, 12		15 PAGE COUNT
16 SUPPLEMENTARY NOTATION				
17 COSATI CODES			18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	Disease and Non-Battle Injury, Medical Planning, Illness estimation, DNBI, Patients ← (JG)	
19 ABSTRACT (Continue on reverse if necessary and identify by block number) The Naval Health Research Center has initiated an effort to compute the Disease and Non-Battle Injury (DNBI) rates needed to determine the medical requirements for Navy and Marine Corps personnel afloat and ashore. A data base has been compiled which includes information on all hospital admissions since 1965, information on outpatient visits, monthly morbidity reports, service history data, environment data, and deployment information. In addition, more outpatient data are being collected with a Patient Encounter Report designed to document specific diagnoses, treatments, and the disposition of each patient. These data will be used to document current DNBI rates and project rates for situations where no data are available, to extrapolate geographic and temporal trends, and estimate the effect of different levels of combat intensity. The approach taken in this effort started by specifying the population in terms of a person's duty station. Therefore, determination of population strengths, which is often a problem, can be accomplished by extracting information from available service history records.				
20 DISTRIBUTION/AVAILABILITY OF ABSTRACT ☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT. ☐ DTIC USERS			21 ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED	
22a NAME OF RESPONSIBLE INDIVIDUAL William M. Pugh			22b TELEPHONE (Include Area Code) (619) 553-8403	22c OFFICE SYMBOL Code 20