

2

AD-A239 636



**ADAPTIVE ARRAYS IN PACKET
RADIO NETWORKS**

FINAL REPORT

R. T. COMPTON, JR.

JULY 1991

**DTIC
ELECTE
AUG 20 1991
S B D**

U. S. ARMY RESEARCH OFFICE

DAAL03-89-K-0073

**THE OHIO STATE UNIVERSITY
ELECTROSCIENCE LABORATORY**

91-08295



91 8 20 012

**APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED**

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited.	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE		5. MONITORING ORGANIZATION REPORT NUMBER(S) ARO 26274-1-EL	
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		7a. NAME OF MONITORING ORGANIZATION U. S. Army Research Office	
6a. NAME OF PERFORMING ORGANIZATION The Ohio State University ElectroScience Laboratory	6b. OFFICE SYMBOL (If applicable)	7b. ADDRESS (City, State, and ZIP Code) P. O. Box 12211 Research Triangle Park, NC 27709-2211	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION U. S. Army Research Office	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER DAAL03-89-K-0073	
8c. ADDRESS (City, State, and ZIP Code) P. O. Box 12211 Research Triangle Park, NC 27709-2211		10. SOURCE OF FUNDING NUMBERS PROGRAM ELEMENT NO. PROJECT NO. TASK NO. WORK UNIT ACCESSION NO.	
11. TITLE (Include Security Classification) ADAPTIVE ARRAYS IN PACKET RADIO NETWORKS			
12. PERSONAL AUTHOR(S) R.T. Compton			
13a. TYPE OF REPORT	13b. TIME COVERED FROM 3/1/89 TO 8/5/90	14. DATE OF REPORT (Year, Month, Day) July 31, 1991	15. PAGE COUNT 5
16. SUPPLEMENTARY NOTATION The view, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.			
17. COSATI CODES FIELD GROUP SUB-GROUP		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Packet Radio Networks Communications Adaptive Arrays	
19. ABSTRACT (Continue on reverse if necessary and identify by block number) Research under ARO Contract DAAL03-89-K-0093 is described. This work involved the use of adaptive antennas in packet radio networks.			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT ☐ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT. ☐ DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION Unclassified	
22a. NAME OF RESPONSIBLE INDIVIDUAL		22b. TELEPHONE (Include Area Code)	22c. OFFICE SYMBOL

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

FINAL REPORT

1. ARO PROPOSAL NUMBER: 26274-EL
2. PERIOD COVERED BY REPORT: 1 March 1989 - 31 August 1990
3. TITLE OF PROPOSAL: Packet Radio Networks with Adaptive Arrays
4. CONTRACT OR GRANT NUMBER: DAAL03-89-K-0073
5. NAME OF INSTITUTION: The Ohio State University
6. AUTHOR OF REPORT: R. T. Compton, Jr.
7. LIST OF MANUSCRIPTS SUBMITTED OR PUBLISHED UNDER ARO SPONSORSHIP DURING THIS REPORTING PERIOD, INCLUDING JOURNAL REFERENCES:
 - (a) H.-C. Yu and R. L. Hamilton, "Optimal Routing in Packet Radio Networks," submitted to *IEEE Transactions on Information Theory*, May 1989.
 - (b) R. L. Hamilton, "Optimal Routing Based on Limited Information," submitted to *IEEE Transactions on Automatic Control*, July 1989.
 - (c) R. L. Hamilton and B. S. Leung, "Product Form Solutions for a Tandem Packet-Radio Queueing System," submitted to *IEEE Transactions on Automatic Control*, January 1990.
 - (d) J. Ward and R. T. Compton, Jr., "Improving the Performance of a Slotted ALOHA Packet Radio Network with an Adaptive Array," to appear in *IEEE Transactions on Communications*.
 - (e) J. Ward and R. T. Compton, Jr., "High-Throughput Slotted ALOHA Packet Radio Networks with Adaptive Arrays," to appear in *IEEE Transactions on Communications*.
8. SCIENTIFIC PERSONNEL SUPPORTED BY THIS PROJECT AND DEGREES AWARDED DURING THIS REPORTING PERIOD:
 - R. T. Compton, Jr., PI
 - R. L. Hamilton, Jr., PI
 - A. S. Galanopoulos, Graduate Student
 - F. W. Vook, Graduate Student
 - J. Ward, Graduate Student - Received Ph.D., August 1990

STATEMENT OF THE PROBLEM

This research considered the use of adaptive antennas in packet radio networks (PRNs). By using an adaptive array at a packet radio terminal, the receiving pattern of a terminal can change in response to each received packet. For example, in a slotted system, a terminal with an adaptive array can receive one or more packets correctly in a slot even when the slot contains colliding packets, because the array automatically nulls the colliding packets.

Under this contract, we have first studied the performance of a single packet radio terminal using a multibeam adaptive array. The throughput-delay performance of the packet terminal has been evaluated for both slotted and unslotted channels. In addition, we have also studied the throughput-delay performance of a small slotted network that uses a single-beam adaptive array at each terminal.

SUMMARY OF THE MOST IMPORTANT RESULTS

Previous work [1] had shown that the performance of a packet radio terminal could be substantially improved by using a single-beam adaptive array at the terminal. The improvement is similar to that of Carrier Sense Multiple Access (CSMA) [2]. However, an adaptive array has the advantage over CSMA that, unlike CSMA, it does not require all terminals in the network to be able to hear one another.

Under this contract, we first studied the throughput-delay performance of a single packet radio receiver that uses a *multibeam* adaptive array. A multibeam adaptive array is one that forms several beams (or patterns) simultaneously from the same array elements. We have shown that with a multibeam adaptive array, a packet radio terminal can achieve average throughputs of 3 or 4 packets per packet width. This result can be achieved in either slotted or unslotted systems. (The method of acquiring packet timing and adapting the array pattern is, however, different for slotted and unslotted systems.)

Second, under this contract we have also studied what happens when adaptive arrays are used in multihop (PRNs). As part of this work, we have developed some tools needed for predicting the performance of multihop PRNs with adaptive arrays. Specifically, an approximate algorithm has been developed for determining the average packet delay in slotted ALOHA PRNs with adaptive arrays. Comparisons of the

results predicted by this algorithm with those obtained from simulations indicate that this algorithm is accurate for most traffic levels.

Our results for network performance with adaptive arrays show that adaptive arrays dramatically increase the throughput-delay performance of a slotted ALOHA PRN. For example, we have shown that the addition of a simple 3-element adaptive array to each node in a 10-node network dramatically improves the average delay. Moreover, most of the improvement is obtained by using an array with only one null. The improvement does depend, of course, on the network traffic. Performance improvements due to the adaptive arrays occur mainly at medium to high traffic levels. (At low traffic levels, there are so few collisions that adaptive arrays have little effect. But at higher traffic levels, adaptive arrays significantly reduce the frequency of collisions and hence reduce delays.)

- [1] M. Azizoglu, R. T. Compton, Jr., F. D. Garber, G. M. Huffman and H. C. Yu, "Adaptive Arrays in Satellite Packet Radio Communication Systems," Technical Report 718163-2, August 1987, The ElectroScience Laboratory, Department of Electrical Engineering, Ohio State University, Columbus, OH 43212; prepared for the National Aeronautics and Space Administration, Lewis Research Center, 21000 Brook Park Rd., Cleveland, OH 44135 under Contract No. NAS3-24888.
- [2] L. Kleinrock and F. A. Tobagi, "Packet Switching in Radio Channels: Part I - Carrier Sense Multiple-Access and Their Throughput-Delay Characteristics," *IEEE Transactions on Communications*, Vol. COM-23, No. 12 (December 1975), pp. 1400-1416.



Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	