

REPORT		AD-A256 124		Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302.				a time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302.	
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 1992/09/01		3. REPORT TYPE AND DATES COVERED FINAL REPORT 1985/08/01-1987/12/31	
4. TITLE AND SUBTITLE STUDIES OF COMPONENTS FOR THERMALLY REGENERATIVE ELECTROCHEMICAL SYSTEMS				5. FUNDING NUMBERS N00014-85-K-0789	
6. AUTHOR(S) Robert A. Osteryoung					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) State University of New York at Buffalo Department of Chemistry Buffalo, NY 14214				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) ONR/Chemistry Division Office of Naval Research Code 1113ES, 800 N. Quincy Street Arlington, VA 22217-5000				10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES					
12a. DISTRIBUTION/AVAILABILITY STATEMENT Unclassified/Unlimited				12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Electrochemical studies on the reduction of $AlCl_4^-$ ion and the anodization of Al(0) in basic 1-methyl-3-ethylimidazolium chloride (ImCl) mixed with aluminum chloride ($AlCl_3$) were carried out; a basic melt is one containing excess ImCl. It was not found possible to reduce the $AlCl_4^-$ ion at temperatures as high as 250°C. The anodization of aluminum was found to be controlled by the diffusion of chloride ion to the electrode. The disposition of Li and Bi were studied at tungsten microelectrodes in LiCl-KCl eutectic molten salt at 450°C.					
92 0 20 066  598					
14. SUBJECT TERMS Molten salts; ambient temperature chloroaluminates; lithium chloride - potassium chloride eutectic; electrochemistry				15. NUMBER OF PAGES 5	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified		18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified		19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	
				20. LIMITATION OF ABSTRACT U/L	

OFFICE OF NAVAL RESEARCH
FINAL REPORT

for

Contract N00014-85-K-0789

1 August 1985 through 31 December 1987

STUDIES OF COMPONENTS FOR THERMALLY REGENERATIVE
ELECTROCHEMICAL SYSTEMS

Robert A. Osteryoung

Department of Chemistry
State University of New York at Buffalo
Buffalo, New York 14214

This work was supported by SDIO/IST and managed by ONR.

Reproduction in whole, or in part, is permitted for any purpose of the United States Government.

This document has been approved for public release and sale: its distribution is unlimited.

Accession For	
NTIC CR&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

DTIC QUALITY INSPECTED 3

Objectives

The objective of this research was, initially, to study the chemistry and electrochemistry of components to be utilized in the development of a thermally regenerative electrochemical system (TRES). The original work was aimed at exploring the use of ambient temperature ionic liquids (molten salts), consisting of an organic halide mixed with aluminum halide, as potential electrolytes for a TRES system. The objective was later changed to study electrochemistry in a high temperature molten salt, a lithium chloride-potassium chloride eutectic, in support of pulse power battery applications.

Technical Approach

Our initial work utilized an ambient temperature molten salt consisting of 1-methyl-3-ethylimidazolium chloride (ImCl) mixed with aluminum chloride (AlCl_3). This solvent system is characterized as acid, basic, or neutral, if the mole ratio of AlCl_3 to ImCl is greater than, less than, or equal to unity, respectively. The Lewis acidity of the solvent is varied by changing the system acidity; this is accomplished by varying the mole ratio of AlCl_3 to ImCl. Our initial goal was to determine if it were possible to reduce the AlCl_4^- in a basic melt by raising the temperature; $\text{Al}(0)$ can be deposited from an acidic melt, and the thought was that it might be possible to arrive at a concentration cell of reasonable voltage that could be thermally regenerated. A program redirection was obtained to permit studying reactions in higher temperature, potassium chloride-lithium chloride eutectic melts at very small electrodes; this work was related to the development of high powered pulse batteries.

Results

Efforts to reduce the AlCl_4^- anion in a basic AlCl_3 -ImCl melt at temperatures up to 250°C were unsuccessful. The anodization of $\text{Al}(0)$ was studied in the basic AlCl_3 -ImCl melt. The anodization process was studied as a function of chloride anion concentration. Two different anodization processes were observed with onset potentials, against the Al-Al(III) reference, of -1.1 and 0 V. The more negative anodization involved formation of the tetrachloroaluminate anion and exhibited a limiting current controlled by diffusion of chloride to the electrode surface. The number of chlorides required for each Al anodized was determined to be 4.6 ± 0.4 . The more anodic process showed no diffusion control. Tungsten ultramicroelectrodes were employed to examine the cathodic and anodic limits of a basic melt. Staircase cyclic voltammetric scans were performed well beyond the normal melt electrochemical potential limits. In the cathodic region, reduction of the Im^+ was clearly seen at -2.3 V, and another, unknown reduction process at -5.5 V was also observed. In the anodic region, oxidation of both Cl^- , at 1.3 V, and

AlCl_4^- , at 3.0 V, were also observed. From normal pulse voltammetry, diffusion coefficients of Im^+ and Cl^- were determined.

As a sidelight of this study, some work was carried out on the electrochemistry of the molybdenum(III) dimers, $\text{Mo}_2\text{Cl}_9^{3-}$ and $\text{Mo}_2\text{Cl}_8\text{H}^{3-}$, and the molybdenum(II) dimer, $\text{Mo}_2\text{Cl}_8^{4-}$, in basic melts. The scheme for the electrochemical processes that the dimers undergo was deduced.

Since it was felt that the results obtained were unsatisfactory as far as the initial goals of the project were concerned, and change in direction to examine Li metal deposition in a LiCl-KCl eutectic molten salt was requested and obtained. Tungsten ultramicroelectrodes were employed to study both the deposition and stripping behavior of Li/Li^+ and Bi/Bi^{3+} in the LiCl-KCl eutectic melt at 400°C. The Li deposition current could be simulated assuming the growth of a single hemisphere of liquid metal on the microelectrode. High stripping current densities were observed and quantized using standard electrochemical equipment, possible because though the current densities were very high, the absolute magnitude of the current was small. An inverted microscope assembly was employed for *in situ* observation of the Li/Li^+ deposition and stripping processes at the microelectrode.

Publications

"Electrochemistry of Molybdenum Dimers in a Basic Ambient-Temperature Molten Salt", Richard T. Carlin and Robert A. Osteryoung, *Inorg. Chem.*, **1988**, 27 1482.

"Microelectrodes in the Examination of Anodic and Cathodic Limit Reactions of an Ambient Temperature Molten Salt", Richard T. Carlin and Robert A. Osteryoung, **1988**, 252 81.

"Deposition Studies of Lithium and Bismuth at Tungsten Microelectrodes in LiCl:KCl Eutectic", Richard T. Carlin and Robert A. Osteryoung, *J. Electrochem. Soc.*, **1989**, 136 1249.

"Aluminum Anodization in a Basic Ambient Temperature Molten Salt", Richard T. Carlin and Robert A. Osteryoung, *J. Electrochem. Soc.*, **1989**, 136 1409.

Individuals (Technical) Supported on Grant

Dr. Richard T. Carlin

Dr. John Sanders

Dr. J. O'Dea

Mr. Sinru Lin