

[illegible]

Form Approved
OMB No. 0704-0188

[illegible]


1. by airway, suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Supervisors, Budgetary Projects, 100704 0186, Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE		3. REPORT TYPE AND DATES COVERED FINAL/15 May 89 TO 31 Mar 92	
4. TITLE AND SUBTITLE INTEGRATED APPROACHES TO PARALLELISM IN OPTIMIZATION & SOLUTION OF INVERSE PROBLEMS (U)				5. FUNDING NUMBERS 2304/A4 AFOSR-89-0363	
6. AUTHOR(S) Professor William Symes				8. PERFORMING ORGANIZATION REPORT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Rice University Dept of Mathematical Sciences Houston TX 77251-1892				10. SPONSORING MONITORING AGENCY REPORT NUMBER AFOSR-89-0363	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NM 110 DUNCAN AVE, SUTE B115 BOLLING AFB DC 20332-0001				11. SUPPLEMENTARY NOTES	
12a. DISTRIBUTION AVAILABILITY STATEMENT APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED				12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Mathematical models for mechanical design problems and development of analytical and numerical tools for their solution was studied under this grant. The mathematical problems separate into ones of rods and membranes. Regarding the former, with M. Overton the PI provided the first rigorous study of the shape of the strongest rod. In particular, within the context of the Euler-Bernoulli model, it was established existence, necessary conditions, regularity, and a general, though efficient, means of computing an optimal shape. Previous studies had not fully dealt with the fact that the strength of a rod (the axial load under which it commences to buckle) need not be a differentiable function of its shape. The Mathematical Intelligence solicited an expository account of this work. This article was picked up by Discover magazine, where the review appears. Engineers in off-shore oil rig design at Exxon Production Research in Houston have approached the PI regarding the research. Via the tolling of thin plates they have the means to create rods with piecewise conical cross-sections. With J. Maddocks the PI has extended all of the above analytical findings to a much richer class of rods. In particular, they are able to accommodate hyperelastic rods with nonlinear bending laws and vanishing cross-sections in both the interior and at the boundary. In this new framework they are also finally able to carefully pose and settle the bifurcation question as to whether the branches of equilibria stemming from the buckling load of the optimal column are indeed supercritical, i.e., rightward.					
14. SUBJECT TERMS				15. NUMBER OF PAGES 2	
16. PRICE CODE				17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	
18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED		19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED		20. LIMITATION OF ABSTRACT SAR(SAME AS REPORT)	

ASA 7540-01 180-5500

Standard Form 298 Rev. 2-89
Prescribed by ANSI Std. Z39-18

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST
QUALITY AVAILABLE. THE COPY
FURNISHED TO DTIC CONTAINED
A SIGNIFICANT NUMBER OF
PAGES WHICH DO NOT
REPRODUCE LEGIBLY.

Steven Cox
Department of Computational & Applied Mathematics
P.O. Box 1892
Rice University
Houston, TX 77251

Under this grant I studied mathematical models for mechanical design problems and developed analytical and numerical tools for their solution. The mechanical problems separate into ones of rods and membranes.

Regarding the former, with M. Overton, I provided in [1] the first rigorous study of the shape of the strongest rod. In particular, within the context of the Euler-Bernoulli model, we established existence, necessary conditions, regularity, and a general, though efficient, means of computing an optimal shape. Previous studies had not fully dealt with the fact that the strength of a rod (the axial load under which it commences to buckle) need not be a differentiable function of its shape. The Mathematical Intelligencer solicited an expository account of this work, [2]. This article was picked up by Discover magazine, where the review [3] appears. Engineers in off-shore oil rig design at Exxon Production Research in Houston have approached me regarding this work. Via the rolling of thin plates they have the means to create rods with piecewise conical cross-sections. With J. Maddocks in [4], I have extended all of the above analytical findings to a much richer class of rods. In particular, we are able to accommodate hyperelastic rods with nonlinear bending laws and vanishing cross-sections in both the interior and at the boundary. In this new framework we are also finally able to carefully pose and settle the bifurcation question as to whether the branch(es) of equilibria stemming from the buckling load of the optimal column are indeed supercritical, i.e., rightward.

Regarding membranes I have contributed to two problems. In [5] I describe how to distribute a prescribed amount of two materials throughout a given planar shape in order to minimize the fundamental tone of the resulting membrane. Having provided definitive results on the symmetry, regularity, length, and computation of the interface between the two constituents in the optimal layout, I believe there is little else left to say about this problem. In [6], with M. Ross, I have established existence and partial regularity, via necessary conditions, for the problem of extremizing as a function of shape alone an arbitrary membrane frequency. Previous attempts by others have only succeeded in minimizing Dirichlet eigenvalues and maximizing Neumann eigenvalues. Our setting, of planar starlike domains of fixed area and bounded perimeter, allows one to extremize either type of eigenvalue, in either direction. As the higher frequencies may be multiple, the obstacle to deriving necessary conditions is that these frequencies need not depend differentiably on the shape of the membrane. This issue, of characterizing the generalized gradient of a multiple eigenvalue, was in fact still open even in finite dimensions prior to [7], where [5] is surveyed and partially extended to the higher eigenvalues and the (finite dimensional) foundation for [6] is laid.

The work I completed and began under this grant lead to my being awarded a 1992 National Young Investigator by the National Science Foundation.

- [1] S. Cox and M.L. Overton, *On the optimal design of columns against buckling*, SIAM J. Math. Anal. 23(2), pp. 287-325, 1992.
- [2] S. Cox, *The shape of the ideal column*, Mathematical Intelligence 14(1), pp. 16-24, 1992.
- [3] Breakthroughs, Mathematics, Discover, June, 1992.
- [4] S. Cox and J.H. Maddocks, *The optimal design of a nonlinear elastica*, in preparation.
- [5] S. Cox, *The two phase drum with the deepest bass note*, Japan J. Ind. and Appl Math. 8(3), pp. 345-355, 1991.
- [6] S. Cox and M. Ross, *Extremal eigenvalue problems for starlike drums*, in preparation.
- [7] S. Cox, *Extremal eigenvalue problems for the Laplacian*, proceedings of Recent Advances in PDE, El Escorial, Spain, July, 1992, to appear.

Accession For	
NTIS CRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	23