

AD-A270 287



2

AFOSR-TR- 93 07 10


FINAL TECHNICAL REPORT

USAF GRANT F49620-92-J-0109 DEF

Comparative Toxicity of Halogenated Hydrocarbons:

Molecular Aspects

DTIC
ELECTE
OCT 05 1993
S D



G.Gordon Gibson, Ph.D

Molecular Toxicology Group

School of Biological Sciences

University of Surrey

Guildford, Surrey GU2 5XH

England, U.K

93-23118



93 10 1 2 2 5

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE JULY 13, 1993	3. REPORT TYPE AND DATES COVERED FINAL, JANUARY 1ST - DECEMBER 31ST 1992		
4. TITLE AND SUBTITLE COMPARATIVE TOXICITY OF HALOGENATED HYDROCARBONS : MOLECULAR ASPECTS		5. FUNDING NUMBERS F49620-92-J-0109DEF 61102F 2312 AS		
6. AUTHOR(S) PROFESSOR G. GORDON GIBSON				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) UNIVERSITY OF SURREY SCHOOL OF BIOLOGICAL SCIENCES GUILDFORD, SURREY GU2 5XH		8. PERFORMING ORGANIZATION REPORT NUMBER NOT APPLICABLE		
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) AIR FORCE OFFICE OF SCIENTIFIC RESEARCH BOLLING AIR FORCE BASE, D.C. Dr. Walter Kozumbo		10. SPONSORING / MONITORING AGENCY REPORT NUMBER NOT KNOWN		
11. SUPPLEMENTARY NOTES NOT APPLICABLE				
12a. DISTRIBUTION / AVAILABILITY STATEMENT NO LIMITATION		12b. DISTRIBUTION CODE NOT KNOWN		
13. ABSTRACT (Maximum 200 words) THE COMPARATIVE HEPATOTOXICITIES OF PERFLUOROOCTANOIC ACID (PFOA), PERFLUORO- DECANOIC ACID (PFDA) AND THE TRI-AND TETRA-OLIGOMERS OF CHLORO - TRI-FLUORO ETHYLENE (CTFE) HAVE BEEN INVESTIGATED IN THE RAT AND GUINEA PIG. ALL COMPOUNDS HAVE BEEN IDENTIFIED AS CAUSING HEPATOMEGALY, PEROXISOME PROLIFERATION AND CYTOCHROME P4504A1 INDUCTION IN THE RAT. THE GUINEA PIG IS NON-RESPONSIVE TO THESE COMPOUNDS AND THE OBSERVED LIVER CHANGES APPEAR TO BE SPECIFIC TO LOWER RODENT SPECIES. THE IMPLICATIONS OF THIS STUDY ARE THAT THE ABOVE COMPOUNDS DO NOT REPRESENT A HEALTH HAZARD TO MAN.				
14. SUBJECT TERMS HALOGENATED HYDROCARBONS, ENZYME INDUCTION, HEPATOMEGALY, CYTOCHROME P4504A, PEROXISOME PROLIFERATION, NON-MUTAGENIC HEPATOCARCINOGENESIS			15. NUMBER OF PAGES 16. PRICE CODE UNKNOWN	
17. SECURITY CLASSIFICATION OF REPORT NON-CLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE NON-CLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT NON-CLASSIFIED	20. LIMITATION OF ABSTRACT UL	

GENERAL INSTRUCTIONS FOR COMPLETING SF 298

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to *stay within the lines* to meet *optical scanning requirements*.

Block 1. Agency Use Only (Leave blank).

Block 2. Report Date. Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.

Block 3. Type of Report and Dates Covered. State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 - 30 Jun 88).

Block 4. Title and Subtitle. A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.

Block 5. Funding Numbers. To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract	PR - Project
G - Grant	TA - Task
PE - Program Element	WU - Work Unit Accession No.

Block 6. Author(s). Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).

Block 7. Performing Organization Name(s) and Address(es). Self-explanatory.

Block 8. Performing Organization Report Number. Enter the unique alphanumeric report number(s) assigned by the organization performing the report.

Block 9. Sponsoring/Monitoring Agency Name(s) and Address(es). Self-explanatory.

Block 10. Sponsoring/Monitoring Agency Report Number. (If known)

Block 11. Supplementary Notes. Enter information not included elsewhere such as: Prepared in cooperation with...; Trans. of...; To be published in.... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

Block 12a. Distribution/Availability Statement. Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, ITAR).

DOD - See DoDD 5230.24, "Distribution Statements on Technical Documents."

DOE - See authorities.

NASA - See Handbook NHB 2200.2.

NTIS - Leave blank.

Block 12b. Distribution Code.

DOD - Leave blank.

DOE - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.

NASA - Leave blank.

NTIS - Leave blank.

Block 13. Abstract. include a brief (*Maximum 200 words*) factual summary of the most significant information contained in the report.

Block 14. Subject Terms. Keywords or phrases identifying major subjects in the report.

Block 15. Number of Pages. Enter the total number of pages.

Block 16. Price Code. Enter appropriate price code (*NTIS only*).

Blocks 17. - 19. Security Classifications. Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.

Block 20. Limitation of Abstract. This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.

1. OBJECTIVES

The comparative hepatotoxicity and enzyme induction potential of 4 peroxisome proliferators, namely perfluorooctanoic acid (PFOA), perfluorodecanoic acid (PFDA) and the tri- and tetra-oligomers of chlorotrifluoroethylene (CTFE) were to be examined in experimental animals. These compounds are in use (or potential use) in the aerospace industry as fire retardants, surfactants, lubricants and corrosion inhibitors. Specifically, it was proposed to investigate the possibility that enzyme induction and hepatotoxicity are lower rodent-specific phenomena (the rat) and not seen in higher species (the guinea pig). In this way, the species differences in liver responses to these chemicals can be used to form part of a hazard identification and risk assessment to man.

2. STATUS OF THE RESEARCH EFFORT

The results of my studies are best described on a compound by compound basis as follows:

(i) PFOA

The influence of a single dose of the peroxisome proliferator PFOA on hepatic and renal mixed function oxidase activities were examined in the rat. Male Wistar albino rats (200-220g initial body weight) received a single i.p. injection of PFOA (75mg/kg). This dose level was chosen to minimise the "wasting syndrome" associated with this compound and pair-fed animals received only the dosing vehicle (propylene glycol: H₂O, 50:50). Animals were individually housed in metabolism cages and body weight and food/water consumption were recorded daily. All animals were killed 3 days post-exposure and livers and kidneys removed, and tissue homogenates prepared for biochemical analyses.

Hepatomegaly, but not increased kidney weight, was observed in the PFOA group. In addition, the phenomenon of hepatic peroxisome proliferation was observed as assessed by increases in the marker enzymes palmitoyl CoA

oxidase (8-fold) and carnitine acetyl transferase (25-fold). The liver was also more susceptible than the kidney to PFOA-dependent induction of the 12-hydroxylation of lauric acid (2-fold), strongly suggesting induction of the CYP4A sub-family. This conclusion was further substantiated by Western blot analysis, wherein an anti-CYP4A1 antibody revealed a substantial PFOA-dependent induction of CYP4A1 in a pattern similar to that observed for the classical peroxisome proliferator, clofibrate. In addition, using a cDNA probe to CYP4A1 in Northern blot analysis, PFOA treatment resulted in a marked increase in the steady state level of CYP4A1 mRNA, again more extensively in liver than in kidney.

Taken collectively, this information confirms that PFOA is acting like a classical peroxisome proliferator, with the liver being the primary target tissue and the kidney being much less responsive.

(ii) TRI-CTFE AND TETRA-CTFE

Male Wistar rats were administered the CTFE oligomers, animals receiving 7 equimolar daily doses of the oligomers by oral gavage at a dose level of 2.3 mmol/kg. Animal monitoring and husbandry was as described above and liver/kidney homogenates prepared for biochemical analysis.

Both compounds caused significant hepatomegaly and induced the peroxisomal β -oxidation of fatty acids, thus confirming these oligomers as peroxisome proliferators. Consistent with these conclusions, both the trimer and the tetramer increased the hydroxylation of lauric acid, indicating that the CTFEs were inducers of the CYP4A sub-family, a conclusion further supported by substantial increases in the steady state levels of the cognate CYP4A1 mRNA as determined by Northern blotting.

My data also indicates that the CTFE tetramer is a more potent enzyme inducer than the trimer and is consistent with their known hepatotoxicities. However, it must be emphasised that a more definitive analysis of their relative potencies must await more extensive dose-response studies, and is the subject of my on-going work in hepatocyte monolayer primary culture studies.

For the CTFE oligomers, disposition and pharmacokinetic considerations make an important contribution to both their relative potencies as enzyme inducers and relative hepatotoxicities in that the tetramer is selectively retained in the liver to approximately double the liver concentrations achieved by the trimer.

(iii) PFDA

Male Wistar rats and male Duncan Hartley guinea pigs were dosed with one i.p. dose (20mg/kg) of PFDA, resulting in pronounced hepatomegaly in the rat but not the guinea pig. PFDA treatment also resulted in a 4-fold induction of lauric acid 12-hydroxylase activity in the rat but not the guinea pig, indicating induction of the CYP4A sub-family, a conclusion further substantiated by Western blot and Northern blot analyses.

Thus there is a clear species specific response to PFDA, with the rat and guinea pig being responsive and non-responsive species respectively.

3. RESEARCH PUBLICATIONS ARISING FROM THE GRANT

The following research papers have been submitted for publication (copies enclosed) and their current status indicated. These are

- (i) Chlorotrifluoroethylene trimer and tetramer are inducers of the CYP4A sub-family. M. Diaz, E. Chinje, P. Kentish, B. Jarnot, M. George and G.G. Gibson (1993), *Biochemical Pharmacology*, in press.

- (ii) Induction of the CYP4A sub-family by perfluorodecanoic acid: the rat and the guinea pig as susceptible and non-susceptible species.
E. Chinje, P. Kentish, B. Jarnot, M. George and G.G. Gibson (1993), Toxicology Letters, in press.
- (iii) Induction of cytochrome P4504A by the peroxisome proliferator perfluoro-n-octanoic acid. M. Diaz, E. Chinje, P. Kentish, B. Jarnot, M. George and G.G. Gibson (1993). Submitted to Toxicology, in press.

It should be noted that two USAF staff (B. Jarnot and M. George Dayton) were co-authors on the above three papers

In addition, some of the data described above have been incorporated into the following two publications:

- (iv) Induction of cytochromes P450 by peroxisome proliferators.
G.G. Gibson, M. Diaz, E. Chinje and G.G. Gibson (1993), in Peroxisome Proliferators : Unique Inducers of Drug-Metabolising Enzymes (D. Moody, Editor, CRC Press, in press.
- (v) Review : Peroxisome Proliferators, A Unique Set of Drug Metabolising Enzymes : Commentary on a Symposium
D.E. Moody, G.G. Gibson, D.F. Grant, J. Magdalou and M.S. Rao (1992).
Drug Metabolism and Disposition, **20**, 779-791.

4. PERSONNEL ASSOCIATED WITH THE RESEARCH EFFORT

- (i) Prof. G. Gordon Gibson, Principal Investigator and Laboratory Task Manager.
- (ii) Dr Edwin Chinje, Postdoctoral Fellow hired on current grant.
- (iii) Dr Maria Diaz, Visiting Scientist from the University of Pamplona, Spain
- (iv) Mr Peter Kentish, Research Technician, University of Surrey
- (v) Dr Bruce Jarnot, USAF Wright-Patterson AFB, Dayton, Ohio.
- (vi) Ms Marilyn George, USAF Wright-Patterson AFB, Dayton, Ohio

5. INTERACTIONS

- (i) Response of Cytochrome P450s to Peroxisome Proliferators. Invited Platform presentation, ASPET Symposium in FASEB Spring meeting, Anaheim, California, USA, April 1992.
- (ii) Peroxisome Proliferation and Non-mutagenic Hepatocarcinogenesis. Lecture given in Conference on Applications of Advances in Toxicology to Risk Assessment, Sponsored by the US Air Force, Wright-Patterson AFB, Dayton, Ohio, USA, May 1992.
- (iii) Biochemistry and Molecular Biology of Peroxisome Proliferation. Invited lecture at Annual Meeting of the Biological Society of Chile, Termas de Paychue, Chile, November, 1992
- (iv) Peroxisome proliferation : Toxicological Implications. Departmental Seminar, University of Birmingham, England, November 1992
- (v) Non-mutagenic carcinogens. Invited lecture at the UK Environmental Mutagenicity Meeting, Guildford, March 1993.

6. INVENTIONS AND PATENTS.

Not applicable

DTIC QUALITY INSPECTED

GGG/st/USAF Grant/5.7.93

Accession For	
NTIS ADAMI	☒
DTIC TAB	☐
Unannounced	☐
Institution	
By	
Date	
Initials	
Signature	
A-1	