

AD-A276 371



SP-100(66)

①

**DTIC**  
ELECTE  
FEB 28 1994

**A**

LIBRARY  
OCEANOGRAPHIC OFFICE

**SPECIAL PUBLICATION**

**LONG-RANGE ICE OUTLOOK  
ANTARCTIC (1966-67)**

**JIMMIE D. JOHNSON**  
and  
**GABRIEL J. POTOCSKY**  
*Oceanographic Prediction Division*

LIBRARY  
OCEANOGRAPHIC OFFICE

**NOVEMBER 1966**

LIBRARY  
OCEANOGRAPHIC OFFICE



QUALITY INSURANCE

94-06419

Distribution of this document is unlimited.

**MARINE SCIENCES DEPARTMENT  
U. S. NAVAL OCEANOGRAPHIC OFFICE  
WASHINGTON, D. C. 20390**

Price 80 cents

14 3 23 121

**Best  
Available  
Copy**

## ABSTRACT

An outlook of expected sea ice conditions in the Ross Sea and McMurdo Sound regions of Antarctica is presented for the period mid-November 1966 through mid-January 1967. Oceanographic and climatic data for these areas were analyzed in terms of sea ice growth during the past austral winter. These analyses, combined with observed ice conditions for the period 3 through 8 October 1966 and a comprehensive study of historical ice and climatic information, formed the basis for the 1966-67 Ice Outlook. Evaluation of this information indicates that present ice conditions are similar to those observed during the 1964-65 season. In terms of the 1965-66 season, ice conditions are expected to be slightly heavier in the Ross Sea with less fast ice to be broken in McMurdo Sound.

CONTENTS

	Page
I. INTRODUCTION . . . . .	1
II. ANALYSIS OF ENVIRONMENTAL DATA . . . . .	1
III. PRELIMINARY SURVEY OF ICE CONDITIONS	
A. General. . . . .	2
B. Observed Ice Conditions. . . . .	2
IV. OUTLOOK	
A. General. . . . .	2
1. Outer Pack Boundary to 70S . . . . .	3
2. 70S to 75S . . . . .	3
3. 75S to Approaches to McMurdo Sound . . . . .	3
4. McMurdo Sound. . . . .	3
 ILLUSTRATIONS	
Figure 1. Place Name Chart. . . . .	5
Figure 2. Computed Mean Ice Drift . . . . .	6
Figure 3. Observed Ice Conditions . . . . .	7
Figure 4. Key to Ice Symbols. . . . .	8
Figure 5. Prognostic Ice Chart Mid-Nov 1966 . . . . .	9
Figure 6. Prognostic Ice Chart Mid-Dec 1966 . . . . .	10
Figure 7. Prognostic Ice Chart Mid-Jan 1967 . . . . .	11

Accession For	
NTIS GRA&I	↓
DTIC TAB	[ ]
Unannounced	[ ]
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

## LONG-RANGE ICE OUTLOOK, ANTARCTIC (1966-67)

### I. INTRODUCTION

The Long-Range Ice Outlook for DEEP FREEZE 67 presents a written and graphic description of expected ice conditions during the forthcoming operations of the Military Sea Transportation Service (MSTS) in Antarctica. Prognostic monthly ice charts showing the expected distribution of sea ice from mid-November through mid-January are presented.

The outlook is developed initially from a thorough evaluation of historical environmental data and from experience gained during previous DEEP FREEZE operations. Utilizing known empirical relationships, the character and distribution of ice developed during the winter season are quantitatively determined.

In addition, aerial reconnaissance of the Ross Sea-McMurdo Sound area from 3 to 8 October provides information on distribution, age, and roughness of the ice under consideration. A comparison is then made between the current environment and ice conditions experienced in preceding years to determine if an analogous situation exists. Place names used in this text are shown in figure 1.

### II. ANALYSIS OF ENVIRONMENTAL DATA

Throughout the ice growth period, ice drift depends on mean sea-level circulation which is controlled by the path of the migrating pressure systems. The ice growth period is considered to extend from 15 April to 15 September. Owing to the lack of wind information over the Ross Sea, the ability to forecast ice drift becomes quite difficult. In order to help solve this problem, a series of points throughout the Ross Sea were selected, so that the mean wind velocity could be estimated from the daily weather charts in 15-day increments throughout the season of ice growth. Comparison of the 1965 wind data with this year's data indicates considerable changes throughout the area.

Vectors representing average ice drift for the entire ice growth period were computed for the selected points and are shown in figure 2. The arrow indicates the direction in which the ice is drifting, and the number on the arrow indicates the speed in nautical miles per day. Throughout the area, directions backed 45 to more than 90 degrees from last year's vectors. The greatest deviation occurred north of 70S where northeasterly ice drift was evident. Onshore drift was observed along the coast of Victoria Land from 76S to Cape Adare. The remainder of the area experienced northwest to northerly ice drift. Magnitudes were generally moderate, except north of 70S where magnitudes were light.

### III. PRELIMINARY SURVEY OF ICE CONDITIONS

#### A. General

Preliminary aerial ice reconnaissance was made between 3 and 8 October 1966. C-121J and C-130E aircraft from Air Development Squadron 6 surveyed the ice conditions in the Ross Sea and McMurdo Sound. Results of these surveys are shown in figure 3. A legend of ice terminology and symbols is presented in figure 4.

#### B. Observed Ice Conditions

In McMurdo Sound ice concentrations were generally 9 to 10 tenths. The age was predominantly thick winter with secondary stages of medium winter and young ice. The fast ice boundary extended west-southwesterly from Cape Royds to the vicinity of 7740S, 1640E, thence north-northwesterly 5 to 10 miles seaward of the Victoria Land coast. Adjacent to the fast ice and extending 15 miles northward was a considerable amount of young and medium winter ice.

From Franklin Island northward to the vicinity of 7330S, concentration was 10 tenths. The age consisted of 80 percent thick winter and 20 percent medium winter ice. Fast ice was observed in a 15- to 20-mile-wide band adjacent to the coast of Victoria Land from 7330S to 7430S.

Within the observed area between 66S and 7330S, the pack concentration was 9 tenths with 50 to 80 percent thick winter and the remainder medium winter and young ice. Heavy ridging was present throughout the observed area.

From 65S to 66S open pack concentrations consisted of 60 percent medium winter and 40 percent thick winter ice.

From 66S to 68S between 160E and 165E, ice concentrations ranged from 3 to 9 tenths with 50 percent thick and medium winter and 50 percent young and slush ice.

### IV. OUTLOOK

#### A. General

Ice conditions determined from environmental conditions and confirmed by preliminary reconnaissance were quite similar to those observed during DEEP FREEZE 65. In addition, the temperature and wind regimes reflect conditions similar to the 1964-65 season. Accordingly, prognostic ice conditions for mid-November through mid-January, shown in figures 5 through 7, are similar to conditions observed during the 1964-65 season.

### 1. Outer Pack Boundary to 70S

By mid-November the outer pack boundary should extend from approximately 64S,160E eastward to 64S,180. Concentrations south of the boundary to 6730S should consist of mixed concentrations of open and close pack ice with very open pack ice from 65S to 6730S between 160E and 164E. From 6730S to 70S close pack concentrations containing 60 to 70 percent thick winter and moderately ridged ice will prevail.

The outer pack boundary should have receded to nearly 67S by mid-December with primarily open pack concentrations of thick and medium winter ice extending to 70S. Some close pack concentrations will remain in this area.

By mid-January the outer pack boundary should have receded to the vicinity of 68S with some open pack concentrations mixed with an extensive amount of very open pack ice extending to 70S.

### 2. 70S to 75S

Little change in presently observed ice conditions are expected by mid-November. However, by mid-December considerable disintegration should occur east of 173E. From 70S to 72S close pack concentrations consisting of 40 to 60 percent thick winter ice will be present. From 72S to 75S a considerable amount of open pack ice should be observed with some very open pack beginning near 75S. Heavily compacted ice will remain west of 173E owing to strong southerly and southeasterly winds.

By mid-January much open pack, open water, and ice free conditions will occur east of 173E.

### 3. 75S to Approaches to McMurdo Sound

During November, heavily ridged and compacted close pack ice should be observed from the coast of Victoria Land to the vicinity of Franklin Island. By the end of November open pack should be evident along the Ross Ice Shelf from Cape Crozier eastward to 180 and northward to 76S,170E.

Except for remnant pack ice along the coast of Victoria Land and along the north coast of Ross Island, this area should be essentially ice free by mid-January.

### 4. McMurdo Sound

By mid-November the fast ice boundary will extend westward from Cape Royds to 165E and then to the vicinity of Butter Point.

Owing to icebreaker operations, southerly winds, and warm air temperatures, the fast ice boundary should have retreated to the south of Winter Quarters Bay by mid-December and east of Cape Armitage by mid-January.

Depending on wind conditions, variable concentrations of young and medium winter ice will remain north of the fast ice boundary until mid-December.






FIGURE 1 PLACE NAME CHART



H.O. 15869-C46

FIGURE 2 COMPUTED MEAN ICE DRIFT 15 APRIL TO 15 SEPTEMBER 1966









H.O. 15869-C46




FIGURE 3 OBSERVED ICE CONDITIONS 3-8 OCTOBER 1966

# KEY TO ICE SYMBOLS






## TOTAL CONCENTRATION

-  Ice free
-  0.1 (open water)
-  0.1 thru 0.3 (very open pack)
-  0.4 thru 0.6 (open pack)
-  0.7 thru 0.9 (close pack)
-  1.0 fast or (very close pack)

## BOUNDARY

-  observed
-  radar
-  limit of observed data

## TOPOGRAPHY

-  rafted
  -  ridged
  -  hummocked
- Examples  (n)  (n) +
- + after symbol indicates average height is 10 ft or greater
- after symbol indicates average height is less than 10 ft
- (n) tenths coverage on ice

## COVERAGE BY SIZE

$$\frac{C_n}{n_1 n_2 n_3}$$

$C_n$  = total concentration

	SL =	Slush	
	BSH =	Brash	< 2m (< 6.6 ft)
$n_1$	SCAKE =	Small Ice Cake	< 2m (< 6.6 ft)
	PK =	Pancake Ice	30 cm—3 m (12 in—9.8 ft)
	CAKE =	Ice Cake	< 10 m (< 32.8 ft)
$n_2$	SMF =	Small Ice Floe	10—200 m (32.8—656 ft)
	MDF =	Medium Ice Floe	200—1,000 m (656—3,281 ft)
$n_3$	BGF =	Big Ice Floe	1—< 10 km (3,281 ft—< 5.4 nm)
	VAF =	Vast Ice Floe	> 10 km (> 5.4 nm)

Example:  $\frac{9}{243}$  BSH

9 = total concentration  
 2 = tenths all brash ice  
 4 = tenths, small and medium ice floes  
 3 = tenths, big and vast ice floes

## STAGE OF DEVELOPMENT

A  
 tenths predominant, tenths secondary

AGE	AVERAGE THICKNESS
IC = Ice Crystals	
SL = Slush	< 5 cm (< 2 in)
IR = Ice Rind	< 5 cm (< 2 in)
PK = Pancake	< 5 cm (< 2 in)
Y = Young	5—15 cm (2—6 in)
MW = Medium Winter	15—30 cm (6—12 in)
TW = Thick Winter	> 30 cm (> 12 in)
WT = Winter	15 cm—2 m (6 in—6.6 ft)
PL = Polar	< 3 m (< 9.8 ft)
YP = Young Polar	< 2.5 m (< 8.2 ft)
AP = Arctic Pack	> 2.5 m (> 8.2 ft)

Example:  $\frac{A}{7MW3SL}$

A = Stage of development  
 7MW = 7 tenths Medium Winter  
 3SL = 3 tenths Slush

## STAGE OF MELTING

- $\frac{PD}{(n) + (n) F}$
- PD = puddling
- (n) = tenths coverage on ice
- (n) F = tenths coverage on ice, Frozen

Examples

$$\frac{PD}{3} = 3 \text{ tenths puddling}$$

$$\frac{PD}{3F} = 3 \text{ tenths frozen puddles}$$

TH = thaw holes — same entry procedure as above

## UNDERCAST

 Limit

## THICKNESS OF ICE AND SNOW

$$\frac{I}{n} = \text{ice thickness in inches}$$

$$\frac{SD}{n} = \text{snow depth in inches}$$


$$\frac{S}{n} = \text{snow cover in tenths}$$


## PHENOMENA

 crack


 polynya

 lead

 (n) icebergs


 (n) bergy bits & growlers

(n) = number in area




H.O. 15869-C46

FIGURE 5 PROGNOSTIC ICE CHART MID-NOVEMBER 1966



H.O. 15869-C46

FIGURE 6 PROGNOSTIC ICE CHART MID-DECEMBER 1966



H.O. 15869-C46

FIGURE 7 PROGNOSTIC ICE CHART MID-JANUARY 1967

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1 ORIGINATING ACTIVITY (Corporate author)  U. S. Naval Oceanographic Office		2a REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
		2b GROUP N/A	
3 REPORT TITLE  LONG-RANGE ICE OUTLOOK, ANTARCTIC (1966-67)			
4 DESCRIPTIVE NOTES (Type of report and inclusive dates) Special Publication			
5 AUTHOR(S) (Last name, first name, initial)  JOHNSON, JIMMIE D. and GABRIEL J. POTOCSKY			
6 REPORT DATE NOVEMBER 1966		7a TOTAL NO OF PAGES 11	7b NO OF REFS 0
8a CONTRACT OR GRANT NO. None		9a ORIGINATOR'S REPORT NUMBER(S) SP-100(66)	
b. PROJECT NO		9b OTHER REPORT NO(S) (Any other numbers that may be assigned this report) None	
c.			
d.			
10 AVAILABILITY/LIMITATION NOTICES  Distribution of this document is unlimited.			
11 SUPPLEMENTARY NOTES		12 SPONSORING MILITARY ACTIVITY  U. S. Naval Oceanographic Office Washington, D. C. 20390	
13 ABSTRACT  An outlook of expected sea ice conditions in the Ross Sea and McMurdo Sound regions of Antarctica is presented for the period mid-November 1966 through mid-January 1967. Oceanographic and climatic data for these areas were analyzed in terms of sea ice growth during the past austral winter. These analyses, combined with observed ice conditions for the period 3 through 8 October 1966 and a comprehensive study of historical ice and climatic information, formed the basis for the 1966-67 Ice Outlook. Evaluation of this information indicates that present ice conditions are similar to those observed during the 1964-65 season. In terms of the 1965-66 season, ice conditions are expected to be slightly heavier in the Ross Sea with less fast ice to be broken in McMurdo Sound.			

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
FREEZING						
ICE						
MELTING						
OCEANOGRAPHIC DATA ICE DATA						
POLAR REGIONS						
WATER SEA WATER						

**INSTRUCTIONS**

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.
- 2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.
- 2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.
3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.
4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.
5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.
6. **REPORT DATE:** Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.
- 7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.
- 7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.
- 8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.
- 8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.
- 9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.
- 9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).
10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through \_\_\_\_\_."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through \_\_\_\_\_."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through \_\_\_\_\_."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.

U.S. Naval Oceanographic Office  
LONG-RANGE ICE OUTLOOK, ANTARCTIC  
(1966-67). NOVEMBER 1966. 4 p. text  
and 7 figures. SP-100(66)

An analysis of environmental data for forecasting ice growth and the climatic outlook for the antarctic shipping season, during the austral winter 1966-67, are included. Conditions experienced in the preceding year, combined with observations from 3 through 8 October in the Ross Sea-McMurdo Sound regions, formed the basis for the 1966-67 Ice Outlook. A series of charts shows prognostic sea-ice conditions from mid-November 1966 through mid-January 1967.

1. Ice Forecasting, Antarctic
2. Ice Distribution, Antarctic
3. Climate, Antarctic
4. McMurdo Sound
5. Ross Sea
- i. title: Long-Range Ice Outlook, Antarctic (1966-67)
- ii. SP-100(66)

U.S. Naval Oceanographic Office  
LONG-RANGE ICE OUTLOOK, ANTARCTIC  
(1966-67). NOVEMBER 1966. 4 p. text  
and 7 figures. SP-100(66)

An analysis of environmental data for forecasting ice growth and the climatic outlook for the antarctic shipping season, during the austral winter 1966-67, are included. Conditions experienced in the preceding year, combined with observations from 3 through 8 October in the Ross Sea-McMurdo Sound regions, formed the basis for the 1966-67 Ice Outlook. A series of charts shows prognostic sea-ice conditions from mid-November 1966 through mid-January 1967.

1. Ice Forecasting, Antarctic
2. Ice Distribution, Antarctic
3. Climate, Antarctic
4. McMurdo Sound
5. Ross Sea
- i. title: Long-Range Ice Outlook, Antarctic (1966-67)
- ii. SP-100(66)

U.S. Naval Oceanographic Office  
LONG-RANGE ICE OUTLOOK, ANTARCTIC  
(1966-67). NOVEMBER 1966. 4 p. text  
and 7 figures. SP-100(66)

An analysis of environmental data for forecasting ice growth and the climatic outlook for the antarctic shipping season, during the austral winter 1966-67, are included. Conditions experienced in the preceding year, combined with observations from 3 through 8 October in the Ross Sea-McMurdo Sound regions, formed the basis for the 1966-67 Ice Outlook. A series of charts shows prognostic sea-ice conditions from mid-November 1966 through mid-January 1967.

1. Ice Forecasting, Antarctic
2. Ice Distribution, Antarctic
3. Climate, Antarctic
4. McMurdo Sound
5. Ross Sea
- i. title: Long-Range Ice Outlook, Antarctic (1966-67)
- ii. SP-100(66)

U.S. Naval Oceanographic Office  
LONG-RANGE ICE OUTLOOK, ANTARCTIC  
(1966-67). NOVEMBER 1966. 4 p. text  
and 7 figures. SP-100(66)

An analysis of environmental data for forecasting ice growth and the climatic outlook for the antarctic shipping season, during the austral winter 1966-67, are included. Conditions experienced in the preceding year, combined with observations from 3 through 8 October in the Ross Sea-McMurdo Sound regions, formed the basis for the 1966-67 Ice Outlook. A series of charts shows prognostic sea-ice conditions from mid-November 1966 through mid-January 1967.

1. Ice Forecasting, Antarctic
2. Ice Distribution, Antarctic
3. Climate, Antarctic
4. McMurdo Sound
5. Ross Sea
- i. title: Long-Range Ice Outlook, Antarctic (1966-67)
- ii. SP-100(66)