

MAY 25 '62
1962**COPY 1**
OTS Selective BibliographyUNITED STATES DEPARTMENT OF COMMERCE
Luther H. Hodges, SecretaryOFFICE OF TECHNICAL SERVICES
John C. Green, Director**AD-A280 217**

SB-452

HIGH TEMPERATURE METALLURGY AND HEAT RESISTANT ALLOYS

A bibliography of reports listed in the two OTS monthly abstract journals: *U. S. Government Research Reports* and *Technical Translations*.

HOW TO ORDER REPORTS. Always use complete title and code designation of each report as shown on bottom line, right side. Order from agency indicated.

To Order From Library of Congress (LC). Address your order to Library of Congress, Photoduplication Service, Publication Board Project, Washington 25, D. C. Make check or money order payable to Chief, Photoduplication Service, Library of Congress. State whether report is desired in microfilm or photocopy.

To Order From Office of Technical Services (OTS). Address your order to Office of Technical Services, U. S. Department of Commerce, Washington 25, D. C. Make check or money order payable to OTS, Department of Commerce. Reports available from OTS may also be ordered through Department of Commerce field offices.

To Order From Other Sources. When an agency other than OTS or LC is the source, write to that agency directly. Make check or money order payable to that agency.

Abbreviations: Mi--Microfilm, 35 mm.; Ph--Photocopy; Enl. Pr--Enlargement Print

Reports included in this bibliography were added to the OTS collection during the period 1950 to February 1961. HEAT TREATMENT of METALS is covered in SB-454.

HEAT RESISTANT ALLOYS

Tour, & Co., Inc., New York, N.Y.
HOT TURNING OF SELECTED STEELS AND HIGH TEMPERATURE ALLOYS (cobalt alloys). Summary-Final rept.
1950. 84p.
Order from LC mi\$3.75 ph\$11.25 PB 100208

U.S. Lewis Flight Propulsion Lab., Cleveland, O.
RESISTANCE OF SIX CAST HIGH-TEMPERATURE ALLOYS TO CRACKING CAUSED BY THERMAL SHOCK, by Whitman, Hall and others. (includes vitallium - thermal properties) 1950. 26p.
Order from LC mi\$2.00 ph\$3.75 PB 100297

EFFECTS OF AN AGING TREATMENT ON LIFE OF SMALL CAST VITALLIUM GAS-TURBINE BLADES, by Hoffman and Yaker.
1950. 25p.
Order from LC mi\$2.00 ph\$3.75 PB 100494

National Defense Research Committee.
ADVISORY REPORT ON INDEXING OF DIVISION 18 NDRC REPORTS: Reports on Heat Resistant Alloys, by Forsyth. (includes alloys, high temperature - bibliography) 1946. 38p.
Order from LC mi\$2.25 ph\$5.00 PB 100301

Office of Naval Research
WELDABILITY OF ALLOYS FOR HIGH-TEMPERATURE SERVICE, by Linnert. 1947. 81p.
Order from LC mi\$3.75 ph\$11.25 PB 100305

National Adv. Committee for Aeronautics (NASA)
SOME PROPERTIES OF HIGH-PURITY SINTERED WROUGHT MOLYBDENUM METAL AT TEMPERATURES UP TO 2400°F, by Long, Dike and others. 1951. 57p.
Order from LC mi\$2.75 ph\$7.50 PB 103357

DIFFUSION OF CHROMIUM IN COBALT-CHROMIUM SOLID SOLUTIONS, by Weeton. 1950. 38p.
Order from LC mi\$2.25 ph\$5.00 PB 102279

DEVELOPMENT OF MAGNESIUM-CERIUM FORGED ALLOYS FOR ELEVATED-TEMPERATURE SERVICE, by Grube, Kaiser and others. 1951. 80p.
Order from LC mi\$3.50 ph\$10.00 PB 103358

FUNDAMENTAL AGING EFFECTS IN INFLUENCING HIGH-TEMPERATURE PROPERTIES OF SOLUTION-TREATED INCONEL X, by Frey, Freeman and others. 1951. 56p.
Order from LC mi\$2.75 ph\$7.50 PB 104109

EFFECTIVENESS OF CERAMIC COATINGS IN REDUCING CORROSION OF FIVE HEAT-RESISTANT ALLOYS BY LEAD BROMIDE VAPORS, by Moore and Mason. 1951. 24p.
Order from LC mi\$2.00 ph\$3.75 PB 104112

CRITICAL REVIEW OF NOTCH SENSITIVITY IN STRESS-RUPTURE TESTS, by Brown and Sachs. 1951. 29p.
Order from LC mi\$2.00 ph\$3.75 PB 104806

DTIC QUALITY INSPECTED 2

94-17407



94

6

8

024

7-1-62

U.S. Air Materiel Command. Engineering Div. Aircraft Lab., Wright Field, Dayton, O.
FIRE TESTS ON MAGNESIUM ALLOY CASTINGS, by Grimes (includes magnesium castings - high temperature properties) 1947. 9p.
Order from LC mi\$1.25 ph\$1.25 PB 100997

INVESTIGATION OF THE STRESS RUPTURE PROPERTIES AT 1500°F OF A NUMBER OF HIGH TEMPERATURE ALLOYS, by Fields and Rector. 1949. 28f.
Order from LC mi\$2.00 enl pr\$5.00 PB 103390

DEVELOPMENT OF SHEET MATERIALS FOR HIGH TEMPERATURE APPLICATIONS, by Meierdirks and Mohling. 1948. 38p.
Order from LC mi\$2.25 ph\$5.00 PB 107255

REFRACTORY METAL REINFORCED SUPER ALLOYS, by Krol and Goetzel, Loewy Research & Development Div. 1949. 29p.
Order from LC mi\$2.00 ph\$3.75 PB 107258

UTILIZATION OF LOW ALLOY MATERIALS FOR HIGH TEMPERATURE SERVICE APPLICATIONS, by Miller, Smith and others. 1949. 65p.
Order from LC mi\$3.00 ph\$8.75 PB 107260

V-36 ALLOY: DETERMINATION OF DESIGN DATA, by Simmons, Battelle Memorial Institute, Columbus, O. 1950. 18p.
Order from LC mi\$1.75 ph\$2.50 PB 107262

Office of Naval Research, London Branch.
BRANCH SYMPOSIUM ON HIGH TEMPERATURE STEELS AND ALLOYS FOR GAS TURBINES (vanadium steel), by Shaler. 1951. 32p.
Order from LC mi\$2.25 ph\$5.00 PB 103890

INVESTIGATION OF THE MICROCONSTITUENTS IN CHROMIUM-BASE, CHROMIUM-IRON-MOLYBDENUM ALLOYS AND THEIR BEHAVIOR WITH HEAT TREATMENT. 1949. 147f.
Order from LC mi\$5.75 enl pr\$20.00 PB 104478

Dow Chemical Co. Magnesium Labs., Midland, Mich.
EVALUATION OF MECHANICAL PROPERTIES AND FOUNDRY CHARACTERISTICS OF MAGNESIUM-BASE CASTING ALLOYS RECOMMENDED FOR ELEVATED TEMPERATURE APPLICATIONS:
First monthly progress rept. 1950. 9p.
Order from LC mi\$1.25 ph\$1.25 PB 104490
Fourth monthly progress rept. 1950. 30p.
Order from LC mi\$2.00 ph\$3.75 PB 104482
Final rept. 1951. 70p.
Order from LC mi\$3.00 ph\$8.75 PB 103793

MIT., Cambridge, Mass.
FABRICATION OF HIGH-MELTING-POINT ALLOYS BY SPRAYING AND SINTERING, by Cline, Thurston and others. 1949. 23p.
Order from LC mi\$2.00 ph\$3.75 PB 104555

Battelle Memorial Inst., Columbus, O.
INVESTIGATION OF THE FUNDAMENTAL FACTORS PROMOTING HIGH-TEMPERATURE STRENGTH OF ALLOYS. (includes cobalt-chromium alloys) Summary rept., by McBride, Elsea and others. 1949. 58p.
Order from LC mi\$2.75 ph\$7.50 PB 104552

INVESTIGATION OF THE FUNDAMENTAL FACTORS PROMOTING HIGH-TEMPERATURE STRENGTH OF ALLOYS, by McBride, Elsea and others. (includes cobalt-chromium alloys) 1949. 54p.
Order from LC mi\$2.75 ph\$7.50 PB 105075

ALLOYS FOR HIGH-TEMPERATURE SERVICE. Quart. prog. rept., by Cross. (includes cobalt-chromium-molybdenum alloys) 1949. 17p.
Order from LC mi\$1.75 ph\$2.50 PB 105105

Battelle Memorial Inst., Columbus, O.
FUNDAMENTAL INVESTIGATION OF THE CAUSES OF CRACKING IN WELDS AND ADJACENT PARENT METAL, by Williams, Voldrich and others. Summary rept. 1949. 57p.
Order from LC mi\$2.75 ph\$7.50 PB 105125

COMPARISON OF THE HIGH-TEMPERATURE PROPERTIES OF ML ALLOY AND 142 ALLOY AT ROOM TEMPERATURE, 400°F., and 600°F. Final rept., by Craighead, Eastwood and others. 1948. 20p.
Order from LC mi\$1.75 ph\$2.50 PB 107257

Ill. Univ. Dept. of Theoretical and Applied Mechanics, Urbana, Ill.
PAST WORK ON FATIGUE OF METALS IN THE HIGH TEMPERATURE FIELD, by Dolan. 1950. 47p.
Order from LC mi\$2.50 ph\$6.25 PB 105249

Ill. Univ. Dept. of Ceramic Engineering, Urbana
SAG RESISTANT PROPERTIES OF METALS AND ALLOYS, by Plankenhorn and Bennett. 1950. 23p.
Order from LC mi\$2.00 ph\$3.75 PB 107985

N.Y. State College of Ceramics, Alfred, N.Y.
SUMMARY OF PROGRESS IN THE INVESTIGATION OF PHASE RELATIONSHIPS BETWEEN METALS AND OXIDES IN AIR AT HIGH TEMPERATURES. Summary rept., by Mahon. 1949. 67p.
Order from LC mi\$3.00 ph\$8.75 PB 107990

National Adv. Committee for Aeronautics (NASA)
RUPTURE PROPERTIES OF LOW-CARBON N-155 TYPE ALLOYS MADE WITH A COLUMBIUM-TANTALUM FERRO-ALLOY, by White, Freeman and Reynolds. 1951. 11p.
Order from LC mi\$1.75 ph\$2.50 PB 104949

INVESTIGATION OF INFLUENCE OF CHEMICAL COMPOSITION ON FORGED MODIFIED LOW-CARBON N-155 ALLOYS IN SOLUTION-TREATED AND AGED CONDITION AS RELATED TO RUPTURE PROPERTIES AT 1200°F, by Reynolds, Freeman and White. 1951. 111p.
Order from LC mi\$4.75 ph\$15.00 PB 105203

FUNDAMENTAL EFFECTS OF COLD-WORKING ON CREEP PROPERTIES OF LOW-CARBON N-155 ALLOY, by Frey, Freeman and White. 1951. 45p.
Order from LC mi\$2.50 ph\$6.25 PB 105416

EFFECTS OF SOME SOLUTION TREATMENTS FOLLOWED BY AN AGING TREATMENT ON THE LIFE OF SMALL CAST GAS-TURBINE BLADES OF A COBALT-CHROMIUM-BASE ALLOY.
II. EFFECT OF SELECTED COMBINATIONS OF SOAKING TIME, TEMPERATURE, AND COOLING RATE, by Hoffman and Robards. 1951. 19p.
Order from LC mi\$1.75 ph\$2.50 PB 105420

CERAMIC COATINGS FOR PREVENTION OF CARBON ABSORPTION IN FOUR HEAT-RESISTANT ALLOYS, by Pitts and Moore. 1951. 14p.
Order from LC mi\$1.75 ph\$2.50 PB 105930

FUNDAMENTAL EFFECTS OF COLD-WORK ON SOME COBALT-CHROMIUM-NICKEL-IRON BASE CREEP-RESISTANT ALLOYS, by Frey, Freeman and White. 1952. 12p.
Order from LC mi\$1.75 ph\$2.50 PB 105941

SURVEY OF PORTIONS OF THE COBALT-CHROMIUM-IRON-NICKEL QUATERNARY SYSTEM, by Kamen and Beck. 1952. 62p.
Order from LC mi\$3.00 ph\$8.75 PB 106314

ABNORMAL GRAIN GROWTH IN S-816 ALLOY, by Rush, Freeman and White. 1952. 30p.
Order from LC mi\$2.00 ph\$3.75 PB 106786

National Adv. Committee for Aeronautics (NASA)
INFLUENCE OF STRUCTURE ON PROPERTIES OF SINTERED
CHROMIUM CARBIDE, by Hamjian and Lidman. 1952. 21p.
Order from LC mi\$2.70 ph\$4.80 PB 107055

LINEAR TIME-TEMPERATURE RELATION FOR EXTRAPOLATION
OF CREEP AND STRESS-RUPTURE DATA, by Manson and
Haferd. 1953. 49p.
Order from LC mi\$2.75 ph\$6.50 PB 109101

IMPROVEMENT OF HIGH-TEMPERATURE PROPERTIES OF
MAGNESIUM-CERIUM FORGING ALLOYS, by Grube, Davis and
others. 1950. 38p.
Order from LC mi\$2.25 ph\$5.00 PB 110042

RELATION OF MICROSTRUCTURE TO HIGH-TEMPERATURE PRO-
PERTIES OF A WROUGHT COBALT-BASE ALLOY, Stellite 21
(AMS 5385), by Clauss and Weeton. 1954. 49p.
Order from LC mi\$2.75 ph\$6.50 PB 113578

FURTHER INVESTIGATION OF THE EFFECT OF SURFACE
FINISH ON FATIGUE PROPERTIES AT ELEVATED TEMPERA-
TURES, by Ferguson. 1954. 27p.
Order from NASA (TN 3142) PB 113744

EVALUATION OF ALLOYS FOR VACUUM BRAZING OF SINTERED
WROUGHT MOLYBDENUM FOR ELEVATED-TEMPERATURE APPLI-
CATIONS, by Dike. 1954. 13p.
Order from LC mi\$2.40 ph\$3.30 PB 114262

INVESTIGATION OF NICKEL-ALUMINUM ALLOYS CONTAINING
FROM 14 TO 34 PERCENT ALUMINUM, by Maxwell and Grala.
1954. 42p.
Order from NASA (TN 3259) PB 114982

HIGH-RESOLUTION AUTORADIOGRAPHY, by Towe, Gombert
and Freeman. (includes nickel, copper and tungsten -
autoradiography) 1954. 140p.
Order from NASA (TN 3209) PB 115011

TENSILE AND COMPRESSIVE STRESS-STRAIN PROPERTIES OF
SOME HIGH-STRENGTH SHEET ALLOYS AT ELEVATED TEM-
PERATURES, by Hughes, Inge and Prosser. (includes
nickel alloys - tensile properties) 1954. 32p.
Order from NASA (TN 3315) PB 115779

Alloy Engineering & Casting Co., Champaign, Ill.
ADVANCED CASTING TECHNIQUES AND PROCESSES. Summary
and final rept. of casting research and development
program. 1950. 147p.
Order from LC mi\$5.75 ph\$18.75 PB 109239

Calif. Univ. Inst. of Engineering Research,
Berkeley, Calif.
CORRELATIONS OF RUPTURE DATA FOR METALS AT ELEVATED
TEMPERATURES, by Orr, Sherby and Dorn. (includes
aluminum, aluminum alloys, beryllium and molybdenum-
rupture) 1953. 30p.
Order from LC mi\$2.25 ph\$4.00 PB 111348

NOL, White Oak, Md.
THERMENOL, A NON-STRATEGIC ALUMINUM-IRON BASE ALLOY
FOR HIGH TEMPERATURE SERVICE, by Nachman and Buehler.
1954. 18p.
Order from OTS at 50 cents PB 111530

Minnesota. Univ., Minneapolis, Minn.
DAMPING, ELASTICITY, AND FATIGUE PROPERTIES OF
UNNOTCHED AND NOTCHED N-155 AT ROOM AND ELEVATED
TEMPERATURES, by Demer and Lazan. 1953. 77p.
Order from LC mi\$3.75 ph\$10.25 PB 111618

U.S. Arsenal, Watertown, Mass.
SURVEY AND BIBLIOGRAPHY ON THE DETERMINATION OF
THERMAL CONDUCTIVITY OF METALS AT ELEVATED TEMPERA-
TURES, by Seibel. 1954. 67p.
Order from LC mi\$3.25 ph\$9.00 PB 111756

National Research Corp., Cambridge, Mass.
INVESTIGATION OF NICKEL BASE PRECIPITATION HARDENING
ALLOYS, by Sinizer. 1955. 45p.
Order from LC mi\$2.75 ph\$6.50 PB 111791

Allegheny Ludlum Steel Corp., Watervliet Research
Lab.
DEVELOPMENT OF WROUGHT AND CAST ALLOYS FOR HIGH
TEMPERATURE APPLICATIONS, by MacFarlane, DeFries
and others. (cobalt-alloys) 1955. 93p.
Order from LC mi\$4.50 ph\$12.75 PB 111891

Battelle Memorial Inst., Titanium Metallurgical L
Lab., Columbus, O.
SELECTION OF MATERIALS FOR HIGH-TEMPERATURE APPLI-
CATIONS IN AIRFRAMES, by Gordon. (includes titanium
alloys - thermal properties) 1955. 38p.
Order from LC mi\$2.50 ph\$5.25 PB 111980

Australia. Dept. of Supply. Defence Research Labs.,
Maribyrnong, Victoria.
HIGH-TEMPERATURE ALLOYS, a bibliography by Hood.
1953. 105p.
Order from LC mi\$4.50 ph\$13.75 PB 112022

Rand Corp., Santa Monica, Calif.
CALCULATIONS FOR REACTIONS OF CHROMIUM, MOLYBDENUM,
TITANIUM AND TUNGSTEN WITH OXYGEN, NITROGEN,
HYDROGEN, CARBON AND SULFUR, by Ward, Ray and
Herres. 1948. 97p.
Order from LC mi\$4.50 ph\$12.75 PB 113262

National Research Council. Div. of Engineering &
Industrial Research. Minerals & Metals Advisory
Board.
REPORT ON THE RECOVERY OF CRITICAL AND STRATEGIC
METALS FROM HIGH ALLOY SCRAP, BY PANEL ON HIGH ALLOY
SCRAP UTILIZATION. 1953. 30p.
Order from LC mi\$2.25 ph\$4.00 PB 113480

Syracuse. Univ. Dept. of Materials Engineering,
Syracuse, N.Y.
DYNAMIC CREEP AND RUPTURE PROPERTIES OF TEMPERATURE
RESISTANT MATERIALS UNDER TENSILE FATIGUE STRESS, by
Lazan. 1949. 42p.
Order from LC mi\$2.75 ph\$6.50 PB 116167

MIT., Dept. of Metallurgy, Cambridge, Mass.
PERIODIC STATUS REPORT NO. 6, by Chang, Monkman and
others. (I. Deformation studies of metals at
elevated temperatures. - II. Iron-chromium-nickel
ternary system. - III. Effect of structure and com-
position on the strength properties of stainless
steel.) 1954. 6p.
Order from LC mi\$1.50 ph\$1.50 PB 116312

Syracuse. Univ., Syracuse, N.Y.
PROPERTIES OF TEMPERATURE - RESISTANT MATERIALS
UNDER TENSILE AND COMPRESSIVE FATIGUE STRESS, by
Lazan and Westberg. 1952. 45p.
Order from LC mi\$2.75 ph\$6.50 PB 116823

DAMPING, ELASTICITY, AND FATIGUE PROPERTIES OF
TEMPERATURE - RESISTANT MATERIALS, by Lazan and
Demer. 1952. 42p.
Order from LC mi\$2.75 ph\$6.50 PB 116824

/ Codes

Dist	Avail and/or Special
A-1	

American Electro Metal Corp., Yonkers, N.Y.
INVESTIGATION AND EVALUATION OF NEW HIGH TEMPERATURE MATERIALS, by Arbeiter, Schwarzkopf and others:

Prog. rept. no. 1 1952. 62p.
 Order from LC mi\$3.25 ph\$9.00 PB 115415
 Prog. rept. no. 2 (includes alloys, high temperature - oxidation resistance) 1952. 13p.
 Order from LC mi\$2.00 ph\$2.75 PB 115416
 Prog. rept. no. 3 (includes chromium, cobalt and nickel-titanium alloys - crystal structure) 1953. 28p.
 Order from LC mi\$2.25 ph\$4.00 PB 115417
 Prog. rept. no. 4 (includes chromium-titanium and silicon alloys - properties) 1953. 23p.
 Order from LC mi\$2.25 ph\$4.00 PB 115418
 Prog. rept. no. 5 (includes chromium-titanium and silicon alloys - preparation and tests) 1954. 44p.
 Order from LC mi\$2.75 ph\$6.50 PB 115421
 Tech. rept. no. 1 (includes chromium-titanium alloys - tests) 1953. 92p.
 Order from LC mi\$4.50 ph\$12.75 PB 115419

NEW HIGH TEMPERATURE INTERMETALLIC MATERIALS, by Arbiter, Silverman and others:

Part 1. 1953. 91p.
 Order from LC mi\$4.50 ph\$12.75 PB 111413
 Part 2. (includes chromium-silicon and chromium-titanium alloys - properties) 1953. 55p.
 Order from LC mi\$3.60 ph\$9.30 PB 121018
 Part 3. (includes cobalt-chromium-molybdenum, chromium-titanium and chromium-silicon alloys - properties) 1954. 98p.
 Order from LC mi\$5.40 ph\$15.30 PF 121019
 Part 4. 1956. 49p.
 Order from LC mi\$3.30 ph\$7.80 PB 121232

NEW HIGH TEMPERATURE INTERMETALLIC MATERIALS, by Grinthal. (includes chromium-molybdenum-silicon alloys - properties) 1956. 65p.

Order from LC m \$3.90 ph\$10.80 PB 121891

CEMENTED BORIDES (Physical properties). Summary prog. rept., by Geaser, Ford and others:

From May 1953 to July 1954. 27p.
 Order from LC mi\$2.25 ph\$4.00 PB 117522
 From June 1952 to May 1953. 188f.
 Order from LC mi\$8.40 enl pr\$30.30 PB 118675
 From June 1954 to July 1955. 140p.
 Order from LC mi\$6.90 ph\$21.30 PB 121346

INVESTIGATION OF VARIOUS PROPERTIES OF NiAl, by Wachtell and Herz:

Part 1. 1952. 45p.
 Order from LC mi\$3.30 ph\$7.80 PB 121021
 Part 2. 1954. 52p.
 Order from LC mi\$3.60 ph\$9.30 PB 121022
 Part 3. 1955. 78p.
 Order from LC mi\$3.90 ph\$10.80 PB 121023

MIT., Dept. of Metallurgy, Cambridge, Mass.
PERIODIC STATUS REPORT NO. 6, by Chang, Monkman and others. (I. Deformation studies of metals at elevated temperatures. - II. Iron-chromium-nickel ternary system. - III. Effect of structure and composition on the strength properties of stainless steel.) 1954. 6p.
 Order from LC mi\$1.50 ph\$1.50 PB 116312

Australia. Dept. of Supply. Defence Research Labs., Maribyrnong, Victoria.

HIGH-TEMPERATURE ALLOYS, a bibliography by Hood. 1953. 105p.
 Order from LC mi\$4.50 ph\$13.75 PB 112022

Mich. Univ. Engineering Research Inst., Ann Arbor
DEVELOPMENT OF PROCEDURES FOR THE IDENTIFICATION OF MINOR PHASES IN HEAT-RESISTANT ALLOYS BY ELECTRON DIFFRACTION, by Brockway and Bigelow:

Annual summary rept. 1953. 30p.
 Order from LC mi\$2.25 ph\$4.00 PB 115971
 Quart. rept. no. 1 1952. 19p.
 Order from LC mi\$2.00 ph\$2.75 PB 116140
 Quart. rept. no. 2 1952. 19p.
 Order from LC mi\$2.00 ph\$2.75 PB 116141
 Quart. rept. no. 3 1953. 15p.
 Order from LC mi\$2.00 ph\$2.75 PB 115970
 Quart. rept. no. 5 1953. 17p.
 Order from LC mi\$2.00 ph\$2.75 PB 115972
 Quart. rept. no. 7 1953. 30p.
 Order from LC mi\$2.25 ph\$4.00 PB 115973
 Quart. rept. no. 9 1954. 17p.
 Order from LC mi\$2.00 ph\$2.75 PB 116142

Minnesota. Univ., Minneapolis, Minn.
INVESTIGATION OF AXIAL LOADING FATIGUE PROPERTIES OF HEAT-RESISTANT ALLOY N-155, by Lazan and De Money:

Part 1 1953. 23p.
 Order from LC mi\$2.25 ph\$4.00 PB 116827
 Part 2 1953. 42p.
 Order from LC mi\$2.75 ph\$6.50 PB 116828

Calif. Univ. Inst. of Engineering Research.
 Minerals Research Lab., Berkeley, Calif.
SOME FUNDAMENTAL EXPERIMENTS ON HIGH TEMPERATURE CREEP, by Dorn. (includes aluminum, cadmium and indium - creep - tests) 1954. 63p.
 Order from LC mi\$3.25 ph\$9.00 PB 116837

CORRELATIONS OF HIGH TEMPERATURE CREEP DATA, by Sherby and Dorn. (includes ceramic materials-metals creep) 1955. 37p.
 Order from LC mi\$3.00 ph\$6.30 PB 121287

National Adv. Committee for Aeronautics (NASA)
COOPERATIVE INVESTIGATION OF RELATIONSHIP BETWEEN STATIC AND FATIGUE PROPERTIES OF WROUGHT N-155 ALLOY AT ELEVATED TEMPERATURES, by NACA Subcommittee on Heat-Resisting Materials. 1955. 92p.
 Order from NASA (TN 3216) PB 117070

PRELIMINARY INVESTIGATION OF PROPERTIES OF HIGH-TEMPERATURE BRAZED JOINTS PROCESSED IN VACUUM OR IN MOLTEN SALT, by Gyorgak and Francisco. 1955. 29p.
 Order from NASA (TN 3450) PB 117394

MIT., Dept. of Metallurgy, Cambridge, Mass.
I. DEFORMATION STUDIES OF METALS AT ELEVATED TEMPERATURES. II. IRON-CHROMIUM-NICKEL TERNARY SYSTEM. III. EFFECT OF STRUCTURE AND COMPOSITION ON THE STRENGTH PROPERTIES OF STAINLESS STEEL, by Grant, Chang and others. 1954. 3p.
 Order from LC mi\$1.50 ph\$1.50 PB 117907

Frankltn Inst., Labs. for Research & Development, Philadelphia, Pa.
MAGNETIC AND STRUCTURAL PROPERTIES OF PRECIPITATING FERROMAGNETIC SYSTEMS. Quart. rept. Sept - Nov 1954, by Berkowitz. (includes gold-nickel, alloys, copper-nickel - high temperature - structure - magnetic properties) 1954. 33p.
 Order from LC mi\$3.00 ph\$6.30 PB 118559

Allegheny Ludlum Steel Corp., Pittsburgh, Pa.
DEVELOPMENT OF FORGING AND CASTING ALLOYS FOR TURBINE BUCKETS, by De Vries and Mohling. (includes cobalt-tungsten-columbium alloys) 1951. 59p.
 Order from LC mi\$3.60 ph\$9.30 PB 118760

Adv. Group for Aeronautical Research & Development
PAPERS PRESENTED DURING THE TRAVELING SEMINAR,
Palais de Chaillot, Paris. 1954. 81p.
Order from NASA PB 119095

Wall Colmonoy Corp. Research Lab., Detroit, Mich.
DEVELOPMENT OF BRAZING ALLOYS FOR JOINING HEAT RE-
SISTANT ALLOYS, by Miller, Gonser and Peaslee.
1955. 73p.
Order from LC mi\$4.50 ph\$12.30 PB 121001

Mich. Univ. Engineering Research Inst., Ann Arbor
INVESTIGATION OF THE INFLUENCE OF BORON AND TITANIUM
ON THE HIGH-TEMPERATURE PROPERTIES OF Cr-Ni-Mo-Fe
AUSTENITIC ALLOYS, by Corey and Freeman. 1954. 72p.
Order from LC mi\$4.50 ph\$12.30 PB 121101

THERMAL-SHOCK INVESTIGATION, by Hunter, Thomas and
Bobrowsky. 1954. 106p.
Order from LC mi\$5.70 ph\$16.80 PB 121109

NOTCH SENSITIVITY OF HEAT-RESISTANT ALLOYS AT
ELEVATED TEMPERATURES, by Voorhees and Freeman:
Part I. PRELIMINARY STUDIES OF THE INFLUENCE OF
RELAXATION AND METALLURGICAL VARIABLES. 1954. 111p
Order from LC mi\$6.00 ph\$18.30 PB 140005
Part II. ANALYSIS OF NOTCHED-BAR RUPTURE LIFE IN
TERMS OF SMOOTH-BAR PROPERTIES. 1956. 86p.
Order from LC mi\$4.80 ph\$13.80 PB 121184
Part III. FINAL DATA AND CORRELATIONS. 1956. 88p.
Order from LC mi\$4.80 ph\$13.80 PB 121791

NOTCH SENSITIVITY OF AIRCRAFT STRUCTURAL AND ENGINE
ALLOY. Part I: PRELIMINARY STUDIES WITH A-286 and
17-7 PH(TH 1050) ALLOYS. 1957. 43p.
Order from LC mi\$3.30 ph\$7.80 PB 131213

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
DEVELOPMENT OF LEAN-ALLOY CHROMIUM-NICKEL STAINLESS
STEELS FOR HIGH TEMPERATURE USE, by Salvaggi and
Guarnieri. 1954. 86p.
Order from LC mi\$4.80 ph\$13.80 PB 121026

INVESTIGATION OF THE COMPRESSIVE, BEARING AND SHEAR
CREEP-RUPTURE PROPERTIES OF AIRCRAFT STRUCTURAL
METALS AND JOINTS AT ELEVATED TEMPERATURES, by
Vawter, Guarnieri and others. (includes aluminum
and titanium alloys - creep tests) 1956. 194p.
Order from LC mi\$5.40 ph\$15.30 PB 121436

INVESTIGATION OF THE COMPRESSIVE, BEARING, AND
SHEAR CREEP-RUPTURE PROPERTIES OF AIRCRAFT STRUC-
TURAL METALS AND JOINTS AT ELEVATED TEMPERATURES,
by Vawter, Guarnieri and others. (includes
aluminum alloys, monel metal, and steel, stainless -
creep tests) 1956. 95p.
Order from LC mi\$5.40 ph\$15.30 PB 121656

DEVELOPMENT OF LOW ALLOY Ti-B STEELS FOR HIGH
TEMPERATURE SERVICE APPLICATIONS. 1952. 77f.
Order from LC mi\$4.50 enl pr\$13.80 PB 123915

Calif. Univ., Los Angeles, Calif.
EQUIPMENT FOR TESTING THE CREEP PROPERTIES OF METALS
UNDER INTERMITTENT STRESSING AND HEATING CONDITIONS,
by Shepard, Wiseman and others:
Part 2: CURRENT MODIFICATIONS. 1954. 29p.
Order from LC mi\$2.70 ph\$4.80 PB 121265
Part 4: CREEP RESULTS FOR ALCLAD 7075-T6
ALUMINUM ALLOY AND COMPARISON WITH RESULTS FOR
OTHER MATERIALS. 1956. 101p.
Order from LC mi\$5.70 ph\$16.80 PB 121435
Part 5: FURTHER CREEP RESULTS ON ALCLAD
7075-T6 ALUMINUM ALLOY AND CONSIDERATION OF
ANALYTICAL PROCEDURES. 1956. 97p.
Order from LC mi\$5.40 ph\$15.30 PB 121476

Sylvania Electric Products Inc., Bayside, N.Y.
DEVELOPMENT OF HEAT RESISTANT ALLOYS BY POWDER
METALLURGY TECHNIQUES, by Zuromsky, Sama and others.
(includes chromium-cobalt-tungsten alloys) 1956. 77p.
Order from LC mi\$4.50 ph\$12.30 PB 121356

Universal-Cyclops Steel Corp., Bridgeville, Pa.
INVESTIGATION OF THE EFFECTS OF INCONGRUOUS ELEMENTS
AND THE INTERACTION EFFECTS OF THESE ELEMENTS ON
HIGH TEMPERATURE STRENGTH OF Fe-Co-Ni-Cr ALLOYS, by
Robertshaw and Richmond. 1956. 62p.
Order from LC mi\$3.90 ph\$10.80 PB 121379

Mallory, P.R. & Co., Inc., Indianapolis, Ind.
STUDY OF THE POSSIBILITY OF REINFORCING HIGH-
TEMPERATURE ALLOYS BY ADDITION OF REFRACTORY POWDERS,
by Burney. (includes chromium-nickel alloys -
oxidation) 1956. 42p.
Order from LC mi\$3.30 ph\$7.80 PB 121474

U.S. Naval Engineering Experiment Station,
Annapolis, Md.
CORROSION PROPERTIES OF VARIOUS MATERIALS IN HIGH
TEMPERATURE WATERS, by Lancaster. 1953. 24p.
Order from LC mi\$2.70 ph\$4.80 PB 121503

Minnesota. Univ. Minneapolis, Minn.
FATIGUE, CREEP, AND RUPTURE PROPERTIES OF HEAT RE-
SISTANT MATERIALS, by Vitovec and Lazan. 1956. 213p.
Order from OTS at \$5.50 PB 121580

EFFECT OF CHANGING CYCLIC MODULUS ON BENDING FATIGUE
STRENGTH, by Blatherwick and Lazan. 1956. 129p.
Order from LC mi\$6.30 ph\$19.80 PB 121816

DYNAMIC CREEP, STRESS-RUPTURE, AND FATIGUE PRO-
PERTIES OF 24S-T4 ALUMINUM AT ELEVATED TEMPERATURES.
Part I: UNNOTCHED SPECIMENS, by de Money and
Lazan. 1954. 51p.
Order from LC mi\$3.60 ph\$9.30 PB 122865

Battelle Memorial Inst., Columbus, O.
DEVELOPMENT OF A FORGEABLE HIGH-STRENGTH, HIGH-
TEMPERATURE, CHROMIUM-RICH, CHROMIUM-IRON ALLOY, by
Moon, Blank and Hall. 1954. 24p.
Order from LC mi\$2.70 ph\$4.80 PB 121112

PRINCIPLES OF DISPERSION HARDENING WHICH PROMOTE
HIGH-TEMPERATURE STRENGTH IN IRON-BASE ALLOYS, by
Underwood, Elsea and Manning. 1956. 68p.
Order from LC mi\$3.90 ph\$10.80 PB 121455

SELECTION OF MATERIALS FOR HIGH-TEMPERATURE APPLI-
CATIONS IN AIRFRAMES. Suppl. to TML rept. 13, by
Gordon and Jackson. (includes airplanes - materials -
titanium) 1956. 30p.
Order from LC mi\$3.00 ph\$6.30 PB 121602

APPLICATION OF A NEW STRUCTURAL INDEX TO COMPARE
TITANIUM ALLOYS WITH OTHER MATERIALS IN AIRFRAME
STRUCTURES, by Jackson and Gordon. 1955. 33p.
Order from LC mi\$3.00 ph\$6.30 PB 121605

MATERIAL PROPERTIES FOR DESIGN OF AIRFRAME STRUCTURES
TO OPERATE AT HIGH TEMPERATURES, by Jackson.
1956. 66p.
Order from LC mi\$3.90 ph\$10.80 PB 121612

SELECTION OF MATERIALS FOR HIGH-TEMPERATURE APPLI-
CATIONS IN AIRCRAFT GAS TURBINES, by Armour Research
Foundation. (includes titanium alloys - mechanical
properties - effect of temperature) 1956. 35p.
Order from LC mi\$3.00 ph\$6.30 PB 121619

Battelle Memorial Inst. Titanium Metallurgical
Inst., Columbus, O.
PROPERTIES OF TITANIUM ALLOYS AT ELEVATED TEMPERA-
TURES, by Schwartzberg, Holden and others.
1977. 288p.
Order from OTS at \$6.00 PB 121634

COMPILATION OF ELEVATED-TEMPERATURE PROPERTY DATA
FOR TITANIUM AND SOME ALTERNATIVE METALS, by Holden,
Schwartzberg and others. 1958. 169p.
Order from LC mi\$7.80 ph\$25.80 PB 121634s

SALT CORROSION OF TITANIUM ALLOYS AT ELEVATED
TEMPERATURE AND STRESS. Prog. rept., by Mallory-
Sharon Titanium Corp, Pratt & Whitney Aircraft,
Rem-Cru Titanium, Inc., Republic Steel Corp. and
Titanium Metals Corp. of America. (Appendix: Stress
corrosion results for nonprotected commercial
titanium alloys coated with sodium chloride)
1957. 57p.
Order from LC mi\$3.60 ph\$9.30 PB 121637

ALLOYS FOR HIGH-TEMPERATURE SERVICE. Final rept.,
by Beck, Fletcher and others. (includes cobalt-
chromium-tungsten, nickel-cobalt-chromium, cobalt-
chromium-molybdenum, iron-chromium-cobalt and
chromium-cobalt-nitrogen alloys) 1952. 26p.
Order from LC mi\$2.70 ph\$4.80 PB 127106

Duraloy Co., Scottdale, Pa.
TECHNICAL MANUAL ON THE MACHINING OF THERMENOL.
(includes aluminum-iron-molybdenum alloys -
machinability) 1956. 22p.
Order from LC mi\$2.70 ph\$4.80 PB 121660

NBS
TEMPER BRITTLENESS OF BORON-TREATED STEEL, by
Rosenberg. (includes steel, titanium and zirconium-
boron - brittleness) 1956. 66p.
Order from LC mi\$3.90 ph\$10.80 PB 121889

Babcock and Wilcox Co., Research Center, Alliance
DEVELOPMENT OF CAST IRON-BASE ALLOYS OF AUSTENITIC
TYPE FOR HIGH HEAT-RESISTANCE AND SCALE-RESISTANCE,
by Eberle, Hoke and Leyda. 1957. 99p.
Order from LC mi\$5.40 ph\$15.30 PB 121950

U.S. Naval Engineering Experiment Station,
Annapolis, Md.
ELEVATED TEMPERATURE PROPERTIES OF HASTELLOY X, by
Williams. 1953. 10p.
Order from LC mi\$1.80 ph\$1.80 PB 122608

Crucible Steel Co. of America. Crescent Lab.,
New York, N.Y.
RESEARCH ON HIGH TEMPERATURE SHEET MATERIALS, by
Murphy and Ferrall. 1948. 26p.
Order from LC mi\$2.70 ph\$4.80 PB 122904

Franklin Inst. Labs. for Research and Development,
Philadelphia, Pa.
MAGNETIC AND STRUCTURAL PROPERTIES OF PRECIPITATING
FERROMAGNETIC SYSTEMS. (includes crystals, gold-
nickel - preparation) Annual summary rept., by
Berkowitz. 1955. 8p.
Order from LC mi\$1.80 ph\$1.80 PB 123134

NRL
LOW EXPANSION ALLOYS FOR MAIN STEAM LINES, by
Kramer. 1940. 61p.
Order from LC mi\$3.90 ph\$10.80 PB 123244

National Adv. Committee for Aeronautics (NASA)
INFLUENCE OF HOT-WORKING CONDITIONS ON HIGH-TEMPERA-
TURE PROPERTIES OF A HEAT-RESISTANT ALLOY, by Ewing
and Freeman. 1956. 135p.
Order from NASA (TN 3727) PB 123499

DROP TEST FOR THE EVALUATION OF THE IMPACT STRENGTH
OF CERMETS, by Pinkel, Deutsch and Katz. 1955. 8p.
Order from LC mi\$1.80 ph\$1.80 PB 123540

TENSILE PROPERTIES OF HK31XA-H24 MAGNESIUM-ALLOY
SHEET UNDER RAPID-HEATING CONDITIONS AND CONSTANT
ELEVATED TEMPERATURES, by Gibbs. 1956. 20p.
Order from NASA (TN 3742) PB 123507

TENSILE PROPERTIES OF INCONEL AND RS-120 TITANIUM-
ALLOY SHEET UNDER RAPID-HEATING AND CONSTANT-TEM-
PERATURE CONDITIONS, by Heimerl, Kurg and Inge.
1956. 29p.
Order from NASA (TN 3731) PB 123687

INVESTIGATION OF THE N1A1 PHASE OF NICKEL-ALUMINUM
ALLOYS, by Grala. 1957. 33p.
Order from NASA: (TN 3828) PB 124388

STUDY OF THE "TOSS FACTOR" IN THE IMPACT TESTING OF
CERMETS BY THE IZOD PENDULUM TEST, by Probst and
McHenry. 1957. 13p.
Order from NASA (TN 3931) PB 125668

STUDY OF THE IMPACT BEHAVIOR OF HIGH-TEMPERATURE
MATERIALS, by Probst and McHenry. (includes cermets,
titanium carbide - impact tests) 1957. 23p.
Order from NASA (TN 3894) PB 125674

RUPTURE STRENGTH OF SEVERAL NICKEL-BASE ALLOYS IN
SHEET FORM, by Dance and Claus. 1957. 24p.
Order from NASA (TN 3976) PB 125708

HIGH-RESOLUTION AUTORADIOGRAPHY, by Towe, Gomberg
and Wright. (includes alloys, high temperature -
autoradiography) 1955. 55p.
Order from GPO at 45 cents PB 125739

REDUCTION OF OXIDIZED NICHROME V POWDERS AND SINTER-
ING OF NICHROME V BODIES, by Sikora and Clarkin.
1957. 18p.
Order from NASA (TN 4032) PB 128867

GENERALIZED MASTER CURVES FOR CREEP AND RUPTURE, by
Heimerl and McEvily. (includes aluminum alloys and
steel - deformation) 1957. 31p.
Order from NASA (TN 4112) PB 129313

COOPERATIVE INVESTIGATION OF RELATIONSHIP BETWEEN
STATIC AND FATIGUE PROPERTIES OF WROUGHT N-155 ALLOY
AT ELEVATED TEMPERATURES. 1956. 37p.
Order from GPO at 40 cents PB 129314

U.S. Bureau of Mines.
HOMOGENEOUS ALLOY INGOTS PRODUCED BY CONSUMABLE-
ELECTRODE ARC MELTING, by Beall, Capute and Hayes.
(includes zirconium alloys - production) 1956. 14p.
Order from Bureau of Mines PB 123755

MIT., Cambridge, Mass.
X-RAY STUDIES OF ORDER-DISORDER IN ALLOYS, by Warren.
(includes alloys, binary - equilibrium diagrams and
goldcopper alloys - crystal structure) 1955. 18p.
Order from LC mi\$2.40 ph\$3.30 PB 124118

MIT., Dept. of Metallurgy, Cambridge, Mass.
 I. DEFORMATION STUDIES OF METALS AT ELEVATED TEMPERATURES. II. IRON-CHROMIUM-NICKEL TERNARY SYSTEM. III. EFFECT OF STRUCTURE AND COMPOSITION OF THE STRENGTH PROPERTIES OF STAINLESS STEEL. IV. EFFECT OF COLD WORK ON THE STRENGTH PROPERTIES OF STAINLESS STEELS. Periodic status rept. 12, by Grant, Price and others. 1955. 7p.
 Order from LC mi\$1.80 ph\$1.80 PB 124669

I. DEFORMATION STUDIES OF METALS AT ELEVATED TEMPERATURES. II. IRON-CHROMIUM-NICKEL TERNARY SYSTEM. III. SUB-STRUCTURE STUDIES. Periodic status rept. 14, by Cuff, Pride and others. 1956. 6p.
 Order from LC mi\$1.80 ph\$1.80 PB 125893

I. DEFORMATION STUDIES OF METALS AT ELEVATED TEMPERATURES. II. IRON-CHROMIUM-NICKEL TERNARY SYSTEMS. III. SUB-STRUCTURE STUDIES. Periodic status rept. 15, by Cuff, Price and others. 1956. 3p.
 Order from LC mi\$1.80 ph\$1.80 PB 126986

I. DEFORMATION STUDIES OF METALS AT ELEVATED TEMPERATURES. II. IRON-CHROMIUM-NICKEL TERNARY SYSTEM. III. SUB-STRUCTURE STUDIES. Periodic status rept. 16, by Happ, Grant and others. 1956. 4p.
 Order from LC mi\$1.80 ph\$1.80 PB 128388

Armour Research Foundation, Chicago, Ill.
 TITANIUM ALLOYS FOR ELEVATED TEMPERATURE APPLICATION by Carew, Crossley and others. 1953. 134p.
 Order from LC mi\$6.90 ph\$21.30 PB 125211

U.S. Air Material Command. Wright-Patterson AFB., Dayton, O.
 STRESS CORROSION OF HEAT RESISTANT ALLOYS AT ELEVATED TEMPERATURES, by Perlmutter. 1947. 24p.
 Order from LC mi\$2.70 ph\$4.80 PB 126465

Schwarzkopf Dev. Corp., Yonkers, N.Y.
 CEMENTED BORIDES. Summary progress report, by Binder. 1956. 38p.
 Order from LC mi\$3.00 ph\$6.30 PB 127389

Mich. Univ. Engineering Research Inst., Ann Arbor
 INVESTIGATION OF THE MINOR PHASES OF HEAT RESISTANT ALLOYS BY ELECTRON DIFFRACTION AND ELECTRON MICROSCOPY, by Brockway and Bigelow. 1955. 79p.
 Order from LC mi\$4.50 ph\$12.30 PB 128209

Minn. Univ. Dept. of Mechanics and Materials, Minneapolis, Minn.
 DAMPING, ELASTICITY AND FATIGUE PROPERTIES OF TITANIUM ALLOYS, HIGH TEMPERATURE ALLOYS, STAINLESS STEELS, AND GLASSLAMINATE AT ROOM AND ELEVATED TEMPERATURES, by Podnieks and Lazan. 1956. 93p.
 Order from LC mi\$5.40 ph\$15.30 PB 128211

Tenn. Univ. Metallurgy Div. Dept. of Chemical Engineering, Knoxville, Tenn.
 ACCELERATED OXIDATION OF HIGH TEMPERATURE ALLOYS AS INFLUENCED BY CONTAMINATION WITH SODIUM COMPOUNDS AND CERTAIN FUEL OIL ASH COMPONENTS, by Cunningham and Brasunas. (includes corrosion - measuring equipment; sodium sulfate-vanadium pentoxide - anticorrosive effects) Final and summary rept. 1955. 82p.
 Order from LC mi\$4.80 ph\$13.80 PB 128511

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
 SHORT-TIME HIGH-TEMPERATURE TENSILE PROPERTIES OF SIX SHEET ALLOYS, by Miller and Guarnieri. 1948. 20p.
 Order from LC mi\$2.40 ph\$3.30 PB 128889

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
 HIGH TEMPERATURE DEFORMATION CHARACTERISTICS OF SEVERAL SHEET ALLOYS by Miller and Guarnieri. 1948. 39p.
 Order from LC mi\$3.00 ph\$6.30 PB 128897

Sintercast Corp. of America, Yonkers, N.Y.
 RESEARCH ON HEAT RESISTANT ALLOYS STRENGTHENED AT ELEVATED TEMPERATURES BY INCORPORATION OF FINE PARTICULATE SUBSTANCES (includes nichrome -Nickel alloy)-testing equipment and titanium carbides - thermal properties). Interim rept. no. 1, by Epner and Goetzel. 1956. 12p.
 Order from LC mi\$2.40 ph\$3.30 PB 129242

Naval Engineering Experiment Station, Annapolis, Md.
 HIGH-TEMPERATURE PROPERTIES OF TITANIUM-BORON STEELS, by Niederberger. 1956. 17p.
 Order from LC mi\$2.40 ph\$3.30 PB 129403

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
 BIMONTHLY PROGRESS REPORT ON DEVELOPMENT OF SUBSTITUTE ALLOYS FOR HIGH TEMPERATURE USE, by Salvaggi and Guarnieri. 1954. 15p. Report no. I
 Order from LC mi\$2.40 ph\$3.30 PB 129684

BIMONTHLY PROGRESS REPORT ON DEVELOPMENT OF SUBSTITUTE ALLOYS FOR HIGH TEMPERATURE USE, by Salvaggi and Guarnieri. 1954. 15p. Report no. II
 Order from LC mi\$2.40 ph\$3.30 PB 129685

Allegheny Ludlum Steel Corp., Pittsburgh, Pa.
 RESEARCH AND DEVELOPMENT OF WROUGHT AND CAST HIGH TEMPERATURE ALLOYS, by MacFarlane, DeFries and others. 1954. 98p.
 Order from LC mi\$5.40 ph\$15.30 PB 129969

National Adv. Committee for Aeronautics (NASA)
 EFFECT OF OVER HEATING ON CREEP-RUPTURE PROPERTIES OF S-816 ALLOY AT 1500°, by Rowe and Freeman. 1957. 75p.
 Order from NASA (TN 4081) PB 130124

EFFECT OF OVERHEATING ON CREEP-RUPTURE PROPERTIES OF H.S-31 ALLOY AT 1500°F, by Rowe and Freeman. 1957. 78p.
 Order from NASA (TN 4083) PB 130126

ABNORMAL GRAIN GROWTH IN M-252 AND S-816 ALLOYS, by Decker and Rush. 1957. 61p.
 Order from NASA (TN 4084) PB 130127

THE USEFUL HEAT CAPACITY OF SEVERAL MATERIALS FOR BALLISTIC NOSE-CONE CONSTRUCTION, by Stalder. 1957. 19p.
 Order from NASA (TN 4141) PB 130138

Martin Co., Baltimore, Md.
 DEVELOPMENT OF BRAZED SANDWICH CONSTRUCTION MATERIAL FOR HIGH-TEMPERATURE APPLICATION (procedures were developed for brazing honeycomb cores to stainless steel skins to form sandwich material suitable for elevated temperature applications), by Maxwell, Siltanen and Mueller. 1956. 78p.
 Order from LC mi\$4.50 ph\$12.30 PB 130401

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
 DEVELOPMENT OF SUBSTITUTE ALLOYS FOR HIGH TEMPERATURE USE (steel, stainless - creep tests). Bimonthly progress report. 1954. 10p.
 Order from LC mi\$1.80 ph\$1.80 PB 130630

MIT., Cambridge, Mass.
AGING IN COMPLEX COMMERCIAL NICKEL-CHROMIUM ALLOYS
HARDENED WITH TITANIUM AND ALUMINUM, by Wilde and
Grant. 1956. 31p.
Order from LC mi\$3.00 ph\$6.30 PB 130664

Clevite Research Corp. Clevite Research Center,
Cleveland, O.
DEVELOPMENT OF TITANIUM ALLOYS FOR ELEVATED TEMPERA-
TURE SERVICE BY POWDER METALLURGICAL TECHNIQUES (in-
cludes titanium alloys - mechanical properties -
effect of temperature), by Jech and Weber. 1957. 84p.
Order from LC mi\$4.80 ph\$13.80 PB 130686

Calif. Univ. Inst. of Engineering Research,
Berkeley, Calif.
CREEP PROPERTIES OF METALS UNDER INTERMITTENT STRESS-
ING AND HEATING CONDITIONS. Part 2. INTERMITTENT
HEATING (includes aluminum alloys - creep tests), by
Shepard, Starr and others. 1954. 38p.
Order from OTS at \$1.00 PB 131016

Minn. Univ. Minneapolis, Minn.
INTERRELATION OF FATIGUE CRACKING, DAMPING AND NOTCH
SENSITIVITY, by Demer. 1957. 164p
Order from OTS at \$4.25 PB 131025

Mich. Univ. Engineering Research Inst., Ann Arbor
INVESTIGATION OF THREE FERRITIC STEELS FOR HIGH-TEM-
PERATURE APPLICATION, by Coldren and Freeman.
1957. 117p.
Order from OTS at \$3.00 PB 131069

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
INTERMITTENT STRESSING AND HEATING TESTS OF AIRCRAFT
STRUCTURAL METALS, by Salvaggi. 1957. 76p.
Order from LC mi\$4.50 ph\$12.30 PB 131210

MIT., Cambridge, Mass.
DISPERSED HARD PARTICLE STRENGTHENING OF METALS, by
Grant and Preston. 1956. 34p.
Order from OTS at \$1.00 PB 131221

Minn. Univ., Minneapolis, Minn.
ANALYSIS OF DYNAMIC CREEP CONSIDERING STRAIN RATE
EFFECTS (includes alloys, high temperature - fatigue)
by Vitovec. 1957. 21p.
Order from OTS at 75 cents PB 131256

USAF. ARDC. Materials Lab., Wright-Patterson
AFB, Dayton, O.
DESCRIPTIONS OF SOME CURRENT METHODS FOR DETERMINING
CREEP PROPERTIES UNDER COMPRESSIVE, BEARING AND SHEAR
TYPE OF LOADING, by Horne. 1957. 32p.
Order from LC mi\$3.00 ph\$6.30 PB 131259

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
LIMITING HIGH TEMPERATURE CREEP AND RUPTURE
STRESSES OF SHEET ALLOYS FOR JET APPLICATIONS, by
Guarnieri and Salvaggi. 1951. 51p.
Order from LC mi\$3.60 ph\$9.30 PB 131310

CYCLIC LOADING EFFECTS ON THE CREEP PROPERTIES OF
SHEET MATERIALS, by Gillig and Guarnieri. 1951. 35p.
Order from OTS at \$1.00 PB 131311

RECORD OF CONFERENCE ON FATIGUE OF METALS AT HIGH
TEMPERATURES, by Porter and Yearian. 1950. 177p.
Order from LC mi\$8.10 ph\$27.30 PB 131313

SHORT TIME HIGH TEMPERATURE BENDING FATIGUE PROPER-
TIES OF SHEET MATERIALS, by Gillig. 1949. 32p.
Order from LC mi\$3.00 ph\$6.30 PB 131319

Southern Research Inst., Birmingham, Ala.
DETERMINATION OF TENSILE, COMPRESSIVE, BEARING AND
SHEAR PROPERTIES OF FERROUS AND NON-FERROUS STRUC-
TURAL SHEET METALS AT ELEVATED TEMPERATURES, by
Melonas and Kattus. 1957. 308p.
Order from OTS at \$6.50 PB 131461

MIT., Cambridge, Mass.
CHROMIUM-NICKEL ALLOYS FOR HIGH TEMPERATURE APPLI-
CATIONS, by Bucklin and Grant. 1955? 19p.
Order from OTS at 50 cents PB 131465

Battelle Memorial Inst., Titanium Metallurgical
Lab., Columbus, O.
MATERIALS-PROPERTY-DESIGN CRITERIA FOR METALS.
Part VI: CONVENTIONAL SHORT-TIME ELEVATED-TEMPERA-
TURE PROPERTIES OF SELECTED ALLOYS (includes
magnesium alloys - thermal properties), by Favor,
Achbach and Hyler. 1957. 258p.
Order from OTS at \$6.00 PB 131515

Mich. Univ. Engineering Research Inst., Ann Arbor
CRYSTALLOGRAPHIC STRUCTURE AND ORIENTATION OF THE Y'
PHASE IN FOUR COMMERCIAL NICKEL-BASE ALLOYS, by Amy
and Bigelow. 1957. 18p.
Order from OTS at 50 cents PB 131518

Crucible Steel Co. of America, Pittsburgh, Pa.
INVESTIGATION OF Fe-Mn-Cr-N-C SYSTEM FOR HEAT RE-
SISTANCE AND OXIDATION RESISTANCE BETWEEN 1200 F AND
2000 F, by Hsiao and Dullis. 1957. 158p.
Order from OTS at \$4.00 PB 131563

STUDY OF THE METALLURGICAL PROPERTIES THAT ARE
NECESSARY FOR SATISFACTORY BEARING PERFORMANCE AND
THE DEVELOPMENT OF IMPROVED BEARING ALLOYS FOR
SERVICE UP TO 1000 F, by Bhat and Nehrenberg.
1957. 74p.
Order from OTS at \$2.00 PB 131609

Universal-Cyclops Steel Corp. Research and Dev.
Dept., Bridgeville, Pa.
INVESTIGATION OF THE EFFECTS OF INCONGRUOUS ELEMENTS
AND THE INTERACTION EFFECTS OF THESE ELEMENTS ON
HIGH TEMPERATURE STRENGTH OF Fe-Co-Ni-Cr ALLOYS, by
Sye, Robertshaw and Richmond. 1957. 111p.
Order from OTS at \$2.50 PB 131614

USAF. ARDC. Materials Lab., Wright-Patterson AFB,
Dayton, O.
INTERMEDIATE PHASES IN THE IRON-TUNGSTEN AND COBALT-
TUNGSTEN BINARY SYSTEMS, by Van Reuth. 1957. 29p.
Order from OTS at 75 cents PB 131627

Armour Research Foundation. Fluid Mechanics
Research Dept. Heat Transfer Section, Chicago, Ill.
THERMAL PROPERTIES OF HIGH TEMPERATURE MATERIALS,
by Fieldhouse, Hedge and others. 1958. 88p.
Order from LC mi\$4.80 ph\$13.80 PB 131718

Mich. Univ. Engineering Research Inst., Ann Arbor
EFFECT OF PRIOR CREEP ON MECHANICAL PROPERTIES OF
AIRCRAFT STRUCTURAL METALS (2024-T86 ALUMINUM AND
17-7 PH STAINLESS), by Gluck, Voorhees and Freeman.
1958. 116p.
Order from OTS at \$2.50 PB 131716

Armour Research Foundation. Metals Research Dept.,
Chicago, Ill.
DEVELOPMENT OF OXIDATION AND LIQUID SODIUM RESISTANT
BRAZING ALLOYS, by Canonico and Schwartzbart.
1958. 47p.
Order from OTS at \$1.25 PB 131745

Mfr. Labs., Inc. Physical Metallurgy Div.,
Cambridge, Mass.
DEVELOPMENT OF IMPROVED TITANIUM ALLOYS FOR APPLI-
CATION AT ELEVATED TEMPERATURES, by Lement. 1958. 74p
Order from OTS at \$2.00 PB 131749

Mallory, P.R. & Co., Inc. Metallurgical Research
Lab., Indianapolis, Ind.
STUDY OF THE POSSIBILITY OF REINFORCING HIGH-TEM-
PERATURE ALLOYS BY ADDITION OF REFRACTORY POWDERS
(includes chromium-nickel alloys - oxidation), by
Burney. 1958. 49p.
Order from OTS at \$1.25 PB 131768

Westinghouse Electric Corp. Aviation Gas Turbine
Div., Kansas City, Mo.
STUDIES AND COMPARISON OF THE PROPERTIES OF HIGH
TEMPERATURE ALLOYS MELTED AND PRECISION CAST BOTH IN
AIR AND IN VACUUM, by Stutzman. 1958. 113p.
Order from OTS at \$2.50 PB 131807

Sagamore Ordnance Materials Research Conference,
4th, Sagamore Conference Center, Racquette Lake, NY
HIGH TEMPERATURE MATERIALS, THEIR STRENGTH POTENT-
IALS AND LIMITATIONS (metals). 1957. 362p
Order from OTS at \$5.00 PB 131834

Sintercast Corp. of America, Yonkers, N.Y.
RESEARCH ON HEAT RESISTANT ALLOYS STRENGTHENED AT
ELEVATED TEMPERATURES BY INCORPORATION OF FINE PARTI-
CULATE SUBSTANCES (includes chromium-nickel alloys -
density), by Gregory and Epner. 1956. 29p.
Order from OTS at \$1.00 PB 131846

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
INVESTIGATION OF THE COMPRESSIVE, BEARING, AND SHEAR
CREEP-RUPTURE PROPERTIES OF AIRCRAFT STRUCTURAL
METALS AND JOINTS AT ELEVATED TEMPERATURES (includes
titanium and aluminum alloys), by Yerkovich.
1958. 124p.
Order from OTS at \$2.75 PB 131977

National Research Corp., Cambridge, Mass.
RESEARCH ON THE EFFECTS OF GASEOUS IMPURITIES IN
METALS AND ALLOYS. Final report, by Moore and
Hamilton. 1951. 136f
Order from LC mi\$6.90 enl pr\$22.80 PB 132436

Babcock & Wilcox Co., New York, N.Y.
WELDABILITY OF THE CHROMIUM, NICKEL, MOLYBDENUM
STAINLESS STEELS. Final report, by Wylie and Cole-
man. 1956. 101f
Order from LC mi\$5.70 enl pr\$18.30 PB 132832

National Adv. Committee for Aeronautics (NASA)
EFFECT OF PRIOR AIR FORCE OVERTEMPERATURE OPERATION
ON LIFE OF J47 BUCKETS EVALUATED IN A SEA-LEVEL
CYCLIC ENGINE TEST, by Signorelli, Johnston and
Garrett. 1958. 4lp.
Order from NASA (TN4263) PB 133086

Brussels. Universite Libre. Laboratoire de
Chimie Physique Moleculaire, Brussels, Belgium
VAPORIZATION OF COMPOUNDS AND ALLOYS AT HIGH TEM-
PERATURE, by Goldfinger and Drowart. 1957. 4lp.
Order from LC mi\$3.30 ph\$7.80 PB 133279

USAF. ARDC. WADC. Materials Lab., Wright-
Patterson AFB, Dayton, O.
EVALUATED-TEMPERATURE TESTING PROCEDURES. Part 1:
CONTINUOUS RECORDING OF TIME DEFORMATION READINGS
DURING CREEP-RUPTURE TESTING AT TEMPERATURES UP TO
1200°F, by Rector and Townsley. 1955. 12p.
Order from LC mi\$2.40 ph\$3.30 PB 133372

Jet Propulsion Lab. Calif. Inst. of Tech., Pasadena
STABILITY OF TITANIUM DIBORIDE AND ZIRCONIUM DIBORIDE
IN AIR, OXYGEN AND NITROGEN, by Brown. 1955. 15p.
Order from LC mi\$2.40 ph\$3.30 PB 133895

National Adv. Committee for Aeronautics (NASA)
EFFECT OF OVERHEATING ON CREEP-RUPTURE PROPERTIES OF
M-252 ALLOY, by Rowe and Freeman. 1958. 83p.
Order from NASA (TN 4224) PB 134007

Allegheny Ludlum Steel Corp., Pittsburgh, Pa.
CASTING AND FORGING TURBINE BUCKET ALLOYS, by Pitler
and Dyrkacz. 1953. 70p.
Order from LC mi\$3.90 ph\$10.80 PB 134470

Babcock & Wilcox Co., Research Center, Alliance, O.
DEVELOPMENT OF CAST IRON-BASE ALLOYS OF AUSTENITIC
TYPE FOR HIGH HEAT-RESISTANCE AND SCALE-RESISTANCE,
by Eberle, Leyda and others. 1955. 73p.
Order from LC mi\$4.50 ph\$12.30 PB 134476

Dow Chemical Co., Midland, Mich.
CREEP BEHAVIOR OF MAGNESIUM-CERIUM ALLOYS. 1954. 41p.
Order from LC mi\$3.30 ph\$7.80 PB 134494

Ohio State Univ. Research Foundation, Columbus, O.
HIGH TEMPERATURE EFFECTS OF BORON IN IRON AND IRON
ALLOYS, by Goldhoff, Spretnak and Speiser. 1956. 62p
Order from LC mi\$3.90 ph\$10.80 PB 134641

Calif. Univ. Dept. of Engineering, Los Angeles,
TEMP-TAPES: IMPROVED DESIGN, CONSTRUCTION, AND
CALIBRATION (includes alloys, high temperature -
melting point), by Ambrosio and Bussel. 1953. 36p.
Order from LC mi\$3.00 ph\$6.30 PB 134779

National Adv. Committee for Aeronautics (NASA)
TRANSGRANULAR AND INTERGRANULAR FRACTURE OF INGOT
IRON DURING CREEP, by Shepard and Gledt. 1958. 26p.
Order from NASA (TN 4285) PB 134822

INFLUENCE OF HEAT TREATMENT ON MICROSTRUCTURE AND
HIGH-TEMPERATURE PROPERTIES OF A NICKEL-BASE PRE-
CIPITATION-HARDENING ALLOY, by Decker, Rowe and
others. 1958. 53p.
Order from NASA (TN 4329) PB 134940

Mich. Univ., Ann Arbor, Mich.
HIGH-TEMPERATURE PROPERTIES OF FOUR LOW-ALLOY STEELS
FOR JET-ENGINE TURBINE WHEELS (properties at 1000°,
1100°, and 1200° F are reported for jet-engine
turbine wheels made from four low-alloy hardenable
steels. The steels were SAE 4340, 1.25 Cr-Mo-Si-V
(17-22A'S), 3 Cr-Mo-W-V (H-40), and 12 Cr-Mo-W-V
(C-422)), by Zonder, Rush and Freeman. 1953. 77p.
Order from LC mi\$4.50 ph\$12.30 PB 135130

Calif. Univ. Inst. of Engineering Research,
Berkeley, Calif.
DESIGN AND EVALUATION DATA FOR STRUCTURAL METALS.
Part I: CREEP PROPERTIES OF METALS UNDER INTER-
MITTENT STRESSING AND HEATING CONDITIONS (includes
aluminum alloys), by Shepard, Starr and others.
1953. 113p.
Order from LC mi\$6.00 ph\$18.30 PB 135149

Mich. Univ. Engineering Research Inst., Ann Arbor
EXPERIMENTAL STUDY RELATING TO THE PREDICTION OF
ELEVATED-TEMPERATURE STRUCTURAL BEHAVIOR FROM THE
RESULTS OF TESTS AT ROOM TEMPERATURE (includes
aluminum alloys), by Allen. 1956. 48p.
Order from LC mi\$3.30 ph\$7.80 PB 135218

Carnegie Inst. of Tech. Metals Research Lab.
Pittsburgh, Pa.
PHASE TRANSFORMATIONS IN HYPOEUTECTOID TITANIUM-
CHROMIUM ALLOYS, by Aaronson, Andes and others.
1956. 34p.
Order from LC mi\$3.00 ph\$6.30 PB 135222

Sintercast Corp. of America, Yonkers, N.Y.
RESEARCH ON HEAT RESISTANT ALLOYS STRENGTHENED AT
ELEVATED TEMPERATURES BY INCORPORATION OF FINE
PARTICULATE SUBSTANCES, by Gregory, Epner and
Goetsel:
Interim rept. no. 3 1956. 13p.
Order from LC mi\$2.40 ph\$3.30 PB 135381
Interim rept. no. 5 (stress-rupture tests at
1500-1800°F of 80:20 nickel chromium alloy
powders sintered with 17 1/2% by volume of
alumina or titanium carbide) 1956. 21p.
Order from LC mi\$2.70 ph\$4.80 PB 135908

National Adv. Committee for Aeronautics (NASA)
MECHANISM OF BENEFICIAL EFFECTS OF BORON AND ZIR-
CONIUM IN CREEP-RUPTURE PROPERTIES OF A COMPLEX
HEAT-RESISTANT ALLOY (the effects of the addition of
small amounts of boron and zirconium on creep proper-
ties of an alloy containing 55 percent nickel, 20
percent chromium, and 15 percent cobalt, with
molybdenum, titanium, and aluminum were studied.
These additions improved the creep-rupture properties
at 1,600°F because of a stabilizing effect on the
grain boundaries), by Decker and Freeman. 1958. 54p.
Order from NASA (TN4286) PB 135763

Armour Research Foundation, Chicago, Ill.
PILOT PRODUCTION OF PROMISING ELEVATED TEMPERATURE
TITANIUM-BASE ALLOYS (ingots weighing up to 113 lbs.
and up to 6 inches in diameter were cast in titanium-
base alloys: (1) 6% aluminum, (2) 6% aluminum - 4%
vanadium, (3) 6% aluminum-0.5% silicon, and (4) 7%
aluminum-3% molybdenum), by McPherson. 1956. 76p.
Order from LC mi\$4.50 ph\$12.30 PB 136558

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
COMPRESSIVE-CREEP PROPERTIES OF HIGH-TEMPERATURE
MATERIALS (the high-temperature alloy and metal-
ceramic materials in creep when subjected to static
compression stresses in the temperature range of
1350 to 1800°F), by Yerkovich and Guarnieri.
1954. 53p.
Order from LC mi\$3.60 ph\$9.30 PB 137396

Mich. Univ. Research Inst., Ann Arbor
DEVELOPMENT OF APPARATUS AND METHODS FOR MEASUREMENT
OF CREEP AT TEMPERATURES TO 3500°F (the Geiger tem-
perature indicating and recording unit (GETIR) has
been successfully coupled to a motor-generator set to
control the temperature of an induction-heated
furnace. Life tests on a graphite induction furnace
with no protection for the graphite show a life of
approximately sixty hours at a temperature of
3300°F), by Sinnott. Prog. rept. no. 14 1949. 10p
Order from LC mi\$1.80 ph\$1.80 PB 137450

Allegheny Ludlum Steel Corp., Watervliet, N.Y.
INVESTIGATION OF HIGH TEMPERATURE PROPERTIES OF 13
CR - 15 NI AUSTENITIC STEEL CONTAINING MO, W, TI AND
B (a steel containing 12.5 CR - 15 Ni - 2 Mo - .4
W - .5 Ti - .10 B - .06 C was found to have outstand-
ing stress-rupture properties in the range 1200° to
1500°F), by MacFarlane, Reynolds and Dyrkacz.
Final rept. on item 1 1953. 30p.
Order from LC mi\$2.70 ph\$4.80 PB 138451

Mich. Univ., Research Inst., Ann Arbor
DEVELOPMENT OF APPARATUS AND METHODS FOR MEASUREMENT
OF CREEP AT TEMPERATURES TO 3500°F, by Sinnott:

Prog. rept. no. 3 1948. 8p.
Order from LC mi\$1.80 ph\$1.80 PB 138457
Prog. rept. no. 4 (includes metals -
testing equipment) 1948. 8p.

Order from LC mi\$1.80 ph\$1.80 PB 138947

Prog. rept. no. 5 (Three of the four types
of furnaces that were proposed for this
project have been constructed and tested
for various time periods and at various
temperature levels. Work on the Geiger
counter method of temperature measurement
shows that this device is probably more
accurate than the usual optical pyrometer
with the sensitivity actually improving as
the temperature is raised. An improved
extensometer system has been evolved which
practically eliminates creep in the
specimen threads and has a sensitivity on
the order of two-millionths of an inch per
inch and should be applicable to 1800°C or
3250°F) 1948. 13p.

Order from LC mi\$2.40 ph\$3.30 PB 138460

Prog. rept. no. 6 (The creep testing machine
and extensometer system reported in the
fifth progress report have been built and
tested at room temperature. Work on the
Geiger tube temperature measuring instru-
ment has been proceeding satisfactorily.
A simple molybdenum wound furnace has
been developed and given service for over
150 hours at a temperature of 2700°F)
1949. 10p.

Order from LC mi\$1.80 ph\$1.80 PB 138461

Springfield Armory, Mass.
HOT-HARDNESS INVESTIGATIONS OF COLUMBIUM AND SOME
COLUMBIUM ALLOYS (hardness investigations were con-
ducted at temperatures up to 1500°F on commercially
pure columbium columbium - 40 percent tantalum
alloy, and columbium - 8 per cent zirconium alloy.
For comparison purposes, additional hot-hardness
data were obtained on commercially pure tantalum,
tungsten, molybdenum, molybdenum - 0.15 per cent
cobalt alloy, Stellite 21, and a 4150 modified steel.)
1958. 18p.

Order from LC mi\$2.40 ph\$3.30 PB 139574

NRL, Washington, D.C.
EFFECT OF PRIOR COLD WORK ON THE HIGH-TEMPERATURE
PROPERTIES OF A CHROMIUM-MOLYBDENUM STEEL (the
effect of cold work on the high-temperature properties
of a quenched and tempered chromium-molybdenum steel
was investigated by means of stress-rupture and
relaxation tests. The material with several levels
of cold reduction (0, 8, 15, and 39% of cross-sec-
tional area) was tested in stress-rupture at 700°,
800°, 900°, and 1000°F (370°, 425°, 480°, and 540°C)
in the stress range of 45,000 to 128,000 psi, and in
relaxation at 900°F (480°C) and 80,000 psi initial
stress), by Shahinian. Final rept. 1955. 21p.
Order from LC mi\$2.70 ph\$4.80 PB 139594

Georgia Inst. of Tech. Engineering Experiment
Station, Atlanta, Ga.
INVESTIGATION OF HIGH TEMPERATURE RESISTANT
MATERIALS (initial work was devoted to coating 1/16
inch molybdenum-sheet substrates with aluminum,
gold, nickel, platinum, rhodium and silicon,
respectively, as single films by evaporation,
sputtering or electroplating), by Walton, Poulos
and Mason. Summary rept. no. 1 1957. 213p.
Order from LC mi\$9.60 ph\$33.30 PB 139926

Metcut Research Associates, Inc., Cincinnati, O.
MACHINING CHARACTERISTICS OF HIGH STRENGTH THERMAL RESISTANT MATERIALS (a study of turning, milling, drilling, tapping and grinding has been conducted on AISI 4130, AISI 4340, 17-22 AS, Chromalloy, Vasco Jet 1000, Unimach 2, Peerless 56, Super Tri-cent, UHS-260, Halcomb 218, A-286, 410 Stainless, R-235, Udimet 500, Inconel 901 and Inconel 700. The data is presented to show the relationships between tool life, cutting speed, feed, tool geometry and tool materials), by Nowikowski. Interim engineering rept. no. 4 1959. 132p.
 Order from LC mi\$6.90 ph\$21.30 PB 140083

MACHINING CHARACTERISTICS OF HIGH STRENGTH THERMAL RESISTANT MATERIALS, Phase II, by Nowikowski:
 Interim rept. no. 2 1958. 54p.
 Order from LC mi\$3.60 ph\$9.30 PB 140796
 Interim rept. no. 3 1958. 100p.
 Order from LC mi\$5.40 ph\$15.30 PB 140797
 Interim rept. no. 4 1959. 52p.
 Order from LC mi\$3.60 ph\$9.30 PB 140082
 Interim rept. no. 5 1959. 157p.
 Order from LC mi\$7.50 ph\$24.30 PB 140798
 Interim rept. no. 6 (a study of the machining characteristics in turning, milling, drilling, and tapping on twenty-five high strength, thermal resistant alloys. The data is presented in graphical form to show the relationships between tool life, cutting speed, feed, tool geometry, tool material and cutting fluids) 1959. 424p.
 Order from OTS at \$6.00 PB 161369

Naval Engineering Experiment Station, Annapolis,
AN EVALUATION OF A THERMENOL CASTING (a commercial casting of Thermenol, a 16% aluminum - 3% molybdenum-iron base alloy, was evaluated and structurewise was found to be unsuitable for superheater tube support plate applications), by Greenert. 1955. 14p.
 Order from LC mi\$2.40 ph\$3.30 PB 140855

Georgia Inst. of Tech. Engineering Experiment Station, Atlanta
INVESTIGATION OF HIGH TEMPERATURE RESISTANT MATERIALS (effects of particle size and substrate temperature on adherence of flame-spray coatings on mild steel using a powder containing 85 per cent zirconia and 15 per cent titania. Two materials were investigated as possible base coats for flame-sprayed alumina. Coatings produced from flame-sprayed titania showed excellent room temperature adherence), by Mason and Walton. Summary rept. no. 2 1958. 113p.
 Order from LC mi\$6.00 ph\$18.30 PB 142326

Central Inst. for Industrial Research (Norway)
INVESTIGATION OF THE MECHANISM OF THE OXIDATION OF TITANIUM AND TITANIUM ALLOYS AT HIGH TEMPERATURES (a study was made of the reactions of O with Ti between 300° and 1000°C and with various Ti alloys between 800° and 1000°C), by Kofstad. 1957. 92p.
 Order from LC mi\$5.40 ph\$15.30 PB 143044

Battelle Memorial Inst., Columbus, O.
THE DEVELOPMENT OF CHROMIUM-BASE HEAT-RESISTANT ALLOYS, by Blocher, Campbell and others. 1954. 170p.
 Order from LC mi\$7.80 ph\$25.80 PB 143650

Armour Research Foundation, Chicago, Ill.
DEVELOPMENT OF COBALT-BASE ALLOYS (in an intensive study of the potentialities of all useful cobalt-base binary alloy systems, approximately 200 alloy compositions were studied), by Rausch. Summary rept. 1958. 61p.
 Order from LC mi\$3.90 ph\$10.80 PB 144136

Battelle Memorial Inst., Columbus, O.
HIGH-TEMPERATURE-ALLOY CUTTING PROGRAM (new methods for cutting high-temperature alloys included chemical machining, chemical cutting by high-velocity jets, abrasive slurries, ultrasonics, electro-arc and electrospark machining, explosive cutting, and electrolytic machining), by Clifford, Semones and McCallum. Final engineering rept. 1959. 153p.
 Order from LC mi\$7.50 ph\$24.30 PB 144650

RESEARCH AND DEVELOPMENT OF PROCEDURES FOR JOINING OF SIMILAR AND DISSIMILAR HEAT-RESISTING ALLOYS BY ULTRASONIC WELDING, by Weare, Antonevich and others. 1959. 83p.
 Order from LC mi\$4.80 ph\$13.80 PB 145015

Metcut Research Associates, Inc., Cincinnati, O.
MACHINING CHARACTERISTICS OF HIGH STRENGTH THERMAL RESISTANT MATERIALS. Phase III. MACHINE TOOL REQUIREMENTS (the required range of speeds, feeds and power in turning, milling, drilling, tapping and grinding are listed in tables for each alloy group. Several recent developments in machine tools designed specifically for machining the high strength thermal resistant alloys are also described), by Nowikowski. 1959. 55p.
 Order from LC mi\$3.60 ph\$9.30 PB 145016

Springfield Armory, Mass.
COLUMBIUM AS A HIGH TEMPERATURE STRUCTURAL MATERIAL (an investigation was made to determine the influence of oxygen in the strengthening and hardening of columbium at both elevated and room temperatures), by Abbe. 1959. 25p.
 Order from LC mi\$2.70 ph\$4.80 PB 145530

Ohio State U. Research Foundation, Columbus, O.
THE OXIDATION CHARACTERISTICS OF COLUMBIUM ALLOYS (Cb-Zr-Ti and Cb-Zr-Cr alloys), by Gordon, Speiser and Scheuermann. 1959. 56p.
 Order from LC mi\$3.60 ph\$9.30 PB 145625

Republic Steel Corp., Canton, O.
INVESTIGATION OF THE HIGH TEMPERATURE PROPERTIES OF HS88 AUSTENITIC STEEL MODIFIED BY ADDITIONS OF MOLYBDENUM, TUNGSTEN, TITANIUM, BORON, COBALT, ALUMINUM AND NITROGEN, by Whitmer, Poole and Griffin. 1954. 37p.
 Order from LC mi\$3.00 ph\$6.30 PB 146285

Watertown Arsenal Labs., Mass.
THE CHROMIUM-COLUMBIUM BINARY SYSTEM (the complete binary system chromium-columbium has been developed, using metallographic, X-ray diffraction and thermal analysis techniques), by Misencik. Master's thesis. 1960. 45p.
 Order from LC mi\$3.30 ph\$7.80 PB 147279

Crucible Steel Co. of America, Syracuse, N.Y.
DEVELOPMENT OF A DUCTILE, OXIDATION-RESISTANT AND HIGH STRENGTH SINGLE-PHASE (AUSTENITIC) ALLOY BASED ON Fe-Al-Mn-C SYSTEM (work was initiated to develop a ductile, oxidation-resistant and high strength alloy based on the Fe-Al-Mn-C system for use at intermediate temperatures (1100 to 1400 F)), by Gibson. Bimonthly prog. rept. no. 2 1960. 14p.
 Order from LC mi\$2.40 ph\$3.30 PB 148003

Georgia Inst. of Tech. Engineering Experiment Station, Atlanta
INVESTIGATION OF HIGH TEMPERATURE RESISTANT MATERIALS (includes refractory coatings - test results and silicon dioxide - temperature factors), by Mason, Walton and others. Quart. rept. no. 14 1959. 30p.
 Order from LC mi\$2.70 ph\$4.80 PB 148059

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
IMPROVEMENT OF Cr-Ni-Mo IRON BASE ALLOYS BY VACUUM
MELTING AND CASTING, by Gillig. Final rept. 1959.
16p.

Order from LC mi\$2.40 ph\$3.30

PB 148243

Georgia Inst. of Tech. Engineering Experiment
Station, Atlanta
INVESTIGATION OF HIGH TEMPERATURE RESISTANT MATERIALS
(zirconium-carbide- and titanium-carbide-forming
thermite reactions were studies with regard to throt-
tling materials (alumina versus kaolin, EPK), binders
(core oil versus a saturated solution of aluminum
hydroxide), carbon source for carbide-forming (graph-
ite versus lampblack), and various shrouding tech-
niques during ignition), by Walton and Mason. Quart.
rept. no. 11 1958. 35p.

Order from LC mi\$3.00 ph\$6.30

PB 148455

Crucible Steel Co. of America, Syracuse, N.Y.
DEVELOPMENT OF A DUCTILE, OXIDATION-RESISTANT AND
HIGH STRENGTH SINGLE-PHASE (AUSTENITIC) ALLOY BASED
ON Fe-Al-Mn-C SYSTEM (studies performed on an Fe-Al-
C-Mo-W-V base alloy containing additions of nickel
and copper indicated that copper lowered stress-rupt-
ure properties and improved oxidation resistance. Nickel
additions increased stress rupture and room
temperature tensile properties of the base alloy but
had little effect on oxidation resistance), by
Gibson. Bimonthly prog. rept. no. 3 1960. 11p.

Order from LC mi\$2.40 ph\$3.30

PB 148785

General Electric Co., Cincinnati, Ohio
DEVELOPMENT OF HIGH STRENGTH MATERIALS FOR SOLID
ROCKET MOTORS (includes heat resistant alloys -
development), by Bamberger. Annual rept. 1959. 136p.

Order from LC mi\$6.90 ph\$21.30

PB 148927

Climax Molybdenum Co. of Michigan, Detroit
DEVELOPMENT OF TUNGSTEN-BASE ALLOYS, by Semchyshen
and Barr. Interim rept. no. 2 1959. 18p.

Order from LC mi\$2.40 ph\$3.30

PB 149991

Materials Adv. Board, National Research Council,
Washington, D. C.
COMMITTEE ON REFRACTORY METALS (includes heat re-
sistant alloys - development and airframes -
materials):

Volume I. Summary. 1959. 40p.

Order from LC mi\$3.00 ph\$6.30

PB 150077-1

Volume II. Panel reports. 1959. 33lp.

Order from LC mi\$11.10 ph\$51.60

PB 150077-2

U.S. Naval Research Laboratory.
PROPOSED MECHANISM FOR THE STRENGTHENING OF SAP-TYPE
ALLOYS (includes aluminum alloys), by Ansell. 1958.
4p.

Order from OTS at 50 cents

PB 151047

Defense Metals Information Center, Battelle
Memorial Inst., Columbus, Ohio.
METHODS FOR CONDUCTING SHORT-TIME TENSILE, CREEP,
AND CREEP-RUPTURE TESTS UNDER CONDITIONS OF RAPID
HEATING (this report reviews the equipment and test-
ing methods used by 15 different organizations in
the tensile and short-time creep testing of materials
under conditions of rapid heating), by Moon and
Simmons. 1959. 43p.

Order from OTS at \$1.25

PB 151078

Mich. Univ. Engineering Research Inst., Ann Arbor
EFFECT OF PRIOR CREEP ON MECHANICAL PROPERTIES OF
AIRCRAFT STRUCTURAL METALS. Part III: -C110M TITA-
NIUM ALLOY, by Gluck, Voorhees and Freeman. 1958. 97p.

Order from OTS at \$2.25

PB 151145

Defense Metals Information Center, Battelle
Memorial Inst., Columbus, Ohio
STRUCTURAL DAMAGE IN THERMALLY CYCLED RENE 41 AND
ASTROLOGY SHEET MATERIALS (stress-rupture life at
1650 F and tensile properties at room temperature
and at 1400 F were used to determine the extent of
structural damage in thermally cycled Rene 41 and
Astrology sheet materials), by Moon, VanEcho and
others. 1950. 27p.

Order from OTS at 75 cents

PB 151083

SELECTED SHORT-TIME TENSILE AND CREEP DATA OBTAINED
UNDER CONDITIONS OF RAPID HEATING (data are given
for 28 alloys in sheet form, including 3 aluminum
alloys, 6 titanium alloys, 2 alloy steels, 3 tool
steels, 6 Cr-Ni-Fe alloys, and 8 superalloys of
general interest. In addition, an extensive
bibliography contains references to 121 reports and
articles pertaining to test methods and equipment
and to very-short-time data for these and many other
materials), by Moon and Simmons. 1960. 88p.

Order from OTS at \$2.25

PB 151088

DESIGN INFORMATION OF NICKEL-BASE ALLOYS FOR AIR-
CRAFT AND MISSILES (tensile, compressive, shear, and
bearing properties of some nickel-base alloys for
aircraft and missiles have been assembled and
evaluated), by Favor, Roberts and Achbach. 1960. 153p.

Order from OTS at \$3.00

PB 151090

DESIGN INFORMATION ON PH 15-7 Mo STAINLESS STEEL FOR
AIRCRAFT AND MISSILES (this report is a summary of
design information pertinent to the use of PH 15-7
Mo stainless steel in aircraft and missile applica-
tions. Welding problems are discussed briefly. Data
on the elevated-temperature mechanical properties of
this alloy have been collected and evaluated. The
presentation and evaluation of these data are in
accordance with procedures employed by the ANC-5
Committee), by Favor, Deel and Achbach. 1960. 43p.

Order from OTS at 1.25

PB 151093

Battelle Memorial Institute, Columbus, Ohio
COMPRESSIVE CREEP BUCKLING OF METAL COLUMNS. Part 5:
CYCLIC LOADING (includes aluminum and titanium
alloys), by Manning. 1958. 69p.

Order from OTS at \$1.75

PB 151218

Central Inst. for Industrial Research (Norway)
OXIDATION OF TITANIUM, by Hurlen, Kjøllesdal and
others. Final tech. rept. 1958. 119p.

Order from OTS at \$2.50

PB 151236

NBS, Washington, D.C.
OXIDATION OF EXPERIMENTAL ALLOYS (a study was made of
the oxidation resistance of ten high-temperature
alloys; 1) Aluminum modified Nichrome V, 2) Nichrome
V, 3) niobium modified Nichrome V, 4) an iron-
chromium-aluminum alloy, 5) Inconel 702, 6) Hastelloy
R235, 7) Hastelloy W, 8) type 316 stainless steel,
9) Inconel X, and 10) Inconel), by Richmond and
Thornton. 1958. 54p.

Order from OTS at \$1.50

PB 151264

Minnesota U., Minneapolis
EFFECT OF STATIC PRESTRAIN ON THE PROPERTIES OF UNNOTCHED AND NOTCHED MATERIALS AT ROOM
AND ELEVATED TEMPERATURE (of the alloys 7075-T6
extruded, 2024-T4 extruded, 16-25-6 hot-rolled-worked,
and S-816 solution treated and aged), by Vitovec.
1958. 68p.

Order from OTS at \$1.75

PB 151280

Engineering Research Inst., U. of Mich., Ann Arbor
AN INVESTIGATION OF THE RELATIONSHIP BETWEEN MICRO-
STRUCTURE AND CREEP-RUPTURE PROPERTIES OF HEAT-RE-
SISTANT ALLOYS (using nickel and A-286 alloy as
material), by Coldren and Freeman. 1958. 71p.
Order from OTS at \$2.00 PB 151421

Thomson Lab., General Electric Co.
EVALUATION OF ALLOYS FOR HIGH TEMPERATURE GEAR APPLI-
CATIONS (the selection of materials for use in high
Mach number aircraft gears requires consideration of
high temperature physical, mechanical and chemical
properties, and of rubbing compatibility. This pro-
gram was designed to obtain bench test data on ten
different materials for application as gears at
operating temperatures to 700°F), by Jackson, Muench
and others. 1958. 86p.
Order from OTS at \$2.25 PB 151625

Research Inst., U. of Mich., Ann Arbor
ELECTRON METALLOGRAPHIC STUDIES OF NICKEL-BASE HEAT-
RESISTANT ALLOYS, by Bigelow and Amy. 1958. 57p.
Order from OTS at \$1.50 PB 151537

Minnesota U., Minneapolis
FATIGUE, CREEP, AND RUPTURE PROPERTIES OF THE ALLOYS
UDIMET 500, HASTELLOY R-235, AND GMR-235 (fatigue,
rupture, and creep data at 1200° and 1650°F obtained
under various combinations of mean and alternating
stress are presented), by Vitovec. 1958. 72p.
Order from OTS at \$2.00 PB 151608

Thomson Lab., General Electric Co.
EVALUATION OF ALLOYS FOR HIGH TEMPERATURE GEAR APPLI-
CATIONS (program was designed to obtain bench test
data on ten different materials for application as
gears at operating temperatures to 700°F), by
Jackson, Muench and others. 1958. 86p.
Order from OTS at \$2.25 PB 151625

Mich. Univ. Research Inst., Ann Arbor
NOTCH SENSITIVITY OF AIRCRAFT STRUCTURAL AND ENGINE
ALLOYS. Part II. FURTHER STUDIES WITH A-286 ALLOY,
by Voorhees and Freeman. 1959. 67p.
Order from OTS at \$1.75 PB 15-738

Metcut Research Associates, Cincinnati, Ohio
MACHINING CHARACTERISTICS OF HIGH STRENGTH THERMAL
RESISTANT MATERIALS. Phase I. SURVEY OF EXISTING
INFORMATION; ISOLATION OF PROBLEMS (the purpose is to
investigate and evaluate the machining character-
istics of high strength, thermal resistant materials
on which present aircraft design and future con-
struction is based. Phase I comprises an industrial
and a literature survey designed to ascertain the
types of parts intended for future aircraft, the
alloys to be used for these parts, and the machining
problems associated with their manufacture), by
Nowikowski and Koster. 1958. 157p.
Order from OTS at \$3.00 PB 151774

Stanford Research Inst., Menlo Park, Calif.
MECHANICAL PROPERTIES AND OXIDATION RESISTANCE OF
CERTAIN REFRACTORY METALS (a handbook of various
mechanical thermal and oxidation properties of the
refractory metals; chromium, columbium, osmium,
rhenium, tantalum, tungsten, vanadium and their
alloys), by Tietz, Wilcox and Wilson. Final rept.
1959. 239p.
Order from OTS at \$3.50 PB 151855

Defense Metals Information Center, Battelle
Memorial Inst., Columbus, Ohio
THE PROPERTIES OF MAGNESIUM-THORIUM ALLOYS (it is
the purpose of this memorandum to present available
engineering data for magnesium-thorium alloys of
interest for structural applications of high-speed
manned aircraft, which are commercially produced or
have reached an advanced developmental stage. In
addition, limited attention is given to fabrication
of the alloys and design requirements that favor
their selection), by Jackson. 1959. 29p.
Order from OTS at 50 cents PB 161170

PROCEDURES FOR ELECTROPLATING COATINGS ON REFRACTORY
METALS (refractory metals covered are: vanadium,
columbium, tantalum, tungsten, titanium, and
molybdenum), by Beach and Gurklis. 1959. 28p.
Order from OTS at 50 cents PB 161185

PROCEDURES FOR THE METALLOGRAPHIC PREPARATION OF
BERYLLIUM, TITANIUM, AND REFRACTORY METALS (it is the
purpose of this memorandum to provide some basic infor-
mation for such companies who wish to establish and
practice satisfactory procedures for the metallo-
graphic preparation of the following metals:
beryllium; chromium; columbium; molybdenum; platinum
group: platinum, palladium, ruthenium, rhodium,
iridium, and osmium; rhenium; tantalum; titanium;
tungsten; and vanadium), by Buchheit and Wheeler.
1959. 38p.
Order from OTS at 50 cents PB 161187

THE WELDING OF WROUGHT AGE-HARDENABLE NICKEL-BASE
ALLOYS FOR SERVICE AT ELEVATED TEMPERATURES, by
Lepowski and Monroe. 1959. 21p.
Order from OTS at 50 cents PB 161188

A BRIEF REVIEW OF REFRACTORY METALS (in this paper
the refractory metals will be taken as the metals
with melting points equal to or higher than that of
chromium, 1875 C), by Jaffee. 1959. 37p.
Order from OTS at 50 cents PB 161190

SELECTED REFERENCES ON MAKING HIGH-TEMPERATURE
ALLOYS BY POWDER METALLURGY (includes bibliography -
powder metallurgy), by Barth. 1960. 6p.
Order from OTS at 50 cents PB 161197

SELECTED REFERENCES TO ASTIA DOCUMENTS ON MACHINING
(bibliography), by Boulger and Gold. 1960. 51p.
Order from OTS at 50 cents PB 161211

RECENT DEVELOPMENTS IN SUPERALLOYS (development of
over a dozen new nickel-base and cobalt-base
materials. Some of these alloys are fabricable into
sheet, while others are suitable only for precision
casting), by Wagner. 1960. 14p.
Order from OTS at 50 cents PB 161214

MATERIALS-PROPERTY-DESIGN CRITERIA FOR METALS. Part
8. THE CREEP BEHAVIOR OF SELECTED MATERIALS IN THE
RANGE UP TO 1 PER CENT NET CREEP STRAIN AND 1000
HOURS (the objectives of this study were to compile
and to evaluate creep strain versus time data on air-
frame structural materials. The range of interest,
as recommended by the Elevated Temperature Task
Group of the ANC-5 Panel, includes creep strain up
to 1 per cent and time up to 1000 hours), by Favor,
Achbach and Grover. 1959. 30p.
Order from OTS at 75 cents PB 161302

Crucible Steel Co. of America, Pittsburgh, Pa.
DEVELOPMENT OF HIGH-TEMPERATURE IRON-BASE ALLOYS (at temperatures approaching 1200 F), by Kasak, Chandhok and Dulis. 1959. 71p.
Order from OTS at \$2.00 PB 161337

DEVELOPMENT OF A CORROSION-RESISTANT BEARING STEEL FOR SERVICE IN AIRCRAFT AT TEMPERATURES UP TO 1000 F, by Steven and Philip. 1959. 70p.
Order from OTS at \$1.75 PB 161338

NBS, Washington, D.C.
PREPARATION OF HIGH PURITY W, Mo, Ta, Nb, AND Zr, by Moore and Wyman. 1959. 15p.
Order from OTS at 50 cents PB 161365

Climax Molybdenum Co. of Michigan, Detroit
DEVELOPMENT OF MOLYBDENUM-BASE ALLOYS. Part I. HIGH STRENGTHS AND HIGH RECRYSTALLIZATION TEMPERATURES IN WROUGHT MOLYBDENUM-BASE ALLOY BAR STOCK. Part II. MOLYBDENUM-BASE ALLOY SHEET MATERIALS (these represent the strongest known metallic materials for service at 1800°F to 2400°F), by Semchyshen, Barr and McArdle. 1959. 138p.
Order from OTS at \$2.75 PB 161413

Thiokol Chemical Corp., Trenton, N.J.
A STUDY OF THE CORROSIVE EFFECTS OF THE COMBUSTION PRODUCTS OF BORON CONTAINING FUELS ON SELECTED HIGH TEMPERATURE MATERIALS (the data show that for all alloys there exists a critical temperature (T_c) in the range 1600 to 2000°F above which the corrosion rate increases very rapidly with increasing temperature, and above which serious pitting, and even destruction, occurs within 150 hours), by Loprest and Tunkel. 1959. 331p.
Order from OTS at \$5.00 PB 161421

Manufacturing Labs., Inc., Cambridge, Mass.
INVESTIGATION OF THE STRENGTH AND DUCTILITY RELATIONSHIPS IN TITANIUM-ALUMINUM ALLOYS BETWEEN 6 AND 15% ALUMINUM FOR APPLICATION AT ELEVATED TEMPERATURES, by Lement, Hahn and Kreder. 1958. 74p.
Order from OTS at \$1.75 PB 161424

Watertown Arsenal Labs., Mass.
TEMPERATURE GRADIENT: HARDNESS TECHNIQUE FOR DETERMINATION OF RECRYSTALLIZATION TEMPERATURE, by Dhosi and Pierson. 1960. 22p.
Order from OTS at 75 cents PB 161473

Materials Research Corp., Yonkers, N.Y.
THE INVESTIGATION OF THE MECHANISM OF SUBSTRUCTURAL FORMATION IN REFRACTORY METALS AND THE RELATION TO THE OBSERVED MECHANICAL PROPERTIES (includes molybdenum-microstructure), by Iannicci, Intrater and others. 1960. 32p.
Order from OTS at \$1.00 PB 161489

Marquardt Corp., Van Nuys, Calif.
SHORT TIME, ELEVATED TEMPERATURE, STRESS-STRAIN BEHAVIOR OF TENSILE, COMPRESSIVE AND COLUMN MEMBERS (the short time tension and compression properties of four aircraft sheet materials were evaluated at room and elevated temperatures at strain rates ranging from 0.00001 to 0.1 in./in./sec), by Burnett. 1959. 144p.
Order from OTS at \$2.75 PB 161492

Allison Div., Gen. Motors Corp., Indianapolis
EFFECT OF BORON CONTAINING HIGH ENERGY FUEL COMBUSTION PRODUCTS ON THE PROPERTIES OF STATICALLY STRESSED HIGH TEMPERATURE ALLOYS, by Vonnegut and Mahler. 1960. 70p.
Order from OTS at \$1.75 PB 161658

NOL, White Oak, Md.
SOME ELEVATED TEMPERATURE PROPERTIES OF PRECIPITATION HARDENABLE IRON-ALUMINUM ALLOYS (the effects of titanium and titanium plus carbon on some of the elevated temperature properties of the binary iron-aluminum alloys were studied), by Buehler and Dalrymple. 1960. 19p.
Order from OTS at 50 cents PB 161543

Mich. Univ. Research Inst., Ann Arbor
STUDIES OF HEAT-RESISTANT ALLOYS, by Coldren, White and others. 1960. 108p.
Order from OTS at \$2.50 PB 161667

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
INVESTIGATION OF THE COMPRESSIVE, BEARING, AND SHEAR CREEP-RUPTURE PROPERTIES OF AIRCRAFT STRUCTURAL METALS AND JOINTS AT ELEVATED TEMPERATURES (this report summarizes in tabular and chart form the high temperature short time deformation properties of 16 V - 2.5 Al titanium alloy and Vascojet 1000 alloy steel in tension, compression, bearing and shear), by Yerkovich. 1960. 111p.
Order from OTS at \$2.50 PB 161717

Lubrication Lab., MIT., Cambridge, Mass.
FRICTION AND WEAR AT ELEVATED TEMPERATURES (a new high-temperature friction apparatus has been constructed which allows sliding experiments to be carried out at temperatures to 2000 F. in controlled atmospheres, and at speeds varying over a wide range) by Rabinowicz. 1960. 25p.
Order from OTS at 75 cents PB 161719

Bell Aircraft Corp., Buffalo, N.Y.
MECHANICAL PROPERTIES OF SELECTED ALLOYS AT ELEVATED TEMPERATURES. Part II. DESIGN CRITERIA OF SILICON CARBIDE, by Pearl, Nowak and Deban. 1960. 134p.
Order from OTS at \$2.75 PB 161723

N.Y. Univ. Coll. of Engineering, N.Y.
DEVELOPMENT OF PROTECTIVE COATINGS FOR REFRACTORY METALS (a preliminary study of the feasibility of protecting tungsten against oxidation at 1650°C (3000°F) was undertaken. Rhodium was selected from the noble metal group as the most promising metallic type of coating), by Goetzel, Venkatesan and Bunshah. 1960. 57p.
Order from OTS at \$1.50 PB 161736

Illinois Univ, Urbana
PROTECTIVE COATINGS FOR REFRACTORY METALS (tests with tungsten wire encapsulated in evacuated fused silica tubes demonstrated the impermeability of oxygen at temperatures above 3000°F. for several hours, as evidenced by the non-oxidation of the encased tungsten), by Bergeron, Friedberg and others. 1960. 50p.
Order from OTS at \$1.25 PB 161739

Armour Research Foundation, Chicago, Ill.
DEVELOPMENT OF PARTIALLY VOLATILE BRAZING FILLER ALLOY FOR HIGH-TEMPERATURE APPLICATION AND RESISTANCE TO OXIDATION (the mechanisms by which remelt temperature is increased have been studied for the range of alloys investigated which contained nickel, chromium, germanium, iron, lithium, and phosphorus), by Lehrer and Schwartzbart. 1959. 45p.
Order from OTS at \$1.25 PB 161746

Mich. Univ. Research Inst., Ann Arbor
NOTCH SENSITIVITY OF HIGH-TEMPERATURE ALLOYS, by Foorhees and Freeman. 1960. 55p.
Order from OTS at \$1.50 PB 161796

Metcut Research Associates, Inc., Cincinnati, O.
MACHINING CHARACTERISTICS OF HIGH STRENGTH THERMAL
RESISTANT MATERIALS. ITEM V, PART II: MACHINING
CHARACTERISTICS OF MOLYBDENUM - 0.5% TITANIUM ALLOY
(a study of the machining characteristics of a
molybdenum alloy containing 1/2 percent titanium
(Mo-1/2% Ti) has been conducted for turning, face
milling, drilling, reaming and tapping operations),
by Nowikowski. 1960. 75p.
Order from OTS at \$2.00 PB 161775

Climax Molybdenum Co. of Michigan, Detroit
ARC-CAST MOLYBDENUM AND TUNGSTEN BASE ALLOYS (1957-
1959), by Semchyshen and Barr. 1959. 205p.
Order from OTS at \$3.50 PB 161820

Battelle Memorial Inst., Columbus, O.
HIGH-TEMPERATURE PROPERTIES AND ALLOYING BEHAVIOR OF
THE REFRACTORY PLATINUM-GROUP METALS (a survey of the
literature pertaining to the platinum-group metals
and their alloys has been conducted as a part of the
study of the metallurgical properties of the re-
fractory platinum-group metals. Major emphasis was
placed on the four more refractory metals: rhodium,
iridium, osmium, and ruthenium. A selected bibliog-
raphy and a list of references are included), by
Douglass, Holden and Jaffee. Tech. phase rept.
1959. 127p.
Order from OTS at \$2.75 PB 161823

Materials Lab., WADC, Wright-Patterson AFB, Ohio
INVESTIGATION OF THE UNNOTCHED AND NOTCHED FATIGUE
BEHAVIOR OF SEVERAL HEAT RESISTANT MATERIALS FOR
ENGINE BOLTS (for the heat resistant alloys AMS
5735(A-286), Udimet 500, and Inconel 700 and 901),
by Forney and Wang. 1960. 59p.
Order from OTS at \$1.50 PB 161930

American Machine & Foundry Co., Alexandria, Va.
ULTRA-SHORT-TIME CREEP RUPTURE (the short time creep
behavior of eight structural sheet materials when
subjected to temperatures up to 2000°F was determined
for time periods of 10 seconds to three minutes), by
Ives. 1960. 131p.
Order from OTS at \$2.75 PB 161983

Crucible Steel Co. of America, Pittsburgh, Pa.
CORROSION OF SUPERALLOYS BY SELECTED FUSED SALTS (the
corrosion of Inconel X, Inconel 702, Rene 41, M-252,
and Haynes 25 by potassium chloride and lithium
fluoride at 1600 to 1900 F was studied), by Moskowitz
and Redmerski. 1960. 84p.
Order from OTS at \$2.25 PB 161848

Armour Research Foundation, Chicago, Ill.
STUDY OF FATIGUE PROPERTIES OF ULTRA-HIGH STRENGTH
STEEL, by Nudelman and Sheehan. 1960. 65p.
Order from OTS at \$1.75 PB 171056

Curtiss-Wright Corp., Caldwell, N.J.
RESEARCH ON PROPERTIES OF HIGH STRENGTH MATERIALS
SUITABLE FOR HIGH TEMPERATURE APPLICATIONS (bars of
iron-molybdenum alloys, intended for study as to
suitability for ball bearings at temperatures up to
1000°F, were found to be so non-homogeneous and
brittle that specimens could not be machined from
them. High temperature torsion tests of relaxation
were made to study the suitability of two alloys,
M-1 tool steel and Inconel X, for springs at 1000°F,
and of 1500°F), by Cummings, Stulen and Schulte.
1960. 61p.
Order from OTS at \$1.75 PB 171060

Minnesota Univ., Minneapolis
FATIGUE AND STRESS RUPTURE PROPERTIES OF INCONEL
713C, V-57C AND TITANIUM ALLOYS 7Al-3Mo-Ti AND MST
821 (8Al-2Cb-Ta-Ti), by Cers and Blatherwick.
1960. 92p.
Order from OTS at \$2.25 PB 171064

Manufacturing Labs., Inc., Cambridge, Mass.
INVESTIGATION OF THE STRENGTH AND DUCTILITY RELATION-
SHIPS IN TITANIUM-ALUMINUM ALLOYS BETWEEN 6 AND 15%
ALUMINUM FOR APPLICATION AT ELEVATED TEMPERATURES,
by Lement, Hahn and Krder. 1958. 74p.
Order from OTS at \$1.75 PB 161424

TRANSLATIONS ON HEAT RESISTANT ALLOYS

PROTECTIVE COATINGS ON HIGH-TEMPERATURE STRENGTH
ALLOYS (localized corrosion of high-temperature
strength Ni-base alloys (such as 20% Cr, 2.4 Ti, 0.7
Al, balance Ni) for gas turbine blades, caused by
presence of vanadium (pentoxide) and sodium in some
fuels), by Parfenov. 1958.
Trans. of Metallovedeniye i Obrabotka Metallov (USSR)
1958, no. 6, p. 33-37.
Order as HB-4251 from HB at \$4.85 59-12266

THE EFFECT OF PLASTIC DEFORMATION ON THE HEAT RE-
SISTANCE OF THE E1437 ALLOY, by Kishkin, Klypin and
Sulima. 1958. 5p.
Trans. of Metallovedeniye i Obrabotka Metallov (USSR)
1958, no. 6, p. 18-20.
Order from OTS at 50 cents 59-13154

DUCTILITY OF HIGH-TEMPERATURE STRENGTH ALLOYS AS
AFFECTED BY STRUCTURE AND STRESS STATE by Rantegayev.
1958.
Trans. of Metallovedeniye i Obrabotka Metallov (USSR)
1958, no. 7, p. 30-35.
Order as HB-4280 from HB at \$3.80 59-14013

PROTECTIVE COATINGS OF HEAT RESISTANT ALLOYS (re-
sults are described of investigations of the
strength of specimens made of the alloy E1437B
(20.10% Cr; 2.40% Ti; 0.71% Al; 0.04% C; 0.45% Si;
0.20% Mn; 0.005% S; 0.006% P; 0.60% Fe; 0.05% Cu;
0.05% Zr; the rest Ni) and of the alloy E1617 (com-
position as per standard specification), by Parfenov.
1958. 7p.
Trans. of Metallovedeniye i Obrabotka Metallov (USSR)
1958, no. 6, p. 33-37.
Another translation is available as HB-4251, \$4.85
Order from OTS at 50 cents 59-13156

CERTAIN PROBLEMS ON THE THEORY OF ALLOYING SPECIAL
CAST HIGH-ALLOY ALLOYS (cooling speed, duration of
hardening, completeness of feed, and free shrinkage
were studied in cast high-alloy alloys, including
refractory types), by Nekhendzi. 1959. 16p.
Trans. of Liteynoye Proizvodstvo (USSR) 1958,
no. 10, p. 23-28.
Order from OTS at 50 cents 59-13202

- MODIFICATION OF HEAT-STABLE ALLOYS WITH AN Al-Si BASE, by Orlova. 1959. 11p.
Trans. of Liteynoye Proizvodstvo (USSR) 1958, no. 4, p. 31-32.
Order from LC or SLA mi\$2.40 ph\$3.30 59-17623
- A MACHINE FOR TESTING HEAT STRENGTH UNDER PROGRAMMATICALLY VARIED CONDITIONS (includes heat resistant alloys - testing equipment), by Gorbodey, Bulegin and others. 1959. 8p.
Trans. of an unidentified Russian mono. Instruments and Technique of Laboratory Works, p. 486-490.
Order from LC or SLA mi\$1.80 ph\$1.80 59-16731
- HIGH-ALLOY, STAINLESS AND HEAT-RESISTANT STEELS AND ALLOYS WITH HIGH OHMIC RESISTANCE. 1959. 13p.
Trans. of Russian Standard GOST 5632-51, gr. v. 30, introduced 4 Jan 51, approved 1 Mar 51, reissued with amendments June 56.
Order from LC or SLA mi\$2.40 ph\$3.30 59-19161
- EFFECT OF THE SURROUNDING MEDIUM ON THE STRENGTH OF HEAT-RESISTANT STEELS (data are reviewed on the effect of surface-active substances (e.g., comparatively low-melting-point metals and alloys in the liquid state(on the behaviour of polycrystalline solids under load), by Kishkin and Nikolenko. 1959. 5p.
Trans. of Akad(emiya) Nauk SSSR. Dokl(ady) 1956, v. 110, no. 6, p. 1018-1021.
Order from LC or SLA mi\$1.80 ph\$1.80 59-22557
- ELECTRODES FOR WELDING HEAT RESISTING TUBE STEEL LKh18Ni2T, by Lazarev; tr. by M.deO. Tollemache. 1959. 15p.
Trans. of Svarochnoye Proizvodstvo (USSR) 1958, no. 5, p. 8-11.
Order from LC or SLA mi\$2.40 ph\$3.30 59-22658
- METALLURGICAL ACHIEVEMENTS IN THE DEVELOPMENT OF HIGH-TEMPERATURE (HEAT-RESISTANT) STEELS AND ALLOYS FOR GAS TURBINE CONSTRUCTION, by Mikhaylov-Mikheyev. 1959. 14p.
Trans. of Teploenergetika (USSR) 1959 (v. 6) no. 10, p. 3-8.
Order from OTS at 50 cents 59-31049
- HEAT-RESISTANT CHROMIUM-MANGANESE STEELS, by Schmidt and Legat. 1954. 16p.
Trans. of Archiv fur das Eisenhüttenwesen (Germany) 1937 (v. 10) no. 7, p. 297-306.
Order from SLA mi\$2.40 ph\$3.30 60-10182
- THE INFLUENCE OF COMPOSITIONS, TEMPERATURE, TIME AND RESIDUAL STRESS ON HIGH TEMPERATURE AGE-HARDENING (the age-hardening phenomena of Timken 16-25-6, the heat-resisting alloy for gas turbine material, were studied by determination of hardness and micro-structure). Part 1 of Study on Heat-Resisting Steel, by Asano. 1959. 15p.
Trans. of Tetsu to Hagane (Japan) 1952, v. 38, no. 5, p. 51-56.
Order from SLA mi\$2.40 ph\$3.30 60-10295
- THE INFLUENCE OF SOLUTION TREATMENT ON GRAIN-SIZE AND HIGH TEMPERATURE AGE-HARDENING. Part 2 of Study on Heat-Resisting Steel, by Asano. 1959. 13p.
Trans. of Tetsu to Hagane (Japan) 1952, v. 38, no. 6, p. 29-33.
Order from SLA mi\$2.40 ph\$3.30 60-10296
- THE RELATION BETWEEN TEMPERING AND STRAIN AFTER COLD WORK OR HOT-COLD WORK, IN TIMKEN 16-25-6 ALLOY (four samples of different chemical components were worked at 650°C, 900°C, and 1000°C by Amsler's tensile strength test machine). Part 3 of Study on Heat-Resisting Steel, by Asano. 1959. 19p.
Trans. of Tetsu to Hagane (Japan) 1952, v. 38, no. 7, p. 41-47.
Order from SLA mi\$2.40 ph\$3.30 60-10297
- THE EFFECT OF TERNARY INTERMETALLIC COMPOUNDS ON THE HEAT RESISTANCE OF DEFORMED ALUMINUM ALLOYS, by Vul'f and Chernov. 1960. 10p.
Trans. of Izvestiya Vysshikh Uchebnykh Zavedeniy. Tsvetnaya Metallurgiya (USSR) 1960, no. 2, p. 147-152.
Order from OTS at 50 cents 60-11843
- PROBLEMS ON THE THEORY OF HEAT RESISTANCE OF METAL ALLOYS. 1960. 255p.
Trans. of (Akademiya Nauk SSSR). Institut Fiziki Metallov, Sverdlovsk. Trudy, 1958, no. 4, p. 3-94 and 101-162.
Order from OTS at \$4.00 60-11918
- SOME RELATIONSHIPS IN THE HOT PRESSING OF POWDERS OF REFRACTORY COMPOUNDS (study of behavior of powders of carbides of Ti and W, and borides of Ti, Zr, and Mo in hot pressing), by Koval'chenko and Samsonov. 1960.
Trans. of Akad(emiya) Nauk SSSR. O(tdeleniye) T(ekhnicheskikh) N(auk). Izv(estiya): Met(allurgiya) i Topl(ivo) 1959, no. 1, p. 144-147.
Order as HB-4799 from HB at \$4.50 60-12824
- APPLICATION OF THE DISLOCATION THEORY TO HEAT-RESISTANCE PROBLEMS, by Oding. 1958. 9p.
Trans. of Issledovaniya po Zharoprochnym Splavam (USSR) (1957) v. 2, p. 320-329.
Order from LC or SLA mi\$1.80 ph\$1.80 60-13052
- HEAT-RESISTANT ENAMEL COATING STABLE TO THE ACTION OF MOLTEN ALUMINUM (a heat resistant enamel coating has been developed which will prevent the dissolution of iron from steel ladles, crucibles, etc., used in the melting and pouring of aluminum and some other non-ferrous metals. The composition, preparation, application and firing practice of such enamel coatings is given together with the results of tests on various coatings which indicate that complete isolation from the steel of the containers has been achieved), by Kukolev and Tarasenko. 1959. 7p.
Trans. of Liteynoye Proizvodstvo (USSR) 1959, no. 3, p. 45-46.
Order from LC or SLA mi\$1.80 ph\$1.80 60-13752
- A STUDY OF NIMONIC BY METHODS OF INNER FRICTION, ELECTRIC RESISTANCE AND DILATOMETRIC ANALYSIS (includes nickel alloys - electrical properties), by Abraamov and Livshits. 1958. 17p.
Trans. of Issledovaniya po Zharoprochnym Splavam (USSR) 1957, v. 2, p. 198-210.
Order from LC or SLA mi\$2.40 ph\$3.30 60-14507
- DIAGRAM COMPOSITION-HEAT RESISTANCE OF ALLOYS OF THE BINARY SYSTEM Ti-Al, by Kornilov, Pylayeva and Volkova. 1960. 7p.
Trans. of (Akademiya Nauk SSSR). Institut Metallurgii. Trudy, 1957, v. 2, p. 164-166.
Order from LC or SLA mi\$1.80 ph\$1.80 60-14509

PROPERTIES OF TERNARY ALLOYS OF TITANIUM, CHROMIUM AND ZIRCONIUM DIBORIDES, by Portnoy and Samsonov. 1958. 4p.
Trans. of Akademiya Nauk SSSR. Doklady, 1957, v. 116, no. 6, p. 976-978.
Order from LC or SLA mi\$1.80 ph\$1.80 60-15597

PRINCIPLES OF THE ALLOYING OF HEAT RESISTANT NON-FERROUS ALLOYS, by Zakharov. 1960. 12p.
Trans. of mono. Prochnost' Metallov, Moscow, 1956, p. 80-90.
Order from LC or SLA mi\$2.40 ph\$3.30 60-16634

RELATIVE EVALUATION OF THE MEANS OF CREATING ALLOYS WITH GIVEN PROPERTIES (example of Heat-Resistant Alloys), by Bocharov. 1960. 13p.
Trans. of mono. Metallovedeniye (Metallography) Moscow, 5th ed. 1956, p. 287-297.
Order from LC or SLA mi\$2.40 ph\$3.30 60-16636

THE RELATION OF RELATIVE HEAT RESISTANCE TO COMPOSITION IN THE Cu-Ni-Si SYSTEM, by Novikov and Dautova. 1960. 4p.
Trans. of Akademiya Nauk SSSR. Doklady, 1957, v. 115, no. 1, p. 110-113.
Available on loan from SLA 60-16940

COMPARING YOUNG'S MODULUS WITH OTHER MECHANICAL CHARACTERISTICS OF ALUMINUM ALLOYS AT VARIOUS TEMPERATURES (as a rule, the larger the value of Young's modulus, the higher the heat-resistance of alloys. The positive effect of 0.1 to 0.15% of cadmium upon the heat-resistance of AK 4-7 type of alloys was noted), by Dzagurova, Zakharov and Sirota. 1957. 4p.
Trans. of Akademiya Nauk SSSR. Otdeleniye Tekhnicheskikh Nauk. Izvestiya, 1957, no. 2, p. 120-122.
Available on loan only from SLA 60-16964

USING THE THEORY OF DISLOCATION IN QUESTIONS OF HEAT RESISTANCE, by Oding. 1958. 15p.
Trans. of Issledovaniya po Zharoprochnym Splavam (USSR) 1957, v. 2, p. 320-328.
Another translation is available from LC or SLA mi\$1.80 ph\$1.80 as 60-13052, CTS-486, May 58 (9)p.
Available on loan from SLA 60-16979

HEAT RESISTANCE OF CERTAIN BINARY, TERNARY, QUATERNARY, AND QUINARY NICKEL SYSTEMS AT 800°C, by Kornikov and Pryakhina. 1957. 5p.
Trans. of Akademiya Nauk SSSR. Doklady, 1957, v. 112, no. 1, p. 70-72.
Available on loan from SLA 60-16987

THE EFFECTS OF ALLOYING ELEMENTS ON THE HEAT RESISTANCE OF ALLOYS AND COHESIVE FORCE IN LATTICES OF THE OXIDE PHASES IN SCALE. 1. THE EFFECT OF CHROMIUM ON THE COHESIVE FORCES IN HEMATITE, by Arkharov and Borisov. 1960. 13p.
Trans. of Fizika Metallov i Metallovedeniye (USSR) 1956, v. 3, no. 3, p. 471-476.
Available on loan from SLA 60-16990

INFLUENCE OF VARIOUS ALLOYING ELEMENTS ON THE PROPERTIES OF HEAT-RESISTING AUSTENITIC CHROMIUM-NICKEL STEELS BETWEEN 600° and 700°C, by Vogels. 1956. 20p.
Trans. of Stahl und Eisen (West Germany) 1955, v. 75 (no. 9) p. 559-570.
Order from SLA mi\$2.40 ph\$3.30 60-18259

TWO CONTROLLED ATMOSPHERE CHAMBERS FOR WELDING REFRACTORY METALS, by Ol'shanskiy, Mordvintseva and others. 1960. 8p.
Trans. of Avtomaticheskaya Svarka (USSR) 1958, v. 11, no. 11, p. 32-36.
Order from LC or SLA mi\$1.80 ph\$1.80 60-19571

CLASSIFICATION OF SOVIET GAS-TURBINE STEELS. 1959. 17p.
Trans. from Soviet open sources 1954-59.
Order from OTS at 50 cents 60-21016

CLASSIFICATION OF SOVIET GAS-TURBINE STEELS (the Soviet definition of heat-resistant steels covers 2 major classifications (heat-proof and heat-stable or scale-resistant). 1959. 17p.
Trans. from Soviet open sources 1954-59.
Order from OTS at 50 cents 60-21016 rev.

METALLOGRAPHIC INVESTIGATIONS ON X8 CrNiNb 1613 AFTER CREEP TESTS AT 750°C, by Schrader and Krisch. 1960. Trans. of mono. (papers) presented at the international discussions on Long Time Behaviour of High Temperature Steels, held in Dusseldorf, 24-25 June 60.
Order as BISITS-1803 from BISI 6 10s

EFFECT OF SULFUR ON THE MECHANICAL AND HEAT PROPERTIES OF PEARLITIC CAST STEEL 15Kh1M1FB, Silayev and Dubrovskaya. 1960.
Trans. of *Metallov(edeniye i) Term(icheskaya) Obra(botka) Met(allow) (USSR), 1959, no. 5, p. 40-44.
Order as HB-4583 from HB at \$2.00 60-25220

PHASE ANALYSIS OF HEAT RESISTING CONSTRUCTIONAL STEELS, by Alekseyenko, Lashko and others. 1960. Trans. of *Metallov(edeniye i) Term(icheskaya) Obra(botka) Met(allow) (USSR) 1959, no. 5, p. 52-54.
Order as HB-4586 from HB at \$2.00 60-25223

RARE ELEMENTS AS ALLOYING ADDITIVES TO HEAT-RESISTANT STEEL, by Semenova. 1960. 18p.
Trans. of Akademiya Nauk Latvyskoy SSR, Riga. Izvestiya, 1959, no. 11(48), p. 47-54.
Order from OTS at 50 cents 60-31226

ENDURANCE CRITERION FOR CERTAIN HEAT-RESISTANT ALLOYS UNDER COMBINED STRESSES (data are cited from tests conducted on the alloy EI-437B (different melts and billets) under simultaneous combined stresses of tension and torsion at temperatures of 600°, 700° and 750°C. An additional test was made with alloy EI-405 at 650°C), by Sdobryev. 1960. 19p.
Trans. of Akademiya Nauk SSSR. Otdeleniye Tekhnicheskikh Nauk. Izvestiya: Mekhanika i Mashinostroyeniye, 1959, no. 6, p. 93-99.
Order from OTS at 50 cents 60-31127

RARE ELEMENTS AS ALLOYING ADDITIVES TO HEAT-RESISTANT STEEL (includes titanium, vanadium and niobium - metallurgical effects), by Semenova. 1960. 18p.
Trans. of Akademiya Nauk Latvyskoy SSR, Riga. Izvestiya, 1959, no. 11(148), p. 47-54.
Order from OTS at 50 cents 60-31226

SOME PROBLEMS IN THE THEORY OF HEAT RESISTANCE AND DEVELOPMENT OF NEW HIGH STRENGTH TITANIUM ALLOYS, by Kornilov. 1960. 20p.
Trans. of Akademiya Nauk SSSR. Otdeleniye Tekhnicheskikh Nauk. Izvestiya: Metallurgiya i Toplivo, 1959, no. 4, p. 190-199.
Order from OTS at 50 cents 60-31293

REVIEW OF M.L. BERNSTEIN'S STEELS AND ALLOYS FOR WORKING AT HIGH TEMPERATURES (includes heat resistant alloys - analysis), by Oding and Aronovich. 1958. 3p.
Trans. of Metallovedeniye i Obrabotka Metallov, 1958, no. 2, p. 56-57.
Order from OTS at 50 cents PB 141294T

HIGH TEMPERATURE METALLURGY

X-RAY INVESTIGATION OF THE STRUCTURE AND LATTICE PARAMETERS OF MAGNESIUM-LITHIUM-ALUMINUM TERNARY ALLOYS AT ROOM TEMPERATURE AND AT 600°F, by Towner. 1950. 39p.

Order from LC mi\$2.25 ph\$5.00 PB 110478

NRL, Washington, D.C.
THERMAL AND RELATED PHYSICAL PROPERTIES OF MOLTEN MATERIALS. Part II: HIGH TEMPERATURE REACTIONS OF SODIUM HYDROXIDE, by Williams and Miller. 1955. 65p
Order from OTS at \$1.75 PB 111883

Utah. Univ. Dept. of Metallurgy.
ABSTRACT COMPILATION OF THE LITERATURE ON HIGH TEMPERATURE OXIDATION OF METALS, by Fassell, Peterson and Chamberlain. Tech. rept. no. III, part I. n.d. 353p.
Order from LC mi\$9.00 ph\$45.00 PB 113029

ABSTRACT COMPILATION OF THE LITERATURE ON HIGH TEMPERATURE OXIDATION OF METALS, by Fassell, Peterson and Chamberlain. Tech. rept. no. III, part II. n.d. 319p.
Order from LC mi\$9.00 ph\$40.00 PB 113030

Temple Univ. Research Inst., Philadelphia, Pa.
HIGH TEMPERATURE PROJECT (includes aluminum powders; combustion and titanium powders - measuring equipment), by Conway and Grosse. 8th prog. rept. 1953. 33p.
Order from LC mi\$3.00 ph\$6.30 PB 118900

Rensselaer Polytechnic Institute. Dept. of Metallurgical Engineering, Troy, N.Y.
CREEP BEHAVIOR OF MAGNESIUM AND MAGNESIUM ALLOY SINGLE CRYSTALS AT ROOM AND ELEVATED TEMPERATURES, by Sheely and Nash. Quart. rept. no. 3. 1955. 8p.
Order from LC mi\$1.80 ph\$1.80 PB 120323

Gt. Brit. Ministry of Supply. Atomic Energy Research Establishment.
HIGH TEMPERATURE ADIABATIC CALORIMETER AND THE SPECIFIC HEAT OF URANIUM BETWEEN 100° and 800°C, by North. 1956. 21p.
Order from BIS at 64 cents PB 123597

Utah. Univ. Dept. of Metallurgy, Salt Lake City, U.
ABSTRACT COMPILATION OF THE LITERATURE ON HIGH TEMPERATURE OXIDATION OF METALS. Report III, Part III, by Fassell and Peterson. 1954. 169f
Order from LC mi\$7.80 enl pr\$27.30 PB 123814

Princeton Univ. James Forrestal Research Center, Princeton, N.J.
HIGH TEMPERATURE OXIDATION OF IRON-NICKEL ALLOYS, by Brabers and Birchenall. 1957. 23p.
Order from LC mi\$2.70 ph\$4.80 PB 126520

Temple Univ. Research Inst., Philadelphia, Pa.
HIGH TEMPERATURE PROJECT (includes titanium, calcium powders - combustion; metals - ignition temperature), by Conway and Kirshenbaum. 9th prog. rept. 1954. 35p.
Order from LC mi\$3.00 ph\$6.30 PB 126906

HIGH TEMPERATURE PROJECT (includes flame, oxy--aluminum radiation - measurement; aluminum powders - combustion; silicon powders - combustion; carbon powders - combustion), by Conway and Grosse. 7th prog. rept. 1953. 28p.
Order from LC mi\$2.70 ph\$4.80 PB 126907

Utah. Univ. Dept. of Metallurgy, Salt Lake City
HIGH TEMPERATURE-HIGH PRESSURE OXIDATION OF PURE METALS IN OXYGEN. Final report, by Baur, Bridges and others. 1955. 13p.
Order from LC mi\$2.40 ph\$3.30 PB 127349

National Adv. Committee for Aeronautics (NASA)
INFLUENCE OF CRUCIBLE MATERIALS ON HIGH TEMPERATURE PROPERTIES OF VACUUM MELTED NICKEL-CHROMIUM-COBALT ALLOY, by Decker and Rowe. 1957. 34p.
Order from NASA (TN 4049) PB 127525

Arkansas Univ., Fayetteville
HIGH-TEMPERATURE CHEMISTRY OF FUSED SUBSTANCES (includes metals - electro-deposition). Final report, by Kruh. 1957. 88p.
Order from LC mi\$4.80 ph\$13.80 PB 128076

Lubrication Lab., MIT., Cambridge
THE FRICTIONAL PROPERTIES OF TITANIUM AT HIGH TEMPERATURES, by Rabinowicz and Kingsbury. Annual rept. 1956. 26p.
Order from LC mi\$2.70 ph\$4.80 PB 128167

Rensselaer Polytechnic Institute, Troy, N.Y.
CREEP BEHAVIOR OF MAGNESIUM AND MAGNESIUM ALLOY SINGLE CRYSTALS AT ROOM AND ELEVATED TEMPERATURES, by Sheely and Nash. 1955. 111p.
Order from LC mi\$6.00 ph\$18.30 PB 128772

National Adv. Committee for Aeronautics (NASA)
INVESTIGATION OF THE COMPRESSIVE STRENGTH AND CREEP LIFETIME OF 2024-T3 ALUMINUM-ALLOY PLATES AT ELEVATED TEMPERATURES, by Mathansen and Deveikis. 1957. 14p.
Order from NASA (TN 1308) PB 130281

EFFECT OF ENVIRONMENTS OF SODIUM HYDROXIDE, AIR AND ARGON ON THE STRESS-RUPTURE PROPERTIES OF NICKEL AT 1500°F, by McHenry and Probst. 1958. 23p.
Order from NASA (TN 3987) PB 130292

Fairchild Engine & Airplane Corp. NEPA Div., Oak Ridge, Tenn.
HIGH TEMPERATURE REACTIONS IN THE SYSTEM SiC - SiO₂, by Elmer. 1950. 14p.
Order from LC mi\$2.40 ph\$3.30 PB 130432

Case Inst. of Tech. Dept. of Metallurgical Engineering, Cleveland, O.
HIGH TEMPERATURE SCALING OF Ni-Cr, Fe-Cr, Cu-Cr AND Cu-Mn ALLOYS, by Barrett, Evans and Baldwin. 1955. 66p.
Order from LC mi\$3.90 ph\$10.80 PB 130444

Naval Air Material Center, Philadelphia, Pa.
EVALUATION OF "APMP" GRADE-257 WITH RESPECT TO CREEP-RUPTURE AND TENSILE PROPERTIES AT 600°F and 800°F ROOM TEMPERATURE TENSILE PROPERTIES AND STRESS CORROSION SUSCEPTIBILITY, by Emmons. 1955. 23p
Order from LC mi\$2.70 ph\$4.80 PB 130955

Midland Industrial Finishes Co., Waukegan, Ill.
HIGH TEMPERATURE PROTECTIVE COATINGS FOR MAGNESIUM, by Fitzgibbon, Miller and Glaser. 1957. 112p.
Order from OTS at \$3.00 PB 131073

Battelle Memorial Institute, Columbus, O.
EFFECT OF ELEVATED TEMPERATURE ON THE FATIGUE STRENGTH OF SINTERED-ALUMINUM POWDER, by Hyler and Grover. 1955. 50p.
Order from LC mi\$3.30 ph\$7.80 PB 131225

Case Inst. of Tech., Cleveland, O.
HIGH TEMPERATURE BRITTLENESS IN TITANIUM ALLOYS, by
Markrides and Baldwin. 1957. 29p.
Order from OTS at 75 cents PB 131381

Armour Research Foundation, Chicago, Ill.
DEVELOPMENT OF TITANIUM-BASE ALLOYS FOR ELEVATED
TEMPERATURE APPLICATION, by Crossley, Carew and
Levinson. 1957. 66p.
Order from OTS at \$1.75 PB 131593

DETERMINATION OF THE TENSILE, COMPRESSIVE AND BEAR-
ING PROPERTIES OF FERROUS AND NONFERROUS STRUCTURAL
SHEET MATERIALS AT ELEVATED TEMPERATURES (includes
aluminum, magnesium alloys and titanium - mechanical
properties), by Miller. 1957. 103p.
Order from OTS at \$2.50 PB 131595

Southern Research Inst., Birmingham, Ala.
DETERMINATION OF THE MECHANICAL PROPERTIES OF AIR-
CRAFT-STRUCTURAL MATERIALS AT VERY HIGH TEMPERATURES
AFTER RAPID HEATING (the materials involved in this
investigation included electrolytic-tough-pitch
copper, oxygen-free high-conductivity copper,
A-nickel, ingot iron, molybdenum, tantalum, Type GBH
graphite, and composite OFHC copper plus 316 stain-
less steel sheet. The testing temperatures ranged
from room temperature to the melting points of the
metals and to 5750°F for the graphite), by Preston,
Roe and Kattus. 1958. 207p.
Order from OTS at \$3.00 PB 131664

Armour Research Foundation, Chicago, Ill.
DISPERSION HARDENING OF SINTERED TITANIUM ALLOYS BY
REFRACTORY METAL POWDER ADDITIONS (A study of powder
metallurgical techniques for improving the impact
properties of the Ti-36% Al alloy which has excellent
strength and corrosion resistance at high tempera-
tures). Final rept. 1958. 47p.
Order from OTS at \$1.25 PB 131937

National Adv. Committee for Aeronautics (NASA)
MEASUREMENTS OF TOTAL HEMISPHERICAL EMISSIVITY OF
VARIOUS OXIDIZED METALS AT HIGH TEMPERATURE, by
Wade. 1958. 43p.
Order from NASA (TN 4206) PB 132379

NRL, Washington, D.C.
THE SUITABILITY OF PLATINUM, MOLYBDENUM, TANTALUM,
AND TUNGSTEN AS HIGH-TEMPERATURE LENGTH STANDARDS
(In view of the increasing need for high-temperature
length standards to be used in the design and cali-
bration of apparatus for high temperatures, the
thermal expansion data available in the literature
for platinum, molybdenum, tantalum, and tungsten
have been critically evaluated), by White. 1958. 19p
Order from LC mi\$2.40 ph\$3.30 PB 132840

MIT., Cambridge, Mass.
CREEP DEFORMATION OF MAGNESIUM AT ELEVATED TEMPERA-
TURES BY NON-BASAL SLIP, by Chaudhuri, Chang and
Grant. 1954. 31p.
Order from LC mi\$3.00 ph\$6.30 PB 133196

Mich. Univ., Ann Arbor, Mich.
HIGH-TEMPERATURE PROPERTIES OF FOUR LOW-ALLOY STEELS
FOR JET-ENGINE TURBINE WHEELS. 121p.
Order from LC mi\$6.30 ph\$19.80 PB 133856

National Adv. Committee for Aeronautics (NASA)
EFFECT OF TEMPERATURE ON DYNAMIC MODULUS OF
ELASTICITY OF SOME STRUCTURAL ALLOYS, by Vosteen.
1958. 19p.
Order from NASA (TN 4348) PB 134823

National Adv. Committee for Aeronautics (NASA)
PHENOMENOLOGICAL RELATION BETWEEN STRESS, STRAIN
RATE, AND TEMPERATURE FOR METALS AT ELEVATED TEMPERA-
TURES, by Stowell. 1958. 8p.
Order from GPO as rept. NACA TN 1343 at 15 cents
PB 135305

Research Inst., Temple Univ., Philadelphia, Pa.
HIGH TEMPERATURE PROJECT (An experimental study of
the combustion of the metals Mg, Ca, Al, Ti, Zr, and
Na in oxygen, at atmospheric and higher pressures),
by Grosse. Prog. rept. 2 1950. 53p.
Order from LC mi\$3.60 ph\$9.30 PB 135477

Northrop Aircraft, Inc., Hawthorne, Calif.
STABILITY OF TITANIUM CARBIDE IN HYDROGEN AT
ELEVATED TEMPERATURES (It appears that titanium
carbide is certainly stable in hydrogen at tempera-
tures below 2000°C. and probably sufficiently stable
for most purposes in hydrogen at temperatures up to
2400°C), by Ohlinger. 1948. 30p.
Order from LC mi\$2.70 ph\$4.80 PB 135661

STABILITY OF TANTALUM NITRIDE IN HYDROGEN AT
ELEVATED TEMPERATURES, by Ohlinger. 1953. 20p.
Order from LC mi\$2.40 ph\$3.30 PB 135662

STABILITY OF TANTALUM CARBIDE IN HYDROGEN AT
ELEVATED TEMPERATURES IN THE PROGRAM ON THE STABILITY
OF REFRACTORY ELEMENTS AND COMPOUNDS IN A HYDROGEN
ATMOSPHERE AT ELEVATED TEMPERATURES, by Ohlinger.
1957. 21p.
Order from LC mi\$2.70 ph\$4.80 PB 135680

STABILITY OF MOLYBDENUM CARBIDE IN HYDROGEN AT
ELEVATED TEMPERATURES, by Ohlinger. 1957. 17p.
Order from LC mi\$2.40 ph\$3.30 PB 135682

Utah Univ., Salt Lake City
HIGH TEMPERATURE OXIDATION OF METALS (Experimental
studies on the oxidation of tantalum and zirconium),
by Fassell:
Prog. rept. no. 1 1952. 11p.
Order from LC mi\$2.40 ph\$3.30 PB 135709
Prog. rept. no. 2 1952. 11p.
Order from LC mi\$2.40 ph\$3.30 PB 135710
Prog. rept. no. 3 1952. 12p.
Order from LC mi\$2.40 ph\$3.30 PB 135711

National Adv. Committee for Aeronautics (NASA)
A PHENOMENOLOGICAL THEORY FOR THE TRANSIENT CREEP OF
METALS AT ELEVATED TEMPERATURES (In this theory, a
metal consisting of two phases, each with its own
elasticity and viscosity, will exhibit transient
creep after application of a constant stress. A
comparison of the transient creep curves resulting
from this theory with experimental data on four
different metals shows that the entire family of
creep curves for any one metal are given by the
theory using a single set of constants appropriate
to that metal), by Stowell. 1958. 31p.
Order from NASA (TN-4396) PB 135793

Naval Ordnance Test Station, China Lake, Calif.
RAPID-HEATING STRESS-RUPTURE PROPERTIES OF SEVERAL
ENGINEERING ALLOYS (Equipment and technique for
making Rapid-Heating-Rate Stress-Rupture test on
AISI 1015 steel, 18-8, and Inconel X at their
respective service temperatures), by Robinson and
Ramsdell. 1953. 24p.
Order from LC mi\$2.70 ph\$4.80 PB 136207

Naval Boiler and Turbine Lab., Philadelphia, Pa.
FUEL OIL ASH CORROSION RESISTANCE OF 60:40 CHROMIUM-IRON ALLOY (Using high vanadium and high sodium corrodents at 1700°, 2000° and 2200°F., 60Cr:40Fe alloy showed the best corrosion resistance followed by 60Cr:40Ni then 50Cr:50Ni and the least resistance was displayed by 25Cr:20Ni. Utilization of the 60Cr:40Fe alloy for boiler parts is doubtful because of poor oxidation resistance), by Witmeyer. 1957. 21p.
Order from LC mi\$2.70 ph\$4.80 PB 136267

Materials Adv. Board, National Research Council, Washington, D.C.
RESULTS OF TESTS EVALUATING COMPRESSION TESTING TECHNIQUES OF SHEET MATERIALS AT ELEVATED TEMPERATURES (includes titanium alloys - test methods), by Gerard, Gordon and others. 1958. 23p.
Order from LC mi\$2.70 ph\$4.80 PB 136402

UNIFORM TESTING PROCEDURES FOR SHEET MATERIALS. PART 1. GENERAL PROCEDURES. PART 2. TENSION TEST (Uniform testing techniques for high-temperature design is needed. To provide some basis for uniformity in evaluating various titanium alloys, a uniform set of procedures is being prepared for procuring the data. Adherence to these procedures will make it possible for several laboratories to perform the tests and the data can then be compared on a uniform basis), by Gerard, Gordon and others. 1957. 12p.
Order from LC mi\$2.40 ph\$3.30 PB 136404

Applied Physics Lab., Johns Hopkins Univ., Silver Spring, Md.
TENSILE PROPERTIES OF ALCLAD 2024-T3 ALUMINUM AT ELEVATED TEMPERATURES FOR SHORT TIMES (Short-time elevated-temperature strength of Alclad 2024-T3 aluminum could not be determined by extrapolating existing high temperature data for 30-minute soak times and longer. A design which is based on high-temperature data for 30-minute soak times and which is subjected to a rapid temperature rise will be inadequate during the first ten minutes at temperatures around 400°F), by Weckesser. 1956. 60p.
Order from LC mi\$3.60 ph\$9.30 PB 136428

Polytechnic Inst. of Brooklyn, N.Y.
CREEP DEFORMATIONS OF RECTANGULAR FRAMES (Experiments are described in which rectangular frames of 5052-O aluminum alloy were subjected to loads at 500°F. The displacement velocities were measured and compared to the results of theoretical analysis. The effects of the rigid end fittings, of the beam-column action, and of simultaneous elastic and steady creep deformations were taken into account while primary creep was disregarded), by French, Patel and Hoff. 1957. 32p.
Order from LC mi\$3.00 ph\$6.00 PB 137175

Raytheon Mfg. Co., Waltham, Mass.
RESEARCH STUDIES AND INVESTIGATIONS OF THE SOLID STATE CHEMISTRY OF FERRITES (Phase equilibria in the system Fe-Ni-O have been investigated in the vicinity of NiFe₂O₄ up to a temperature of 1300°C), by Paladino. Quart. prog. rept. no. 2 1958. 20p.
Order from LC mi\$2.40 ph\$4.80 PB 137195

Research Inst., Temple Univ., Philadelphia, Pa.
HIGH TEMPERATURE PROJECT (Reaction between aluminum and oxygen; magnesium pressure runs; centrifugal runs with aluminum; combustion of zirconium and silicon in oxygen at atmospheric pressure; combustion of aluminum in fluorine; the boiling of silver in an aluminum reactor; and the thermodynamics of the oxidation of aluminum at high temperatures), by Grosse. Prog. rept. no. 3 1950. 94p.
Order from LC mi\$5.40 ph\$15.30 PB 137762

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
SUPPLYING OF CAST TEST BARS FOR HIGH TEMPERATURE LEAN ALLOY STUDY (An investigation of the high-temperature behavior of modified chromium-nickel stainless steels in cast form has been conducted. A base analysis corresponding to a 17 Cr- 12 Ni- 2.5 Mo- 0.25 C stainless steel was modified by small additions of titanium, boron, and tungsten), by Salvaggi. Final rept. 1957. 20p.
Order from LC mi\$2.40 ph\$3.30 PB 137940

Naval Engineering Experiment Station, Annapolis
TESTING OF VARIOUS MATERIALS IN HIGH TEMPERATURE WATERS (includes metals - corrosion), by Lancaster. 1953. 22p.
Order from LC mi\$2.70 ph\$4.80 PB 138002

Smith, A.O., Corp., Milwaukee, Wis.
HIGH TEMPERATURE COATING RESEARCH (includes beryllium carbides - coatings), by Blanchard. 1948. 10p.
Order from LC mi\$1.80 ph\$1.80 PB 138319

HIGH TEMPERATURE COATING RESEARCH (includes beryllium carbides - coatings), by Blanchard. 1948. 11p.
Order from LC mi\$2.40 ph\$3.30 PB 138324

Nepa Div., Fairchild Engine & Airplane Corp., Oak Ridge, Tenn.
THE EFFECT OF MOLTEN BISMUTH ON INSULATING MATERIALS (Samples of twenty-six Johns-Manville insulating materials, which included cements, bonded fibrous blocks and fire bricks, were tested for possible reaction with molten bismuth. The tests consisted essentially of pouring molten bismuth at 1832°F (1000°C) over insulation maintained both at room temperature and at 1832°F (1000°C), by Fleshman and Collins. 1950. 16p.
Order from LC mi\$2.40 ph\$3.30 PB 138453

Cornell Univ., Ithaca, N.Y.
OXIDATION OF MAGNESIUM SINGLE CRYSTALS AND EVAPORATED FILMS (Apparatus and techniques were developed for measuring the oxidation of magnesium single crystals at high temperatures, and evaporated magnesium films at room temperature, with a sensitive microbalance capable of operating in an ultra-high vacuum. Single crystals were oxidized at an oxygen pressure of 2.5 mm Hg and temperatures of 400 and 440°C), by Addiss. Tech. rept. no. 1 1958. 95p.
Order from LC mi\$5.40 ph\$15.30 PB 138822

Istituto Elettrotecnico Nazionale "Galileo Gerraris" (Italy)
MAGNETIC RELAXATION AT HIGH TEMPERATURE DUE TO GRAIN BOUNDARY SLIP AND TO DISLOCATIONS (Internal mechanical friction and magnetic relaxation as a function of temperature on specimens of iron of different origin. Experiments on polycrystals and on very large crystals from 100° to 600°C), by Biorci, Ferro and Montalenti. Tech. note no. 1a 1958. 52p.
Order from LC mi\$3.60 ph\$9.30 PB 138878

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
A STUDY OF THE TENSILE AND CREEP-RUPTURE PROPERTIES OF FIFTEEN HEATS OF C-110M TITANIUM ALLOY SHEET (A correlation exists between the room temperature strength properties and the yield and ultimate strengths at 500 and 700°F. However, the creep and rupture properties appear to be independent of the short time tensile strength results even at 700°F, which was the temperature used for creep testing), by Gillig and Guarnieri. 1956. 71p.
Order from LC mi\$4.50 ph\$12.30 PB 138990

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
DEVELOPMENT OF LEAN-ALLOY CHROMIUM-NICKEL STAINLESS
STEELS FOR HIGH TEMPERATURE USE (The austenitic
chromium-nickel stainless steels, of the "18-8"
variety with and without molybdenum, were used as
base analyses to which were made additions of
titanium, boron, vanadium, zirconium, nitrogen, and
carbon. Evaluation of the 100-hour rupture life was
made at 1500°F), by Salvaggi and Guarnieri. Summary
rept. 1953. 62p.
Order from LC mi\$3.90 ph\$10.80 PB 139049

Ohio State Univ. Research Foundation, Columbus, O.
PROTECTION OF NIOBIUM AGAINST OXIDATION AT ELEVATED
TEMPERATURES (Determination of the physical proper-
ties of the niobates and the study of the niobium--
titanium-chromium ternary system and the niobium--
zirconium binary system with respect to oxidation
behavior), by Spretnak and Speiser. Rept. no. 16
1958. 23p.
Order from LC mi\$2.70 ph\$4.80 PB 139163

American Electro Metal Div., Firth Sterling, Inc.,
Yonkers, N.Y.
CEMENTED METAL BORIDES (Work started with an attempt
to improve the impact strength of the otherwise quite
satisfactory high temperature material Borolite IV
(Cr₂B + Cr/Mo alloy, essentially by purification)
Final summary rept. 1958. 61p.
Order from LC mi\$3.30 ph\$10.80 PB 139415

Naval Engineering Experiment Station, Annapolis
CORROSION OF MATERIALS IN HIGH TEMPERATURE WATERS
(Results are reported on laboratory experiments
dealing with stress-corrosion cracking of austenitic
stainless steels in boiler water environments), by
Lancaster and Williams. 1954. 24p.
Order from LC mi\$2.70 ph\$4.80 PB 139923

National Research Corp., Cambridge
OXIDATION RESISTANT COATING FOR MOLYBDENUM (For im-
parting high-temperature oxidation resistance to
sintered bodies produced from molybdenum powders,
equipment was constructed to coat the surface of
powder grains with oxidation-resistant materials.
Samples produced to date have not shown appreciable
oxidation resistance), by Raymond. Final rept. 19
1958. 21p.
Order from LC mi\$2.70 ph\$4.80 PB 140114

Carborundum Co. (Niagara Falls, N.Y.)
DEVELOPMENT OF ULTRA REFRACTORY MATERIALS (The
system HfO₂-ThO₂-MgO has been investigated for tem-
peratures of apparent melting and phases present at
1600°C. The stabilization of ZrO and HfO₂ has been
investigated using selected carbides, nitrides,
borides, and sub-oxides; and it has been shown that
a cubic phase of ZrO₂ and HfO₂ results. Refractory
analogues of zircon have been prepared using HfO
and ThO₂ to replace ZrO₂. Hafnium silicate has
exhibited unusually good resistance to severe
thermal shock), by Cline and Lewis. Final rept.
1957. 21p.
Order from LC mi\$2.70 ph\$4.80 PB 140177

Science & Technology Div., Library of Congress,
Washington, D.C.
THERMAL PROPERTIES OF CERTAIN METALS (includes
metals - bibliography), by Goodwin and Ayton.
1956. 256p.
Order from LC mi\$11.10 ph\$42.60 PB 140392

MIT., Cambridge
PERIODIC STATUS REPORT NO. 24 (Solute strengthening
of nickel alloys at elevated temperatures; fine slip
investigation in polycrystalline aluminum and
aluminum alloys; resistivity changes during creep of
aluminum alloys; and, ductility and creep-rupture
properties of nickel), by Pelloux, Rubin and others.
1958. 8p.
Order from LC mi\$1.80 ph\$1.80 PB 140626

AF Inst. of Tech., Wright-Patterson AFB, Ohio
ALLOWABLE STRESSES IN AIRCRAFT AND MISSILE
STRUCTURES AT ELEVATED TEMPERATURES (The particular
allowable stresses considered in detail are the
buckling, column, and crippling stresses of thin
sheet metal structure. Procedures are given for
comparing different materials under given loading
and type of structure. For thin sheet metal
structure in compression, not only the temperature
and load must be considered but also the geometry of
the cross-section), by Gatewood. 1956. 64p.
Order from LC mi\$3.90 ph\$10.80 PB 142041

Brown Univ. Div. of Engineering, Providence, R.I.
PHENOMENOLOGICAL THEORIES OF TIME EFFECTS IN METALS
AT HIGH TEMPERATURES WITH SPECIAL REFERENCE TO
PRIMARY CREEP, by Hoskin. Tech. rept. no. 7
1958. 31p.
Order from LC mi\$3.00 ph\$6.30 PB 142075

Brussels Free Univ. (Belgium)
VAPORIZATION OF COMPOUNDS AND ALLOYS AT HIGH TEMPERA-
TURE (The vaporization of ZnS, CdS, HgS, CdSe, HgSe,
CdTe, HgTe from 400 to 1175°K, of sulfur, selenium
tellurium from 350 to 600°K, InAs, GaP, GaSb from
900 to 1250°K and of an iron-nickel alloy from 1400
to 1600°K have been investigated. Preliminary
experiments on the evaporation of an alloy show
that this method can give useful information on
thermodynamic properties especially on activities of
the components), by Goldfinger, Ackerman and
Jeunehomme. Final tech. rept. 1959. 62p.
Order from LC mi\$3.90 ph\$10.80 PB 142100

Frankford Arsenal, Philadelphia, Pa.
IMPROVED SINTERED BRASS COMPACTS (Substantially
higher properties were obtained with sintered 70-30
brass compacts when lithium stearate, rather than the
conventional zinc stearate, was used as the lubri-
cant. The best properties were obtained with a
lithium stearate addition of .50 and .75 per cent, a
compacting pressure of 50 tons/sq inch (tsi), and a
sintering atmosphere of nitrogen at 1600° of 1625°F.
Preliminary studies have shown that improvements in
properties can also be attained with the use of
lithium stearate on compacts of copper, other
copper base alloys, and iron), by Zaleski and Powell.
1959. 25p.
Order from LC mi\$2.70 ph\$4.80 PB 142509

Watertown Arsenal Labs., Mass.
HOT HARDNESS AND TENSILE PROPERTIES OF STAINLESS
STEEL TYPE 304, TITANIUM ALLOY T1-150A, AND SAE 4140
STEEL AT 300° AND 600°F, by Wong and Gazza. 1959. 36p.
Order from LC mi\$3.00 ph\$6.30 PB 142893

Imperial Coll., London (Gt. Brit.)
THERMODYNAMICS OF MOLTEN ALLOYS (Dilute solutions of
sulphur in liquid tin and lead. Sn-Cu-S, Sn-Ag-S,
Sn-Pb-S and Cu-Ag-S systems), by Cheng. Final
rept. no. 8 1959. 74p.
Order from LC mi\$4.50 ph\$12.30 PB 142939

Northrop Aircraft, Inc., Hawthorne, Calif.
STABILITY OF BERYLLIUM OXIDE IN HYDROGEN AT ELEVATED
TEMPERATURES, by Ohlinger. 1948. 17p.
Order from LC mi\$2.40 ph\$3.30 PB 143041

Rensselaer Polytechnic Inst., Troy, N.Y.
THERMOGRAVIMETRIC AND CORROSION STUDIES AND PHASE
EQUILIBRIA FOR LITHIUM, SODIUM AND POTASSIUM CAR-
BONATES (Results of thermogravimetric studies on
lithium and potassium carbonate in vacuum and in an
atmosphere of CO₂ up to 600°C are reported. Corrosion
studies including tests on platinum, silver, gold,
boron nitride and single crystals of magnesium oxide
are described), by Lorenz and Janz. Tech. rept. 2
1958. 27p.
Order from LC mi\$2.70 ph\$4.80 PB 143220

NRL, Washington, D.C.
THE INFLUENCE OF TEMPERATURE ELEVATION ON THE PENE-
TRATION OF MISSILES INTO COPPER TARGETS (One-eight-
inch-diameter tungsten carbide spheres were fired
into thick copper targets at room temperature and at
800°F at velocities from less than 1000 to 5000
ft/sec. It is shown that the depth of penetration,
crater diameter, and volume of target material dis-
placed increase as a consequence of the elevation of
the temperature. The depth of penetration of the
missile and the volume of target material displaced
are essentially independent of cracking and breakup
of the missile until extensive fracturing makes it
impossible to ascertain from visual observation that
the missile was probably spherical), by Ferguson
and McKinney. Interim rept. 1959. 14p.
Order from LC mi\$2.40 ph\$3.30 PB 143406

Armour Research Foundation, Chicago, Ill.
MEASUREMENT OF THE HEAT CAPACITY AND DENSITY OF
LIQUID COPPER (The density and specific heat of
molten electrolytic tough-pitch copper meeting
Federal Specification QQ-C-576 was determined for
the temperature range 2000 to 4000°F), by Lang.
1957. 23p.
Order from LC mi\$2.70 ph\$4.80 PB 143647

Minerals Research Lab., U. of Calif., Berkeley
HIGH TEMPERATURE HEAT CONTENTS OF SOME BINARY IRON
ALLOYS (Measurements of the heat capacity at elevated
temperatures for ferrochromium, ferromanganese,
ferrosilicon, and ferrocobalt alloys), by Kendall,
Orr and Hultgren. Tech. note 2 1959. 16p.
Order from LC mi\$2.40 ph\$3.30 PB 143672

Research Inst., Temple U., Philadelphia, Pa.
HIGH TEMPERATURE PROJECT (The studies concerned with
the operation of powdered metal-oxygen torches, have
been extended to various other powdered metals and
alloys as follows: Aluminum, Magnesium, Manganese,
Silicon, Calcium Carbide, Silicon Carbide, Calcium-
Silicon, Zirconium-Silicon and Aluminum-Silicon), by
Grosse and Conway. Prog. rept. 6 1952. 16p.
Order from LC mi\$2.40 ph\$3.30 PB 143758

Selskapet for Industriell og Teknisk Forskning
ved Norges Tekniske Hogskole (Norway)
DISTRIBUTION OF HEAT AROUND FINITE MOVING SOURCES
(Calorimetric measurements have been made of the net
heat transferred to the work-piece in welding with
the argon-arc, metal-arc, and SIGMA processes.
Exploratory measurements of liquid weld metal tem-
peratures indicate temperatures in the order of
2000°C and 1500°C in the welding of steel and of
aluminum, respectively) Final tech. rept. 1959. 59p.
Order from LC mi\$3.60 ph\$9.30 PB 143836

Naval Engineering Experiment Station, Annapolis
EVALUATION OF CORROSION RESISTANCE OF CHROMIUM BASE
ALLOYS TO HIGH TEMPERATURE GASES FROM RESIDUAL FUELS
(The corrosion resistance of several chromium alloys
to high temperature gases was determined by burning
residual type fuels in small atmospheric combustors
and full-scale pressurized gas turbine type combus-
tors. Tests show that the corrosion attack on these
alloys, by combustion products of the residual fuels
burned to produce temperatures of 1600° and 1700°F,
was less than that suffered by the base line material,
AISI 310 (25% Cr - 20% Ni) alloy), by Schab and
Gessner. 1957. 42p.
Order from LC mi\$3.30 ph\$7.80 PB 143873

Metals Processing Lab., MIT., Cambridge
CHROMIUM COATINGS FROM LIQUID METAL SOLUTIONS (Three
types of solid-liquid interface are found to form by
continuous cooling of a saturated solution of
chromium in tin below the liquidus temperature. It
was found possible to produce circa 0.001 inch coat-
ings of chromium which are soft, dense and relatively
smooth. Such coatings are too thin to offer protec-
tion to molybdenum above about 900°C in air. The
.001 inch chromium deposits offer some promise as a
barrier substrate for spray coats), by Schwarzkopf,
Weglein and Wulff. Tech. rept. 1958. 31p.
Order from LC mi\$3.00 ph\$6.30 PB 143984

Stockholm U. (Sweden)
STUDIES ON THE CRYSTAL CHEMISTRY OF TITANIUM,
VANADIUM AND MOLYBDENUM OXIDES AT ELEVATED TEMPERA-
TURES, by Magneli, Andersson and others. Final
tech. rept. 1 1959. 142p.
Order from LC mi\$7.20 ph\$22.80 PB 144408

Utah U., Salt Lake City.
KINETICS OF OXIDATION OF METAL POWDERS (When
spherical magnesium particles were oxidized below
the ignition temperature in a range of 400-600°C, it
was observed that internal oxidation amounted to a
larger percentage than external scale formation.
Density determinations were undertaken before and
after oxidation of the particles in an effort to
study the mechanism of internal oxidation), by Boehm
and Flanders. Tech. rept. 3 1958. 75p.
Order from LC mi\$4.50 ph\$12.30 PB 144562

Watertown Arsenal Labs., Mass.
ELEVATED TEMPERATURE CHARACTERISTICS OF THREE AGE
HARDENED AND INTERNALLY OXIDIZED TITANIUM-COPPER-
CERIUM ALLOYS (The effects of solid solution
strengthening by zirconium and tantalum on the pre-
cipitation hardening response of Ti-2.0Cu-0.4Ce were
determined. Elevated temperature characteristics
after aging and after internal oxidation were com-
pared and it was found that the beneficial effects
of each treatment are not additive. Internal
oxidation was observed to improve the temperature
stability of the base alloy), by Dhosi. Master's
thesis. 1959. 57p.
Order from LC mi\$3.60 ph\$9.30 PB 144922

Hammond Metallurgical Lab., Yale U., New Haven,
Conn.
THE MECHANISM OF INTERGRANULAR RUPTURE OF COPPER AND
ALUMINUM AT HIGH TEMPERATURES (Void-crack formation
in creep was studied by means of density measurements
and metallography in single crystals, bicrystals and
polycrystals of copper of varying purity and poly-
crystalline aluminum of commercial purity as a
function of stress, temperature and time. The
importance of void-crack formation in analyses of
creep curves and in the mechanism of penetration of
liquid metals into solid nickels is discussed), by
Robertson and Boettner. Final rept. 1959. 120p.
Order from LC mi\$6.00 ph\$18.30 PB 145175

Research Inst., Temple U., Philadelphia, Pa.
HIGH TEMPERATURE PROJECT (Experimental work concerned with the combustion of powdered metals: (a) powdered metal feed devices; (b) torch design; (c) operating characteristics; (d) flame temperatures obtained; (e) melting and cutting ability), by Grosse and Conway. Prog. rept. 5 1952. 38p.
Order from LC mi\$3.00 ph\$6.30 PB 145093

Central Inst. for Industrial Research (Norway)
OXIDATION OF NIOBIUM (The oxidation of niobium was studied at pressures of 760 to 10^{-2} torr (mm Hg) and at temperatures from 150° to 1000°C by gravimetric and volumetric rate measurements, X-ray and electron diffraction, and electron microscopy), by Hurlen, Kjellisdal and others. Tech. scientific note 1 1959. 126p.
Order from LC mi\$6.30 ph\$19.80 PB 145171

Research Inst., Temple U., Philadelphia, Pa.
AN EXPERIMENTAL DETERMINATION OF THE DENSITIES OF MOLTEN METAL FLUORIDES IN THE RANGE OF 1600° to 2500°K (Using a graphite crucible and a tungsten sinker, the liquid densities of the alkaline earths and two rare earth fluorides were determined by the loss in weight of an immersed sinker method. The liquid molar volumes of the alkaline earth fluorides exhibit a linear relationship when plotted against period in the Periodic Table), by Kirshenbaum and Cahill. Tec. note 9 1959. 51p.
Order from LC mi\$3.60 ph\$9.30 PB 145363

Princeton U., N.J.
METAL COMBUSTION PROCESSES (Some preliminary conclusions on burning characteristics of the light metallic elements are presented. These conclusions are based on fundamental physical considerations and not on experimental results), by Glassman. Tech. rept. 1959. 43p.
Order from LC mi\$3.30 ph\$7.80 PB 145531

Institute for the Study of Metals, U. of Chicago
DIFFUSION IN SOLIDS AND LIQUIDS AND THE PROPERTIES OF SUBSTANCES AT HIGH TEMPERATURES (1) POINT IMPERFECTIONS IN METALS BY CONDUCTIVITY AND DIFFUSION MEASUREMENTS (2) OPTICAL PROPERTIES OF METALS by Nachtrieb, Tomizuka and Schulz. Final rept. 1957. 188p.
Order from LC mi\$8.40 ph\$28.80 PB 145836

Cornell U., Ithaca, N.Y.
DIFFUSION AND DESORPTION OF METAL IMPURITIES IN PLATINUM (Activation energies for the volume diffusion of impurities in polycrystalline platinum samples have been obtained by studying the ions released at temperatures above 1000°C), by Bradley. Tech. rept. 13 1959. 18p.
Order from LC mi\$2.40 ph\$3.30 PB 145868

Stockholm U. (Sweden)
STUDIES ON THE CRYSTAL CHEMISTRY OF TITANIUM, VANADIUM AND ZIRCONIUM OXIDES AT ELEVATED TEMPERATURES, by Magneli, Andersson and others. Final Tech. rept. 1 1958. 99p.
Order from LC mi\$5.40 ph\$15.30 PB 145923

North American Aviation, Inc., Downey, Calif.
PROPERTIES OF RESISTANCE SPOTWELD 24S-T3 AND 75S-T6 ALUMINUM ALLOY SHEET AND 17-7PH STAINLESS STEEL SHEET AT DECREASED AND ELEVATED TEMPERATURES, by Pelochino and Bellah. 1954. 143p.
Order from LC mi\$7.20 ph\$22.80 PB 146559

Nepa Div., Fairchild Engine & Airplane Corp., Oak Ridge, Tenn.
THE SOLUBILITY OF METALS AND ALLOYS IN LEAD-BISMUTH EUTECTIC AT TEMPERATURES UP TO 2200°F (A survey of readily available high temperature alloys and metals was made with respect to their solubility in lead-bismuth eutectic. The temperature range of 900° to 2200°F, for times up to 100 hours was investigated. Selected stainless steels, special alloys, and refractory metals were tested by the agitated capsule method developed at NEPA. Evidence of selective solubility of nickel and manganese makes the high nickel alloys undesirable. A.I.S.I. Type 446 showed the least solubility among the alloys and molybdenum was the most resistant of the metals tested), by Collins and Stephan. 1951. 13p.
Order from LC mi\$2.40 ph\$3.30 PB 146224

Ohio State U. Research Foundation, Columbus
THERMAL FUNCTIONS AND HEATS OF FORMATION OF SOME OF THE MAJOR VAPOR SPECIES IN THE BORON-OXYGEN-HYDROGEN SYSTEM AT ELEVATED TEMPERATURES, by White, Walsh and others. Tech. rept. 4 1959. 25p.
Order from LC mi\$2.70 ph\$4.80 PB 147086

Naval Engineering Experiment Station, Annapolis
INVESTIGATION OF HIGH-TEMPERATURE NOTCH SENSITIVITY IN A LOW-CARBON CR-MO-V PIPING STEEL (Notched and smooth bar rupture data, at temperatures of 1000° and 1100°F and times up to several thousand hours, are presented for a low-carbon Cr-Mo-V steam piping steel. It was found that notch sensitivity was dependent on stress as well as rupture time and temperature), by Niederberger. 1959. 22p.
Order from LC mi\$2.70 ph\$4.80 PB 147483

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
EVALUATION OF CAST ALLOYS FOR USE AT HIGH TEMPERATURES (Austenitic stainless steel compositions containing 17-20% chromium, 12-20% nickel, 2.5-5% molybdenum and 0.27-0.48% carbon were modified by additions of minor quantities of titanium, boron, columbium and tungsten and cast into test bars using the shell mold process. Several of these compositions displayed excellent high temperature strength properties, with 100-hour rupture stress values in the 24,000 psi range at 1500°F and 14,500 psi range at 1600°F being recorded), by Salvaggi. Final rept. 1958. 13p.
Order from LC mi\$2.40 ph\$3.30 PB 148242

Space Sciences Lab., General Electric Co., Philadelphia, Pa.
A METHOD FOR THE OBSERVATION OF THE INFRARED SPECTRUM AT HIGH TEMPERATURE VAPORS BY MATRIX ISOLATION. I. THE INFRARED SPECTRUM OF LITHIUM FLUORIDE, by Linevsky. 1960. 18p.
Order from LC mi\$2.40 ph\$3.30 PB 148763

Naval Radiological Defense Lab., San Francisco
A RADIOMETRIC METHOD FOR DETERMINING SPECIFIC HEAT AT ELEVATED TEMPERATURES (The validity of radiometric method for the measurement of specific heat of metals as a function of temperature at elevated temperatures is investigated), by Butler and Inn. 1958. 27p.
Order from LC mi\$2.70 ph\$4.80 PB 149267

Wayne State U., Detroit, Mich.
PREPARATION OF LARGE AREA SINGLE CRYSTAL CUPROUS OXIDE AND THE ELECTRICAL CONDUCTIVITY OF SINGLE CRYSTAL CUPROUS OXIDE AT HIGH TEMPERATURES, by Toth, Kilson and Trivich. Tech. rept 2 1960. 97p.
Order from LC mi\$5.40 ph\$15.30 PB 149759

Battelle Memorial Inst., Columbus, Ohio
ELECTRODEPOSITION OF CHROMIUM ALLOYS AND STUDY OF
ELEVATED-TEMPERATURE PROPERTIES OF CERTAIN ELECTRO-
DEPOSITED METALS AND ALLOYS, by Woodbury, Schaer and
others:

Tech. prog. rept. 4 (One of the objectives of the
work in this report period was to continue the
elevated-temperature oxidation studies of electro-
deposited metals in liquid- and vapor-phase
molybdenum trioxide. Another objective was to
determine the effect of changing the composition
of chromium-iron alloy on its coefficient of
thermal expansion and permanent change in length
after heat treatment. Another objective was to
determine the expansion and contraction behavior
of electrodeposited cobalt-tungsten alloy and of
a specimen of stress-free nickel) 1955. 28p.

Order from LC m\$2.70 ph\$4.80 PB 148736

Tech. prog. rept. 6 (One of the objectives of
the work during this period was to determine
whether alternate layers of nickel and chromium
plate could be diffused at 100 or 1150 C to form
a nickel-chromium alloy. A second objective was
to confirm the superiority of stress-free nickel
plate over stressed nickel plate as regards
denseness after heat treatment. A third objective
was to compare the hot hardness of chromium with
chromium-iron alloy plates) 1955. 21p.

Order from LC m\$2.70 ph\$4.80 PB 148737

Tech. prog. rept. 7 1955. 38p.

Order from LC m\$3.00 ph\$6.30 PB 148738

Lockheed Aircraft Corp., Sunnyvale, Calif.
GENERAL RESEARCH IN MATERIALS AND PROPULSION,
JANUARY 1959-JANUARY 1960. VOLUME II. METALLURGY
AND CHEMISTRY (Electronic structure of beryllium
(IMSD-288003); electrical resistivity of beryllium;
plastic deformation in beryllium; beryllium analyzed
for trace impurities by gamma-ray activation; high-
temperature corrosion of beryllium in air; stress
corrosion cracking of beryllium (IMSD-49735); grain
refinement in beryllium by alloying; specific heats
of beryllium and an alloy at room and elevated
temperatures (IMSD-2702); studies of the gas carburi-
zation of niobium; and study of halide-containing
oxide films on columbium) 1960. 275p.

Order from LC m\$11.10 ph\$42.60 PB 150613-2

Rensselaer Polytechnic Inst., Troy, N.Y.
FUSED SALT CHEMISTRY (Molten salts from systems which
are liquid at temperatures up to 3000°C at atmospheric
pressure), by Janz. Tech. note 11 1959. 31p.

Order from LC m\$3.00 ph\$6.30 PB 143924

Defense Metals Information Center, Battelle
Memorial Inst., Columbus, Ohio
COATINGS FOR PROTECTING MOLYBDENUM FROM OXIDATION AT
ELEVATED TEMPERATURE (Protective coatings are con-
sidered from two points of view - the coating system
and the method of application of the coating to the
molybdenum base. Systems discussed include chromium,
silicon, nickel, precious metals, ceramic materials,
and refractory oxides. Methods of application are
electroplating, flame spraying, vapor deposition,
cladding, enameling, and liquid-phase diffusion), by
Bartlett, Ogden and Jaffee. 1959. 45p.

Order from OTS at \$1.25 PB 151064

TITANIUM ALLOYS FOR HIGH-TEMPERATURE USE STRENGTHENED
BY FIBERS OR DISPERSED PARTICLES (Available data are
reviewed on heterogeneous structures of titanium in
which the titanium matrix is reinforced by a dis-
persed metal fibers or particles), by Holladay.
1959. 79p.

Order from OTS at \$2.00 PB 151073

Defense Metals Information Center, Battelle
Memorial Inst., Columbus, Ohio
CURRENT TESTS FOR EVALUATING FRACTURE TOUGHNESS OF
SHEET METALS AT HIGH STRENGTH LEVELS (In attempting
to overcome the brittle fracture problem in solid
propellant rocket cases, a number of investigators
have developed special tests to measure the
fracture toughness of high-strength sheet metals),
by Campbell and Achbach. 1960. 71p.

Order from OTS at \$2.00 PB 151081

TANTALUM AND TANTALUM ALLOYS, by Schmidt. 1960. 334p
Order from OTS at \$5.00 PB 151091

PHYSICAL AND MECHANICAL PROPERTIES OF COLUMBIUM AND
COLUMBIUM-BASE ALLOYS (The current state of knowledge
of the physical and mechanical properties of columbium
and its alloy is reviewed. Columbium has good
potential as an alloying base because of its low
neutron-capture cross section (reactor applications)
and high melting point, and related potential high-
temperature strength (air- and space vehicles
structural applications), by Bartlett and Houck.
1960. 66p.

Order from OTS at \$1.75 PB 151082

Boeing Airplane Co., Seattle, Wash.
BRAZING HONEYCOMB CORE TITANIUM PANELS (Final report
on the development of fabrication techniques for
brazing titanium skins to honeycomb cores of both
17-7PH steel and titanium to form sandwich panels
capable of operating in temperature environments up
to 700°F. Twelve silverbase alloys were investigated
for joining skins of 6Al-4V titanium alloy to 17-7PH
core and to unalloyed titanium core. The alloy
selected for process development work was a 97%
silver - 3% lithium. Thirty 3" x 8" all-titanium
panels were brazed and destructively tested in
beam-shear and in short-column at temperatures of
ambient, 500°F, and 700°F), by Noritake and Grov.
Final rept. 1957. 72p.

Order from OTS \$2.00 PB 151116

Martin Co., Baltimore, Md.
DEVELOPMENT OF BRAZED SANDWICH CONSTRUCTION MATERIALS
FOR HIGH TEMPERATURE APPLICATIONS, by Burrow and
Ragland. 1958. 115p.

Order from OTS at \$2.50 PB 151272

Southwest Research Inst. (San Antonio, Tex.)
DETERMINATION OF MATERIALS DESIGN CRITERIA FOR
6Al-4V TITANIUM ALLOY AT ROOM AND ELEVATED TEMPERA-
TURES (In order to establish design criteria on the
6Al-4V titanium alloy, tensile, compressive, bearing
and shear properties have been determined on both
bar and sheet material at temperatures from 75 to
1000°F), by Childs and Lemcoe. 1958. 257p.

Order from OTS at \$4.00 PB 151274

Defense Metals Information Center, Battelle
Memorial Inst., Columbus, Ohio
COMPILATION OF AVAILABLE INFORMATION ON THE
Ti-7Al-(3-4)Mo ALLOY (Ti-7Al-(3-4)Mo is a bar and
forging alloy designed for use in elevated-tempera-
ture applications and as high-strength forgings.
Recommended practices in production and fabrication
are included, and the information presented may be
considered as typical of current practice), by
Douglass and Holden. 1958. 99p.

Order from OTS at \$2.25 PB 151322

Metcut Research Associates, Cincinnati, Ohio
HIGH TEMPERATURE COATINGS FOR CHROMIUM HOT WORK TOOL
STEELS, by Norris. 1958. 84p.

Order from OTS at \$2.25 PB 151423

American Electro Metal Div., Firth Sterling, Inc.,
Yonkers, N.Y.
NEW HIGH TEMPERATURE INTERMETALLIC MATERIALS (in the search for new high temperature materials, an investigation of new intermetallic compounds was conducted, including five ternary systems and a number of binary rare earth intermetallic compounds. Addition of Mo to Cr₂Ti improved its strength behavior. Addition of Cr, Ti, or Nb to NiAl did not significantly improve its mechanical properties. Addition of Zr improved its mechanical properties but not its oxidation resistance. X-ray identification and in some cases physical properties of the rare earth aluminides and silicides are presented), by Grinthal. 1958. 80p.
Order from OTS at \$2.25 PB 151353

Crucible Steel Co. of America, Pittsburgh, Pa.
A STUDY OF THE METALLURGICAL PROPERTIES THAT ARE NECESSARY FOR SATISFACTORY BEARING PERFORMANCE AND THE DEVELOPMENT OF IMPROVED BEARING ALLOYS FOR SERVICE UP TO 1000 F (to develop a bearing steel for operating temperatures up to 1000 F, fifty-one experimental compositions were studied), by Philip, Steven and Nehrenberg. 1958. 56p.
Order from OTS at \$1.75 PB 151415

NOL, White Oak, Md.
EFFECTS OF EXTREMELY HIGH TEMPERATURES ON MAGNETIC PROPERTIES OF CORE MATERIALS (magnetic properties of the following ferromagnetic alloys: Orthonol, 4-79 Mo Permalloy, 4750 AEM, L and Z Silectron, Transformer A, Audio Transformer A, 11.7 Alfenol, 15.5 Alfenol, 3% Mo Thermenol, 7-70 Perminvar, and Supermendur, for the temperature range of 24°C to 800°C), by Pasknak and Ludsten. 1958. 60p.
Order from OTS at \$1.75 PB 151432

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
INVESTIGATION OF THE COMPRESSIVE, BEARING AND SHEAR CREEP-RUPTURE PROPERTIES OF AIRCRAFT STRUCTURAL METALS AND JOINTS AT ELEVATED TEMPERATURES, by Yerkovich. 1958. 96p.
Order from OTS at \$2.50 PB 151445

New York U. Coll. of Engineering, N.Y.
DEVELOPMENT OF ACTIVE-EUTECTOID BASE ALLOYS (this alloy development program is a study of the effect of stepwise additions of Al and/or Sn and/or Zr to binary Ti-2Cu, Ti-4Cu, and Ti-6Cu alloys; several alloys showed excellent tensile properties particularly in the range 1000 to 1200°F. A Ti-6Cu-7Al-6Zr alloy was outstanding, showing a tensile strength of 108,900 psi at 1200°F. These alloys show promise of utility in the 1000 to 1200°F range. Instability apparently associated with the Ti-Al phases was encountered), by Bunshah and Margolin. 1958. 51p.
Order from OTS at \$1.50 PB 151518

Crucible Steel Co. of America, Pittsburgh, Pa.
INVESTIGATION OF Fe-Mn-Cr-N-C SYSTEM FOR HEAT RESISTANCE AND OXIDATION RESISTANCE BETWEEN 1200 F AND 2000 F, by Tarwater and Dulis. 1958. 115p.
Order from OTS at \$2.50 PB 151558

Southern Research Inst., Birmingham, Ala.
DETERMINATION OF TENSILE, COMPRESSIVE, BEARING AND SHEAR PROPERTIES OF SHEET STEELS AT ELEVATED TEMPERATURES, by Kattus, Preston and Lessley. 1958. 299p.
Order from OTS at \$4.00 PB 151592

Cornell Aeronautical Lab., Inc., Buffalo, N.Y.
INVESTIGATION OF THE COMPRESSIVE, BEARING, AND SHEAR CREEP-RUPTURE PROPERTIES OF AIRCRAFT STRUCTURAL METALS AND JOINTS AT ELEVATED TEMPERATURES (This report summarizes in tabular and chart form the high temperature properties of PH15-7 Mo stainless steel and 6Al-4V titanium alloy in tension, compression, bearing, and shear. In addition, correlations of the tensile creep-rupture properties with corresponding compression, bearing, and shear creep-rupture properties are presented), by Yerkovich. 1958. 97p.
Order from OTS at \$2.00 PB 151561

Armour Research Foundation, Chicago, Ill.
MEASUREMENTS OF THERMAL PROPERTIES (The objective of this program was the measurement of the high temperature thermal properties of materials. The materials investigated were Stainless Steel type 316, Stainless Steel type 347, Hastelloy R-235, Aluminum Oxide, Niobium, Lithium Hydride and Synthetic Sapphire. The thermal conductivity, specific heat, and linear thermal expansion were measured from 100°F to 3000°F, or to the melting point of the material, whichever was lower. Both the experimental measurements and the results of the conversion of these measurements to the desired physical properties are given), by Fieldhouse, Lang, and Hedge. 1958. 108p.
Order from OTS at \$2.50 PB 151583

Aeronautical Research Lab., WADC., Wright-Patterson AFB, Ohio.
ZIRCONIA: ITS CRYSTALLOGRAPHIC POLYMORPHY AND HIGH TEMPERATURE POTENTIALS (Zirconia (ZrO₂), with a melting point of 2680°C (4850°F) is one of the more promising materials for high temperature applications. Its usefulness is significantly dependent on controlling its crystallographic transformations. Experiments conducted in the Aeronautical Research Laboratory have clarified some of the controversial data presented in the literature. Future potentials for ZrO₂-base materials for high temperature structural and corrosion-resistance applications are described), by Weber and Schwartz. 1958. 26p.
Order from OTS at 75 cents PB 151665

Ill. U. Engineering Experiment Station, Urbana
THE EFFECTS OF INELASTIC ACTION ON THE RESISTANCE TO VARIOUS TYPES OF LOADS OF DUCTILE MEMBERS MADE FROM VARIOUS CLASSES OF METALS. Part 8. ECCENTRICALLY-LOADED TENSION MEMBERS MADE OF TWO STAINLESS STEELS TESTED AT ELEVATED TEMPERATURES (In the experimental investigation, tests were made on eccentrically-loaded rectangular-section members made of type 304 stainless steel at a test temperature of 1000°F and 17-7 PH stainless steel at test temperatures of 1000°F and 1200°F. Some of the 17-7PH stainless steel specimens were given a precipitation hardening treatment and some were tested in the untreated condition), by Sidebottom, Clark and Dharmarajan. 1958. 61p.
Order from OTS at \$1.75 PB 151673

THE EFFECTS OF INELASTIC ACTION ON THE RESISTANCE TO VARIOUS TYPES OF LOADS OF DUCTILE MEMBERS MADE FROM VARIOUS CLASSES OF METALS. Part 9. T-SECTION ECCENTRICALLY-LOADED TENSION MEMBERS MADE OF TYPE 304 STAINLESS STEEL AND TESTED AT 1000°F, by Sidebottom and Dharmarajan. 1958. 18p.
Order from OTS at 50 cents PB 151674

Science and Technology Div., Library of Congress
Washington, D.C.
THERMAL PROPERTIES OF CERTAIN METALS. Part II. IRON
BERYLLIUM, IRIIDIUM, PALLADIUM, PLATINUM, AND
TUNGSTEN (The bibliography on the thermal properties
of certain metals consists of references, with
abstracts, to pertinent open literature published
from 1920 to 1957, and to unclassified reports issued
from about 1944 to 1957. These references were
obtained by a compressive search of the sources
listed in the Introduction. The material included in
the bibliography pertains to various thermal proper-
ties, namely, heat capacity, thermal conductivity,
emissivity, thermal diffusivity, and thermal
expansion of iron (pure), beryllium, iridium,
rhodium, palladium, platinum, and tungsten), by
Goodwin and Ayton. 1958. 32lp.
Order from OTS at \$5.00 PB 151679

Horizons, Inc., Cleveland, Ohio.
RESEARCH FOR COATINGS FOR PROTECTION OF NIOBIUM
AGAINST OXIDATION AT ELEVATED TEMPERATURES (In order
to profit from desirable high temperature properties
of Nb, oxidation resistant alloys or coatings must
be developed. Nb alloys have been prepared offering
up to a 20 fold reduction in oxidation at 2000°F
compared to pure Nb. Flame sprayed and electro-
deposited coatings were developed giving more com-
plete protection for 4-6 hrs. up to 2500°F. Prepara-
tion of alloys and coatings together with test pro-
cedures and results are described for both phases),
by Hidakis. 1959. 74p.
Order from OTS at \$2.00 PB 151684

Materials Lab., WADC., Wright-Patterson AFB, Ohio
MECHANICAL PROPERTIES OF 17-7 PH AND PH 15-7 MO.
STAINLESS STEEL, by Brisbane. 1959. 38p.
Order from OTS at \$1.00 PB 151703

NBS, Washington, D.C.
OXIDATION OF EXPERIMENTAL ALLOYS (A study was made
of the oxidation resistance of five newly developed
high-temperature alloys), by Richmond and Thornton.
1959. 19p.
Order from OTS at 50 cents PB 151741

Watertown Arsenal Lab., Mass.
APPLICATION OF INDUCTION HEATING TO SHORT-TIME
ELEVATED TEMPERATURE TENSILE TESTING (Tensile test
data were obtained at 600°, 800°, and 1000°F on 120
plain and welded titanium alloy specimens. Typical
results obtained are given and the limitations and
possibilities of the technique discussed), by Levitt
and Martin. 1959. 18p.
Order from OTS at 50 cents PB 151848

MIT., Cambridge, Mass.
FINE PARTICLE STRENGTHENING FOR HIGH TEMPERATURE
USE (The promise offered by internal oxidation of
dilute solutions in which the solute element forms
a stable refractory oxide is illustrated by recent
work with nickel-aluminum solid solutions, with
testing of the alloys at 816°C (1500°F); also in-
cludes powder alloys - mechanical properties and
sintering), by Schwarzkopf and Grant. 1958. 18p.
Order from OTS at 50 cents PB 151863

Ill. U., Urbana
THE EFFECTS OF INELASTIC ACTION ON THE RESISTANCE TO
VARIOUS TYPES OF LOADS OF DUCTILE MEMBERS MADE FROM
VARIOUS CLASSES OF METALS, by Sidebottom and
Dharmarajan. 1959. 32p.
Order from OTS at \$1.00 PB 151894

Office of Ordnance Research, Durham, N.C.
CONFERENCE ON RESEARCH IN PROGRESS ON TUNGSTEN HELD
20-21 MAY 1959 AT DUKE UNIVERSITY (includes tungsten-
bibliography), 1959. 102p.
Order from OTS at \$2.50 PB 161013

Battelle Memorial Inst., Columbus, Ohio
THE EFFECTS OF SOLUTE ELEMENTS ON THE STRENGTH PRO-
PERTIES OF IRON- AND COBALT-BASE ALLOYS, by Wolff,
Underwood and others. 1959. 7lp.
Order from OTS at \$2.00 PB 161043

Defense Metals Information Center, Battelle
Memorial Inst., Columbus, Ohio
ELEVATED-TEMPERATURE MECHANICAL PROPERTIES AND
OXIDATION RESISTANCE OF COLUMBIUM AND ITS ALLOYS, by
Schwartzberg and Klopp. 1959. 12p.
Order from OTS at 50 cents PB 161159

PHYSICAL AND MECHANICAL PROPERTIES OF MOLYBDENUM AND
THE Mo-0.5Ti ALLOY (Some physical properties of
molybdenum and the Mo-0.5Ti alloy of interest in the
elevated temperature applications of these materials
are briefly summarized. Mechanical properties, in-
cluding tensile, impact and fatigue data and creep
and stress-rupture properties over a wide range of
temperatures are also presented), by Douglass.
1959. 23p.
Order from OTS at 50 cents PB 161164

PHYSICAL AND MECHANICAL PROPERTIES OF TANTALUM, by
Ogden. 1959. 19p.
Order from OTS at 50 cents PB 161182

FABRICATION OF PURE COLUMBIUM (The fabrication of
pure columbium is readily carried out cold with con-
ventional tools. Precautions must be taken, when
extreme-pressure processes are used, to prevent
sticking by the use of very smooth die finishes and
proper lubricants. Since the metal is rapidly con-
taminated by all common gases at elevated tempera-
tures, welding operations must be performed in an
atmosphere of helium or purified argon, and
annealing operations in a high vacuum. Solid-solu-
tion alloys may be handled, in general, like pure
columbium), by Klopp and Hodge. 1959. 9p.
Order from OTS at 50 cents PB 161184

HEAT CAPACITY OF BERYLLIUM (This memorandum collects
the data available to the Defense Metals Information
Center on the heat capacity of beryllium. Heat
capacity as a function of temperature and the effect
of impurities on the heat capacity are discussed), by
Holladay. 1959. 11p.
Order from OTS at 50 cents PB 161186

THE WELDING OF WRIGHT AGE-HARDENABLE NICKEL-BASE
ALLOYS FOR SERVICE AT ELEVATED TEMPERATURES (The
purpose of this memorandum is to summarize informa-
tion on welding wrought age-hardenable nickel-base
alloys. The report will cover the fusion and
resistance welding of some of the more familiar
alloys that comprise the age-hardenable nickel-base
materials), by Lepowski and Monroe. 1959. 21p.
Order from OTS at 50 cents PB 161188

RECENT DEVELOPMENTS IN TITANIUM BRAZING, by Lewis
and Faulkner. 1960. 8p.
Order from OTS at 50 cents PB 161195

Defense Metals Information Center, Battelle
Memorial Inst., Columbus, Ohio
BRAZING FOR HIGH-TEMPERATURE SERVICE (The purpose of
this memorandum is to summarize the extent of ad-
vancement in the field of brazing for service tem-
peratures in excess of 600 F. In recent years, the
need for parts fabricated from high-temperature,
high-strength corrosion-resistant alloys has imposed
a demand for brazing filler metals which are com-
patible with these base metals and their usage),
by Haskins and Evans. 1960. 15p.
Order from OTS at 50 cents PB 161198

REVIEW OF PROBLEMS IN USING FLAT-ROLLED MATERIALS IN
AIR- AND SPACE-WEAPON SYSTEMS (It has been estimated
that, within 5 years, materials will be expected to
operate at 1200 F for reasonably long times and at
or above 2000 F for a few minutes. Within 10 years,
operational temperatures are expected to reach 2500 F
for a few minutes and 4000 F for a life of a few
seconds. Therefore, this review deals mainly with
problems in producing and using sheet materials in-
tended for service at high temperatures), by Boulger.
1960. 23p.
Order from OTS at 50 cents PB 161202

PHYSICAL AND MECHANICAL PROPERTIES OF THE COBALT-
CHROMIUM-TUNGSTEN ALLOY WI-52 (WI-52 was designed for
gas-turbine components requiring high-strength pro-
perties in the 1000 to 2000 F temperature range. It
has been used primarily as a first-stage turbine
vane, supplanting the older X-40 (HS 31) alloy.
Above 1800 F it may be useful in applications re-
quiring resistance to thermal shock, fatigue, and
oxidation, but with lower strength requirements. It
is available only in the form of castings), by
Morral and Wagner. 1960. 20p.
Order from OTS at 50 cents PB 161216

Cese Inst. of Tech., Cleveland, Ohio
RESEARCH ON STRAIN AGING EFFECTS IN TITANIUM, by
Gurev and Baldwin. 1959. 70p.
Order from OTS at \$1.75 PB 161304

Armour Research Foundation, Chicago, Ill.
METHODS OF PURIFICATION OF METALS AND INTERMETALLIC
COMPOUNDS (SiC, ThO₂, and ZrO₂ were studied to learn
how impurities move in thermal gradients in potential
materials for high temperature thermoelectric, ther-
mionic, or photovoltaic generators. The electrical
resistivity, thermal conductivity, and thermoelectric
power of ThO₂ and ZrO₂ were studied at high tempera-
tures), by Susman. 1959. 86p.
Order from OTS at \$2.25 PB 161415

Battelle Memorial Inst., Columbus, Ohio
THERMAL PROPERTIES OF MATERIALS AT ELEVATED TEMPERA-
TURES (Apparatus was designed and assembled for mak-
ing linear-thermal-expansion, specific-heat, and
thermal-conductivity measurements to 5000 F or above
on metals and ceramic-type materials), by Deem, Wood
and Lucks. 1959. 22p.
Order from OTS at 75 cents PB 161478

Materials Lab., WADC, Wright-Patterson AFB, Ohio
AN INVESTIGATION OF THE RELATIONSHIP OF HOT-HARDNESS
TO THE ELEVATED TEMPERATURE EXTRUSION BEHAVIOR OF
SELECTED ARC-CAST MOLYBDENUM BASE ALLOYS, by
Giancola. 1960. 133p.
Order from OTS at \$2.75 PB 161669

Research Inst., Temple U., Philadelphia, Pa.
STUDY OF ULTRA HIGH TEMPERATURES (Covers such topics
as: The production of high temperature flames;
Systems of carbon, nitrogen and oxygen; The
cyanogen-oxygen flame as a high temperature tool;
Systems using fluorine; The fastest burning flame -
the premixed hydrogen-fluorine flame; Systems using
ozone; Imaging of the oxygen-aluminum flame and its
use as an artificial sun furnace; Two phase reactions
at high temperatures; Combustion of beryllium in
oxygen; The temperature of the zirconium-oxygen
flame; An experimental determination of the den-
sities of molten metal fluorides in the range of
1600° to 2500°K; Preparation of carbon-phosphorus
compounds), by Grosse. 1959. 31p.
Order from OTS at \$1.00 PB 161460

Battelle Memorial Inst., Columbus, Ohio
THERMAL PROPERTIES OF MATERIALS AT ELEVATED TEMPERA-
TURES (Apparatus was designed and assembled for mak-
ing linear-thermal-expansion, specific-heat, and
thermal-conductivity measurements to 5000 F or above
on metals and ceramic-type materials), by Deem, Wood
and Lucks. 1959. 22p.
Order from OTS at 75 cents PB 161478

New York U., N.Y.
INVESTIGATION OF CREEP BUCKLING OF COLUMNS AND
PLATES. Part I. ELEVATED TEMPERATURE PROPERTIES OF
THE TEST MATERIAL Ti-7Al-4Mo TITANIUM ALLOY, by
Papirno and Gerard. 1959. 34p.
Order from OTS at \$1.00 PB 161488

Climax Molybdenum Co. of Michigan, Detroit
DEVELOPMENT OF HIGH STRENGTHS AND HIGH RECRYSTAL-
LIZATION TEMPERATURES IN MOLYBDENUM-BASE ALLOYS (In
addition to the ternary alloy, promising elevated
temperature properties were exhibited by binary
alloys containing 2.00% titanium, (0.14% carbon),
and 0.3 and 0.5% zirconium (0.022 carbon), by
Semchyshen, McArdle and Barr. 1959. 128p.
Order from OTS at \$2.75 PB 161542

SKF Industries, Inc., Philadelphia, Pa.
ENDURANCE TESTS OF ROLLING CONTACT BEARINGS OF CON-
VENTIONAL AND HIGH TEMPERATURE STEELS UNDER CONDI-
TIONS SIMULATING AIRCRAFT GAS TURBINE APPLICATIONS,
by Walp, Remorenko and Porter. 1959. 87p.
Order from OTS at \$2.25 PB 161672

Cincinnati Milling Machine Co., Ohio
HIGH TEMPERATURE MACHINING METHODS. PHASE I.
EVALUATION OF ELEVATED TEMPERATURE MACHINING
METHODS, by Pentland, Mehl and Wennberg. 1960. 187p.
Order from OTS at \$3.00 PB 161680

Brush Beryllium Co., Cleveland, Ohio
AN INVESTIGATION OF INTERMETALLIC COMPOUNDS FOR VERY
HIGH TEMPERATURE APPLICATIONS (Intermetallic com-
pounds from thirty-five binary metallic systems
were prepared, fabricated into oxidation-test
specimens, and tested for oxidation resistance in
dry air at 2300°F. Only high-melting (above 2550°F)
compounds were studied. These included aluminides,
beryllides, silicides, germanides, and zirconides,
as well as numerous miscellaneous compounds. A
literature survey of intermetallic compounds is
included.), by Paine, Stonehouse and Beaver.
1960. 247p.
Order from OTS at \$3.50 PB 161683

NRL, Washington, D.C.
HIGH TEMPERATURE OXIDATION OF IRON-CHROMIUM BINARY ALLOYS IN WATER VAPOR. Part 1: A PRELIMINARY STUDY OF THE MECHANISM OF OXIDATION OF IRON-CHROMIUM BINARY ALLOYS IN WATER VAPOR, by Fujii and Meussner. Final rept. 1960. 27p.
Order from OTS at 75 cents PB 161696

Dayton U. Research Inst., Ohio
FURTHER INVESTIGATION OF THE EFFECTS OF MOLTEN BORON OXIDE ON HIGH TEMPERATURE MATERIALS (The corrosion resistance of a group of high temperature materials, typical of those available for use in aircraft power plants, was evaluated in a boron oxide environment. Exposure consisted of cyclic immersion in B_2O_3 at temperatures of 1750°-2200°F. for periods up to 145 hours in an air atmosphere), by Rosenbery. 1960. 102p.
Order from OTS at \$2.50 PB 161703

Indiana Steel Products Co., Valparaiso
THE REMANENCE OF ALNICO V AND VI MAGNETS BETWEEN ROOM TEMPERATURE AND 550°C, by Tenzer. 1960. 21p.
Order from OTS at 75 cents PB 161708

Westinghouse Research Labs., Pittsburgh, Pa.
OXIDATION OF TUNGSTEN AND TUNGSTEN BASED ALLOYS, by Gulbransen, Andrew and others. 1960. 86p.
Order from OTS at \$2.25 PB 161718

Stanford Research Inst., Menlo Park, Calif.
SYNTHESIS OF NEW HIGH TEMPERATURE MATERIALS (A number of mixed transition metal carbides, borides, and nitrides were prepared and examined in terms of melting point), by Engelke, Halden and Farley. 1960. 44p.
Order from OTS at \$1.25 PB 161720

Illinois U., Urbana
PROTECTIVE COATINGS FOR REFRACTORY METALS (Tests with tungsten wire encapsulated in evacuated fused silica tubes demonstrated the impermeability of oxygen at temperatures above 3000°F. for several hours, as evidenced by the non-oxidation of the encased tungsten), by Bergeron, Friedberg and others. 1960. 50p.
Order from OTS at \$1.25 PB 161739

Bell Aircraft Corp., Buffalo, N.Y.
MECHANICAL PROPERTIES OF SELECTED ALLOYS AT ELEVATED TEMPERATURES, Part 1 (The materials studied and the temperature range of testing were: AM 355 - R.T. - 1000°F, PH 15-7M° - R.T. - 1000°F, HK31-H24 - R.T. - 600°F, A 286 - R.T. - 1200°F, Udimet 500 - R.T. - 1700°F and Inconel X - R.T. - 1500°F), by Pearl, Kappelt and King. 1960. 268p.
Order from OTS at \$4.00 PB 161761

Denver Research Inst., Colo.
SURVEY OF THE BROACHING PROCESS (An extensive survey of the broaching process was performed to determine current status, problem areas, current efforts at resolution of problems, and needed developments. In addition to a survey of broaching literature, fifty-one organizations were contacted for information. Difficult-to-machine high temperature alloys have created broaching problems of which short tool life is the most serious. Current efforts toward resolution are limited in extent. Improved tool materials, broach design information, and comprehensive broach life data are needed), by Hanna and Eppinger. 1960. 126p.
Order from OTS at \$2.75 PB 161776

Armour Research Foundation, Chicago, Ill.
METHODS AND CONTROLS FOR PRODUCING CASTABLE DIES FOR FORGING STEEL AND TITANIUM ALLOYS (High performance aircraft forgings of high-strength steels, with long, thin sections, can now be produced with a minimum of costly and time consuming machining. Forging dies capable of operating at 1600°F can be cast with cavities which require no machining), Murphy, Nichols and Gouwens. Final tech. rept. 1959. 104p.
Order from OTS at \$2.50 PB 161778

DEVELOPMENT OF HIGH TEMPERATURE DIE MATERIALS (HOT DIE MATERIALS) (Precision, thin-walled, high-strength steel forgings for high performance aircraft and missiles can be quickly and economically forged in hot dies of Inconel 713-C using a potassium iodide-graphite lubricant-parting agent. The nickel-base casting alloy, (Inconel 713-C) proved superior to a cobalt-base alloy (HE 1049) and four other basic alloy families in oxidation resistance, and compressive deformation strength at temperatures as high as 1600°F), by Nichols, Graft and others. Final tech. rept. 1959. 133p.
Order from OTS at \$2.50 PB 161779

Avco Corp., Wilmington, Mass.
BERYLLIUM JOINING; RAD SPONSORED PROGRAM, by Cohen. 1960. 45p.
Order from OTS at \$1.25 PB 161830

BERYLLIUM JOINING; WADC SPONSORED PROGRAM (Joining of beryllium plates and rods by braze welding, fusion welding, and pressure welding was investigated, with the objective of developing improved methods for applications at both room and elevated temperatures), by Passmore. 1960. 127p.
Order from OTS at \$2.75 PB 161831

Illinois U., Urbana
THE EFFECTS OF INELASTIC ACTION ON THE RESISTANCE TO VARIOUS TYPES OF LOADS OF DUCTILE MEMBERS MADE FROM VARIOUS CLASSES OF METALS. Part XII. ECCENTRICALLY-LOADED TENSIONS MEMBERS AND COLUMNS MADE OF 17-7PH STAINLESS STEEL AND Ti 155A TITANIUM ALLOY AND TESTED AT VARIOUS TEMPERATURES, by Sidebottom, Dharmarajan and others. 1960. 84p.
Order from OTS at \$2.25 PB 161836

Southern Research Inst., Birmingham, Ala.
DETERMINATION OF THE MECHANICAL PROPERTIES OF AIRCRAFT-STRUCTURAL MATERIALS AT VERY HIGH TEMPERATURES AFTER RAPID HEATING (The short-time, elevated-temperature tensile properties were determined and are reported (1) for unalloyed beryllium at temperatures from ambient through 1500°F (2) for ten combinations of base materials (ETP copper, A-nickel, unalloyed molybdenum, and molded graphite) with protective coatings (chromium and nickel by electroplating; aluminum oxide, zirconium oxide, and zirconium silicate by flame spraying; silicon carbide and silicon carbide nitride by a diffusion reaction on the surface of graphite), and (3) for a typical high-temperature alloy with linear temperature gradients normal to the axis of loading), by Preston and Kattus. 1960. 81p.
Order from OTS at \$2.25 PB 161893

Aviation Gas Turbine Div., Westinghouse Electric Corp., Lester, Pa.
DEVELOPMENT OF NIOBIUM-BASE ALLOYS, by Begley and Platte. 1960. 132p.
Order from OTS at \$2.75 PB 161936

Armour Research Foundation, Chicago, Ill.
THE DETERMINATION OF THE EFFECTS OF ELEVATED TEMPERATURES ON THE STRESS CORROSION BEHAVIOR OF STRUCTURAL MATERIALS (includes titanium alloys - corrosion), by Crossley, Reichel and Simcoe. 1960. 59p.
Order from OTS at \$1.50 PB 161962

Westinghouse Electric Corp., Bloomfield, N.J.
PHYSICAL METALLURGY OF TUNGSTEN AND TUNGSTEN BASE ALLOYS (The program provided base line data and fundamental physical metallurgical information on tungsten of various purity levels. High temperature tensile properties and recrystallization temperature could not be directly correlated with the impurity level), by Atkinson. 1960. 251p.
Order from OTS at \$4.00 PB 161978

General Electric Co., Evendale, Ohio
GAS ATMOSPHERE EFFECTS ON MATERIALS (Effects of a special water saturated gas atmosphere on the properties of structural materials was studied at elevated and low temperatures), by Baughman. 1960. 232p.
Order from OTS at \$3.50 PB 161980

Battelle Memorial Inst., Columbus, Ohio
DEVELOPMENT OF METHODS AND INSTRUMENTS FOR MECHANICAL EVALUATION OF REFRACTORY MATERIALS AT VERY HIGH TEMPERATURES (A mechanical-testing system has been established which is capable of providing tensile and compressive stress-strain data and shear-strength data up to 400 F in vacuum. The results of an evaluation of the system using a molybdenum-0.5 percent titanium alloy in the bar form are presented) by Fisher, Gideon and others. 1960. 82p.
Order from OTS at \$2.25 PB 171012

Metals and Ceramics Lab., WADC., Wright-Patterson AFB, Ohio
ELEVATED TEMPERATURE DYNAMIC MODULI OF VANADIUM TITANIUM AND V-Ti ALLOYS (The dynamic moduli of calcium-reduced vanadium, high grade aluminothermic vanadium, iodide titanium and Ti-75A alloy were determined over the temperature range R.T. to 1250°F. In addition, elevated temperature dynamic modulus data were obtained for five V-Ti alloys, having nominal compositions of V-8Ti, V-17Ti, V-25Ti, V-32Ti, and V-48Ti), by Hill and Wilcox. 1960. 16p.
Order from OTS at 50 cents PB 171014

TRANSLATIONS ON HIGH TEMPERATURE METALLURGY

TRENDS IN THE DEVELOPMENT OF HIGH-TEMPERATURE METALLOGRAPHY, by Lozinskiy. 1960. 26p.
Trans. of Metallovedeniye i (Termicheskaya) Obrabotka Metallov (USSR) 1957, no. 11, p. 18-42.
Order from OTS at 75 cents 59-11618

STRESS CORROSION CRACKING OF AUSTENITIC STEELS AT ELEVATED TEMPERATURES AND PRESSURES, by Sidorov and Ryabchenko. 1958.
Trans. of Metallovedeniye i Obrabotka Metallov (USSR) 1958, no. 6, p. 25-32.
Order as HB-4250 from HB at \$4.75 69-12265

ESTIMATION OF DUCTILITY (CREEP AT RUPTURE) OF CREEP-RESISTING (STEELS AND) ALLOYS AT HIGH TEMPERATURES, by Stanyukovich. 1958.
Trans. of Zavodskaya Laboratoriya (USSR) 1957, v. 23, no. 4, p. 476-484.
Order as HB-4232 from HB at \$8.25 59-12267

THE CORROSIVE CRACKING OF AUSTENITIC STEELS AT HIGH TEMPERATURES AND PRESSURES, by Sidorov and Ryabchenkov. 1958. 10p.
Trans. of Metallovedeniye i Obrabotka Metallov (USSR), 1958, no. 6, p. 25-32.
Another translation is available as HB-4250, \$4.75.
Order from OTS at 50 cents 59-13155

SOVIET HIGH-TEMPERATURE METALLURGY: SELECTED TRANSLATIONS. 1959. 19p.
Order from OTS at 75 cents 59-13940

HIGH-TEMPERATURE OXIDATION OF NICKEL IN SULFUR DIOXIDE, by Ipat'ev and Zheltukhin. 1959.
Trans. of Metallovedeniye i Obrabotka Metallov (USSR) 1958, no. 12, p. 42-45.
Order as HB-4448 from HB at \$2.90 59-14610

HIGH-TEMPERATURE STRENGTH OF COPPER-CHROMIUM AND COPPER-NICKEL ALLOYS, by Simakovskiy. 1959.
Trans. of Metallovedeniye i Obrabotka Metallov (USSR) 1958, no. 6, p. 41-47.
Order as HB-4253 from HB at \$4.90 59-14611

CREEP TESTS IN MULTI-SPECIMEN MACHINES AT TEMPERATURES OVER 500°C, by Wiegand and Reiner. 1959.
Trans. of Metall (West Germany) 1957 (v. 11), May, p. 357-361; 1958 (v. 12), Sep, p. 803-810.
Order as BISITS 1156 from BISI 7 59-14838

A NEW METHOD FOR TESTING THE PLASTIC PROPERTIES OF METALS AT ELEVATED TEMPERATURES, by Pomichev. 1959.
Trans. of Zavodskaya Laboratoriya (USSR) 1955, (v. 21) July, p. 841-844.
Order as BISITS 51 from BISI 3 59-14850

EFFECT OF PLASTIC DEFORMATION ON HIGH-TEMPERATURE STRENGTH OF (NICKEL) ALLOY EI 437 (High-temperature properties of a creep-resisting, precipitation-hardening Ni-20% Cr-2 1/2% Ti alloy after prestraining and/or aging. Rupture strength at 700°C (1290F) as affected by surface prestraining in various ways. Effect of aging temperature and time. Temperature range in which the influence of grain refinement predominates and range in which the cohesive strength is impaired), by Kishkin, Klypin and Sulima. 1959.
Trans. of Metallovedeniye i Obrabotka Metallov (USSR) 1958, no. 6, p. 18-21.
Another translation is available from OTS at 50 cents as 59-13154, JPRS(NY)-L-573, 16 Dec 58, 5p.
Order as HB-4248 from HB at \$2.90 59-14978

EFFECT OF SINTERING TEMPERATURE ON PROPERTIES OF IRON-NICKEL-ALUMINUM POWDER ALLOYS, by Al'tman. 1959.
Trans. of Metallovedeniye i Obrabotka Metallov (USSR) 1958, no. 12, p. 17-20.
Order as HB-4444 from HB at \$3.75 59-14991

THE OXIDATION OF MAGNESIUM AND ITS ALLOYS AT HIGH TEMPERATURES (The processes of oxidation of magnesium, aluminum, zinc and magnesium alloys were examined in atmospheric oxygen at high temperatures, and those of magnesium alloys in nitrogen, carbon dioxide and sulphur dioxide), by Makolkin. 1959. 11p.
Trans. of Zhurnal Prikladnoy Khimii (USSR) 1951, v. 24, no. 5, p. 460-470.
Order from IC or SLA m42.40 ph43.30 59-15413

HIGH-TEMPERATURE PROPERTIES OF MULTIPLE-ALLOYED FERRITE, by Borzkyka and Merlina. 1959. 2400 words
Trans. of Metallovedeniye i (Termicheskaya)
Obrabotka Metallov (USSR) 1958, no. 12, p. 10-16.
Order as HB-4443 from HB at \$4.90 59-18055

EVALUATION OF HIGH-TEMPERATURE PROPERTIES FROM RUP-TURE AND HOT-HARDNESS TESTS, by Preobrazhenskaya. 1959. 1100 words
Trans. of Zavodskaya Laboratoriya (USSR) 1957, v. 23, no. 4, p. 485-487.
Order as HB-4594 from HB at \$3.75 59-18068

THE MECHANISM OF PLASTICITY IN HOMOGENEOUS METAL ALLOYS AT HIGH TEMPERATURES, by Osipov. 1952. 7p.
Trans. of Akademiya Nauk SSSR. Otdeleniye Tekhnicheskikh Nauk. Izvestiya, 1949, no. 9, p. 1372-1377.
Order from LC or SLA mi\$1.80 ph\$1.80 59-19086

FAILURE OF HIGH-TEMPERATURE (Ni-BASE) ALLOYS UNDER THERMAL AND STRESS CYCLING, by Kurganov and Sutina. 1959. 1900 words
Trans. of Metallovedeniye i (Termicheskaya)
Obrabotka Metallov (USSR) 1958, no. 10, p. 23-27.
Order as HB-4391 from HB at \$4.40 59-19593

HIGH-TEMPERATURE METALLOGRAPHY PT. 1, by Lozinskiy. 1959. 243p.
Trans. of mono. Vysokotemperaturnaya Metallografiya, Moscow, 1956, p. 1-153.
Order from LC or SLA mi\$11.10 ph\$37.80 59-19769

HIGH-TEMPERATURE METALLOGRAPHY PT. 2, by Lozinskiy. 1959. 183p.
Trans. of Mono. Vysokotemperaturnaya Metallografiya, Moscow, 1956, p. 154-216.
Order from LC or SLA mi\$8.40 ph\$28.80 59-19770

HIGH-TEMPERATURE METALLOGRAPHY PT. 3, by Lozinskiy. 1959. 193p.
Trans. of mono. Vysokotemperaturnaya Metallografiya, Moscow, 1956, p. 217-312.
Order from LC or SLA mi\$8.70 ph\$30.30 59-19771

PHASE EQUILIBRIA IN THE SYSTEM NaCl-NaOH-H₂O AT HIGH TEMPERATURES, by Ravich, Borovaya and others. 1959. 18p.
Trans. of Akad(emiya) Nauk SSSR. Sektor Fiz(iko)-Khim(icheskogo) Anal(iza). Izvest(iya) 1954, v. 24, p. 280-298.
Order as ATS-79L32R from ATS at \$24.30 59-19829

RELATIONS BETWEEN BRITTLINESS AT HIGH AND LOW TEMPERATURES IN 18-8 TYPE AUSTENITIC STEELS, by Castro and Gueussier. 1959.
Trans. of Rev(ue de) Met(allurgie) (France) 1958 (v. 55) no. 2, p. 107-122.
Order as BISITS-1451 from BISIT 8 15s 59-19958

THE SYSTEM IRON-COBALT-TUNGSTEN, by Koster and Tonn. 1959. 13p.
Trans. of Arch(iv) f(ur) d(as) Eisenhüttenwesen (Germany) 1932, v. 5, no. 8, p. 431-440.
Order from SLA mi\$2.40 ph\$3.30 59-20229

ELASTIC LIMIT AND MICRODEFORMATION OF STRUCTURAL MATERIALS UNDER DYNAMIC BENDING STRESS AT HIGH TEMPERATURES, by Welter. 1936. 7p.
Trans. of Z(eitschrift) f(ur) Metallkunde (Germany) 1936 (v. 28, no. 9) p. 257-261.
Order from SLA mi\$1.80 ph\$1.80 59-20350

THE SAG OF TURBINE SHAFTS AND ROTORS DURING TESTS AT HIGH TEMPERATURES, by Fuks and Glazyuk. 1959. 10p.
Trans. of Vestnik Mashinostroyeniya (USSR) 1955, v. 35, no. 6, p. 30-34.
Order from LC or SLA mi\$1.80 ph\$1.80 59-22423

STUDY OF THE MECHANISM OF OXIDATION OF BINARY Fe-Cr ALLOYS AT ELEVATED TEMPERATURES, by Moreau; tr. by L.P. 1953. 3p.
Trans. of (Academie des Sciences, Paris). Comptes Rendus (France) 1953, vo. 236, no. 1, p. 85-87.
Order from SLA mi\$1.80 ph\$1.80 60-10158

ALTERNATE STRESS DIAGRAMS OF STEELS AT HIGHER TEMPERATURES, by Hempel and Krug. 1959. 24p.
Trans. of Archiv fur das Eisenhüttenwesen (Germany) 1943, v. 16, no. 7 (p. 261-268). (Verein Deutscher Eisenhüttenleute. Rept-612).
Order from SLA mi\$2.70 ph\$4.80 60-10174

SOVIET HIGH-TEMPERATURE METALLURGY: SELECTED TRANS-LATIONS (High-temperature gas turbine steels and alloys, by Khimushin. Trans. of mono. Sovremennyye Splavy i Ikh Termicheskaya Obrabotka, Moscow, 1958; p. 216-241; Changes in the surface layer of a high-temperature alloy during mechanical working and heating in an oxidizing medium, by Vorob'yev. Trans. of Sovremennyye Splavy i Ikh Termicheskaya Obrabotka, Moscow, 1958, p. 242-253). 1960. 105p.
Order from OTS at \$2.50 60-11155

DEFORMATION OF TECHNICAL IRON IN THERMAL-CYCLING (Study of effect of temperature fluctuations on the strength of metal parts during service at elevated temperatures. Experimental procedure; design and dimensions of specimens of technical iron. Circumstances leading to the formation of two necks on specimens tested; explanation of this phenomenon), by Lozinskiy and Simeonova. 1959. 1600 wds.
Trans. of Metallov(edeniye i) Term(icheskaya) Obrabotka Met(allov) (USSR) 1959, no. 1, p. 15-19.
Order as HB-4476 from HB at \$3.90 60-12001

RUPTURE STRENGTH OF TUBULAR STEEL SPECIMENS UNDER INTERNAL HYDROGEN PRESSURE AT HIGH TEMPERATURES, by Kolgatin, Glikman and others. 1959. 1800 wds.
Trans. of Metallov(edeniye i) Term(icheskaya) Obrabotka Met(allov) (USSR) 1959, no. 3, p. 19-24.
Order as HB-4539 from HB at \$3.75 60-12014

EFFECT OF ALLOYING ON THE HARDENING AND SOFTENING OF HIGH-TEMPERATURE IRON-BASE ALLOYS (Effect of C, V, Al, Mo, W, and Nb (up to 3 at-% ea) on hardening and softening of an iron-base composition with 13% Cr, 8 Ni, and 8Mn. Procedure. Results: Recrystallization temperatures and structures...Advantages of the alloy with tungsten...(HB abstract), by Zhirnov. 1959. 1000 wds.
Trans. of Metallov(edeniye i) Term(icheskaya) Obrabotka Met(allov) (USSR) 1959, no. 3, p. 17-19.
Order as HB-4538 from HB at \$2.00 60-12015

THE OXIDATION OF IRON-MOLYBDENUM ALLOYS IN AIR AT ELEVATED TEMPERATURES (Theories of oxidation of metal and alloys. Oxidation experiments on iron-molybdenum alloys with 0.5 to 5.6% Mo in air between 500 and 1000°C. X-ray, magnetic, microscopic and chemical investigations of layers of oxide. Discussion of results obtained), by Rahmel, Jager and Becker. 1959.
Trans. of Arch(iv fur das) Eisenhüttenwesen (West Germany) 1959 (v. 30) June, p. 351-360.
Order as BISITS-1465 from BISIT 7 60-12150

CYCLIC AGING OF HIGH-TEMPERATURE ALLOYS OF THE (NICKEL-BASE) EI437 TYPE, by Yermakov. 1959. 2100wds. Trans. of Metallovedeniye i Termicheskaya Obrabotka Metallov (USSR) 1959, no. 4, p. 14-19. Order as HB-4566 from HB at \$5.60 60-12225

STRESS-RUPTURE STRENGTH OF WELDS AT HIGH TEMPERATURES, by Stanyukovich and Zemzin. 1960. 3200 wds. Trans. of Metallovedeniye i Termicheskaya Obrabotka Metallov (USSR) 1958, no. 2, p. 12-18. Order as HB-4147 from HB at \$6.85 60-12461

A STUDY OF THE PRECIPITATION OF Fe_3O_4 IN THE SCALE PRODUCED ON IRON AT HIGH TEMPERATURES (The precise conditions of formation of Fe_3O_4 in iron oxide films has been studied by the microscopical examination of iron specimens heated at elevated temperatures. The formation of Fe_3O_4 inside films of ferrous oxide is due to the decomposition of FeO during cooling), by Paidassi. 1960. Trans. of Revue de Met(allurgie) (France) 1955 (v. 52) no. 11, p. 869-886. Order as BISITS-1469 from BISIT 7 5s 60-12694

EFFECT OF VARIOUS ADMIXTURES ON PROTECTION OF COPPER AGAINST OXIDATION AT HIGH TEMPERATURES (Aluminum, beryllium, and magnesium in amounts of 1 or 2 at.-% were the most effective alloying elements for reducing the rate of oxidation of copper in highly electro-conductive copper alloys at temperatures of 500 to 800°C. Other alloying elements tested were Zn, Sn, Cr, Ni, Cd, Zr, and Mn), by Zakharov and Kalinina. 1959. 11p. Trans. of Issledovaniye Splavov Tsvetnykh Metallov (USSR) 1959, v. 1, p. 111-116. Order from LC or SLA mi\$2.40 ph\$3.30 60-13299

THE BEHAVIOUR OF THE METAL IN RADIATION STEAM SUPER-HEATERS FIXED TO BOILER WALLS (includes metals - temperature factors), by Vnukov. 1958. 6p. Trans. of Teploenergetika (USSR) 1957 (v. 4) no. 9, p. 45-48. Order from LC or SLA mi\$1.80 ph\$1.80 60-15576

FATIGUE STRENGTH OF TUNGSTEN CARBIDE-COBALT ALLOYS (The fatigue limit was determined for alloys with cobalt contents of 4, 6, and 8% at room and high temperatures (1000°C); and correlated with cobalt content and the grain size of the tungsten carbide. The importance is confirmed of the initial plasticity as a measure of the resistance of the material to deformation on cyclic loading), by Kreymmer, Sidorin and Tishchenkov. 1960. 6p. Trans. of Akademiya Nauk SSSR. Otd(eleniye) Tekhnicheskikh Nauk. Izvestiya, 1958, no. 3, p. 113-118. Another translation is available from HB \$5.85 as HB-4508, Mar 59. Order from LC or SLA mi\$1.80 ph\$1.80 60-15661

THE RELATION OF RELATIVE HEAT RESISTANCE TO COMPOSITION IN THE Cu-Ni-Si SYSTEM, by Navikov and Dautova. 1960. 4p. Trans. of Akademiya Nauk SSSR. Doklady, 1957, v. 115, no. 1, p. 110-113. Available on loan from SLA 60-16940

SOME PROBLEMS OF HIGH TEMPERATURE OXIDATION OF TUNGSTEN, MOLYBDENUM AND ALLOYS OF IRON WITH TUNGSTEN AND IRON WITH MOLYBDENUM, by Arkharov and Kozmanov; tr. by C.M. 1958. 6p. Trans. of Issledovaniya po Zharoprochnym Splavam (USSR) 1957, v. 2, p. 131-134. Available on loan from SLA 60-16969

THE EFFECT OF THE PHASE COMPOSITION UPON THE HIGH-TEMPERATURE STRENGTH OF THE ALLOYS OF COPPER-CHROMIUM-ZIRCONIUM SYSTEM, by Glazov, Zakharov and Stepanova. 1958. 7p. Trans. of Akademiya Nauk SSSR. Otdeleniye Tekhnicheskikh Nauk. Izvestiya, 1957, no. 9, p. 123-126. Available on loan from SLA 60-18054

PROTECTIVE COATING OF METALS WITH HIGH MELTING POINT, by Kieffer and Nachtigall. 1960. 19p. Trans. of Metaux (Corrosion-Industries) (France) 1952, v. 27 (no. 323-324) p. 312-317. Order from SLA mi\$2.40 ph\$3.30 60-18094

RELAXATION, CREEP, FATIGUE TESTS AND TESTS OF THE BEHAVIOR AT HIGH TEMPERATURES OF COLD-DRAWN WIRE IN THE PRESTRESSED CONCRETE, by Jevtic. 1960. 11p. Trans. of RILEM Bulletin (France) 1959, no. 4, p. 66-75. Order from SLA mi\$2.40 ph\$3.30 60-18355

THE STRENGTH OF TUBES UNDER INTERNAL PRESSURE AT VERY HIGH TEMPERATURES, by Siebel and Schwaigerer. 1952. 5p. Trans. of Brennstoff-Warme-Kraft (West Germany) 1951, v. 3 (no. 5) p. 141-143. Order from SLA mi\$1.80 ph\$1.80 60-18804

COMPOSITION AND PROPERTIES OF SOVIET GAS TURBINE STEELS. 1959. 43p. Trans. from 1954-59 Soviet publications. Order from OTS at \$1.25 60-21031 rev.

HIGH TEMPERATURE STRENGTH OF HIGH-CHROMIUM NITROGEN-ALLOYED (STAINLESS) STEEL, by Korolev. 1960. 2100wds. Trans. of Izvestiya Vysshikh Uchebnykh Zavedeniy. Chernaya Met(allurgiya) (USSR) 1960, no. 3, p. 153-158. Order as HB-4902 from HB at \$4.85 60-22930

EVOLUTION OF FUMES FROM STEEL BATHS AT HIGH TEMPERATURES, by Meldau. 1960. 2000 words. Trans. of Stahl und Eisen (West Germany) 1960, v. 80, no. 19, p. 1288-1289. Order as HB-4938 from HB at \$4.65 60-25484

AEC REPORTS ON HIGH TEMPERATURES METALLURGY

Argonne National Lab., Lemont, Ill.
HIGH TEMPERATURE AQUEOUS CORROSION OF ALUMINUM ALLOYS, by Draley and others. 18p.
Order from OTS at 50 cents A/CONF.15/P/714

Battelle Memorial Inst., Columbus, Ohio
DEVELOPMENT OF ALUMINUM-6 PER CENT MAGNESIUM WROUGHT ALLOYS FOR ELEVATED-TEMPERATURE SERVICE AND THEIR RESISTANCE TO CORROSION IN WATER AT TEMPERATURES UP TO 600°F, by Grube and Eastwood. 1950. 44p.
Order from LC mi\$3.30 ph\$7.80 AECD-3003(rev)

HIGH TEMPERATURE CORROSION STUDY INTERIM REPORT for Nov 1958-May 1959. 38p.
Order from OTS at \$1.25 AECD-4292

Cornell Aero. Lab. Inc.
FINAL REPORT ON HIGH TEMPERATURE TESTING OF TYPE 316 STAINLESS STEEL SHEET; Nov 1950 to June 1951, by Guarneri. 1951. 38p.
Order from LC mi\$3.00 ph\$6.30 AECU-1936

Case Inst. of Tech., Cleveland, Ohio
HIGH TEMPERATURE SCALING BEHAVIOR OF ZIRCONIUM, by
Green and others. 1955. 17p.
Order from LC mi\$2.40 ph\$3.30 AECU-3167

AN INVESTIGATION OF SCALING OF ZIRCONIUM AT
ELEVATED TEMPERATURES. Rept. no. 21. 1958. 15p.
Order from LC mi\$2.40 ph\$3.30 AECU-3830

MIT., Cambridge, Mass.
DEFORMATION AND FRACTURE OF METALS AT ELEVATED TEM-
PERATURES (Al-Mg alloys). Final rept. 1958 by
Chaudhure and Grant. 1958. 15p.
Order from LC mi\$2.40 ph\$3.30 AECU-3883

FISSION GAS GENERATION AND CONSEQUENT HIGH TEMPERA-
TURE IRRADIATION EFFECTS IN NATURAL URANIUM; includ-
ing creep properties. 1959. 13p.
Order from LC mi\$2.40 ph\$3.30 AECU-4589

ATTACK ON URANIUM BY LITHIUM AT 600°C, by Wilkinson
and Yagger. 1950. 5p.
Order from LC mi\$1.80 ph\$1.80 ANL-4991

EFFECTS OF GALLIUM ON MATERIALS AT ELEVATED TEMPERA-
TURES. 1953. 3p.
Order from OTS at 35 cents ANL-5027

HIGH TEMPERATURE STRENGTH ZIRCONIUM AND TITANIUM
BASE ALLOYS FOR FUEL ELEMENT JACKETING. 1956. 15p.
Order from LC mi\$2.40 ph\$3.30 ANL-5339

EFFECTS OF HIGH BURNUP AT ELEVATED TEMPERATURES ON
URANIUM-0.52 and 1.62 w/o ZIRCONIUM ALLOYS, by
Kittel and Paine. 1959. 33p.
Order from OTS at \$1.00 ANL-5406

Argonne National Lab., Lemont, Ill.
ATTACH ON MATERIALS BY LEAD AT 1000°C, by Wilkinson
and others. 1955. 30p.
Order from LC mi\$2.70 ph\$4.80 ANL-5449

THE HIGH TEMPERATURE, HIGH VACUUM VAPORIZATION AND
THERMODYNAMIC PROPERTIES OF URANIUM DIOXIDE.
1955. 116p.
Order from OTS at 60 cents ANL-5482

THE HIGH TEMPERATURE AQUEOUS CORROSION OF URANIUM
ALLOYS CONTAINING MINOR AMOUNTS OF NIOBIUM AND
ZIRCONIUM, by Draley and others. 1957. 45p.
Order from LC mi\$3.60 ph\$9.30 ANL-5530

SUMMARY OF CORROSION INVESTIGATIONS ON HIGH TEMPERA-
TURE ALUMINUM ALLOYS. Feb 1955-Oct 1957. 72p.
Order from OTS at \$2.00 ANL-5546

APPARATUS FOR MEASURING THE THERMAL CONDUCTIVITIES
OF METALS, by Zegler and Newitt. 1959. 15p.
Order from OTS at 50 cents ANL-5611

EXPERIMENTS IN CORROSION MECHANISMS: ALUMINUM AT
HIGH TEMPERATURES. 1957. 27p.
Order from OTS at 25 cents ANL-5658

ANALYSIS OF BEARING MATERIALS FOR ELEVATED TEMPERA-
TURE APPLICATION, by Denny. 1957. 32p.
Order from OTS at \$1.25 APEX-464

STUDIES OF SOLID STATE REACTIONS IN HIGH TEMPERATURE
ALLOY SYSTEMS. 1958. 18p.
Order from OTS at 50 cents APEX-483

THERMAL CONDUCTIVITY OF BORON CARBIDE FROM 100°C to
800°C. 1951. 8p.
Order from OTS at 5 cents BMI-713

PROTECTIVE CASTINGS FOR HIGH-TEMPERATURE METAL ALLOYS
by Harmon and others. 1959. 23p.
Order from LC mi\$2.70 ph\$4.80 BMI-804

INTRODUCTORY PLATING STUDIES ON PROTECTING
MOLYBDENUM FROM HIGH-TEMPERATURE OXIDATION. 1953. 20p
Order from OTS at 15 cents BMI-813

CONTACT CORROSION OF STAINLESS STEEL IN WATER AT
TEMPERATURES UP TO 600°F. 1954. 20p.
Order from OTS at 15 cents BMI-886

INVESTIGATION OF WROUGHT IRON-CHROMIUM-ALUMINUM
ALLOYS FOR SERVICE AT 2200°F. 1954. 46p.
Order from OTS at 25 cents BMI-922

HIGH-TEMPERATURE BRAZING OF NICHROME V, by Saller
and others. 1954. 26p.
Order from LC mi\$2.70 ph\$4.80 BMI-933

URANIUM ALLOYS FOR HIGH TEMPERATURE APPLICATION.
1956. 46p.
Order from OTS at 30 cents BMI-1098

HIGH-TEMPERATURE OXIDATION AND CONTAMINATION OF
NIOBIUM, by Klapp and others. 1957. 25p.
Order from LC mi\$2.70 ph\$4.80 BMI-1170

HIGH TEMPERATURE MECHANICAL PROPERTIES OF TANTALUM
1959. 29p.
Order from OTS at \$1.00 BMI-1326

APPLICATION OF ULTRA-HIGH-PRESSURE HIGH-TEMPERATURE
EQUIPMENT TO STUDY OF UO₂ REACTIONS. 1959. 34p.
Order from OTS at \$1.25 BMI-1328

CORROSION OF STAINLESS ALLOYS IN HIGH-TEMPERATURE
NITROGENOUS ENVIRONMENTS. 1959. 49p.
Order from OTS at \$1.50 BMI-1361

HIGH-TEMPERATURE IRRADIATION OF A ZIRCONIUM-
HYDRIDE-2 w/o URANIUM ALLOY. 1959. 39p.
Order from OTS at \$1.25 BMI-1401

DEVELOPMENT OF HIGH STRENGTH NIOBIUM ALLOYS FOR
ELEVATED-TEMPERATURE APPLICATIONS. 1960. 24p.
Order from OTS at 75 cents BMI-1417

HIGH-TEMPERATURE IRRADIATION OF METALS AND GRAPHITE
INFLOWING HELIUM. 1960. 17p.
Order from OTS at 75 cents BMI-1419

Oak Ridge National Lab., Tenn.
HIGH TEMPERATURE MECHANICAL PROPERTIES OF METALS AND
ALLOYS, by Bass. n.d. 21p.
Order from LC mi\$3.30 ph\$7.80 CF-51-11-72

A HIGH-TEMPERATURE METALLEX STUDY, by Reid.
1955. 41p.
Order from LC mi\$3.30 ph\$7.80 CF-55-9-173

LITHIUM SYMPOSIUM-ANALYTICAL PROCEDURES AND HIGH-
TEMPERATURE CORROSION (Bibliographies), by Hoffman
and Jansen. 1958. 32p.
Order from LC mi\$3.00 ph\$6.30 CF-57-10-6(rev)

THE REACTIONS OF MAGNESIUM AND MAGNESIUM ALLOYS WITH
GASES AT HIGH TEMPERATURES, by Knoye. 1958. 17p.
Order from LC mi\$2.40 ph\$3.30 CF-58-1-93

THERMODYNAMIC DIAGRAMS FOR LITHIUM, SODIUM, AND
POTASSIUM, by Epel. 1959. 9p.
Order from LC mi\$2.40 ph\$3.30 CF-59-11-67

• BRAZING BERYLLIUM TUBING TO HIGH-TEMPERATURE ALLOY COLLARS. 1956. 22p.
Order from OTS at 20 cents COO-310

MECHANICAL PROPERTIES OF REACTOR GRADE BERYLLIUM AT ELEVATED TEMPERATURES. 1956. 142p.
Order from OTS at 70 cents COO-312

General Dynamics Corp.
AN EVALUATION OF NICKEL-COPPER ALLOYS FOR USE ON GRAPHITE-CLADDING MATERIALS AT ELEVATED TEMPERATURES by Guggisburg and Bokros. 1960. 19p.
Order from OTS at 75 cents GA-1281

Hanford Atomic Products Operation, Richland, Wash.
HIGH TEMPERATURE AQUEOUS CORROSION OF COMMERCIAL ALUMINUM ALLOYS, by Dillon and others. 1956. 14p.
Order from LC mi\$2.40 ph\$3.30 HW-37636

STABILITY OF CHROMEL-ALUMEL THERMOCOUPLES IN CARBON DIOXIDE AT 1000°C, by Burton. 1953. 4p.
Order from LC mi\$1.80 ph\$1.80 HW-40296

HIGH TEMPERATURE AQUEOUS CORROSION PRODUCT FILMS AN ALUMINUM, by Trantner. 1957. 39p.
Order from LC mi\$3.00 ph\$6.30 HW-53389

HIGH TEMPERATURE, HIGH PRESSURE NOZZLE-TO-TUBE CONNECTIONS FOR THE 1706 HER FACILITY, by Doman. 1957. 19p.
Order from LC mi\$2.40 ph\$3.30 HW-53404

EVALUATION OF ALUMINUM FOR USE IN REACTORS COOLED BY HIGH-TEMPERATURE RECIRCULATING WATER. 1960. 28p.
Order from OTS at \$1.00 HW-61757(Rev)

THE REACTION OF METALS WITH WATER AND OXIDIZING GASES AT HIGH TEMPERATURES. 1957. 116p.
Order from OTS at \$2.50 IDO-28000

Ames Lab.
A METHOD OF SPECIMEN CORROSION PROTECTION FOR HIGH TEMPERATURE CREEP TESTING, by Bohm and others. 1959. 16p.
Order from OTS at 50 cents IS-48

A STUDY OF THE HIGH-TEMPERATURE AIR OXIDATION OF YTTRIUM METALS. 1960. 32p.
Order from OTS at \$1.00 IS-115

CREEP OF TANTALUM UNDER CYCLIC ELEVATED TEMPERATURE. 1960. 63p.
Order from OTS at \$1.75 IS-125

A PROPOSED MODEL FOR HIGH TEMPERATURE CREEP OF TANTALUM. 1960. 18p.
Order from OTS at 75 cents IS-138

AN ELECTRO-MAGNETIC PUMP AND HEATING TRANSFORMER FOR HIGH TEMPERATURE LIQUID METALS, by Wenders and Fisher. 1954. 14p.
Order from LC mi\$2.00 ph\$2.75 ISC-547

MIT., Eng. Practice School
SPECIFIC HEAT AND ENTHALPY OF LIQUID LITHIUM IN THE RANGE OF 500°C to 1000°C, by Bates and Smith. 1951. 31p.
Order from LC mi\$2.70 ph\$4.80 K-729

CORROSION OF ALUMINUM IN HIGH-TEMPERATURE WATER III. INHIBITION OF CORROSION BY SODIUM SILICATE. 1957. 14p.
Order from OTS at 20 cents KAPL-1741

SOLUBILITY OF CARBON IN SODIUM AT ELEVATED TEMPERATURES, by Gratton. 1957. 13p.
Order from LC mi\$2.40 ph\$3.30 KAPL-1807

CORROSION OF INCONEL IN 600°F STATIC WATER. 1959. 16p.
Order from OTS at 75 cents KAPL-2047

PREDICTION OF HIGH TEMPERATURE, TENSILE AND CREEP PROPERTIES FROM HOT HARDNESS TESTS OF Zr-Nb-Sn ALLOY. 1959. 8p.
Order from OTS at 75 cents KAPL-2051

CYCLIC STRAIN FATIGUE OF INCONEL AT 75 to 600°F, by Digerman. 1960. 8p.
Order from OTS at 50 cents KAPL-2084

Knolls Atomic Power Lab., Schenectady
HIGH TEMPERATURE TESTS OF STANDARD NEEDLE BEARINGS, by Bedford and Voil. 1952. 12p.
Order from LC mi\$2.40 ph\$3.30 KAPL-M-EDL-23

CORROSION RESISTANCE OF FERRITIC AND AUSTENITIC STEELS IN LITHIUM AT 500°C, by Baush. 1954. 10p.
Order from LC mi\$1.80 ph\$1.80 KAPL-M-ECB-17

STABILITY OF LEAD AND BISMUTH TELLURIDE ON PULSE HEATING TO SUCCESSIVELY HIGHER TEMPERATURES, by Balicki and Hermann. 1959. 15p.
Order from LC mi\$2.40 ph\$3.30 KAPL-M-MYB-3

ANOMALOUS PLANE-GEOMETRIC VOIDS IN IRRADIATED LiF AT ELEVATED TEMPERATURES, by Senio and Tucker. 1957. 12p.
Order from LC mi\$2.40 ph\$3.30 KAPL-M-POS-2

A HIGH-TEMPERATURE METAL RESISTANCE FURNACE FOR VACUUM OR PRESSURE OPERATION. 1960. 17p.
Order from OTS at 75 cents LAMS-2393

North American Aviation, Inc.
HIGH TEMPERATURE LIQUID METAL CIRCULATING SYSTEMS, by Keen. 1954. 45p.
Order from LC mi\$2.75 ph\$6.50 NAA-SR-985

CREEP OF POLYCRYSTALLINE BeO AT HIGH TEMPERATURES AND LOW STRESSES. 1958. 24p.
Order from OTS at 75 cents NAA-SR-2458

MEASUREMENT OF THE CRYSTALLOGRAPHIC THERMAL EXPANSION OF ALPHA-ALUMINA AND BERYLLIA TO ELEVATED TEMPERATURES EMPHASIZING ANISOTROPIC EFFECTS. 1958. 24p.
Order from OTS at 75 cents NAA-SR-2542

ENGINEERING EVALUATION OF A MIXED ALLOY FUEL ELEMENT IRRADIATED AT ELEVATED TEMPERATURES IN THE SRE, by Ballif, Hayward and Walter. 1960. 84p.
Order from OTS at \$2.25 NAA-SR-3888

A COIL TYPE LEVEL GAUGE FOR HIGH TEMPERATURE LIQUID METALS. 1959. 25p.
Order from OTS at 75 cents NAA-SR-4195

DEVELOPMENT OF FERRITIC STEELS FOR HIGH TEMPERATURE SODIUM SERVICE. I. 2.25 Cr-Mo-0.4 Cb-0.4Ti EXPERIMENTAL ALLOY. 1960. 33p.
Order from OTS at \$1.25 NAA-SR-4832

VALVE STEM FREEZE SEAL FOR HIGH-TEMPERATURE SODIUM. 1960. 37p.
Order from OTS at \$1.00 NAA-SR-4869

MULTI-TEMPERATURE EXTRUSIONS. 1960. 49p.
Order from OTS at \$1.25 NMI-1229

CORROSION OF ZIRCONIUM ALLOYS IN 900 and 1000°F
STEAM. 1960 25p.
Order from OTS at 50 cents NMI-1235

MIT., Cambridge, Mass.
THERMAL CONDUCTANCE OF METALLIC SURFACES IN CONTACT,
by Femah and Rahsenow. 1959. 166p.
Order from OTS at \$3.00 NYO-2136

STUDY OF METAL-CERAMIC INTERACTIONS AT ELEVATED
TEMPERATURES. 1952. 65p.
Order from OTS at 35 cents NYO-3139

Tufts Univ., Medford, Mass.
HIGH TEMPERATURE AND BIG PRESSURE X-RAY STUDIES OF
URANIUM HYDRIDE, by Goan and Gibb. 1956. 16p.
Order from LC mi\$2.40 ph\$3.30 NYO-3921

MIT.
KINETICS OF REACTIONS BETWEEN LIQUID METALS AND
LIQUID SALTS, by King. 1958. 24p.
Order from LC mi\$2.70 ph\$4.80 NYO-4805

A LABORATORY FOR THE HIGH-TEMPERATURE CREEP TESTING
OF METALS AND ALLOYS IN CONTROLLED ENVIRONMENTS.
n.d. 31p.
Order from OTS at \$1.00 ORNL-2053

HIGH TEMPERATURE MECHANICAL PROPERTIES OF HASTELLOY
B AND HASTELLOY W. 1958. 81p.
Order from OTS at \$2.25 ORNL-2402

RELAXATION CHARACTERISTICS OF INCONEL AT ELEVATED
TEMPERATURES, by Kennedy and Douglas. 1960. 28p.
Order from LC mi\$2.70 ph\$4.80 ORNL-2407

THE INFLUENCE OF COMPOSITION UPON THE 1500°F CREEP-
RUPTURE STRENGTH AND MICROSTRUCTURE OF MOLYBDENUM-
CHROMIUM-NICKEL-IRON BASE ALLOYS. 1958. 107p.
Order from OTS at \$2.75 ORNL-2524

CALIBRATION AND TESTING OF 2- AND 3 1/2 INCH
MAGNETIC FLOWMETERS FOR A HIGH-TEMPERATURE NaK
SERVICE. n.d. 71p.
Order from OTS at \$2.25 ORNL-2793

BONDING OF VARIOUS METALS AND ALLOYS BY ISOSTATIC
PRESSING AT ELEVATED TEMPERATURES. 1958. 37p.
Order from OTS at \$1.00 SCNC-272

ELEVATED TEMPERATURE PROPERTIES OF 2024-T3 ALUMINUM
ALLOY. 1958. 22p.
Order from OTS at 50 cents SCTM-298-58-(16)

ELEVATED TEMPERATURE PROPERTIES OF 7075-T6 ALUMINUM
ALLOY. 1958. 23p.
Order from OTS at 75 cents SCTM-299-58(16)

ELEVATED TEMPERATURE PROPERTIES OF 2014-T6 ALUMINUM
ALLOY. 1958. 22p.
Order from OTS at 50 cents SCTM-300-58-(16)

Westinghouse
THE HIGH TEMPERATURE OXIDATION OF ZIRCALOY IN WATER,
by Bastrour. 1954. 19p.
Order from LC mi\$2.40 ph\$3.30 WAPD-104

ALUMINUM ALLOYS SUITABLE FOR USE IN HIGH TEMPERATURE
WATER, by McGeary. 1955. 11p.
Order from LC mi\$2.40 ph\$3.30 WAPD-PMM-61

HIGH-TEMPERATURE WATER AND STEAM-CORROSION BEHAVIOR
OF ZIRCONIUM-URANIUM ALLOYS. 1959. 20p.
Order from OTS at 75 cents WAPD-TM-167

GOVERNMENT-OWNED PATENTS AVAILABLE FOR LICENSE

Abstracts of patents on High Temperature Metallurgy appear in the following bibliographies available from OTS.

PB 151512 CERAMIC, PAPER, RUBBER, TEXTILES, WOOD AND OTHER PRODUCTS AND PROCESSES (Order from OTS 50 cents)

1. High Temperature Ceramic Composition (applied as coating to stainless steel to protect it from oxidation at high temperatures)
2. Refractory vitreous ceramic coating materials (suitable for use with stainless steel or nickel alloys to protect surface at 1800 to 1900°F)

PB 151509 METAL PRODUCTS AND PROCESSES (Order from OTS at \$1.25)

Zirconium ternary alloys (with good high temperature strength and low neutron absorption)

PB 151506 INSTRUMENTATION (Order from OTS at \$1.25)

1. Apparatus for Testing Tube Welds under Pressure at High Temperatures.
2. Furnace adapted particularly for electro-chemical studies of molten materials at high temperature.

DEPOSITORY LIBRARIES FOR REPORTS

All PB reports listed as available from OTS may be examined at the following libraries.

Carnegie Library of Pittsburgh 4400 Forbes Street Pittsburgh 13, Pa.	Special Libraries Association Translations Center The John Crerar Library 86 East Randolph Street Chicago 1, Ill.	University of Cincinnati Library Cincinnati, Ohio
Georgia Institute of Technology Price Gilbert Library Atlanta, Ga.	Linda Hall Library Kansas City, Mo.	Detroit Public Library Detroit, Mich.
New York Public Library New York City, N.Y.		Library of Congress Washington 25, D.C.

All translations listed as available from OTS may be examined at the following libraries.

The Pennsylvania State University University Park, Pa.	Massachusetts Institute of Tech- nology Libraries Building 14 Cambridge 39, Mass.	University of California Engineering Library Los Angeles, Calif.
Georgia Institute of Technology Price Gilbert Library Atlanta, Ga.		

All AEC reports listed as available from OTS may be examined at the same libraries as listed for PB reports and translations. In addition, AEC has depositories at various other major university and public libraries throughout the U. S. and in many foreign countries. A complete listing is available from OTS upon request.

SYMBOLS FOR SOURCES OF REPORTS

Listed below are code designations used in OTS bibliographies to indicate sources of reports or translations, and the names and addresses of these agencies. When a report is indicated as being available from one of these agencies, order direct from the agency.

ATS Associated Technical Services, Inc. P.O. Box 271 East Orange, N. J.	GPO Superintendent of Documents Government Printing Office Washington 25, D. C.	NASA National Aeronautics and Space Administration 1520 H Street, N.W. Washington 25, D.C.
BIS British Information Services 30 Rockefeller Plaza New York 20, N. Y.	HB Henry Brucher P.O. Box 157 Altadena, Calif.	OTS Office of Technical Services U.S. Department of Commerce Washington 25, D.C.
BISI The Iron and Steel Institute 4, Grosvenor Gardens London, S.W. 1, England	LC Photoduplication Service Publication Board Project Library of Congress Washington 25, D. C.	SLA SLA Translations Center The John Crerar Library 86 East Randolph Street Chicago 1, Ill.
Bureau of Mines 4800 Forbes Street Pittsburgh 13, Pa.		

THE OTS TECHNICAL REPORTS PROGRAM

Under Public Law 776, 81st Congress, OTS was established as a "clearinghouse" within the Federal Government for the collection and distribution of scientific and technical information. Until recently, this program was limited essentially to collection and distribution of reports of research of the Army, Navy, Air Force, Atomic Energy Commission, and other agencies of the U.S. Government, and the German technical papers captured after World War II. In July 1958 the program was expanded to include the collection and distribution of translations of foreign technical literature. The OTS collection currently includes more than 200,000 documents. Two periodical journals are published to announce all new material. These are:

U.S. GOVERNMENT RESEARCH REPORTS - Published once a month and sold by Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C. Subscription is \$9 a year - \$2.50 additional for foreign mailing - \$1 a single issue. This journal announces some 900 new research reports turned over to OTS each month by agencies of the U.S. Government for reproduction and sale to science and industry.

TECHNICAL TRANSLATIONS - Published twice a month in cooperation with the Special Libraries Association Translations Center and sold by Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C. Subscription is \$12 a year - \$4 additional for foreign mailing - 60 cents a single issue. This journal announces new translations available from OTS, the Library of Congress, and from private sources.

Other OTS periodical publications are:

TECHNICAL REPORTS NEWSLETTER - Aimed primarily at small and medium size industries, the Newsletter describes in detail 6 to 8 new reports each month of greatest interest to these firms. Sold by Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C. Subscription is \$1 a year - 50 cents additional for foreign mailing - single issue 10 cents.

SOVIET BLOC RESEARCH IN GEOPHYSICS, ASTRONOMY, AND SPACE - Published every two weeks. Contains 50 to 60 pages of brief summaries and extracts of Soviet Bloc literature on astronomy, meteorology, oceanography, terrestrial geophysics, and upper atmosphere and space research. Replaces weekly periodical INFORMATION ON SOVIET BLOC GEOPHYSICAL INFORMATION. Subscription to the new publication is \$16 in the United States - \$4 additional for foreign mailing. Order from OTS, U.S. Department of Commerce, Washington 25, D.C.

CURRENT REVIEW OF THE SOVIET TECHNICAL PRESS - Weekly review of Soviet articles and books prepared by a U.S. Government agency and released through OTS for benefit of science and industry. Six month subscription is \$7 in the United States - \$3 additional for foreign mailing. Order from OTS, U.S. Department of Commerce, Washington 25, D.C.

REPORT OF NRL PROGRESS - Monthly review by Naval Research Laboratory of current research in electronics, plastics, ceramics, and other fields. This material is published in advance of formal reports covering the research projects mentioned. Subscription is \$10 a year - \$2.50 additional for foreign mailing. Single copies \$1.25

ABSTRACTS OF SELECTED ARTICLES FROM SOVIET BLOC AND COMMUNIST CHINA TECHNICAL JOURNALS in general subject areas of physics, chemistry, metals engineering, communications and general science. These six subscription publications are:

	Subscription for six months
I. Physics, Geophysics, Astrophysics, Astronomy, Astronautics, and Applied Mathematics (OTS order No. 61-11140)	\$ 9.00
II. Chemistry, Chemicals, and Chemical Products (OTS order No. 61-11141)	\$ 6.00
III. Metallurgy, Metals, Metal Products, and Nonmetallic Minerals (OTS order No. 61-11142)	\$18.00
IV. Engineering (Mechanical, Electrical, Aeronautical, and Nuclear, Petroleum, Structural, and Civil) Machinery and Equipment (General and Special Purpose) (OTS order No. 61-11143)	\$ 9.00
V. Communications, Transportation, Navigation, Electrical and Electronic Equipment, Systems and Devices, Including Aircraft and Missile Equipment (OTS order No. 61-11144)	\$ 9.00
VI. General Science and Miscellaneous Including Meteorology, Oceanography, Biology, Astrobiology, Botany, Zoology, Medical Science, Aeromedicine, Education, Fuels, Fuel Products, Power, etc. (OTS order No. 61-11145)	\$ 9.00

These abstracts are now available from Office of Technical Services, U.S. Department of Commerce, Washington 25, D.C.

February 1961

USCOMM-DC-61756