

AD-A282 774



Report No.  
ADST/WDL/TR-93-003261

①

Advanced Distributed Simulation Technology  
Horizontal Integration Experiment

# M1A2 / CVCC Translation Specification for the Inter-Vehicular Information System Translator (ITRANS)

DTIC  
ELECTE  
AUG 3 1994  
S B D

Prepared By:

OASIS, Inc.  
5455 Corporate Drive  
Suite 116  
Troy, Michigan 48098



Submitted By:

**LDAL**

ADST Program Office  
12151-A Research Pkwy.  
Orlando, FL 32826



Contract No. N61339-91-D-0001-0045  
CDRL A001

**DISTRIBUTION STATEMENT A**  
Approved for public release  
Distribution Unlimited

January 31, 1994  
REV 2.0

Prepared for:

**STRICOM**

Simulation Training and Instrumentation Command  
Naval Training Systems Center  
12350 Research Parkway  
Orlando, FL 32826-3275

220

94-24415



DTIC QUALITY INSPECTED 1

94 8 02 090

# REPORT DOCUMENTATION PAGE

Form approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget Project (0704-0188), Washington, DC 20503.

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                             |                                                            |                                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|------------------------------------------------------------|----------------------------------------------------------------------|
| 1. AGENCY USE ONLY (Leave blank)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                             | 2. REPORT DATE<br>01/12/94                                 | 3. REPORT TYPE AND DATES COVERED<br>12/1/93 - 12/19/93               |
| 4. TITLE AND SUBTITLE<br>M1A2 / CVCC Translation Specification for the Inter-Vehicular Information System Translator (ITRANS)                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                             |                                                            | 5. FUNDING NUMBERS<br>Contract No.<br>N61339-91-D-0001-0045          |
| 6. AUTHOR(S)<br>Davies, Ann<br>Osbon, Barbara                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                             |                                                            |                                                                      |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)<br>Loral Systems Company<br>ADST Program Office<br>12151-A Research Parkway<br>Orlando, FL 32826-3283                                                                                                                                                                                                                                                                                                                                                                                              |                                                             |                                                            | 8. PERFORMING ORGANIZATION<br>REPORT NUMBER<br>ADST/WDL/TR-93-003261 |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)<br>STRICOM Simulation Training and Instrumentation Command<br>Naval Training Systems Center<br>12350 Research Parkway<br>Orlando, FL 32826-3275                                                                                                                                                                                                                                                                                                                                               |                                                             |                                                            | 10. SPONSORING<br>ORGANIZATION REPORT                                |
| 11. SUPPLEMENTARY NOTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                             |                                                            |                                                                      |
| 12a. DISTRIBUTION/AVAILABILITY STATEMENT<br><div style="border: 1px solid black; padding: 5px; text-align: center;"><b>DISTRIBUTION STATEMENT A</b><br/>Approved for public release;<br/>Distribution Unlimited</div>                                                                                                                                                                                                                                                                                                                                 |                                                             |                                                            | 12b. DISTRIBUTION CODE<br><br>A                                      |
| 13. ABSTRACT (Maximum 200 words)<br>The purpose of the Inter-Vehicular Information Systems Translator (ITRANS) is to provide seamless IVIS communication between the CVCC IVIS system and the M1A2 IVIS System. These systems are heterogeneous Command and Control systems that have been used in ADST simulation experiments. During the Horizontal Integration Experiment (Oct to Dec '93) interoperability between these two systems became a requirement. This document provides a user perspective on the translations performed by the ITRANS. |                                                             |                                                            |                                                                      |
| 14. SUBJECT TERMS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                             |                                                            | 15. NUMBER OF PAGES                                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                             |                                                            | 16. PRICE CODE                                                       |
| 17. SECURITY CLASSIFICATION<br>OF REPORT<br>UNCLASSIFIED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 18. SECURITY CLASSIFICATION<br>OF THIS PAGE<br>UNCLASSIFIED | 19. SECURITY CLASSIFICATION<br>OF ABSTRACT<br>UNCLASSIFIED | 20. LIMITATION OF ABSTRACT<br>UL                                     |

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)  
Prescribed by ANSI Std Z39-18  
298-102

## Table of Contents

|        |                                                       |    |
|--------|-------------------------------------------------------|----|
| 1.     | General Issues.....                                   | 1  |
| 1.1.   | Call Signs.....                                       | 1  |
| 1.1.1  | CVCC to M1A2 Call Sign Translation .....              | 1  |
| 1.1.2  | CVCC to M1A2 Tank Number Creation .....               | 2  |
| 1.1.3  | M1A2 to CVCC Call Sign Translation .....              | 2  |
| 1.2.   | Duty Positions.....                                   | 3  |
| 1.3.   | Position Reports.....                                 | 3  |
| 1.4    | Report Routing.....                                   | 4  |
| 1.5    | Configuration File .....                              | 4  |
| 1.4.1  | Exercise Location.....                                | 4  |
| 1.4.2  | Radio Parameters to CVCC Command Network Mapping..... | 4  |
| 1.4.3  | Routing Tables.....                                   | 5  |
| 1.4.4  | Preloaded CVCC Vehicles .....                         | 5  |
| 2.     | Reports.....                                          | 5  |
| 2.1    | Report Field Translations.....                        | 6  |
| 2.1.1. | Call For Fire Report .....                            | 6  |
| 2.1.2. | Contact Report.....                                   | 7  |
| 2.1.3. | Situation Report .....                                | 7  |
| 2.1.4. | Spot Report .....                                     | 8  |
| 2.2    | Enumeration Type Translations .....                   | 8  |
| 2.3.1  | Enemy Activity Translation.....                       | 9  |
| 2.3.2  | Tactical Translation.....                             | 10 |
| 2.3.3  | Friendly Activity Translation .....                   | 10 |
| 2.3.4  | Threat Type Translation.....                          | 10 |
| 3.     | Overlays.....                                         | 13 |
| 3.1    | Overlay Types .....                                   | 13 |
| 3.2    | Overlay Updates.....                                  | 14 |
| 3.3    | Graphic Element Translations .....                    | 14 |
| 3.3.1  | Graphic Point Translations.....                       | 14 |
| 3.3.2  | Graphic Line Translations .....                       | 17 |
| 3.3.3  | Graphic Area Translations.....                        | 18 |

|                           |                                     |
|---------------------------|-------------------------------------|
| <b>Accession For</b>      |                                     |
| NTIS GRA&I                | <input checked="" type="checkbox"/> |
| DTIC TAB                  | <input type="checkbox"/>            |
| Unannounced               | <input type="checkbox"/>            |
| Justification             |                                     |
| By                        |                                     |
| Distribution/             |                                     |
| <b>Availability Codes</b> |                                     |
| Dist                      | Avail and/or Special                |
| A-1                       |                                     |

## List of Figures

|            |                                                             |    |
|------------|-------------------------------------------------------------|----|
| Figure 1:  | M1A2 IVIS Call Sign Format .....                            | 1  |
| Figure 2:  | CVCC to M1A2 Call Sign Creation .....                       | 2  |
| Figure 3:  | Call Sign Assignment Convention for ITRANS .....            | 2  |
| Figure 4:  | Sample Call Signs .....                                     | 3  |
| Figure 5:  | CVCC to M1A2 Duty Position Conversion .....                 | 3  |
| Figure 6:  | CVCC to M1A2 IVIS Report Mapping .....                      | 6  |
| Figure 7:  | Call For Fire Report Translation .....                      | 6  |
| Figure 8:  | Contact Report Translation .....                            | 7  |
| Figure 9:  | Situation Report Translation .....                          | 7  |
| Figure 10: | Fuel Level Conversion .....                                 | 7  |
| Figure 11: | Spot Report Translation .....                               | 8  |
| Figure 12: | One to One Translation Table Entry .....                    | 8  |
| Figure 13: | One to Many Translation Table Entry .....                   | 8  |
| Figure 14: | Many to One Translation Table Entry .....                   | 9  |
| Figure 15: | Enemy Activity Translation .....                            | 9  |
| Figure 16: | Tactical Translation .....                                  | 10 |
| Figure 17: | Friendly Activity Translation .....                         | 10 |
| Figure 18: | M1A2 Threat Type to CVCC Object Type Mapping .....          | 11 |
| Figure 19: | CVCC Object Type Mapping to M1A2 Threat Type .....          | 12 |
| Figure 20: | CVCC Object Type Mapping to M1A2 Detailed Threat Type ..... | 13 |
| Figure 21: | M1A2 Overlay Types and CVCC Naming Convention .....         | 13 |
| Figure 22: | CVCC - M1A2 Point Translation (continued) .....             | 17 |
| Figure 23: | CVCC - M1A2 Graphic Line Translation .....                  | 18 |
| Figure 24: | CVCC - M1A2 Graphic Area Translation .....                  | 18 |

## 1. General Issues

The purpose of the InterVehicular Information Systems Translator (ITRANS) is to provide seamless IVIS communication between the CVCC IVIS system and the M1A2 IVIS Systems. The M1A2 systems will not know if the vehicles it sees are M1A2 IVIS equipped or CVCC IVIS equipped and the CVCC systems will not know if the vehicles it sees are CVCC IVIS equipped or M1A2 IVIS equipped.

The ITRANS views the communication world with two types of networks: one for CVCC and one for M1A2. Each system will understand only one of the two types of report formats. The ITRANS represents the systems which are not on the same logical communication network, that is, it represents M1A2 systems on the CVCC network, and represents CVCC systems on the M1A2 network. Therefore, the ITRANS must provide all the status and handshaking data that a native system would.

This document provides a user perspective on the translations performed by the ITRANS.

Section 1 contains general overview information and describes handling of specific issues.

Section 2 contains the translations between reports.

Section 3 contains the translations between overlays.

Section 4 contains an explanation the translation table convention used in this document.

### 1.1. Call Signs

M1A2 call signs are five characters long with the format specified in the figure 1. CVCC call signs are not rigidly formatted. The conversions are described below.



Figure 1: M1A2 IVIS Call Sign Format

#### 1.1.1 CVCC to M1A2 Call Sign Translation

When CVCC Status PDUs are received an M1A2 call sign is created for each vehicle which has not been mentioned in a previous Status PDU. Figure 2 shows the duty position dependent method that is used.

| Duty Position |           | Call Sign |        |         |         |       |
|---------------|-----------|-----------|--------|---------|---------|-------|
|               |           | Letter    | Digit* | Letter  | Digit   | Digit |
| Battalion     | Commander | A         | 0..9   | Y       | 0       | 6     |
|               | XO        | A         | 0..9   | Y       | 0       | 5     |
|               | FSO       | A         | 0..9   | Y       | 0       | 5     |
|               | S1        | A         | 0..9   | Y       | 0       | 5     |
|               | S2        | A         | 0..9   | Y       | 0       | 5     |
|               | S3        | A         | 0..9   | Y       | 0       | 5     |
|               | S4        | A         | 0..9   | Y       | 0       | 5     |
| Company       | Commander | A         | 0..9   | Company | 6       | 6     |
|               | XO        | A         | 0..9   | Company | 0       | 5     |
| Platoon       | Leader    | A         | 0..9   | Company | Platoon | 1     |
|               | Sergeant  | A         | 0..9   | Company | Platoon | 4     |
|               | Wingman 1 | A         | 0..9   | Company | Platoon | 2     |
|               | Wingman 2 | A         | 0..9   | Company | Platoon | 3     |

Figure 2: CVCC to M1A2 Call Sign Creation

\*The first digit of the call sign is created somewhat randomly by the following method: A counter is started at 0 each time a status PDU is received. For each new vehicle, the rightmost digit of this counter is used as this first digit of the call sign. If the call sign created has been used, the digit is incremented until a unique call sign is created.

### 1.1.2 CVCC to M1A2 Tank Number Creation

Each M1A2 system also has a unique tank ID. For the M1A2s, this is the password that was entered when the Commander's Integrated Display was powered on. For CVCC systems, this value is created by concatenating an M and a unique number. The unique number is simply a count of each CVCC vehicle encountered, padded with leading zeros to make it a 5 digit number.

### 1.1.3 M1A2 to CVCC Call Sign Translation

The native M1A2 IVIS call sign is used.

The M1A2 IVIS call sign is parsed to obtain echelon information. The M1A2 Simulator Systems do not transmit all of the echelon information that the tank commander has entered, but this information is required to uniquely identify an entity in an exercise for CVCC communications. Therefore, a convention was adopted which encodes this information in the call sign. In order for ITRANS to operate properly, the call signs selected must conform to the rules shown in figure 3. The question marks may be substituted with any letter or digit as specified. Figure 4 shows some sample call signs for specified duty positions.

| Duty Position                 | Call Sign Format Requirement |       |        |            |       |
|-------------------------------|------------------------------|-------|--------|------------|-------|
|                               | Letter                       | Digit | Letter | Digit      | Digit |
| Battalion                     | ?                            | ?     | H      | 0-5 or 7-9 | ?     |
| Platoon assigned to Battalion | ?                            | ?     | H      | 6          | ?     |
| Company                       | ?                            | ?     | A - F  | 5 - 9      | ?     |
| Platoon                       | ?                            | ?     | A - F  | 1 - 4      | ?     |

Figure 3: Call Sign Assignment Convention for ITRANS

| Duty Position                 | Sample Call Sign |
|-------------------------------|------------------|
| Battalion Commander           | M1H24            |
| Scout Platoon Leader          | M1H64            |
| Company A Commander           | M1A54            |
| Company D, 4th Platoon Leader | M1D44            |

Figure 4: Sample Call Signs

### 1.2. Duty Positions

In some cases, CVCC and M1A2 duty positions do not directly match. The mapping from CVCC to M1A2 is shown in figure 5. Section 2.2 contains an explanation of the formatting convention used in figure 5.

| CVCC Duty Position |           | M1A2 Duty Position |                       |
|--------------------|-----------|--------------------|-----------------------|
| Brigade            | Commander | Undefined          |                       |
|                    | XO        | Undefined          |                       |
|                    | FSO       | Undefined          |                       |
|                    | S1        | Undefined          |                       |
|                    | S2        | Undefined          |                       |
|                    | S3        | Undefined          |                       |
|                    | S4        | Undefined          |                       |
| Battalion          | Commander | Battalion          | Commander             |
|                    | XO        |                    | XO                    |
|                    | FSO       |                    | FSO                   |
|                    | S2        |                    | S2                    |
|                    | S3        |                    | S3                    |
|                    | S4        |                    | CTCP                  |
|                    | S1        |                    |                       |
|                    | Sit Disp  |                    | Undefined             |
| Company            | Commander | Company            | Commander             |
|                    | XO        |                    | XO<br>FIST<br>1st SGT |
| Platoon            | Leader    | Platoon            | Leader                |
|                    |           |                    | Scout PL LDR          |
|                    |           |                    | Mortar PL LDR         |
|                    |           |                    | SPT PL LDR            |
|                    |           |                    | ADA CDR               |
|                    |           |                    | EGR CDR               |
|                    |           |                    | MED PL LDR            |
|                    |           |                    | UCMP                  |
|                    |           |                    | CMBT SRV M            |
|                    |           |                    | BMO                   |
|                    | Sergeant  |                    | Sergeant              |
|                    | Wingman 1 |                    | Wingman 1             |
|                    | Wingman 2 |                    | Wingman 2             |

Figure 5: CVCC to M1A2 Duty Position Conversion

### 1.3. Position Reports

The CVCC systems use database coordinates to communicate vehicle positions, whereas the M1A2 uses MGRS world coordinates. The database coordinates are used to create a UTM location. This UTM location is converted to an MGRS location by adding a spheroid and grid zone designator (two digits and a letter).

The spheroid and grid zone designator are stored in the configuration file (discussed in section 1.5). This method of location conversion is not completely accurate but has been shown to be adequate in experiments.

The ITRANS system ensures that position reports are sent to M1A2 systems for each CVCC system on the network. ITRANS watches the movement of each CVCC vehicle and keeps a timer for each so that it may send position reports every 15 minutes or 100 meters of vehicle movement.

The CVCC systems expect to receive status updates every 5 seconds from every vehicle on the network. The ITRANS ensures that these are sent out for the M1A2 vehicles. These status updates include position information. The position information is based on the database coordinates of the vehicle on the simulated battlefield. The CVCC systems are not sent M1A2 position reports, nor are they given any position data transmitted in those reports.

CVCC systems see all vehicles in an exercise. This is accomplished by forwarding the status reports (including position) up and down the command chain. This is contrary to the M1A2 approach where only vehicles on a particular command networks are visible. Again, ITRANS provides seamless communication: the CVCC systems are told all vehicle locations and the M1A2 systems are told only the positions of vehicles on their command networks.

#### **1.4 Report Routing**

In the CVCC world all reports are broadcast on a communication network. Each level of command is assigned its own command network, and all reports are received by every system on that network. Instead, the M1A2 system routes most reports based upon their type and the duty positions of the sender and receivers. A few report types specify broadcast sending, instead of the point to point report routing. When a report is broadcast, all simulators in which the radios are set to the parameters of the source will receive the report.

To maintain the seamless communication between these systems reports sent on the M1A2 network are directed according to the routing tables and reports sent on the CVCC network are broadcast on a command network.

#### **1.5 Configuration File**

The configuration file is divided up into four parts: the location of the exercise, the mapping of radio parameters to each CVCC command network, the M1A2 routing tables, and preloaded CVCC vehicles. An overview of each part is provided below.

##### **1.4.1 Exercise Location**

As described in section 1.3 Position Reports, the spheroid and grid zone designator that are used in the conversion from UTM to MGRS are stored in the configuration file.

##### **1.4.2 Radio Parameters to CVCC Command Network Mapping**

The M1A2 systems use radio settings to establish the command networks, whereas the CVCC systems use echelon information to establish or define the command networks. The radio parameter to CVCC command network mapping includes an entry for every command network that is to be used in an exercise. This entry identifies both the echelon and the radio settings for the command network.

For example, the A Company, 2nd Platoon command network might use radio A, channel 2, frequency hopping, 4800 data rate, COMSEC variable 1, plain text, and have time delay off. The configuration file entry for this network would look like the following:

|       |      |      |       |      |   |    |     |
|-------|------|------|-------|------|---|----|-----|
| radio | A    | 2    | FH    | 4800 | 1 | PT | Off |
| net   | Bn 1 | Co A | Plt 2 | lrr  |   |    |     |

### 1.4.3 Routing Tables

The routing tables are read from the configuration file. Each report has its own entry. This entry may specify broadcast or a table of duty positions. The table of duty positions has the following format:

```
route route-table-name (
    sender ( primary primary ... )
          ( alternate alternate ... )
    sender ( primary primary ... )
          ( alternate alternate ... )
)
```

Where the route-table-name may be any one of

contact, spot, cff, sit, overlay\_ops, overlay\_enemy, overlay\_fso, overlay\_ops1\*

\* The overlay\_ops routing table is used for both the obstacle and the operations 1 overlays. The overlay\_ops1 is used for the operations 2 overlay. This is confusing and should probably be changed.

The sender, primary, and alternate are duty positions, which may be any one of

BnCO, BnXO, BnS4, BnS3, BnS3TOC, BnS2, BnS1, BnFSO  
CoCO, CoXO, Co1SG, CoFist  
PL, PS, PW1, PW2  
SctPL, MortPL, EngCO, AdaPL, SptPL, MedPL, UMCP, BMO, CSM

When a report is to be routed the duty position of the sender is looked up in the routing table specified by the type of the report. This lookup yields two lists: a list of primary receivers and a list of alternate receivers. Anyone currently on the command network whose duty position is in the list of primary destinations will receive the report. If there are no primary receivers of a report, the alternate list is checked in the same way.

### 1.4.4 Preloaded CVCC Vehicles

Several of the Battalion TOC positions do not have vehicle simulations. Therefore, status messages are not sent for these positions. The ITRANS does not see these entities so they are preloaded into ITRANS. The battalion S2 entry would look like the following:

```
cvcc_vehicle BnS2
cvcc_network Bn 1 lrr lrr lrr lrr
```

## 2. Reports

The reports from both the CVCC and M1A2 systems are shown in figure 6. The translation and direction of translation is shown in the center column. The Call For Fire, Contact, Situation, and Spot are translated in both directions. The Adjust Fire is translated in to an M1A2 Call For Fire Report, but an Adjust Fire can not be initiated from the M1A2 side of the ITRANS. The other reports are not translated.

| CVCC Report   | Translation | M1A2 IVIS Report |
|---------------|-------------|------------------|
| Adjust Fire   | ->          | Call For Fire    |
| Call For Fire | <->         | Call For Fire    |
| Contact       | <->         | Contact          |
| Shell         | none        |                  |
| Situation     | <->         | Situation        |
| Spot          | <->         | Spot             |
| Intel         | none        |                  |
| Free Text     | none        |                  |
| NBC           | none        |                  |
|               | none        | MedEvac Air      |
|               |             | MedEvac Ground   |

Figure 6: CVCC to M1A2 IVIS Report Mapping

An M1A2 IVIS Contact or Spot report may have a Call For Fire report appended to it. When this occurs, the ITRANS generates a CVCC Contact or Spot report and an additional CVCC Call For Fire report.

## 2.1 Report Field Translations

The sections and tables below show the translation between M1A2 and CVCC report formats. The leftmost column contains the M1A2 report fields. The rightmost column contains the CVCC report fields. If fields from each of the two reports are on the same line of a table, there is a translation between them. In such cases, the middle column or columns describe the translation. If a report field does not have a corresponding field in the other format, the field will be on a line by itself. In these cases, the middle column describes how the field is filled in. Section 2.2 contains the translations referenced in the middle columns.

### 2.1.1. Call For Fire Report

| M1A2 Report Field | M1A2<-CVCC                           | M1A2->CVCC                                       | CVCC Report Field    |
|-------------------|--------------------------------------|--------------------------------------------------|----------------------|
| Time              | System Time Stamp                    |                                                  | Time                 |
| Location          |                                      |                                                  | Target Location      |
|                   |                                      | Sender's Location is Copied from the Status PDUs | Observer Location    |
| Type              | See Object Type Detailed Translation | See Threat Type Translation                      | Type                 |
| Size              |                                      |                                                  | Size                 |
|                   |                                      | Not Filled                                       | Concentration Number |
| Fire Type         | "Immediate Suppression"              |                                                  |                      |

Figure 7: Call For Fire Report Translation

The adjust fire report is translated into an M1A2 call for fire report. The new location is transmitted and the threat type is specified as none.

An adjust fire message can not be sent from an M1A2 system to a CVCC system.

**2.1.2. Contact Report**

| M1A2 Report Field | M1A2<-CVCC                                      | M1A2->CVCC | CVCC Report Field |
|-------------------|-------------------------------------------------|------------|-------------------|
| Time              | System Time Stamp                               |            | Time              |
| Location          |                                                 |            | Location          |
|                   |                                                 | Not Filled | Heading           |
| Type              | See Threat Type Translation [1 of 2 translated] |            | Type [2]          |
| Size              | 1                                               |            |                   |
| Fire              | "None"                                          |            |                   |

Figure 8: Contact Report Translation

**2.1.3. Situation Report**

| M1A2 Report Field      | M1A2<-CVCC                         | M1A2->CVCC              | CVCC Report Field           |
|------------------------|------------------------------------|-------------------------|-----------------------------|
| Time                   | System Time Stamp                  |                         | Time                        |
| Enemy Activity         | See Enemy Activity Translation     |                         | Enemy Activity Type         |
|                        |                                    | Not Filled              | Enemy Activity Level        |
| Friendly Locations [9] | From Status PDUs                   |                         |                             |
|                        |                                    | From Friendly Locations | Start FLOT                  |
|                        |                                    | From Friendly Locations | End FLOT                    |
| Tactical               | See Tactical Translation           |                         | Own Intent                  |
| Vehicles Authorized    | Not Filled                         |                         |                             |
| Vehicles On Hand       | Not Filled                         |                         |                             |
| Personnel Authorized   | Not Filled                         |                         |                             |
| Personnel On Hand      | From Status PDUs                   |                         |                             |
| SABOT                  | From Status PDUs                   |                         |                             |
| HEAT                   | From Status PDUs                   |                         |                             |
| MPAT                   | Not Filled                         |                         |                             |
| STAFF                  | Not Filled                         |                         |                             |
| Smoke Grenade          | Not Filled                         |                         |                             |
| COAX                   | From Status PDUs                   |                         |                             |
| 50 Caliber             | Not Filled                         |                         |                             |
| Fuel                   | From Status PDUs,<br>See Figure 10 |                         |                             |
|                        |                                    | Not Filled              | Critical Shortage Ammo      |
|                        |                                    | Not Filled              | Critical Shortage Equipment |
|                        |                                    | Not Filled              | Critical Shortage Fuel      |

Figure 9: Situation Report Translation

| Fuel Level | Status Code |
|------------|-------------|
| 0-25%      | Red         |
| 25-50%     | Green       |
| 50-75%     | Amber       |
| 75-100%    | Black       |

Figure 10: Fuel Level Conversion

#### 2.1.4. Spot Report

| M1A2 Report Field | M1A2<-CVCC                                      | M1A2->CVCC | CVCC Report Field |
|-------------------|-------------------------------------------------|------------|-------------------|
| Time              | System Time Stamp                               |            | Time              |
| Location          |                                                 |            | Location          |
| Type [4]          | See Threat Type Translation [2 of 4 translated] |            | Type [2]          |
| Size [4]          | 2 of 4 translated                               |            | Number [2]        |
|                   |                                                 | Not Filled | Damaged           |
|                   |                                                 | Not Filled | Destroyed         |
| Fire Type         | "None"                                          |            |                   |
| Friendly Action   | See Enemy Activity Translation                  |            | Enemy Activity    |
| Activity          | See Friendly Activity Translation               |            | Own Activity      |

Figure 11: Spot Report Translation

#### 2.2 Enumeration Type Translations

The following examples are given to clarify the translation tables presented below. Figure 12 shows a translation in which one M1A2 value is translated to one CVCC value, and the same CVCC value is translated back into an M1A2 value.

| M1A2 | CVCC |
|------|------|
| 1    | A    |

Figure 12: One to One Translation Table Entry

The M1A2 value 1 will be translated into CVCC A.

1 -> A

The CVCC value A will be translated into M1A2 1.

A -> 1

Figure 13 shows a translation in which there are multiple CVCC values representing one M1A2 value. It is not possible to send B, C, D, or E from M1A2 to CVCC.

| M1A2 | CVCC |
|------|------|
| 1    | A    |
|      | B    |
|      | C    |
|      | D    |
|      | E    |

Figure 13: One to Many Translation Table Entry

The M1A2 value 1 will be translated into CVCC A.

1 -> A

The CVCC value A will be translated into M1A2 1.

A -> 1

The CVCC value B will be translated into M1A2 1.

B -> 1

The CVCC value C will be translated into M1A2 1.

C -> 1

The CVCC value D will be translated into M1A2 1.

D -> 1

The CVCC value E will be translated into M1A2 1.

E -> 1

Figure 14 shows a translation in which there are multiple M1A2 values representing one CVCC value. It is not possible to send 2, 3, 4, or 5, from CVCC to M1A2.

| M1A2 | CVCC |
|------|------|
| 1    | A    |
| 2    |      |
| 3    |      |
| 4    |      |
| 5    |      |

Figure 14: Many to One Translation Table Entry

|                                                  |   |    |   |
|--------------------------------------------------|---|----|---|
| The M1A2 value 1 will be translated into CVCC A. | 1 | -> | A |
| The M1A2 value 2 will be translated into CVCC A. | 2 | -> | A |
| The M1A2 value 3 will be translated into CVCC A. | 3 | -> | A |
| The M1A2 value 4 will be translated into CVCC A. | 4 | -> | A |
| The M1A2 value 5 will be translated into CVCC A. | 5 | -> | A |
| The CVCC value A will be translated into M1A2 1. | A | -> | 1 |

### 2.3.1 Enemy Activity Translation

The enemy activity translation is used in the Situation and Spot reports for both CVCC and M1A2. Figure 15 shows the mapping between the two enumerations.

| M1A2 Enemy Activity | CVCC Activity |
|---------------------|---------------|
| None                | Unknown       |
|                     | No Change     |
| Defending           | Defend        |
| Attacking           | Attack        |
|                     | Air Attack    |
|                     | Fire          |
|                     | Ground Attack |
| Withdrawing         | Withdraw      |
| Screening           | Delay         |
| Reconing            | Recon         |

Figure 15: Enemy Activity Translation

### 2.3.2 Tactical Translation

The tactical translation is used in the Situation report for both CVCC and M1A2. Figure 16 shows the mapping between the two enumerations.

| M1A2 Tactical | CVCC Activity |
|---------------|---------------|
| None          | Unknown       |
|               | No Change     |
| Defend        | Defend        |
| Attack        | Attack        |
|               | Air Attack    |
|               | Fire          |
|               | Ground Attack |
| Withdraw      | Withdraw      |
| Relief        | Delay         |
| Move          | Recon         |

Figure 16: Tactical Translation

### 2.3.3 Friendly Activity Translation

The friendly activity translation is used in the Spot report for both CVCC and M1A2. Figure 17 shows the mapping between the two enumerations.

| M1A2 Friendly Activity | CVCC Activity   |
|------------------------|-----------------|
| None                   | *see note below |
|                        | Unknown         |
| Continue               | No Change       |
|                        | Air Attack      |
|                        | Attack          |
|                        | Fire            |
|                        | Ground Attack   |
|                        | Defend          |
|                        | Delay           |
|                        | Withdraw        |
| Observe                | Recon           |

Figure 17: Friendly Activity Translation

- \* The M1A2 "None" is translated to the CVCC "No Change",  
The CVCC "Unknown" is translated to the M1A2 "None",

### 2.3.4 Threat Type Translation

Threat types are specified in three reports: Contact, Call For Fire, and Spot. Several different translations are required because of the level of detail allowed in each. Figure 18 is used in creating all three CVCC reports from M1A2 reports. Figure 19 defines the translation used in creating M1A2 Contact reports from CVCC reports. Figure 20 defines the translation used in creating M1A2 Call For Fire and Spot reports from CVCC reports.

| M1A2 Threat Type | CVCC Object Type  |
|------------------|-------------------|
| None             | Unknown           |
| Aircraft         | Fix Wing Aircraft |
| Aircraft Flogger |                   |
| Aircraft Havoc   | Helicopter        |
| Aircraft Hind    |                   |
| Aircraft Hip     |                   |
| Artillery        | Artillery         |
| Artillery SP     |                   |
| Artillery Towed  |                   |
| APC              | Personnel Carrier |
| APC BMP          |                   |
| APC BDRM         |                   |
| APC BTR          |                   |
| Tank             | Tank              |
| Tank T55         |                   |
| Tank T60         |                   |
| Tank T72         |                   |
| Tank T80         |                   |
| Tank NATO        |                   |
| Tank FST 1       | Truck             |
| Tank FST 2       |                   |
| Other            | Unknown           |
| Other Bunker     |                   |
| Other ZSU23      | Truck             |
| Other SA9 13     |                   |
| Other Infantry   | Troop             |

Figure 18: M1A2 Threat Type to CVCC Object Type Mapping

| CVCC Object Type      | M1A2 Threat Type |
|-----------------------|------------------|
| Unknown               | None             |
| Fix Wing Aircraft     | Aircraft         |
| Helicopter            |                  |
| Artillery             | Artillery        |
| Mortar                |                  |
| Personnel Carrier     | APC              |
| Truck                 |                  |
| C2                    |                  |
| Mech                  |                  |
| Scout                 |                  |
| Support               |                  |
| Tank                  | Tank             |
| ATGM                  | Other            |
| Troop                 |                  |
| Unknown Obstacle      |                  |
| Abati Obstacle        |                  |
| Blown Bridge Obstacle |                  |
| Mine Field Obstacle   |                  |
| Tank Ditch            |                  |
| Nuclear Attack        |                  |
| Biological Attack     |                  |
| Chemical Attack       |                  |
| NBC Observe Location  |                  |
| Artillery Shell       |                  |
| FLOT                  |                  |

Figure 19: CVCC Object Type Mapping to M1A2 Threat Type

| CVCC Object Type      | M1A2 Threat Type |
|-----------------------|------------------|
| Unknown               | None             |
| Fix Wing Aircraft     | Aircraft Flogger |
| Helicopter            | Aircraft Hind    |
| Artillery             | Artillery        |
| Mortar                |                  |
| Personnel Carrier     | APC BMP          |
| Truck                 | APC              |
| C2                    |                  |
| Mech                  |                  |
| Scout                 |                  |
| Support               |                  |
| Friendly Tank         | Tank NATO        |
| Target Tank           | Tank T72         |
| Troop                 | Other Infantry   |
| ATGM                  | Other            |
| Unknown Obstacle      |                  |
| Abati Obstacle        |                  |
| Blown Bridge Obstacle |                  |
| Mine Field Obstacle   |                  |
| Tank Ditch            |                  |
| Nuclear Attack        |                  |
| Biological Attack     |                  |
| Chemical Attack       |                  |
| NBC Observe Location  |                  |
| Artillery Shell       |                  |
| FLOT                  |                  |

Figure 20: CVCC Object Type Mapping to M1A2 Detailed Threat Type

### 3. Overlays

The CVCC Battalion TOC workstation does not receive overlays from the simulation network. Therefore, CVCC overlays are translated into M1A2 overlays, but M1A2 overlays are not translated into CVCC overlays.

#### 3.1 Overlay Types

CVCC systems not classify overlays into types; the M1A2 IVIS systems allow five overlay types. The name of a CVCC overlay is used to determine which M1A2 overlay type to generate. Figure 21 shows the five M1A2 overlay types and the character string which must appear in a CVCC overlay name for it to be translated properly to M1A2.

| Overlay Type | CVCC Name |
|--------------|-----------|
| Enemy        | ENEMY     |
| Obstacle     | OBST      |
| Fire Support | FIRESPT   |
| Operations 1 | OPS1      |
| Operations 2 | OPS2      |

Figure 21: M1A2 Overlay Types and CVCC Naming Convention

### 3.2 Overlay Updates

CVCC systems do not send overlay updates, as the M1A2 systems do. To support this capability the ITRANS will maintain a copy of each overlay translated from CVCC to M1A2. When another overlay of the same type is to be transmitted it will be tagged as an update. The ITRANS will ensure that the M1A2 systems see the overlay as an accurate overlay update.

To send a full overlay (possibly after updates have been sent) the TOC operators must simply create a new overlay. The TOC will give it a new overlay ID and this will tell ITRANS to send out a full overlay.

### 3.3 Graphic Element Translations

Translation of overlays is accomplished by translating each graphic in an overlay from the CVCC type and format to the M1A2 type and format. Two goals were attempted when mapping the graphics from CVCC to M1A2. First, make the graphics look the same whenever possible. Second, provide a means to create all M1A2 graphics from the CVCC Battalion TOC.

In the M1A2, waypoints (start, passage, coordinating, release, etc.) may be numbered to assist with navigation of the tank. These numbered waypoints may be sent in an overlay. The ITRANS system does not provide a means to generate numbered waypoints for sending to the M1A2 systems. The points themselves may be sent, but it is the responsibility of the tank commander to number the points, if he wishes to use them as waypoints.

The CVCC and M1A2 systems use a type, one or more labels, and a series of points to define each graphic.

Each M1A2 graphic may have up to two labels of ten characters each. The labels are attached to the left and right sides or endpoints of the graphic. The CVCC graphics have a variable number of labels depending on the type of the graphic. The first two labels are translated into the M1A2 labels. If two or fewer labels are used on each graphic, the translation to M1A2 will be consistent.

Each graphic represents either a point, line, or area which is defined by its type. The translation of graphics is discussed in the following sections.

#### 3.3.1 Graphic Point Translations

Figure 22 shows the point type translations.

The point obstacle is used as the default for any graphics which do not have a translation.

All four CVCC TOC symbols are translated to the generic M1A2 headquarters symbol.

In order to create a tank or armored personnel carrier (APC), the appropriate unit symbol with no size designator should be used.

CVCC does not support the Anti-tank Weapon icon, therefore the Anti-armor icon is translated into the Anti-tank Weapon icon.

Finally, two M1A2 graphics cannot be created from the Battalion TOC: threat and medevac. These two graphics are automatically added to overlays when the tank receives a report. The location from a contact, spot, or call for fire report is noted with the threat icon on the enemy overlay and the location from a medevac report is noted with the medevac icon on the first operations overlay.

| <b>CVCC</b>            | <b>M1A2</b>              |
|------------------------|--------------------------|
| Check Point            | Critical Point           |
| Linkup Point           |                          |
| Departure Point        |                          |
| Traffic Control Point  |                          |
| Way Point              |                          |
| Start Point            | Start Point              |
| Release Point          | Release Point            |
| Coordinating Point     | Coordinating Point       |
| Contact Point          | Contact Point            |
| Passage Point          | Passage Point            |
| Mortar Range Fan       | Target Reference Point   |
| Howitzer Range Fan     |                          |
| Target Reference Point |                          |
| Observation Post       | Observation Point        |
| Antitank Mine          | Anti Personnel Minefield |
| Antipersonnel Mine     |                          |
| Mine                   |                          |
| Anti Armor             | Anti Tank Weapon         |
| IVIS ATGM              |                          |
| IVIS PC                |                          |
| IVIS Scout             | APC                      |
| BIFV                   |                          |
| CFV                    |                          |
| IVIS Troop             |                          |
| IVIS Tank              | Armor Cavalry Troop      |
| Tank Image             |                          |
| Heavy Tank             |                          |
| Armor Bn TOC           |                          |
| Cavalry Squadron TOC   | Headquarters             |
| Infantry TOC           |                          |
| Mech TOC               |                          |
| Armor Or               |                          |
| Armored Airborne       |                          |
| Battalion              | Armor Battalion          |
| Company                | Armor Company            |
| Platoon                | Armor Platoon            |
| Task Force             | Armor Task Force         |
| Team                   | Armor Team               |
| Default                | Tank                     |
| Armored Cavalry        |                          |
| Squadron               | Armor Cavalry Squadron   |
| Battalion              |                          |
| Company                |                          |
| Task Force             |                          |
| Team                   |                          |
| Platoon                | Armor Cavalry Platoon    |
| Default                | APC                      |

Figure 22: CVCC - M1A2 Point Translation

| CVCC                                                                                   | M1A2                     |
|----------------------------------------------------------------------------------------|--------------------------|
| Cavalry Or<br>Mech Infantry Or<br>Motorized Infantry Or<br>BIFV Mounted Or<br>Infantry |                          |
| Battalion                                                                              | Mech Infantry Battalion  |
| Company                                                                                | Mech Infantry Company    |
| Platoon                                                                                | Mech Infantry Platoon    |
| Task Force                                                                             | Mech Infantry Task Force |
| Team                                                                                   | Mech Infantry Team       |
| Default                                                                                | APC                      |
| Abatis                                                                                 | Point Obstacle           |
| IVIS Blown Bridge                                                                      |                          |
| IVIS Abatis                                                                            |                          |
| IVIS Unknown Observation                                                               |                          |
| ACP                                                                                    |                          |
| IVIS Unknown                                                                           |                          |
| IVIS Mortar                                                                            |                          |
| Mortar                                                                                 |                          |
| Howitzer                                                                               |                          |
| IVIS Chemical                                                                          |                          |
| IVIS Nuclear                                                                           |                          |
| IVIS Fwair                                                                             |                          |
| IVIS Helo                                                                              |                          |
| IVIS Mech                                                                              |                          |
| IVIS Observer Location                                                                 |                          |
| IVIS Support                                                                           |                          |
| IVIS Truck                                                                             |                          |
| Air Cavalry                                                                            |                          |
| Light Infantry                                                                         |                          |
| Ranger                                                                                 |                          |
| Airborne Infantry                                                                      |                          |
| Artillery                                                                              |                          |
| Rocket Artillery                                                                       |                          |
| Surface To Surface                                                                     |                          |
| Howitzer Support                                                                       |                          |
| 203mm Howitzer Support                                                                 |                          |
| Target Acquisition                                                                     |                          |
| Engineer                                                                               |                          |
| Bridging                                                                               |                          |
| Topographic Engineer                                                                   |                          |
| Amphibious Engineer                                                                    |                          |
| Survey                                                                                 |                          |
| Air Defense                                                                            |                          |
| Surface To Air                                                                         |                          |
| Surface To Air Support                                                                 |                          |
| Helicopter                                                                             |                          |
| Fixed Wing                                                                             |                          |
| Armor Trains                                                                           |                          |
| Mech Trains                                                                            |                          |

Figure 22: CVCC - M1A2 Point Translation (continued)

| CVCC              | M1A2                       |
|-------------------|----------------------------|
| Ammo Supply Point | Point Obstacle (continued) |
| ALOC              |                            |
| Signal            |                            |
| Medical           |                            |
| Military Police   |                            |
| CEWI              |                            |
| IVIS Arty         |                            |
| IVIS Biological   |                            |
| Chemical          |                            |
| Fired Demo        |                            |
| Mortar Barrage    |                            |
| Howitzer Barrage  |                            |
| Nuclear Target    |                            |
| IVIS Shell        |                            |
| Helo              |                            |

Figure 22: CVCC - M1A2 Point Translation (continued)

### 3.3.2 Graphic Line Translations

Figure 23 shows the linear graphic translations.

The CVCC multi-point symbols may contain up to 50 points each. When these graphics are translated into equivalent M1A2 graphics, only nine points per symbol are translated.

The M1A2 does not support arrow objects, therefore any CVCC graphics containing arrows (axis of advance, direction of attack, main advance, etc.) are translated into one or more Free Draw symbols which replicate the graphic symbol on the TOC.

The CVCC Linear Target is a multi-point symbol, while the M1A2 Linear Concentration is a two-point symbol. Therefore, the CVCC Linear Target symbol is translated into one or more M1A2 Linear Concentration symbols.

The M1A2 does not support the Coordinated Fire Line, however since it does support the Front Line and Coordinating Point symbols, the CVCC Coordinated Fire Line is translated into two M1A2 Coordinating Points connected by one or more Front Line symbols.

The unspecified obstacle, bridge, and lane graphics cannot be created from the Battalion TOC.

| CVCC                      | M1A2                               |
|---------------------------|------------------------------------|
| No Fire Line              | Free Draw                          |
| Generic Line              |                                    |
| Restricted Fire Line      |                                    |
| Direction Of Advance      |                                    |
| Main Direction Of Advance |                                    |
| Axis Of Advance           |                                    |
| Main Axis Of Advance      |                                    |
| Boundary Line             |                                    |
| Phase Line                |                                    |
| Generic Area              |                                    |
| Linear Abatis             |                                    |
| Rectangular Target        | Engagement Area                    |
| Linear Target             | Linear Concentration               |
| Unspecified Minefield     | Minefield                          |
| Anti-tank Minefield       |                                    |
| Antipersonnel Minefield   |                                    |
| Tank Ditch                | Anti-tank Ditch                    |
| Coordinated Fire Line     | Coordinating Points and Front Line |
| FLOT                      | Front Line                         |

Figure 23: CVCC - M1A2 Graphic Line Translation

### 3.3.3 Graphic Area Translations

Figure 24 shows the area translations. CVCC uses spline curves to represent battle positions. M1A2 uses three points to define the size and direction of a battle position. Therefore, all spline curves with a platoon, company, or battalion size designator will be translated into the corresponding M1A2 Battle Position symbol. The point with the size indicator and the two points on either side of it are used to create the M1A2 graphic. If four points are used to define a battle position, the result of the translation to M1A2 is very accurate. If more points are used, the extras are ignored.

| CVCC                                | M1A2 Area                   |
|-------------------------------------|-----------------------------|
| Generic Area                        | Free Draw                   |
| No Fire Area                        | Free Draw                   |
| Spline Curves w/Platoon Indicator   | Battle Position - Platoon   |
| Spline Curves w/Company Indicator   | Battle Position - Company   |
| Spline Curves w/Battalion Indicator | Battle Position - Battalion |

Figure 24: CVCC - M1A2 Graphic Area Translation