

REPORT DOCUMENTATION PAGE AD-A286 897 			Form Approved OMB No. 0704-0188	
page 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering on of information. See comments regarding this burden estimate or any other aspect of this collection of headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1st, Paperwork Reduction Project (0704-0188), Washington, DC 20503				
RT DATE 09/00/91		3. REPORT TYPE AND DATES COVERED FINAL		
4. TITLE AND SUBTITLE COMPREHENSIVE MONITORING PROGRAM, FINAL AIR QUALITY DATA ASSESSMENT REPORT FOR FY90, VERSION 3.1 Vol 4			5. FUNDING NUMBERS NONE	
6. AUTHOR(S)				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) ROBERT L. STOLLAR AND ASSOCIATES			8. PERFORMING ORGANIZATION REPORT NUMBER 91311R01	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES NONE				
12a. DISTRIBUTION/AVAILABILITY STATEMENT APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED			12b. DISTRIBUTION CODE	
13. ABSTRACT <i>(Maximum 200 words)</i> THE OBJECTIVE OF THIS CMP IS TO: VERIFY AND EVALUATE POTENTIAL AIR QUALITY HEALTH HAZARDS, TO VERIFY PROGRESS THAT HAS BEEN MADE TO DATE IN REMOVING CONTAMINANTS RESULTING FROM PREVIOUS ACTIVITIES, TO PROVIDE BASELINE DATA FOR THE EVALUATION OF PROGRESS THAT WILL BE MADE IN FUTURE REMEDIAL ACTIVITIES, TO DEVELOP REAL-TIME GUIDELINES, STANDARD PROCEDURES AND DATA COLLECTION METHODS, AS APPROPRIATE, TO INDICATE IMPACTS OF ONGOING, REMEDIAL ACTIONS, AND TO VALIDATE AND DOCUMENT DATABASE RELIABILITY.  96-01806 A-1 969 09 503				
14. SUBJECT TERMS CONTAMINANT SOURCES, HEALTH AND SAFETY, METEOROLOGY			15. NUMBER OF PAGES 4 VOLS.	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT	

COMPREHENSIVE MONITORING PROGRAM

Contract Number DAAA15-87-0095

**AIR QUALITY DATA ASSESSMENT REPORT
FOR FY90**

FINAL REPORT

SEPTEMBER 1991

Version 3.1
Volume IV

Prepared by:

**R. L. STOLLAR & ASSOCIATES INC.
HARDING LAWSON ASSOCIATES
EBASCO SERVICES INC.
DATACHEM, INC.
MIDWEST RESEARCH INSTITUTE**

Prepared for:


**U. S. ARMY PROGRAM MANAGER FOR
ROCKY MOUNTAIN ARSENAL**

THE VIEWS, OPINIONS, AND/OR FINDINGS CONTAINED IN THIS REPORT ARE THOSE OF THE AUTHOR(S) AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION, POLICY, OR DECISION, UNLESS SO DESIGNATED BY OTHER DOCUMENTATION.

THE USE OF TRADE NAMES IN THIS REPORT DOES NOT CONSTITUTE AN OFFICIAL ENDORSEMENT OR APPROVAL OF THE USE OF SUCH COMMERCIAL PRODUCTS. THE REPORT MAY NOT BE CITED FOR PURPOSES OF ADVERTISEMENT.

DTIC QUALITY INSPECTED 3

DISCLAIMER NOTICE



**THIS DOCUMENT IS BEST
QUALITY AVAILABLE. THE
COPY FURNISHED TO DTIC
CONTAINED A SIGNIFICANT
NUMBER OF PAGES WHICH DO
NOT REPRODUCE LEGIBLY.**

TABLE OF CONTENTS

PAGE

VOLUME I

EXECUTIVE SUMMARY	1
1.0 INTRODUCTION	1
1.1 SITE BACKGROUND INFORMATION	4
1.2 POTENTIAL CONTAMINANT SOURCES	4
1.2.1 SOUTH PLANTS MANUFACTURING COMPLEX	8
1.2.2 BASIN A	8
1.2.3 BASIN F	9
1.2.3.1 Background of Previous Studies	9
1.2.3.2 Impacts of Basin F Remediation on CMP	10
1.2.4 OTHER POTENTIAL CONTAMINANT SOURCE AREAS	10
1.2.5 FINDINGS OF THE AIR REMEDIAL INVESTIGATION PROGRAM	11
1.2.6 RESULTS OF THE CMP FY88 AND FY89 ASSESSMENTS	12
2.0 REGIONAL AND LOCAL AIR QUALITY AND METEOROLOGICAL CHARACTERISTICS	15
2.1 AIR QUALITY	15
2.1.1 PARTICULATES	15
2.1.2 METALS	19
2.1.3 SULFUR DIOXIDE	19
2.1.4 NITROGEN OXIDES	20
2.1.5 OZONE	21
2.1.6 CARBON MONOXIDE	21
2.2 METEOROLOGY AND AIR QUALITY DISPERSION	22
3.0 PROGRAM STRATEGY AND METHODOLOGY	30
3.1 GENERAL BACKGROUND	30
3.2 CMP AIR QUALITY MONITORING PROGRAM	31
3.2.1 SITING CRITERIA	32
3.2.1.1 Proximity to Sources or Boundaries	32
3.2.1.2 Wind Speed/Direction	32
3.2.1.3 Topographical Features and Obstructions	39
3.2.1.4 Continuity With Previous Monitoring Programs	39
3.2.2 THE CMP AIR QUALITY MONITORING NETWORK LOCATIONS	40
3.2.2.1 Permanent Stations Locations	40
3.2.2.2 Portable Air Quality Monitoring Stations	40
3.2.3 AIR QUALITY MONITORING STRATEGIES	41
3.2.3.1 Baseline Assessment	41

TABLE OF CONTENTS (continued)

	PAGE
3.2.3.2 Worst-case Assessment	44
3.2.3.3 Remedial Assessment	45
3.2.3.4 Criteria for Gaseous Pollutant Assessment	45
3.2.4 AIR QUALITY MONITORING METHODS	46
3.2.4.1 Total Suspended Particulates (TSP)	46
3.2.4.2 Particulate Matter Less than 10 Microns (PM-10)	47
3.2.4.3 Asbestos	47
3.2.4.4 Volatile Organic Compounds	47
3.2.4.5 Semi-volatile Organic Compounds	48
3.2.4.6 ICP Metals and Arsenic	48
3.2.4.7 Organochlorine Pesticides (OCP)	49
3.2.4.8 Mercury	49
3.3 THE BASIN F REMEDIATION AIR MONITORING PROGRAM	49
3.4 THE IRA-F AIR QUALITY MONITORING PROGRAM	52
3.4.1 SAMPLING LOCATIONS	52
3.4.2 SAMPLING STRATEGY	52
3.4.3 CAP AND VENT MONITORING	55
3.5 METEOROLOGICAL MONITORING PROGRAM	55
3.5.1 LOCATION OF METEOROLOGICAL MONITORING STATIONS	55
3.5.2 MONITORING EQUIPMENT AND STRATEGY	57
3.5.3 DATA ACQUISITION	57
3.5.4 DATA APPLICATIONS	58
3.6 CONTINUOUS AIR MONITORING PROGRAM	59
3.7 LABORATORY ANALYSIS PROGRAM	59

VOLUME II

4.0 RESULTS OF FY90 PROGRAM	64
4.1 BASIS OF AIR QUALITY DATA EVALUATION	64
4.1.1 COMPUTERIZED DOCUMENTATION	65
4.1.2 REMEDIATION EVALUATION	67
4.1.3 DISPERSION MODEL APPLICATIONS	68
4.1.4 SOURCE EMISSION FACTORS	74
4.2 TOTAL SUSPENDED PARTICULATES (TSP)	75
4.2.1 CMP FY90 TSP RESULTS	75
4.2.2 ASSESSMENT OF BASIN F TSP POST-REMEDIAL IMPACTS	88
4.2.2.1 CMP TSP Monitoring Results	88
4.2.2.2 Basin F TSP Monitoring Results	96
4.2.2.3 Analysis of Combined CMP/Basin F TSP Monitoring Results	105
4.2.2.4 Individual Day Remedial Assessment Comparisons	110

TABLE OF CONTENTS (continued)

	PAGE
4.2.3 RMA TSP CAUSAL EFFECTS	110
4.2.4 DENVER METROPOLITAN AREA TSP INFLUENCES	120
4.2.4.1 CMP FY90 Period Results	120
4.2.5 ANALYSIS IMPLICATIONS FOR MITIGATION AND CONTROLS	125
4.2.6 SUMMARY	126
4.3 RESPIRABLE PARTICULATE MATTER	126
4.3.1 CMP PM-10 MONITORING PROGRAM	126
4.3.2 BASIN F PM-10 IMPACTS	129
4.3.2.1 CMP Data	129
4.3.2.2 Basin F Data	140
4.3.2.3 Combined Basin F and CMP Data Analysis	140
4.3.3 METROPOLITAN DENVER PM-10 DATA	144
4.3.4 SUMMARY OF PM-10 ANALYSIS	147
4.4 METALS	147
4.4.1 METALS MONITORING STRATEGIES	147
4.4.2 CMP FY90 METALS MONITORING RESULTS	148
4.4.3 ASSESSMENT OF BASIN F METALS IMPACTS	152
4.4.3.1 CMP Data	152
4.4.3.2 Basin F Data	159
4.4.3.3 Combined CMP and Basin F Data Analyses	173
4.4.4 ANALYSIS OF METALS SOURCE FACTORS	180
4.4.5 ASSESSMENT OF METALS CONCENTRATIONS RELATIVE TO TOXIC GUIDELINES	188
4.4.6 SUMMARY	191
4.5 ASBESTOS	191
4.6 VOLATILE ORGANIC COMPOUNDS (VOCs)	192
4.6.1 CMP VOC SAMPLING, ANALYSIS AND REPORTING STRATEGIES	192
4.6.2 CMP FY90 VOC MONITORING RESULTS	194
4.6.2.1 December 19, 1989	200
4.6.2.2 June 27, 1990	202
4.6.2.3 July 18, 1990	202
4.6.2.4 July 27, 1990	206
4.6.2.5 August 9, 1990	208
4.6.2.6 September 11, 1990	210
4.6.3 BASIN F VOC IMPACTS	210
4.6.3.1 CMP Data	210
4.6.3.2 Basin F Data	221
4.6.3.3 Combined CMP and Basin F Data Analyses	238

TABLE OF CONTENTS (continued)

	PAGE
4.6.4 ADDITIONAL VOC MONITORING CONSIDERATIONS	244
4.6.4.1 Seasonal VOC Impacts	244
4.6.4.2 Metropolitan Denver Area VOC Emissions	247
4.6.5 SUMMARY OF RESULTS AND ASSESSMENT OF VOC TOXICITY LEVELS	256
4.6.6 VOC NONTARGET ANALYTE RESULTS	266
4.6.6.1 Laboratory Procedures	266
4.6.6.2 Summary of Nontarget VOCs	267
4.7 SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs) AND ORGANOCHLORINE PESTICIDES (OCPs)	272
4.7.1 MONITORING, ANALYSIS AND REPORTING STRATEGIES	272
4.7.2 CMP FY90 SEMI-VOLATILE ORGANIC COMPOUNDS MONITORING RESULTS	274
4.7.2.1 August 2, 1990	277
4.7.2.2 August 7, 1990	280
4.7.2.3 August 29, 1990	280
4.7.3 BASIN F SVOC IMPACTS	284
4.7.3.1 CMP Data	284
4.7.3.2 Basin F Data	288
4.7.3.3 Combined CMP and Basin F Data Analyses	300
4.7.4 SUMMARY OF RESULTS AND ASSESSMENT OF SVOC TOXICITY LEVELS	305
4.7.5 SEASONAL CONSIDERATIONS	310
4.7.6 SVOC NONTARGET ANALYTE RESULTS	310

VOLUME III

5.0 CONTINUOUS AIR MONITORING PROGRAM	318
5.1 PROGRAM OVERVIEW	318
5.2 ANALYSIS OVERVIEW	321
5.3 CARBON MONOXIDE	321
5.4 OZONE	332
5.5 SULFUR DIOXIDE	341
5.6 NITRIC OXIDE, NITROGEN DIOXIDE AND NITROGEN OXIDES	351
5.7 REGIONAL EMISSION SOURCES IMPACTING RMA	376
5.7.1 DECEMBER 22-23, 1989	381
5.7.2 MAY 21, 1990	384
6.0 PHOTO VISIBILITY STUDY	393
6.1 HIGH WIND DUST EVENTS	394
6.2 BROWN CLOUD EVENTS	398
6.3 SUMMARY	418
7.0 METEOROLOGY MONITORING AND DISPERSION MODELING PROGRAMS	419

TABLE OF CONTENTS (continued)

	PAGE
7.1 METEOROLOGY PROGRAM OVERVIEW	419
7.1.1 PROGRAM OBJECTIVES	419
7.1.2 DATA RECOVERY	420
7.1.3 DATABASES	420
7.2 SUMMARY OF RESULTS	421
7.2.1 TEMPERATURE	424
7.2.2 RELATIVE HUMIDITY	424
7.2.3 BAROMETRIC PRESSURE	426
7.2.4 SOLAR RADIATION	426
7.2.5 PRECIPITATION	426
7.2.6 WINDS	428
7.2.7 ATMOSPHERIC STABILITY	428
7.3 SEASONAL AND DIURNAL INFLUENCES	435
7.4 SUMMARY AND CONCLUSIONS	441
7.5 RMA METEOROLOGICAL STATION COMPARISONS	443
7.6 ATMOSPHERIC DISPERSION MODEL	448
7.6.1 MODEL APPLICATIONS	448
7.6.2 ADDITIONAL MODEL APPROACHES AND ANALYSES	452
7.6.2.1 Source Emissions Characterization	452
7.6.2.2 Remedial Activity Production Data	452
7.6.2.3 Local and Regional Emissions Inventory	453
7.6.2.4 Empirical/Statistical Adjustments	453
8.0 QUALITY ASSURANCE PROGRAM	454
8.1 OVERVIEW AND GENERAL GUIDANCE	454
8.2 LABORATORY QUALITY CONTROL AND QUALITY ASSURANCE PROGRAM OVERVIEW ..	455
8.3 FIELD QUALITY CONTROL PROGRAM	457
8.3.1 ORGANIZATION	457
8.3.2 FIELD PROGRAM QUALITY CONTROL	457
8.3.3 QUALITY CONTROL FIELD SAMPLE RESULTS	458
8.3.3.1 VOC Quality Control Results	458
8.3.3.2 Semi-Volatile Organics and Organics on PUF Quality Control Results	459
8.3.4 DATA PROCESSING	463
8.4 ASSESSMENT OF DATA PRECISION AND COLLOCATED DUPLICATE SAMPLING RESULTS	464
8.5 QUALITY ASSURANCE FIELD PROCEDURES	469
8.5.1 SYSTEM AUDITS	470
8.5.2 PERFORMANCE AUDITS OF FIELD SAMPLING EQUIPMENT	470
8.5.3 CALIBRATION AND CERTIFICATION OF STANDARDS	471
9.0 CONCLUSIONS	472

TABLE OF CONTENTS (continued)

	PAGE
9.1 TOTAL SUSPENDED PARTICULATES	472
9.2 RESPIRABLE PARTICULATES (PM-10)	473
9.3 METALS	473
9.4 ASBESTOS	473
9.5 VOLATILE ORGANIC COMPOUNDS	473
9.6 SEMI-VOLATILE ORGANIC COMPOUNDS	474
9.7 ORGANOCHLORINE PESTICIDES	474
9.8 CRITERIA POLLUTANTS	474
9.9 GENERAL INTERPRETATIONS	474
10.0 REFERENCES	476

VOLUME IV

APPENDIX A	Total Suspended Particulates (TSP) Data (on diskette)
APPENDIX B	Respirable Particulates of Less Than 10 Microns (PM-10) Data (on diskette)
APPENDIX C	Arsenic, Metals and Mercury Data (on diskette)
APPENDIX D	Asbestos Data (on diskette)
APPENDIX E	Volatile Organic Compounds (VOC) Data (on diskette)
APPENDIX F	Semi-Volatile Organic Compounds (SVOC) Data (on diskette)
APPENDIX G	Organochlorine Pesticides (OCP) Data (on diskette)
APPENDIX H	Quality Assurance/Quality Control
APPENDIX I	Continuous Air Quality Data
APPENDIX J	Air Quality Meteorological Data and Joint Frequency Distribution (on diskette)
APPENDIX K	ISC and INPUT2 EPA Model Description
APPENDIX L	IRA-F Total Suspended Particulates (TSP) Data (on diskette)
APPENDIX M	IRA-F Respirable Particulates of Less Than 10 Microns (PM-10) (on diskette)
APPENDIX N	IRA-F Arsenic, Metals, and Mercury Data (on diskette)
APPENDIX O	IRA-F Volatile Organic Compounds (VOC) Data (on diskette)
APPENDIX P	IRA-F Semi-Volatile Organic Compounds (SVOC) Data (on diskette)
APPENDIX Q	IRA-F Organochlorine Pesticides (OCP) Data (on diskette)

LIST OF TABLES

Table 2.1-1	Colorado and National Ambient Air Quality Standards
Table 2.2-1	Summary of Temperature Data in the RMA Vicinity
Table 2.2-2	Summary of Precipitation and Humidity Data in the RMA Vicinity
Table 2.2-3	Summary of Wind and Pressure Data in the RMA Vicinity
Table 2.2-4	Summary of Meteorological Data in the RMA Vicinity
Table 3.2-1	Sampling Locations
Table 3.2-2	Parameters and Strategies for RMA Air Monitoring Program
Table 3.2-3	Sampling Strategies for High Event Air Quality Monitoring
Table 3.4-1	Location and Monitoring Parameters at IRA-F Sites
Table 3.5-1	Meteorological Parameters Monitored at RMA During FY90
Table 3.6-1	RMA Continuous Gaseous Air Monitoring Program Summary
Table 3.7-1	Analytical Methods for Air Quality Monitoring Program
Table 3.7-2	Analytes and Certified Reporting Limits for Air Quality Monitoring Program
Table 4.1-1	Basin F Remediation Phases
Table 4.1-2	Emissions Inventory Summary for Regulated Pollutants
Table 4.2-1	Summary of KMA Total Suspended Particulates (TSP) Monitoring for FY90
Table 4.2-2	Total Suspended Particulates (TSP) Sampling Results for FY90
Table 4.2-3	Total Suspended Particulates (TSP) Sampling Results for CMP Phases 1-4
Table 4.2-4	Total Suspended Particulates (TSP) Sampling Results for Basin F/IRA-F Phases 1-4
Table 4.2-5	Combined Seasonal TSP Concentrations
Table 4.2-6	Seasonal TSP Concentrations by Site
Table 4.2-7	Particulate Sources with Emissions of 25 TPY or More
Table 4.2-8	Denver Metropolitan Area Total Suspended Particulates (TSP)
Table 4.3-1	Summary of CMP FY90 Sampling for Respirable Particulates of Less Than 10 Microns (PM ₁₀)
Table 4.3-2	Concentration of Respirable Particulates of Less Than 10 Microns (PM ₁₀) for CMP FY90

LIST OF TABLES (continued)

Table 4.3-3	Concentrations of Respirable Particulates of Less Than 10 Microns (PM-10) for Phases 1-4
Table 4.3-4	Combined Seasonal PM-10 Concentrations
Table 4.3-5	Seasonal PM-10 Concentrations by Site
Table 4.3-6	Concentrations of Respirable Particulates of Less Than 10 Microns for Phases 3 and 4 at IRA-F Sites
Table 4.3-7	Denver Metropolitan Area Respirable Particulates of Less Than 10 Microns (PM-10)
Table 4.4-1	Summary of Routine Metals Sampling for FY90
Table 4.4-2	Summary of CMP Metals Concentrations for FY90
Table 4.4-3	Summary of CMP Metals Concentrations by Phase
Table 4.4-4	Metals Data Summary for 1986-1987 Remedial Investigation Program
Table 4.4-5	Summary of Basin F/IRA-F/RIFS Metals Concentrations for Phases 1-4
Table 4.4-6	Observed Maximum Metals Concentrations and Associated Wind Speed at CMP Sites
Table 4.4-7	Seasonal Metals and Arsenic Concentrations by Site
Table 4.4-8	Maximum Concentrations Measured at RMA for CMP and Basin F/IRA-F Concurrent Programs
Table 4.4-9	RMA Target Metals Compounds Comparison to Health Guidelines
Table 4.5-1	Synopsis of FY90 Asbestos Monitoring
Table 4.6-1	Synopsis of FY90 Monitoring for Volatile Organic Compounds (VOC)
Table 4.6-2	Summary of FY90 Volatile Organic Compounds (VOC) Concentrations
Table 4.6-3	Summary of CMP Volatile Organic Compounds (VOC) Concentrations for Phases 1-4
Table 4.6-4	Summary of Basin F/IRA-F/RIFS VOC Concentrations for Phases 1-4
Table 4.6-5	Maximum Concentrations and Locations of Volatile Organic Compounds
Table 4.6-6	Combined Seasonal Average VOC Concentrations
Table 4.6-7	Volatile Organic Compounds (VOC) Sources with Emissions of 10 TPY or More
Table 4.6-8	Total Releases of Toxic Chemicals by Facility and Toxicity for Denver and Adams Counties
Table 4.6-9	Releases of Toxic Chemicals for Denver and Adams Counties

LIST OF TABLES (continued)

Table 4.6-10	RMA Target Volatile Organic Compounds (VOC) Comparison to Health Guidelines for Phases 1 and 2
Table 4.6-11	RMA Target Volatile Organic Compounds (VOC) Comparison to Health Guidelines for Phases 3 and 4
Table 4.6-12	Comparison of EPA Air Toxics Study and RMA Results for VOCs
Table 4.6-13	Ambient Volatile Organic Compounds (VOC) Concentrations from Various Studies
Table 4.6-14	Summary of VOC Nontargets for FY90
Table 4.6-15	Summary of VOC Blank Nontargets for FY90
Table 4.7-1	Synopsis of FY90 Semi-Volatile Organic Compounds (SVOC) Monitoring
Table 4.7-2	Synopsis of FY90 Organochlorine Pesticides (OCP) Monitoring
Table 4.7-3	Summary of Semi-Volatile Organic Compounds (SVOC) Concentrations for FY90 - Pesticide Method
Table 4.7-4	Summary of Organochlorine Pesticides (OCP) Concentrations for FY90
Table 4.7-5	Summary of CMP Semi-Volatile Organic Compounds (SVOC) Concentrations by Phase
Table 4.7-6	Summary of CMP Organochlorine Pesticides (OCP) Concentrations by Phase
Table 4.7-7	Summary of Basin F/IRA-F/RIFS Semi-Volatile Organic Compounds (SVOC) for Phases 1-4
Table 4.7-8	Maximum Average Long-Term and Short-Term Semi-Volatile Organic Compounds Concentrations
Table 4.7-9	RMA Target SVOC and OCP Comparison to Health Guidelines
Table 4.7-10	Combined Seasonal Organochlorine Pesticides (OCP) Concentrations
Table 4.7-11	Summary of SVOC Nontargets for FY90
Table 4.7-12	Summary of SVOC Nontargets Blank Data for FY90
Table 5.1-1	RMA and Colorado Department of Health Gaseous Emissions Monitoring Sites
Table 5.3-1	Summary of Carbon Monoxide 1-Hour Average Values in ppm October 1, 1989 (0100 MST) through September 30, 1990 (2400 MST)
Table 5.3-2	Summary of Carbon Monoxide 8-Hour Average Values in ppm October 1, 1989 (0100 MST) through September 30, 1990 (2400 MST)
Table 5.4-1	Summary of Ozone 1-Hour Average Values in ppm October 1, 1989 (0100 MST) through September 30, 1990 (2400 MST)

LIST OF TABLES (continued)

Table 5.5-1	Summary of Sulfur Dioxide 1-Hour Average Values in ppm October 1, 1989 (0100 MST) through September 30, 1990 (2400 MST)
Table 5.5-2	Summary of Sulfur Dioxide 3-Hour Average Values in ppm October 1, 1989 (0100 MST) through September 30, 1990 (2400 MST)
Table 5.5-3	Summary of Sulfur Dioxide 24-Hour Average Values in ppm October 1, 1989 (0100 MST) through September 30, 1990 (2400 MST)
Table 5.6-1	Summary of Nitric Oxide (NO) 1-Hour Average Values in ppm October 1, 1989 (0100 MST) through September 30, 1990 (2400 MST)
Table 5.6-2	Summary of Nitrogen Dioxide (NO ₂) 1-Hour Average Values in ppm October 1, 1989 (0100 MST) through September 30, 1990 (2400 MST)
Table 5.6-3	Summary of Nitrogen Oxides (NO _x) 1-Hour Average Values in ppm October 1, 1989 (0100 MST) through September 30, 1990 (2400 MST)
Table 5.7-1	Carbon Monoxide (CO) Sources with Emissions of 100 TPY or More
Table 5.7-2	Sulfur Dioxide (SO ₂) Sources with Emissions of 40 TPY or More
Table 5.7-3	Nitrogen Oxides (NO _x) Sources with Emissions of 40 TPY or More
Table 5.7-4	Relevant Air Quality and Meteorological Data for December 22-23, 1989
Table 5.7-5	Relevant Air Quality and Meteorological Data for May 21, 1990
Table 6.1-1	Summary of High Dust Events During FY90
Table 6.1-2	TSP Monitoring Results for May 15, 1990
Table 6.1-3	May 15, 1990 Dust Event Data
Table 6.2-1	October 25, 1989 Brown Cloud Event Data
Table 6.2-2	January 5, 1990 Brown Cloud Event Data
Table 6.2-3	September 14, 1990 Brown Cloud Event Data
Table 7.1-1	Summary of RMA Meteorological Monitoring for FY90
Table 7.2-1	Summary of Rocky Mountain Arsenal Monthly Meteorological Conditions for FY90 (October 1, 1989 through September 30, 1990)
Table 7.4-1	FY89 - FY90 Comparison
Table 7.5-1	Meteorological Tower Comparison of Wind Speed (mph)/Direction
Table 7.5-2	Meteorological Tower Comparison of Temperature (°F)
Table 7.5-3	Meteorological Tower Comparison of Precipitation (inches)
Table 7.5-4	FY90 Frequency (%) of Atmospheric Stability Categories for Each Met Station

LIST OF TABLES (continued)

Table 8.3-1	CMP Target Volatile Organic Compounds (VOC) Blank Values
Table 8.3-2	Summary of Semi-Volatile Organic Compounds Results of Field Spiking
Table 8.3-3	Summary of OCP Results of Field Spiking
Table 8.4-1	Collocated Sample Comparisons for FY90 at AQ5
Table 8.4-2	Continuous Air Quality Parameters Precision Results

LIST OF FIGURES

Figure 1.1-1	Rocky Mountain Arsenal Location Map
Figure 1.1-2	Rocky Mountain Arsenal Reference Map
Figure 1.2-1	CMP Air Quality and Meteorological Monitoring Stations
Figure 2.2-1	Stapleton Airport Wind Direction Rose, 1982-1986
Figure 3.2-1	CMP Air Quality Monitoring Stations at Rocky Mountain Arsenal
Figure 3.2-2	National Ambient Air Quality Sampling Schedule for 1990
Figure 3.3-1	Location of Basin F Air Quality Monitoring Stations at Rocky Mountain Arsenal
Figure 3.4-1	Location of IRA-F Air Quality Monitoring Stations at Rocky Mountain Arsenal
Figure 3.5-1	RMA Meteorological Monitoring Stations
Figure 4.1-1	X/Q Dispersion for Phase 1
Figure 4.1-2	X/Q Dispersion for Phase 2-Stage 1
Figure 4.1-3	X/Q Dispersion for Phase 2-Stage 2
Figure 4.1-4	X/Q Dispersion for Phase 3
Figure 4.1-5	X/Q Dispersion for Phase 4
Figure 4.1-6	Sources of Regulated Pollutants in RMA Vicinity
Figure 4.2-1	CMP Total Suspended Particulates Results for FY90
Figure 4.2-2	TSP Results for 9/14/90
Figure 4.2-3	September 14, 1990 12Z Sounding for Stapleton Airport
Figure 4.2-4	TSP Distribution at RMA for 6/4/90
Figure 4.2-5	TSP Concentrations at AQ10 During Remediation Phases
Figure 4.2-6	Basin F/IRA-F TSP Results by Phase
Figure 4.2-7	Composite TSP Analysis for Phase 1
Figure 4.2-8	Composite TSP Analysis for Phase 4
Figure 4.2-9	TSP Geometric Means by Phase for CMP
Figure 4.2-10	TSP Results for 9/24/88
Figure 4.2-11	TSP Results for 9/26/90

LIST OF FIGURES (continued)

Figure 4.2-12	Site AQ11 TSP Concentrations vs. Hours of Wind from Direction of Basin F - Phase 1
Figure 4.2-13	Site AQ11 TSP Concentrations vs. Hours of Wind from Direction of Basin F - Phase 3
Figure 4.2-14	Particulate Sources with Emissions of 25 TPY or More in RMA Vicinity
Figure 4.2-15	Denver Area TSP Data for FY90 - Geometric Means
Figure 4.3-1	PM-10 Results for 9/14/90
Figure 4.3-2	Comparison of TSP and PM-10 at AQ2
Figure 4.3-3	Comparison of TSP and PM-10 at AQ5
Figure 4.3-4	Comparison of TSP and PM-10 at AQ9
Figure 4.3-5	Composite PM-10 Analysis for Phase 1
Figure 4.3-6	Composite PM-10 Analysis for Phase 4
Figure 4.3-7	Denver Area PM-10 Data for Phase 4
Figure 4.4-1	Chromium Results by Phase
Figure 4.4-2	Copper Results by Phase
Figure 4.4-3	Mercury Results by Phase
Figure 4.4-4	Zinc Results by Phase
Figure 4.4-5	Lead Results by Phase
Figure 4.4-6	Arsenic Results by Phase
Figure 4.4-7	Cadmium Results by Phase
Figure 4.4-8	X/Q Dispersion and Basin F Metals for 9/6/88
Figure 4.4-9	X/Q Dispersion and IRA-F Metals for 6/10/90
Figure 4.4-10	Composite Metals Analysis for Phase 1 - Average Values
Figure 4.4-10A	Composite Metals Analysis for Phase 1 - Maximum Values
Figure 4.4-11	Composite Metals Analysis for Phase 4 - Average Values
Figure 4.4-11A	Composite Metals Analysis for Phase 4 - Maximum Values
Figure 4.4-12	Metals Results and X/Q Dispersion for 6/28/90
Figure 4.6-1	Seasonal VOC Results and X/Q Dispersion for 12/19/89
Figure 4.6-2	High Event VOC Results and X/Q Dispersion for 6/27/90

LIST OF FIGURES (continued)

Figure 4.6-2A	High Event VOC Results for 6/27/90 - South Plants
Figure 4.6-3	High Event VOC Results and X/Q Dispersion for 7/18/90
Figure 4.6-4	High Event VOC Results and X/Q Dispersion for 7/27/90
Figure 4.6-5	High Event VOC Results and X/Q Dispersion for 8/9/90
Figure 4.6-6	High Event VOC Results and X/Q Dispersion for 9/11/90
Figure 4.6-7	Bicycloheptadiene Results by Phase
Figure 4.6-8	Chloroform Results by Phase
Figure 4.6-9	Dicyclopentadiene Results by Phase
Figure 4.6-10	Dimethyl Disulfide Results by Phase
Figure 4.6-11	Toluene Results by Phase
Figure 4.6-12	X/Q Dispersion and Basin F VOCs for 8/12/88
Figure 4.6-13	X/Q Dispersion and IRA-F VOCs for 7/28/90
Figure 4.6-14	Composite VOC Analysis for Phase 1 - Average Values
Figure 4.6-14A	Composite VOC Analysis for Phase 1 - Maximum Values
Figure 4.6-15	Composite VOC Analysis for Phase 4 - Average Values
Figure 4.6-15A	Composite VOC Analysis for Phase 4 - Maximum Values
Figure 4.6-16	VOC Sources with Emissions of 25 TPY or More in RMA Vicinity
Figure 4.7-1	High Event SVOC Results and X/Q Dispersion for 8/2/90
Figure 4.7-2	High Event SVOC Results and X/Q Dispersion for 8/7/90
Figure 4.7-2A	High Event SVOC Results for 8/7/90 - South Plants
Figure 4.7-3	High Event SVOC Results and X/Q Dispersion for 8/29/90
Figure 4.7-4	SVOC Results at CMP/BI-2 for Phases 1 and 4
Figure 4.7-5	Aldrin Results by Phase
Figure 4.7-6	Dieldrin Results by Phase
Figure 4.7-7	Endrin Results by Phase
Figure 4.7-8	Isodrin Results by Phase
Figure 4.7-9	X/Q Dispersion and Basin F Pesticides for 8/23/88
Figure 4.7-10	X/Q Dispersion and Basin F Pesticides for 9/8/90

LIST OF FIGURES (continued)

Figure 4.7-11	Composite SVOC Analysis for Phase 1 - Average Values
Figure 4.7-11A	Composite SVOC Analysis for Phase 1 - Maximum Values
Figure 4.7-12	Composite SVOC Analysis for Phase 4
Figure 5.1-1	RMA and Colorado Department of Health Continuous Air Quality Monitoring Sites
Figure 5.3-1A	Graphical Depiction of Daily Mean for Carbon Monoxide FY90 (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.3-1B	Graphical Depiction of Daily Maximum for Carbon Monoxide FY90 (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.3-2	Graphical Depiction of Monthly Mean for Carbon Monoxide (May 1989 - Sept. 1990)
Figure 5.3-3	Graphical Depiction of Diurnal Cycle for Carbon Monoxide FY90 (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.3-4	Graphical Depiction of Diurnal Comparison for Carbon Monoxide (May - September)
Figure 5.3-5	CMP and Colorado Department of Health Sites 1-Hour Carbon Monoxide Values (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.3-6	CMP and Colorado Department of Health Sites 8-Hour Carbon Monoxide Values (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.4-1A	Graphical Depiction of Daily Mean for Ozone FY90 (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.4-1B	Graphical Depiction of Daily Maximum for Ozone FY90 (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.4-2	Graphical Depiction of Monthly Mean for Ozone (May 1989 - Sept. 1990)
Figure 5.4-3	Graphical Depiction of Daily Mean for Ozone (May 6, 1989 - Sept. 30, 1990)
Figure 5.4-4	Graphical Depiction of Diurnal Cycle for Ozone FY90 (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.4-5	Graphical Depiction of Diurnal Comparison for Ozone (May - September)
Figure 5.5-6	Graphical Depiction of Overall Mean for Ozone (May 6, 1989 - Sept. 30, 1990)
Figure 5.4-7	CMP and Colorado Department of Health Sites 1-Hour Ozone Values (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.5-1A	Graphical Depiction of Daily Mean for Sulfur Dioxide FY90 (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.5-1B	Graphical Depiction of Daily Maximum for Sulfur Dioxide FY90 (Oct. 1, 1989 - Sept. 30, 1990)

LIST OF FIGURES (continued)

Figure 5.5-2	Graphical Depiction of Monthly Mean for Sulfur Dioxide (May 1989 - Sept. 1990)
Figure 5.5-3	Graphical Depiction of Daily Mean for Sulfur Dioxide (May 6, 1989 - Sept. 30, 1990)
Figure 5.5-4	Graphical Depiction of Diurnal Cycle for Sulfur Dioxide FY90 (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.5-5	Graphical Depiction of Diurnal Comparison for Sulfur Dioxide (May - Sept.)
Figure 5.5-6	Graphical Depiction of Overall Mean for Sulfur Dioxide (May 6, 1989 - Sept. 30, 1990)
Figure 5.5-7	CMP and Colorado Department of Health Sites 3-Hour Sulfur Dioxide Values (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.5-8	CMP and Colorado Department of Health Sites 24-Hour Sulfur Dioxide Values (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.6-1A	Graphical Depiction of Daily Mean for Nitric Oxide FY90 (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.6-1B	Graphical Depiction of Daily Mean for Nitrogen Dioxide FY90 (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.6-1C	Graphical Depiction of Daily Mean for Nitrogen Oxides FY90 (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.6-2A	Graphical Depiction of Daily Maximum for Nitric Oxide FY90 (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.6-2B	Graphical Depiction of Daily Maximum for Nitrogen Dioxide FY90 (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.6-2C	Graphical Depiction of Daily Maximum for Nitrogen Oxides FY90 (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.6-3A	Graphical Depiction of Monthly Mean for Nitric Oxide (May 1989 - Sept. 1990)
Figure 5.6-3B	Graphical Depiction of Monthly Mean for Nitrogen Dioxide (May 1989 - Sept. 1990)
Figure 5.6-3C	Graphical Depiction of Monthly Mean for Nitrogen Oxides (May 1989 - Sept. 1990)
Figure 5.6-4A	Graphical Depiction of Daily Mean for Nitric Oxide (May 6, 1989 - Sept. 30, 1990)
Figure 5.6-4B	Graphical Depiction of Daily Mean for Nitrogen Dioxide (May 6, 1989 - Sept. 30, 1990)
Figure 5.6-4C	Graphical Depiction of Daily Mean for Nitrogen Oxides (May 6, 1989 - Sept. 30, 1990)

LIST OF FIGURES (continued)

Figure 5.6-5	Graphical Depiction of Diurnal Cycle for Nitrogen Oxides (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.6-6	Graphical Depiction of Diurnal Comparison for Nitrogen Oxides (May - September)
Figure 5.6-7	Graphical Depiction of Diurnal Mean for Nitrogen Oxides (May 6, 1989 - Sept. 30, 1990)
Figure 5.6-8	CMP and Colorado Department of Health Sites 24-Hour Nitrogen Dioxide Values (Oct. 1, 1989 - Sept. 30, 1990)
Figure 5.7-1	Sources of Regulated Pollutants in RMA Vicinity
Figure 5.7-2	Graphical Depiction of Carbon Monoxide for December 22-23, 1989
Figure 5.7-3	Graphical Depiction of Sulfur Dioxide for December 22-23, 1989
Figure 5.7-4	Graphical Depiction of Nitrogen Oxides for December 22-23, 1989
Figure 5.7-5	Graphical Depiction of Carbon Monoxide for May 21, 1990
Figure 5.7-6	Graphical Depiction of Sulfur Dioxide for May 21, 1990
Figure 5.7-7	Graphical Depiction of Nitrogen Oxides for May 21, 1990
Figure 6.1-1	Dust Event Case Study: May 15, 1990
Figure 6.1-2	Dust Event: May 15, 1990 (SO ₂ and NO _x)
Figure 6.2-1	Brown Cloud Case Study: October 25, 1990
Figure 6.2-2	Brown Cloud Migration: October 25, 1989
Figure 6.2-3	Brown Cloud Event: October 25, 1989 (SO ₂ and NO _x)
Figure 6.2-4	Brown Cloud Event: October 25, 1989 (CO)
Figure 6.2-5	Brown Cloud Case Study: January 5, 1990
Figure 6.2-6	Brown Cloud Event: January 5, 1990 (SO ₂ and NO _x)
Figure 6.2-7	Brown Cloud Event: January 5, 1990 (CO)
Figure 6.2-8	Brown Cloud Case Study: September 14, 1990
Figure 6.2-9	Brown Cloud Event: September 14, 1990 (SO ₂ and NO _x)
Figure 6.2-10	Brown Cloud Event: September 14, 1990 (CO)
Figure 7.2-1	RMA Graphical Depiction of Temperature (Oct. 1, 1989 - Sept. 30, 1990)
Figure 7.2-2	RMA Graphical Depiction of Precipitation (Oct. 1, 1989 - Sept. 30, 1990)
Figure 7.2-3	RMA Graphical Depiction of Wind Speed and Wind Direction (Oct. 1, 1989 - Sept. 30, 1990)

LIST OF FIGURES (continued)

- Figure 7.2-4 Wind Roses for RMA (Oct. 1 - Dec. 20, 1989) and Stapleton Airport 1982-86 Fall
- Figure 7.2-5 Wind Roses for RMA (Dec. 21, 1989 - March 19, 1990) and Stapleton Airport 1982-86 Winter
- Figure 7.2-6 Wind Roses for RMA (March 20 - June 20, 1990) and Stapleton Airport 1982-86 Spring
- Figure 7.2-7 Wind roses for RMA (June 21 - Sept. 30, 1990) and Stapleton Airport 1982-86 Summer
- Figure 7.2-8 Wind Roses for RMA (Oct. 1, 1989 - Sept. 30, 1990) and Stapleton Airport 1982-86 Annual
- Figure 7.2-9 RMA and Stapleton Airport Fall Wind Rose Comparisons
- Figure 7.2-10 RMA and Stapleton Airport Winter Wind Rose Comparisons
- Figure 7.2-11 RMA and Stapleton Airport Spring Wind Rose Comparisons
- Figure 7.2-12 RMA and Stapleton Airport Summer Wind Rose Comparisons
- Figure 7.2-13 RMA and Stapleton Airport Annual Wind Rose Comparisons

ACRONYMS AND ABBREVIATIONS

111TCE	1,1,1-Trichloroethane
112TCE	1,1,2-Trichloroethane
ADI	Acceptable Daily Intake
Atrazine	2-chloro-4-ethylamino-6-isopropylamino-s-triazine
BCHPD	Bicycloheptadiene
C_6H_6	Benzene
CCl_4	Carbon Tetrachloride
CH_2Cl_2	Methylene Chloride
$CHCl_3$	Chloroform
Chlordane	1,2,4,5,6,7,8,8-octachloro-2,3,3a,4,7,7a-hexahydro-4,7-methano-1H-indene
ClC_6H_5	Chlorobenzene
CMP FY90	Comprehensive Monitoring Program Fiscal Year 1990
CO	Carbon Monoxide
CRL	Certified Reporting Limit
DBCP	Dibromochloropropane
DCLE11	1,1-Dichloroethane
DCLE12	1,2-Dichloroethane
DCPD	Dicyclopentadiene
DDD	Dichlorodiphenyldichloroethane
DMB12	Dimethylbenzene
DMDS	Dimethyl Disulfide
EPA	Environmental Protection Agency
ETC_6H_6	Ethylbenzene
GC/MS	Gas Chromatography/Mass Spectrometry
GC/ECD	Gas Chromatography/Electron Capture Detection
ICAP	Inductively Coupled Argon Plasma
Malathion	0,0-dimethyl-s-(1,2-dicarboxyethyl) phosphorodithioate
MEC_6H_6	Toluene
MIBK	Methyl Isobutyl Ketone
MST	Mountain Standard Time
NAAQS	National Ambient Air Quality Standards
NATICH	National Air Toxics Information Clearinghouse
NIOSH	National Institute of Occupational Safety and Health
NNDMEA	N-Nitrosodimethylamine
NO_x	Nitrogen Oxides
O_3	Ozone

ACRONYMS AND ABBREVIATIONS (continued)

OCP	Organochlorine Pesticides
Parathion	Parathion ($C_{10}H_{14}NO_5PS$)
PMRMA	Program Manager Rocky Mountain Arsenal
PM-10	Respirable Particulates less than 10 microns
PPDDE	Dichlorodiphenylethane
PPDDT	Dichlorodiphenyltrichloroethane
SO ₂	Sulfur Dioxide
Supona	2-chloro-1-(2,4-dichlorophenyl) vinyl diethyl phosphate
SVOC	Semi-Volatile Organic Compounds
T12DCE	Trans-1,2-Dichloroethene
TCLEE	Tetrachloroethene
TLV	threshold limit value
tpy	tons per year
TRCLE	Trichloroethene
TSP	Total Suspended Particulates
USATHAMA	U.S. Army Toxic and Hazardous Materials Agency
USAEHA	U.S. Army Environmental Hygiene Agency
VOC	Volatile Organic Compounds
XYLENE	Xylene

APPENDIX A

TOTAL SUSPENDED PARTICULATES (TSP) DATA

A1 Summary

A2 Listing

A1 Summary
(on diskette file APPA1.TXT)

A2 Listing
(on diskette file APPA2.TXT)

APPENDIX B

RESPIRABLE PARTICULATES OF LESS THAN
10 MICRONS (PM-10) DATA

- B1 Summary
- B2 Listing

B1 Summary
(on diskette file APPB1.TXT)

B2 Listing
(on diskette file APPB2.TXT)

APPENDIX C

ARSENIC, METALS AND MERCURY DATA
(These data have not been finalized by CERMA)

CI Listing

C1 Listing
(on diskette file APPC1.TXT)

APPENDIX D

ASBESTOS DATA

D1 Listing

D1 Listing
(on diskette file APPD.TXT)

APPENDIX E

VOLATILE ORGANIC COMPOUNDS (VOC) DATA

(These data have not been finalized by PMRMA)

E1 Listing

E1 Listing
(on diskette file APPE.TXT)

APPENDIX F

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) DATA

(These data have not been finalized by PMRMA)

F1 Listing

F1 Listing
(on diskette file APPF.TXT)

APPENDIX G

ORGANOCHLORINE PESTICIDES (OCP) DATA

(These data have not been finalized by PMRMA)

G1 Listing

G1 Listing
(on diskette file APPG.TXT)

APPENDIX H

QUALITY ASSURANCE/QUALITY CONTROL

- H1 Precision Calculation
- H2 Daily Zero and Span Data for
Continuous Gaseous Monitors
- H3 Audit Results

III Precision Calculation

OZONE PRECISION CALCULATIONS
CMP - FY90

DATE	ANALYZER RESPONSE (PPB)	CALIBRATOR OUTPUT (PPB)	% DIFF.
10-13-89	95.4	89.6	6.47
10-24-89	94.7	89.7	5.57
11-08-89	94.6	93.3	1.39
11-20-89	95.6	89.3	7.05
12-08-89	96.1	90.7	5.95
12-22-89	95.1	89.8	5.90
02-01-90	106.0	99.7	6.32
02-15-90	96.9	89.0	8.88
03-02-90	95.9	90.2	6.32
03-15-90	95.7	90.8	5.40
04-19-90	93.3	90.0	3.67
04-26-90	91.0	90.2	0.89
05-10-90	93.3	90.5	3.09
05-24-90	92.0	90.5	1.66
06-07-90	89.1	89.7	-0.67
06-21-90	92.0	90.0	2.22
07-05-90	91.6	90.0	1.78
07-20-90	89.6	90.0	-0.44
08-02-90	91.3	90.2	1.22
08-16-90	90.4	89.5	1.01
08-30-90	92.9	92.8	0.11
09-13-90	91.0	89.8	1.34
09-27-90	91.7	89.7	2.23
AVERAGE % DIFFERENCE			3.36
STANDARD DEVIATION			2.70
UPPER 95% PROBABILITY LIMIT			8.65
LOWER 95% PROBABILITY LIMIT			-1.92

CARBON MONOXIDE PRECISION CALCULATIONS
CMP - FY90

DATE	ANALYZER RESPONSE (PPM)	CALIBRATOR OUTPUT (PPM)	% DIFF.
10-13-89	8.9	9.6	-7.29
10-23-89	9.1	9.6	-5.21
11-03-89	9.3	9.6	-3.12
11-20-89	9.4	9.6	-2.08
12-04-89	9.3	9.6	-3.12
12-22-89	9.5	9.6	-1.04
02-01-90	8.4	9.1	-7.69
02-08-90	8.6	9.1	-5.49
02-14-90	8.8	9.1	-3.30
03-01-90	8.7	9.1	-4.40
03-15-90	8.9	9.1	-2.20
03-29-90	9.0	9.7	-7.22
04-11-90	9.3	9.7	-4.12
05-10-90	9.1	9.7	-6.19
05-24-90	9.0	9.7	-7.22
06-07-90	9.0	9.7	-7.22
06-21-90	9.1	9.7	-6.19
07-05-90	9.1	9.7	-6.19
07-20-90	9.0	9.7	-7.22
08-02-90	8.9	9.7	-8.25
08-16-90	8.9	9.5	-6.32
08-30-90	9.0	9.7	-7.22
09-13-90	8.8	9.3	-5.38
09-27-90	8.8	9.3	-5.38
AVERAGE % DIFFERENCE			-5.38
STANDARD DEVIATION			1.98
UPPER 95% PROBABILITY LIMIT			-1.50
LOWER 95% PROBABILITY LIMIT			-9.25

SULFUR DIOXIDE PRECISION CALCULATIONS
CMP - FY' 0

DATE	ANALYZER RESPONSE (PPB)	CALIBRATOR OUTPUT (PPB)	% DIFF.
10-13-89	88.6	104.0	-14.81
10-23-89	84.6	104.0	-18.65
11-08-90	87.3	104.0	-16.06
11-20-89	94.3	104.0	-9.33
12-04-89	89.9	104.0	-13.56
12-22-89	91.6	90.0	1.78
02-01-90	100.0	91.0	9.89
02-15-90	110.3	115.6	-4.58
03-01-90	93.3	88.8	5.07
03-15-90	97.3	88.8	9.57
03-29-90	123.8	125.3	-1.20
04-11-90	125.5	125.3	0.16
04-19-90	114.3	113.5	0.70
04-26-90	102.3	102.4	-0.10
05-10-90	103.7	102.4	1.27
05-24-90	100.3	102.4	-2.05
06-07-90	96.6	102.4	-5.66
06-20-90	92.3	96.8	-4.65
06-21-90	97.4	102.4	-4.88
07-05-90	99.4	102.4	-2.93
07-20-90	97.3	102.4	-4.98
08-02-90	101.0	102.4	-1.37
08-07-90	100.3	105.2	-4.66
08-16-90	96.0	105.2	-8.75
08-30-90	102.4	105.2	-2.66
09-13-90	98.0	101.3	-3.26
09-27-90	99.4	101.3	-1.88
AVERAGE % DIFFERENCE			-3.61
STANDARD DEVIATION			6.73
UPPER 95% PROBABILITY LIMIT			9.58
LOWER 95% PROBABILITY LIMIT			-16.80

NITROGEN OXIDES PRECISION CALCULATIONS
CMP - FY90

DATE	ANALYZER RESPONSE (PPB)	CALIBRATOR OUTPUT (PPB)	% DIFF.
10-13-89	84.9	89.6	-5.25
10-24-89	80.9	89.6	-9.71
11-08-89	82.9	89.6	-7.46
11-20-89	89.6	89.6	0.00
12-04-89	83.9	89.6	-6.36
12-22-89	77.5	89.6	-13.50
02-01-90	95.4	90.3	5.65
02-03-90	73.5	88.0	-16.48
02-05-90	94.4	88.0	7.27
02-15-90	106.6	114.8	-7.14
03-01-90	94.6	88.2	7.26
03-15-90	100.0	88.2	13.38
03-29-90	101	124.4	-18.81
04-26-90	100.7	101.6	-0.89
05-10-90	100.1	101.6	-1.48
05-24-90	90.6	101.6	-10.83
06-07-90	89.3	101.6	-12.11
06-21-90	92.7	101.6	-8.76
07-05-90	92.6	101.6	-8.86
07-20-90	97.7	101.6	-3.84
08-02-90	96.0	102.4	-6.25
08-16-90	96.7	104.0	-7.02
08-30-90	97.0	104.1	-6.82
09-13-90	95.3	100.2	-4.89
09-27-90	95.0	100.2	-5.19
AVERAGE % DIFFERENCE			-5.12
STANDARD DEVIATION			7.37
UPPER 95% PROBABILITY LIMIT			9.33
LOWER 95% PROBABILITY LIMIT			-19.58

TSP PRECISION CALCULATIONS

DATE	SITE	TAG NO.	TSP CONC (ug/m3)	SITE	TAG NO.	TSP CONC (ug/m3)	% DIFF
01-OCT-89	AQ5	18449	73.6	AQ5B	18450	71.5	-3.00
19-OCT-89	AQ5	18666	31.6	AQ5B	18667	28.9	-9.10
25-OCT-89	AQ5	18680	95.8	AQ5B	18681	93.5	-2.51
31-OCT-89	AQ5	18701	23.5	AQ5B	18702	17.0	-31.74
06-NOV-89	AQ5	18715	42.0	AQ5B	18716	40.8	-2.97
12-NOV-89	AQ5	18746	24.8	AQ5B	18747	24.1	-3.11
18-NOV-89	AQ5	18760	36.6	AQ5B	18761	35.5	-3.16
24-NOV-89	AQ5	18781	41.9	AQ5B	18782	40.7	-2.89
30-NOV-89	AQ5	18795	55.8	AQ5B	18796	53.0	-5.13
06-DEC-89	AQ5	22909	28.9	AQ5B	22910	29.1	0.71
12-DEC-89	AQ5	22928	50.8	AQ5B	22929	48.8	-3.98
18-DEC-89	AQ5	22942	26.8	AQ5B	22943	28.5	6.11
24-DEC-89	AQ5	22956	53.0	AQ5B	22957	51.0	-3.83
30-DEC-89	AQ5	22970	24.0	AQ5B	22971	22.7	-5.26
05-JAN-90	AQ5	22984	124.0	AQ5B	22985	122.0	-1.61
11-JAN-90	AQ5	25768	21.5	AQ5B	25769	20.1	-6.73
17-JAN-90	AQ5	25784	36.7	AQ5B	25785	36.5	-0.33
23-JAN-90	AQ5	25798	25.3	AQ5B	25799	24.7	-2.16
29-JAN-90	AQ5	25812	34.4	AQ5B	25813	32.9	-4.47
04-FEB-90	AQ5	25826	34.8	AQ5B	25827	33.6	-3.74
10-FEB-90	AQ5	25840	29.2	AQ5B	25841	29.1	-0.42
16-FEB-90	AQ5	25854	86.4	AQ5B	25855	85.2	-1.41
22-FEB-90	AQ5	25868	42.1	AQ5B	25869	41.2	-2.12
28-FEB-90	AQ5	25882	17.4	AQ5B	25883	17.7	1.48
12-MAR-90	AQ5	25910	38.3	AQ5B	25911	35.9	-6.45
18-MAR-90	AQ5	25924	9.6	AQ5B	25925	9.4	-1.98
24-MAR-90	AQ5	25938	7.0	AQ5B	25939	6.5	-6.82
30-MAR-90	AQ5	25952	19.9	AQ5B	25953	19.4	-2.55
05-APR-90	AQ5	25966	5.0	AQ5B	25967	4.4	-13.60
11-APR-90	AQ5	25980	43.3	AQ5B	25981	42.5	-1.83
17-APR-90	AQ5	25994	33.5	AQ5B	25995	34.2	1.78

	TAG	TSP		TAG	TSP	%
DATE	SITE NO.	CONC UG/M3		SITE NO.	CONC UG/M3	DIFF
29-APR-90	AQ5 Q000033	24.3		AQ5B Q000034	22.7	-6.96
05-MAY-90	AQ5 Q000053	20.5		AQ5B Q000054	19.6	-4.41
11-MAY-90	AQ5 Q000083	35.2		AQ5B Q000084	35.6	1.10
17-MAY-90	AQ5 Q000129	22.4		AQ5B Q000130	22.7	1.49
23-MAY-90	AQ5 Q000154	53.1		AQ5B Q000190	55.8	5.02
29-MAY-90	AQ5 Q000210	21.8		AQ5B Q000211	22.1	1.36
10-JUN-90	AQ5 Q000254	28.2		AQ5B Q000255	26.3	-6.65
16-JUN-90	AQ5 Q000285	53.2		AQ5B Q000286	56.4	5.86
22-JUN-90	AQ5 Q332	52.4		AQ5B Q333	51.9	-0.99
28-JUN-90	AQ5 Q367	63.4		AQ5B Q368	67.4	6.19
04-JUL-90	AQ5 Q393	23.7		AQ5B Q394	24.5	3.45
10-JUL-90	AQ5 Q426	32.5		AQ5B Q428	33.0	1.52
16-JUL-90	AQ5 Q447	42.9		AQ5B Q448	40.4	-6.05
22-JUL-90	AQ5 Q469	10.3		AQ5B Q470	9.5	-8.38
28-JUL-90	AQ5 Q489	38.8		AQ5B Q490	43.9	12.24
09-AUG-90	AQ5 Q545	66.7		AQ5B Q546	66.3	-0.66
15-AUG-90	AQ5 Q565	36.2		AQ5B Q566	40.8	11.96
21-AUG-90	AQ5 Q585	37.0		AQ5B H586	39.1	5.61
27-AUG-90	AQ5 Q606	37.6		AQ5B Q607	40.4	7.26
02-SEP-90	AQ5 Q626	32.6		AQ5B Q627	33.1	1.51
08-SEP-90	AQ5 Q647	35.7		AQ5B Q648	34.9	-2.16
14-SEP-90	AQ5 Q668	170.1		AQ5B Q669	181.0	6.19
20-SEP-90	AQ5 Q689	25.5		AQ5B Q690	27.1	6.25
26-SEP-90	AQ5 Q711	24.8		AQ5B Q712	24.7	-0.47
AVERAGE % DIFFERENCE						-1.50
STANDARD DEVIATION						6.57
UPPER 95% PROB. LIMIT						8.04
LOWER 95% PROB. LIMIT						-10.16
NUMBER OF PRECISION CHECKS						55
NUMBER OF PAIRED SAMPLES LESS THAN 20 ug/m3						6

PM-10 PRECISION CALCULATIONS

DATE	SITE	FILTER NO.	CONC UG/M3	SITE	FILTER NO.	CONC UG/M3	% DIFFER
01-OCT-89AQ5C		13479	29.17	AQ5D	13480	28.99	-0.62
07-OCT-89AQ5C		13485	32.29	AQ5D	13486	32.88	1.80
13-OCT-89AQ5C		13491	27.33	AQ5D	13492	27.86	1.93
19-OCT-89AQ5C		13497	19.20	AQ5D	13498	18.85	-1.85
25-OCT-89AQ5C		13503	50.34	AQ5D	13504	50.79	0.88
31-OCT-89AQ5C		13509	15.06	AQ5D	13510	14.97	-0.66
06-NOV-89AQ5C		13515	19.66	AQ5D	13516	19.63	-0.11
12-NOV-89AQ5C		13521	12.57	AQ5D	13522	12.66	0.72
18-NOV-89AQ5C		13527	19.02	AQ5D	13528	19.19	0.88
24-NOV-89AQ5C		13533	20.48	AQ5D	13534	20.34	-0.71
30-NOV-89AQ5C		13539	30.21	AQ5D	13540	29.91	-0.99
06-DEC-89AQ5C		13545	13.51	AQ5D	13546	14.69	8.40
12-DEC-89AQ5C		13551	26.33	AQ5D	13554	25.50	-3.22
18-DEC-89AQ5C		13558	21.45	AQ5D	13559	20.48	-4.59
24-DEC-89AQ5C		13564	22.83	AQ5D	13565	22.80	-0.13
30-DEC-89AQ5C		13570	15.32	AQ5D	13571	14.43	-5.95
05-JAN-90AQ5C		13576	65.72	AQ5D	13577	65.76	0.06
11-JAN-90AQ5C		13582	10.27	AQ5D	13583	10.27	0.07
17-JAN-90AQ5C		13588	19.14	AQ5D	13589	19.87	3.75
23-JAN-90AQ5C		13594	10.16	AQ5D	13595	9.94	-2.13
29-JAN-90AQ5C		13600	13.70	AQ5D	13601	12.19	-11.66
04-FEB-90AQ5C		13606	19.24	AQ5D	13607	19.09	-0.81
10-FEB-90AQ5C		13612	11.69	AQ5D	13613	11.92	1.91
16-FEB-90AQ5C		13618	59.76	AQ5D	13619	59.87	0.18
22-FEB-90AQ5C		13624	23.60	AQ5D	13625	23.08	-2.23
28-FEB-90AQ5C		13630	14.23	AQ5D	13631	14.17	-0.46
06-MAR-90AQ5C		13636	8.96	AQ5D	13637	8.91	-0.54
12-MAR-90AQ5C		13642	17.31	AQ5D	13643	17.30	-0.05
18-MAR-90AQ5C		13648	10.31	AQ5D	13649	10.54	2.14
24-MAR-90AQ5C		13654	8.78	AQ5D	13655	8.10	-8.12
05-APR-90AQ5C		13666	5.02	AQ5D	13667	3.56	-34.20
11-APR-90AQ5C		13672	28.29	AQ5D	13673	28.57	1.01
17-APR-90AQ5C		13678	16.87	AQ5D	13679	17.39	3.04

PM-10 PRECISION CALCULATIONS (CONTINUED)

DATE	SITE	FILTER NO.	CONC UG/M3	SITE	FILTER NO.	CONC UG/M3	% DIFFER
29-APR-90	AQ5C	Q000035	19.91	AQ5D	Q000036	6.12	-105.92
05-MAY-90	AQ5C	Q000055	11.73	AQ5D	Q000056	11.86	1.09
11-MAY-90	AQ5C	Q000085	17.35	AQ5D	Q000086	16.76	-3.44
17-MAY-90	AQ5C	Q000131	12.44	AQ5D	Q000132	11.89	-4.54
23-MAY-90	AQ5C	Q000191	23.57	AQ5D	Q000192	23.73	0.64
29-MAY-90	AQ5C	Q000212	11.00	AQ5D	Q000213	11.15	1.30
10-JUN-90	AQ5C	Q000256	12.40	AQ5D	Q000257	12.54	1.09
16-JUN-90	AQ5C	Q000287	21.50	AQ5D	Q000288	20.94	-2.64
22-JUN-90	AQ5C	Q334	24.02	AQ5D	Q335	22.23	-7.74
28-JUN-90	AQ5C	Q369	29.78	AQ5D	Q370	29.99	0.72
04-JUL-90	AQ5C	Q395	14.55	AQ5D	Q396	15.35	5.37
22-JUL-90	AQ5C	Q471	4.63	AQ5D	Q472	4.45	-4.12
28-JUL-90	AQ5C	Q491	17.92	AQ5D	Q492	17.26	-3.77
03-AUG-90	AQ5C	Q527	21.39	AQ5D	Q528	21.54	0.69
09-AUG-90	AQ5C	Q547	32.80	AQ5D	Q548	33.01	0.64
15-AUG-90	AQ5C	Q567	17.08	AQ5D	Q568	16.51	-3.36
21-AUG-90	AQ5C	Q587	19.25	AQ5D	Q588	19.37	0.64
27-AUG-90	AQ5C	Q608	17.12	AQ5D	Q609	14.36	-17.54
02-SEP-90	AQ5C	Q628	16.41	AQ5D	Q630	15.72	-4.34
08-SEP-90	AQ5C	Q649	17.11	AQ5D	Q650	17.22	0.69
14-SEP-90	AQ5C	Q670	64.97	AQ5D	Q671	66.88	2.90
20-SEP-90	AQ5C	Q691	13.55	AQ5D	Q692	13.64	0.60
26-SEP-90	AQ5C	Q713	13.53	AQ5D	Q714	12.91	-4.68

AVERAGE % DIFFERENCE -3.53
STANDARD DEVIATION 15.01

UPPER 95% PROB. LIMIT 10.31
LOWER 95% PROB. LIMIT -23.31

NUMBER OF PRECISION CHECKS 56

NUMBER OF PAIRED SAMPLES LESS THAN 20 ug/m3 36

METALS AND ARSENIC PRECISION CALCULATIONS

DATE	SITES	PERCENT DIFFERENCE					ZINC	ARSENIC
		CADMIUM	CHROMIUM	COPPER	LEAD			
01-OCT-89	AQ5, AQ5B	LT CRL	LT CRL	17.00	11.07	6.37	-28.88	
07-OCT-89	AQ5, AQ5B	LT CRL	LT CRL	62.67	0.15	0.45	-6.38	
13-OCT-89	AQ5, AQ5B	LT CRL	LT CRL	63.42	-0.68	5.07	LT CRL	
19-OCT-89	AQ5, AQ5B	LT CRL	LT CRL	70.88	2.55	-5.41	LT CRL	
25-OCT-89	AQ5, AQ5B	-8.15	LT CRL	49.08	-6.16	-6.28	-1.04	
31-OCT-89	AQ5, AQ5B	LT CRL	LT CRL	20.01	21.04	-18.25		
06-NOV-89	AQ5, AQ5B	LT CRL	LT CRL	40.25	10.83	4.42	-131.93	
08-NOV-89	AQ5, AQ5B	LT CRL	LT CRL	67.91	-38.40	-6.76	LT CRL	
12-NOV-89	AQ5, AQ5B	LT CRL	LT CRL	8.73	4.29	8.44		
18-NOV-89	AQ5, AQ5B	LT CRL	LT CRL	57.16	2.00	-2.32		
24-NOV-89	AQ5, AQ5B	LT CRL	LT CRL	55.19	-10.66	-0.04	LT CRL	
30-NOV-89	AQ5, AQ5B	LT CRL	LT CRL	36.81	-10.19	-4.93		
06-DEC-89	AQ5, AQ5B	LT CRL	LT CRL	-16.63	1.89	0.74	LT CRL	
12-DEC-89	AQ5, AQ5B	-5.24	LT CRL	63.79	-2.60	163.23		
18-DEC-89	AQ5, AQ5B	LT CRL	LT CRL	11.98	38.36	16.04		
24-DEC-89	AQ5, AQ5B	LT CRL	LT CRL	33.36	15.18	-0.64		
30-DEC-89	AQ5, AQ5B	6.89	LT CRL	-1.08	48.01	101.15		
05-JAN-90	AQ5, AQ5B	LT CRL	LT CRL	-17.44	-6.58	-1.58	21.02	
07-JAN-90	AQ5, AQ5B	-8.95	LT CRL	60.04	7.49	10.18	LT CRL	
09-JAN-90	AQ5, AQ5B	-4.67	LT CRL	23.23	-2.54	19.83	LT CRL	
11-JAN-90	AQ5, AQ5B	LT CRL	LT CRL	-9.84	LT CRL	-8.92	LT CRL	
17-JAN-90	AQ5, AQ5B	LT CRL	LT CRL	31.06	33.39	143.67		
23-JAN	AQ5, AQ5B	LT CRL	LT CRL	74.39	0.04	6.24		
29-JAN-90	AQ5, AQ5B	LT CRL	LT CRL	83.31	-7.05	4.68		
04-FEB-90	AQ5, AQ5B	LT CRL	LT CRL	62.74	-4.98	2.48	-2.16	
10-FEB-90	AQ5, AQ5B	LT CRL	LT CRL	87.93	-17.01	1.51		
16-FEB-90	AQ5, AQ5B	LT CRL	LT CRL	3.85	0.62	5.00		
22-FEB-90	AQ5, AQ5B	LT CRL	LT CRL	56.34	14.56	0.93		
28-FEB-90	AQ5, AQ5B	LT CRL	LT CRL	25.91	LT CRL	-65.43		
06-MAR-90	AQ5, AQ5B	LT CRL	LT CRL	-14.57	LT CRL	-46.71	LT CRL	
12-MAR-90	AQ5, AQ5B	LT CRL	LT CRL	105.02	-28.65	-5.76		
18-MAR-90	AQ5, AQ5B	LT CRL	LT CRL	74.25	LT CRL	19.55		
24-MAR-90	AQ5, AQ5B	LT CRL	LT CRL	109.09	LT CRL	-38.05		
30-MAR-90	AQ5, AQ5B	-41.70	LT CRL	64.53	-41.71	-9.07		
05-APR-90	AQ5, AQ5B	LT CRL	LT CRL	-24.31	LT CRL	-5.26	LT CRL	
11-APR-90	AQ5, AQ5B	LT CRL	LT CRL	38.53	LT CRL	13.27		
17-APR-90	AQ5, AQ5B	LT CRL	LT CRL	55.55	-3.48	-4.13		
29-APR-90	AQ5, AQ5B	LT CRL	LT CRL	37.39	LT CRL	LT CRL		
05-MAY-90	AQ5, AQ5B	LT CRL	LT CRL	23.80	LT CRL	-7.98	LT CRL	
07-MAY-90	AQ5, AQ5B	LT CRL	LT CRL	22.46	LT CRL	-4.70	LT CRL	
11-MAY-90	AQ5, AQ5B	LT CRL	LT CRL	-34.38	LT CRL	LT CRL	LT CRL	
15-MAY-90	AQ5, AQ5B	LT CRL	LT CRL	-37.35	LT CRL	LT CRL	LT CRL	
17-MAY-90	AQ5, AQ5B	LT CRL	LT CRL	42.45	LT CRL	20.94		
23-MAY-90	AQ5, AQ5B	LT CRL	LT CRL	45.35	LT CRL	0.73	LT CRL	
29-MAY-90	AQ5, AQ5B	LT CRL	LT CRL	37.36	LT CRL	29.99		

METALS AND ARSENIC PRECISION CALCULATIONS (CONTINUED)

			PERCENT DIFFERENCE				
		CADMIUM	CHROMIUM	COPPER	LEAD	ZINC	ARSENIC
10-JUN-90	AQ5, AQ5B	LT CRL	LT CRL	69.26	LT CRL	12.61	LT CRL
12-JUN-90	AQ5, AQ5B	LT CRL	LT CRL	35.75	LT CRL	15.40	LT CRL
16-JUN-90	AQ5, AQ5B	LT CRL	LT CRL	-1.62	LT CRL	LT CRL	
22-JUN-90	AQ5, AQ5B	LT CRL	LT CRL	-8.70	LT CRL	4.33	
28-JUN-90	AQ5, AQ5B	LT CRL	LT CRL	1.93	LT CRL	62.66	
04-JUL-90	AQ5, AQ5B	LT CRL	LT CRL	-5.51	LT CRL	-8.99	LT CRL
10-JUL-90	AQ5, AQ5B	LT CRL	LT CRL	-34.55	LT CRL	-3.10	
16-JUL-90	AQ5, AQ5B	LT CRL	LT CRL	47.68	LT CRL	-7.70	
22-JUL-90	AQ5, AQ5B	LT CRL	LT CRL	0.12	LT CRL	-4.85	
25-JUL-90	AQ5, AQ5B	LT CRL	LT CRL	-21.57	LT CRL	-21.31	LT CRL
28-JUL-90	AQ5, AQ5B	LT CRL	LT CRL	79.94	LT CRL	30.55	
09-AUG-90	AQ5, AQ5B	LT CRL	LT CRL	36.86	LT CRL	7.46	LT CRL
15-AUG-90	AQ5, AQ5B	LT CRL	LT CRL	86.53	LT CRL	19.21	
21-AUG-90	AQ5, AQ5B	LT CRL	LT CRL	50.21	5.51	11.87	
27-AUG-90	AQ5, AQ5B	LT CRL	LT CRL	86.14	LT CRL	16.76	
02-SEP-90	AQ5, AQ5B	LT CRL	LT CRL	49.81	LT CRL	18.32	
08-SEP-90	AQ5, AQ5B	LT CRL	LT CRL	69.20	LT CRL	5.56	LT CRL
14-SEP-90	AQ5, AQ5B	LT CRL	LT CRL	39.01	LT CRL	14.11	
20-SEP-90	AQ5, AQ5B	LT CRL	LT CRL	22.48	LT CRL	-4.88	
26-SEP-90	AQ5, AQ5B	LT CRL	LT CRL	56.15	LT CRL	0.77	
AVERAGE % DIFFERENCE		-10.30		35.79	0.47	8.53	-24.89
STANDARD DEVIATION					19.02		
UPPER 95% PROB. LIMIT					26.69		
LOWER 95% PROB. LIMIT					-26.03		
NUMBER OF PRECISION CHECKS		6	0	65	31	61	6

FY90 MERCURY PRECISION CALCULATIONS
(in ug/m3)

DATE	SITE	TAG NO.	Hg CONC. (ug/m3)
08-NOV-89	A05	24556	LT CRL
08-NOV-89	A05C	24557	LT CRL
05-DEC-89	A05	24567	LT CRL
05-DEC-89	A05C	24568	LT CRL
07-JAN-90	A05	24583	LT CRL
07-JAN-90	A05C	24584	LT CRL
07-JAN-90	MOBILE	24588	LT CRL
07-JAN-90	MOBILE C	24589	LT CRL
09-JAN-90	A05	24594	LT CRL
09-JAN-90	A05C	24595	LT CRL
09-JAN-90	MOBILE E	24598	LT CRL
09-JAN-90	MOBILE EC	24601	LT CRL
10-JAN-90	A05	24608	LT CRL
10-JAN-90	A05C	24609	LT CRL
10-JAN-90	MOBILE E	24612	LT CRL
10-JAN-90	MOBILE EC	24613	LT CRL
07-MAY-90	A05	24625	LT CRL
07-MAY-90	A05C	24626	LT CRL
11-MAY-90	A05	24635	LT CRL
11-MAY-90	A05C	24636	LT CRL
11-MAY-90	A06	24637	LT CRL
11-MAY-90	A06C	24638	LT CRL
15-MAY-90	A05	24646	LT CRL
15-MAY-90	A05C	24647	LT CRL
15-MAY-90	A06	24648	LT CRL
15-MAY-90	A06C	24652	LT CRL
12-JUN-90	A05	24663	LT CRL
12-JUN-90	A05C	24664	LT CRL
12-JUN-90	A09	24666	LT CRL
12-JUN-90	A09C	24667	LT CRL
25-JUL-90	A05	24707	LT CRL
25-JUL-90	A05C	24708	LT CRL
25-JUL-90	FC2	24701	LT CRL
25-JUL-90	FC2C	24710	LT CRL
20-SEP-90	A05	24750	LT CRL
20-SEP-90	A05C	29751	LT CRL
20-SEP-90	A06	29752	LT CRL
20-SEP-90	A06C	29753	LT CRL
26-SEP-90	A05	29761	LT CRL
26-SEP-90	A05C	29762	LT CRL
26-SEP-90	FC5	29766	LT CRL
26-SEP-90	FC5C	29767	LT CRL

† Number of paired samples is 21.

Number of samples above the LCRL = 0.

CMP FY90 ASBESTOS PRECISION CALCULATIONS
(in fibers/ml)

MO	DAY	YR	SITE NO.	TAG NO.	LAB REPORTED FIBERS/ML
10	6	89	AQ6	AB275	<0.0002
10	6	89	AQ6C	AB278	<0.0002
10	19	89	AQ8	AB283	<0.0002
10	19	89	AQ8C	AB285	<0.0002
10	30	89	AQ12	AB291	<0.0002
10	30	89	AQ12C	AB292	<0.0002
11	12	89	AQ1	AB295	<0.0002
11	12	89	AQ1C	AB299	<0.0002
11	23	89	AQ6	AB303	<0.0002
11	23	89	AQ6C	AB306	<0.0002
12	6	89	AQ8	AB311	<0.0002
12	6	89	AQ8C	AB313	<0.0002
12	18	89	AQ1	AB316	<0.0003
12	18	89	AQ1C	AB320	<0.0003
12	30	89	AQ6	AB324	<0.0002
12	30	89	AQ6C	AB327	<0.0002
1	11	90	AQ8	AB332	<0.0002
1	11	90	AQ8C	AB334	<0.0002
1	23	90	AQ12	AB340	<0.0002
1	23	90	AQ12C	AB341	<0.0002
2	4	90	AQ1	AB344	<0.0002
2	4	90	AQ1C	AB348	<0.0002
3	12	90	AQ6	AB352	<0.0002
3	12	90	AQ6C	AB355	<0.0002
4	4	90	AQ8	AB360	<0.0002
4	4	90	AQ8C	AB362	<0.0002
5	11	90	AQ12	AB368	<0.0002
5	11	90	AQ12C	AB369	<0.0002
6	4	90	AQ1	AB372	<0.0002
6	4	90	AQ1C	AB376	<0.0002
7	16	90	AQ6	AB387	<0.0002
7	16	90	AQ6C	AB390	<0.0002
8	3	90	AQ8	AB395	<0.0002
8	3	90	AQ8C	AB397	<0.0002
9	7	90	AQ12	AB403	<0.0002
9	7	90	AQ12C	AB404	<0.0002

* Number of paired samples is 18.
Number of samples above LCRL = 0.

VOC PRECISION CALCULATIONS FOR FY90
ANALYSIS OF ALL VALUES INCLUDING GREATER THANs

DATE	SITE	TAG NO.	111TCE	112TCE	113CLE	120CLE	DCHPD	C6H6	CCL4	CH2CL2	CHCL3	CLC6H5	DBCP
19-DEC-89	AQ5	24577 >C	7.161 LT CRL	LT CRL		0.178 LT CRL	>C 7.548 >C	1.169 >C	2.839 LT CRL	LT CRL	LT CRL	LT CRL	
16-MAR-90	AQ5	24619 >C	1.987 LT CRL	LT CRL		0.107 LT CRL	>C 0.917 >C	0.757 >C	3.849	0.145 LT CRL	LT CRL	LT CRL	
21-MAY-90	AQ5	24657 >C	2.468 LT CRL	LT CRL		0.069 LT CRL	>C 1.365 >C	0.376 >C	6.371	0.051 LT CRL	LT CRL	LT CRL	
27-JUN-90	AQ5	24678 >C	2.533 LT CRL	LT CRL		0.057 LT CRL	>C 1.402	0.340 >C	1.308	0.091 LT CRL	LT CRL	LT CRL	
28-JUN-90	AQ5	24684 >C	2.556 LT CRL	LT CRL		0.114 LT CRL	>C 2.807	0.382 >C	3.274	0.134 LT CRL	LT CRL	LT CRL	
10-JUL-90	AQ5	24694 >C	1.541 LT CRL	LT CRL		0.130 LT CRL	>C 0.947 >C	0.391 >C	13.262	0.068 LT CRL	LT CRL	LT CRL	
27-JUL-90	AQ5	24715 >C	2.114 LT CRL	LT CRL	LT CRL	LT CRL	0.848	0.354 >C	2.729 LT CRL	LT CRL	LT CRL	LT CRL	
02-AUG-90	AQ5	24725 >C	4.540 LT CRL	LT CRL	LT CRL	LT CRL	>C 6.281 >C	0.576 >C	1.954	0.214 LT CRL	LT CRL	LT CRL	
09-AUG-90	AQ5	24735 >C	4.141 LT CRL	LT CRL	LT CRL	LT CRL	>C 0.955 >C	0.394 >C	6.683	0.088 LT CRL	LT CRL	LT CRL	
11-SEP-90	AQ10	24743 >C	4.610 LT CRL	LT CRL	LT CRL	LT CRL	>C 1.890 >C	0.390 >C	19.837	0.285 LT CRL	LT CRL	LT CRL	
19-DEC-89	AQ5C	24578 >C	7.121 LT CRL	LT CRL		0.210 LT CRL	>C 7.037 >C	1.162 >C	3.677 >C	0.623 LT CRL	LT CRL	LT CRL	
16-MAR-90	AQ5C	24620 >C	1.501 LT CRL	LT CRL		0.099 LT CRL	>C 0.923 >C	0.381 >C	3.229	0.113 LT CRL	LT CRL	LT CRL	
21-MAY-90	AQ5C	24658 >C	2.483 LT CRL	LT CRL		0.075 LT CRL	>C 1.832 >C	0.378 >C	5.769	0.061 LT CRL	LT CRL	LT CRL	
27-JUN-90	AQ5C	24679 >C	2.538 LT CRL	LT CRL		0.081 LT CRL	>C 1.873	0.363 >C	1.311	0.115 LT CRL	LT CRL	LT CRL	
28-JUN-90	AQ5C	24685 >C	2.540 LT CRL	LT CRL	LT CRL	LT CRL	>C 2.342	0.348 >C	3.279	0.096 LT CRL	LT CRL	LT CRL	
18-JUL-90	AQ5C	24695 >C	1.025 LT CRL	LT CRL		0.139 LT CRL	>C 1.418	0.367 >C	6.617	0.068 LT CRL	LT CRL	LT CRL	
27-JUL-90	AQ5C	24716 >C	3.521 LT CRL	LT CRL		0.104 LT CRL	>C 1.856 >C	0.383 >C	1.299	0.085 LT CRL	LT CRL	LT CRL	
02-AUG-90	AQ5C	24726 >C	5.111 LT CRL	LT CRL	LT CRL	LT CRL	>C 4.714 >C	0.779 >C	1.320	0.120 LT CRL	LT CRL	LT CRL	
09-AUG-90	AQ5C	24736 >C	5.162 LT CRL	LT CRL	LT CRL	LT CRL	>C 1.428 >C	0.393 >C	6.664	0.049 LT CRL	LT CRL	LT CRL	
11-SEP-90	AQ10C	24744 >C	4.594 LT CRL	LT CRL	LT CRL	LT CRL	>C 1.412 >C	0.389 >C	6.589	0.341 LT CRL	LT CRL	LT CRL	
PERCENT DIFFERENCES													
			-0.56 LT CRL	LT CRL	16.73 LT CRL	-7.01	-0.56	25.71	LT CRL	LT CRL	LT CRL	LT CRL	
			-27.90 LT CRL	LT CRL	-8.41 LT CRL	0.68	-66.05	-17.50	-24.70	LT CRL	LT CRL	LT CRL	
			0.61 LT CRL	LT CRL	7.06 LT CRL	29.17	0.61	-9.92	17.27	LT CRL	LT CRL	LT CRL	
			0.21 LT CRL	LT CRL	34.69 LT CRL	28.78	6.80	0.21	23.46	LT CRL	LT CRL	LT CRL	
			0.14 LT CRL	LT CRL	LT CRL	LT CRL	-18.04	-9.38	0.14	-33.20	LT CRL	LT CRL	
			-40.20 LT CRL	LT CRL	6.93 LT CRL	39.80	-6.41	-66.85	-0.21	LT CRL	LT CRL	LT CRL	
			49.94 LT CRL	LT CRL	LT CRL	LT CRL	74.52	7.84	-71.03	LT CRL	LT CRL	LT CRL	
			11.84 LT CRL	LT CRL	LT CRL	LT CRL	-28.49	29.86	-38.73	-55.93	LT CRL	LT CRL	
			21.94 LT CRL	LT CRL	LT CRL	LT CRL	39.73	-0.28	-0.28	-57.40	LT CRL	LT CRL	
			-0.35 LT CRL	LT CRL	LT CRL	LT CRL	-28.91	-0.35	-100.26	18.11	LT CRL	LT CRL	
AVERAGE 2 DIFFERENCE													
			1.57		11.40		13.02	-3.79	-27.85	-14.08			
NUMBER OF PAIRED SAMPLES													
			10		5		10	10	10	8			

VOC PRECISION CALCULATIONS FOR FY90 (CONTINUED)
ANALYSIS OF ALL VALUES INCLUDING GREATER THANS

DATE	SITE	TAG NO.	DCPD	DNDS	ETC6H5	NEC6H5	MIBK	MMDMA	12DNB	112DCE	TCLE	TRCLE	XYLENE
19-DEC-89	AQ5	24577	LT CRL	LT CRL	>C 3.776 >C	6.743 >C	0.694 LT CRL	>C 4.934 LT CRL	>C 4.516	0.316 >C	8.300		
16-MAR-90	AQ5	24519	LT CRL	LT CRL	>C 0.437 >C	4.367 LT CRL	LT CRL	>C 0.484 LT CRL	>C 1.935 LT CRL	>C 1.285			
21-MAY-90	AQ5	24657	LT CRL	LT CRL	>C 0.434 >C	5.421 LT CRL	LT CRL	>C 0.962 LT CRL	>C 1.922 LT CRL	>C 1.702			
27-JUN-90	AQ5	24678	LT CRL	LT CRL	>C 0.890 >C	16.693	0.270 LT CRL	>C 0.987 LT CRL	>C 2.630 LT CRL	>C 2.184			
28-JUN-90	AQ5	24684	LT CRL	LT CRL	>C 1.337 >C	11.144	0.413 LT CRL	>C 1.403 LT CRL	>C 1.976	0.112 >C	3.499		
18-JUL-90	AQ5	24694	LT CRL	LT CRL	0.307 >C	2.821	0.107 LT CRL	0.425 LT CRL	0.594 LT CRL	>C 0.886			
27-JUL-90	AQ5	24715	LT CRL	LT CRL	0.437 >C	3.484 LT CRL	LT CRL	0.567 LT CRL	0.686 LT CRL	>C 1.823			
02-AUG-90	AQ5	24725	LT CRL	LT CRL	0.572 >C	16.624 LT CRL	LT CRL	>C 0.737 LT CRL	>C 5.894 LT CRL	>C 3.262			
07-AUG-90	AQ5	24735	LT CRL	LT CRL	>C 0.910 >C	5.687 LT CRL	LT CRL	>C 1.513 LT CRL	>C 1.344	0.109 >C	3.571		
11-SEP-90	AQ10	24743	LT CRL	LT CRL	0.180 >C	5.627	0.204 LT CRL	0.210 LT CRL	>C 0.665	0.156	0.707		
19-DEC-89	AQ5C	24570	LT CRL	LT CRL	>C 4.157 >C	6.705 >C	0.829 LT CRL	>C 4.956 LT CRL	>C 4.953	0.235 >C	9.210		
16-MAR-90	AQ5C	24620	LT CRL	LT CRL	>C 0.440 >C	4.397 LT CRL	LT CRL	>C 0.488 LT CRL	>C 1.940 LT CRL	>C 1.725			
21-MAY-90	AQ5C	24658	LT CRL	LT CRL	>C 0.873 >C	10.909 LT CRL	LT CRL	>C 0.968 LT CRL	>C 2.579 LT CRL	>C 1.713			
27-JUN-90	AQ5C	24679	LT CRL	LT CRL	>C 0.892 >C	16.728	0.317 LT CRL	>C 1.484 LT CRL	>C 2.636	0.106 >C	2.626		
28-JUN-90	AQ5C	24685	LT CRL	LT CRL	>C 0.893 >C	0.558 LT CRL	LT CRL	>C 1.485 LT CRL	>C 1.978	0.080 >C	3.066		
18-JUL-90	AQ5C	24695	LT CRL	LT CRL	0.257 >C	2.252	0.088 LT CRL	0.370 LT CRL	0.546 LT CRL	>C 0.884			
27-JUL-90	AQ5C	24716	LT CRL	LT CRL	>C 0.442 >C	5.526 LT CRL	LT CRL	>C 0.980 LT CRL	>C 0.653 LT CRL	>C 1.735			
02-AUG-90	AQ5C	24726	LT CRL	LT CRL	>C 0.898 >C	11.230 LT CRL	LT CRL	>C 1.494 LT CRL	>C 3.982	0.107 >C	4.407		
07-AUG-90	AQ5C	24736	LT CRL	LT CRL	>C 1.015 >C	17.012 LT CRL	LT CRL	>C 3.521 LT CRL	>C 3.351 LT CRL	>C 8.902			
11-SEP-90	AQ10C	24744	LT CRL	LT CRL	>C 0.449 >C	5.607	0.282 LT CRL	>C 0.995 LT CRL	>C 1.325	0.144 >C	2.201		

PERCENT DIFFERENCES

LT CRL	LT CRL	9.61	-0.56	17.63	LT CRL	0.45	LT CRL	9.23	-29.67	9.44
LT CRL	LT CRL	0.68	0.68	LT CRL	LT CRL	0.68	LT CRL	0.68	LT CRL	29.24
LT CRL	LT CRL	67.20	67.21	LT CRL	LT CRL	0.61	LT CRL	29.17	LT CRL	0.61
LT CRL	LT CRL	0.21	0.21	15.83	LT CRL	40.20	LT CRL	0.21	LT CRL	18.39
LT CRL	LT CRL	-39.87	-180.93	LT CRL	LT CRL	0.14	LT CRL	0.14	-33.03	-13.19
LT CRL	LT CRL	-17.81	-22.43	-19.26	LT CRL	-14.05	LT CRL	-8.40	LT CRL	-0.21
LT CRL	LT CRL	1.25	45.33	LT CRL	LT CRL	53.50	LT CRL	-4.94	LT CRL	-4.95
LT CRL	LT CRL	44.42	-38.73	LT CRL	LT CRL	67.83	LT CRL	-38.73	LT CRL	29.87
LT CRL	LT CRL	66.41	99.79	LT CRL	LT CRL	79.76	LT CRL	85.48	LT CRL	85.48
LT CRL	LT CRL	85.44	-0.35	32.04	LT CRL	130.38	LT CRL	66.35	-7.49	102.77

AVERAGE 2 DIFFERENCE	21.75	-2.98	11.56	-3.79	13.92	-23.39	25.74
NUMBER OF PAIRED SAMPLES	10	10	4	10	10	3	10

VOC PRECISION CALCULATIONS FOR FY90

DATE	SITE	TAG NO.	111TCE	112TCE	113DCE	123DCE	BNHPD	C6H6	CCl4	CH2CL2	CHCL3	CHC6H5	BNCP
19-DEC-89	A05	24577	GT CRL	LT CRL	LT CRL	0.178	LT CRL	GT CRL	GT CRL	GT CRL	LT CRL	LT CRL	LT CRL
16-MAR-90	A05	24619	GT CRL	LT CRL	LT CRL	0.107	LT CRL	GT CRL	GT CRL	GT CRL	0.145	LT CRL	LT CRL
21-MAY-90	A05	24657	GT CRL	LT CRL	LT CRL	0.069	LT CRL	GT CRL	GT CRL	GT CRL	0.051	LT CRL	LT CRL
27-JUN-90	A05	24678	GT CRL	LT CRL	LT CRL	0.057	LT CRL	GT CRL	0.340	GT CRL	0.091	LT CRL	LT CRL
28-JUN-90	A05	24684	GT CRL	LT CRL	LT CRL	0.114	LT CRL	GT CRL	0.382	GT CRL	0.134	LT CRL	LT CRL
18-JUL-90	A05	24694	GT CRL	LT CRL	LT CRL	0.130	LT CRL	GT CRL	GT CRL	GT CRL	0.068	LT CRL	LT CRL
27-JUL-90	A05	24715	GT CRL	LT CRL	LT CRL	LT CRL	LT CRL	0.848	0.354	GT CRL	LT CRL	LT CRL	LT CRL
02-AUG-90	A05	24725	GT CRL	LT CRL	LT CRL	LT CRL	LT CRL	GT CRL	GT CRL	GT CRL	0.214	LT CRL	LT CRL
09-AUG-90	A05	24735	GT CRL	LT CRL	LT CRL	LT CRL	LT CRL	GT CRL	GT CRL	GT CRL	0.088	LT CRL	LT CRL
11-SEP-90	A010	24743	GT CRL	LT CRL	LT CRL	LT CRL	LT CRL	GT CRL	GT CRL	GT CRL	0.285	LT CRL	LT CRL
19-DEC-89	A05C	24578	GT CRL	LT CRL	LT CRL	0.210	LT CRL	GT CRL	GT CRL	GT CRL	GT CRL	LT CRL	LT CRL
16-MAR-90	A05C	24620	GT CRL	LT CRL	LT CRL	0.099	LT CRL	GT CRL	GT CRL	GT CRL	0.113	LT CRL	LT CRL
21-MAY-90	A05C	24658	GT CRL	LT CRL	LT CRL	0.075	LT CRL	GT CRL	GT CRL	GT CRL	0.061	LT CRL	LT CRL
27-JUN-90	A05C	24679	GT CRL	LT CRL	LT CRL	0.081	LT CRL	GT CRL	0.363	GT CRL	0.115	LT CRL	LT CRL
28-JUN-90	A05C	24685	GT CRL	LT CRL	LT CRL	LT CRL	LT CRL	GT CRL	0.348	GT CRL	0.096	LT CRL	LT CRL
18-JUL-90	A05C	24695	GT CRL	LT CRL	LT CRL	0.139	LT CRL	GT CRL	0.367	GT CRL	0.068	LT CRL	LT CRL
27-JUL-90	A05C	24716	GT CRL	LT CRL	LT CRL	0.104	LT CRL	GT CRL	GT CRL	GT CRL	0.085	LT CRL	LT CRL
02-AUG-90	A05C	24726	GT CRL	LT CRL	LT CRL	LT CRL	LT CRL	GT CRL	GT CRL	GT CRL	0.120	LT CRL	LT CRL
09-AUG-90	A05C	24736	GT CRL	LT CRL	LT CRL	LT CRL	LT CRL	GT CRL	GT CRL	GT CRL	0.049	LT CRL	LT CRL
11-SEP-90	A010C	24744	GT CRL	LT CRL	LT CRL	LT CRL	LT CRL	GT CRL	GT CRL	GT CRL	0.341	LT CRL	LT CRL

PERCENT DIFFERENCES

GT CRL	LT CRL	LT CRL	16.73	LT CRL	GT CRL	GT CRL	GT CRL	LT CRL	LT CRL	LT CRL
GT CRL	LT CRL	LT CRL	-8.41	LT CRL	GT CRL	GT CRL	GT CRL	-24.78	LT CRL	LT CRL
GT CRL	LT CRL	LT CRL	7.06	LT CRL	GT CRL	GT CRL	GT CRL	17.27	LT CRL	LT CRL
GT CRL	LT CRL	LT CRL	34.69	LT CRL	GT CRL	6.80	GT CRL	23.46	LT CRL	LT CRL
GT CRL	LT CRL	LT CRL	LT CRL	LT CRL	GT CRL	-9.39	GT CRL	-33.29	LT CRL	LT CRL
GT CRL	LT CRL	LT CRL	6.93	LT CRL	GT CRL	GT CRL	GT CRL	-0.21	LT CRL	LT CRL
GT CRL	LT CRL	LT CRL	LT CRL	LT CRL	GT CRL	GT CRL	GT CRL	LT CRL	LT CRL	LT CRL
GT CRL	LT CRL	LT CRL	LT CRL	LT CRL	GT CRL	GT CRL	GT CRL	-55.93	LT CRL	LT CRL
GT CRL	LT CRL	LT CRL	LT CRL	LT CRL	GT CRL	GT CRL	GT CRL	-57.40	LT CRL	LT CRL
GT CRL	LT CRL	LT CRL	LT CRL	LT CRL	GT CRL	GT CRL	GT CRL	18.11	LT CRL	LT CRL

AVERAGE % DIFFERENCE 11.40 -1.29 -14.02

NUMBER OF PAIRED SAMPLES 3 2 1

VOC PRECISION CALCULATIONS FOR FY90 (CONTINUED)

DATE	SITE	TAG NO.	DCPD	DNDS	ETC6H5	MEC6H5	MIBK	MMDHEA	12DNB	Y12DCE	TCLEE	TRCLE	XYLENE
19-DEC-89	AQ5	24577	LT CRL	LT CRL	GT CRL	GT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	0.316	GT CRL
16-MAR-90	AQ5	24619	LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL
21-MAY-90	AQ5	24657	LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL
27-JUN-90	AQ5	24678	LT CRL	LT CRL	GT CRL	GT CRL	0.270	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL
28-JUN-90	AQ5	24684	LT CRL	LT CRL	GT CRL	GT CRL	0.413	LT CRL	GT CRL	LT CRL	GT CRL	0.112	GT CRL
18-JUL-90	AQ5	24694	LT CRL	LT CRL	0.307	GT CRL	0.107	LT CRL	0.425	LT CRL	0.594	LT CRL	GT CRL
27-JUL-90	AQ5	24715	LT CRL	LT CRL	0.437	GT CRL	LT CRL	LT CRL	0.567	LT CRL	0.686	LT CRL	GT CRL
02-AUG-90	AQ5	24725	LT CRL	LT CRL	0.572	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL
09-AUG-90	AQ5	24735	LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	6	LT CRL	GT CRL	0.109	GT CRL
11-SEP-90	AQ10	24743	LT CRL	LT CRL	0.180	GT CRL	0.204	LT CRL	0.210	LT CRL	GT CRL	0.156	0.707
19-DEC-89	AQ5C	24578	LT CRL	LT CRL	GT CRL	GT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	0.235	GT CRL
16-MAR-90	AQ5C	24620	LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL
21-MAY-90	AQ5C	25658	LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL
27-JUN-90	AQ5C	24679	LT CRL	LT CRL	GT CRL	GT CRL	0.317	LT CRL	GT CRL	LT CRL	GT CRL	0.106	GT CRL
28-JUN-90	AQ5C	24685	LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	0.080	GT CRL
18-JUL-90	AQ5C	24695	LT CRL	LT CRL	0.257	GT CRL	0.088	LT CRL	0.370	LT CRL	0.546	LT CRL	GT CRL
27-JUL-90	AQ5C	24716	LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL
02-AUG-90	AQ5C	24726	LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	0.107	GT CRL
09-AUG-90	AQ5C	24736	LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL
11-SEP-90	AQ10C	24744	LT CRL	LT CRL	GT CRL	GT CRL	0.282	LT CRL	GT CRL	LT CRL	GT CRL	0.144	GT CRL
PERCENT DIFFERENCES													
LT CRL	LT CRL	GT CRL	GT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	-29.67	GT CRL	GT CRL
LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	GT CRL
LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	GT CRL
LT CRL	LT CRL	GT CRL	GT CRL	15.83	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	GT CRL
LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	-33.03	GT CRL	GT CRL
LT CRL	LT CRL	-17.81	GT CRL	-19.26	LT CRL	-14.05	LT CRL	-8.40	LT CRL	GT CRL	LT CRL	GT CRL	GT CRL
LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	GT CRL
LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	GT CRL
LT CRL	LT CRL	GT CRL	GT CRL	LT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	GT CRL
LT CRL	LT CRL	GT CRL	GT CRL	32.04	LT CRL	GT CRL	LT CRL	GT CRL	LT CRL	GT CRL	-7.49	GT CRL	GT CRL
AVERAGE % DIFFERENCE				-17.81	9.54	-14.05	-8.40	-23.39					
NUMBER OF PAIRED SAMPLES				1	3	1	1	3					

SVOC PRECISION CALCULATIONS FOR FY90 (CONTINUED)

DATE	SITE	TAG NO.	2FBP	ALDRIN	CMPS	DBCP	DCPD	DDVP	DIMP	DITH
29-AUG-90	AQ10	51P	0.17381	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
11-SEP-90	AQ10	62P	0.15991	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
18-JUL-90	AQ26	7P	0.16873	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
02-AUG-90	AQ26	17P	0.17301	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
27-AUG-90	AQ36	48P	0.22660	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
29-AUG-90	AQ10C	52P	0.16891	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
11-SEP-90	AQ10C	68P	0.13832	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
18-JUL-90	AQ26C	8P	0.20674	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
02-AUG-90	AQ26C	23P	0.15450	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
27-AUG-90	AQ36C	49P	0.17423	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL

PERCENT DIFFERENCES

29-AUG-90	AQ10	-2.90	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
11-SEP-90	AQ10	-15.61	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
18-JUL-90	AQ26	18.39	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
02-AUG-90	AQ26	-11.98	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
27-AUG-90	AQ36	-30.06	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL

AVERAGE PERCENT DIFFERENCE -8.43

DATE	SITE	TAG NO.	DMMP	HCBP	NBD5	UXAT	TERD14
29-AUG-90	AQ10	51P	LT CRL	LT CRL	0.17223	LT CRL	0.27171
11-SEP-90	AQ10	62P	LT CRL	LT CRL	0.16098	LT CRL	0.14664
18-JUL-90	AQ26	7P	LT CRL	LT CRL	0.16760	LT CRL	0.24529
02-AUG-90	AQ26	17P	LT CRL	LT CRL	0.18337	LT CRL	0.20460
27-AUG-90	AQ36	48P	LT CRL	LT CRL	0.20414	LT CRL	0.35591
29-AUG-90	AQ10C	52P	LT CRL	LT CRL	0.16003	LT CRL	0.24873
11-SEP-90	AQ10C	68P	LT CRL	LT CRL	0.13746	LT CRL	0.13502
18-JUL-90	AQ26C	8P	LT CRL	LT CRL	0.20056	LT CRL	0.30681
02-AUG-90	AQ26C	23P	LT CRL	LT CRL	0.15424	LT CRL	0.16394
27-AUG-90	AQ36C	49P	LT CRL	LT CRL	0.15393	LT CRL	0.23576

PERCENT DIFFERENCES

29-AUG-90	AQ10	LT CRL	LT CRL	-7.62	LT CRL	-9.24
11-SEP-90	AQ10	LT CRL	LT CRL	-17.11	LT CRL	-8.61
18-JUL-90	AQ26	LT CRL	LT CRL	16.43	LT CRL	20.05
02-AUG-90	AQ26	LT CRL	LT CRL	-18.89	LT CRL	-24.80
27-AUG-90	AQ36	LT CRL	LT CRL	-32.62	LT CRL	-50.96


AVERAGE PERCENT DIFFERENCE -11.96 -14.71

OCP PRECISION CALCULATIONS


DATE	SITE TAG		ALDRN	CLDAN	DLDRN	ENDRN	ISODR	PPDDE	PPDDT
	NO.	NO. 44DCBZ							
17-NOV-89	AQSE	22321	0.00585	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
29-JAN-90	AQSE	22443	0.00651	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
18-MAR-90	AQSE	22678	0.00634	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
30-MAR-90	AQSE	20263	0.00680	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
23-APR-90	AQSE	20282	0.00688	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
16-MAY-90	AQSE	20330	0.00634	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
10-JUN-90	AQSE	20404	0.00664	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
16-JUL-90	AQSE	4P		LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
21-AUG-90	AQSE	42P		LT CRL	0.00120	0.00039	LT CRL	LT CRL	LT CRL
17-NOV-89	AQSF	22322	0.00625	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
29-JAN-90	AQSF	22444	0.00618	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
18-MAR-90	AQSF	22679	0.00681	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
30-MAR-90	AQSF	20264	0.00684	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
23-APR-90	AQSF	20283	0.00751	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
16-MAY-90	AQSF	20328	0.00663	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
10-JUN-90	AQSF	20405	0.00700	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
16-JUL-90	AQSF	5P		LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
21-AUG-90	AQSF	43P		LT CRL	0.00097	LT CRL	LT CRL	LT CRL	LT CRL

DATE	SITE	44DCBZ	PERCENT DIFFERENCES						
			ALDRN	CLDAN	DLDRN	ENDRN	ISODR	PPDDE	PPDDT
17-NOV-89	AQSE, AQSF	6.73	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
29-JAN-90	AQSE, AQSF	-5.17	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
18-MAR-90	AQSE, AQSF	7.13	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
30-MAR-90	AQSE, AQSF	0.65	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
23-APR-90	AQSE, AQSF	8.66	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
16-MAY-90	AQSE, AQSF	4.42	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
10-JUN-90	AQSE, AQSF	5.21	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
16-JUL-90	AQSE, AQSF		LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
21-AUG-90	AQSE, AQSF		LT CRL	-20.68	LT CRL	LT CRL	LT CRL	LT CRL	LT CRL
AVE. % DIFFERENCE			3.95	-20.68					


H2 Daily Zero and Span Data for Continuous Gaseous Monitors




Daily Carbon Monoxide Zero Values for FY90




Daily Sulfur Dioxide Zero Values for FY90




Daily Nitric Oxide Zero Values for FY90




Daily Nitrogen Oxides Zero Values for FY90




Daily Nitrogen Dioxide Zero Values for FY90




Daily Ozone Spans for FY90




Daily Carbon Monoxide Spans for FY90




Daily Sulfur Dioxide Spans for FY90




Daily Nitric Oxide Spans for FY90



Daily Nitrogen Dioxide Spans for FY90



Daily Nitrogen Oxides Spans for FY90



113 Audit Results

Summary Tables from
First Quarter 1990 Audit Report

TABLE 4.1-1 (Sheet 1 of 2)
HIGH VOLUME SAMPLERS
TSP - PM₁₀ - PUF
AUDIT SUMMARY

TSP SAMPLERS

Site	Audit Flow (SCFM)	Operator Determined Flow(SCFM)	Percent Difference
1A	40.2	39.82	-0.9
2A	41.6	39.85	-4.2
3A	41.0	40.05	-2.3
4A	40.4	40.10	-0.8
5A	40.3	40.20	-0.2
5B	41.1	40.28	-2.0
6A	40.6	39.89	-1.8
7A	40.2	39.92	-0.7
8A	40.9	40.13	-1.9
9A	40.8	39.99	-2.1
10A	40.3	40.04	-0.6
11A	39.8	39.95	+0.4
12A	39.2	39.76	+1.5
M1A	41.4	40.34	-2.6
M2A	41.3	40.21	-2.6
M3A	40.4	40.17	-0.5
M4A	39.7	39.64	-0.3

TABLE 4.1-1 (Sheet 2 of 2)
HIGH VOLUME SAMPLERS
TSP - PM₁₀ - PUF
AUDIT SUMMARY

PM₁₀ SAMPLERS

Site	Audit Flow (SCFM)	Operator Determined Flow (SCFM)	Percent Difference
1B	35.4	35.82	+1.1
2B	36.6	36.05	-1.5
3B	36.1	35.99	-0.3
5C	35.5	36.09	+1.6
5D	35.7	35.89	+0.5
9B	34.3	35.78	+4.2

PUF SAMPLERS

Site	Audit Flow (SLM)	Operator Determined Flow (SLM)	Percent Difference
1C	195.5	200.7	+2.7
2C	193.2	194.7	+0.8
3C	200.0	204.9	+2.5
5E	214.1	219.5	+2.5
5F	211.2	226.1	+7.0
5G	201.7	194.4	-3.6
M1C	195.2	201.3	-3.1
M2C	204.3	196.5	-3.8
M3C	198.8	200.6	+0.9
M4C	192.4	196.6	+2.2

TABLE 4.2-1
SAMPLE PUMPS
ASBESTOS - VOC - MERCURY
AUDIT SUMMARY

Instrument/ID	Audit Flow (SCCM)	Operator Flow (SCCM)	Percent Difference
Micromax 11199	6718	7000	+4.2
Micromax 07792	6765	7000	+3.6
Micromax 03311	6820	7000	+2.6
Micromax 03316	6906	7000	+1.4
Micromax 03314	6830	7000	+2.5
Micromax 03312	6980	7000	+0.3
Sierra 821-2 S/N: 3327	154	151	-1.9
Sierra 821-2 S/N: 3327	206	200	-2.9

TABLE 4.3-1 (Sheet 1 of 2)
METEOROLOGICAL SYSTEM AUDIT RESULTS SUMMARY

WIND SPEED (MPH)

		119.8 RPM 6.2 MPH (1)		301.0 RPM 14.9 MPH (1)		601.9 RPM 29.4 MPH (1)	
Input		Response (MPH)	Difference (MPH)	Response (MPH)	Difference (MPH)	Response (MPH)	Difference (MPH)
Site		6.3	+0.1	14.9	0.0	29.3	-0.1
MET 1		6.2	0.0	14.8	0.1	29.1	-0.3
MET 3							<0.2
							<0.2

WIND DIRECTION (°)

		North		East		South		West		Oriented to True North		Starting Torque g.cm	
Site		Response	Difference	Response	Difference	Response	Difference	Response	Difference	Yes	Yes	Torque g.cm	Torque g.cm
MET 1		0	0	89	-1	180	0	271	+1	Yes	Yes	4.0	4.5
MET 3		0	0	91	+1	181	+1	272	+2				

TEMPERATURE (°C)

Site	Low Point		Mid Point		High Point	
	Audit	Response	Audit	Response	Audit	Response
MET 1(2M)	0.5	0.5	20.7	20.9	30.9	31.0
MET 3	0.1	-0.1	20.6	20.7	31.0	31.0
MET 1(10M)	0.2	1.3	21.1	20.7	30.8	30.8
MET 1(10M)	0.2	0.2	20.7	20.9	30.8	30.8

RELATIVE HUMIDITY

Site	Audit		Response		Dew Point	
	RH	Dew Point	RH	Dew Point	Difference	Difference
1	53.9	-8.1°C	49.5	-9.2		-1.1°C

0040

TABLE 4.3-1 (Sheet 2 of 2)
METEOROLOGICAL SYSTEM RESULTS AUDIT SUMMARY

SOLAR RADIATION (LANGLEY)			
	Sensor Coverage	System	
MET 3	0-	0.00	

RAIN FALL (INCHES)			
Site	Volume (cc)	Audit Value Rain Equivalent	System Response Rain Equivalent
MET 1	100	.13	.12
MET 3	100	.13	.13
			% Difference <7.7% (3) 0.0%

- (1) MPH = [(RPM/3RPM/12)/ 6.95] + 0.5.
 (2) Acceptable W/S starting Torque <0.2g.cm.
 (3) Water was left in bucket after final tip.
 Indicating a response between 0.12 and 0.13

0040

Summary Tables from:
Second Quarter 1990 Audit Report

TABLE 4.1-1 (Sheet 1 of 2)
HIGH VOLUME SAMPLERS
TSP - PM₁₀ - PUF
AUDIT SUMMARY

TSP SAMPLERS

Site	Audit Flow (SCFM)	Operator Determined Flow(SCFM)	Percent Difference
1A	39.9	40.3	+1.0
2A	41.7	40.2	-3.6
3A	40.9	40.2	-1.8
4A	39.7	40.1	+0.9
5A	39.2	40.3	+2.9
5B	40.4	40.4	0.0
6A	40.6	40.0	-1.4
7A	39.7	40.1	+0.9
8A	40.2	40.1	-0.2
9A	40.1	40.2	+0.3
10A	40.7	40.1	-1.5
11A	39.6	39.6	0.0
12A	39.9	40.0	+0.4
M1A	39.7	40.0	+0.8
M2A	38.7	40.0	+3.2
M3A	39.8	40.1	+0.6
M4A	39.1	39.9	+2.1

TABLE 4.1-1 (Sheet 2 of 2)
HIGH VOLUME SAMPLERS
TSP - PM₁₀ - PUF
AUDIT SUMMARY

PM₁₀ SAMPLERS

Site	Audit Flow (SCFM)	Operator Determined Flow (SCFM)	Percent Difference
1B	34.6	34.6	+0.0
2B	35.4	35.0	-1.2
3B	35.1	35.1	0.0
5C	35.4	35.2	-0.5
5D	35.6	35.0	-1.6
9B	34.9	35.2	+1.0
M1B	34.5	34.8	+0.7

PUF SAMPLERS

Site	Audit Flow (SLM)	Operator Determined Flow (SLM)	Percent Difference
1C	200.8	207.6	+3.4
2C	201.0	212.6	+6.0
3C	185.8	193.1	+3.9
4C	203.0	207.5	+2.2
5F	187.5	179.5	-4.3
5G	184.8	198.0	+7.1
M1C	194.0	199.7	+3.1
M2C	206.0	207.4	+0.5
M3C	200.0	202.2	+0.8
M4C	203.0	207.3	+1.9

TABLE 4.2-1
SAMPLE PUMPS
ASBESTOS - VOC - MERCURY
AUDIT SUMMARY

Instrument/ID	Audit Flow (SCCM)	Operator Flow (SCCM)	Percent Difference
Micromax 11199	6753	7000	+3.6
Micromax 07792	6723	7000	+4.1
Micromax 03311	6860	7000	+3.6
Micromax 03316	7254	7000	-3.5
Micromax 03314	6862	7000	+2.0
Micromax 03312	6866	7000	+2.0
Sierra 821-2 S/N: 3327	293	300	+2.4

TABLE 4.3-1 (Sheet 1 of 2)
METEOROLOGICAL SYSTEM AUDIT RESULTS SUMMARY

<u>WIND SPEED (MPH)</u>									
Input		119.8 RPM 6.2 MPH (1)		301.0 RPM 14.9 MPH (1)		601.9 RPM 29.4 MPH (1)			
<u>Site</u>		<u>Response</u> (MPH)	<u>Difference</u> (MPH)	<u>Response</u> (MPH)	<u>Difference</u> (MPH)	<u>Response</u> (MPH)	<u>Difference</u> (MPH)	<u>Starting Torque g.cm</u> (2)	
MET 2		6.2	0.0	14.7	-0.2	29.2	-0.2	<0.2	
MET 4		5.8	0.4	14.6	-0.3	29.2	-0.2	<0.2	
<u>WIND DIRECTION (°)</u>									
Linearity Check									
<u>Site</u>		<u>North</u>		<u>East</u>		<u>South</u>		<u>West</u>	
		<u>Response</u>	<u>Difference</u>	<u>Response</u>	<u>Difference</u>	<u>Response</u>	<u>Difference</u>	<u>Response</u>	<u>Difference</u>
MET 2		1	+1	92	+2	183	+3	273	+3
MET 4		365	+5	93	+3	181	+1	268	-2
									Oriented to True North
									Starting Torque g.cm
									6.0
									5.0
<u>TEMPERATURE (°C)</u>									
<u>Site</u>		<u>Low Point</u>		<u>Mid Point</u>		<u>High Point</u>			
		<u>Audit</u>	<u>Response</u>	<u>Audit</u>	<u>Response</u>	<u>Audit</u>	<u>Response</u>	<u>Difference</u>	
MET 2		0.1	(31.5°F)/-0.1	-0.2	19.7	(67.4°F)/19.7	0.0	35.8	(96.4°F)/35.8
MET 4		0.2	(32.1°F)/-0.1	-0.1	20.4	(68.4°F)/20.2	-0.2	35.7	(96.1°F)/35.6
									0.1
<u>BAROMETRIC PRESSURE (mmHg)</u>									
<u>Site</u>		<u>Audit</u>	<u>System</u>	<u>Difference</u>					
MET 4		24.43	24.4	-0.02					

TABLE 4.3-1 (Sheet 2 of 2)
METEOROLOGICAL SYSTEM RESULTS AUDIT SUMMARY

<u>SOLAR RADIATION (LANGLEY)</u>			
	<u>Sensor Covered</u>	<u>System</u>	
MET 4	-	-0.01	

<u>RAIN FALL ("H2O)</u>			
<u>Site</u>	<u>Audit Value</u>		<u>% Difference</u>
	<u>Volume (cc)</u>	<u>Rain Equivalent</u>	
MET 2	100	.13	
MET 4	100	.22	

			<u>System Response Rain Equivalent</u>	
			.12	7.7
			.23	4.5

(1) MPH = [(RPM/3RPM)/ 6.95] + 0.5.

(2) Acceptable W/S starting Torque <0.2g.cm.

0040-3

10

Summary Tables from
Third Quarter 1990 Audit Report

TABLE 4.1-1 (Sheet of 2)

HIGH VOLUME SAMPLERS
TSP - PM₁₀ - PUF
AUDIT SUMMARYTSP SAMPLERS

Site	Audit Flow (SCFM)	Operator Determined Flow (SCFM)	Percent Difference
1A	40.7	40.1	-1.5
2A	40.5	40.0	-1.2
3A	42.4	40.1	-5.3
4A	39.7	39.9	+0.6
5A	40.7	40.1	+1.5
5B	36.5	40.1	+9.8
6A	39.6	40.1	+1.2
7A	42.9	39.9	-7.1
8A	42.2	39.5	-6.5
9A	39.5	40.2	+1.8
10A	41.1	40.2	-2.3
11A	39.9	40.0	+0.3
12A	39.8	40.1	+0.7
M1A	37.8	38.0	+0.5
M2A	40.7	40.1	-1.4
M3A	39.8	40.1	+0.8
M4A	40.7	40.2	-1.2

TABLE 4.1-1 (Sheet 2 of 2)
HIGH VOLUME SAMPLERS
TSP - PM₁₀ - PUF
AUDIT SUMMARY

PM₁₀ SAMPLERS

Site	Audit Flow (SCFM)	Operator Determined Flow (SCFM)	Percent Difference
1B	33.3	33.5	+0.7
2B	33.4	33.3	-0.3
3B	32.9	33.3	+2.8
5C	34.0	33.7	-0.9
5D	33.8	33.7	-0.4
9B	33.4	33.6	+0.6
M1B	34.1	33.5	-1.8

PUF SAMPLERS

Site	Audit Flow (SLM)	Operator Determined Flow (SLM)	Percent Difference
1C	180	182	+1.3
2C	199	199	+0.0
3C	183	186	+1.4
5E	189	191	+1.1
5F	176	180	+2.3
5G	189	192	+1.7
M1C	184	186	+0.9
M2C	197	190	-0.4
M3C	190	197	+3.4
M4C	190	196	+3.0

TABLE 4.2-1
SAMPLE PUMPS
ASBESTOS - VOC - MERCURY
AUDIT SUMMARY

Instrument/ID	Audit Flow (SCCM)	Operator Flow (SCCM)	Percent Difference
Micromax 11199	6827	7000	+2.5
Micromax 07792	6772	7000	+3.4
Micromax 03311	7110	7000	-1.5
Micromax 03316	7512	7000	-6.8
Micromax 03314	6908	7000	+1.3
Micromax 03312	6918	7000	+1.2
Sierra 821-2 S/N: 3327	289	300	+3.8

TABLE 4.3.1 (Sheet 1 of 2)
METEOROLOGICAL SYSTEM AUDIT RESULTS SUMMARY

WIND SPEED (MPH)

Input	119.93 RPM 6.2 MPH ⁽¹⁾	300.12 RPM 14.9 MPH ⁽²⁾	500.20 RPM 29.3 MPH ⁽³⁾
Site	Response (MPH)	Response (MPH)	Response (MPH)
MET 1	6.1	14.8	29.1
MET 3	6.2	14.5	29.1
	Difference (MPH)	Difference (MPH)	Difference (MPH)
	-0.1	-0.1	+0.2
	0.0	-0.4	+0.2
			Starting Torque g.cm ^m
			<0.2
			<0.2

WIND DIRECTION (°)

Linearity Check

Site	<u>North</u>		<u>East</u>		<u>South</u>		<u>West</u>		<u>Oriented to True North</u>		Starting Torque g.cm
	Response	Difference	Response	Difference	Response	Difference	Response	Difference	True North	Yes	
MET 1	0	0	91	+1	182	+2	273	+3	Yes	Yes	5.0
MET 3	2	+2	93	+3	181	+1	274	+4	Yes	Yes	6.0

TEMPERATURE °C (°F)

Site	<u>Low Point</u>		<u>Mid Point</u>		<u>High Point</u>	
	Audit	Response	Audit	Response	Audit	Response
MET 1 (2M)	0.1 (32.2)	0.3 (32.6)	2	29.9 (85.8)	40.6 (105.1)	41.4 (106.5)
MET 3 (10M)	0.5 (32.9)	0.6 (33.1)	+0.1	23.7 (74.7)	30.7 (87.3)	31.0 (87.8)
MET 1 (10M)	No data	No data	No data	28.8 (83.8)	No data	No data
MET 1 (10M)	0.2 (32.7)	0.3 (32.5)	+0.1	30.6 (87.1)	40.7 (105.7)	41.0 (105.8)

RELATIVE HUMIDITY

Site	<u>Audit</u>		<u>Response</u>		<u>Dew Point</u>	
	RH	Dew Point	RH	Dew Point	Difference	Difference
MET 1	53.9	-8.1°C	49.5	-9.2	-1.1°C	-1.1°C

0040-4

TABLE 4.3-1 (Sheet 2 of 2)

METEOROLOGICAL SYSTEM RESULTS AUDIT SUMMARY

SOLAR RADIATION (LANGLEY PER HOUR)

	<u>Sensor</u>	
	<u>Covered</u>	<u>System</u>
MET 3	-	0.00

RAIN FALL (H2O)

<u>Site</u>	<u>Audit Value</u>		<u>System Response Rain Equivalent</u>	<u>% Difference</u>
	<u>Volume (cc)</u>	<u>Rain Equivalent</u>		
MET 1	100	.13	.12	.01 (3)
MET 3	100	.13	.14	.01

(1) MPH = $[(RPM/3RPM) / 6.95] + 0.5$.

(2) Acceptable W/S starting Torque < 0.2g.cm.

(3) Water was left in bucket after final tip indicating a response between 0.12 and 0.13.

0040-4

Summary Tables from
Fourth Quarter 1990 Audit Report

TABLE 4.1-1 (Sheet 1 of 2)

HIGH VOLUME SAMPLERS
TSP - PM₁₀ - PUF
AUDIT SUMMARYTSP SAMPLERS

Site	Audit Flow (SCFM)	Operator Determined Flow (SCFM)	Percent Difference
1A	41.1	39.3	-4.4
2A	40.8	39.9	-2.1
3A	44.0	42.5	-3.5
4A	43.4	40.3	-7.2
5A	41.3	40.6	-1.6
5B	40.2	40.7	+1.3
6A	41.2	40.8	-0.9
7A	43.4	41.5	-4.5
8A	43.0	41.5	-3.4
9A	41.8	40.0	-4.3
10A	40.1	38.5	-3.9
11A	41.3	40.0	-3.2
12A	41.3	40.7	-1.5
M1A	38.1	38.4	+0.8
M2A	40.3	40.3	0.0
M3A	39.3	39.9	+1.5
M4A	39.0	39.7	+1.7

TABLE 4.1-1 (Sheet 2 of 2)
HIGH VOLUME SAMPLERS
TSP - PM₁₀ - PUF
AUDIT SUMMARY

PM₁₀ SAMPLERS

Site	Audit Flow (SCFM)	Operator Determined Flow (SCFM)	Percent Difference
1B	33.4	33.3	-0.2
2B	34.1	32.8	-3.9
3B	34.3	33.6	-2.1
5C	34.4	34.6	+0.6
5D	34.8	34.5	-0.7
9B	34.4	34.3	-0.2
10B	32.9	32.3	-1.8

PUF SAMPLERS

Site	Audit Flow (SLM)	Operator Determined Flow (SLM)	Percent Difference
1C	198	196	-1.0
2C	184	183	-0.6
3C	194	199	+2.7
5E	201	198	-1.5
5F	191	188	-1.5
5G	180	178	-1.3
M1C	181	215	+18.8
M2C	187	183	-2.0
M3C	184	190	+3.2
M4C	187	187	0.0

TABLE 4.2-1
SAMPLE PUMPS
ASBESTOS - VOC - MERCURY
AUDIT SUMMARY

Instrument/ID	Audit Flow (SCCM)	Operator Flow (SCCM)	Percent Difference
Micromax 11199	6295	6800	+8.0
Micromax 07792	6098	6500	+6.6
Micromax 03311	6024	6400	+6.2
Micromax 03316	6117	6600	+7.9
Micromax 03314	6367	6700	+5.2
Micromax 03312	6175	6800	+10.2
Sierra 821-2 S/N: 3327	299	302	+1.0

TABLE 4.3-1 (Sheet 1 of 2)
METEOROLOGICAL SYSTEM AUDIT RESULTS SUMMARY

WIND SPEED (MCH)									
Input	119.9 RPM 6.3 MPH ^(b)		300.1 RPM 14.9 MPH ^(b)		600.2 RPM 29.3 MPH ^(b)		Starting Torque g.cm ^m		
Site	Response (MPH)	Difference (MPH)	Response (MPH)	Difference (MPH)	Response (MPH)	Difference (MPH)	Response	Difference	
MET 1	6.1	-0.2	14.5	-0.1	29.1	-0.2			<0.2
MET 2	6.1	-0.2	14.7	-0.2	29.2	-0.1			<0.2
MET 3	6.2	-0.1	14.8	-0.1	29.1	-0.2			<0.2
MET 4	5.8	-0.5	14.6	-0.3	29.2	-0.1			<0.2
WIND DIRECTION (°)									
Linearity Check									
Site	North		East		South		West		Oriented to True North
	Response	Difference	Response	Difference	Response	Difference	Response	Difference	
MET 1	1	+1	93	+3	182	+2	273	+3	Yes
MET 2	0	0	91	+1	182	+2	272	+2	Yes
MET 3	0	0	92	+2	182	+2	273	+3	Yes
MET 4	367	+7	95	+5	183	+3	270	0	Yes
TEMPERATURE °C (°F)									
Site	Low Point		Mid Point		High Point				
	Audit	Response	Audit	Response	Audit	Response	Audit	Response	Difference
MET 1 (2M)	0.00 (32.0)	0.11 (32.2)	+0.11 (+0.2)	20.00 (68.0)	20.22 (68.4)	+0.22 (+0.4)	30.9 (87.6)	31.16 (88.1)	+0.26 (+0.5)
MET 1 (10M)	N/A	—	4.9 (40.8)	4.8 (40.7)	-0.1 (-0.1)	N/A	N/A	—	—
MET 1 (10M)	0.10 (32.2)	0.06 (32.1)	-0.04 (-0.1)	20.30 (68.5)	20.38 (68.7)	+0.08 (+0.2)	30.80 (87.6)	30.94 (87.7)	+0.04 (+0.1)
MET 2	0.10 (32.2)	0.00 (32.0)	-0.10 (-0.2)	19.95 (67.9)	19.94 (67.9)	0.01 (0.0)	30.30 (86.5)	30.22 (86.4)	-0.08 (-0.1)
MET 3	0.05 (32.1)	0.00 (32.0)	-0.05 (-0.1)	20.35 (68.6)	20.44 (68.8)	+0.09 (+0.2)	30.40 (86.7)	30.72 (87.3)	+0.32 (+0.6)
MET 4	0.10 (32.2)	0.04 (32.1)	-0.06 (-0.1)	20.50 (68.9)	20.30 (68.5)	-0.20 (-0.4)	36.15 (97.1)	36.12 (97.0)	-0.03 (-0.1)
RELATIVE HUMIDITY									
Site	Audit		Response		Dew Point				
	RH	Dew Point	RH	Dew Point	Difference				
MET 1	88.5	3.1°C (37.6°F)	97.1	4.4°C (40.0°F)	+1.3°C (+2.4°F)				

TABLE 4.3-1 (Sheet 2 of 2)
METEOROLOGICAL SYSTEM AUDIT RESULTS SUMMARY

SOLAR RADIATION (LANGLEY PER HOUR)				
Site	Sensor Covered	System	System Response Rain Equivalent	Difference
MET 2	-	-0.02		
MET 3	-	0.00		
RAIN FALL (H ₂ O)				
Site	Audit Value		System Response Rain Equivalent	Difference
	Volume (cc)	Rain Equivalent		
MET 1	100	.13	.12	.01
MET 2	100	.13	.12	.01
MET 3	100	.13	.13	.00
MET 4	100	.22	.23	.01
⁽¹⁾ MPH = [(RPM/3RPM)/6.95] + 0.5.				
⁽²⁾ Acceptable W/S starting Torque <0.2g.cm.				

APPENDIX I

CONTINUOUS AIR QUALITY DATA

- 11 Carbon Monoxide (CO)
- 12 Ozone (O₃)
- 13 Sulfur Dioxide (SO₂)
- 14 Nitric Oxide (NO)
- 15 Nitrogen Dioxide (NO₂)
- 16 Nitrogen Oxides (NO_x)

II Carbon Monoxide (CO)

Carbon Monoxide (CO) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
10	1	274	1.000	0.200	0.371	24
10	2	275	1.200	0.300	0.479	24
10	3	276	0.600	0.300	0.367	24
10	4	277	1.000	0.300	0.450	24
10	5	278	0.500	0.200	0.296	24
10	6	279	1.700	0.300	0.662	24
10	7	280	1.900	0.300	0.683	24
10	8	281	1.300	0.300	0.596	24
10	9	282	4.800	0.300	1.104	24
10	10	283	1.900	0.300	0.746	24
10	11	284	3.200	0.300	1.012	24
10	12	285	1.500	0.300	0.629	24
10	13	286	1.800	0.300	0.691	22
10	14	287	0.900	0.300	0.579	24
10	15	288	1.000	0.400	0.521	24
10	16	289	0.500	0.400	0.474	24
10	17	290	0.500	0.400	0.437	24
10	18	291	2.400	0.400	0.692	24
10	19	292	2.000	0.500	1.021	24
10	20	293	2.700	0.400	1.025	24
10	21	294	2.200	0.400	0.821	24
10	22	295	1.200	0.400	0.629	24
10	23	296	1.700	0.400	0.864	22
10	24	297	2.400	0.400	1.017	24
10	25	298	3.300	0.600	1.188	24
10	26	299	0.800	0.500	0.600	24
10	27	300	2.400	0.500	0.863	24
10	28	301	1.900	0.500	0.950	16
10	29	302	0.800	0.500	0.596	24
10	30	303	2.200	0.600	0.975	24
10	31	304	2.200	0.500	0.808	24
11	1	305	1.900	0.500	0.800	24
11	2	306	2.100	0.700	1.137	24
11	3	307	1.800	0.600	0.950	24
11	4	308	5.000	0.500	0.988	24
11	5	309	1.400	0.500	0.688	24
11	6	310	2.300	0.600	0.908	24
11	7	311	0.900	0.600	0.663	24
11	8	312	1.000	0.600	0.673	22
11	9	313	1.100	0.600	0.738	24
11	10	314	2.700	0.700	1.133	24
11	11	315	1.800	0.600	0.921	24
11	12	316	2.000	0.600	0.854	24
11	13	317	2.300	0.600	0.825	24
11	14	318	1.900	0.600	0.892	24
11	15	319	0.900	0.600	0.686	24
11	16	320	1.800	0.600	1.017	24

Carbon Monoxide (CO) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
11	17	321	2.200	0.700	1.063	24
11	18	322	2.300	0.700	1.063	24
11	19	323	2.600	0.700	1.092	24
11	20	324	3.200	0.700	1.322	23
11	21	325	4.000	0.700	1.433	24
11	22	326	2.900	0.700	0.833	24
11	23	327	2.900	0.900	1.583	24
11	24	328	1.400	0.800	0.925	24
11	25	329	1.300	0.700	0.833	24
11	26	330	2.100	0.800	1.112	24
11	27	331	1.500	0.700	0.833	24
11	28	332	2.800	0.800	1.438	24
11	29	333	2.700	0.800	1.225	24
11	30	334	5.100	0.900	1.767	24
12	1	335	5.100	0.800	1.546	24
12	2	336	2.700	0.800	1.292	24
12	3	337	2.700	1.000	1.488	24
12	4	338	2.700	0.800	1.118	22
12	5	339	2.100	0.700	0.933	24
12	6	340	1.800	0.700	0.954	24
12	7	341	2.800	0.800	1.054	24
12	8	342	4.200	0.800	1.850	24
12	9	343	1.500	0.700	0.970	23
12	10	344	0.900	0.800	0.804	24
12	11	345	2.800	0.800	1.279	24
12	12	346	2.600	0.900	1.208	24
12	13	347	1.500	0.900	1.083	24
12	14	348	3.100	0.800	1.150	24
12	15	349	2.400	0.800	1.100	24
12	16	350	2.900	0.800	1.348	21
12	17	351	1.900	1.000	1.442	24
12	18	352	3.200	0.800	1.121	24
12	19	353	4.200	1.700	2.829	24
12	20	354	3.500	0.800	1.192	24
12	21	355	0.900	0.800	0.846	24
12	22	356	5.900	0.900	2.417	23
12	23	357	8.500	0.800	2.800	24
12	24	358	1.800	0.800	1.171	24
12	25	359	2.400	0.900	1.333	24
12	26	360	2.000	1.000	1.275	24
12	27	361	4.100	0.900	1.588	24
12	28	362	3.400	0.800	1.392	24
12	29	363	3.400	0.800	1.150	24
12	30	364	2.400	0.800	1.221	24
12	31	365	2.000	0.800	1.204	24
1	1	1	2.900	0.900	1.279	24
1	2	2	3.900	0.900	1.612	24

Carbon Monoxide (CO) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
1	3	3	1.400	0.900	0.992	24
1	4	4	3.600	1.100	2.004	24
1	5	5	2.500	0.900	1.346	24
1	6	6	3.700	1.000	1.525	24
1	7	7	1.700	1.000	1.200	24
1	8	8	1.200	0.900	1.017	24
1	9	9	1.600	0.900	1.071	24
1	10	10	3.100	0.900	1.179	24
1	11	11	1.500	0.900	1.025	24
1	12	12	3.500	1.300	1.808	24
1	13	13	3.200	1.100	1.421	24
1	14	14	3.000	1.100	1.379	24
1	15	15	3.500	1.200	1.858	24
1	16	16	3.300	1.200	1.717	24
1	17	17	2.600	1.100	1.492	24
1	18	18	2.100	0.300	1.061	18
1	19	19	0.500	0.100	0.242	24
1	20	20	1.800	0.100	0.588	24
1	21	21	2.100	0.100	0.575	24
1	22	22	1.400	0.100	0.622	23
1	23	23	0.400	0.100	0.150	22
1	24	24	0.700	0.100	0.242	24
1	25	25	0.400	0.100	0.175	24
1	26	26	1.200	0.100	0.354	24
1	27	27	0.800	0.100	0.246	24
1	28	28	0.700	0.100	0.317	24
1	29	29	0.800	0.100	0.300	24
1	30	30	1.200	0.100	0.442	24
1	31	31	1.300	0.100	0.496	24
2	1	32	0.800	0.200	0.405	22
2	2	33	1.800	0.200	0.696	24
2	3	34				0
2	4	35				0
2	5	36				0
2	6	37				0
2	7	38				0
2	8	39				0
2	9	40	0.500	0.100	0.300	9
2	10	41	0.400	0.100	0.147	24
2	11	42	0.600	0.100	0.237	24
2	12	43	2.600	0.100	0.442	24
2	13	44	0.200	0.100	0.142	24
2	14	45	0.300	0.200	0.245	22
2	15	46	1.800	0.200	0.646	24
2	16	47	2.900	0.200	1.113	24
2	17	48	1.000	0.300	0.413	24
2	18	49	0.600	0.200	0.321	24

Carbon Monoxide (CO) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
1	19	50	0.900	0.300	0.479	24
2	20	51	1.400	0.400	0.467	24
2	21	52	2.300	0.100	0.800	24
2	22	53	1.200	0.200	0.600	24
2	23	54	1.600	0.200	0.513	24
2	24	55	2.500	0.400	0.796	24
2	25	56	2.700	0.200	0.763	24
2	26	57	2.000	0.300	0.775	24
2	27	58	0.600	0.300	0.338	24
2	28	59	0.400	0.300	0.338	24
3	1	60	1.500	0.300	0.718	22
3	2	61	2.100	0.300	0.826	23
3	3	62	1.000	0.300	0.537	24
3	4	63	0.900	0.300	0.421	24
3	5	64	0.900	0.300	0.496	23
3	6	65	0.500	0.400	0.458	24
3	7	66	0.900	0.500	0.537	24
3	8	67	2.100	0.500	1.092	24
3	9	68	5.000	0.400	1.558	24
3	10	69	4.000	0.300	1.267	24
3	11	70	1.800	0.400	0.825	24
3	12	71	1.100	0.300	0.471	24
3	13	72	0.500	0.400	0.413	24
3	14	73	1.700	0.400	0.867	24
3	15	74	1.100	0.400	0.517	23
3	16	75	1.000	0.300	0.463	24
3	17	76	1.000	0.400	0.550	24
3	18	77	0.400	0.400	0.400	24
3	19	78	1.700	0.400	0.800	24
3	20	79	1.300	0.400	0.717	24
3	21	80	1.200	0.500	0.713	24
3	22	81	0.900	0.600	0.629	24
3	23	82	0.800	0.600	0.642	24
3	24	83	0.700	0.600	0.667	24
3	25	84	1.000	0.600	0.713	24
3	26	85	0.800	0.400	0.587	15
3	27	86	1.800	0.100	0.754	24
3	28	87	0.200	0.100	0.104	24
3	29	88	0.400	0.100	0.209	22
3	30	89	1.300	0.100	0.267	24
3	31	90	2.400	0.100	0.679	24
4	1	91	1.000	0.100	0.312	24
4	2	92	1.400	0.100	0.429	24
4	3	93	1.400	0.100	0.386	22
4	4	94	0.500	0.200	0.342	24
4	5	95	0.200	0.100	0.137	24
4	6	96	0.800	0.100	0.333	24

Carbon Monoxide (CO) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
4	7	97	1.500	0.200	0.542	24
4	8	98	0.700	0.200	0.363	24
4	9	99	1.200	0.200	0.396	24
4	10	100	0.400	0.200	0.229	24
4	11	101	0.600	0.200	0.343	23
4	12	102	2.600	0.200	0.638	24
4	13	103	0.800	0.200	0.267	24
4	14	104	1.000	0.100	0.413	24
4	15	105	0.900	0.100	0.362	24
4	16	106	0.900	0.200	0.333	24
4	17	107	0.700	0.200	0.412	24
4	18	108	1.100	0.200	0.500	24
4	19	109	1.500	0.200	0.567	24
4	20	110	1.300	0.200	0.513	24
4	21	111	0.900	0.200	0.479	24
4	22	112	0.600	0.200	0.342	24
4	23	113	0.800	0.300	0.438	24
4	24	114	1.500	0.300	0.679	24
4	25	115	1.300	0.300	0.586	22
4	26	116	1.100	0.300	0.488	24
4	27	117	0.900	0.100	0.277	22
4	28	118	0.300	0.100	0.125	24
4	29	119	0.100	0.100	0.100	24
4	30	120	0.500	0.100	0.179	24
5	1	121	0.300	0.100	0.175	24
5	2	122	1.800	0.100	0.454	24
5	3	123	0.500	0.100	0.150	24
5	4	124	1.100	0.100	0.304	24
5	5	125	1.000	0.100	0.233	24
5	6	126	0.400	0.100	0.192	24
5	7	127	0.900	0.100	0.187	24
5	8	128	0.300	0.100	0.133	24
5	9	129	0.100	0.100	0.100	23
5	10	130	0.900	0.100	0.304	23
5	11	131	0.300	0.100	0.121	24
5	12	132	0.600	0.100	0.208	24
5	13	133	0.900	0.100	0.275	24
5	14	134	0.800	0.100	0.188	24
5	15	135	0.900	0.100	0.208	24
5	16	136	0.300	0.100	0.129	24
5	17	137	0.400	0.100	0.162	24
5	18	138	1.000	0.100	0.288	24
5	19	139	0.400	0.100	0.167	24
5	20	140	0.200	0.100	0.117	24
5	21	141	1.300	0.100	0.267	24
5	22	142	0.900	0.100	0.279	24
5	23	143	0.900	0.100	0.300	24

Carbon Monoxide (CO) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
5	24	144	1.100	0.100	0.343	23
5	25	145	0.200	0.100	0.117	24
5	26	146	0.300	0.100	0.108	24
5	27	147	0.100	0.100	0.100	24
5	28	148	0.300	0.100	0.112	24
5	29	149	0.500	0.100	0.192	24
5	30	150	1.100	0.100	0.337	24
5	31	151	1.000	0.100	0.350	24
6	1	152	1.300	0.100	0.271	24
6	2	153	0.100	0.100	0.100	24
6	3	154	0.300	0.100	0.142	24
6	4	155	1.200	0.100	0.242	24
6	5	156	1.000	0.100	0.296	24
6	6	157	0.400	0.100	0.188	24
6	7	158	0.600	0.100	0.209	22
6	8	159	0.800	0.100	0.200	24
6	9	160	0.500	0.100	0.233	24
6	10	161	0.700	0.100	0.188	24
6	11	162	0.300	0.100	0.121	24
6	12	163	0.300	0.100	0.112	24
6	13	164	0.100	0.100	0.100	24
6	14	165	0.600	0.100	0.158	24
6	15	166	0.600	0.100	0.212	24
6	16	167	0.500	0.100	0.133	24
6	17	168	0.900	0.100	0.246	24
6	18	169	0.800	0.100	0.296	24
6	19	170	0.600	0.100	0.242	24
6	20	171	0.800	0.100	0.292	24
6	21	172	1.100	0.100	0.289	19
6	22	173	0.700	0.100	0.171	24
6	23	174	0.800	0.100	0.295	22
6	24	175	0.300	0.100	0.142	24
6	25	176	1.500	0.100	0.371	24
6	26	177	1.100	0.100	0.506	24
6	27	178	0.600	0.100	0.254	24
6	28	179	0.900	0.100	0.229	24
6	29	180	1.500	0.100	0.300	24
6	30	181	0.600	0.100	0.225	24
7	1	182	1.100	0.100	0.287	24
7	2	183	0.900	0.100	0.304	24
7	3	184	1.000	0.100	0.275	24
7	4	185	0.400	0.100	0.167	24
7	5	186	1.000	0.100	0.322	23
7	6	187	0.800	0.100	0.329	24
7	7	188	0.600	0.100	0.247	24
7	8	189	0.500	0.100	0.225	24
7	9	190	0.300	0.100	0.179	24

Carbon Monoxide (CO) Daily Data in
parts per million (ppm) for FY90


Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
7	10	191	2.100	0.100	0.642	24
7	11	192	1.400	0.100	0.433	24
7	12	193	0.900	0.100	0.142	24
7	13	194	1.000	0.100	0.183	24
7	14	195	0.900	0.100	0.321	24
7	15	196	0.700	0.100	0.304	24
7	16	197	1.300	0.100	0.379	24
7	17	198	1.200	0.100	0.304	24
7	18	199	0.800	0.100	0.300	24
7	19	200	0.300	0.100	0.121	24
7	20	201	0.300	0.100	0.145	20
7	21	202	0.100	0.100	0.100	24
7	22	203	0.200	0.100	0.108	24
7	23	204	0.700	0.100	0.323	24
7	24	205	1.700	0.100	0.554	24
7	25	206	1.000	0.100	0.336	22
7	26	207	1.200	0.100	0.342	24
7	27	208	0.600	0.100	0.225	24
7	28	209	0.500	0.100	0.263	24
7	29	210	0.600	0.100	0.242	24
7	30	211	0.400	0.100	0.187	24
7	31	212	0.700	0.100	0.300	24
8	1	213	1.200	0.100	0.354	24
8	2	214	1.000	0.100	0.348	23
8	3	215	1.200	0.100	0.321	24
8	4	216	0.800	0.100	0.237	24
8	5	217	0.100	0.100	0.100	24
8	6	218	0.800	0.100	0.179	24
8	7	219	1.200	0.100	0.367	24
8	8	220	1.800	0.100	0.475	24
8	9	221	1.100	0.100	0.300	24
8	10	222	1.500	0.100	0.517	24
8	11	223	0.600	0.100	0.200	24
8	12	224	0.800	0.100	0.271	24
8	13	225	0.900	0.200	0.404	24
8	14	226	1.000	0.100	0.292	24
8	15	227	2.900	0.100	0.454	24
8	16	228	1.100	0.100	0.404	23
8	17	229	1.000	0.100	0.442	24
8	18	230	1.400	0.100	0.475	24
8	19	231	0.400	0.100	0.188	17
8	20	232	1.800	0.100	0.475	16
8	21	233	1.600	0.100	0.583	24
8	22	234	1.500	0.100	0.563	24
8	23	235	1.000	0.100	0.292	24
8	24	236	1.300	0.100	0.333	24
8	25	237	1.100	0.100	0.300	24

Carbon Monoxide (CO) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
8	26	238	1.000	0.100	0.221	24
8	27	239	1.000	0.100	0.342	24
8	28	240	1.100	0.100	0.271	24
8	29	241	0.900	0.100	0.379	24
8	30	242	1.200	0.100	0.317	23
8	31	243	1.000	0.100	0.350	24
9	1	244	0.800	0.200	0.333	24
9	2	245	0.800	0.100	0.308	24
9	3	246	0.600	0.100	0.300	24
9	4	247	1.200	0.100	0.375	24
9	5	248	1.200	0.100	0.350	24
9	6	249	1.900	0.100	0.454	24
9	7	250	1.800	0.100	0.475	24
9	8	251	1.100	0.100	0.346	24
9	9	252	0.700	0.100	0.288	24
9	10	253	1.000	0.100	0.300	24
9	11	254	1.000	0.100	0.300	24
9	12	255	2.000	0.100	0.338	21
9	13	256	1.100	0.100	0.248	23
9	14	257	1.100	0.100	0.400	24
9	15	258	0.800	0.200	0.430	23
9	16	259	0.500	0.100	0.221	24
9	17	260	1.700	0.100	0.446	24
9	18	261	1.200	0.100	0.433	24
9	19	262	2.400	0.100	0.529	24
9	20	263	1.100	0.100	0.412	24
9	21	264	2.000	0.100	0.450	24
9	22	265	2.400	0.100	0.483	24
9	23	266	2.500	0.200	0.513	24
9	24	267	1.600	0.100	0.583	24
9	25	268	1.100	0.200	0.433	24
9	26	269	1.200	0.200	0.471	24
9	27	270	1.300	0.200	0.573	22
9	28	271	0.600	0.300	0.367	24
9	29	272	0.300	0.200	0.221	24
9	30	273	1.900	0.100	0.642	24


Carbon Monoxide

October 1989




Carbon Monoxide

November 1989




Carbon Monoxide

December 1989




Carbon Monoxide

January 1990




Carbon Monoxide

February 1990




Carbon Monoxide

March 1990




Carbon Monoxide

April 1990




Carbon Monoxide

May 1990




Carbon Monoxide

June 1990




Carbon Monoxide

July 1990




Carbon Monoxide

August 1990



Carbon Monoxide

September 1990



12 Ozone (O_3)

Ozone (O3) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
10	1	274	0.048	0.007	0.031	24
10	2	275	0.053	0.005	0.027	24
10	3	276	0.032	0.006	0.017	24
10	4	277	0.043	0.003	0.023	24
10	5	278	0.053	0.016	0.034	24
10	6	279	0.054	0.001	0.026	24
10	7	280	0.052	0.001	0.025	24
10	8	281	0.053	0.001	0.028	24
10	9	282	0.048	0.001	0.024	18
10	10	283	0.058	0.001	0.027	24
10	11	284	0.041	0.001	0.019	20
10	12	285	0.053	0.003	0.025	24
10	13	286	0.054	0.004	0.025	22
10	14	287	0.046	0.009	0.024	24
10	15	288	0.036	0.001	0.022	24
10	16	289	0.031	0.015	0.023	24
10	17	290	0.031	0.012	0.022	24
10	18	291	0.036	0.001	0.017	24
10	19	292	0.047	0.001	0.016	24
10	20	293	0.037	0.001	0.014	24
10	21	294	0.050	0.001	0.020	24
10	22	295	0.044	0.001	0.020	24
10	23	296	0.049	0.001	0.020	24
10	24	297	0.042	0.001	0.013	22
10	25	298	0.018	0.001	0.007	24
10	26	299	0.047	0.010	0.027	24
10	27	300	0.049	0.001	0.023	24
10	28	301	0.052	0.001	0.021	16
10	29	302	0.031	0.007	0.020	24
10	30	303	0.037	0.001	0.017	24
10	31	304	0.038	0.002	0.023	24
11	1	305	0.035	0.001	0.019	24
11	2	306	0.046	0.001	0.017	24
11	3	307	0.038	0.001	0.017	24
11	4	308	0.047	0.001	0.020	24
11	5	309	0.037	0.001	0.026	24
11	6	310	0.041	0.001	0.020	24
11	7	311	0.041	0.009	0.031	24
11	8	312	0.042	0.023	0.033	22
11	9	313	0.034	0.001	0.022	24
11	10	314	0.032	0.001	0.011	24
11	11	315	0.034	0.001	0.015	24
11	12	316	0.040	0.001	0.021	24
11	13	317	0.032	0.001	0.019	24
11	14	318	0.036	0.001	0.020	24
11	15	319	0.037	0.011	0.024	24
11	16	320	0.028	0.001	0.014	24
11	17	321	0.039	0.001	0.015	24
11	18	322	0.042	0.001	0.017	24

Ozone (O3) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
11	19	323	0.035	0.001	0.019	24
11	20	324	0.034	0.001	0.012	22
11	21	325	0.034	0.001	0.014	24
11	22	326	0.032	0.001	0.024	24
11	23	327	0.025	0.001	0.008	24
11	24	328	0.041	0.001	0.023	24
11	25	329	0.039	0.003	0.025	24
11	26	330	0.039	0.001	0.019	24
11	27	331	0.036	0.001	0.029	24
11	28	332	0.032	0.001	0.012	24
11	29	333	0.043	0.001	0.017	24
11	30	334	0.035	0.001	0.011	24
12	1	335	0.040	0.001	0.017	24
12	2	336	0.035	0.001	0.014	24
12	3	337	0.035	0.001	0.011	24
12	4	338	0.038	0.001	0.020	24
12	5	339	0.035	0.003	0.024	24
12	6	340	0.029	0.001	0.018	24
12	7	341	0.030	0.001	0.014	24
12	8	342	0.035	0.001	0.007	23
12	9	343	0.037	0.001	0.011	23
12	10	344	0.033	0.003	0.024	24
12	11	345	0.023	0.001	0.011	24
12	12	346	0.036	0.003	0.020	24
12	13	347	0.038	0.001	0.021	24
12	14	348	0.036	0.001	0.020	24
12	15	349	0.028	0.001	0.014	24
12	16	350	0.028	0.001	0.015	20
12	17	351	0.027	0.001	0.011	24
12	18	352	0.038	0.001	0.024	24
12	19	353	0.040	0.001	0.009	20
12	20	354	0.038	0.001	0.024	21
12	21	355	0.036	0.027	0.033	24
12	22	356	0.045	0.001	0.017	23
12	23	357	0.048	0.001	0.024	24
12	24	358	0.042	0.001	0.020	24
12	25	359	0.041	0.002	0.019	24
12	26	360	0.040	0.002	0.018	24
12	27	361	0.039	0.001	0.014	24
12	28	362	0.032	0.001	0.018	22
12	29	363	0.034	0.001	0.019	24
12	30	364	0.036	0.001	0.017	24
12	31	365	0.038	0.001	0.016	24
1	1	1	0.035	0.002	0.016	24
1	2	2	0.043	0.001	0.015	24
1	3	3	0.033	0.001	0.021	24
1	4	4	0.022	0.001	0.009	24
1	5	5	0.040	0.001	0.017	24
1	6	6	0.040	0.002	0.019	24

Ozone (O3) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
1	7	7	0.041	0.002	0.019	24
1	8	8	0.038	0.016	0.027	24
1	9	9	0.040	0.001	0.030	24
1	10	10	0.040	0.004	0.025	24
1	11	11	0.036	0.004	0.027	24
1	12	12	0.025	0.001	0.009	24
1	13	13	0.038	0.001	0.020	24
1	14	14	0.044	0.001	0.030	24
1	15	15	0.036	0.001	0.012	24
1	16	16	0.044	0.001	0.021	24
1	17	17	0.043	0.001	0.021	24
1	18	18	0.028	0.003	0.016	24
1	19	19	0.032	0.001	0.016	24
1	20	20	0.053	0.002	0.023	24
1	21	21	0.052	0.003	0.028	24
1	22	22	0.053	0.005	0.031	23
1	23	23	0.043	0.019	0.036	24
1	24	24	0.040	0.006	0.029	24
1	25	25	0.042	0.029	0.037	24
1	26	26	0.052	0.001	0.033	24
1	27	27	0.042	0.004	0.032	24
1	28	28	0.041	0.011	0.028	24
1	29	29	0.041	0.012	0.031	24
1	30	30	0.043	0.001	0.024	24
1	31	31	0.043	0.001	0.021	24
2	1	32	0.038	0.003	0.022	22
2	2	33	0.039	0.001	0.013	24
2	3	34	0.045	0.001	0.022	24
2	4	35	0.041	0.001	0.019	24
2	5	36	0.044	0.001	0.021	24
2	6	37	0.044	0.001	0.018	24
2	7	38	0.045	0.001	0.020	24
2	8	39	0.045	0.004	0.030	24
2	9	40	0.041	0.001	0.029	24
2	10	41	0.039	0.023	0.034	24
2	11	42	0.042	0.003	0.024	24
2	12	43	0.040	0.001	0.022	24
2	13	44	0.029	0.020	0.026	24
2	14	45	0.030	0.022	0.025	24
2	15	46	0.039	0.002	0.018	23
2	16	47	0.057	0.001	0.024	24
2	17	48	0.049	0.009	0.033	24
2	18	49	0.045	0.013	0.033	24
2	19	50	0.045	0.008	0.024	24
2	20	51	0.039	0.001	0.022	24
2	21	52	0.044	0.002	0.022	24
2	22	53	0.044	0.001	0.019	24
2	23	54	0.046	0.001	0.020	24
2	24	55	0.031	0.001	0.014	24

Ozone (O3) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
2	25	56	0.047	0.001	0.020	24
2	26	57	0.043	0.001	0.017	24
2	27	58	0.030	0.003	0.024	24
2	28	59	0.024	0.005	0.019	24
3	1	60	0.048	0.001	0.018	23
3	2	61	0.051	0.001	0.020	21
3	3	62	0.053	0.001	0.032	24
3	4	63	0.055	0.004	0.033	24
3	5	64	0.043	0.001	0.025	23
3	6	65	0.034	0.016	0.025	24
3	7	66	0.067	0.017	0.037	24
3	8	67	0.046	0.002	0.024	24
3	9	68	0.076	0.002	0.024	24
3	10	69	0.074	0.001	0.031	24
3	11	70	0.076	0.001	0.031	24
3	12	71	0.060	0.009	0.041	24
3	13	72	0.056	0.037	0.046	24
3	14	73	0.062	0.001	0.030	24
3	15	74	0.052	0.008	0.035	23
3	16	75	0.053	0.003	0.033	24
3	17	76	0.042	0.016	0.031	24
3	18	77	0.048	0.020	0.037	24
3	19	78	0.061	0.001	0.029	24
3	20	79	0.058	0.006	0.033	24
3	21	80	0.053	0.001	0.034	24
3	22	81	0.036	0.009	0.022	10
3	23	82	0.022	0.014	0.018	10
3	24	83	0.032	0.017	0.026	21
3	25	84	0.049	0.007	0.029	24
3	26	85	0.035	0.014	0.021	18
3	27	86	0.053	0.001	0.022	20
3	28	87	0.042	0.025	0.035	24
3	29	88	0.044	0.015	0.028	20
3	30	89	0.046	0.001	0.029	16
3	31	90	0.057	0.001	0.029	24
4	1	91	0.051	0.009	0.031	24
4	2	92	0.050	0.007	0.029	24
4	3	93	0.055	0.009	0.032	22
4	4	94	0.053	0.011	0.032	24
4	5	95	0.040	0.030	0.036	24
4	6	96	0.053	0.013	0.033	22
4	7	97	0.059	0.005	0.034	24
4	8	98	0.060	0.012	0.036	24
4	9	99	0.042	0.006	0.027	24
4	10	100	0.031	0.008	0.022	24
4	11	101	0.042	0.012	0.021	24
4	12	102	0.054	0.001	0.020	19
4	13	103	0.058	0.007	0.037	23
4	14	104	0.049	0.001	0.028	24

Ozone (O3) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
4	15	105	0.057	0.005	0.029	24
4	16	106	0.039	0.010	0.029	24
4	17	107	0.028	0.011	0.022	24
4	18	108	0.054	0.003	0.025	24
4	19	109	0.053	0.001	0.028	22
4	20	110	0.059	0.007	0.032	24
4	21	111	0.056	0.013	0.033	24
4	22	112	0.049	0.014	0.037	24
4	23	113	0.049	0.011	0.032	24
4	24	114	0.053	0.001	0.023	24
4	25	115	0.041	0.001	0.023	22
4	26	116	0.049	0.010	0.033	23
4	27	117	0.058	0.005	0.040	24
4	28	118	0.045	0.015	0.032	24
4	29	119	0.055	0.023	0.037	24
4	30	120	0.050	0.013	0.031	24
5	1	121	0.037	0.022	0.029	24
5	2	122	0.063	0.001	0.034	24
5	3	123	0.055	0.011	0.038	24
5	4	124	0.054	0.002	0.032	24
5	5	125	0.061	0.014	0.041	24
5	6	126	0.070	0.027	0.048	24
5	7	127	0.071	0.022	0.045	24
5	8	128	0.033	0.016	0.024	24
5	9	129	0.051	0.023	0.036	24
5	10	130	0.054	0.003	0.028	23
5	11	131	0.034	0.013	0.026	24
5	12	132	0.057	0.017	0.036	24
5	13	133	0.064	0.001	0.036	24
5	14	134	0.054	0.004	0.030	24
5	15	135	0.059	0.006	0.039	24
5	16	136	0.053	0.022	0.042	24
5	17	137	0.060	0.012	0.037	24
5	18	138	0.067	0.002	0.042	24
5	19	139	0.072	0.025	0.052	24
5	20	140	0.057	0.022	0.040	24
5	21	141	0.061	0.009	0.038	24
5	22	142	0.061	0.006	0.038	24
5	23	143	0.058	0.004	0.037	24
5	24	144	0.060	0.002	0.034	23
5	25	145	0.066	0.030	0.045	24
5	26	146	0.071	0.032	0.047	24
5	27	147	0.056	0.024	0.044	24
5	28	148	0.052	0.033	0.045	24
5	29	149	0.042	0.014	0.033	24
5	30	150	0.053	0.002	0.034	24
5	31	151	0.056	0.010	0.035	24
6	1	152	0.055	0.003	0.036	24
6	2	153	0.058	0.025	0.045	24

Ozone (O3) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
6	3	154	0.055	0.020	0.038	24
6	4	155	0.055	0.002	0.034	24
6	5	156	0.052	0.001	0.031	24
6	6	157	0.068	0.016	0.043	24
6	7	158	0.075	0.022	0.042	22
6	8	159	0.063	0.007	0.041	24
6	9	160	0.070	0.014	0.041	24
6	10	161	0.049	0.010	0.037	24
6	11	162	0.042	0.027	0.035	24
6	12	163	0.052	0.028	0.041	24
6	13	164	0.053	0.030	0.043	24
6	14	165	0.064	0.022	0.044	24
6	15	166	0.066	0.014	0.041	24
6	16	167	0.058	0.019	0.040	24
6	17	168	0.069	0.014	0.042	24
6	18	169	0.076	0.011	0.049	24
6	19	170	0.062	0.015	0.040	24
6	20	171	0.072	0.013	0.044	24
6	21	172	0.050	0.006	0.034	23
6	22	173	0.066	0.020	0.039	20
6	23	174	0.072	0.003	0.040	22
6	24	175	0.070	0.027	0.051	24
6	25	176	0.072	0.004	0.042	24
6	26	177	0.086	0.006	0.040	24
6	27	178	0.079	0.017	0.047	24
6	28	179	0.070	0.012	0.050	24
6	29	180	0.082	0.014	0.050	24
6	30	181	0.118	0.020	0.061	24
7	1	182	0.080	0.017	0.051	24
7	2	183	0.071	0.014	0.042	24
7	3	184	0.079	0.011	0.043	24
7	4	185	0.070	0.026	0.048	24
7	5	186	0.069	0.007	0.039	22
7	6	187	0.070	0.008	0.037	23
7	7	188	0.076	0.018	0.039	24
7	8	189	0.053	0.012	0.034	24
7	9	190	0.059	0.020	0.040	24
7	10	191	0.059	0.002	0.029	24
7	11	192	0.059	0.001	0.031	24
7	12	193	0.065	0.015	0.043	24
7	13	194	0.078	0.009	0.041	24
7	14	195	0.071	0.008	0.039	24
7	15	196	0.064	0.004	0.040	24
7	16	197	0.064	0.013	0.035	24
7	17	198	0.067	0.006	0.040	24
7	18	199	0.072	0.012	0.043	24
7	19	200	0.058	0.026	0.045	24
7	20	201	0.045	0.008	0.028	20
7	21	202	0.039	0.020	0.029	24

Ozone (O3) Daily Data in
parts per million (ppm) for FY90


Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
7	22	203	0.051	0.008	0.030	24
7	23	204	0.060	0.005	0.028	24
7	24	205	0.058	0.001	0.028	24
7	25	206	0.067	0.004	0.044	22
7	26	207	0.080	0.004	0.046	24
7	27	208	0.068	0.017	0.047	24
7	28	209	0.077	0.017	0.045	24
7	29	210	0.063	0.007	0.036	24
7	30	211	0.068	0.005	0.039	24
7	31	212	0.085	0.013	0.042	24
8	1	213	0.069	0.006	0.042	24
8	2	214	0.067	0.013	0.037	23
8	3	215	0.074	0.007	0.038	24
8	4	216	0.070	0.002	0.039	24
8	5	217	0.059	0.012	0.037	24
8	6	218	0.063	0.013	0.040	24
8	7	219	0.063	0.005	0.037	24
8	8	220	0.061	0.001	0.032	24
8	9	221	0.077	0.009	0.041	24
8	10	222	0.065	0.003	0.033	24
8	11	223	0.065	0.018	0.043	24
8	12	224	0.054	0.010	0.031	24
8	13	225	0.082	0.011	0.036	24
8	14	226	0.069	0.006	0.034	24
8	15	227	0.063	0.011	0.031	24
8	16	228	0.071	0.001	0.034	23
8	17	229	0.056	0.004	0.027	24
8	18	230	0.063	0.001	0.031	24
8	19	231	0.050	0.014	0.034	17
8	20	232	0.062	0.002	0.039	16
8	21	233	0.063	0.001	0.027	24
8	22	234	0.057	0.002	0.024	24
8	23	235	0.054	0.005	0.031	24
8	24	236	0.059	0.003	0.037	24
8	25	237	0.061	0.004	0.033	24
8	26	238	0.057	0.005	0.032	24
8	27	239	0.062	0.008	0.031	24
8	28	240	0.063	0.004	0.035	24
8	29	241	0.073	0.010	0.040	24
8	30	242	0.056	0.005	0.037	23
8	31	243	0.061	0.002	0.042	23
9	1	244	0.085	0.005	0.047	24
9	2	245	0.072	0.010	0.042	24
9	3	246	0.073	0.008	0.038	24
9	4	247	0.080	0.008	0.045	24
9	5	248	0.072	0.006	0.043	24
9	6	249	0.068	0.004	0.038	24
9	7	250	0.060	0.002	0.032	24
9	8	251	0.073	0.002	0.035	24

Ozone (O3) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
9	9	252	0.060	0.002	0.033	24
9	10	253	0.068	0.004	0.034	24
9	11	254	0.058	0.010	0.034	24
9	12	255	0.083	0.008	0.042	24
9	13	256	0.056	0.016	0.033	18
9	14	257	0.078	0.007	0.036	23
9	15	258	0.091	0.011	0.044	23
9	16	259	0.051	0.031	0.039	24
9	17	260	0.042	0.001	0.026	24
9	18	261	0.056	0.007	0.032	24
9	19	262	0.061	0.002	0.033	24
9	20	263	0.055	0.001	0.028	24
9	21	264	0.055	0.003	0.031	24
9	22	265	0.056	0.001	0.031	24
9	23	266	0.066	0.001	0.033	24
9	24	267	0.056	0.004	0.027	24
9	25	268	0.059	0.007	0.031	24
9	26	269	0.064	0.003	0.032	24
9	27	270	0.047	0.001	0.020	23
9	28	271	0.023	0.006	0.016	24
9	29	272	0.040	0.005	0.023	24
9	30	273	0.054	0.001	0.021	24


Ozone

October 1989




Ozone

November 1989




Ozone

December 1989




Ozone

January 1990




Ozone

February 1990




Ozone

March 1990




Ozone

April 1990




Ozone

May 1990




Ozone

June 1990




Ozone

July 1990




Ozone

August 1990



Ozone

September 1990



13 Sulfur Dioxide (SO₂)

Sulfur Dioxide (SO₂) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
10	1	274	0.005	0.001	0.001	24
10	2	275	0.007	0.001	0.002	24
10	3	276	0.001	0.001	0.001	24
10	4	277	0.004	0.001	0.001	24
10	5	278	0.001	0.001	0.001	24
10	6	279	0.008	0.001	0.002	24
10	7	280	0.005	0.001	0.001	24
10	8	281	0.010	0.001	0.002	24
10	9	282	0.011	0.001	0.002	24
10	10	283	0.020	0.001	0.003	24
10	11	284	0.027	0.001	0.004	24
10	12	285	0.007	0.001	0.002	24
10	13	286	0.003	0.001	0.001	21
10	14	287	0.008	0.001	0.001	24
10	15	288	0.011	0.001	0.002	24
10	16	289	0.001	0.001	0.001	22
10	17	290	0.003	0.001	0.001	24
10	18	291	0.001	0.001	0.001	24
10	19	292	0.002	0.001	0.001	24
10	20	293	0.005	0.001	0.002	24
10	21	294	0.004	0.001	0.001	24
10	22	295	0.006	0.001	0.002	24
10	23	296	0.005	0.001	0.001	21
10	24	297	0.011	0.001	0.004	24
10	25	298	0.014	0.001	0.004	24
10	26	299	0.006	0.001	0.001	24
10	27	300	0.007	0.001	0.001	24
10	28	301	0.011	0.001	0.003	16
10	29	302	0.001	0.001	0.001	24
10	30	303	0.004	0.001	0.002	24
10	31	304	0.003	0.001	0.001	24
11	1	305	0.001	0.001	0.001	24
11	2	306	0.003	0.001	0.001	24
11	3	307	0.014	0.001	0.002	24
11	4	308	0.003	0.001	0.002	24
11	5	309	0.004	0.001	0.001	24
11	6	310	0.008	0.001	0.002	24
11	7	311	0.004	0.001	0.001	24
11	8	312	0.001	0.001	0.001	21
11	9	313	0.006	0.001	0.001	24
11	10	314	0.012	0.001	0.003	24
11	11	315	0.010	0.001	0.003	24
11	12	316	0.007	0.001	0.001	24
11	13	317	0.008	0.001	0.002	24
11	14	318	0.008	0.001	0.002	24
11	15	319	0.001	0.001	0.001	24

Sulfur Dioxide (SO2) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
11	16	320	0.005	0.001	0.002	24
11	17	321	0.004	0.001	0.001	24
11	18	322	0.011	0.001	0.002	24
11	19	323	0.018	0.001	0.003	24
11	20	324	0.008	0.001	0.002	22
11	21	325	0.009	0.001	0.004	24
11	22	326	0.003	0.001	0.001	24
11	23	327	0.010	0.001	0.004	24
11	24	328	0.012	0.001	0.003	24
11	25	329	0.010	0.001	0.001	24
11	26	330	0.007	0.001	0.002	24
11	27	331	0.001	0.001	0.001	24
11	28	332	0.009	0.001	0.004	24
11	29	333	0.004	0.001	0.001	24
11	30	334	0.018	0.001	0.006	24
12	1	335	0.010	0.001	0.003	24
12	2	336	0.008	0.001	0.003	24
12	3	337	0.021	0.001	0.004	24
12	4	338	0.007	0.001	0.001	22
12	5	339	0.005	0.001	0.002	24
12	6	340	0.001	0.001	0.001	24
12	7	341	0.003	0.001	0.001	24
12	8	342	0.017	0.001	0.004	24
12	9	343	0.014	0.001	0.002	23
12	10	344	0.001	0.001	0.001	24
12	11	345	0.004	0.001	0.002	24
12	12	346	0.006	0.001	0.002	24
12	13	347	0.007	0.001	0.002	24
12	14	348	0.014	0.001	0.003	24
12	15	349	0.019	0.001	0.005	24
12	16	350	0.016	0.001	0.004	21
12	17	351	0.027	0.001	0.009	24
12	18	352	0.004	0.001	0.001	24
12	19	353	0.026	0.004	0.009	24
12	20	354	0.017	0.001	0.004	23
12	21	355	0.004	0.001	0.001	24
12	22	356	0.018	0.001	0.007	22
12	23	357	0.025	0.001	0.006	24
12	24	358	0.002	0.001	0.001	24
12	25	359	0.009	0.001	0.003	24
12	26	360	0.011	0.001	0.003	24
12	27	361	0.010	0.001	0.002	24
12	28	362	0.012	0.001	0.003	24
12	29	363	0.004	0.001	0.001	22
12	30	364	0.015	0.001	0.002	24
12	31	365	0.010	0.001	0.003	24

Sulfur Dioxide (SO₂) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
1	1	1	0.013	0.001	0.003	24
1	2	2	0.029	0.001	0.005	24
1	3	3	0.001	0.001	0.001	24
1	4	4	0.037	0.001	0.008	24
1	5	5	0.004	0.001	0.001	24
1	6	6	0.011	0.001	0.003	24
1	7	7	0.008	0.001	0.002	24
1	8	8	0.021	0.001	0.002	24
1	9	9	0.008	0.001	0.002	24
1	10	10	0.008	0.001	0.002	24
1	11	11	0.003	0.001	0.001	24
1	12	12	0.006	0.001	0.002	24
1	13	13	0.011	0.001	0.003	24
1	14	14	0.010	0.001	0.002	24
1	15	15	0.021	0.001	0.005	24
1	16	16	0.005	0.001	0.003	24
1	17	17	0.021	0.001	0.004	11
1	18	18	0.002	0.001	0.001	10
1	19	19	0.001	0.001	0.001	24
1	20	20	0.004	0.001	0.002	24
1	21	21	0.008	0.001	0.002	24
1	22	22	0.006	0.001	0.002	23
1	23	23	0.027	0.001	0.003	24
1	24	24	0.003	0.001	0.001	22
1	25	25	0.003	0.001	0.001	24
1	26	26	0.006	0.001	0.002	24
1	27	27	0.001	0.001	0.001	24
1	28	28	0.004	0.001	0.002	24
1	29	29	0.009	0.001	0.002	24
1	30	30	0.003	0.001	0.001	24
1	31	31	0.006	0.001	0.002	24
2	1	32	0.002	0.001	0.001	22
2	2	33	0.029	0.001	0.004	24
2	3	34	0.005	0.001	0.002	24
2	4	35	0.007	0.001	0.002	24
2	5	36	0.005	0.001	0.002	24
2	6	37	0.010	0.001	0.002	24
2	7	38	0.013	0.001	0.003	24
2	8	39	0.004	0.001	0.002	24
2	9	40	0.019	0.001	0.003	24
2	10	41	0.001	0.001	0.001	24
2	11	42	0.007	0.001	0.002	24
2	12	43	0.010	0.001	0.002	24
2	13	44	0.001	0.001	0.001	24
2	14	45	0.001	0.001	0.001	24
2	15	46	0.012	0.001	0.002	22

Sulfur Dioxide (SO2) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
2	16	47	0.006	0.001	0.002	24
2	17	48	0.004	0.001	0.001	24
2	18	49	0.001	0.001	0.001	24
2	19	50	0.016	0.001	0.002	24
2	20	51	0.003	0.001	0.001	24
2	21	52	0.006	0.001	0.002	24
2	22	53	0.010	0.001	0.002	24
2	23	54	0.007	0.001	0.002	24
2	24	55	0.009	0.001	0.004	24
2	25	56	0.007	0.001	0.002	24
2	26	57	0.006	0.001	0.002	24
2	27	58	0.001	0.001	0.001	24
2	28	59	0.008	0.001	0.001	24
3	1	60	0.012	0.001	0.002	22
3	2	61	0.007	0.001	0.002	24
3	3	62	0.003	0.001	0.001	24
3	4	63	0.004	0.001	0.001	24
3	5	64	0.003	0.001	0.001	23
3	6	65	0.001	0.001	0.001	24
3	7	66	0.008	0.001	0.002	24
3	8	67	0.022	0.001	0.003	24
3	9	68	0.020	0.001	0.005	24
3	10	69	0.014	0.001	0.004	24
3	11	70	0.011	0.001	0.003	24
3	12	71	0.008	0.001	0.002	24
3	13	72	0.001	0.001	0.001	24
3	14	73	0.007	0.001	0.003	24
3	15	74	0.007	0.001	0.002	22
3	16	75	0.007	0.001	0.002	24
3	17	76	0.014	0.001	0.002	24
3	18	77	0.004	0.001	0.001	24
3	19	78	0.005	0.001	0.002	24
3	20	79	0.010	0.001	0.002	24
3	21	80	0.004	0.001	0.002	24
3	22	81	0.001	0.001	0.001	24
3	23	82	0.001	0.001	0.001	24
3	24	83	0.001	0.001	0.001	18
3	25	84	0.038	0.001	0.004	24
3	26	85	0.010	0.001	0.002	24
3	27	86	0.010	0.001	0.003	24
3	28	87	0.001	0.001	0.001	24
3	29	88	0.001	0.001	0.001	22
3	30	89	0.001	0.001	0.001	21
3	31	90	0.021	0.001	0.003	24
4	1	91	0.006	0.001	0.001	24
4	2	92	0.026	0.001	0.004	24

Sulfur Dioxide (SO2) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
4	3	93	0.022	0.001	0.003	22
4	4	94	0.003	0.001	0.001	24
4	5	95	0.001	0.001	0.001	24
4	6	96	0.006	0.001	0.001	24
4	7	97	0.015	0.001	0.002	24
4	8	98	0.008	0.001	0.002	24
4	9	99	0.001	0.001	0.001	24
4	10	100	0.001	0.001	0.001	24
4	11	101	0.014	0.001	0.002	21
4	12	102	0.019	0.001	0.002	24
4	13	103	0.001	0.001	0.001	24
4	14	104	0.004	0.001	0.001	24
4	15	105	0.022	0.001	0.003	24
4	16	106	0.001	0.001	0.001	24
4	17	107	0.002	0.001	0.001	24
4	18	108	0.007	0.001	0.002	23
4	19	109	0.010	0.001	0.002	23
4	20	110	0.006	0.001	0.002	24
4	21	111	0.016	0.001	0.003	24
4	22	112	0.007	0.001	0.001	24
4	23	113	0.003	0.001	0.001	24
4	24	114	0.009	0.001	0.002	24
4	25	115	0.001	0.001	0.001	22
4	26	116	0.001	0.001	0.001	22
4	27	117	0.001	0.001	0.001	24
4	28	118	0.007	0.001	0.001	24
4	29	119	0.001	0.001	0.001	24
4	30	120	0.007	0.001	0.001	24
5	1	121	0.001	0.001	0.001	24
5	2	122	0.007	0.001	0.002	24
5	3	123	0.001	0.001	0.001	24
5	4	124	0.009	0.001	0.002	24
5	5	125	0.010	0.001	0.002	24
5	6	126	0.001	0.001	0.001	24
5	7	127	0.003	0.001	0.001	24
5	8	128	0.001	0.001	0.001	24
5	9	129	0.002	0.001	0.001	24
5	10	130	0.027	0.001	0.004	23
5	11	131	0.001	0.001	0.001	24
5	12	132	0.007	0.001	0.002	24
5	13	133	0.016	0.001	0.003	24
5	14	134	0.004	0.001	0.001	24
5	15	135	0.007	0.001	0.002	24
5	16	136	0.005	0.001	0.001	24
5	17	137	0.003	0.001	0.001	24
5	18	138	0.008	0.001	0.002	24

Sulfur Dioxide (SO2) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
5	19	139	0.001	0.001	0.001	24
5	20	140	0.001	0.001	0.001	24
5	21	141	0.051	0.001	0.005	24
5	22	142	0.008	0.001	0.003	24
5	23	143	0.006	0.001	0.002	24
5	24	144	0.030	0.001	0.008	21
5	25	145	0.002	0.001	0.001	24
5	26	146	0.002	0.001	0.001	24
5	27	147	0.001	0.001	0.001	24
5	28	148	0.004	0.001	0.001	24
5	29	149	0.011	0.001	0.002	21
5	30	150	0.004	0.001	0.002	24
5	31	151	0.031	0.001	0.003	24
6	1	152	0.026	0.001	0.004	24
6	2	153	0.002	0.001	0.001	24
6	3	154	0.001	0.001	0.001	24
6	4	155	0.005	0.001	0.001	24
6	5	156	0.006	0.001	0.002	24
6	6	157	0.002	0.001	0.001	24
6	7	158	0.024	0.001	0.004	22
6	8	159	0.004	0.001	0.001	24
6	9	160	0.007	0.001	0.002	24
6	10	161	0.004	0.001	0.001	24
6	11	162	0.001	0.001	0.001	24
6	12	163	0.003	0.001	0.001	24
6	13	164	0.001	0.001	0.001	24
6	14	165	0.013	0.001	0.003	24
6	15	166	0.007	0.001	0.002	24
6	16	167	0.001	0.001	0.001	24
6	17	168	0.014	0.001	0.003	24
6	18	169	0.016	0.001	0.002	24
6	19	170	0.003	0.001	0.001	24
6	20	171	0.006	0.001	0.002	15
6	21	172	0.006	0.001	0.001	22
6	22	173	0.007	0.001	0.002	24
6	23	174	0.014	0.001	0.002	22
6	24	175	0.013	0.001	0.002	24
6	25	176	0.038	0.001	0.004	24
6	26	177	0.028	0.001	0.005	24
6	27	178	0.015	0.001	0.002	24
6	28	179	0.013	0.001	0.002	24
6	29	180	0.010	0.001	0.002	24
6	30	181	0.011	0.001	0.002	24
7	1	182	0.009	0.001	0.002	24
7	2	183	0.011	0.001	0.002	24
7	3	184	0.007	0.001	0.002	24

Sulfur Dioxide (SO₂) Daily Data in
parts per million (ppm) for FY90


Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
7	4	185	0.001	0.001	0.001	24
7	5	186	0.013	0.001	0.002	22
7	6	187	0.009	0.001	0.003	22
7	7	188	0.010	0.001	0.002	24
7	8	189	0.001	0.001	0.001	24
7	9	190	0.001	0.001	0.001	24
7	10	191	0.004	0.001	0.001	24
7	11	192	0.003	0.001	0.001	24
7	12	193	0.001	0.001	0.001	24
7	13	194	0.001	0.001	0.001	24
7	14	195	0.004	0.001	0.001	24
7	15	196	0.005	0.001	0.002	24
7	16	197	0.017	0.001	0.003	24
7	17	198	0.012	0.001	0.002	24
7	18	199	0.006	0.001	0.002	24
7	19	200	0.001	0.001	0.001	24
7	20	201	0.001	0.001	0.001	22
7	21	202	0.001	0.001	0.001	24
7	22	203	0.001	0.001	0.001	24
7	23	204	0.007	0.001	0.001	24
7	24	205	0.018	0.001	0.004	24
7	25	206	0.010	0.001	0.002	22
7	26	207	0.017	0.001	0.002	24
7	27	208	0.004	0.001	0.001	24
7	28	209	0.011	0.001	0.002	24
7	29	210	0.002	0.001	0.001	24
7	30	211	0.001	0.001	0.001	24
7	31	212	0.004	0.001	0.001	24
8	1	213	0.014	0.001	0.002	24
8	2	214	0.006	0.001	0.002	22
8	3	215	0.003	0.001	0.001	22
8	4	216	0.009	0.001	0.002	11
8	5	217				0
8	6	218				0
8	7	219	0.001	0.001	0.001	11
8	8	220	0.024	0.001	0.004	24
8	9	221	0.008	0.001	0.002	19
8	10	222	0.015	0.001	0.003	24
8	11	223	0.003	0.001	0.001	24
8	12	224	0.005	0.001	0.002	24
8	13	225	0.015	0.001	0.004	24
8	14	226	0.008	0.001	0.002	24
8	15	227	0.013	0.001	0.002	24
8	16	228	0.006	0.001	0.002	20
8	17	229	0.015	0.001	0.003	24
8	18	230	0.008	0.001	0.002	24

Sulfur Dioxide (SO₂) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
8	19	231	0.042	0.001	0.006	17
8	20	232	0.003	0.001	0.001	16
8	21	233	0.010	0.001	0.002	24
8	22	234	0.009	0.001	0.002	24
8	23	235	0.006	0.001	0.001	24
8	24	236	0.007	0.001	0.002	24
8	25	237	0.007	0.001	0.002	24
8	26	238	0.006	0.001	0.001	24
8	27	239	0.005	0.001	0.002	24
8	28	240	0.009	0.001	0.002	24
8	29	241	0.016	0.001	0.003	24
8	30	242	0.012	0.001	0.003	22
8	31	243	0.005	0.001	0.002	10
9	1	244				0
9	2	245				0
9	3	246				0
9	4	247				0
9	5	248				0
9	6	249				0
9	7	250				0
9	8	251				0
9	9	252				0
9	10	253	0.002	0.001	0.001	12
9	11	254	0.038	0.001	0.005	24
9	12	255	0.026	0.001	0.003	24
9	13	256	0.007	0.001	0.002	22
9	14	257	0.009	0.001	0.002	24
9	15	258	0.010	0.001	0.002	23
9	16	259	0.012	0.001	0.002	24
9	17	260	0.001	0.001	0.001	24
9	18	261	0.003	0.001	0.001	24
9	19	262	0.008	0.001	0.002	24
9	20	263	0.009	0.001	0.002	24
9	21	264	0.011	0.001	0.002	24
9	22	265	0.007	0.001	0.002	24
9	23	266	0.008	0.001	0.002	24
9	24	267	0.018	0.001	0.002	24
9	25	268	0.004	0.001	0.001	24
9	26	269	0.008	0.001	0.002	24
9	27	270	0.018	0.001	0.004	23
9	28	271	0.003	0.001	0.001	24
9	29	272	0.001	0.001	0.001	24
9	30	273	0.010	0.001	0.002	24


Sulfur Dioxide

October 1989




Sulfur Dioxide

November 1989




Sulfur Dioxide

December 1989




Sulfur Dioxide

January 1990




Sulfur Dioxide

February 1990




Sulfur Dioxide

March 1990




Sulfur Dioxide

April 1990




Sulfur Dioxide

May 1990




Sulfur Dioxide

June 1990




Sulfur Dioxide

July 1990




Sulfur Dioxide

August 1990



Sulfur Dioxide

September 1990



14 Nitric Oxide (NO)

Nitric Oxide (NO) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
10	1	274	0.001	0.001	0.001	24
10	2	275	0.026	0.001	0.006	24
10	3	276	0.009	0.001	0.004	24
10	4	277	0.028	0.004	0.011	24
10	5	278	0.044	0.002	0.010	24
10	6	279	0.087	0.003	0.015	24
10	7	280	0.049	0.001	0.012	24
10	8	281	0.027	0.001	0.006	24
10	9	282	0.094	0.001	0.013	24
10	10	283	0.045	0.001	0.011	24
10	11	284	0.048	0.001	0.008	24
10	12	285	0.046	0.001	0.008	24
10	13	286	0.053	0.001	0.010	20
10	14	287	0.022	0.001	0.005	24
10	15	288	0.014	0.001	0.003	24
10	16	289	0.005	0.001	0.002	24
10	17	290	0.015	0.001	0.008	24
10	18	291	0.106	0.004	0.024	24
10	19	292	0.075	0.001	0.022	24
10	20	293	0.104	0.001	0.024	24
10	21	294	0.072	0.001	0.012	24
10	22	295	0.024	0.001	0.008	24
10	23	296	0.048	0.001	0.012	24
10	24	297	0.106	0.001	0.021	20
10	25	298	0.134	0.001	0.027	24
10	26	299	0.007	0.001	0.002	24
10	27	300	0.084	0.001	0.010	24
10	28	301	0.065	0.001	0.020	16
10	29	302	0.010	0.001	0.005	24
10	30	303	0.075	0.001	0.018	24
10	31	304	0.056	0.001	0.010	24
11	1	305	0.056	0.001	0.010	24
11	2	306	0.049	0.001	0.013	24
11	3	307	0.083	0.002	0.015	24
11	4	308	0.040	0.001	0.010	24
11	5	309	0.037	0.001	0.007	24
11	6	310	0.099	0.001	0.019	24
11	7	311	0.017	0.001	0.004	24
11	8	312	0.012	0.001	0.004	20
11	9	313	0.019	0.001	0.005	24
11	10	314	0.111	0.001	0.024	24
11	11	315	0.064	0.001	0.013	24
11	12	316	0.077	0.001	0.009	24
11	13	317	0.102	0.001	0.013	24
11	14	318	0.078	0.001	0.016	24
11	15	319	0.002	0.001	0.001	24
11	16	320	0.070	0.001	0.016	24

Nitric Oxide (NO) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
11	17	321	0.066	0.001	0.014	24
11	18	322	0.071	0.001	0.011	24
11	19	323	0.136	0.001	0.016	24
11	20	324	0.133	0.001	0.039	21
11	21	325	0.204	0.001	0.045	24
11	22	326	0.126	0.001	0.011	24
11	23	327	0.149	0.001	0.043	24
11	24	328	0.022	0.001	0.006	24
11	25	329	0.023	0.001	0.006	24
11	26	330	0.081	0.001	0.017	24
11	27	331	0.029	0.001	0.004	24
11	28	332	0.116	0.002	0.031	24
11	29	333	0.106	0.001	0.016	24
11	30	334	0.247	0.001	0.051	24
12	1	335	0.290	0.001	0.044	24
12	2	336	0.110	0.001	0.021	24
12	3	337	0.093	0.001	0.029	24
12	4	338	0.080	0.001	0.009	20
12	5	339	0.053	0.001	0.009	24
12	6	340	0.034	0.001	0.009	24
12	7	341	0.115	0.001	0.016	24
12	8	342	0.162	0.001	0.046	24
12	9	343	0.027	0.001	0.007	22
12	10	344	0.009	0.001	0.005	24
12	11	345	0.070	0.001	0.015	24
12	12	346	0.074	0.001	0.008	24
12	13	347	0.014	0.001	0.005	24
12	14	348	0.149	0.001	0.017	24
12	15	349	0.068	0.001	0.014	24
12	16	350	0.106	0.001	0.019	20
12	17	351	0.086	0.001	0.028	24
12	18	352	0.121	0.001	0.011	24
12	19	353	0.163	0.006	0.072	24
12	20	354	0.090	0.001	0.014	23
12	21	355	0.001	0.001	0.001	24
12	22	356	0.329	0.001	0.073	22
12	23	357	0.518	0.006	0.102	24
12	24	358	0.029	0.001	0.011	24
12	25	359	0.085	0.003	0.016	24
12	26	360	0.053	0.002	0.020	24
12	27	361	0.178	0.001	0.033	24
12	28	362	0.106	0.001	0.021	24
12	29	363	0.151	0.001	0.020	24
12	30	364	0.076	0.003	0.018	24
12	31	365	0.027	0.001	0.009	24
1	1	1	0.116	0.001	0.017	24
1	2	2	0.183	0.001	0.039	24

Nitric Oxide (NO) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
1	3	3	0.014	0.001	0.004	24
1	4	4	0.132	0.001	0.044	24
1	5	5	0.085	0.001	0.012	24
1	6	6	0.164	0.001	0.021	24
1	7	7	0.034	0.001	0.008	24
1	8	8	0.026	0.001	0.006	24
1	9	9	0.025	0.001	0.006	24
1	10	10	0.139	0.001	0.015	24
1	11	11	0.009	0.001	0.003	24
1	12	12	0.142	0.001	0.036	24
1	13	13	0.119	0.001	0.017	24
1	14	14	0.099	0.008	0.021	24
1	15	15	0.121	0.003	0.034	24
1	16	16	0.082	0.003	0.023	24
1	17	17	0.061	0.001	0.014	24
1	18	18	0.040	0.001	0.006	24
1	19	19	0.015	0.004	0.010	13
1	20	20	0.065	0.001	0.018	24
1	21	21	0.100	0.001	0.019	24
1	22	22	0.053	0.003	0.020	23
1	23	23	0.033	0.001	0.005	24
1	24	24	0.010	0.001	0.003	22
1	25	25	0.004	0.001	0.002	24
1	26	26	0.028	0.001	0.007	24
1	27	27	0.004	0.001	0.001	24
1	28	28	0.008	0.001	0.001	24
1	29	29	0.006	0.001	0.002	24
1	30	30	0.025	0.001	0.006	24
1	31	31	0.049	0.001	0.012	24
2	1	32	0.024	0.001	0.005	20
2	2	33	0.076	0.001	0.019	24
2	3	34	0.043	0.001	0.009	10
2	4	35	ERR	ERR	ERR	0
2	5	36	0.040	0.001	0.004	13
2	6	37	0.169	0.001	0.037	24
2	7	38	0.152	0.001	0.023	24
2	8	39	0.008	0.001	0.003	24
2	9	40	0.023	0.001	0.004	24
2	10	41	0.003	0.001	0.001	24
2	11	42	0.007	0.001	0.003	24
2	12	43	0.161	0.001	0.016	24
2	13	44	0.001	0.001	0.001	24
2	14	45	0.002	0.001	0.001	24
2	15	46	0.055	0.001	0.013	22
2	16	47	0.076	0.001	0.016	24
2	17	48	0.008	0.001	0.003	24
2	18	49	0.011	0.001	0.005	24

Nitric Oxide (NO) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
2	19	50	0.049	0.001	0.012	24
2	20	51	0.040	0.001	0.010	24
2	21	52	0.119	0.001	0.026	24
2	22	53	0.081	0.001	0.018	24
2	23	54	0.065	0.001	0.012	24
2	24	55	0.138	0.006	0.028	24
2	25	56	0.142	0.001	0.030	24
2	26	57	0.118	0.004	0.027	24
2	27	58	0.022	0.001	0.006	24
2	28	59	0.019	0.001	0.009	24
3	1	60	0.082	0.001	0.028	21
3	2	61	0.100	0.001	0.022	24
3	3	62	0.022	0.001	0.008	24
3	4	63	0.020	0.001	0.007	24
3	5	64	0.023	0.001	0.012	22
3	6	65	0.006	0.001	0.003	24
3	7	66	0.028	0.001	0.007	24
3	8	67	0.066	0.003	0.022	24
3	9	68	0.186	0.001	0.039	24
3	10	69	0.155	0.001	0.031	24
3	11	70	0.061	0.001	0.016	24
3	12	71	0.023	0.001	0.003	24
3	13	72	0.003	0.001	0.001	24
3	14	73	0.032	0.001	0.013	24
3	15	74	0.026	0.001	0.006	22
3	16	75	0.004	0.001	0.001	24
3	17	76	0.014	0.001	0.003	24
3	18	77	0.003	0.001	0.002	24
3	19	78	0.078	0.001	0.015	24
3	20	79	0.031	0.001	0.007	24
3	21	80	0.024	0.003	0.008	24
3	22	81	0.014	0.001	0.004	24
3	23	82	0.002	0.001	0.001	24
3	24	83	0.002	0.001	0.001	24
3	25	84	0.040	0.001	0.005	24
3	26	85	0.019	0.001	0.006	24
3	27	86	0.063	0.001	0.022	24
3	28	87	0.004	0.001	0.002	24
3	29	88	0.006	0.004	0.005	8
3	30	89	0.011	0.008	0.010	3
3	31	90	0.083	0.001	0.016	24
4	1	91	0.006	0.001	0.002	24
4	2	92	0.057	0.001	0.008	24
4	3	93	0.044	0.001	0.006	22
4	4	94	0.016	0.001	0.002	24
4	5	95	0.001	0.001	0.001	24
4	6	96	0.013	0.001	0.003	24

Nitric Oxide (NO) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
4	7	97	0.056	0.001	0.006	24
4	8	98	0.008	0.001	0.002	24
4	9	99	0.019	0.001	0.003	24
4	10	100	0.015	0.001	0.002	24
4	11	101	0.014	0.001	0.002	21
4	12	102	0.097	0.001	0.012	24
4	13	103	0.001	0.001	0.001	24
4	14	104	0.031	0.001	0.005	24
4	15	105	0.018	0.001	0.003	24
4	16	106	0.013	0.001	0.002	24
4	17	107	0.007	0.001	0.002	24
4	18	108	0.010	0.001	0.002	24
4	19	109	0.040	0.001	0.005	24
4	20	110	0.031	0.001	0.004	24
4	21	111	0.013	0.001	0.002	24
4	22	112	0.003	0.001	0.001	24
4	23	113	0.009	0.001	0.002	24
4	24	114	0.020	0.001	0.005	24
4	25	115	0.030	0.001	0.007	21
4	26	116	0.016	0.001	0.003	22
4	27	117	0.009	0.001	0.002	24
4	28	118	0.006	0.001	0.002	24
4	29	119	0.001	0.001	0.001	24
4	30	120	0.005	0.001	0.002	24
5	1	121	0.003	0.001	0.001	24
5	2	122	0.089	0.001	0.017	20
5	3	123	0.001	0.001	0.001	24
5	4	124	0.042	0.001	0.004	24
5	5	125	0.030	0.001	0.003	24
5	6	126	0.003	0.001	0.001	24
5	7	127	0.013	0.001	0.003	24
5	8	128	0.001	0.001	0.001	24
5	9	129	0.001	0.001	0.001	24
5	10	130	0.046	0.001	0.006	22
5	11	131	0.005	0.001	0.001	24
5	12	132	0.009	0.001	0.003	24
5	13	133	0.016	0.001	0.006	24
5	14	134	0.005	0.001	0.001	24
5	15	135	0.024	0.001	0.003	24
5	16	136	0.003	0.001	0.001	24
5	17	137	0.005	0.001	0.001	24
5	18	138	0.027	0.001	0.004	24
5	19	139	0.002	0.001	0.001	24
5	20	140	0.001	0.001	0.001	24
5	21	141	0.055	0.001	0.007	24
5	22	142	0.041	0.001	0.005	24
5	23	143	0.018	0.001	0.004	24

Nitric Oxide (NO) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
5	24	144	0.067	0.001	0.012	20
5	25	145	0.001	0.001	0.001	24
5	26	146	0.006	0.001	0.001	24
5	27	147	0.002	0.001	0.001	24
5	28	148	0.005	0.001	0.001	24
5	29	149	0.011	0.001	0.002	24
5	30	150	0.055	0.001	0.005	24
5	31	151	0.042	0.001	0.006	24
6	1	152	0.095	0.001	0.007	24
6	2	153	0.001	0.001	0.001	24
6	3	154	0.001	0.001	0.001	24
6	4	155	0.018	0.001	0.003	24
6	5	156	0.020	0.001	0.003	24
6	6	157	0.007	0.001	0.002	24
6	7	158	0.014	0.001	0.003	22
6	8	159	0.006	0.001	0.002	24
6	9	160	0.005	0.001	0.002	24
6	10	161	0.004	0.001	0.002	24
6	11	162	0.005	0.001	0.002	24
6	12	163	0.006	0.002	0.003	24
6	13	164	0.003	0.001	0.002	23
6	14	165	0.014	0.001	0.003	24
6	15	166	0.010	0.001	0.003	24
6	16	167	0.004	0.001	0.002	24
6	17	168	0.012	0.001	0.003	24
6	18	169	0.015	0.002	0.006	9
6	19	170	0.003	0.001	0.002	12
6	20	171	0.020	0.001	0.004	24
6	21	172	0.006	0.001	0.002	21
6	22	173	0.023	0.001	0.003	24
6	23	174	0.015	0.001	0.004	22
6	24	175	0.011	0.001	0.003	24
6	25	176	0.029	0.001	0.005	24
6	26	177	0.046	0.001	0.008	24
6	27	178	0.013	0.001	0.003	24
6	28	179	0.019	0.001	0.003	24
6	29	180	0.043	0.001	0.006	24
6	30	181	0.019	0.001	0.003	24
7	1	182	0.008	0.001	0.002	24
7	2	183	0.016	0.001	0.004	24
7	3	184	0.029	0.001	0.005	24
7	4	185	0.007	0.001	0.003	24
7	5	186	0.044	0.001	0.006	21
7	6	187	0.009	0.001	0.004	24
7	7	188	0.013	0.001	0.003	24
7	8	189	0.006	0.003	0.004	24
7	9	190	0.005	0.001	0.003	24

Nitric Oxide (NO) Daily Data in
parts per million (ppm) for FY90


Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
7	10	191	0.063	0.001	0.016	24
7	11	192	0.022	0.001	0.006	24
7	12	193	0.008	0.002	0.003	24
7	13	194	0.009	0.001	0.004	24
7	14	195	0.007	0.002	0.004	24
7	15	196	0.010	0.001	0.004	24
7	16	197	0.032	0.001	0.005	24
7	17	198	0.034	0.001	0.006	24
7	18	199	0.014	0.001	0.004	24
7	19	200	0.004	0.002	0.003	24
7	20	201	0.006	0.001	0.003	21
7	21	202	0.001	0.001	0.001	24
7	22	203	0.001	0.001	0.001	24
7	23	204	0.019	0.001	0.004	24
7	24	205	0.068	0.001	0.011	24
7	25	206	0.026	0.001	0.005	24
7	26	207	0.020	0.001	0.005	21
7	27	208	0.012	0.002	0.004	24
7	28	209	0.010	0.002	0.004	24
7	29	210	0.009	0.003	0.004	24
7	30	211	0.009	0.003	0.004	24
7	31	212	0.018	0.002	0.004	24
8	1	213	0.036	0.002	0.007	24
8	2	214	0.008	0.001	0.004	24
8	3	215	0.029	0.002	0.005	24
8	4	216	0.017	0.001	0.005	24
8	5	217	0.005	0.002	0.003	24
8	6	218	0.005	0.002	0.003	24
8	7	219	0.031	0.001	0.005	24
8	8	220	0.040	0.001	0.008	24
8	9	221	0.040	0.001	0.006	24
8	10	222	0.034	0.001	0.008	24
8	11	223	0.006	0.002	0.003	24
8	12	224	0.008	0.003	0.004	24
8	13	225	0.020	0.002	0.006	24
8	14	226	0.033	0.002	0.006	24
8	15	227	0.013	0.003	0.005	24
8	16	228	0.032	0.001	0.008	20
8	17	229	0.027	0.002	0.007	24
8	18	230	0.038	0.002	0.012	24
8	19	231	0.043	0.002	0.008	17
8	20	232	0.036	0.003	0.008	16
8	21	233	0.046	0.002	0.010	24
8	22	234	0.047	0.002	0.009	24
8	23	235	0.043	0.001	0.007	24
8	24	236	0.023	0.002	0.006	24
8	25	237	0.016	0.002	0.005	24

Nitric Oxide (NO) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
8	26	238	0.008	0.001	0.004	24
8	27	239	0.024	0.001	0.005	24
8	28	240	0.025	0.001	0.005	24
8	29	241	0.032	0.001	0.007	24
8	30	242	0.027	0.002	0.004	22
8	31	243	0.027	0.002	0.006	24
9	1	244	0.006	0.003	0.004	24
9	2	245	0.006	0.002	0.004	24
9	3	246	0.007	0.001	0.003	24
9	4	247	0.031	0.003	0.005	24
9	5	248	0.046	0.001	0.006	24
9	6	249	0.060	0.002	0.010	24
9	7	250	0.028	0.003	0.008	24
9	8	251	0.015	0.002	0.005	24
9	9	252	0.020	0.002	0.005	24
9	10	253	0.030	0.001	0.007	24
9	11	254	0.060	0.001	0.009	24
9	12	255	0.074	0.001	0.008	24
9	13	256	0.026	0.001	0.004	22
9	14	257	0.031	0.003	0.010	10
9	15	258	0.003	0.001	0.002	11
9	16	259	0.008	0.001	0.003	24
9	17	260	0.035	0.001	0.006	24
9	18	261	0.022	0.001	0.005	24
9	19	262	0.060	0.001	0.011	24
9	20	263	0.039	0.002	0.007	24
9	21	264	0.070	0.002	0.007	24
9	22	265	0.059	0.001	0.009	24
9	23	266	0.068	0.001	0.006	24
9	24	267	0.048	0.001	0.008	24
9	25	268	0.029	0.001	0.006	24
9	26	269	0.057	0.001	0.009	24
9	27	270	0.093	0.001	0.017	22
9	28	271	0.011	0.001	0.004	24
9	29	272	0.003	0.001	0.002	24
9	30	273	0.051	0.001	0.018	24


Nitric Oxide

October 1989




Nitric Oxide

November 1989




Nitric Oxide

December 1989




Nitric Oxide

January 1990




Nitric Oxide

February 1990




Nitric Oxide

March 1990




Nitric Oxide

April 1990




Nitric Oxide

May 1990




Nitric Oxide

June 1990




Nitric Oxide

July 1990




Nitric Oxide

August 1990



Nitric Oxide

September 1990



15 Nitrogen Dioxide (NO₂)

Nitrogen Dioxide (NO₂) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
10	1	274	0.043	0.001	0.010	24
10	2	275	0.031	0.002	0.012	24
10	3	276	0.020	0.005	0.009	24
10	4	277	0.029	0.003	0.013	24
10	5	278	0.020	0.001	0.007	24
10	6	279	0.057	0.004	0.023	24
10	7	280	0.062	0.003	0.021	24
10	8	281	0.051	0.001	0.019	24
10	9	282	0.051	0.001	0.021	24
10	10	283	0.067	0.007	0.024	24
10	11	284	0.048	0.002	0.023	24
10	12	285	0.043	0.003	0.020	24
10	13	286	0.056	0.004	0.025	20
10	14	287	0.034	0.001	0.017	24
10	15	288	0.045	0.002	0.013	24
10	16	289	0.014	0.001	0.003	24
10	17	290	0.016	0.002	0.006	24
10	18	291	0.040	0.003	0.013	24
10	19	292	0.041	0.006	0.027	24
10	20	293	0.044	0.003	0.025	24
10	21	294	0.054	0.002	0.022	24
10	22	295	0.042	0.001	0.018	24
10	23	296	0.056	0.003	0.022	24
10	24	297	0.060	0.001	0.028	20
10	25	298	0.059	0.013	0.036	24
10	26	299	0.029	0.001	0.010	24
10	27	300	0.061	0.003	0.021	24
10	28	301	0.050	0.002	0.020	16
10	29	302	0.025	0.001	0.008	24
10	30	303	0.047	0.008	0.020	24
10	31	304	0.044	0.001	0.015	24
11	1	305	0.042	0.001	0.014	24
11	2	306	0.067	0.008	0.033	24
11	3	307	0.043	0.005	0.023	24
11	4	308	0.038	0.003	0.016	24
11	5	309	0.040	0.001	0.008	24
11	6	310	0.040	0.002	0.019	24
11	7	311	0.033	0.001	0.009	24
11	8	312	0.014	0.001	0.004	20
11	9	313	0.032	0.001	0.010	24
11	10	314	0.041	0.008	0.025	24
11	11	315	0.038	0.002	0.020	24
11	12	316	0.047	0.001	0.015	24
11	13	317	0.042	0.001	0.012	24
11	14	318	0.041	0.002	0.015	24
11	15	319	0.023	0.001	0.008	24
11	16	320	0.038	0.007	0.024	24

Nitrogen Dioxide (NO2) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
11	17	321	0.042	0.003	0.023	24
11	18	322	0.049	0.003	0.024	24
11	19	323	0.072	0.007	0.025	24
11	20	324	0.050	0.003	0.025	21
11	21	325	0.054	0.004	0.026	24
11	22	326	0.037	0.001	0.006	24
11	23	327	0.050	0.018	0.035	24
11	24	328	0.038	0.003	0.016	24
11	25	329	0.033	0.001	0.008	24
11	26	330	0.042	0.005	0.019	24
11	27	331	0.037	0.001	0.005	24
11	28	332	0.044	0.011	0.029	24
11	29	333	0.051	0.005	0.025	24
11	30	334	0.063	0.019	0.038	24
12	1	335	0.049	0.003	0.026	24
12	2	336	0.051	0.006	0.025	24
12	3	337	0.046	0.013	0.034	24
12	4	338	0.048	0.005	0.017	20
12	5	339	0.040	0.002	0.011	24
12	6	340	0.037	0.001	0.011	24
12	7	341	0.032	0.002	0.012	24
12	8	342	0.064	0.005	0.037	24
12	9	343	0.034	0.003	0.016	22
12	10	344	0.018	0.001	0.003	24
12	11	345	0.049	0.001	0.022	24
12	12	346	0.054	0.006	0.026	24
12	13	347	0.049	0.005	0.023	24
12	14	348	0.064	0.001	0.021	24
12	15	349	0.067	0.001	0.019	24
12	16	350	0.075	0.005	0.028	20
12	17	351	0.056	0.023	0.038	24
12	18	352	0.063	0.004	0.018	24
12	19	353	0.119	0.046	0.078	24
12	20	354	0.072	0.004	0.023	23
12	21	355	0.008	0.001	0.003	24
12	22	356	0.112	0.005	0.054	22
12	23	357	0.133	0.006	0.057	24
12	24	358	0.046	0.004	0.024	24
12	25	359	0.077	0.013	0.036	24
12	26	360	0.051	0.012	0.031	24
12	27	361	0.075	0.004	0.037	24
12	28	362	0.058	0.004	0.028	24
12	29	363	0.045	0.003	0.015	24
12	30	364	0.046	0.002	0.020	24
12	31	365	0.042	0.003	0.025	24
1	1	1	0.055	0.003	0.023	24
1	2	2	0.064	0.003	0.031	24

Nitrogen Dioxide (NO2) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
1	3	3	0.030	0.002	0.011	24
1	4	4	0.075	0.025	0.045	24
1	5	5	0.042	0.003	0.024	24
1	6	6	0.067	0.001	0.028	24
1	7	7	0.045	0.005	0.023	24
1	8	8	0.022	0.001	0.009	24
1	9	9	0.045	0.001	0.009	24
1	10	10	0.052	0.002	0.015	24
1	11	11	0.033	0.001	0.005	24
1	12	12	0.045	0.017	0.030	24
1	13	13	0.040	0.003	0.018	24
1	14	14	0.047	0.001	0.013	24
1	15	15	0.049	0.009	0.035	24
1	16	16	0.052	0.005	0.027	24
1	17	17	0.050	0.003	0.021	24
1	18	18	0.033	0.003	0.016	24
1	19	19	0.033	0.006	0.023	13
1	20	20	0.062	0.009	0.028	24
1	21	21	0.057	0.012	0.028	24
1	22	22	0.078	0.006	0.035	23
1	23	23	0.031	0.002	0.008	24
1	24	24	0.039	0.003	0.012	22
1	25	25	0.016	0.001	0.006	24
1	26	26	0.047	0.003	0.017	24
1	27	27	0.041	0.001	0.008	24
1	28	28	0.031	0.001	0.014	24
1	29	29	0.034	0.001	0.011	24
1	30	30	0.041	0.002	0.018	24
1	31	31	0.046	0.005	0.023	24
2	1	32	0.029	0.006	0.015	20
2	2	33	0.052	0.005	0.025	24
2	3	34	0.046	0.019	0.029	10
2	4	35	ERR	ERR	ERR	0
2	5	36	0.045	0.003	0.015	13
2	6	37	0.064	0.003	0.030	24
2	7	38	0.056	0.003	0.026	24
2	8	39	0.034	0.001	0.010	24
2	9	40	0.039	0.001	0.014	24
2	10	41	0.015	0.001	0.004	24
2	11	42	0.035	0.001	0.013	24
2	12	43	0.053	0.003	0.017	24
2	13	44	0.003	0.001	0.001	24
2	14	45	0.008	0.001	0.004	24
2	15	46	0.051	0.001	0.021	22
2	16	47	0.084	0.005	0.046	24
2	17	48	0.053	0.009	0.018	24
2	18	49	0.026	0.001	0.006	24

Nitrogen Dioxide (NO2) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
2	19	50	0.036	0.005	0.018	24
2	20	51	0.050	0.010	0.017	24
2	21	52	0.052	0.002	0.025	24
2	22	53	0.043	0.003	0.021	24
2	23	54	0.045	0.002	0.021	24
2	24	55	0.059	0.017	0.031	24
2	25	56	0.049	0.003	0.021	24
2	26	57	0.051	0.004	0.026	24
2	27	58	0.020	0.001	0.005	24
2	28	59	0.017	0.001	0.007	24
3	1	60	0.046	0.005	0.023	21
3	2	61	0.045	0.001	0.027	24
3	3	62	0.042	0.003	0.016	24
3	4	63	0.042	0.001	0.011	24
3	5	64	0.038	0.003	0.016	22
3	6	65	0.007	0.004	0.005	24
3	7	66	0.020	0.005	0.007	24
3	8	67	0.063	0.011	0.037	24
3	9	68	0.120	0.007	0.053	24
3	10	69	0.095	0.001	0.037	24
3	11	70	0.069	0.005	0.029	24
3	12	71	0.041	0.003	0.012	24
3	13	72	0.008	0.000	0.005	24
3	14	73	0.053	0.000	0.027	24
3	15	74	0.039	0.001	0.010	22
3	16	75	0.044	0.001	0.011	24
3	17	76	0.044	0.002	0.015	24
3	18	77	0.010	0.001	0.003	24
3	19	78	0.048	0.002	0.022	24
3	20	79	0.036	0.005	0.019	24
3	21	80	0.044	0.003	0.014	24
3	22	81	0.017	0.001	0.006	24
3	23	82	0.007	0.001	0.003	24
3	24	83	0.007	0.001	0.003	24
3	25	84	0.024	0.002	0.008	24
3	26	85	0.023	0.003	0.015	24
3	27	86	0.054	0.008	0.028	24
3	28	87	0.011	0.004	0.007	24
3	29	88	0.013	0.010	0.012	8
3	30	89	0.045	0.041	0.043	3
3	31	90	0.052	0.001	0.022	24
4	1	91	0.031	0.002	0.012	24
4	2	92	0.061	0.003	0.020	24
4	3	93	0.047	0.001	0.014	22
4	4	94	0.026	0.002	0.013	24
4	5	95	0.003	0.001	0.001	24
4	6	96	0.029	0.001	0.010	24

Nitrogen Dioxide (NO₂) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
4	7	97	0.053	0.004	0.019	24
4	8	98	0.034	0.004	0.011	24
4	9	99	0.032	0.001	0.011	24
4	10	100	0.012	0.002	0.006	24
4	11	101	0.026	0.002	0.011	21
4	12	102	0.061	0.004	0.020	24
4	13	103	0.032	0.002	0.007	24
4	14	104	0.040	0.001	0.013	24
4	15	105	0.041	0.002	0.013	24
4	16	106	0.036	0.001	0.008	24
4	17	107	0.019	0.001	0.010	24
4	18	108	0.047	0.003	0.017	24
4	19	109	0.040	0.003	0.017	24
4	20	110	0.046	0.002	0.018	24
4	21	111	0.028	0.004	0.015	24
4	22	112	0.022	0.001	0.008	24
4	23	113	0.036	0.002	0.012	24
4	24	114	0.046	0.003	0.021	24
4	25	115	0.040	0.002	0.015	21
4	26	116	0.025	0.002	0.011	22
4	27	117	0.034	0.001	0.008	24
4	28	118	0.017	0.001	0.005	24
4	29	119	0.010	0.001	0.002	24
4	30	120	0.023	0.001	0.009	24
5	1	121	0.015	0.001	0.008	24
5	2	122	0.050	0.005	0.018	20
5	3	123	0.034	0.003	0.008	24
5	4	124	0.047	0.003	0.016	24
5	5	125	0.039	0.001	0.009	24
5	6	126	0.018	0.001	0.008	24
5	7	127	0.032	0.003	0.009	24
5	8	128	0.010	0.003	0.006	24
5	9	129	0.007	0.001	0.004	24
5	10	130	0.033	0.001	0.013	22
5	11	131	0.017	0.003	0.007	24
5	12	132	0.023	0.001	0.009	24
5	13	133	0.040	0.003	0.014	24
5	14	134	0.036	0.001	0.010	24
5	15	135	0.035	0.001	0.008	24
5	16	136	0.020	0.001	0.005	24
5	17	137	0.018	0.002	0.008	24
5	18	138	0.045	0.002	0.015	24
5	19	139	0.019	0.001	0.008	24
5	20	140	0.010	0.003	0.005	24
5	21	141	0.049	0.002	0.013	24
5	22	142	0.040	0.004	0.016	24
5	23	143	0.040	0.001	0.014	24

Nitrogen Dioxide (NO2) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
5	24	144	0.046	0.003	0.021	20
5	25	145	0.010	0.001	0.004	24
5	26	146	0.016	0.002	0.005	24
5	27	147	0.007	0.001	0.003	24
5	28	148	0.011	0.001	0.003	24
5	29	149	0.035	0.003	0.008	24
5	30	150	0.037	0.001	0.013	24
5	31	151	0.038	0.002	0.013	24
6	1	152	0.040	0.002	0.012	24
6	2	153	0.021	0.001	0.003	24
6	3	154	0.014	0.001	0.005	24
6	4	155	0.043	0.003	0.010	24
6	5	156	0.060	0.001	0.012	24
6	6	157	0.019	0.002	0.006	24
6	7	158	0.030	0.003	0.010	22
6	8	159	0.039	0.002	0.008	24
6	9	160	0.026	0.003	0.009	24
6	10	161	0.027	0.003	0.007	24
6	11	162	0.010	0.001	0.003	24
6	12	163	0.011	0.001	0.003	24
6	13	164	0.009	0.001	0.003	23
6	14	165	0.025	0.001	0.007	24
6	15	166	0.031	0.001	0.010	24
6	16	167	0.023	0.002	0.006	24
6	17	168	0.039	0.001	0.012	24
6	18	169	0.030	0.005	0.020	9
6	19	170	0.030	0.001	0.010	12
6	20	171	0.041	0.003	0.013	24
6	21	172	0.058	0.001	0.013	21
6	22	173	0.033	0.002	0.008	24
6	23	174	0.043	0.001	0.016	22
6	24	175	0.027	0.001	0.008	24
6	25	176	0.063	0.002	0.022	24
6	26	177	0.051	0.006	0.026	24
6	27	178	0.034	0.004	0.016	24
6	28	179	0.049	0.001	0.013	24
6	29	180	0.062	0.001	0.015	24
6	30	181	0.034	0.004	0.012	24
7	1	182	0.042	0.003	0.014	24
7	2	183	0.048	0.001	0.016	24
7	3	184	0.047	0.004	0.015	24
7	4	185	0.014	0.003	0.008	24
7	5	186	0.035	0.003	0.012	21
7	6	187	0.043	0.002	0.016	24
7	7	188	0.027	0.002	0.011	24
7	8	189	0.020	0.003	0.010	24
7	9	190	0.011	0.004	0.007	24

Nitrogen Dioxide (NO2) Daily Data in
parts per million (ppm) for FY90


Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
7	10	191	0.046	0.003	0.018	24
7	11	192	0.055	0.003	0.017	24
7	12	193	0.030	0.003	0.006	24
7	13	194	0.039	0.004	0.010	24
7	14	195	0.044	0.003	0.015	24
7	15	196	0.038	0.001	0.013	24
7	16	197	0.054	0.003	0.018	24
7	17	198	0.045	0.001	0.015	24
7	18	199	0.034	0.003	0.015	24
7	19	200	0.016	0.002	0.006	24
7	20	201	0.014	0.002	0.006	21
7	21	202	0.004	0.001	0.002	24
7	22	203	0.014	0.001	0.004	24
7	23	204	0.027	0.004	0.014	24
7	24	205	0.052	0.001	0.023	24
7	25	206	0.044	0.001	0.013	20
7	26	207	0.046	0.003	0.014	24
7	27	208	0.022	0.003	0.009	24
7	28	209	0.024	0.003	0.011	24
7	29	210	0.027	0.002	0.009	24
7	30	211	0.023	0.003	0.009	24
7	31	212	0.028	0.004	0.012	24
8	1	213	0.041	0.003	0.017	24
8	2	214	0.046	0.001	0.019	22
8	3	215	0.045	0.003	0.014	22
8	4	216	0.048	0.003	0.013	24
8	5	217	0.011	0.002	0.005	24
8	6	218	0.034	0.003	0.008	24
8	7	219	0.049	0.001	0.017	24
8	8	220	0.056	0.001	0.024	24
8	9	221	0.048	0.003	0.016	24
8	10	222	0.056	0.003	0.026	24
8	11	223	0.027	0.003	0.009	24
8	12	224	0.034	0.002	0.013	24
8	13	225	0.044	0.007	0.020	24
8	14	226	0.040	0.003	0.014	24
8	15	227	0.036	0.004	0.015	24
8	16	228	0.032	0.003	0.015	20
8	17	229	0.033	0.003	0.016	24
8	18	230	0.031	0.003	0.014	24
8	19	231	0.032	0.001	0.008	17
8	20	232	0.049	0.002	0.013	16
8	21	233	0.044	0.003	0.010	24
8	22	234	0.043	0.003	0.022	24
8	23	235	0.028	0.001	0.012	24
8	24	236	0.048	0.001	0.015	24
8	25	237	0.053	0.001	0.014	24

Nitrogen Dioxide (NO2) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
8	26	238	0.055	0.001	0.013	24
8	27	239	0.039	0.002	0.017	24
8	28	240	0.038	0.001	0.015	24
8	29	241	0.045	0.003	0.019	24
8	30	242	0.043	0.003	0.015	20
8	31	243	0.050	0.003	0.015	24
9	1	244	0.043	0.005	0.012	24
9	2	245	0.031	0.003	0.010	24
9	3	246	0.026	0.002	0.012	24
9	4	247	0.051	0.005	0.016	24
9	5	248	0.050	0.003	0.018	24
9	6	249	0.049	0.004	0.018	24
9	7	250	0.058	0.002	0.020	24
9	8	251	0.047	0.003	0.017	24
9	9	252	0.036	0.002	0.015	24
9	10	253	0.052	0.002	0.019	24
9	11	254	0.044	0.002	0.015	24
9	12	255	0.065	0.002	0.017	24
9	13	256	0.040	0.002	0.010	22
9	14	257	0.028	0.007	0.015	10
9	15	258	0.008	0.003	0.004	11
9	16	259	0.030	0.001	0.006	24
9	17	260	0.041	0.001	0.012	24
9	18	261	0.031	0.002	0.013	24
9	19	262	0.056	0.003	0.016	24
9	20	263	0.039	0.002	0.013	24
9	21	264	0.056	0.002	0.015	24
9	22	265	0.051	0.003	0.014	24
9	23	266	0.069	0.004	0.018	24
9	24	267	0.051	0.001	0.022	24
9	25	268	0.032	0.004	0.015	24
9	26	269	0.045	0.003	0.016	24
9	27	270	0.046	0.002	0.021	22
9	28	271	0.021	0.008	0.013	24
9	29	272	0.013	0.002	0.005	24
9	30	273	0.047	0.001	0.018	24


Nitrogen Dioxide

October 1989




Nitrogen Dioxide

November 1989




Nitrogen Dioxide

December 1989




Nitrogen Dioxide

January 1990




Nitrogen Dioxide

February 1990




Nitrogen Dioxide

March 1990




Nitrogen Dioxide

April 1990




Nitrogen Dioxide

May 1990




Nitrogen Dioxide

June 1990




Nitrogen Dioxide

July 1990




Nitrogen Dioxide

August 1990



Nitrogen Dioxide

September 1990



16 Nitrogen Oxides (NO_x)

Nitrogen Oxides (NOx) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
10	1	274	0.043	0.001	0.009	24
10	2	275	0.057	0.001	0.019	24
10	3	276	0.023	0.008	0.014	24
10	4	277	0.058	0.010	0.025	24
10	5	278	0.053	0.006	0.018	24
10	6	279	0.130	0.009	0.038	24
10	7	280	0.112	0.007	0.034	24
10	8	281	0.078	0.003	0.027	24
10	9	282	0.145	0.005	0.036	24
10	10	283	0.113	0.010	0.036	24
10	11	284	0.096	0.003	0.032	24
10	12	285	0.085	0.003	0.029	24
10	13	286	0.111	0.004	0.035	20
10	14	287	0.055	0.001	0.023	24
10	15	288	0.059	0.003	0.016	24
10	16	289	0.016	0.002	0.006	24
10	17	290	0.028	0.003	0.014	24
10	18	291	0.145	0.008	0.037	24
10	19	292	0.116	0.012	0.050	24
10	20	293	0.149	0.004	0.050	24
10	21	294	0.127	0.002	0.034	24
10	22	295	0.065	0.002	0.027	24
10	23	296	0.095	0.004	0.035	24
10	24	297	0.147	0.001	0.050	20
10	25	298	0.186	0.014	0.064	24
10	26	299	0.030	0.001	0.011	24
10	27	300	0.146	0.005	0.031	24
10	28	301	0.115	0.004	0.041	16
10	29	302	0.034	0.001	0.014	24
10	30	303	0.123	0.011	0.039	24
10	31	304	0.101	0.002	0.025	24
11	1	305	0.099	0.002	0.024	24
11	2	306	0.115	0.012	0.047	24
11	3	307	0.127	0.010	0.040	24
11	4	308	0.080	0.006	0.027	24
11	5	309	0.077	0.002	0.016	24
11	6	310	0.140	0.004	0.039	24
11	7	311	0.043	0.003	0.014	24
11	8	312	0.027	0.001	0.007	20
11	9	313	0.046	0.003	0.016	24
11	10	314	0.152	0.012	0.050	24
11	11	315	0.100	0.003	0.034	24
11	12	316	0.125	0.001	0.025	24
11	13	317	0.145	0.005	0.027	24
11	14	318	0.120	0.003	0.032	24
11	15	319	0.023	0.001	0.008	24
11	16	320	0.109	0.005	0.040	24

Nitrogen Oxides (NOx) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
11	17	321	0.104	0.004	0.038	24
11	18	322	0.118	0.007	0.036	24
11	19	323	0.210	0.010	0.042	24
11	20	324	0.184	0.003	0.064	21
11	21	325	0.259	0.004	0.072	24
11	22	326	0.165	0.005	0.018	24
11	23	327	0.193	0.024	0.079	24
11	24	328	0.060	0.006	0.023	24
11	25	329	0.039	0.003	0.014	24
11	26	330	0.125	0.007	0.037	24
11	27	331	0.067	0.001	0.009	24
11	28	332	0.160	0.021	0.061	24
11	29	333	0.158	0.005	0.042	24
11	30	334	0.311	0.021	0.090	24
12	1	335	0.339	0.004	0.070	24
12	2	336	0.155	0.006	0.046	24
12	3	337	0.141	0.019	0.064	24
12	4	338	0.130	0.007	0.027	20
12	5	339	0.095	0.003	0.021	24
12	6	340	0.070	0.005	0.021	24
12	7	341	0.149	0.004	0.029	24
12	8	342	0.220	0.004	0.084	24
12	9	343	0.062	0.001	0.023	22
12	10	344	0.025	0.001	0.009	24
12	11	345	0.119	0.001	0.038	24
12	12	346	0.129	0.012	0.035	24
12	13	347	0.058	0.010	0.029	24
12	14	348	0.215	0.001	0.039	24
12	15	349	0.136	0.001	0.034	24
12	16	350	0.182	0.007	0.047	20
12	17	351	0.132	0.025	0.067	24
12	18	352	0.185	0.001	0.029	24
12	19	353	0.253	0.085	0.150	24
12	20	354	0.163	0.001	0.036	23
12	21	355	0.005	0.001	0.001	24
12	22	356	0.442	0.001	0.127	22
12	23	357	0.640	0.017	0.160	24
12	24	358	0.076	0.007	0.036	24
12	25	359	0.151	0.020	0.053	24
12	26	360	0.099	0.024	0.052	24
12	27	361	0.249	0.007	0.071	24
12	28	362	0.162	0.008	0.050	24
12	29	363	0.197	0.006	0.036	24
12	30	364	0.118	0.006	0.039	24
12	31	365	0.069	0.006	0.035	24
1	1	1	0.173	0.007	0.042	24
1	2	2	0.244	0.004	0.071	24

**Nitrogen Oxides (NOx) Daily Data in
parts per million (ppm) for FY90**

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
1	3	3	0.044	0.006	0.016	24
1	4	4	0.193	0.026	0.090	24
1	5	5	0.124	0.007	0.038	24
1	6	6	0.225	0.014	0.050	24
1	7	7	0.080	0.013	0.033	24
1	8	8	0.047	0.004	0.016	24
1	9	9	0.071	0.004	0.016	24
1	10	10	0.193	0.004	0.031	24
1	11	11	0.039	0.001	0.009	24
1	12	12	0.189	0.025	0.068	24
1	13	13	0.159	0.008	0.036	24
1	14	14	0.146	0.012	0.035	24
1	15	15	0.170	0.016	0.068	24
1	16	16	0.127	0.012	0.051	24
1	17	17	0.112	0.006	0.036	24
1	18	18	0.069	0.006	0.022	24
1	19	19	0.048	0.012	0.034	13
1	20	20	0.128	0.015	0.047	24
1	21	21	0.158	0.012	0.048	24
1	22	22	0.119	0.012	0.056	23
1	23	23	0.065	0.003	0.015	24
1	24	24	0.045	0.005	0.016	22
1	25	25	0.020	0.003	0.008	24
1	26	26	0.066	0.003	0.024	24
1	27	27	0.044	0.001	0.008	24
1	28	28	0.034	0.001	0.014	24
1	29	29	0.039	0.002	0.012	24
1	30	30	0.067	0.001	0.024	24
1	31	31	0.096	0.009	0.036	24
2	1	32	0.049	0.006	0.020	20
2	2	33	0.128	0.006	0.045	24
2	3	34	0.091	0.018	0.038	10
2	4	35				0
2	5	36	0.086	0.003	0.018	13
2	6	37	0.234	0.007	0.068	24
2	7	38	0.208	0.006	0.050	24
2	8	39	0.040	0.001	0.013	24
2	9	40	0.052	0.001	0.018	24
2	10	41	0.017	0.001	0.005	24
2	11	42	0.043	0.006	0.017	24
2	12	43	0.214	0.004	0.034	24
2	13	44	0.004	0.001	0.001	24
2	14	45	0.010	0.001	0.004	24
2	15	46	0.104	0.001	0.033	22
2	16	47	0.131	0.007	0.062	24
2	17	48	0.052	0.007	0.021	24
2	18	49	0.037	0.003	0.012	24

Nitrogen Oxides (NOx) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
2	19	50	0.085	0.016	0.031	24
2	20	51	0.091	0.012	0.027	24
2	21	52	0.166	0.002	0.051	24
2	22	53	0.124	0.007	0.040	24
2	23	54	0.110	0.006	0.033	24
2	24	55	0.193	0.028	0.060	24
2	25	56	0.192	0.006	0.052	24
2	26	57	0.165	0.012	0.053	24
2	27	58	0.042	0.001	0.012	24
2	28	59	0.037	0.008	0.016	24
3	1	60	0.129	0.005	0.052	21
3	2	61	0.145	0.001	0.049	24
3	3	62	0.064	0.008	0.025	24
3	4	63	0.063	0.002	0.019	24
3	5	64	0.058	0.006	0.028	22
3	6	65	0.012	0.004	0.008	24
3	7	66	0.049	0.003	0.014	24
3	8	67	0.128	0.024	0.060	24
3	9	68	0.296	0.015	0.092	24
3	10	69	0.250	0.002	0.069	24
3	11	70	0.113	0.008	0.045	24
3	12	71	0.063	0.005	0.015	24
3	13	72	0.011	0.001	0.006	24
3	14	73	0.079	0.014	0.041	24
3	15	74	0.059	0.001	0.016	22
3	16	75	0.048	0.002	0.013	24
3	17	76	0.059	0.006	0.019	24
3	18	77	0.014	0.003	0.006	24
3	19	78	0.121	0.005	0.038	24
3	20	79	0.068	0.010	0.027	24
3	21	80	0.058	0.007	0.023	24
3	22	81	0.030	0.001	0.011	24
3	23	82	0.010	0.001	0.004	24
3	24	83	0.010	0.001	0.004	24
3	25	84	0.065	0.005	0.014	24
3	26	85	0.040	0.008	0.022	24
3	27	86	0.108	0.010	0.051	24
3	28	87	0.016	0.007	0.011	24
3	29	88	0.019	0.017	0.018	8
3	30	89	0.057	0.051	0.054	3
3	31	90	0.136	0.003	0.039	24
4	1	91	0.035	0.004	0.015	24
4	2	92	0.108	0.003	0.028	24
4	3	93	0.092	0.001	0.021	22
4	4	94	0.037	0.001	0.016	24
4	5	95	0.003	0.001	0.001	24
4	6	96	0.031	0.001	0.013	24

Nitrogen Oxides (NOx) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
4	7	97	0.109	0.003	0.025	24
4	8	98	0.035	0.004	0.013	24
4	9	99	0.051	0.001	0.013	24
4	10	100	0.028	0.001	0.007	24
4	11	101	0.029	0.001	0.013	21
4	12	102	0.152	0.004	0.032	24
4	13	103	0.032	0.001	0.006	24
4	14	104	0.068	0.001	0.018	24
4	15	105	0.041	0.004	0.016	24
4	16	106	0.044	0.001	0.008	24
4	17	107	0.024	0.001	0.012	24
4	18	108	0.048	0.001	0.019	24
4	19	109	0.080	0.001	0.023	24
4	20	110	0.068	0.001	0.021	24
4	21	111	0.040	0.001	0.017	24
4	22	112	0.021	0.001	0.008	24
4	23	113	0.036	0.001	0.012	24
4	24	114	0.066	0.004	0.026	24
4	25	115	0.065	0.001	0.021	21
4	26	116	0.042	0.001	0.013	22
4	27	117	0.044	0.001	0.009	24
4	28	118	0.017	0.001	0.008	24
4	29	119	0.006	0.001	0.001	24
4	30	120	0.023	0.001	0.009	24
5	1	121	0.012	0.001	0.007	24
5	2	122	0.140	0.004	0.034	20
5	3	123	0.033	0.001	0.007	24
5	4	124	0.085	0.002	0.019	24
5	5	125	0.069	0.003	0.012	24
5	6	126	0.018	0.005	0.009	24
5	7	127	0.046	0.004	0.013	24
5	8	128	0.009	0.001	0.006	24
5	9	129	0.007	0.001	0.003	24
5	10	130	0.080	0.001	0.019	22
5	11	131	0.023	0.002	0.007	24
5	12	132	0.029	0.001	0.012	24
5	13	133	0.049	0.007	0.020	24
5	14	134	0.040	0.001	0.011	24
5	15	135	0.060	0.001	0.012	24
5	16	136	0.022	0.001	0.006	24
5	17	137	0.021	0.003	0.010	24
5	18	138	0.065	0.004	0.019	24
5	19	139	0.019	0.003	0.009	24
5	20	140	0.013	0.004	0.007	24
5	21	141	0.104	0.004	0.021	24
5	22	142	0.082	0.006	0.022	24
5	23	143	0.053	0.004	0.020	24

Nitrogen Oxides (NOx) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
5	24	144	0.109	0.005	0.034	20
5	25	145	0.012	0.001	0.006	24
5	26	146	0.024	0.003	0.007	24
5	27	147	0.010	0.001	0.005	24
5	28	148	0.017	0.001	0.005	24
5	29	149	0.046	0.002	0.010	24
5	30	150	0.092	0.002	0.018	24
5	31	151	0.081	0.003	0.020	24
6	1	152	0.136	0.001	0.019	24
6	2	153	0.022	0.001	0.004	24
6	3	154	0.016	0.003	0.007	24
6	4	155	0.063	0.004	0.014	24
6	5	156	0.073	0.003	0.016	24
6	6	157	0.027	0.004	0.009	24
6	7	158	0.044	0.005	0.014	22
6	8	159	0.044	0.004	0.011	24
6	9	160	0.029	0.005	0.012	24
6	10	161	0.031	0.004	0.009	24
6	11	162	0.016	0.004	0.007	24
6	12	163	0.016	0.005	0.007	24
6	13	164	0.011	0.003	0.006	23
6	14	165	0.040	0.005	0.012	24
6	15	166	0.041	0.004	0.014	24
6	16	167	0.026	0.004	0.009	24
6	17	168	0.042	0.004	0.016	24
6	18	169	0.045	0.008	0.027	9
6	19	170	0.034	0.004	0.013	12
6	20	171	0.049	0.005	0.017	24
6	21	172	0.064	0.001	0.016	21
6	22	173	0.057	0.005	0.013	24
6	23	174	0.051	0.004	0.020	22
6	24	175	0.038	0.004	0.012	24
6	25	176	0.088	0.004	0.028	24
6	26	177	0.097	0.008	0.034	24
6	27	178	0.046	0.007	0.020	24
6	28	179	0.069	0.004	0.016	24
6	29	180	0.105	0.004	0.022	24
6	30	181	0.054	0.005	0.016	24
7	1	182	0.012	0.001	0.007	24
7	2	183	0.140	0.004	0.034	20
7	3	184	0.033	0.001	0.007	24
7	4	185	0.085	0.002	0.019	24
7	5	186	0.069	0.003	0.012	24
7	6	187	0.018	0.005	0.009	24
7	7	188	0.046	0.004	0.013	24
7	8	189	0.009	0.001	0.006	24
7	9	190	0.007	0.001	0.003	24

Nitrogen Oxides (NOx) Daily Data in
parts per million (ppm) for FY90


Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
7	10	191	0.080	0.001	0.019	22
7	11	192	0.023	0.002	0.007	24
7	12	193	0.029	0.001	0.012	24
7	13	194	0.049	0.007	0.020	24
7	14	195	0.040	0.001	0.011	24
7	15	196	0.060	0.001	0.012	24
7	16	197	0.022	0.001	0.006	24
7	17	198	0.021	0.003	0.010	24
7	18	199	0.065	0.004	0.019	24
7	19	200	0.019	0.003	0.009	24
7	20	201	0.013	0.004	0.007	24
7	21	202	0.104	0.004	0.021	24
7	22	203	0.082	0.006	0.022	24
7	23	204	0.053	0.004	0.020	24
7	24	205	0.109	0.005	0.034	20
7	25	206	0.012	0.001	0.006	24
7	26	207	0.024	0.003	0.007	24
7	27	208	0.010	0.001	0.005	24
7	28	209	0.017	0.001	0.005	24
7	29	210	0.046	0.002	0.010	24
7	30	211	0.092	0.002	0.018	24
7	31	212	0.081	0.003	0.020	24
8	1	213	0.078	0.007	0.025	24
8	2	214	0.050	0.004	0.024	22
8	3	215	0.066	0.007	0.020	22
8	4	216	0.061	0.006	0.019	24
8	5	217	0.016	0.006	0.009	24
8	6	218	0.038	0.006	0.013	24
8	7	219	0.071	0.005	0.024	24
8	8	220	0.097	0.004	0.033	24
8	9	221	0.079	0.006	0.022	24
8	10	222	0.081	0.006	0.034	24
8	11	223	0.031	0.007	0.013	24
8	12	224	0.040	0.007	0.018	24
8	13	225	0.048	0.011	0.026	24
8	14	226	0.073	0.006	0.021	24
8	15	227	0.042	0.008	0.021	24
8	16	228	0.062	0.006	0.024	20
8	17	229	0.057	0.006	0.024	24
8	18	230	0.066	0.006	0.027	24
8	19	231	0.076	0.005	0.018	17
8	20	232	0.076	0.007	0.022	16
8	21	233	0.090	0.006	0.030	24
8	22	234	0.084	0.006	0.032	24
8	23	235	0.071	0.005	0.021	24
8	24	236	0.069	0.005	0.021	24
8	25	237	0.059	0.005	0.020	24

Nitrogen Oxides (NOx) Daily Data in
parts per million (ppm) for FY90

Calendar Month	Day	Julian Day	Daily Max	Daily Min	Daily Mean	Valid Hours
8	26	238	0.062	0.004	0.018	24
8	27	239	0.058	0.005	0.023	24
8	28	240	0.060	0.004	0.022	24
8	29	241	0.075	0.006	0.027	24
8	30	242	0.067	0.006	0.020	22
8	31	243	0.061	0.006	0.022	24
9	1	244	0.049	0.009	0.016	24
9	2	245	0.035	0.007	0.015	24
9	3	246	0.030	0.006	0.016	24
9	4	247	0.068	0.008	0.022	24
9	5	248	0.096	0.006	0.025	24
9	6	249	0.109	0.008	0.028	24
9	7	250	0.087	0.006	0.029	24
9	8	251	0.057	0.007	0.023	24
9	9	252	0.057	0.006	0.021	24
9	10	253	0.083	0.007	0.027	24
9	11	254	0.105	0.005	0.025	24
9	12	255	0.138	0.006	0.026	24
9	13	256	0.066	0.005	0.016	22
9	14	257	0.060	0.010	0.026	10
9	15	258	0.011	0.005	0.007	11
9	16	259	0.039	0.005	0.010	24
9	17	260	0.075	0.003	0.019	24
9	18	261	0.053	0.005	0.019	24
9	19	262	0.117	0.006	0.027	24
9	20	263	0.072	0.006	0.022	24
9	21	264	0.117	0.005	0.022	24
9	22	265	0.111	0.006	0.025	24
9	23	266	0.137	0.007	0.026	24
9	24	267	0.100	0.006	0.031	24
9	25	268	0.059	0.007	0.022	24
9	26	269	0.090	0.007	0.026	24
9	27	270	0.126	0.005	0.040	22
9	28	271	0.032	0.012	0.018	24
9	29	272	0.016	0.005	0.008	24
9	30	273	0.095	0.005	0.037	24


Nitrogen Oxides

October 1989




Nitrogen Oxides

November 1989




Nitrogen Oxides

December 1989




Nitrogen Oxides

January 1990




Nitrogen Oxides

February 1990




Nitrogen Oxides

March 1990




Nitrogen Oxides

April 1990




Nitrogen Oxides

May 1990




Nitrogen Oxides

June 1990




Nitrogen Oxides

July 1990




Nitrogen Oxides

August 1990



Nitrogen Oxides

September 1990



APPENDIX K

ISC AND INPUFF2 EPA MODEL DESCRIPTION

K1 ISC EPA Model Description
K2 INPUFF2

APPENDIX J

METEOROLOGICAL DATA AND
JOINT FREQUENCY DISTRIBUTION

- J1 Meteorological Data
- J2 Joint Frequency Distribution

J1 Meteorological Data
(on diskette file APPJ1.TXT; archived with PKZIP)

J2 Joint Frequency Distribution
(on diskette file APPJ2.TXT)

APPENDIX K

ISC AND INPUFF2 EPA MODEL DESCRIPTION

K1 ISC EPA Model Description

K2 INPUFF2

K1 ISC EPA Model Description

ISC AND INPUFF2 EPA MODEL DESCRIPTIONS

Description of Industrial Source Complex Model (ISC)

Reference: Environmental Protection Agency, 1986. Industrial Source Complex (ISC) Dispersion Model User's Guide, Second Edition, Volumes 1 and 2. Publication Nos. EPA-450/4-86-005a, and -005b. U.S. Environmental Protection Agency, Research Triangle Park, NC.

Availability: This model is available as part of UNAMAP (Version 6). The computer code is available on magnetic tape from:

Computer Products
National Technical Information Service
U.S. Department of Commerce
Springfield, Virginia 22161

Phone (703) 487-4650

Abstract: The ISC model is a steady-state Gaussian plume model which can be used to assess pollutant concentrations from a wide variety of sources associated with an industrial source complex. This model can account for settling and dry deposition of particulates, downwash area, line and volume sources, plume rise as a function of downwind distance, separation of point sources, and limited terrain adjustment. It operates in both long- and short-term modes.

a. Recommendations for Regulatory Use

ISC is appropriate for the following applications:

- industrial source complexes;
- rural or urban areas;
- flat or rolling terrain;
- transport distances less than 50 kilometers; and
- one hour to annual averaging times.

The following options should be selected for regulatory applications:

- For short term modeling, set the regulatory "default option" (ISW(28)=1), which automatically selects stack tip downwash, final plume rise, buoyancy induced dispersion (BID), the vertical potential temperature gradient, a treatment for calms,

the appropriate wind profile exponents, and the appropriate value for pollutant half-life; set rural option (ISW(20)=0) or urban option (ISW(20)=3); and set the concentration option (ISW(1)=1).

- For long term modeling, set the regulatory "default option" (ISW(22)=0), which automatically selects stack tip downwash, final plume rise, buoyancy-induced dispersion (BID), the vertical potential temperature gradient, the appropriate wind profile exponents, and the appropriate pollutant value for half-life; set rural option (ISW(9)=3) or urban option (ISW(9)=4); and set the concentration option (ISW(1)=1).

b. Input Requirements

Source data: location, emission rate, physical stack height, stack gas exit velocity, stack inside diameter, and stack gas temperature. Optional inputs include source elevation, building dimensions, particle size distribution with corresponding settling velocities, and surface reflection coefficients.

Meteorological data: ISCST requires hourly surface weather data from the preprocessor program RAMMET, which provides hourly stability class, wind direction, wind speed, temperature, and mixing height. For ISCLT, input includes stability wind rose (STAR deck), average afternoon mixing height, average morning mixing height, and average air temperature.

Receptor data: coordinates and optional ground elevation for each receptor.

c. Output

Printed output options include:

- program control parameters, source data and receptor data;
- tables of hourly meteorological data for each specified day;
- "N"-day average concentration or total deposition calculated at each receptor for any desired combinations of sources;

- concentration or deposition values calculated for any desired combinations of sources at all receptors for any specified day or time period within the day;
- tables of highest and second-highest concentration or deposition values calculated at each receptor for each specified time period during an "N"-day period for any desired combinations of sources; and
- tables of the maximum 50 concentration or deposition values; calculated for any desired combinations of sources for each specified time period.

d. Type of Model

ISC is a Gaussian plume model.

e. Pollutant Types

ISC may be used to model primary pollutants. Settling and deposition are treated.

f. Source-Receptor Relationships

ISC applies user-specified locations for point, line, area and volume sources, and user-specified receptor locations or receptor rings. Receptors are assumed to be at ground level, and must be at elevations not exceeding stack height.

Actual separation between source-receptor pair is used.

g. Plume Behavior

ISC uses Briggs (1969, 1971, 1975) plume rise equations for final rise.

Stack tip downwash equation from Briggs (1974) and building downwash (Huber and Snyder, 1976) are used.

For rolling terrain (terrain not above stack height), plume centerline is horizontal at height of final rise above source.

Fumigation is not treated.

h. Horizontal Winds

Constant, uniform (steady-state) wind is assumed for each hour.

Straight line plume transport is assumed to all downwind distances.

Separate wind speed profile exponents (EPA, 1980) for both rural and urban cases are used.

An optional treatment for calm winds is included for short term modeling.

i. Vertical Wind Speed

Vertical wind speed is assumed equal to zero.

j. Horizontal Dispersion

Rural dispersion coefficients from Turner (1969) are used, with no adjustments for surface roughness or averaging time.

Urban dispersion coefficients from Briggs (Gifford, 1976) are used.

Buoyancy induced dispersion (Pasquill, 1976) is included.

Six stability classes are used.

k. Vertical Dispersion

Rural dispersion coefficients from Turner (1969) are used, with no adjustments for surface roughness.

Urban dispersion coefficients from Briggs (Gifford, 1976) are used.

Buoyancy induced dispersion (Pasquill, 1976) is included.

Six stability classes are used.

Mixing height is accounted for with multiple reflections until the vertical plume standard deviation equals 1.6 times the mixing height; uniform vertical mixing is assumed beyond that point.

Perfect reflection is assumed at the ground.

l. Chemical Transformation

Chemical transformations are treated using exponential decay. Time constant is input by the user.

m. Physical Removal

Settling and dry deposition of particulates are treated.

n. Evaluation Studies

Bowers, J. F., and A. J. Anderson, 1981. An Evaluation Study for the Industrial Source Complex (ISC) Dispersion Model, EPA Publication No. EPA-450/4-81-002. U.S. Environmental Protection Agency, Research Triangle Park, NC.

Bowers, J. F., A. J. Anderson, W. R. Hargraves, 1982. Tests of the Industrial Source Complex (ISC) Dispersion Model at the Armco Middletown, Ohio Steel Mill, EPA Publication No. EPA-450/4-82-006. U.S. Environmental Protection Agency, Research Triangle Park, NC.

Scire, J. S., and L. L. Schulman, 1981. Evaluation of the BLP and ISC Models with SF6 Tracer Data and SO2 Measurements at Aluminum Reduction Plants. Air Pollution Control Association Specialty Conference on Dispersion Modeling for Complex Sources, St. Louis, MO.

K2 INPUFF2

Description of INPUFF2.0

[Extracted and adapted from INPUFF2.0 User's Guide, August 1986 Report EPA/600-8-86/024 U.S. EPA, Research Triangle Park, N.C.]

INTRODUCTION

INPUFF is a Gaussian integrated puff model with a wide range of applications. The implied modeling scale is capable of addressing the accidental release of a substance over several minutes, or of modeling the more typical continuous plume from a stack. [A requirement for] assistance in modeling the air quality downwind of incineration ships prompted the development of an integrated puff model. INPUFF is, therefore, capable of simulating moving point sources as well as stationary sources.

Computations in INPUFF can be made for multiple point sources at up to 100 receptor locations. In practice, however, the number of receptor locations should be kept to a minimum to avoid excessive run time. INPUFF is primarily designed to model a single event during which one meteorological transition period may occur, such as, going from afternoon to evening conditions. Up to 144 separate meteorological periods of the same length may be used to characterize the meteorology during the event; this provides a time resolution that ranges from minutes to an hour. The user has the option of specifying the wind field for each meteorological period at up to 100 grid locations or allowing the model to default to a homogeneous wind field.

Three dispersion algorithms are used within INPUFF for dispersion downwind of the source. The user may select the Pasquill-Gifford (P-G) scheme (Turner, 1970) or the on-site scheme (Irwin, 1983) for short travel time dispersion. The on-site scheme, so named because it requires specification of the variances of the vertical and lateral wind direction, is a synthesis of work performed by Draxler (1976) and Cramer (1976). The long travel time scheme is the third dispersion algorithm in which the growth of the puff becomes proportional to the square root of time. Optionally, the user can incorporate his own subroutine for estimating atmospheric dispersion.

INPUFF utilizes the deposition algorithms given by Rao (1982). In the limit when pollutant settling and dry deposition velocities are zero, these expressions reduce to the Gaussian diffusion algorithms.

FEATURES AND LIMITATIONS

The model possesses the following features which increase its flexibility and range of application:

- Optional stack-tip downwash,
- Wind speed extrapolated to release height,
- Temporally variable source characteristics,
- Temporally and spatially variable wind field,
- Up to 100 receptors,
- Some consideration of terrain effects through the wind field,
- Optional buoyancy induced dispersion,
- Optional deposition and settling,
- Optional user-supplied dispersion parameters,
- Optional user-supplied plume rise, and
- Optional graphics display.

The implied modeling scale is from tens of meters to tens of kilometers. INPUFF is capable of addressing the accidental release of a substance over a short time period, or of modeling the more typical continuous plume from a stack.

Although INPUFF has several advantages over its continuous plume counterparts, it still retains several limitations, including:

- Wind direction constant with height,
- No consideration of chemical reactions,
- No explicit treatment of complex terrain,
- No consideration of building wake or cavity effects.

BASIS FOR INPUFF

GAUSSIAN PUFF METHODOLOGY

A graphical representation of the INPUFF model is given in Figure 1. Here the first puff (the puff with the longest trajectory) was first exposed to east-southeast winds, followed by slightly

K - 7





Figure 1. Gaussian puff model.



stronger winds from the south and the south-southeast. The second puff was released at the time the winds shifted from east-southeast to south. The third puff was released when winds were from the south-southeast. The stability conditions need not be equal for the various time steps, though in the figure, stability is shown to be fairly constant with time (i.e., the rate of puff growth is constant over the time frame). INPUFF assumes $\sigma_x = \sigma_y$, thus puffs remain circular throughout their lifetime. Puffs A, B, and C represent the location of the three emitted puffs at time t_3 .

In Gaussian-puff algorithms, source emissions are treated as a series of puffs emitted into the atmosphere. Constant conditions of wind and atmospheric stability are assumed during a time interval. The diffusion parameters are functions of travel time. During each time step, the puff centers are determined by the trajectory and the in-puff distributions are assumed to be Gaussian, thus, each puff has a center and a volume which are determined separately by the mean wind, atmospheric stability, and travel time. [An example of a PUFF Model 15-minute time-step interval used in the RMA Basin F remedial operations is shown in Figure 2.]

PLUME RISE

Plume rise is calculated using the methods of Briggs (see Section 5). Although plume rise from point sources is usually dominated by buoyancy, plume rise due to momentum is also considered. Building downwash, and gradual plume rise are not treated by INPUFF.

Stack-tip downwash (optional) can be considered using the methods of Briggs. In such an analysis, a height increment is deducted from the physical stack height before momentum or buoyancy rise is determined. Use of this option primarily affects computations from stacks having small ratios of exit velocity to wind speed.

DISPERSION ALGORITHMS

Three dispersion algorithms are used within INPUFF for dispersion downwind of the source:

- P-G scheme as discussed by Turner (1970),
- On-site scheme formulated by Irwin (1983), and
- Long travel time scheme.

The user has the option of choosing either the P-G or the on-site algorithm (for short travel time dispersion) and specifying when the long travel time dispersion parameters are to be implemented. Optionally, a user-supplied subroutine to estimate dispersion can be used.

Dispersion downwind of a source, as characterized by the P-G scheme, is a function of stability class and downwind distance. Stability categories are commonly specified in terms of wind speed and solar radiation. The on-site dispersion algorithm is a synthesis of Draxler's (1976) and Cramer's (1976) ideas and requires specification of the variances of the vertical and lateral wind directions. The third dispersion scheme is used in conjunction with the other two and is for long travel times in which the growth of the puff is proportional to the square root of time.

SETTLING AND DRY DEPOSITION

Rao (1982) gave analytical solutions of a gradient-transfer model for dry deposition of pollutants from a plume. His solutions treat gravitational settling and dry deposition of pollutants in a physically realistic manner, and are subject to the same basic assumptions and limitations associated with Gaussian plume models. His equations for deposition and settling were incorporated in several EPA air quality models including PAL-DS (Rao and Snodgrass, 1982). The equations used in INPUFF are the same as those used in PAL-DS except they are cast in terms of travel time instead of wind speed and downwind distance.

DATA-REQUIREMENTS CHECKLIST

INPUFF requires data on user options, grid dimensions, sources, meteorology, receptors, and plotter control. The user must indicate whether the following options are to be employed:

- Stack-tip downwash,
- Source update,
- User-supplied wind field,
- Intermediate concentration output,
- Puff information output,
- Buoyancy induced dispersion,
- User-supplied dispersion algorithm, and
- User-supplied plume rise algorithm.

The dimension of the modeling grid must be specified. If the user-supplied wind field option is implemented, then the dimension of the meteorological grid along with the size of each grid rectangle must also be indicated. It is recommended that both grids be given a common origin. If a puff travels outside the modeling region, it is deleted from further consideration. If it travels outside the

meteorological grid, but is still within the modeling region, the wind at the nearest grid point to the puff is used to advect it further.

Information on the source includes the following:

- Location (km),
- Emission rate (g/sec),
- Physical stack height (m),
- Stack gas temperature (K),
- Stack diameter (m),
- Stack gas velocity (m/sec),
- Stack gas volume flow (m^3/sec),
- Initial dispersion parameters (m), and
- Deposition and gravitational settling velocities (cm/sec).

Also, the direction and speed of the source, if it is moving, must be provided as input.

The meteorological data needed for the computations are as follows:

- Wind direction (deg),
- Wind speed (m/sec),
- Mixing height (m),
- Stability class (dimensionless),
- Standard deviation of elevation angle (radians),
- Standard deviation of azimuth angle (radians),
- Ambient air temperature (K), and
- Anemometer height (m).

The user has the option of updating the meteorological information after each meteorological time period. The location and height of each receptor must be indicated. If dispersion is characterized by the on-site scheme, then the standard deviations of the azimuth and elevation angles are required.

The following information is required by the plot routines:

- Type of plot desired,
- Location of concentration versus time plots, and
- Plotting grid.

The plot routines were developed on a UNIVAC 1110 and use CALCOMP plotting software.

REFERENCES

- Cadle, R.D., 1975: *The Measurement of Airborne Particles*. John Wiley & Sons, New York, 342 pp.
- Chamberlain, A.C., 1953: Aspects of travel and deposition of aerosol and vapor clouds. *A.E.R.E. Report H.P.-1961*, Atomic Energy Research Estab., Harwell, Berks., U.K., 32 pp.
- Fuchs, N.A., 1964: *The Mechanics of Aerosols*. The Macmillan Co., New York, 408 pp.
- Lapple, C.E., 1961: *J. Stanford Res. Inst.* 5, p. 95.
- McMahon, T.A., and P.J. Denison, 1979: Empirical atmospheric deposition parameters - a survey. *Atmospheric Environment* 13, 571-585.
- Sehmel, G.A., and W.H. Hodgson, 1974: Predicted dry deposition velocities. *Atmospheric-Surface Exchange of Particulate and Gaseous Pollutants*. Available as CONF-740921 from NTIS, Springfield, VA., 399-423.
- Sehmel, G.A., 1980: Particle and gas dry deposition: a review. *Atmospheric Environment* 14, 983-1011.
- Sheehy, J.P., W.C. Achinger, and R.A. Simon, 1969: *Handbook of Air Pollution*. Public Health Service Publication No. 999-AP-44, U.S. E.P.A., Research Triangle Park, N.C.
- Stern, A.C., 1976: *Air Pollution*. Academic Press, New York, Vol. 1, 3rd ed., 715 pp

APPENDIX L

IRA-F TOTAL SUSPENDED PARTICULATES (TSP) DATA
(on diskette file APPL.TXT)

APPENDIX M

IRA-F RESPIRABLE PARTICULATES
OF LESS THAN 10 MICRONS
(on diskette file APPK.TXT)

APPENDIX N

IRA-F ARSENIC, METALS, AND MERCURY DATA

(These data have not been finalized by PMRMA)

(on diskette file APPN1.TXT and APPN2.TXT)

APPENDIX O

IRA-F VOLATILE ORGANIC COMPOUNDS (VOC) DATA

(These data have not been finalized by PMRMA)

(on diskette file APPO1.TXT and APPO2.TXT)

APPENDIX P

IRA-F SEMI-VOLATILE ORGANIC COMPOUNDS
(SVOC) DATA

(These data have not been finalized by PMRMA)
(on diskette file APPP.TXT)

APPENDIX Q

IRA-F ORGANOCHLORINE PESTICIDES (OCP) DATA

(These data have not been finalized by PMRMA)

(on diskette file APPQ.TXT)