

REPORT DOCUMENTATION PAGE

FORM APPROVED
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of the collection of information, including suggestions for reducing the burden to Washington Headquarters Service, Directorate for Information Operations and Reports, 1216 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 2/26/96	3. REPORT TYPE AND DATES COVERED FINAL 10/01/90-09/30/95	
4. TITLE AND SUBTITLE OF REPORT FEATURE ANALYSIS: MELDING OF OCEANIC VARIABILITY & STRUCTURE (INFEAMOVIS)			5. FUNDING NUMBERS N00014-91-J1120	
6. AUTHOR(S) ARTHUR J. MARIANO				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Miami RSMAS-MPO 4600 RICKENBACKER CAUSEWAY MIAMI, FLORIDA 33149-1098			8. PERFORMING ORGANIZATION REPORT NUMBER: 664315	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) DR. SPINRAD, DIRECTOR OAS MODELLING AND PREDICTION OFFICE OF NAVAL RESEARCH			10. SPONSORING/MONITORING AGENCY REPORT NUMBER: 800 N. QUINCY STREET ARLINGTON, VA 22217	
11. SUPPLEMENTARY NOTES:				
12a. DISTRIBUTION AVAILABILITY STATEMENT UNLIMITED			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) SEE ATTACHED 19960412 106				
14. SUBJECT TERMS			15. NUMBER OF PAGES:	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT:	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT	

**Inhomogeneous and Nonstationary Feature Analysis:
Melding of Oceanic Variability and Structure (INFAMOVs)
Principal Investigator: Arthur J. Mariano
Grant No: N00014-91-J-1120**

The primary research goals were (i) the development of new data analysis and assimilation techniques; (ii) application of these techniques, production of optimal estimates of oceanic fields and frontal locations for studying oceanic variability; (iii) assimilation of satellite and in situ data sets into layered shallow-water models, such as the Miami Isopycnal Coordinate Ocean Model (MICOM) and the Navy's layered ocean model.

The following techniques were developed: (1) Contour Analysis (e.g. Mariano and Chin, 1995), (2) Parameter Matrix Algorithm for Objective Analysis (OA) (Mariano and Brown, 1992), (3) Empirical Orthogonal Contours (EOC) (Mariano, 1996; Mariano and Chin, 1996). (4) Motion-compensated space-time interpolation algorithms (Chin and Mariano, 1995) (5) Nearly-optimal wavelet and Markov Random Field approximations to the Kalman filter/smoothers (e.g. Chin et al., 1995; Chin and Mariano, 1995).

These techniques were applied to the following data sets, that are available via anonymous ftp from playin.rsmas.miami:

- 1) The analysis of bio-physical variability during the BIOSYNOP/ Anatomy of a Meander experiment.
- 2) The analysis of oceanic frontal variability, e.g. Gulf Stream and Kuroshio paths, for determining the dominant patterns of spatial and temporal variability.
- 3) Global satellite-derived Sea Surface Temperature (SST)
- 4) Ship-drift based sea surface velocity estimates.
- 5) Hurricane Gilbert ocean response experiment.

Some of the major results of our studies are:

The parameter matrix algorithm can be used for efficient objective analysis of large satellite data sets and can be used for mapping fields in strong frontal regions. The use of contour positions for analyzing oceanographic data is a powerful approach. The use of a time-dependent bi-cubic spline surface can be used to represent the large-scale flow field and can be used for the estimation of diffusivity from (quasi-) Lagrangian data (with A. Griffa, S. Bauer, M. Swenson, USC mathematicians).

Wavelet-based, Gaussian-Markov Random Field (GMRF) and square-root filtering approximations to the Kalman smoother are efficient and lead to accurate estimates. Numerical properties of the Kalman filter-based space-time interpolator has been extensively studied (op. cit.). A wavelet-based approximation to the covariance function for efficient Kalman smoothing has been applied to a series of one-dimensional problems with very encouraging results-only a 1-5% degradation from a full-blown Kalman filter. An GMRF-approximated implementation of the Kalman filter was applied to a two-gyre one layer version of the MICOM model for the assimilation of sea surface height data. Assimilation of boundary data over a triangular portion of the rectangular analysis domain was also successful (Chin and

Mariano, 1995). This latter test is important for developing efficient assimilation techniques for irregularly-shaped domains on massively parallel computers.

In the upper water column of a Gulf Stream meander crest, density variability is more tightly coupled to temperature variability than salinity variability. In summary, 50 to 80% of the variance of density, salinity, chlorophyll a and temperature is explained by a cross-stream trend. Meander-induced convergences (divergences) and ring-stream interaction explains about 15 to 30% of the variability in these fields. On the other hand, 20% and 50% of zooplankton variability can be explained by a cross-stream trend and diurnal migration, respectively. This detailed quantitative study of the relationship between phytoplankton, zooplankton, and their environment for a Gulf Stream meander crest that will serve as a benchmark for bio-physical modeling efforts

The first Gulf Stream frontal EOC is fairly coherent south-to-north shifts of the stream east of 70 west. The second mode is an out of phase oscillation centered about the seamount region. Gulf Stream path variability is very broad-banded. There is a clear annual signal with the path further south in the spring and further north in the fall, on the average. However, there is a great deal of interannual variability in this annual signal. Besides an energetic mesoscale signal, there are indications of significant variability for periods greater than one year. A smaller subset of Kuroshio paths, from 1990 to 1993, were analyzed in the region, 130 to 170 east. The dominant temporal variability were at periods greater than one year with a relatively small contribution at the annual period.

Publications cited by ONR Grant N00014-91-J-1120

Ashjian, C., J., S. L. Smith, C. N. Flagg, A. J. Mariano, W. J. Behrens, and P. V. Z. Lane, 1994: The Influence of a Gulf Stream Meander on the Distribution of Zooplankton Biomass in the Slop Water, the Gulf Stream and the Sargasso Sea, Described Using a Shipboard Acoustic Doppler Current Profiler. *Deep-Sea Res.* 41 (1), 23-50.

Carter, E.F. and A.J. Mariano, 1990: The evolution of the 12-degree surface during the Anatomy of a Gulf Stream Meander Experiment using Objective Analysis, *Transactions of the American Geophysical Union*, 71 (2), 182.

Chin, T.M. and A.J. Mariano, 1996: Space-time Interpolation of Oceanic Fronts. (In review, *IEEE J. of Geosciences and Remote Sensing*)

Chin, T.M. and A.J. Mariano, 1995: Kalman Filtering of Large-scale Geophysical Flows by Approximations Based on Markov Random Field and Wavelets. *ICASSP-95*.

Chin, T.M., W.C. Karl, and A.S. Willsky, 1995: A distributed and iterative method for square root filtering in space-time estimation. *Automatica*, vol. 31, pp. 67-82.

Chin, T.M. and A.J. Mariano, 1994: Wavelet-based compression of covariances in Kalman filtering of geophysical flows. *Proceedings of SPIE*, v.2242

Chin, T.M. and A.J. Mariano, 1994: Gulf Stream North Wall Position Variability: Statistical Interpolation and Analysis of Satellite SST data. Transactions of the American Geophysical Union, 75 (3), 48.

Chin, T. M. and A. J. Mariano, 1993: Optimal Space-time Interpolation of Gappy Frontal Position Data. In: Proceedings of the Aha Hulikona Hawaiian Winter Workshop, Honolulu, Hawaii, January 1993, pp. 265-289.

Chin, T.M. W.C. Karl, A.J. Mariano, and A.S. Willsky, 1993: Square root filtering in time-sequential estimation of random fields, Proceedings of SPIE, v.1903.

Chin, T.M., M.R. Luetzgen, W.C. Karl, and A.S. Willsky, 1993: An estimation theoretic perspective on image processing and the calculation of optical flow. in I. Sezan and R. Lagendijk eds. Motion Analysis and Image Sequence Processing, Kluwer, Norwell MA.

Chin, T.M., W.C. Karl, and A.S. Willsky, 1993: Probabilistic and sequential computation of optical flow using temporal coherence. IEEE Trans. Image Processing.

Hitchcock, G.L., A.J. Mariano, C.J. Ashjian and E.H. Ryan, 1994: A principal component analysis of Bio-physical Fields in a Gulf Stream Meander Crest. Transactions of the American Geophysical Union, 75 (3), 40.

Hitchcock, G.L., A.J. Mariano and H.T. Rossby, 1993: Mesoscale Pigment Fields in the Gulf Stream: Observations in a Meander Crest and Trough. J. Geophys. Res. Oceans, 98(C5), 8425-8445.

Hitchcock, G.L. and A.J. Mariano, 1992: Mesoscale Pigment Fields in the Gulf Stream Meander Trough. The SYNOPTician, 3 (3).

Hitchcock, G.L. and A.J. Mariano, 1991: Pigment Distribution in a Gulf Stream Meander Crest. The SYNOPTician, 2 (4), 1-2.

Hitchcock, G.L., A.J. Mariano and D.B. Olson, 1990: Mesoscale Pigment Fields in the Gulf Stream. Transactions of the American Geophysical Union, 71 (43), 1403.

Hummon, J., T. Rossby, E. Carter, J. Lillibridge, III, M. Lui, K. Schultz Tokos, S. Anderson-Fontana and A. Mariano, 1991: The Anatomy of Gulf Stream Meanders Volume I: Technical description and fall cruise data. University of Rhode Island Technical Report, No. 91-4.

Hummon, J., T. Rossby, E. Carter, J. Lillibridge, III, M. Lui, K. Schultz Tokos, S. Anderson-Fontana and A. Mariano, 1991: The Anatomy of Gulf Stream Meanders Volume II: Spring cruise data. University of Rhode Island Technical Report, No. 91-4.

Mariano, A.J., G.L. Hitchcock, C.J. Ashjian, C. Flagg, D. Olson, T. Rossby, E.H. Ryan, and S. Smith, 1995: A principal component analysis of Bio-physical Fields in a Gulf Stream Meander Crest. (In press, Deep-Sea Research)

Mariano, A.J., 1996: Empirical Orthogonal Contours. (In review, J. Geophys. Res.)

Mariano, A.J. and T.M. Chin, 1996: Feature and Contour Based data Analysis and Assimilation in Physical Oceanography. "Stochastic Modelling in Physical Oceanography", (Alder, Muller, and Rozovskii, eds.) Birkhauser (In press)

Mariano, A.J. and T.M. Chin, 1995: Feature and Contour Based data Analysis and Assimilation of Gulf Stream Data. Proceedings of the International Workshop on Numerical Prediction of Oceanic Variations. Tokyo, Japan, March 7-11, 1995, pp43-50.

Mariano, A.J. and O.B. Brown, 1992: Efficient objective analysis of heterogeneous and nonstationary fields via the parameter matrix. *Deep-Sea-Res.*, 39 (7/8), 1255-1271.

Mariano, A.J., 1990: A local Curvilinear Coordinate System for the Anatomy of a Meander/BIOSYNOP Experiment. *The SYNOptician*, 1 (3), 8.

Mariano, A.J., 1990: Empirical Orthogonal Contours of Gulf Stream temperature sections. *Transactions of the American Geophysical Union*, 71 (43), 1409.

Olson, D.B., G.L. Hitchcock, A.J. Mariano, C.J. Ashjian, G. Peng, R. Nero and G. Podesta, 1994: Life on the edge: marine life and fronts. *Oceanography*, 7(2), 52-60.

Shay, L.K., A.J. Mariano, S.D. Jacob, and E.H. Ryan, 1995: Mean and Near-Inertial Ocean Current Response to Hurricane Gilbert. (In review, *J. of Physical ocean.*)

Wiseman, W.J., G.L. Hitchcock, A.J. Mariano, and W.C. Boicourt, 1994: Kinematics of the Mississippi River Plume under Westerly Winds. *Transactions of the American Geophysical Union*, 75 (3), 65. 71 (43), 1409.



February 29, 1996

Scientific Officer
Code 1122ML
Office of Naval Research
800 N. Quincy Street
Arlington, VA 22217-500

Dear Sir/Madam:

Enclosed herewith please find three (3) copies of the final report on the completion of Grant No. N00014-91-J-1120 *INFAMOVS*.

We are grateful to the Office of Naval Research for providing us with funds to carry out this research.

Yours sincerely,

A handwritten signature in cursive script that reads "Arthur Mariano".

A. J. Mariano
Assistant Professor

AJM/em

Enclosures

cc: Administrative Grants Officer, Atlanta (1)
Director, Naval Research Laboratory (1)
Defense Technical Information Center (2)
Dr. Manuel Fiadeiro (1)

Rosenstiel School of Marine and Atmospheric Science
Division of Meteorology and Physical Oceanography
4600 Rickenbacker Causeway
Miami, Florida 33149-1098
(305)361-4057
FAX (305)361-4696