



CALS TEST NETWORK

CTN Test Report 92-005

AFTB-ID 91-039



Technical Publication Transfer Test Using Hughes Aircraft Company



MIL-D-28000 (IGES)



MIL-M-28001 (SGML)



DITIC QUALITY INSPECTED 4

Quick Short Test Report



2 April 1992



Prepared for
Air Force Materiel Command

19960826 091

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

CTN Test Report
92-005

AFTB-ID-91-039

2 April 1992

Technical Publication Transfer Test

Using Hughes Aircraft Company

MIL-D-28000 (IGES)

MIL-M-28001 (SGML)

Quick Short Test Report

2 April 1992

Prepared By
Air Force CALS Test Bed
Wright-Patterson AFB, OH 45433

AFTB Contact
Gary Lammers
(513) 257-3085

CTN Contact
Mel Lammers
(513) 257-3085

Prepared for
Air Force Materiel Command
CALs Test Network (AFMC/ENCT)
Wright-Patterson AFB, OH 45433-5000

DISCLAIMER

This report and those involved in its preparation do not endorse any product, process, or company stated herein. Use of these means by anyone does not imply certification by the CALS Test Network.

Contents

1.	Introduction.....	1
1.1.	Background.....	1
1.2.	Purpose.....	1
2.	Test Parameters.....	2
3.	1840A Analysis.....	4
3.1.	External Packaging.....	4
3.2.	Transmission Envelope.....	4
3.2.1.	Tape Formats.....	4
3.2.2.	Declaration and Header Fields.....	5
4.	IGES Analysis.....	6
5.	SGML Analysis.....	6
6.	Raster Analysis.....	6
7.	CGM Analysis.....	7
8.	Conclusions and Recommendations.....	8
9.	Appendix A - Tape Tool Report Logs.....	A-1
9.1	Tape Catalog.....	A-1
9.2	Tape Evaluation Log.....	A-2
9.3	Tape File Set Validation Log.....	A-2
10.	Appendix B - SGML Parser Logs.....	B-1
10.1.	XGML Parser Log.....	B-1
10.2.	DataLogics Parser Log.....	B-1

11.	Appendix C - IGES Error Log	C-1
11.1.	CADKEY.....	C-1
11.2.	Preview ERROR LOG.....	C-2

1. Introduction

1.1 Background

The DoD Computer-aided Acquisition and Logistics Support (CALs) Test Network (CTN) is conducting tests of the military standard for the Automated Interchange of Technical Information, MIL-STD-1840A, and its companion suite of military specifications. The CTN is a DoD-sponsored confederation of voluntary participants from industry and government managed by the Air Force Logistics Command.

The primary objective of the CTN is to evaluate the effectiveness of the CALs standards (Standards) for technical data interchange and to demonstrate the technical capabilities and operational suitability of those Standards. Two general categories of tests are performed to evaluate the Standards, formal and informal. Formal tests are large, comprehensive tests that follow a written test plan, require specific authorization from DoD, and may take months to prepare, execute, and report.

Informal tests are used by the CTN technical staff to broaden the testing base by including representative samples of the many systems and applications used by CTN participants. They also allow the CTN staff to gain feedback from many industry and government interpretations of the Standards, to increase the base of participation in the CALs initiative, and to respond, in a timely manner, to the many requests for help that come from participants. Participants take part voluntarily and are benefited by receiving an evaluation of their latest implementation (interpretation) of the Standards, interacting with the CTN technical staff, gaining experience in use of the Standards, and developing increased confidence in them. The results of informal tests are reported in Quick Short Test Reports (QSTRs) that briefly summarize the standard(s) tested, the hardware and software used, the nature of the test, and the results.

1.2 Purpose

The purpose of the informal test reported in this QSTR was to analyze Hughes Aircraft Company's interpretation and use of the CALs Standards in transferring technical publications data. Hughes Aircraft used its CALs Technical Data Interchange System to produce data in accordance with the standards and delivered it to the CTN technical staff on a 9-track magnetic tape.

2. Test Parameters

Test Plan: AFTB 91-039

Date of Evaluation: 24 June 1991

Evaluator: George Elwood
Air Force CALS Test Bed
AFMC(I)/ENCT
Wright-Patterson AFB, OH 45433

Data Originator: K.W. Virgil
Hughes Aircraft Company
Building 801/M18
P.O. Box 11337
Tucson, AZ 85734

Data Description: Technical Manual Test
1 document declaration file
1 DTD
1 IGES file
1 TEXT file

Data Source System:

IGES

HARDWARE Unknown
SOFTWARE Unknown

Text/SGML

HARDWARE Unknown
SOFTWARE Unknown

Evaluation Tools Used:

MIL-STD-1840A (TAPE)
SUN 3/280

CTN TAPETOOL (v1.2.8) UNIX
Agfa Compugraphics CALS

MIL-D-28000 (IGES)

SUN 3/60

Preview

Igesview

Cheetah Gold 486

AutoCAD 386 R11

CADKEY 386v4

MIL-M-28001 (SGML)

Cheetah Gold 486

Exoterica XGML

DataLogics ParseStation

Standards

Tested:

MIL-STD-1840A

MIL-D-28000

MIL-M-28001

3. 1840A Analysis

3.1 External Packaging

The tape arrived at the Air Force Test Bed enclosed in an envelope and not in a box meeting ASTM D 3951. The exterior of the envelope was not marked with the required magnetic tape warning label, MIL-STD-1840A, para. 5.3.1.3.

The tape was not enclosed in a barrier bag or barrier sheet material as required by MIL-STD-1840A, para. 5.3.1.2. Inspection of the tape reel showed a lack of the required label indicating the recording density as required by MIL-STD-1840A, para. 5.3.1. Some 9-track tape units require this bits-per-inch (BPI) to be set manually. No packing list was enclosed showing all files that were recorded on the tape.

3.2 Transmission Envelope

The 9-track tape received by the Air Force Test Bed contained MIL-STD-1840A files. The files were named per the standard conventions.

3.2.1 Tape Formats

The 1840A tape was run through the AFTB TAPETOOL utility version 1.2.8. Four notes were reported while evaluating the contents of the tape labels. All of these notes pertain to "Invalid record size encountered" errors. All of the notes are shown in Appendix A, Section One, Tape Catalog.

These notes related to the tape label Record Length field for Type D files. Type D files contain variable length records that do not span blocks. All of the Type D files written on the tape were flagged with an illegal value for Record Length. The D001, and D001T001 files were expected to be Type D according to MIL-STD-1840A. The CTN TAPETOOL Software expects a value of 260 in the Record Length field but encountered a record length of 256. MIL-STD-1840A para. 5.2.1.3 requires the variable record size be a maximum of 256 bytes. ANSI X3.27 para. 7.2.3 further states that the length of a Record Control Word (RCW) must be included in a Measured Data Unit (MDU) record length computation. This adds four bytes to the 256 for an MDU total of 260 bytes. ANSI X3.27 para. 8.5.2.6 states that the Record Length field for Type D files shall contain the maximum length of an MDU. While MIL-

STD-1840A permits variable length records, some software programs are sensitive to the number 260 because it is used to limit the record size when unblocking data.

No other errors were reported.

3.2.2 Declaration and Header Fields

One error was found in the Document Declaration File header. In Document Declaration File D001, an Invalid change level was flagged. The error related to use of the characters 01-00. MIL-STD-1840A, para. 5.1.1.2, shows the change level as "ORIGINAL". Only "ORIGINAL" or the change number and date is permitted in this record.

chglvl: 01-00

- *** ERROR (MIL-STD-1840A; 5.1.1.2) - Invalid change level encountered**
- *** NOTE (MIL-STD-1840A; 5.1.1.2) - Change level should be the word a Revision Number followed by a Change Level Number followed by a Change Level Date. They should be separated by a comma or space**

The two data files, D001T001 and D001Q001, had serious errors in the header records. All of the record identifiers were in upper case. MIL-STD-1840A, para. 5.1.4, shows all of these record headers in lower case. Since UNIX is case sensitive, this is a critical error. Because of these errors, the header information was not evaluated by the program. A manual inspection revealed no errors. The error log is shown in Appendix A, Part Two, in this report.

The tape was also read using the AGFA Compugraphics "read1840A" utility. Because of the incorrect record names (UPPER CASE), the program would not read any of the files.

The actual file names on the tape were incorrect. MIL-STD-1840A, para. 5.1.3, requires that files be numbered starting at 001 and incremented by one for each file. File D001T001 should have been named D001T002. A suggested change to MIL-STD-1840A has been made to change the file numbering to the method used on the tape.

4. IGES Analysis

The IGES file was tested against four IGES translators available in the AFTB. Two on the UNIX system, Igesview and Preview, and two on the MSDOS system, AutoCAD and CADKEY. Hard copies of the resulting plots are included in Appendix C on this report. The only program to generate an error message was Rosetta's Preview. This message is not an error with the file but a statement of limitation with the Sun system and Preview in the double precision area. It is limited to 32-bit floating point while the sending system was capable of 64-bit floating point precision.

Note that on the AutoCAD hard copy only a small part of the drawing was displayed. This is a problem with the AutoCAD IGES translator. AutoCAD did translate the file but only showed a small part included within a "paper space." Working with AutoDesk, the entire image was displayed on the screen. This process took several steps. Use of the AutoCAD IGES translator could result in this problem in a document if the document processing software used AutoCAD DXF file structure.

The UNIX based systems did not display any text while both MS-DOS systems did. The problem of the text may be related to the Subordinate Entity Switch being set physically dependent.

All systems displayed the arrow as a series of lines starting from the point and expanding out. Note this feature in the CADKEY detailed drawing. This is a correct presentation as there are no 214 Form 3 entities in the file.

Although shown as solid lines on the Preview hard copy, the dotted lines showed as dotted lines on the screen.

5. SGML Analysis

The text file from this document was tested using the Software Exoterica XGML parser. The file parsed without error.

The text file was also parsed using the DataLogics ParserStation. Again, the file parsed without error.

6. Raster Analysis

No raster files on tape.

7. **CGM Analysis**

No CGM files on tape.

8. **Conclusions and Recommendations**

In summary, the MIL-STD-1840A tape from Hughes Aircraft Company had some serious tape header problems. The incorrect header format caused one tape reading utility to fail immediately. Because of this format problem, the tape did not meet MIL-STD-1840A.

The errors with the IGES have not been pinpointed. The errors may be in the IGES translators in use by the AFTB. All translators generated usable images except AutoCAD, which required several steps to move the image into a viewable area.

The text file was parsed without error using two different parsers.

9. Appendix A - Tape Tool Report Logs

9.1 Tape Catalog

CALS Test Network Catalog Evaluation - Version 1.2; Release Number 8

Standards referenced:

- MIL-STD-1840A (1987) - Automated Interchange of Technical Information
- ANSI X3.27 (1987) - File Structure and Labelling of Magnetic Tapes
for Information Interchange
- ANSI X3.4 (1986) - Coded Character Sets - 7 Bit ASCII

Mon Jun 24 11:08:53 1991

MIL-STD-1840A File Catalog

File Set Directory: /cals/tapetool8/Set023

Page: 1

File Name	File Type	Record Format/ Length	Block Length/Total	Selected/ Extracted
D001	Document Declaration	D/00256	02048/000001	Extracted
*** NOTE (MIL-STD-1840A; 5.2.1.3) - Unexpected maximum variable record size encountered. Header => 256, Expected => 260				
*** NOTE (ANSI X3.27; 8.5.2.6) - Record Length for Recording Format Type D shall be the maximum length of a Measured Data Unit (MDU).				
*** NOTE (ANSI X3.27; 7.2.3) - A variable length record shall be contained in an MDU. An MDU consists of a four byte Record Control Word (RCW) followed immediately by the variable record.				
*** NOTE (ANSI X3.4) - A Record Control Word shall consist of four characters that express the sum of the lengths of the RCW and the variable record.				
D001T001	Text	D/00256	02048/000003	Extracted
*** NOTE (MIL-STD-1840A; 5.2.1.4) - Unexpected maximum variable record size encountered. Header => 256, Expected => 260				
D001Q001	IGES	F/00080	02000/000071	Extracted

Catalog Process terminated with 0 error(s), 0 warning(s), and 5 note(s).

9.2 Tape Evaluation Log

CALS Test Network Tape Evaluation - Version 1.2; Release Number 8

Standards referenced:

ANSI X3.27 (1987) - File Structure and Labelling of Magnetic Tapes
for Information Interchange

ANSI X3.4 (1986) - Coded Character Sets - 7 Bit ASCII

Mon Jun 24 11:08:48 1991

ANSI Tape Import Log

Allocating tape drive /dev/rmt0...

/dev/rmt0 allocated.

<<<< PART OF LOG REMOVED HERE >>>>

End Of Tape File Set

Deallocating /dev/rmt0...

Tape Import Process terminated normally.

9.3 Tape File Set Validation Log

CALS Test Network File Set Evaluation - Version 1.2; Release Number 8

Standards referenced:

MIL-STD-1840A (1987) - Automated Interchange of Technical Information

Mon Jun 24 11:08:53 1991

MIL-STD-1840A File Set Evaluation Log

File Set: Set023

Found file: D001

Extracting Document Declaration Header Records...

Evaluating Document Declaration Header Records...

srcsys: IBM LDL

srcdocid: 9317

srcrelid: Hughes Sample document

chglvl: 01-00

*** ERROR (MIL-STD-1840A; 5.1.1.2) - Invalid change level encountered.

*** NOTE (MIL-STD-1840A; 5.1.1.2) - Change level should be the word ORIGINAL or
a Revision Number followed by a Change Level Number followed by

a Change Level Date. They should be separated by a comma or space.

dteisu: 19910614
dstsys: af
dstdocid: AF.01.0003
dstrelid: SAMPLE TECH MANUAL
dtetrn: 19910615
dlvacc: AF-04-55
filcnt: T1, Q1
ttlcls: UNCLASSIFIED
doccls: UNCLASSIFIED
doctyp: SGML
docttl: HUGHES SAMPLE

1 error(s), 0 warning(s), and 1 note(s) were encountered
in Document Declaration File D001.

Found file: D001T001
Extracting Text Header Records...
Evaluating Text Header Records...

SRCDOCID: 9317

*** ERROR (MIL-STD-1840A; 5.1.4) - Invalid Text header;
field name. Expected => srcdocid:
*** NOTE - The value in the header field may not be evaluated.
*** NOTE - Correction made in new %s Header File.

DSTDOCID: AF.01.0003

*** ERROR (MIL-STD-1840A; 5.1.4) - Invalid Text header;
field name. Expected => dstdocid:
*** NOTE - The value in the header field may not be evaluated.
*** NOTE - Correction made in new %s Header File.

TXTFILID: W

*** ERROR (MIL-STD-1840A; 5.1.4) - Invalid Text header;
field name. Expected => txtfilid:
*** NOTE - The value in the header field may not be evaluated.
*** NOTE - Correction made in new %s Header File.

DOCCLS: UNCLASSIFIED

*** ERROR (MIL-STD-1840A; 5.1.4) - Invalid Text header;
field name. Expected => doccls:
*** NOTE - The value in the header field may not be evaluated.
*** NOTE - Correction made in new %s Header File.

NOTES: Base SGML file on the tape

*** ERROR (MIL-STD-1840A; 5.1.4) - Invalid Text header;
field name. Expected => notes:
*** NOTE - The value in the header field may not be evaluated.
*** NOTE - Correction made in new %s Header File.

5 error(s), 0 warning(s), and 10 note(s) were encountered
in Text File D001T001.

Saving Text Header File: D001T001_HDR
Saving Text Data File: D001T001_TXT

Found file: D001Q001
Extracting IGES Header Records...
Evaluating IGES Header Records...

SRCDOCID: 9317

*** ERROR (MIL-STD-1840A; 5.1.4) - Invalid IGES header;
field name. Expected => srcdocid:
*** NOTE - The value in the header field may not be evaluated.
*** NOTE - Correction made in new %s Header File.

DSTDOCID: AF.01.0003

*** ERROR (MIL-STD-1840A; 5.1.4) - Invalid IGES header;
field name. Expected => dstdocid:
*** NOTE - The value in the header field may not be evaluated.
*** NOTE - Correction made in new %s Header File.

TXTFILID: A

*** ERROR (MIL-STD-1840A; 5.1.4) - Invalid IGES header;
field name. Expected => txtfilid:
*** NOTE - The value in the header field may not be evaluated.
*** NOTE - Correction made in new %s Header File.

FIGID: 1

*** ERROR (MIL-STD-1840A; 5.1.4) - Invalid IGES header;
field name. Expected => figid:
*** NOTE - The value in the header field may not be evaluated.
*** NOTE - Correction made in new %s Header File.

SRCGPH: hughes1

*** ERROR (MIL-STD-1840A; 5.1.4) - Invalid IGES header;
field name. Expected => srcgph:
*** NOTE - The value in the header field may not be evaluated.
*** NOTE - Correction made in new %s Header File.

DOCCLS: UNCLASSIFIED

*** ERROR (MIL-STD-1840A; 5.1.4) - Invalid IGES header;
field name. Expected => doccls:
*** NOTE - The value in the header field may not be evaluated.
*** NOTE - Correction made in new %s Header File.

NOTES: Drawing of a wing

*** ERROR (MIL-STD-1840A; 5.1.4) - Invalid IGES header;
field name. Expected => notes:
*** NOTE - The value in the header field may not be evaluated.
*** NOTE - Correction made in new %s Header File.

7 error(s), 0 warning(s), and 14 note(s) were encountered
in IGES File D001Q001.

Saving IGES Header File: D001Q001_HDR
Saving IGES Data File: D001Q001_IGS

Evaluating numbering scheme...

*** ERROR (MIL-STD-1840A; 5.1.3) - The data files for Document D001 were not numbered properly.

*** NOTE (MIL-STD-1840A; 5.1.3) - The first data file for a Document shall use "001" and the number shall increment sequentially for each file of the Document so that each file has a unique file name.

Renumbering data files...

Renumbering Text File from => D001T001 to => D001T002

Updating Map File for Document D001

*** NOTE - 1 file(s) were renumbered.

Numbering scheme evaluation complete.

Checking file count...

No errors were encountered during file count verification.

File Count verification complete.

A total of 14 error(s), 0 warning(s), and 25 note(s) were encountered in Document D001.

A grand total of 14 error(s), 0 warning(s), and 25 note(s) were encountered in this File Set.

MIL-STD-1840A File Set Evaluation Complete.

10. **Appendix B - SGML Parser Logs**

10.1 **XGML Parser Log**

No reported errors.

10.2 **DataLogics Parser Log**

No reported errors.

11. Appendix C - IGES Error Log

11.1 CADKEY

hughes.igs -> hughes.prt
Start section:

IGES version - 4.0
Date of creation: 06/07/91

Entities Translated:

20 Circular Arc types
2 Conic Arc types
122 Copious Data types
114 Line types
20 Point types
2 Transformation Matrix types
38 Associativity Instance types
1 Drawing type
1 View type

Entities Not Translated:

2 Property types

Special Notes

View Entities

View at D:5 placed in Level #241

Drawing Entities

Drawing at D:1 placed in Level #241 and contains 1 views

11.2 Preview ERROR LOG

ERROR REPORT FOR FILE D001Q001_IGS

>> File record length is 80

Terminate section report :

File Section	#lines
START	1
GLOBAL	2
DIRECTORY ENTRY	654
PARAMETER DATA	1097
TERMINATE	1
TOTAL	1755

(Expect 80 X 1755 = 140400 bytes)

----- preliminary format scan complete -----

>> WARNING: Cannot use maximum power of 10 requested.

: Requested maximum power of 308 using 307.

: Field 11 line 1 of GLOBAL section. (Max. Exp. for Double)

1H,,1H,,,4HTEST,7HIBM CAD,3H1.0,32,38,6,308,15,,1.0,1,2HIN,10000,100.0, G 1

Found 0 errors and 1 warnings