

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 11/1/96	3. REPORT TYPE AND DATES COVERED Final 6/1/92 to 5/30/96		
4. TITLE AND SUBTITLE Biomimetic Fabrication of Functional Ceramic Composites		5. FUNDING NUMBERS AFSOR # 49620-92-J-0282 61102F 2303/DS		
6. AUTHOR(S) Sukenik, C., Heuer, A., and DeGuire, M.		8. PERFORMING ORGANIZATION REPORT NUMBER AFOSR-TR-96 0546		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Chemistry Case Western Reserve University 10900 Euclid Avenue Cleveland, OH 44106-7078				
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Dr. Frederick L. Hedberg AFSOR/NL 110 Duncan Avenue, Suite B115 Bolling AFB, DC 20332-0001				
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited.		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) Thin films and multilayers of functional ceramics have a number of important applications including dielectrics, magnetic recording media, piezoelectric transducers, and integrated optical devices. Various functionalized self-assembled monolayers, attached to single-crystal silicon substrates, were used to direct the deposition of thin films of the oxides of titanium, zinc, iron, and zirconium, at low temperatures and ambient pressures. The films were uniform, adherent, and pore-free and were, in many cases, comprised of micro-crystalline oxide particles. The monolayer functionality found to be most generally useful for these purposes included hydroxyl, carboxylate, and sulfonate functionality. In some cases the films contained desirable forms of the oxides that were different than those normally obtained: i.e., the anatase form of titania as opposed to rutile; and the tetragonal form of zirconia as opposed to monoclinic version. The patterning of the oxide films by patterning the underlying monolayer was also demonstrated. This project developed new technologies for the production of functional ceramics by creating templates for their deposition from solution and as such is a first step towards the generalized control of microstructural and crystallographic order by interface design in composite organic/inorganic materials.				
14. SUBJECT TERMS		15. NUMBER OF PAGES 4		
		16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT u	18. SECURITY CLASSIFICATION OF THIS PAGE u	19. SECURITY CLASSIFICATION OF ABSTRACT u	20. LIMITATION OF ABSTRACT u	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std Z39-18
298-102

DHC QUALITY INSPECTED 2

**FINAL TECHNICAL REPORT FOR
AIR FORCE OFFICE OF SCIENTIFIC RESEARCH**

**Biomimetic Fabrication of Functional Ceramic Composites
Project Period: 6/1/92 - 5/30/96
AFOSR #49620-92-J-0282**

**Departments of Chemistry and Materials Science Engineering
Case Western Reserve University
Cleveland, OH 44106**

19961122 139

Personnel

Principal Investigator	Sukenik, Chaim N. (Prof., Chemistry)
Faculty Co-Investigator	Heuer, Arthur H. (Prof., Materials Science)
Faculty Co-Investigator	DeGuire, Mark R. (Assoc. Prof., Materials Science)
Grad. Stud. Co-Investigator	Collins, Rochael J. (Chemistry)
Grad. Stud. Co-Investigator	Shin, Hyun J. (Materials Science)
Grad. Stud. Co-Investigator	Maiti, Mou (Materials Science)
Grad. Stud. Co-Investigator	Sitthisuntorn Supothina (Materials Science)
Post Doc. Co-Investigator	Wang, Yoo Hoo (Materials Science)
Undergrad. Co-Investigator	Pfefferkorn, Jeffrey (Chemistry)

Abstract

Thin films and multilayers of functional ceramics have a number of important applications including dielectrics, magnetic recording media, piezoelectric transducers, and integrated optical devices. Various functionalized self-assembled monolayers, attached to single-crystal silicon substrates, were used to direct the deposition of thin films of the oxides of titanium, zinc, iron, and zirconium, at low temperatures and ambient pressures. The films were uniform, adherent, and pore-free and were, in many cases, comprised of micro-crystalline oxide particles. The monolayer functionality found to be most generally useful for these purposes included hydroxyl, carboxylate, and sulfonate functionality. In some cases the films contained desirable forms of the oxides that were different than those normally obtained: i.e., the anatase form of titania as opposed to rutile; and the tetragonal form of zirconia as opposed to monoclinic version. The patterning of the oxide films by patterning the underlying monolayer was also demonstrated. This project developed new technologies for the production of functional ceramics by creating templates for their deposition from solution and as such is a first step towards the generalized control of microstructural and crystallographic order by interface design in composite organic/inorganic materials.

Patents

Mark R. DeGuire, Arthur H. Heuer, and Chaim N. Sukenik; Synthesis of Metal Oxide Thin Films U.S. Patent No. 5,352,48, issued 4 October 1994. Additional continuation in part issued in 1996.

Student theses submitted to CWRU

Ph.D. theses of Rochael J. Collins (Chemistry, 1997) and Hyunjung Shin (Material Science, 1996) and M. Sc. theses of Hyunjung Shin (Material Science, 1994), Mou Maiti (Material Science, 1995) and Sitthisuntorn Supothina (Material Science, 1995).

Published scientific papers in professional journals:

- 1) "Synthesis and Characterization of TiO₂ Thin Films on Organic Self-Assembled Monolayers: I. Film Formation from Aqueous Solutions", Shin, H.; Collins, R.J.; DeGuire, M.R.; A.H.; Sukenik, C.N. *Journal of Materials Research*, **10**, 692-698 (1995).
- 2) "Synthesis and Characterization of TiO₂ Thin Films on Organic Self-Assembled Monolayers: II. Film Formation via an Organometallic Route", Shin, R.; Collins, R.J.; DeGuire, M.R.; Heuer, A.H.; Sukenik, C.N. *Journal of Materials Research*, **10**, 699-703 (1995).
- 3) "Sulfonate-Functionalized, Siloxane-Anchored, Self-Assembled Monolayers", Collins, R.J.; Sukenik, C.N. *Langmuir*, **11**, 2322-2324 (1995).
- 4) "Deposition of Oxide Thin Films on Silicon using Organic Self-Assembled Monolayers", DeGuire, M.R.; Shin, H.; Collins, R.; Agarwal, M.; Sukenik, C.N.; Heuer, A.H. Integrated Optics and Microstructures III, M. Tabib-Azar Ed., Proc. SPIE, 2689, 88-99 (1996).
- 5) "Low Temperature Deposition of Patterned TiO₂ Thin Films Using Photopatterned Self-Assembled Monolayers", Collins, R.J.; Shin, H.; DeGuire, M.R.; Sukenik, C.N.; Heuer, A.H. *Applied Physics Letters*, **69**, 860-862 (1996).
- 6) "Photocontrolled Formation of Hydroxyl-Bearing Monolayers and Multilayers", Collins, R.J.; Bae, I.T.; Scherson, D.A.; Sukenik, C.N. *Langmuir*, **12**, 0000 (November, 1996).
- 7) "Solid-State Diffusive Amorphization in TiO₂/ZrO₂ Bilayers", Shin, H.J.; Agarwal, M.; DeGuire, M.R.; Heuer, A.H. *J. Amer. Cer. Soc.*, **79**, 1975-1978 (1996).