

365056

JPRS-CST-85-037

29 October 1985

China Report

SCIENCE AND TECHNOLOGY

DTIC QUALITY INSPECTED

19990426 055

FBIS FOREIGN BROADCAST INFORMATION SERVICE

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

2
75
A04

NOTE

JPRS publications contain information primarily from foreign newspapers, periodicals and books, but also from news agency transmissions and broadcasts. Materials from foreign-language sources are translated; those from English-language sources are transcribed or reprinted, with the original phrasing and other characteristics retained.

Headlines, editorial reports, and material enclosed in brackets [] are supplied by JPRS. Processing indicators such as [Text] or [Excerpt] in the first line of each item, or following the last line of a brief, indicate how the original information was processed. Where no processing indicator is given, the information was summarized or extracted.

Unfamiliar names rendered phonetically or transliterated are enclosed in parentheses. Words or names preceded by a question mark and enclosed in parentheses were not clear in the original but have been supplied as appropriate in context. Other unattributed parenthetical notes within the body of an item originate with the source. Times within items are as given by source.

The contents of this publication in no way represent the policies, views or attitudes of the U.S. Government.

PROCUREMENT OF PUBLICATIONS

JPRS publications may be ordered from the National Technical Information Service, Springfield, Virginia 22161. In ordering, it is recommended that the JPRS number, title, date and author, if applicable, of publication be cited.

Current JPRS publications are announced in Government Reports Announcements issued semi-monthly by the National Technical Information Service, and are listed in the Monthly Catalog of U.S. Government Publications issued by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

Correspondence pertaining to matters other than procurement may be addressed to Joint Publications Research Service, 1000 North Glebe Road, Arlington, Virginia 22201.

CHINA REPORT

SCIENCE AND TECHNOLOGY

CONTENTS

PEOPLE'S REPUBLIC OF CHINA

NATIONAL DEVELOPMENTS

Deyang Seen as Developing New Industrial City (Jiang Daojian; DILI ZHISHI, No 7, 7 Jul 85).....	1
Number of PRC Students Studying Abroad Detailed (Li Xue; BANYUETAN, 25 Aug 85).....	4
Imported S&T Used To Produce Precision Instruments (XINHUA, 25 Sep 85).....	5
Jilin's Secretary Speaks at Science Conference (Gao Di; JILIN RIBAO, 16 Sep 85).....	6
Hunan Vice Governor Meets Polish Scientist (Hunan Provincial Service, 8 Oct 85).....	15
Senior Cadres Train in Science, Administration (XINHUA, 27 Sep 85).....	16
PRC To Hold National Invention Exhibition (XINHUA, 28 Sep 85).....	18
Official Discusses New Invention Association (XINHUA, 5 Oct 85).....	19
1700 Scientific Research Achievements Awarded (XINHUA, 7 Oct 85).....	21
Systems Engineering in China Surveyed (Xu Guozhi, et al.; XINTONG GONGCHENG LILUN YU SHIJIAN, No 1, 1985).....	23

Briefs		
	Shaanxi Technology Trade Fair Ends 28 Sep	28
PHYSICAL SCIENCES		
	New Procedure for Decoding Cyclic Codes Described (Liu Guanyu; SHUXUE DE SHIJIAN YU RENSHI, No 3, Jul 84)....	29
	Construction of n-Stage M-Sequences by Computer (Chen Wenden, Chen Yiyuan; SHUXUE DE SHIJIAN YU RENSHI, No 3, Jul 84).....	35
APPLIED SCIENCES		
	New Method of Pseudocolor Encoding Through Density Separation (Tian Zhiwei, Shi Yongqiang; HANGZHOU DAXUE XUEBAO, No 3, Jul 85).....	41
	On the UNIX Operating System (JISUANJI SHIJIE, No 12, 23 Jun 85, No 14, 23 Jul 85).....	47
	Successfully Transported	47
	Surpasses Prolog, by Wang Lin	47
ABSTRACTS		
CHEMISTRY		
	HECHENG XIANGJIAO GONGYE [SYNTHETIC RUBBER INDUSTRY] No 4, Jul 85.	49
COMPUTER DEVELOPMENTS AND APPLICATIONS		
	DIANZI JISHU YINGYONG [APPLICATION OF ELECTRONIC TECHNOLOGY] No 3, 25 May 85).....	52
COMPUTERS		
	XIAOXING WEIXING JISUANJI XITONG [MINI-MICRO SYSTEMS] No 12, Dec 84.....	56
	XIAOXING WEIXING JISUANJI XITONG [MINI-MICRO SYSTEMS] No 3, 8 Mar 85.....	57
ELECTRONICS		
	DIANZI JISHU YINGYONG [APPLICATION OF ELECTRONIC TECHNIQUE] No 4, 25 Apr 85.....	58

INFORMATION SCIENCE

QINGBAO KEXUE [INFORMATION SCIENCE] No 1, 15 Feb 85..... 61

METALLURGY

ZHUZAO [FOUNDRY] No 4, 1985..... 63

ACTA METALLURGICA SINICA [JINSHU XUEBAO] No 4, 18 Aug 85..... 64

SHIPBUILDING

ZHONGGUO ZAOCHUAN [SHIPBUILDING OF CHINA] No 90, Jul 85..... 70

NATIONAL DEVELOPMENTS

DEYANG SEEN AS DEVELOPING NEW INDUSTRIAL CITY

Beijing DILI ZHISHI [GEOGRAPHICAL KNOWLEDGE] in Chinese No 7, 7 Jul 85 p 13

[Article by Jiang Daojian [5592 6670 1696]

[Text] Deyang, lying on the northern edge of the Chengdu plain in Sichuan province, is 70 km north of Chengdu and includes the Deyang, Zhongjiang, Guanghan, Mianzhu and Shifang counties. Its total area is 6,048 square kilometers and it has a population of 3.56 million people, 160,000 of them are workers. One of the six municipalities under the direct jurisdiction of the Sichuan provincial government, Deyang was incorporated in August 1983. The municipal People's government is located in Wuzhen (Jingyang), the original county seat of Deyang with a population of about 100,000.

Based on its topographical features, Deyang can be roughly divided into three sections. East of the Longquan mountain is a hilly region characterized by its square mounds and purple soil. This area covers the whole Zhongjiang county and parts of the Deyang and Guanghan counties. The economy is mainly agricultural, and many agricultural by-products are produced here. Lying between the Longquan and Jiuding mountains and slightly tilting from northwest to southeast, the central section is an alluvial plain formed by the Mianyuan and Shiting rivers, the two tributaries of the Tuo river. Being part of the Chengdu plain, this is the most prosperous area of the city where the majority of the city's industries are located. Its agriculture is consisted mainly of staple crops and aquacultures. The western section is the Jiuding mountain region with elevations ranging from 1,000 to 2,000 meters. There are abundant mineral resources such as phosphates, limestones, coals and marbles, and forest covers wide areas.

Before the Liberation, the industrial base of Deyang was rather poor so basically the area was purely agricultural. After the Liberation, a large-scale construction project was carried out here that enhanced the rapid development of industries and brought about changes to the city with each passing day. In 1958, Comrade Deng Xiaoping pointed out that "Deyang's industries are very important to the state. Take for example the manufacturing plants for metallurgical and power station equipment, they are the largest in the nation and the foundation of the machine-building industry. It will become a new industrial city." After 30 years of arduous constructions, today's Deyang has evolved into a new city based primarily on machine-building industry with such supplemental industries as construction material, chemical, food and textile.

The machine-building industry is Deyang's industrial base. There are large state-run key enterprises such as the No 2 Heavy Machinery Plant, the Dongfang Gas Turbine Plant, and the Dongfang Electrical Machinery Plant. There are also scores of small and medium-sized machinery plants manufacturing mining machines as well as bearing, food, chemical and petroleum machineries. Half of the fixed assets of the city's enterprises belongs to the machine-building enterprises, 66 percent of whose employees are engineers. They also possess many first-class facilities. Many products are among the best in the country and some are the best in the world. For example, the 175,000 kW generator installed in the Gezhou Dam hydropower station, the axle of the 60,000 kW generator, the 10,000 ton multi-directional, die-forged hydraulic press, and the 320,000 kW generator installed at the Longyang Gorge power station are all first-rate products. At present, this area is the most important base in the country for the manufacture of heavy machineries and power generation equipment.

In the 1960's, abundant phosphate ores were found in the Jiuding mountain and thus the emergence of Deyang's phosphorus-based chemical industry. The current annual phosphate rock output of the city reaches 1.2 million tons. During the Seventh 5-year Plan period, key constructions will be carried out by the state at the Zingping Phosphate Mine with the projected annual output of 1.5 million tons. Another large mine, the Jinhe Phosphate Mine, will also be expanded. The establishment in Deyang of a phosphorus-based chemical industry base is currently at the planning stage. The construction material industry is also an industry that Deyang has an advantage on. The limestone deposit reaches several billion tons and the deposit of sandstone is also quite remarkable. However, they are far under-utilized and are awaiting further exploitation. A large deposit of marble has recently been found. Besides, the city's coals and pyrites have already been mined.

The light industries of Deyang, particularly the food industry, are also nationally renowned. The Jiannanchun Distillery at Mianzhu is the producer of the "Jiannanchun" liquor that twice won the national gold medal. The "Tianfu" peanuts, Shifang cigarettes, and Guanghan's Chansi rabbits all have rather big international and domestic market. Raw silk is a traditional export item. Because Deyang has a well-developed agriculture, there is tremendous potential in the food and silk industry.

Besides the rapid development of industries, Deyang also has an extensive transportation network. The Baocheng railroad and Chuanshan highway pass across the city and the De(yang)-Tian(chi) railroad connects the city to another important industrial area, Hanwang. The Guang(han)-Yue(jiashan) railroad connects the Jinhe Phosphate Mine and Shifang to the outside. Highways radiate in all directions. The main arteries includes the Shimian, Detian and Guangmu highways and there are large number of branches. Furthermore, there is a fair-sized civilian airport, the Guanghan Airport. With the development of economy, the existing roads can no longer satisfy the needs. Therefore, the restructuring of the Deyang-Chengdu section of the Chuanshan highway has been put on the agenda. The transportation of Deyang will take on a new appearance.

Deyang has a sound industrial base, abundant resources and agricultural by-products, and an extensive transportation network, so it is in a very good position for its economy to take off. Based on the current economic development, the city party committee has proposed the goal of quadrupling output in 5 years. So far, over 100 items of economic and technological cooperation have been signed with 14 provinces including Gansu, Liaoning and Hebei to help exploit the rich resources in the area. The economic development of Deyang will play a positive and significant role in the development of our rich mineral and water resources, in the development of the economy in the southwest and especially in the development of the economy of the province.

12922

CSO: 4008/405

NATIONAL DEVELOPMENTS

NUMBER OF PRC STUDENTS STUDYING ABROAD DETAILED

Beijing BANYUETAN [SEMI-MONTHLY TALKS] in Chinese 25 Aug 85 p 39

[Article by Li Xue [2621 7185]: "How Many PRC Students Are Studying Abroad?"]

[Text] Sending students abroad to study is one way to train talented personnel and is also an important component of opening up to the outside world. With science and technology developing day by day, all countries are extremely interested in sending students abroad to study.

Since 1978, there has been considerable development in China's work of sending foreign students abroad. Up to the present time, the state has already sent more than 29,000 students abroad, while more than 7,800 students have paid their own way to study abroad; this adds up to more than 36,800 foreign students. These students are scattered throughout 36 countries and regions. More than 15,000 students have already completed their studies and returned to China.

Of those students that the state has assigned to study abroad, 78 percent are personnel engaged in advanced studies, 17.9 percent are graduate students, and approximately 4.1 percent are undergraduates. With regard to academic specialty, about 28 percent are studying sciences, approximately 39.6 percent are engineering students, about 7.7 percent are studying agriculture, 11.1 percent are studying medicine and approximately 13.1 percent are studying liberal arts.

Not only is the number of PRC students studying abroad in the past 6 years more than twice the number of students who studied abroad between 1950 and 1977, but there have also been numerous new developments in the composition of personnel, the regions to which they have been sent, the specialized fields of study and the channels of assignment.

CSO: 4008/2005

NATIONAL DEVELOPMENTS

IMPORTED S&T USED TO PRODUCE PRECISION INSTRUMENTS

OW251802 Beijing XINHUA in English 1610 GMT 25 Sep 85

[Text] Beijing, 25 Sep (XINHUA)--Chinese scientists have succeeded in constructing two kinds of large precision scientific instruments--an electron scanner microscope and an organic mass spectrometer, with imported technology.

The instruments were passed at an appraisal meeting here today, which was organized by the State Science and Technology Commission and the Chinese Academy of Sciences.

Production technology for these instruments was provided by Ameay Inc. of the United States and VG Company of Britain.

Experts said that the technical standards of the instruments are up to the requirements set by the contracts.

The electron microscope, a new generation of its type, has a higher resolution power for analyzing the element composition of samples.

The mass spectrometer is an analyzer integrating chromatography, spectrometry and computer technology, and is widely used in the fields of organic chemistry, biochemistry, geochemistry, medicine and hygiene, food chemistry and environmental protection.

An official from the State Science and Technology Commission said that production of the two instruments marked the transition from equipment import to technology import for China in the scientific field.

Meanwhile, it was disclosed that China Oriental Scientific Instrument Import and Export Corporation and Amray Inc. are discussing cooperative production of another type of electron scanner microscope.

A signing ceremony to approve the first batch of such instruments was held here this evening.

CSO: 4010/2001

JILIN'S SECRETARY SPEAKS AT SCIENCE CONFERENCE

SK060324 Changchun JILIN RIBAO in Chinese 16 Sep 85 pp 1-2

[Excerpts of speech by Gao Di, secretary of Jilin Provincial CPC Committee, at the 7 September 1985 provincial science and technology conference]

[Text] Comrades:

This provincial scientific and technological work conference is very important. By implementing guidelines of this conference, a new situation is bound to appear in the province's reform of the scientific and technological structure, and still more vigorous development in economic construction will certainly be promoted.

I will now give four opinions on implementing the guidelines of this conference and on ways to carry out scientific and technological reforms successfully.

1. On the Issue of Understanding

The most fundamental task of socialism is to develop social productive forces. Science and technology are the key to accomplishing the four modernizations. This principle is being understood by more and more comrades who have begun to pay attention to scientific and technological work. Generally speaking, however, the issue of understanding science and technology is far from being resolved, or is not thoroughly resolved. To some comrades, science and technology do not hold a place in their minds. They "consider them important when speaking about them, put them in a secondary position when carrying them out, and forget them when they are busy." Some leading comrades still regard science and technology as a "flexible task," thinking that they are "distant waters that cannot quench the present thirst." A few comrades have not fundamentally corrected the idea of looking down upon knowledge, talented people, and intellectuals. For this reason, the task of prime importance in carrying out scientific and technological reform and promoting their progress is still to solve the problems in understanding and to eliminate ideological obstacles.

Science and technology are productive forces. This is a basic Marxist view. Following the development of science and technology and the progress of society, science and technology, among the various factors promoting the development of productive forces, play an increasingly greater role. In particular, vigorously developing new worldwide technological revolution makes modern science and technology permeate the various spheres of the people's material and spiritual lives more and more with each passing day and makes them fully show their role in leading and promoting production development. Toward this end, we must not shut our eyes, cover our ears, lower our guard, or lose the golden opportunity. Anyone who understands this and starts his work earlier will gain the initiative and benefit earlier. Anyone who understands this and starts his work later will gain the initiative and benefit later. Anyone who does not understand this at all will be in danger of being eliminated.

As has been proved by facts, the shortcut to substantially improving the level of productive forces and economic results is to rely on scientific and technological progress. In agriculture, successful breeding and large-area popularization of such new varieties corn as "Jidan 101" and "Sidan 8" have played an important role in continuous good grain harvests in our province. In industry, Tonghua City's artificial fur is a new product developed in the early 1960's. Over the past few years, we have imported some advanced equipment from abroad and, through assimilation, have produced high-grade artificial fur of advanced world quality in order to enter international markets. It has been sold to such countries as the United States, Japan, and to the Hong Kong region, was welcomed and well received by consumers at home and abroad, and its supply has fallen short of demand. It created more than 11 million yuan in output value and some 4.5 million yuan in profit last year and is expected to create 15 million yuan of output value this year. Examples like this are available in various localities. We should conscientiously discover, sum up, and publicize such facts in order to enhance cadres' understanding of the strategic principle of "relying on science and technology in economic construction and gearing science and technology towards economic construction" as set forth by the CPC Central Committee. The natural resources of our province are very abundant, but we do not have adequate technology to develop them. To our province, it is all the more important to strengthen scientific and technological work and give full play to the role of scientific and technical personnel of various fields.

The divorce of science and technology from the economy is a long-standing, big, and difficult problem. This problem has become more conspicuous following the development of socialist modernization. To solve this problem once and for all has become an important strategic issue in economic vitalization and the modernization drive. Comrade Deng Xiaoping pointed out: "We should further resolve the issue of the combination of science and technology with the economy. By further, we mean that after solving problems in policies and understanding, we

should continue to solve problems in structure." There are many drawbacks in the current scientific and technological structure: Loose connection and dislocation of science and technology with production; dispersion, and plenty of duplication and waste of manpower and material sources; barriers between different departments and regions; too much reliance on the state and a lack of impetus and vigor for self-development; and so forth. Such numerous drawbacks are detrimental to gearing scientific and technological work towards economic construction, to turning scientific and technological achievements into productive forces rapidly, and to the performance of the wisdom and creative ability of scientific and technical personnel. Without radical reform, it will be very difficult to enable scientific and technological work to act according to the natural law and the law governing the social economy, and effectively serve the four modernizations.

Comrade Deng Xiaoping pointed out: "The new economic structure should be one conducive to technological progress. The new scientific and technological structure should be one conducive to technological progress. The new scientific and technological structure should be one conducive to economic development. If we attend to these two aspects, it is possible that the long-existing divorce of science and technology from the economy will be resolved fairly successfully." This indicates an orientation for us to solve the problem of the divorce of science and technology from the economy. In order to solve this problem, the CPC Central Committee successively made a decision on reform of the economic structure, a decision on reform of the scientific and technological structure, and a decision on reform of the educational structure, providing a guiding principle and drawing a blueprint for us to carry out economic, scientific and technological, and educational reforms. Reform in these three fields are coordinated reforms. Economic reform is the center and scientific and technological and educational reforms are its two wings. They both restrain and promote each other, and should be carried out conscientiously and successfully. At present, the economic reform has taken an encouraging step and achieved a good beginning, and is developing thoroughly and soundly. With regard to the educational reform, a meeting was just held which worked out overall plans. The meeting we are holding now conducts an overall study for the province's scientific and technological reform and makes overall plans for them. This enables our reforms to develop in an all-round and coordinated manner.

Reform is China's second revolution and an overriding task where the hopes for building socialism with Chinese characteristics are placed. We should vigorously carry out reform with a firm attitude and prudent steps and methods, and carefully design, work, and give guidance for it to make sure that our reform is in an invincible position.

2. On the Issue of Policies

Reform is an important job concerning policies, and the key to successfully making reform lies in correct policies. We should pay great attention to the issue of policies in the course of reform.

We should conscientiously study the principles and policies of the central authorities on the reform of the scientific and technological structure. Since the smashing of the gang of four, and particularly since the 3d Plenary Session of the 11th CPC Central Committee, the central authorities have formulated a series of principles and policies for scientific and technological work. In 1978, Comrade Deng Xiaoping penetratingly expounded on the thesis that "science and technology are productive forces" and that "intellectuals are an important component of the working class," at the National Science Conference. Such a thesis has laid down new principles and policies and a theoretical foundation for the reform of the scientific and technological structure. In 1982, the central authorities again put forward the strategic and science and technology must gear their work to the needs of economic construction." Last year, we reformed the scientific research structure and introduced to the research units the contract system of carrying out internal research activities financed with their own funds instead of depending on the state for operating funds. At the beginning of this year, the central authorities again made a decision on reforming the science and technology structure. Such practices are our important basis and guide in carrying out reform. In order to better implement the series of principles and policies of the central authorities on the reform of the scientific and technological structure, our province has proceeded from reality, and issued more than ten policy documents to lower levels on the structure of scientific research, management of talented scientific and technical people, technological transfer and services, and so forth. It has also set forth detailed regulations for carrying out scientific and technological structural reform at this conference. All comrades on the scientific and technological front, comrades on the economic front, and party and government leading comrades should conscientiously study and understand the central principles and policies and the policy documents of our province. We should use the party's principles and policies to unify the people's thinking, to guide the practice of reform, and enable the people to concentrate their minds and efforts on this aspect of work so that scientific and technological structural reform and the economic structural reform can promote each other, progress simultaneously, and develop coordinatively.

All departments and units should conscientiously implement the central principles and policies and the province's relevant policy documents on reforming the science and technology structure. Some units and persons have resorted to tricks which run counter to policies. They have exploited the advantage of reform to deceive their superiors and to delude their subordinates, and adopted crooked ways to seek benefits for themselves or for a small group of persons. Such practices are absolutely forbidden. We should criticize, educate the people who have violated law and discipline, and should strictly handle such cases. We should prevent different departments from issuing different policies and each person from going his own way. In the future, the issue of

all important policies concerning the reform of the scientific and technological structure should be studied and formulated in a unified manner by the provincial Scientific and Technological Commission and be implemented after being approved by the provincial CPC Committee and government.

We should pay attention to drawing clear lines of demarcation in applying the policies concerning the scientific and technological structural reform. First, we should draw a line of demarcation between faults caused by inadequate experience in the course of exploration and unhealthy trends practiced by some persons under the pretext of reform. Second, we should draw a line of demarcation between the legal income distribution of scientific research units in accordance with the relevant policies and the arbitrary issuance of bonuses. Third, we should draw a line between the legitimate income of scientific and technical personnel and their dishonest work as well as the practice of putting profit-making above everything else. Fourth, we should draw a line between technical trading organs operated by scientific and technological departments, organizations, and units and enterprises operated by party and government organs.

The issue of policies, which we should take seriously, is very important in our reform of the scientific and technological structure. Scientific and technological committees at various levels should closely coordinate and fully cooperate with economic, planning, financial, tax, credit, personnel and labor, and industrial and commercial administrative departments to conduct successful studies of policies for reform. Research departments of CPC committees and governments should also strengthen the study of policies for reform so that they can give guidance for the smooth progress of reform of the scientific and technological structure.

3. On the Issue of Talented Peoples

Central leading comrades attach importance to talented people. At the national scientific and technological work conference, Comrade Xiaoping said: "In reforming the economic structure, the most important part and what I am most concerned about is talented people. In reforming the scientific and technological structure, what I am most concerned about is still talented people." Comrade Ziyang pointed out that in accomplishing the four modernizations and revitalizing China, "the biggest problem is still in talented people because we lack qualified scientific and technical personnel and managerial personnel," and that "whether the economy of our country can achieve a leap forward and have reserve forces is determined by whether the scientific and technological work and the educational work can greatly develop and the problem in talented people can be smoothly solved." Talented people are the most valuable resources, and the key to the success or failure of the four modernizations. We should attach great importance to the issue of talented people.

Judging from the actual conditions of our province, the conspicuous problems are: First, a lack of talented people; second, a failure in giving full play to the role of the existing talented people. Comparatively speaking, the second problem is more urgent. The existing scientific and technical personnel should be relied on for carrying out the current work and training talented people for the future. CPC committees, governments and pertinent departments at various levels should pay close attention to the full performance of the existing scientific and technical personnel. In order to give full play to their role, we should pay attention to solving the following problems at present.

We should conscientiously solve the problem of ownership of talented people by units or departments. It is necessary for various departments or units to maintain relative stability in their scientific and technical personnel. However, they must not think that they own these talented people, still less must they prohibit transfer of them. Talented people are a valuable commodity of the state who are not owned by any individual department or unit. We should thoroughly reform the system of scientific and technical personnel management, and implement the system of employment for technical posts and the system of personnel replacement to ensure the rational transfer of talented people. Everybody should recommend talented people. Talented people themselves may also "volunteer their services as Mao Sui did." Personnel departments at various levels should make connections and lend services for those who volunteer to work at certain units. When scientific and technical personnel are transferred from large to small units or from state to collective units, it is permissible to give them proper preferential provisions in wages and living conditions as long as they and the units concerned agree to do so. We should not intervene too much.

We should further break with the "bit rice pot" and overcome egalitarianism. We should truly carry out the socialist distribution principle of "getting more pay for more work and being paid according to work," and grant handsome rewards to those scientific and technical personnel who have made prominent contributions.

We should further improve the working and living conditions of scientific and technical personnel. Within the scope stipulated by the policies, the province, various cities, prefectures and counties, and various departments and units should try to solve as many practical problems for scientific and technical personnel as possible. At present, they should think of ways to solve the housing problem for scientific and technical personnel and the problem of the employment of their children, in order to rid them of worries about their homes as much as possible and enable them to carry out their work successfully with concentrated efforts. We should create favorable conditions for scientific and technical personnel to renew their knowledge and improve their levels through training. We should also show concern for their health and provide conditions to make their medical treatment convenient.

We should further solve the difficulty of intellectuals joining the party. We should actively carry out political and ideological education and the work of organizational expansion among intellectuals in order to recruit fine intellectuals in a timely manner who possesses the qualifications for party membership. All in all, we should fully trust scientific and technical personnel politically, use them to do work boldly, show concern for, and take care of their lives and give full play to their role.

4. On the Issue of Strengthening Ideological and Political Work

The central leading comrades pointed out: "Overall reform of the scientific and technological structure is a very great move. It requires the people to change their style of activities, the organizational structure, and certain ideas and concepts that they have become used to for several decades." Facing such a revolution, the masses need to solve many ideological problems, and so do the people within the party. Therefore, it is necessary to conscientiously strengthen the ideological and political work of reform. We should not weaken it, still less replace it with other methods. Through forceful ideological and political work, we should raise the people's awareness, unify their thinking, arouse their enthusiasm, surmount the various ideological obstacles to reform created by the influence of "leftist" ideas and the force of old habits, and ensure and promote the smooth progress of reform.

The ideological situation on our province's scientific and technological front is, generally speaking, good. Most cadres and scientific and technological workers have actively supported reform, taken the initiative in participating in it, and scored great achievements in it. However, some problems have been exposed following the gradual deepening of reform. Some of them do not emancipate their minds and have rather many misgivings, daring neither to offer suggestions nor to conduct exploration. Some adopt a wait-and-see attitude, hesitate, and are overcautious in carrying out reform for fear of making mistakes. Some have a negative attitude toward reform for fear of suffering losses. Some have the attitude of "scholars tending to scorn each other," and are unwilling to cooperate with other or even counteract each other's efforts and do not share their technology with others. A small number of them take advantage of reform to earn "extra income" and engage themselves in malpractices in the name of reform. Most of these problems are of ideology and understanding, which should be solved earnestly through painstaking and meticulous ideological work.

We should continue to organize the masses of cadres and scientific and technological workers to penetratingly study the CPC Central Committee's decision on reform of the scientific and technological structure and the speeches of the central leading comrades, unify their thinking in line with the "decision," firmly follow the direction of reform, heighten the spirit of reform, and unswervingly carry out the reform successfully.

We should conduct education in ideals and discipline among the broad masses of cadres as well as scientific and technical personnel. Comrade Deng Xiaoping put forward that we should educate the whole nation to have ideals, morality, culture, and discipline. Ideals and discipline are the two most important ones. We should educate and guide the broad masses of scientific and technical workers to foster and strengthen the lofty communist ideals, and to contribute all we have to the cause of socialist modernization and the realization of lofty communist ideals.

We should make the broad masses of scientific and technical workers deeply understand that discipline is the guarantee for the implementation of the party's line. Without unified discipline, there would not be unified actions. Comrades on the scientific and technological front are comrades with a fairly high cultural level. Therefore, they should serve as vanguards who have ideals, morality, culture, and discipline.

Ideological and political work is a science subject and great knowledge. During the new historical period, we should conscientiously study and actively explore ways to make ideological and political work better cater to the needs of economic construction and serve socialist modernization construction. In line with the regular patterns and the characteristics of scientific and technological work, the scientific and technological front should purposefully carry out ideological and political work, enable it to permeate every link of production and scientific research, integrate administrative and economic means with ideological education, and combine our efforts to solve ideological problems with that to solve practical problems. Ideological and political activities should be lively and the methods should be flexible so that ideological and political work will become more lively and will yield better results. In ideological work, it is important to arouse the consciousness of the people. We should be patient and meticulous and should guard against doing things in an oversimplified and crude way. We should promote the practice of holding heart-to-heart talks and making friends with scientific and technical personnel and becoming their real bosom friends.

With the development of reform, a number of advanced personages who dare to explore and to blaze new trails have emerged on our province's scientific and technological front. Among them, many are scientific and technical workers and leading cadres. We should sum up the experiences of those successful persons, publicize and popularize their experiences, and vigorously commend them so as to create a social habit of learning from and catching up with the advanced. We should not demand perfection of those cadres with a pioneering spirit. It does not really matter to have shortcomings and defects. We should earnestly help them, encourage them, and cherish their reform initiative.

Comrades, the current situation in all respects is very good. We have enjoyed political stability and unity and have achieved a sustained, stable, and coordinated economic development. This excellent situation has created favorable conditions for us to deeply carry out reform of the economic structure, the scientific and technological structure, and educational structure. We are convinced that after this conference, the decision of the central authorities on the reform of the scientific and technological structure will be further implemented, which will thereby effectively mobilize the enthusiasm and creativity of the scientific and technical workers, greatly liberate the scientific and technological productive forces, promote the modernization of science and technology, a closed integration of science and technology with production, and the development of industrial and agricultural production, and create a new situation in our province's scientific and technological work as well as in economic construction.

CSO: 4008/2002

JPRS-CST-85-037
29 October 1985

NATIONAL DEVELOPMENTS

HUNAN VICE GOVERNOR MEETS POLISH SCIENTIST

HK090747 Changsha Hunan Provincial Service in Mandarin 2300 GMT 8 Oct 85

[Text] On the afternoon of 6 October, Vice Governor Chen Bangzhu met and feted at (Rongyan) Hotel, Professor Litwiniszyn, vice president of the Polish Academy of Sciences, and his party.

At the invitation of China's Ministry of Coal Industry, Professor Litwiniszyn and his party attended the international academic conference on mining technology, which was held in China. They arrived at Changsha in the evening of 5 October after the conclusion of the conference. This is the first visit by the Polish Academy of Sciences delegation to the province.

In the course of the meeting, Vice Governor Chen Bangzhu praised the efforts of Professor Litwiniszyn in the areas of strengthening Sino-Polish scientific and technological exchanges, and allowing the province's technicians to study at the research institutes of the Polish Academy of Sciences.

Over the past few days, Professor Litwiniszyn and his party went to the former residence of Comrade Mao Zedong and the exhibition hall at Shaoshan. The professor also gave lectures at Xingtan College on the mining industry. The guests will depart Changsha for Beijing.

CSO: 4008/2002

29 October 1985

NATIONAL DEVELOPMENTS

SENIOR CADRES TRAIN IN SCIENCE, ADMINISTRATION

OW271110 Beijing XINHUA in English 1050 GMT 27 Sep 85

[Text] Beijing, 27 Sep (XINHUA)--More than 200 Chinese ministers and vice ministers and 260 mayors have taken training courses in science and administration since the beginning of 1984.

Also during this period more than 1,000 department and bureau directors under the ministries and commissions of the State Council, 100,000 cadres at the prefectural and municipal level and several thousand army officers above the division level have attended lectures on administration and technology.

These training classes and lectures were sponsored by a group from China's National Association of Science and Technology, a mass organization made up of experts and scholars of various natural and social science disciplines.

Professor Yang Peiting, deputy head of the group, told XINHUA today that China's senior and middle rank cadres needed a better understanding of scientific methods of administration as well as grounding in new technological methods.

Tian Fu, vice-president of the association, said that many younger cadres with a higher education and professional expertise had been promoted to leading posts over the past few years. These people also needed some refresher courses to keep up with developments in modern science and technology, he said.

The training courses, according to Tian, were divided into eight aspects involved in leadership: science, strategy, information, administration, systems engineering, economics, education and aptitudes, and the future.

He said that training in these disciplines should help cadres acquire a strategic viewpoint, a sense of the future, a creative spirit and a scientific outlook.

The training of cadres has received the active support of party, state and army leaders since it started. Premier Zhao Ziyang and other officials took the lead in attending these lectures.

Last year, Fujian Province invited the group of lectures to government functionaries at the prefecture and municipal levels.

At present, Henan Province has some 7,400 county officials and party leaders, about a third of the provincial staff, attending courses on scientific administration.

Senior officers of the general staff, the general logistics department, the air force and the Military Academy of the Chinese People's Liberation Army are also taking training courses. One lecture series in Shenyang was attended by 1,700 officers at the above division level in the Shenyang Military Region.

CSO: 4010/2001

NATIONAL DEVELOPMENTS

PRC TO HOLD NATIONAL INVENTION EXHIBITION

OW281135 Beijing XINHUA in English 1041 GMT 28 Sep 85

[Text] Beijing, 28 Sep (XINHUA)--China's first national exhibition of inventions will be held here in October, the Preparatory Office of the Chinese Invention Association reports.

On display will be 346 inventions and scientific research findings. These cover electronics, architecture, medicine, agriculture, the chemical industry, transport and communications and technology.

During the exhibition, winners of awards will be chosen, and technical or technology transfer trade will be conducted. Inventions also will be selected for display in the 14th International Exhibition of Inventions and New Techniques scheduled in Geneva, Switzerland.

Since China devised regulations on invention awards in 1978, 976 inventions have won national invention awards. Thirty two of the inventions have earned economic returns of more than 100 million yuan each. Incomplete statistics show that all the inventions have yielded 26 billion yuan in various fields.

The State Council has decided to establish an Invention Association of China to encourage inventions, creativity and to promote wider application of scientific research. The association's inaugural meeting will be held during the October exhibition.

CSO: 4010/2001

NATIONAL DEVELOPMENTS

OFFICIAL DISCUSSES NEW INVENTION ASSOCIATION

OW051250 Beijing XINHUA in English 1230 GMT 5 Oct 85

[Text] Beijing, 5 Oct (XINHUA)--The China Association of Inventions, which will be set up here 16 October, aims at encouraging and instructing the people to use their creativity and promoting the application of inventions and scientific research findings in production, a leading official from its preparatory office told XINHUA today.

As a mass organization, Wu Hens said, the association members will include scientists, workers, peasants, soldiers, cadres and students.

Wu, now 71, is chairman of the Recommendation and Examination Committee for Inventions under the State Science and Technology Commission. In August last year, he was awarded a gold medal by the World Intellectual Property Organization for his contributions to establishing a patent system in China and promoting international cooperation.

He said the association will also protect the legal rights and interests of inventors, actively participate in international exchange activities and establish good relations with related world organizations.

At present, the association's preparatory office has ties with invention associations in Japan and Yugoslavia.

Last April, 19 Chinese inventions and techniques were displayed at the 13th International Exhibition of Inventions and New Techniques in Geneva, Switzerland, and 11 of them won prizes, Wu said.

China will sponsor its first national exhibition of inventions in Beijing next week, with 346 inventions and scientific findings on show, he said. Forty inventions will be selected from the exhibits for display at the 14th International Exhibition of Inventions and New Techniques in Geneva next year.

Wu Heng noted that since China devised regulations on invention awards in 1978, nearly 1,000 inventions have won national awards and, since the country's patent law went into effect April 1 this year, the Chinese patent bureau has received more than 10,000 applications.

In addition, there are tens of millions of schoolchildren and young workers participating in small invention contests in various forms across the country, Wu said.

CSO: 4010/2001

NATIONAL DEVELOPMENTS

1700 SCIENTIFIC RESEARCH ACHIEVEMENTS AWARDED

OW071822 Beijing XINHUA in English 1510 GMT 7 Oct 85

[Text] Beijing, 7 Oct (XINHUA)--A water-injection technique to help Daqing, China's largest oilfield, sustain a stable and high output, a technique for producing maleic rubber and 21 other scientific achievements have won special-class awards for promotion of scientific and technological advances.

The National Committee for Examining Science Advance Awards announced here today that altogether 1,772 scientific research achievements have received awards, decided at the committee's second meeting held in Beijing recently. The awarded achievements include 134 first class, 537 second class and 1,078 third class ones.

This was the largest number of awards for scientific and technological research in China since the founding of the People's Republic in 1949, the committee said.

The Daqing oilfield has registered high yields for nine successive years with an additional production of 92 million tons of crude oil due to improved techniques. The new water-injection technique will help the oilfield attain stable production for 15 years.

The maleic rubber production technology, independently developed by Chinese scientists, has turned out 480,000 tons of such rubber and in 1983 alone produced 170 million yuan in profits and tax for the state. The rubber has also been exported.

Other achievements winning special-class awards include the new technology used in building the Nanjing Yangtze bridge and the Chengdu-Kunming railway in southwest China, the Gezhouba hydroelectric project, a radio measuring and control system for satellite carriers, the "Changzheng No. 3" carrier rocket, the "Xiangyanghong Nom Qpz" scientific survey ship and a microwave measuring and control system for an experimental telecommunications satellite.

The first-class award winners include a computer system (10 million operations per second), technology for breeding prawns, a treatment for cancer, electroplating technology for repairing machine parts, a 3,000 rpm turbo-generator with inner water-cooled stator and rotor, and research on burns.

Also winning prizes are advanced technology for updating the country's weaponry and military equipment such as nuclear weapons, fighters, tanks and vessels.

In September last year, China promulgated the regulations on awards to promote scientific and technological advances to encourage scientists to contribute to the country's socialist modernization, and groups or individuals making creative contributions to the spread of scientific research results.

The regulations stipulate that scientific research results, including products, technology, processes, designs, animal breeds and crop varieties, must be new to China, or up to advanced world level, or advanced in their respective sectors.

Yang Jun, chairman of the examination committee, said that the award winners were selected from over 1,000 items recommended from various parts of the country.

He said the award winners are of high technological level and have brought remarkable economic and social benefits. Incomplete statistics show that a combined economic return of 22 billion yuan has been brought about by 10 special-class and 12 first-class winners.

CSO: 4010/2001

NATIONAL DEVELOPMENTS

SYSTEMS ENGINEERING IN CHINA SURVEYED

Beijing XINTONG GONGCHENG LILUN YU SHIJIAN [SYSTEMS ENGINEERING THEORY AND PRACTICE] in Chinese No 1, 1985 pp 1-3

[Article by Xu Guozhi [6079 0948 1807], Chen Li [7115 4539] and Gu Jifa [7357 1015 4099]: "Development of Systems Engineering in China"]

[Text] I. Introduction

China has long had systems, but the organized application of systems engineering began in the early 1960s. At that time, certain missile development departments established a general design bureau in charge of the organizational management of missile research, development, production, testing and utilization; in addition these departments used certain internationally accepted systems engineering methods such as the project coordination technique (also called the network chart technique).

But larger-scale systems engineering research and applications began only in the mid-1970s. Nonetheless, several of its important components, such as operations research, control theory, management science, and information theory, began to develop in China during the 1950s and 1960s. Because of space limitations, below we describe only systems engineering developments of the last few years in China.

II. Current Status of Systems Engineering in China

Chinese specialists began to consider the development aspects of systems engineering as a scientific field in the mid-1970s; it was given wide publicity, most influentially in the article "Systems Engineering: A Technique of Organizational Management" published in September 1978 by Comrade Qian Xuesen [6929 1331 2777] in WEN HUI BAO. At about this time, the Ministry of Education, the Aeronautics Society, the Automatic Control Society and the Management Modernization Society held a series of conferences on systems engineering and did good preparatory work in publicizing and popularizing systems engineering and organizing personnel in the field. In October 1979, the Defense Scientific and Technical Committee and other units jointly held an academic conference on systems engineering in Beijing, at which 21 specialists including Qian Xuesen and Guan Zhaozhi [7070 5128 4160] proposed to establish the China Systems Engineering Society. After more than a year of planning, the China Systems Engineering Society was established in October 1980 and

elected a leadership group with Qian Xuesen and Xue Muqiao [5641 2550 2890] as honorary chairmen and Quan Zhaozhi as director. To date, the society has held three annual meetings, and its specialized committees have held 13 specialized conferences. In addition, it has held two international conferences with other organizations: the Sino-American Systems Analysis Conference (Xi'an, 1981) and the Beijing International Systems and Control Conference (1984). The events of the last few years indicate that systems engineering in China has the following characteristics.

A. Great expansion of the use of systems engineering.

Four or 5 years ago, most of the reports presented at systems engineering conferences dealt with publicity, dissemination and preparations for applications. But as a result of the efforts of people in the systems engineering field, it is now finding practical applications in military affairs, social and economic matters, energy, agriculture, mining, water conservancy, environmental affairs, communications, population, large-scale project management, enterprise management, and education, and has already produced some results. In addition, a variety of mathematical models have been established for various projects, and are now being used to perform experimental calculations with real data or are currently being considered for applications.

B. The organized ranks of research personnel in systems engineering are expanding rapidly.

In recent years there has been a rapid expansion of the number of systems engineering personnel in all departments. The Systems Engineering Society has already established specialized committees on military affairs, social and economic matters, fuzzy mathematics [i.e., fuzzy set theory and related disciplines] and fuzzy systems, and systems theory. In addition, specialized activities already existed in such areas as agriculture, mining, water conservancy, and information; these groups have applied to establish specialized committees, and departmental approval is now pending. Large numbers of local societies have been established or are being planned. Many other societies have established systems engineering committees or similar organizations. In addition to academic organization, as of June 1984, China had nearly 180 organizations engaged in systems engineering, and 3,000 research personnel. Some new trends have recently appeared: (1) Major national departments (military, governmental, scientific, educational, and the like) have established large numbers of relevant organs which will lay an excellent foundation for normalizing systems engineering applications and research. (2) The county-level organizations and some local scientific units are showing extensive interest in the utilization and dissemination of systems engineering, which will provide an excellent basis for future mass-scale applications. (3) The contingent of personnel with training in systems engineering is becoming steadily stronger. The Ministry of Education made an effort in this area early, establishing schools that emphasized the development of systems engineering and trained useful personnel for the country. Some of China's universities have established systems engineering curricula and trained some MA students. The graduate-level classes currently

being given, particularly for training PhDs, will lay an excellent foundation for a systems engineering contingent with specialized training. In addition, there are numerous systems engineering training classes of various types in various fields such as agriculture, energy, military affairs, water conservancy, mining, mechanical engineering and the like, in addition to classes geared to different types of work, e.g., for cadres, management personnel and technical personnel. (4) Popular education is underway. Television and radio stations are broadcasting systems engineering lecture courses, and a variety of brief training classes for leadership cadres are being held (e.g. mayors' classes and the addition of a great deal of systems engineering content to the course of lectures on the scientific and technical revolution held for the central party and government organs), which have spread the knowledge of systems engineering. However, some leaders plan to use systems engineering as the sole technique for improving management, so that systems engineering experts have had to warn that systems engineering has its limitations and is only one of many important techniques for improving management, not a panacea.

III. Comparison with Developments Abroad

China's systems engineering development began late and is 20 or 30 years behind that of abroad. In addition, China is extremely weak in theoretical research on systems engineering compared with other countries. In other countries there are already several schools of thought, while most cadres in China are still in the stage of learning from other countries and mastering the knowledge in the field. Several articles by Comrade Qian Xuesen describing China's characteristics and level of attainment deserve mention. It must be realized that the knowledge of systems engineering abroad is in a rather chaotic state; Qian Xuesen's understanding of the subject is much more penetrating, since he has been able to relate it to Marxist philosophy. His thinking in systems science is expressed primarily in his having proposed a clear systematic structure for modern science and technology. In addition, he believes that systems engineering is a technique of organizational management which systematizes traditional organizations management as a scientific technique and makes it quantitative in order to allow mathematical methods to be used. He believes that systems engineering is a name for a large category of engineering techniques rather than a single science. This provides a clear depiction of systems engineering and describes its place among the totality of systems sciences, thus providing a certain basis for unifying the systems engineering field in China.

In contrast to its status in systems science, China is catching up rather rapidly in research on the various specific methods of systems engineering, and some techniques have found rather widespread application. In addition, large numbers of articles have been published in certain areas such as operations research, control theory and fuzzy mathematics; some are at the world state-of-the-art level and have been published in international journals. In applications, China has been able to make rather skillful use of certain techniques of the 1960s and 1970s in military affairs, energy and agriculture. But there are great discrepancies in the scale and depth of their application. For example, linear planning models used abroad include as

many as a million variables, while in China we can handle only a few thousand variables. In interger planning, which is very important in such problems as deciding on investment projects, as many as 2,000 variables or more have recently been taken into account in foreign investigations, while in China only a few dozen variables can be handled. China is also making relatively little use of certain rather profound quantitative techniques and of certain qualitative techniques that are widely used abroad. In addition, because the ability of Chinese systems engineering experts to integrate knowledge is inadequate, those who understand economics have insufficient training in mathematics, while mathematicians have insufficient knowledge of economics or engineering, and overspecialization is common among mathematicians. Abroad, however, some systems engineering specialists have much broader knowledge than we do, so that they are more able to put their conceptions into practice. In some topics there is a stubborn insistence on working from existing capabilities. We currently lack high-level systems engineering organizers who combine specialized knowledge with a knowledge of organizational management. In time, this will hinder the completion of certian large-scale projects. The use of computers in the field is already more or less universal in other countries, but the older generation in Chinese systems engineering cannot use computers or, while understanding them, still lacks experience with methods and applications. In addition, we still lack a full range of software suited to systems engineering applications and some of the imported software is inadequately utilized.

We are also rather far behind other countries in data accumulation. Lack of data, inaccurate data, or difficulties in using data are actually causing a great deal of our systems engineering personnel's energy to be wasted or are actually hindering progress on some topics.

Obviously, support from the leadership is a favorable factor in this area. Actually, some central leaders have already issued important instructions on the application of systems engineering and have encouraged China's systems engineering personnel and stimulated certain departments to require the use of systems engineering. They have created new situations that favor its use. But problems still remain, primarily because of a lack of knowledgeable manpower, which often leads to undue haste; starting work today and expecting results tomorrow, because of a failure to understand that systems engineering work takes considerable time. In some other cases we find the opposite attitude: the belief that systems engineering has no value and an unwillingness to utilize it, or an uncooperative attitude, which also makes it hard for projects to succeed.

IV. Prospects for the Year 2000

A. In regard to theory, China will not only have mastered some advanced, mature foreign methods, but in addition will have mastered a great deal of the basic theory of systems science and will have developed a distinctive Chinese style in certain branches.

B. In applications, we will use the distinctive characteristics of China's planned economy to develop a distinctive style in dealing with certain

large-scale national systems engineering projects (such as the national economic planning system, the energy system, national agricultural planning and the like); some of these characteristics will become important projects worldwide. Many large and medium-sized engineering projects will be underway; all of the links, such as general planning, production organization, and operations and testing will use various systems engineering methods, either throughout or partially, and there will be combined utilization of quantitative and qualitative scientific methods as well as integration of quantitative methods and leadership decisionmaking.

C. In manpower education, in addition to making use of undergraduate and graduate students trained by the regular training system, we will also have scientific-technical and management personnel already in jobs, who will have had more than 10 years training; among their personnel there will appear experts, such as general economic planning leaders, general strategic design leaders and national defense strategy design leaders, similar to the general missile design leaders currently working in the Ministry of Aviation. The specialized research contingent will expand further, first topping 10,000, after which the characteristics of systems engineering leaders in various specific systems will emerge, e.g., engineering systems engineers, agricultural systems engineers, mining systems engineers and the like, and their numbers will increase to the hundreds of thousands. The personnel who currently have only specialized knowledge, will, as a result of studying systems engineering, gradually develop an integrated knowledge, with the result that some departments with mature applications will proceed from integration to certain types of specialization, e.g., relating systems engineering closely to some specialty.

D. The great majority of systems engineering workers will have learned to use computers and there will be a complete range of software in most areas. Most models will have integrated. Multiple man-machine interaction will have become possible and it will be possible to share software and discuss models via computer networks.

Because of the limitations of our knowledge and time constraints, the above article unavoidably contains errors and gaps; correction is therefore welcomed.

8480
CSO: 4008/334

NATIONAL DEVELOPMENTS

BRIEFS

SHAANXI TECHNOLOGY TRADE FAIR ENDS 28 SEP--The 15-day provincial technological achievements trade fair concluded yesterday. The province's first technological achievements trade fair has had marked results. According to statistics, some 3,460 transactions were concluded involving some 438 million yuan, of which 146 million yuan was for technological achievements items and 292 million yuan for trial orders of new products. At yesterday's closing ceremony of the fair, provincial Vice Governors Zeng Shenda and Lin Jizhou awarded certificates of merit and bonuses to the commended units. [Excerpts] [Xian Shaanxi Provincial Service in Mandarin 1130 GMT 29 Sep 85]

CSO: 4008/2002

PHYSICAL SCIENCES

NEW PROCEDURE FOR DECODING CYCLIC CODES DESCRIBED

Beijing SHUXUE DE SHIJIAN YU RENSHI [MATHEMATICS IN PRACTICE AND THEORY] in Chinese No 3, Jul 84 pp 32-36
[Article by Liu Guanyu [0491 6306 1342] of the Huabei Electrical Academy]

[Text] Here we probe the use of checking polynomials for direct decoding. Capable of correcting random and burst errors, they are a kind of general method for cyclic codes.

Basic Notation

With the checking polynomial $h(x)$ for cyclic code (n,k) , the receiving vector is $R(x)$ and the error code pattern is $E(x)$. With \oplus and \odot representing addition and multiplication mod $(x^n + 1)$ then $F_2[x]_{x^n+1}$ constitutes a commu-
native ring.

I. Decoding Formulae

Theorem 1. Notation

$$D_0(x) \triangleq h(x) \odot R(x) \tag{1.1}$$

then if the error detecting formula $D_0(x) = 0$ there is no code error otherwise there is code error.

The error correcting formula is

$$h(x) \odot E(x) = D_0(x). \tag{1.2}$$

Error detecting method. Notation $R(x) = \sum_{i=0}^{n-1} r_i(x)^i$, then

$$D_0(x) = r_0 h(x) + x \odot \{r_1 h(x) + x \odot [r_2(x) + \dots + x \odot r_{n-1} h(x)]\}. \tag{1.3}$$

The above formula illustrates, each time a code element is received the accumulator makes a cyclic shift. If $r_i = 1$, the contents in the accumulator are increased by $h(x)$. Otherwise they are not.

Notation

$$D_i(x) \triangleq D_{i-1}(x) + x^{i-1} \odot h(x), \quad i = 1, 2, \dots, t \quad (1.4)$$

t is the error correcting capability. $D_i(x)$ is the i th rank decoding polynomial. This is a recursive formula. From $D_{i-1}(x)$ we seek $D_i(x)$, $i \leq t$.

Theorem 2. If $D_0(x) \neq 0$, $D_i(x) = 0$, then the error code pattern in

$$E(x) = \sum_{k=0}^{i-1} x^k \quad \text{moreover when } i \leq t, D_i(x) = 0 \text{ and } E(x) \text{ is unique.}$$

Definition. Write the powers of any terms with non-zero coefficients in $D_i(x)$ as d_i , and the set of powers of all non-zero terms in $h(x)$ as H , then define

$$E_i' \triangleq \{d_i \odot h \mid h \in H\}, \quad (1.5)$$

$$E_i \triangleq E_i' \setminus J_{i-1}, \quad i = 1, 2, \dots, t-1 \quad (1.6)$$

J_{i-1} is the set of elements that can be deleted from E_i' .

Theorem 3. Set up a power of any term in $E(x)$ as j_i , then we have

$$j_i \in E_i. \quad (1.7)$$

Proof. From (1.4) we get $D_i(x) = \left(\sum_{k=0}^{i-1} x^k \right) \odot h(x)$. In $\sum_{k=0}^{i-1} x^k$ there must be a term x^{j_k} , and in $h(x)$ there must be a term x^h , corresponding to any term x^{d_i} in $D_i(x)$. Also we have $j_k = d_i \odot h$, so from the formulae (1.6), (1.5) we get $j_k \in E_i$.

II. General Decoding Procedure

In (1.5), each member of the elements in E_i' is equal to the terms of $h(x)$, so in order to reduce the quantity of calculation work we want to sift through the elements in E_i' . Obviously, those elements repeated throughout can be eliminated.

Notation Definition. Write E_i'' to mean the set of elements which have not yet been test calculated from those previously calculated. For example, with $E_i = \{j_{i0}, j_{i1}, \dots, j_{if-1}, j_{if}, \dots, j_{ih}\}$. If f elements $\{j_{i0}, j_{i1}, \dots, j_{if-1}\}$ have already been selected from previous calculation, then $E_i'' = \{j_{if}, j_{if+1}, \dots, j_{ih}\}$. Also set up j_{if} which is just in the process of test calculation to determine if it is the largest likely solution.

Theorem 4. The element set which can be eliminated from E_i' is

$$J_{i-1} = E_i' \cap \{E_i'' \cup E_i''' \cdots \cup E_i'''\}. \quad (2.1)$$

Proof. Suppose $E'_j = \{\dots, j_{jk}, \dots\}$, $E''_j = \{\dots, j_{jz}, \dots\}$, $j < i$, and $j_{jk} = j_{jz}$. If the largest likely solution can be obtained with j_{jz} from E''_j , then certainly we can get it with j_{jk} in E'_j before and the element j_{jz} in E''_j can be eliminated [and all such elements can be] represented as $J_{i-1} = E'_i \cap E''_i$, $i > j$, $j = 0, 1, 2, \dots, i-1$.

In E_0 there must be one or an odd number greatest likely solution elements. In (2.1) the reason for selecting E''_0 was to insure at the very end in E''_0 there would be only one solution element and to avoid eliminating other solution elements. Similarly, the goal in selecting E''_i ($i = 0, 1, \dots, t-2$) was also to avoid eliminating useful solution elements in later calculations.




Figure 1. Block Diagram of the Cyclic Decoding Program

With $J_{i-1} = E_i' \cap E_i''$, $i > j$ writing in general form gives formula (2.1).

Decoding procedure:

1. When $D_i(x) \neq 0$, $i = 0, 1, 2, \dots, t-1$. In $D_i(x)$ selecting a term with non-zero coefficient its power is d_i , and $d_i = \partial^m D_i(x)$. From (1.5) get E_i' , and also get J_{i-1} , from (2.1). Last get E_i from (1.6).

2. From (1.7) selecting $j_i = j_{i,k-1}$, $j_{i,k-1}$ is the k th element in E_i . Begin calculating from the largest value $k \neq 0$ indicates the entire elements of E_i have not been completely selected and a new element to test can be chosen. At this time from (2.1) $E_i'' = j_{i,k-1}, j_{i,k-2}, \dots, j_{i,0}$ functions next time to shift out. From $j_i = j_{i,k-1}$ and (1.4) we get $D_{i+1}(x) = D_i(x) + x^{j_i} \odot h(x)$.

Continue the calculations. If $k \rightarrow k-1 < 0$, this indicates that all elements have been selected from E_i and new elements must be selected separately from E_{i-1} . Supposing the previous calculation from E_{i-1} reached $j_{i-1} = j_{i-1,k}$, then we should select $j_{i-1} = j_{i-1, k-1}$ and continue the calculation.

3. If $k < 0$, $i < 0$ it means that all the elements in E_0 have been used and the code error surpasses the corrective capability and calculation is concluded.

4. If $D_t(x) \neq 0$, then a new element is selected from E_{t-1} and calculation continues.

5. Finally, reaching $D_i(x) = 0$, we get $E(x) = \sum_{k=0}^{i-1} x^{j_k}$, and calculation is concluded.

The decoding program is shown in Figure 1.

The fundamental thinking for decoding when code errors are found is to ascertain the range of deviation error elements and then use $D_i(x) = 0$, $i \leq t$ to examine whether or not it is a "largest likely solution." Because the deviation error elements are restricted to specific bits and are led through the shifting set J_{i-1} , the quantity of calculations are reduced.

The quantity of calculations is determined by the number of elements in E_i and the correcting capability t . When t gets large, the powers of $h(x)$ will be reduced and the elements in E_i correspondingly decrease. When the length of the code increases, the elements in E_i' can increase and simultaneously the shifting elements also will increase. In general, with increases in the length of codes and correcting capability, the quantity of calculations should not increase very fast.

We can also use more decoders and decoding to increase the speed of computations and the procedure for each decoder is nearly the same. Obviously, if $D_i(x) = 0$, $i \leq t$, t can be random or batch capability and when correcting batch errors $j_{\max} = j_{\min} \leq t - 1$.

Table 1. Process of Calculation for Golay Code (23, 12)

Formulae	Process of calculation $H = \{12, 11, 10, 9, 8, 5, 2, 0\}$
$D_0(x) = h(x) \odot R(x)$ $d_0 = \partial^0 D_0(x)$ $E_0 = \{d_0 \ominus h h \in H\}$ $j_0 \in E_0$ E_0' $D_1(x) = D_0(x) + x^{j_0} \odot h(x)$ $d_1 = \partial^0 D_1(x)$ $E_1 = \{d_1 \ominus h h \in H\}$ $J_0 = E_1 \cap E_0'$ $E_1 = E_1 \setminus J_0$ $j_1 \in E_1$ E_1' $D_2(x) = D_1(x) + x^{j_1} \odot h(x)$ $d_2 = \partial^0 D_2(x)$ $E_2 = \{d_2 \ominus h h \in H\}$ $J_1 = E_2 \cap \{E_0' \cup E_1'\}$ $E_2 = E_2 \setminus J_1$ $j_2 \in E_2$ $D_3(x) = D_2(x) + x^{j_2} \odot h(x)$	<p style="text-align: center;">{22, 20, 19, 17, 11, 10, 3, 1}</p> <p style="text-align: center;">↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓</p> <p style="text-align: center;">{22, 20, 17, 14, 13, 12, 11, 10}</p> <p style="text-align: center;">↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓</p> <p style="text-align: center;">{17, 14, 13, 12, 11, 10}</p> <p style="text-align: center;">↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓</p> <p style="text-align: center;">{20, 11, 10, 6, 5, 4, 2, 1}</p> <p style="text-align: center;">↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓</p> <p style="text-align: center;">{20, 18, 15, 12, 11, 10, 9, 8}</p> <p style="text-align: center;">↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓</p> <p style="text-align: center;">{12, 11, 10}</p> <p style="text-align: center;">↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓</p> <p style="text-align: center;">{20, 18, 15, 9, 8}</p> <p style="text-align: center;">↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓</p> <p style="text-align: center;">{20, 18, 15, 9, 8}</p> <p style="text-align: center;">↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓</p> <p style="text-align: center;">{22, 11, 10, 9, 8, 7, 4, 1}</p> <p style="text-align: center;">↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓</p> <p style="text-align: center;">{22, 20, 17, 14, 13, 12, 11, 10}</p> <p style="text-align: center;">↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓</p> <p style="text-align: center;">{20, 17, 14, 13, 12, 11, 10}</p> <p style="text-align: center;">↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓</p> <p style="text-align: center;">{22}</p> <p style="text-align: center;">↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓</p> <p style="text-align: center;">≠0 ≠0 =0</p>
Largest likely solutions	$E = \{17, 20, 22\}$

IV. Example of Calculation Method.

From $f(x) = x^{n-1} + x^{n-2} + \dots + x + 1$ write as $F = \{n-1, n-2, \dots, 1, 0\}$ with Golay code (23, 12), $t = 3$, $h(x)$ written as $H = \{12, 11, 10, 9, 8, 5, 2, 0\}$, $D_0(x)$ written as $D_0 = \{22, 20, 19, 17, 11, 10, 3, 1\}$, $E(x)$ is written as $E = \{j_0, j_1, j_2\}$. The process of decoding is shown in Table 1. In the table the calculation of $j_0 = 22, 20$ is omitted and only the results when the sequence reached $j_0 = 17$ are represented.

REFERENCES

1. Wan Zhexian [8001 0772 0341], ALGEBRA AND ENCODING, Science Publishers, (1976).
2. Lin, S., "Introduction to Error Correcting Codes," Chen Taiyi [7115 1132 0044] trans. People's Post and Telecommunications Publishers, (1976).

3. Wang Xinmei [3769 2450 2734], "Elementary Introduction to Error Correcting Codes," People's Post and Telecommunications Publishers, (1976).
4. Berlekamp, E.R., ALGEBRAIC CODING THEORY, McGraw-Hill, (1968).
5. Peterson, W.W. and Weldon, E.J., Jr., ERROR CORRECTING CODES, 2d Ed. M.I.T. Press.

12966

CSO: 4008/1035

PHYSICAL SCIENCES

CONSTRUCTION OF n-STAGE M-SEQUENCES BY COMPUTER

Beijing SHUXUE DE SHIJIAN YU RENSHI [MATHEMATICS IN PRACTICE AND THEORY] in Chinese No 3, Jul 84 pp 21-26

[Article by Chen Wenden [7115 2429 1795], of the Systems Research Institute of the Chinese Academy of Sciences, and Chen Yiyuan [7115 0001 0337], of Institute 615 of the Ministry of Aeronautics]

[Text] The longest nonlinear shift register sequence, abbreviated as n-stage M-sequence and denoted by $(a_0, a_1, \dots, a_{2^n-1})$, $a_i = 0$ or 1 , is a sequence with period 2^n . The set of n successive elements in the sequence $(a_i, a_{i+1}, \dots, a_{i+n-1})$ is called a state, and an n-stage M-sequence has a total of 2^n unique states. M-sequences possess relatively good pseudo-random and correlation characteristics as well as being numerous and easily secured. Because of this, they have received important applications in communications and other engineering fields. For examples, M-sequences can serve as address codes in multi-address communication, as direct sequences in diffused frequency communications, for encoding in security communications, etc. A certain engineering task will use an M-sequence which possesses a certain kind of correlation characteristics. Because at present we lack deep applied theoretical accomplishments with respect to the correlation characteristics of M-sequences, we have adopted a general method: first construct an entire n-stage M-sequence. Then use a computer to generate sequences with correlation characteristics to meet our requirements.

Concerning the construction of M-sequences there are already some methods.^{1,2} De Bruijn³ first proved that there are a total of $2^{2^n-1}-n$, n stage M-sequences. This is termed a number theorem. Reference 2 provided a construction proof of this number theorem. The proof contains a method to construct entire M-sequences. Wan Zhexian [8001 0772 0341] and others¹ provided a new proof of this number theorem, adopting the language of graph theory. Their proof also materially contained a construction method for entire M-sequences. In the engineering tasks mentioned above, we have successfully adopted this construction method provided by Chinese mathematicians. Because computers cannot directly "see" graphs nor use graph theory methods to achieve these results on a computer, and as simply as possible to implement the method of Reference 1 required some "bridging" between mathematical proof and engineering application. The present article is the crystallization of this "bridging" work. It provides a computer algorithm and program to construct entire n-stage M-sequences. The theoretical proof of the method can be found in Reference 1, pp 117-133.

The algorithm is divided into the following procedures: (examples can be seen in the program)

I. Preparatory Work

1. Input a n-stage M-sequence

Take a state of a n-1 stage M-sequence (expressed in decimal numbers) and according to the order of the sequence enter it into the computer from the keyboard. For example, with $n = 5$ selecting the 4-stage M-sequence (0000101100111101), the state sequence is 0, 1, 2, 5, 11, 6, 12, 9, 3, 7, 15, 14, 13, 10, 4, 8; which in order is entered into the array $A(16)$, i.e., $A(1) = 0, A(2) = 1, \dots, A(16) = 8$.

2. Storing the succeeding element of each state

Deposit the succeeding element of the state $(a_1 a_{i+1} \dots a_{i+n-2})$, a_{i+n-1} in the array $Y(L_2)$. Here L_2 is the decimal representation of the state plus 1. Following the previous example, we have $Y(1) = 1, Y(2) = 0, \dots, Y(16) = 0$.

3. Determine the state awaiting modification

$(a_1 a_{i+1}, \dots, a_{n+i-2})$ and $(\bar{a}_1 a_{i+1} \dots a_{n+i-2})$ are termed a pair of conjugate states. Here \bar{a}_i the "NOT" representation of a_i . Obviously when viewed as two binary numbers, the difference between the larger and smaller is 2^{n-2} . For this reason we can match completely the relationships of the various states with their conjugates. Then for each state $(a_1 a_{i+1} \dots a_{i+n-2})$, according to the order of the sequence, we can assign a code $2^{n-1}-1-i$; and compare the two codes of one conjugate state pair, determining the state with the larger code to be the modified state and store it separately. We do not follow this procedure with that conjugate state which contains a 0 code. Following the previous example, use the relationship $A(L_7) = A(L_4) + 8$ to search out the conjugate state of $A(L_4), A(L_7)$. Then use $L_5 = 16 - L_4, L_8 = 16 - L_7$ separately to represent the codes of $A(L_4)$ and $A(L_7)$. Comparing the magnitude of L_5 and L_8 , store the larger code in the array $B(7)$.

II. Constructing a M-sequence

1. Determine the initial state

For convenience, stipulate the initial state of the n-1 stage M-sequence to be $(a_0 a_1 \dots a_{n-2}) = (00 \dots 0)$ to be a state entirely of zeros.

2. Rule for construction of the succeeding element in the M-sequence

Beginning from the first state of the stipulated n-1 stage M-sequence, construct the succeeding element one by one according to the following method: $a_{n-1}, a_n \dots$. Set up as one step a n-1 stage state as $(a_1 a_{i+1} \dots a_{i+n-2})$. Take out the succeeding element, a_{i+n-1} , of the state in question which was stored in step I.2. While we are at this storage cell for the first call make \bar{a}_{i+n-1} be the succeeding element, thereupon the subsequent n-1 stage state is

$(a_{i+1}a_{i+2}\dots a_{i+n-2}\bar{a}_{i+n-1})$. If it is the second call, then make a_{i+n-1} be the succeeding element and the next $n-1$ stage state becomes $(a_{i+1}a_{i+2}\dots a_{i+n-2}a_{i+n-1})$. After 2^n constructions a n stage M-sequence is obtained.

In the program given for the previous example, $X(M_1)$ is used to represent a $n-1$ stage state, the succeeding element, I_2 , is equal to $Y(X(M_1) + 1)$ or $Y(X(M_1) + 1) + 1$. Comparing the state $X(M_1 + 1)$ just calculated with the previously calculated state $X(M_3)$, $M_3 = 1, 2, \dots, M_1$, if there are none equal it is the first call and if there are equal ones it is the second call. When $M_1 = 32$, it is placed in the 32d succeeding element, I_2 , of array $Z(32)$, and we have a M-sequence.

With regard to the previous example, Table 1 provides a detailed program for generally producing an M-sequence. Graph theory calls this constructing a complete circuit from a partial inverse tree graph.

III. Construction of 2^{2^n-2-1} M-sequences

From II we see the value of the succeeding element, Y , influencing the process of construction of the M-sequence. In order to construct entire M-sequences we modify Y according to a fixed procedure. I.3 already determined that 2^{n-2-1} states await modification. If the successive elements of these states permit selection of the two values Y and \bar{Y} , then there are $2^{2^{n-2-1}}$ selection methods. Reference 1 already proved: Each type of selection method can correspondingly construct a M-sequence altogether obtaining $2^{2^{n-2-1}}$ different M-sequences.

In order relatively simply to use the 2^{2^n-2-1} method, we propose to apply Gray code to modify one Y so it is only necessary to modify Y to obtain a new M-sequence. Beginning with $(0, 0, \dots, 0)$ there are a total of 2^{2^n-2-1} entire 2^{n-2-1} bit Gray code words setting up a correspondence between the k th modification and the $k + 1$ st Gray code word. Because the radix-minus-one complement code element differs only in the j_0 th bit, here j_0 represents the binary number $k - 1$ and when going from the lowest bit to the highest bit the first order of zero binary number appears. Therefore the k th modification only requires modifying the succeeding element of the $B(j_0)$ state Y to make \bar{Y} . Each modification returns to the routine in II, altogether modifying $2^{2^n-2-1}-1$ times constructing 2^{2^n-2-1} M-sequences.

In the previous example and the program, with $K_2 = j_0$, one easily calculates the $64 \cdot K_2$ which correspond to the 64 modifications as:

1213121412131215121312141213121612131214121312151213121412131217

The successive 63 modifications is the period mentioned above (excepting the 7). The corresponding portion in the program is to make K_2 successively select the 127 values referred to above. The first eight modifications are shown in Table 2.

The modification process outlined above in the language of graph theory is: producing 2^{2^n-2-1} partial inverse tree graphs from a complete inverse tree graph.

IV. Construction of Entire n-Stage M-sequences

Input the 2d n-1 stage M-sequence and recurse through routine I, ... till the entire n-1 stage M-sequences are all input and used up to construct $2^{2^{n-1}-1}$ entire M-sequences. The input of a n-1 stage M-sequence can also be done all at once. Then subsequent selection is done by computer.

On a PDP-11/23 minicomputer (calculation speed 60,000/sec) we input 16 M-sequences with $n = 4$ and constructed 2048 M-sequences with $n = 5$ using only 139 seconds of time (CPU run time), satisfying the requirements of engineering requirements.

Last we provide the source program for constructing 5-stage M-sequences. This program can be directly used by the engineering world.

Source Program for Constructing 5-Stage M-Sequence

```
                                PROGRAM MS
C THE CALCULATION OF M SEQ
  INTEGER A(16), B(7), X(32), Y(16), Z(32)
  TYPE 10
10  FORMAT(1X, 'HOW MANY YOU WANT INPUT, i.e. N1 = ?')
  ACCEPT *, N1
  TYPE 11
11  FORMAT(1X, 'INPUT YOUR NUMBERS:')
  ACCEPT *, (A(I), I = 1, N1)
  WRITE(6, 12)A
12  FORMAT(1X, 6HINPUT:, 3X, 16I3)
  DO 15 L1 = 1, 16
  L2 = A(L1) + 1
  L3 = MOD(L1, 16)
  L3 = L3 + 1
  Y(L2) = MOD(A(L3), 2)
15  CONTINUE
  J = 1
20  DO 25 L4 = 2, 15
  IF(A(L4).EQ. J) GO TO 30
25  CONTINUE
30  L5 = 16 - L4
  L6 = A(L4) + 8
  DO 35 L7 = 2, 15
  IF(A(L7).EQ. L6) GO TO 40
35  CONTINUE
40  L8 = 16 - L7
  IF(L5.GT. L8) GO TO 45
  B(J) = A(L7)
  GO TO 50
45  B(J) = A(L4)
50  J = J + 1
  IF(J.GT. 7) GO TO 55
  GO TO 20
55  MK = 0
  K0 = 0
  K4 = 0
```

```

60  X(1) = 0
    N = 1
    DO 70 M1 = 1, 32
    I1 = X(M1) + 1
    IF(N. GT. 1) GO TO 75
    I2 = Y(I1) + 1
    I2 = MOD(I2, 2)
    GO TO 80
75  I2 = Y(I1)
80  Z(M1) = I2
    IF(M1. EQ. 32) GO TO 85
    M2 = M1 + 1
    X(M2) = 2 * X(M1)
    X(M2) = MOD(X(M2), 16)
    X(M2) = X(M2) + I2
    DO 95 M3 = 1, M1
    IF(X(M2). EQ. X(M3)) GO TO 100
95  CONTINUE
    N = 1
    GO TO 70
100 N = 2
70  CONTINUE
85  MK = MK + 1
    WRITE(6, 110) MK, Z
110 FORMAT(1X,I3, 3X, 32I1)
    IF(MK. EQ. 128) GO TO 300
    K4 = K4 + 1
    IF(K4. GT. 64) GO TO 220
225 K1 = K4 - 8 * K0
    IF(K1. EQ. 8) GO TO 200
    K2 = K1 - 1
    IF(K2. EQ. 3) GO TO 135
    K2 = MOD(K2, 2)
    K2 = K2 + 1
135 K3 = B(K2) + 1
    K5 = Y(K3) + 1
    Y(K3) = MOD(K5, 2)
    GO TO 60
200 IF(K0. EQ. 7) GO TO 215
    IF(K0. EQ. 3) GO TO 205
    K2 = MOD(K0, 2)
    K2 = K2 + 4
    GO TO 210
205 K2 = K0 + 3
210 K0 = K0 + 1
    GO TO 135
215 K2 = K0
    K0 = 0
    GO TO 135
220 K4 = K4 - 64
    GO TO 225
300 STOP
    END

```

Table 1. Construction Process of M-sequence in Example

$L_2 = A + 1$	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A	0000	0001	0010	0011	0100	0101	0110	0111	1000	1001	1010	1011	1100	1101	1110	1111
$Y(A + 1)$	1	0	1	1	0	1	0	1	0	1	0	0	1	0	1	0
M_1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
$x(M_1)$	0000	0000	0001	0011	0110	1101	1011	0111	1110	1100	1000	0001	0010	0100	1001	0010
Number of call	1	2	1	1	1	1	1	1	1	1	1	2	1	1	1	2
$Y(X(M_1) + 1)$	1	1	0	1	0	0	0	1	1	1	0	0	1	0	1	1
I_2	0	1	1	0	1	1	1	0	0	0	1	0	0	1	0	1
M_1	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
$x(M_1)$	0101	1010	0101	1011	0110	1100	1001	0011	0111	1111	1111	1110	1101	1010	0100	1000
Number of call	1	1	2	2	2	2	2	2	2	1	2	2	2	2	2	2
$Y(X(M_1) + 1)$	1	0	1	0	0	1	1	1	1	0	0	1	0	0	0	0
I_2	0	1	1	0	0	1	1	1	1	1	0	1	0	0	0	0

Table 2. Conditions for the First 8 Modifications in the Example

Number of modification	Corresponding geleima code word	Revised code bit $K_2 = j_0$	State of Y awaiting modification	Modification of Y
1	0000001	1	$B(1) = 1$	0 → 1
2	0000011	2	$B(2) = 2$	1 → 0
3	0000010	1	$B(1) = 1$	1 → 0
4	0000110	3	$B(3) = 5$	1 → 0
5	0000111	1	$B(1) = 1$	0 → 1
6	0000101	2	$B(2) = 2$	0 → 1
7	0000100	1	$B(1) = 1$	1 → 0
8	0001100	4	$B(4) = 11$	0 → 1

REFERENCES

1. Wan Zhexian, Dai Zhongduo [0108 1350 6995], Liu Mulan [0491 2606 5695] and Feng Xuning [7458 4872 1337], NONLINEAR SHIFT REGISTER ACCUMULATORS, Science Publishers, (1978).
2. De Bruijn, N.G. and Van Aardenne-Ehrenfest, T., "Circuits and Trees in Oriented Graphs," Simon Stevin, 28(1951), 203-217.
3. Golomb, S.W., "Shift Register Sequences," Holden-Day, (1967), Chapter VI, Thorem 18, p 136.

12966

CSO: 4008/1035

APPLIED SCIENCES

NEW METHOD OF PSEUDOCOLOR ENCODING THROUGH DENSITY SEPARATION

Hangzhou HANGZHOU DAXUE XUEBAO (ZIRAN KEXUE BAN) [JOURNAL OF HANGZHOU UNIVERSITY (NATURAL SCIENCES EDITION)] in Chinese Vol 12 No 3, Jul 85 pp 349-353

[Article by Tian Zhiwei [3944 1807 0251] and Shi Yongqiang [2457 3057 1730]]

[Text] Abstract: This article presents a new method of using the special diffraction characteristics of sinusoidal phase gratings to bring about image density separation and to obtain pseudocolor density coding by combining pseudocolors. Experimental results are also given.

Key words: optical information processing; image processing; pseudocolor encoding; density separation

I. Introduction

Research in vision makes clear that the color discrimination ability of the human eye is far stronger than its ability to directly discriminate among differences in black-white densities in images. Therefore, as a means of auxiliary interpretation, technology for pseudocoloration of black-and-white images is increasingly gaining greater attention. Since Goodman et al., first used an optical wave filtering method to carry out pseudocolor density encoding, this technology has undergone rapid development.¹⁻⁵ This article presents a new method of image density separation for carrying out pseudocolor encoding: the image is modulated with sinusoidal gratings, processed with bleach to make a phase grating with phase fluctuations following the density changes of the image, to serve as input to a white-light processing system. The difference between this method and that in Reference 5 is that this method uses a bandpass filter fitted with three primary color filters in a frequency spectrum plane to filter out diffraction orders 0, 1 and 2; separating the relative responses to each order of the low-density, medium-density and high-density areas of the image to be modulated, finally combining them at the output plane into a pseudocolor image output. This method does not require a hard-to-produce half-hue screen^{1,2} or the repetitive photo preparation of the photographic method,⁵ and is simple and practical.

Paper received on 23 November 1984.

II. Principles

Given that an image with a density distribution of $D(x,y)$ can be obtained from an original negative, after modulation with a sinusoidal grating and bleach processing, its phase distribution and post-modulation frequency distribution will be directly proportional,

$$\Phi(x, y) = \frac{\pi a}{\lambda} D(x, y) [1 + \sin(2\pi \xi_0 x)]$$

In the formula, α is the factor of proportionality, ξ_0 is the spatial frequency of the modulation grating.

Taking the preprocessed image as the input image for the 4f system, and given that the light source is a point white light source, with the spectral power distribution of $A^2(\lambda)$, after omitting the constant factors the input amplitude distribution is

$$\begin{aligned} u(x, y) &= A(\lambda) \exp \left[j \frac{\pi a}{\lambda} D(x, y) \right] \cdot \exp \left[j \frac{\pi a}{\lambda} D(x, y) \sin(2\pi \xi_0 x) \right] \\ &= A(\lambda) \exp \left[j \frac{\pi a}{\lambda} D(x, y) \right] \sum_{m=-\infty}^{\infty} J_m \left[\frac{\pi a}{\lambda} D(x, y) \right] \cdot \exp(j2m\pi \xi_0 x), \end{aligned}$$

where $J_m(Z)$ is the m exponent's first-class Bessel function.

Let

$$u_m(x, y) = \exp \left[j \frac{\pi a}{\lambda} D(x, y) \right] J_m \left[\frac{\pi a}{\lambda} D(x, y) \right],$$

then the input amplitude distribution can be written as

$$u(x, y) = A(\lambda) \sum_{m=-\infty}^{\infty} u_m(x, y) \exp(j2m\pi \xi_0 x)$$

disregarding the lens' limited aperture, the spectral distribution is obtained on the system's frequency spectrum surface

$$U(\xi, \eta) = A(\lambda) \sum_{m=-\infty}^{\infty} U_m(\xi, \eta) * \delta(\xi - m\xi_0),$$

where $U_m(\xi, \eta) = \mathbf{F} \{u_m(x, y)\}$.

The above formulas show that inputting the frequency spectrum $U(\xi, \eta)$ of the light field $u(x, y)$ on the frequency spectrum surface separating each component $U_m(\xi, \eta)$ with each $U_m(\xi, \eta)$ carried on its carrier frequency $(m\xi_0, 0)$ distributed with the frequency coordinate $(m\xi_0, 0)$ as the center of its region, forming the diffraction order of each. Their differing space distributions make us able under certain conditions to separate, through wavefiltering methods, the differing $U_m(\xi, \eta)$. The resolution ratio requirements of pseudocolor encoding are not high; it can be hypothesized that $u_m(x, y)$ is near the band-limited function; when ξ_0 is sufficiently high, it can be thought that the frequency spectra carried by each order's carrier frequencies are mutually separated. Therefore, on the frequency spectrum surface place a band-pass filter with $n\xi_0$ as the center, and merely let the frequency spectrum

carried by the n th order carrier frequency $U_n(\xi, \eta)$ pass through, then after conversion through the lens the light intensity distribution is obtained by the reflection on the coordinates of the output plane

$$I(x_i, y_i; \lambda) = A^2(\lambda) J_n^2 \left[\frac{\pi a}{\lambda} D(x_i, y_i) \right]. \quad (1)$$

Formula (1) makes clear that for a specific wavelength λ , the light intensity output of the system is a nonlinear function of the original image density, related to the square of the n order's Bessel function. Changing the positioning of the wave filter above the frequency spectrum surface can obtain outputs for differing orders. When the light source is an expanded partially coherent light source, as long as the light source's linearity does not cause confusion of the frequency spectra of the different orders, results similar to those of formula (1) can be obtained from partially coherent light image-formation theory.⁸

According to the theory of special functions, the position of the peak values of each exponent's Bessel function follows the direction of increases of the orders and the independent variables. Therefore, choosing differing diffraction orders can cause the output light intensity peak values to fall in differing density regions or realize density separation; each diffraction order corresponds to a certain density pass band. At the same time it filters out a few specific diffraction orders and causes their differing corresponding wavelengths to form an image combining pseudocolors for the regions of differing density. If the 0, 1 and 2 orders are taken and a narrow-band filter color strip with a pass-through rate of T_n is used to cause the central wavelength passed through of each order to separate as λ_0 , λ_1 and λ_2 ; from formula (1), the output light intensity of the system can be obtained.

$$I(x_i, y_i) = \sum_{n=0}^2 A^2(\lambda_n) T_n J_n^2 \left[\frac{\pi a}{\lambda_n} D(x_i, y_i) \right]. \quad (2)$$

Figure 1 gives the light intensity I_n curves following the changes in density D when $\lambda_0 = 650\text{nm}$, $\lambda_1 = 460\text{nm}$, $\lambda_2 = 520\text{nm}$; for balance each curve is normalized according to its greatest value in the figure. Each colored light's incoherent overlay forms a pseudocolor image of colors continually changing to follow densities. From Figure 1 it can be seen that for a given order, although the changes of light intensity in the vicinity of peak output light intensity values are small, nonetheless these positions correspond to portions of rapid light intensity change in another order, thereby guaranteeing this encoding method possesses a high sensitivity, and that it is rather uniform within a definite range.

III. Experiments

Using projection or close-contact methods we modulated the images awaiting preparation onto holographic dry plates, with a grating frequency of 500 lines per inch. Suitably controlling the exposure interval, after developing, fixing and bleaching, we made phase modulated photos and put those into the







Figure 1. Theoretical Curve of Normalized Output Light Intensity I_n Following Changes in Density D




(a)



(b)



(c)



(d)

Figure 2. (a) Gray-scale Modulated Image
 (b) 0 Order Wave-filter Output
 (c) 1 Order Output
 (d) 2 Order Output

4f system's input surface and then could carry out wave filtering operations. The system used a 12V 100W tungsten bromide lamp as a light source, the Fourier transform lens' focal length $f = 600\text{mm}$.

To verify the theory of formula (2), Figures 2(a) (d) gave out modulated images of gray scale pictures and gave out wave-filtered output images with orders 0, 1 and 2 when illuminated with red light with a principal wavelength of 650nm after bleach processing. From the figures it is obvious that the peak output light intensity values moved in the direction of the increases in density, fitting the theory. Using red, blue and green primary color filters with principal wavelengths of 650nm, 460nm and 520nm to separately filter the three diffraction orders 0, 1 and 2, and using a small polarizing plate to control the color filter plates' transmissivity, and using a line polarized light to illuminate the whole system, we obtained results on the pseudocolor encoding of the gray scale pictures mentioned above (because of printing limitations, the picture is omitted). The gray scale variations in neighboring regions of Figure 2(a) can all be distinguished as color variations, so it can be seen that this method possesses high sensitivity. We have used this method to process a satellite remote sensing image of Hangjia Lake in northern Zhejiang Province, and obtained its pseudocolor encoded image. The rich colors in the picture provided much information hard to obtain from the black-and-white image, so the results are obvious (picture omitted). The experiments prove this is a practical method of pseudocolor encoding the densities of black-and-white images, which can be used in pseudocolor augmentation processing of black-and-white images from remote sensing, biology and medicine and other fields.

We would especially like to thank Comrades Wang Baolong [3769 1405 7893] and Yang Hui [2799 1979] for their various forms of assistance in the experimental work.

REFERENCES

1. Liu, H.K. and Goodman, J.W., SPIE, Vol 83, August 1976 p 125.
2. Tai, A., Yu, F.T.S. and Chen, H., OPT. LETT., Vol 3 No 5, 1978 p 190.
3. Chao, T.H., Zhuang S.L. and Yu, F.T.S., OPT. LETT., Vol 5 No 6, 1980 p 230.
4. Mendez, J.A., et al., APPL. OPT., Vol 22 No 14, 1983 p 2069.
5. Guo Lurong [6753 1462 1369], et al., GUANGXUE XUEBAO [ACTA OPTICA SINICA], Vol 4 No 2, 1984 p 145.
6. Yan Shouyong [7051 1343 6716], Zhang Shengkai [7022 5110 0418], et al., "Shiyong Yaogan Tuxiang Guangxue Chuli Fangfa--Xiangguan Yanmo Jishu ji Qi Shiyong" ["Practical Method for Optical Processing of Remote Sensing Images--Related Masking Techniques and Their Use"], Science Press, 1981 p 32.

7. Van Renesse, R.L. and Bouts, F.A., OPTIK, Vol 38 No 2, 1973 p 156.
8. Born, M. and Wolf, E., "Principles of Optics," 6th ed., Pergamon Press, 1980 Chapter 10.

13044
CSO: 4008/1080

APPLIED SCIENCES

ON THE UNIX OPERATING SYSTEM

Successfully Transported

Beijing JISUANJI SHIJIE [CHINA COMPUTERWORLD] in Chinese No 12, 23 Jun 85 p 1

[Anonymous: "Success in Transporting the UNIX Operating System to a Chinese-Made Machine"]

[Text] This newspaper: Under the joint effort of Institute 710 of the Ministry of Astronautics Industry, Harbin Polytechnical University and the Lishan Microelectronics Industry Corporation, the UNIX operating system has been successfully transported to the Chinese-made LS-84 machine (similar to Zilog, Incorporated 16-bit S8000/21 microcomputer) for the first time in China. The UNIX-C system after transporting is completely compatible with that of the original UNIX system.

The UNIX system is one of the advanced operating systems abroad. Its successful transport proves that this is an economical and effective way to bring in advanced technology.

The transported UNIX operating system is a part of the LS-84 machine software engineering, which includes the 7th edition and the C-compiler from the PDP-11 (including the nucleus and outer software) transported onto the Chinese-made LS-84 microcomputer. Also, the system analysis enhances the ROM software and diagnostic program of the S8000 machine. This engineering work was completed and passed ministry and departmental appraisals on 31 May in Beijing.

Surpasses Prolog

Beijing JISUANJI SHIJIE [CHINA COMPUTERWORLD] in Chinese No 14, 23 Jul 85 p 1

[Article by Wang Lin [3769 2651]: "The Chinese Academy of Sciences Succeeded in Developing a Highly Efficient Prolog System"]

[Text] The C-Prolog system is developed by Laboratory No 2 of the Computing Institute, CAS by means of the Dual 68000 machine. With regard to speed and functions, this system surpasses the Prolog systems of the popular micro-computer abroad. It reaches an average speed of 500 LIPS, consists of more than 100 built-in predicates, can be run on any UNIX operating system, and is very easy to be transplanted onto other machines equipped with the C-language.

The scope of usage can be expressed by many modes such as built-in predicate document management, I/O, mathematical operations, list processing, information processing, etc. It not only has fast execution speed, it occupies very little internal memory, it also has the functions of trace and system call. It can also perform document editing as long as the system remains in the Prolog operating mode. Program debug and development are convenient. It is a good development tool for special-purpose systems, relational databases, natural language understanding and machine translation, information retrieval, office automation, etc.

At present, this institute has already distributed the object code and users' manual to most of the C-Prolog users. The institute together with related units have also begun to develop large-scale software systems via this system.

CSO: 4008/1004

JPRS-CST-85-037
29 October 1985

AUTHOR: ZHANG Guodong [1728 0948 2767]
WANG Zongxiang [3769 1350 4382]
WANG Shujun [3769 3219 0193]
ZHOU Wangyue [0719 2598 1471]
CHEN Xiancheng [7115 3759 6134]
HOU Ruiling [0186 3843 3781]
et al.

ORG: ZHANG, WANG Zongxiang and WANG Shujun, et al., of Jinzhou Oil Refinery, Jinzhou Petrochemical Corporation; ZHOU, CHEN and HOU, et al., of Lanzhou Institute of Chemical Physics, Chinese Academy of Sciences

TITLE: "Development of Catalyst H-198 for Oxidative Dehydrogenation of Butene into Butadiene in Fluidized-Bed Pilot Reactor"

SOURCE: Lanzhou HECHENG XIANGJIAO GONGYE [SYNTHETIC RUBBER INDUSTRY] in Chinese Vol 8 No 4, Jul 85 pp 229-237

TEXT OF ENGLISH ABSTRACT: An investigation was carried out on catalyst H-198 for oxidative dehydrogenation of butene into butadiene in a fluidized-bed reactor that was 800 mm in diameter and 12,610 mm long. The scale-up factor of the laboratory apparatus to the pilot reactor was approximately 6000. The results showed that, when the reactor was operated at temperatures of 365-375°C, space velocity of butene of 260-340 hr⁻¹, oxygen to butene molar ratio of 0.65-0.75, steam to butene molar ratio of 8.5-11, reactor inlet pressure of 0.35-1.0 kg/cm², and butylene content in butene feed of 75-95 mol percent, the following results were obtained: butadiene yield 60-63 mol percent, butadiene selectivity 90-91 mol percent, oxygen-containing by-products 0.4 mol percent, and vinylacetylene 0.008 mol percent, with no organic acids formed. These results were identical to the laboratory experimental data. This catalyst was also tested in commercial operations for 1000 hours. The scale-up factor of pilot plant to commercial operation was approximately 15, and the commercial operation results also verified the pilot plant data.

AUTHOR: YANG Zhenyu [2799 7201 1342]

ORG: Shengli Chemical Factory, Yanshan Petrochemical Corporation, Beijing

TITLE: "Study of Ferrite Catalyst B-02 for Oxidative Dehydrogenation of Butene into Butadiene in Fixed-Bed Adiabatic Reactor"

SOURCE: Lanzhou HECHENG XIANGJIAO GONGYE [SYNTHETIC RUBBER INDUSTRY]
in Chinese Vol 8 No 4, Jul 85 pp 238-240

TEXT OF ENGLISH ABSTRACT: The ferrite catalyst B-02 for oxidative dehydrogenation of butene into butadiene was investigated in a fixed-bed reactor, resulting in butadiene yield per pass of more than 60 percent, butadiene selectivity of more than 92 percent, and yield of organic oxygen-containing compounds of less than 1 percent, as well as greatly reduced environmental pollutants. This catalyst can be adapted to a wide range of process conditions, and when the molar ratios of oxygen to butene and steam to butene vary from 0.6 to 0.8 and from 8 to 10, respectively, satisfactory reaction results can be obtained.

AUTHOR: FENG Dibai [7458 0966 2672]

ORG: Lanzhou Petrochemical Engineering Design Institute of SINOPEC

TITLE: "A Study of Mathematical Model of Micromixing for Polymerization Reactors (I)"

SOURCE: Lanzhou HECHENG XIANGJIAO GONGYE [SYNTHETIC RUBBER INDUSTRY] in Chinese Vol 8 No 4, Jul 85 pp 240-245

TEXT OF ENGLISH ABSTRACT: Based on the Danckwerts-Zwietering micromixing theory, a mathematical model of micromixing has been developed for polymerization reactors. When the kinetics of polymerization and the residence time distribution in the real reactor are known, the yield, average molecular weights and molecular weight distribution of the polymer produced under the two extreme conditions of micromixing that limit the behaviors of reactors can be calculated. This principle of modeling can be adapted to other reactors.

9717

CSO: 4009/1127

Computer Developments and Applications

AUTHOR: WANG Shili [3769 1395 3810]

ORG: Shanghai City Electrical Automation Institute

TITLE: "Structure and Implementation of Control Program for Large Extruding Machines"

SOURCE: Beijing DIANZI JISHU YINGYONG [APPLICATION OF ELECTRONIC TECHNIQUE] in Chinese No 3, 25 May 85 pp 2-5

ABSTRACT: Extruding machines presently produced in China still employ the relay logic control system, which causes inaccuracies in the extrusion rate, thereby adversely affecting the output and quality of domestically manufactured extruding machines. To remedy such a situation, the Shanghai City Electrical Automation Institute has developed a microcomputer control device and applied it on the domestically manufactured, large-size 4,000-gram extruding machines. The device adopts the Z-80 single-board computer and employs its peripheral equipment to monitor the production process. The various operations of the energy-saving machine are completed by the hydraulic system under the control of the microcomputer's automatic-control device.

AUTHOR: DAJ Peishan [2071 1014 0810]

ORG: Guilin Electrical Appliance Research Institute of the Ministry of Machine-building Industry

TITLE: "Single-board Computer Used for Monitoring and Controlling Transfusion Disinfection Under High Pressure"

SOURCE: Beijing DIANZI JISHU YINGYONG [APPLICATION OF ELECTRONIC TECHNIQUE] in Chinese No 3, 25 Mar 85 p 6-10

ABSTRACT: In China, transfusion disinfection of fluid, such as glucose injection fluid, is still generally relied on by the operator to watch the temperature gauges and steam pressure meters and manually regulate the amount of steam entering the tank in order to control the disinfection temperature and steam pressure. This is inconvenient and makes it difficult to control the temperature and time accurately. This article describes the high-pressure transfusion disinfection controlling system primarily based on the TP801 single-board microcomputer. It has been employed to monitor and control the entire glucose injection fluid disinfection process on the YXQ-WF32 high-pressure steam disinfection tank at the Guilin Pharmaceutical Plant No 2.

AUTHOR: SHAN Guangzhi [0830 1639 2535]

ORG: Tianjin Radio Plant No 1

TITLE: "How To Realize Computer-aided Debugging"

SOURCE: Beijing DIANZI JISHU YINGYONG [APPLICATION OF ELECTRONIC TECHNIQUE]
in Chinese No 3, 25 May pp 14-16, 42

ABSTRACT: The introduction of a digital voltage meter into a microprocessor not only lowers the requirements of the components and reduces the difficulties in production and debugging but also "opens the door" for computer-aided debugging. A voltage meter equipped with a microprocessor generally has an interface circuit between the internal microprocessor and analog sections. Utilizing these ready-made interface circuits makes it possible to bring the entire debugging process in the analog section under the control of the computer. The HG-1850 produced by the Tianjin Radio Plant No 1 employs the TRS-80 computer system. Through the form of man-machine communication, it achieves computer-aided debugging in the analog section. On the basis of the block diagram of the HG-1850 microprocessor voltage meter's analog section, this article presents the general debugging flow chart, and using the interface circuit and reference supply circuit as examples, it explains how to realize computer-aided debugging.

AUTHOR: QIAN Lijun [6929 4539 6511]

ORG: Shanghai Radio Plant No 3

TITLE: "Control Communication Receivers With Microprocessors"

SOURCE: Beijing DIANZI JISHU YINGYONG [APPLICATION OF ELECTRONIC TECHNIQUE] in Chinese No 3, 25 Mar 85 pp 23-24, 34

ABSTRACT: The article begins by stressing the importance of installing microprocessors in order to improve the performance of communications equipment. It lists nine necessary functions of microcomputers in the communications receiver, describes the composition of the computer system and explains the proper design of software.

12949

CSO: 4009/1094

AUTHOR: TAN Dongqiang [2905 2639 6973]
WU Dawei [0702 1129 0251]

ORG: Tan of the Shanghai No 1 Medical Institute and Wu of Zhejiang
University

TITLE: "Microcomputers Used in Simulating the Biological Systems"

SOURCE: Shenyang XIAOXING WEIXING JISUANJI XITONG [MINI-MICRO SYSTEMS] in
Chinese No 12, Dec 84 pp 49-52

ABSTRACT: This article describes a method of employing microcomputers to
simulate biological systems. It is based on the modern network theory, modern
cybernetics and computer science and employs microcomputers as tools for
making analyses and conducting simulations. It has a definite significance
in gaining an in-depth understanding of and in studying biological systems.

12949

CSO: 4009/1099

AUTHOR: GUO Fushun [6753 4395 7311]
ZHANG Mingjun [1728 2494 0689]

ORG: Harbin University

TITLE: " A Real-time Operating System for the HIT Z8000 Microcomputer"

SOURCE: Shenyang XIAOXING WEIXING JISUANJI XITONG [MINI-MICRO SYSTEMS] in Chinese No 3, 8 Mar 85 pp 71-18

ABSTRACT: Most of the 16-bit microcomputers of all types are equipped with time-sharing operating systems with fairly complete functions. They are unsuitable for use in a real-time control environment. The main reasons are: (1) that it has low-efficiency and poor real time and (2) that under the condition in which there is no source program in the operating system, it is very difficult to add peripheral equipment. Some of the systems provide the means for working out a drive program for externally added equipment, such as a System 8000, but it pays the price for lowering the system's performance. In order to meet the need for real-time control, Harbin University developed the GJZ operating system on the imported 16-bit HIT-Z8000 microcomputer. It is a single-track, multipurpose real-time system and has such features as articulate structure, simple functions, strong real time and high reliability. This article discusses some of the considerations concerning the design, functions, structure, technical implementation and practical applications of the GJZ system.

12949

CSO: 4009/1101

AUTHOR: TANG Mingdao [0781 2494 6670]

ORG: State-operated Plant No 871 in Qin'an, Gansu

TITLE: "ECL High-speed Comparators"

SOURCE: Beijing DIANZI JISHU YINGYONG [APPLICATION OF ELECTRONIC TECHNIQUE]
in Chinese No 4, 25 Apr 85 pp 34-36, 48

ABSTRACT: This article introduces two kinds of comparators--E1650/E1651 and J685--produced by the state-owned Tianguang Electrical Plant. The performance of these comparators is identical with MC1650/C1651 of the Motorola Company and AM685 of the AMD Company of the United States. The tubes are arranged similarly and are interchangeable. These two types of components can operate above 200 MHz; conversion is fast, and they are ideal high-speed A/D comparators. In particular, the J685 has a high gain and strong resolution capacity. It is also an ideal amplifying and interface circuit.

AUTHOR: ZHANG Guohua [1728 0948 5478]

ORG: Beijing Institute of Aeronautics

TITLE: "Input Protection Problem of Computing Amplifier"

SOURCE: Beijing DIANZI JISHU YINGYONG [APPLICATION OF ELECTRONIC TECHNIQUE]
in Chinese No 4, 25 Apr 85 pp 37-39

ABSTRACT: People are generally familiar with the diode protection clamper used in an integrated computing amplifier input terminal, but such an added circuit is by no means "beneficial and harmless." In areas where protection is needed, it can certainly protect the normal operation of the computing amplifier. However, its introduction can also cause the accompanying maladjustment and drift and can adversely affect the precision of the circuit. The problems of when and what kind of input protection should be set up are explained in the article.

AUTHOR: LI Longwen [2621 7893 2429]

ORG: Beijing Semi-conductor Component Plant No 5

TITLE: "High-precision Voltage Reference Power Supply"

SOURCE: Beijing DIANZI JISHU YINGYONG [APPLICATION OF ELECTRONIC TECHNIQUE]
in Chinese No 4, 25 Apr 85 pp 40-41, 17

ABSTRACT: Precision voltage reference is a new-type general-purpose semi-conductor integrated circuits. It has become an indispensable component among many analog and integrated circuits. As integrated circuit technology develops, the U.S. Analog Components Company has promoted the sale of a programmable multi-circuit output voltage reference power supply, AD584, which has strong power functions. As the use of a precision reference voltage supply becomes widespread, voltage reference power supply will become standardized integrated circuits used extensively on electronic equipment.

12949

CSO: 4009/1093

AUTHOR: XI Dan [1598 0030]

ORG: None

TITLE: "Several Questions Concerning Quantitative Research on the Study of Information in China"

SOURCE: Harbin QINGBAO KEXUE [INFORMATION SCIENCE] in Chinese Vol 6, No 1, 15 Feb 85 pp 34-36, 44

ABSTRACT: This article reviews the direction taken by China in its quantitative research on information in recent years and analyzes current problems in the research program. The author is of the opinion that the most important question lies in the lack of a unified research base with no unanimous objective, and many major topics were not touched upon. Most of the research topics were confined to the translation and evaluation of results already achieved abroad. With a thorough understanding of the subject, the author probes into the necessity and feasibility of quantitative research. On this basis, the writer concludes that the theoretical foundation of quantitative research on the study of information lies in information theory and fuzzy mathematics.

AUTHOR: MAO Hongquan [3029 3163 6898]

ORG: Scientific Information Institute of Jiangxi Province

TITLE: "A View of Local Scientific Technical Information Service in China"

SOURCE: Harbin Qingbao KEXUE [INFORMATION SCIENCE] in Chinese Vol 6, No 1,
15 Sep 85 pp 37-39.

ABSTRACT: How to develop consultative service effectively has now become an important question in the new situation of launching scientific-technical information work. The writer has conducted investigations into such questions as the scope, tasks and methods of launching comprehensive scientific-technical consultative service. He is of the opinion that there still exist in the country's present information work such serious problems as low efficiency and the situation in which people "share food from the same big pot" regardless of whether the workers do good or shoddy work. He calls for reforms in the contents, scope, method and management in the information work program.

12949

CSO: 4009/1095

AUTHOR: SHEN Wanci [3088 8001 1964]
CHEN Nanping [7115 0589 1627]
LIU Xiuying [0491 4423 3467]

ORG: Qinghua University

TITLE: "Characteristic of Hydrogen Embrittlement (HE) in OCr13Ni4Mo Steel and Estimate of the Safety of Cast Giant Vane of Hydraulic Turbine for HE"

SOURCE: Shenyang ZHUZAO [FOUNDRY] in Chinese No 4, 1985 pp 1-8

TEXT OF ENGLISH ABSTRACT: Tensile tests and hydrogen delayed cracking tests in both cast and forged specimens of OCr13Ni4Mo steel with cathodic charged hydrogen have been carried out. The results show that the HE of OCr13Ni4Mo steel is reversible, and the stress intensity threshold K_{IH} is linear with the logarithmic hydrogen concentration C_0 . As the amount of hydrogen increases, the mode of fracture is changed from dimple to quasi-cleavage and to intergranular fracture. When the amount of hydrogen is less than 10 ppm, the sensibility to hydrogen delayed cracking in casting is better than that in forging. This paper has also estimated the safety of cast vane of 125000KW hydraulic turbine.

12949
CSO: 4009/5

AUTHOR: NIE Changshen [5119 1603 4800]
CHONG Keduan [4429 0344 4551]
ZHANG Cunxin [1728 1317 0207]
et al.

ORG: Nei Monggol Institute of Metallic Materials

TITLE: "Carbonitride in Gas Carbonitriding Layer on 18CrMnNiMoA Steel"

SOURCE: Beijing ACTA METALLURGICA SINICA [JINSHU XUEBAO] in Chinese Vol 21,
No 4, 18 Aug 85 pp 273-280

TEXT OF ENGLISH ABSTRACT: The properties of gas carbonitriding layer on 18CrMnNiMoA steel relating to its morphology, structure, composition, distribution and partition of alloying elements among the phases contained have been studied by means of electrolytic extraction-chemical separation-X-ray diffraction phase analysis layer by layer, as well as by TEM or electron diffraction observation and by chemical analysis. The strengthening mechanism of the carbonitriding layer has also been discussed.

AUTHOR: DAI Wenmin [2071 0795 3046]

ORG: Beijing University of Iron and Steel Technology

TITLE: "Magnetic Properties of Type II Superconductors At Low Temperature"

SOURCE: Beijing ACTA METALLURGICA SINICA [JINSHU XUEBAO] in Chinese Vol 21, No 4, 18 Aug 85 pp 305-316

TEXT OF ENGLISH ABSTRACT:

The penetration depth $\lambda(T)$, coherent length $\xi(T)$, high critical field $H_{c2}(T)$ and coefficients $\kappa_1(T)$ and $\kappa_2(T)$ of the type II superconductors at low temperature were calculated by the generalized G-L equations. An expression of the structure of a vortex line at low temperature was derived. The lower critical field $H_{c1}(T)$ was evaluated by some simplified assumptions. The effect of the impurities on λ , ξ , κ_1 , κ_2 and H_{c1} was also discussed. After the calculation, it shows that the Werthamer's and Wang's equations are no longer valid while the applied field H_0 approaches to $H_{c2}(T)$ at low temperature.

AUTHOR: YIN Wanquan [1438 8001 0356]
SU Huihe [5685 2585 0735]
XU Yongbo [1776 3057 3134]

ORG: Institute of Metal Research, CAS, Shenyang

TITLE: "Crack Nucleation and Propagation in Hydrogenated Polycrystalline α -Ti"

SOURCE: Beijing ACTA METALLURGICA SINICA [JINSHU XUEBAO] in Chinese Vol 21, No 4, 18 Aug 85 pp 323-328

TEXT OF ENGLISH ABSTRACT: The hydrogenated polycrystalline α -Ti was observed under SEM to obtain a better understanding of its tensile fracture microprocess, principally, of the correlation of contents between overall H₂ and hydride, of the effect of hydride on crack nucleation and propagation, as well as of the behavior of the deformation and fracture microprocess caused by hydride. It was found that: (1) The crack nucleation in the polycrystalline α -Ti with H₂ content less than 152 ppm is irrelevant in the hydride. It is ductile cracking and conforms to the slip mechanism. While its H₂ content more than 727 ppm, it is brittle cracking, controlled by the hydride and belongs to the nonslip mechanism; (2) In α -Ti with lower H₂ content, the transgranular crack propagation along a zigzag path forward is controlled by maximum shear stress. On the contrary, in α -Ti with higher H₂ content, the crack is still intergranularly propagated along a zigzag path forward, yet its ductile feature is lost.

AUTHOR: FENG Benzhen [7458 2609 2398]
YANG Rusen [2799 3067 2773]

ORG: Institute of Precious Metals, Kunming

TITLE: "Temperature Dependence of Electrical Resistivity of Some Amorphous Alloys"

SOURCE: Beijing ACTA METALLURGICA SINICA [JINSHU XUEBAO] in Chinese Vol 21, No 4, 18 Aug 85 pp B183-B188

TEXT OF ENGLISH ABSTRACT:

Measurements of the electrical resistivity, its temperature dependence and the transition temperatures at different stages of some amorphous alloys, such as $Zr_{100-x}M_x$ ($M=Fe, Co, Ni, Cu$ or Pd), $Cu_{100-x}Ti_x$, $Pd_{83.5-x}Si_{16.5}M_x$ ($M=Cu, Ag, Ni, Pt, Rh, Ru, Ir, Os, Hf, Ta, W$ or Re) and $Pd_{80-x}Si_{20}Cr_x$ prepared by the meltspinning technique were made in the temperature range of $0-500^{\circ}C$. The effects of minor additives on them are also discussed.

AUTHOR: ZHAN Wenshan [6124 2429 1472]
SHEN Baogen [3088 02022704]
ZHAO Jiangaao [6392 6015 7559]
et al.

ORG: Institute of Physics, CAS, Beijing

TITLE: "Effect of Cr, Mo or W Addition on Magnetic Properties of Amorphous Fe-B Alloys"

SOURCE: Beijing ACTA METALLURGICA SINICA [JINSHU XUEBAO] in Chinese Vol 21, No 4, 18 Aug 85 pp B199-B206

TEXT OF ENGLISH ABSTRACT: Experimental results for atomic magnetic moment, Curie temperature, T_c , and coefficient B of the $T^{3/2}$ term in the Bloch law for amorphous alloys Fe-M-B (M=Cr, Mo or W) prepared by the drum spinning technique are reported. The average magnetic moment for each metal atom is 2.0, -3.96, -4.62 or -4.08 μ_B for Fe, Cr, Mo or W respectively in the three amorphous alloy systems. The decrease of T_c is at the rate of 20.5K/at.-% Cr, 27.7K/at.-% Mo, or 26K/at.-% W with increasing Cr, Mo or W content respectively. These results are discussed in the light of a "mixed" model due to C. W. Chen. The effect of the magnetic short range order around T_c is clearly observed by applying an external magnetic field. The coefficient B increases with the concentration of Cr, Mo or W, which is interpreted as a consequence of weakening of exchange coupling between the magnetic atoms.

AUTHOR: ZHOU Xinming [0719 2450 6900]

ORG: Institute of Precious Metals, Ministry of Metallurgical Industry, Kunming

TITLE: "Electrical Properties and Crystallization of $\text{Cu}_{0.60}\text{Ti}_{0.40}$ Metallic Glass"

SOURCE: Beijing ACTA METALLURGICA SINICA [JINSHU XUEBAO] in Chinese Vol 21, No 4, 18 Aug 85 pp B214-B221

TEXT OF ENGLISH ABSTRACT: The electrical properties and crystallization of $\text{Cu}_{0.60}\text{Ti}_{0.40}$ metallic glass were studied by X-ray diffraction, DSC technique and electrical resistance measurement under isothermal and isochronal heating conditions. A negative temperature coefficient of electrical resistivity of the metallic glass $\text{Cu}_{0.60}\text{Ti}_{0.40}$ is presented, and it becomes positive and increases in value in the process of crystallization. Its crystallization is shown in two stages and in basic conformity with the J-M-A equation. A good mutual conformant about the activation energies of crystallization was made with calculation by various methods. It seems that there is a great potentiality in the increase of the stability of Cu-Ti metallic glass.

12949

CSO: 4009/2

AUTHOR: WU Junpeng [0702 0689 2590]

ORG: Shanghai Jiaotong University

TITLE: "Theoretical Analysis of the Effect of Dilute Solution of High Molecular Weight Polymers on Cavitation Noise"

SOURCE: Shanghai ZHONGGUO ZAOCHUAN [SHIPBUILDING OF CHINA] in Chinese No 90, Jul 85 pp 15-26

TEXT OF ENGLISH ABSTRACT: This paper briefly describes the experimental results of propeller cavitation noise in uniform dilute solution of polymers. The motion equation of spherical bubble is derived by means of Oldroyd's constitutive equation which is applied to uniform dilute solution of polymers. The dimensionless parameters controlling noise radiation of spherical bubbles in the solution of polymers are obtained. These parameters are (1) bubble Reynolds number Re , (2) elastic parameter of solution T^* , and (3) concentration parameter of solution $c \cdot [\eta]$. The effect of these parameters on noise radiation of spherical bubble is qualitatively discussed as well. The experimental results of propeller cavitation noise are explained by this spherical bubble theory. Limitation of this theory and further research proposals for this subject are also discussed.

12949
CSO: 4009/4

END