

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 15 June 1999	3. REPORT TYPE AND DATES COVERED Final, 1 April 1999 - 31 March 1995
----------------------------------	--------------------------------	---

4. TITLE AND SUBTITLE Marine Fungi as Novel Catalysts for Bioremediation of Oil Spills	5. FUNDING NUMBERS G N00014-01-J-1748 R&T Code 3412-201
---	---

6. AUTHOR(S) Dr. Joseph Cooney	
---------------------------------------	--

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Massachusetts Boston 100 Morrissey Blvd. Boston, MA 02125-3393	8. PERFORMING ORGANIZATION REPORT NUMBER
--	--

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research, Code 1141SB 800 N. Quincy Street Arlington, VA 22217	10. SPONSORING/MONITORING AGENCY REPORT NUMBER
---	--

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION/AVAILABILITY STATEMENT DISTRIBUTION STATEMENT A Approved for Public Release Distribution Unlimited	12b. DISTRIBUTION CODE
--	------------------------

13. ABSTRACT (Maximum 200 words) Obligately-marine fungi grew in artificial sea water with single hydrocarbons as their sole source of organic carbon and energy. The unsaturated compound 1,14-tetradecadiene and the methyl-branched compound pristane were used by several of the fungi. None of these fungi used aromatic hydrocarbons as their sole source of carbon. Two isolates, <i>Corollospora lacera</i> and <i>C. maritima</i> , were tested for growth on mixtures of hydrocarbons. Both cometabolized several aromatics while growing on glucose. <i>C. maritima</i> also cometabolized acenaphthalene, phenanthrene and dibenzothiophene while growing on hexadecane but not while growing on glucose. Aromatic hydrocarbons inhibited growth on glucose, and aromatic hydrocarbons were not cooxidized with glucose as growth substrate. The principal fatty acids of these organisms are 16:0, 18:0, 18:1n ₉ and 18:2n ₆ . Of 11 isolates examined, one, a <i>Lulworthia</i> sp., contained a mitochondrial plasmid. Preliminary evidence suggests that four of five fungi examined form microbodies when the fungi are grown on hydrocarbons but not when they are grown on glucose.

14. SUBJECT TERMS fungi, marine fungi, hydrocarbons, cometabolism, cellular fatty acids, plasmid, microbodies	15. NUMBER OF PAGES 4
	16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL
---	--	---	----------------------------------

FINAL REPORT

Grant #: N00014-01-J-1748

PRINCIPAL INVESTIGATOR: Dr. Joseph J. Cooney

INSTITUTION: University of Massachusetts Boston

GRANT TITLE Marine Fungi as Novel Catalysts for Bioremediation of Oil Spills

AWARD PERIOD: 1 April 1991 - 31 March 1995

OBJECTIVE: To determine the potential of obligately-marine fungi for degrading hydrocarbons in oil spills.

APPROACH: Pure cultures of marine fungi known to be associated with beach sand and with submerged wood were examined for the ability to grow on pure hydrocarbons and on mixtures of hydrocarbons. Using these fungi, a series of questions was posed experimentally in order to determine their usefulness as agents of bioremediation and to determine mechanisms by which they use hydrocarbons.

ACCOMPLISHMENTS: 1. Thirteen obligately-marine fungi were screened for the ability to grow in artificial sea water with a single hydrocarbon as their sole source of organic carbon. Each organism grew slowly on one or more hydrocarbons. Each had its own pattern of substrates utilized, but *n*-alkanes of intermediate chain length were the best growth substrates. The unsaturated compound 1,14-tetradecadiene and the methyl-branched compound pristane were used by several organisms. None of the fungi used aromatic hydrocarbons as their sole source of carbon and energy.

2. Two isolates, *Corollospora lacera* and *C. maritima*, were tested for growth on mixtures of hydrocarbons. Neither organism grew on mixtures of 10 or 11 hydrocarbons, but both cometabolized several aromatics from the 10-hydrocarbon mixture when growing on glucose. *C. maritima* also cometabolized acenaphthalene, phenanthrene and dibenzothiophene while growing on hexadecane, but not while growing on glucose with no alkane present. Each of the aromatic compounds except the least soluble, pyrene, inhibited fungal growth on glucose to an extent reflecting their relative solubilities.

3. Naphthalene, methylnaphthalene, acenaphthalene and a mixture of all three caused rapid and significant leakage of potassium from *C. maritima*. Methylnaphthalene. The three-hydrocarbon mixture also caused significant protein leakage.

4. The principal fatty acids of these fungi, determined by gas chromatography, are 16:0, 18:0, 18:1n9 and 18:2n6.

5. Of 21 isolates examined, one, a *Lulworthia* sp., contains a mitochondrial plasmid which is approximately 14kb in size. The plasmid, designated pQB, is linear as shown by

19990707 091

the results of both UV-nicking experiments and digestion with exonuclease III and lambda exonuclease. The plasmid was present in DNA extracted from mitochondria, and it banded with mitochondrial DNA when nuclear and mitochondrial DNA were separated on a cesium chloride gradient. These results suggest that the plasmid is mitochondrial in origin. Southern analysis showed that the plasmid is not homologous with nuclear or mitochondrial genomic DNA, and therefore replicates autonomously.

6. The enzymes involved in initial oxidations of *n*-alkanes are constitutive in some of these fungi and inducible in others.

CONCLUSIONS: These obligately-marine fungi can grow on a wide variety of hydrocarbons, although they do so slowly. In the presence of an oxidizable substrate such as hexadecane or glucose the range of hydrocarbons used was expanded to include normally-recalcitrant aromatics and the one sulfur-containing aromatic compound tested. Some aromatic compounds, however, caused leakage of cellular components. These organisms could be valuable supplements to microbial seeds used to clean up spilled oils. The cellular fatty acids are typical of fungi. The organisms appear to form microbodies when they are grown on hydrocarbons but not when they are grown on glucose. The presence of a plasmid in one fungus suggests that these organisms can be manipulated genetically to enhance their hydrocarbon-using abilities.

SIGNIFICANCE: Marine fungi have considerable potential as participants in oil spill cleanup, particularly for expanding the range of hydrocarbons degraded.

PATENT INFORMATION: None

AWARD UNIFORMATION:

1. In 1998 the Waksman Award for teaching and research was given to the principal investigator by the Society for Industrial Microbiology.

2. In 1992 the principal investigator was elected President-elect of the Society for Industrial Microbiology. He served as President in 1993.

M.M. Doolittle, a graduate student, was awarded a predoctoral Fulbright to work in Canada.

PUBLICATIONS AND ABSTRACTS:

1. Cooney, J.J. Microbial ecology and hydrocarbon degradation. Presented at a U.S.E.P. A. symposium held in Cincinnati, OH, published in J. Clean Technol. Environ. Sci. 2: 65- 71 (1992).
2. Cooney, J.J., M.M Doolittle, S. Wuertz, M.E. Miller and C. Baisden. Marine fungi: potential catalysts for bioremediation of oil spills. Abstr. Annu. Mtg. Amer. Soc. Microbiol., New Orleans, LA (1992).

3. Cooney, J.J., M.M. Doolittle, S. Wuertz, M.E. Miller and C. Baisden. Marine fungi: potential catalysts for bioremediation of oil spills. 6th Internat. Symp. Microb. Ecol., Barcelona, Spain (1992).
4. Cooney, J.J., M.M. Doolittle, O. Grahl-Nielsen, I.M. Haaland and P.W. Kirk, Jr. Comparison of fatty acids of marine fungi using multivariate statistical analysis. J. Industrial Microbiol. 12: 373-378 (1993).
5. Cooney, J.J., S. Wuertz, M.M. Doolittle, M.E. Miller, K. Henry and D. Ricca. Marine Fungi: novel catalysts for bioremediation of oil spills. Trends in Microbiol. P 639-642 (1993).
6. Cooney, J.J., S. Wuertz, M.M. Doolittle, M.E. Miller, C.M. Baisden, K.D. Henry and D.M. Ricca. Marine fungi are potential agents for bioremediation of oil spills. Proc 9th Internat. Biodeterioration Biodegradation Symp. p. 610-614 (1995).
7. Baisden, C.M. and J.J. Cooney. Isolation and characterization of a plasmid from the Marine fungus *Lubworthia* sp. Abstr. Annu. Mtg. Amer. Soc. Microbiol. (1995).
8. Cooney, J.J., C.M. Baisden, D.M. Ricca and S.H. Flint. Degradation of hydrocarbons by marine fungi. VI Internat. Marine Mycology Symp., Portsmouth, England.
9. Baisden, C.M. and J.J. Cooney. Screening marine fungi for plasmids and Characterization of a mitochondrial plasmid in a *Lubworthia* sp. Mycologia 88: 350-357 (1996).
10. Flint, S.H. and J.J. Cooney. Interactions of alkane and aromatic hydrocarbons with marine fungi. In preparation.

AD NUMBER	DATE 15 June 1999	DTIC ACCESSION NOTICE
1. REPORT IDENTIFYING INFORMATION		REQUESTER: 1. Put your mailing address on reverse of form. 2. Complete items 1 and 2. 3. Attach form to reports mailed to DTIC. 4. Use unclassified information only. 5. Do not order document for 6 to 8 weeks.
A. ORIGINATING AGENCY Office of Naval Research		
B. REPORT TITLE AND/OR NUMBER Marine Fungi as Novel Catalysts for Bioremediation		
C. MONITOR REPORT NUMBER		
D. PREPARED UNDER CONTRACT NUMBER N00014-91-J-1748		
2. DISTRIBUTION STATEMENT UNLIMITED		DTIC: 1. Assign AD Number. 2. Return to requester.

DTIC Form 50
JUL 96

PREVIOUS EDITIONS ARE OBSOLETE