

B-6

DNA 3463T

EFFECTS OF ⁶⁰Co ON ELECTRICAL SELF-STIMULATION OF THE BRAIN AND BLOOD PRESSURE

Lovelace Foundation for Medical Education and Research
5200 Gibson Boulevard, SE
Albuquerque, New Mexico 87108

13 December 1974

Topical Report

Contract Nos. DASA 01-70-C-0059
DNA 001-74-C-0098

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

THIS WORK SPONSORED BY THE DEFENSE NUCLEAR AGENCY
UNDER SUBTASK U99QAXMA191-04.

Prepared for
Director
DEFENSE NUCLEAR AGENCY
Washington, D. C. 20305

Reproduced From
Best Available Copy

DEFENSE NUCLEAR AGENCY
20000912 038

Destroy this report when it is no longer
needed. Do not return to sender.



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

20. ABSTRACT (Continued)

thereafter, revealing a similar course of performance decrement as seen with shock-avoidance, discrimination tasks. Early postradiation hypotension with subsequent recovery paralleled the performance decrement, reproducing the blood pressure-behavior correlations seen previously with shock reinforcement. The blood pressure elevating influence of the brain stimulation observed prior to irradiation was diminished or absent during the deep hypotensive stage postradiation, but tended to return minutes later.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

PREFACE

Monkeys undergo a transient period of performance decrement and hypotension minutes after exposure to high-dose (e.g., ~1000 rad), high-dose rate (e.g., >150 rad/min) ionizing radiation. Performance decrement has been assessed heretofore only with behavioral tasks motivated, in a negative fashion, by shock-avoidance reinforcement. The objective of the present study was to determine whether radiation-induced performance decrement occurs in a like manner for a positively rewarded behavioral task as it does for the more typically studied shock-avoidance task. The measure presently employed was rate of responding for positively reinforcing electrical self-stimulation of the brain via implanted electrodes.

It was found that self-stimulation responding diminished or ceased within minutes of irradiation, but tended to recover to a normal level several minutes later. In a parallel time frame, the animals underwent a phasic hypotensive episode with subsequent recovery. These changes correspond directly with the behavior-blood pressure alterations seen in previous studies using shock-avoidance techniques. It was concluded that the aversive motivational properties of shock reinforcement are not necessary for the

postradiation performance decrement phenomenon.

It was also found that the blood pressure elevating influence of the present brain stimulation observed prior to irradiation was diminished or absent during the deep hypotensive stage postradiation, but tended to return minutes later, in the same phasic time frame as for performance and blood pressure. The latter observation correlates with other recent demonstrations of early, transitory depression of the CNS following irradiations in the present dose range.

The author gratefully acknowledges the assistance of Mr. W. Hicks, Dr. E. A. Henderson, and Mr. R. A. Hutton.

This research was conducted according to the principles enunciated in the "Guide for Laboratory Animal Facilities and Care," prepared by the National Academy of Sciences, National Research Council.

TABLE OF CONTENTS

	<u>Page</u>
PREFACE -----	1
INTRODUCTION -----	5
METHODS AND MATERIALS -----	6
RESULTS -----	8
Self-Stimulation Performance Effects -----	8
Blood Pressure Effects -----	19
DISCUSSION -----	21
REFERENCES -----	22
DISTRIBUTION -----	25

LIST OF FIGURES

Figure

1	No. 686, 2000 rad. Olfactory Area (A17, L4, H+4)-----	10
2	No. 672, 2000 rad. Caudate Nucleus (A17, L4, H+12)-----	11
3	No. 682, 2000 rad. Olfactory Area (A16, L4, H+3) -----	12
4	No. 704, 2000 rad. Lateral Hypothalamus (A14 $\frac{1}{2}$, L3, H+3- $\frac{1}{2}$) -----	13
5	No. 711, 1000 rad. Lateral Hypothalamus (A15, L3, H+3) -----	14
6	No. 685, 2000 rad. Lateral Hypothalamus (A12, L3, H+2) -----	15

<u>Figure</u>		<u>Page</u>
7	No. 703, 1000 rad. Olfactory Area (A15 $\frac{1}{2}$, L4, H+2) -----	16
8	No. 699, 1000 rad. Lateral Hypothalamus (A14, L3, H+2) -----	17
9	No. 692, 2000 rad. Nucleus Reuniens (A11, L $\frac{1}{2}$, H+5) -----	17
10	No. 693, 2000 rad. Supraoptic Nucleus (A14 $\frac{1}{2}$, L4, H+2) -----	18

INTRODUCTION

Within a few minutes of exposure to a sufficiently high-dose of whole-body, ionizing radiation, primates undergo a transient period of moderate to severe hypotension, which is frequently accompanied by performance decrement or incapacitation.^{11,13} The animal revives promptly following this period and resumes a normal performance level.² The etiology of this phenomenon is not well understood.

Attempts thus far to relate the physiological and behavioral effects of irradiation in monkeys have utilized as performance measures tasks based on shock-avoidance almost exclusively. Positively motivated tasks have not been employed as they customarily utilize food reward, and irradiation characteristically evokes emesis and anorexia, which by themselves would obviously deter food-seeking behaviors. Of interest in the present study was whether a positively motivated performance task, not dependent on appetitive reinforcement, would be affected by irradiation in a manner similar to that seen with shock-avoidance tasks.

The present efforts involved testing the effects of irradiation on rate of responding for positively reinforcing electrical stimulation of the brain (self-stimulation).

Of considerable additional interest was the fact that arterial blood pressure was, in most cases, increased by the brain stimulation used. Therefore, the stimulation's efficacy in offsetting radiation-induced hypotension could be examined.

The only previous studies of radiation effects on self-stimulation utilized rats exposed to much lower dose rates (e.g., 20 rad/min) than of relevance here.^{4,5} When measured over days following 600-rad X-irradiation, the initially high-response rate rats showed faster responding postradiation, while initially slow rats slowed further.

METHODS AND MATERIALS

Ten rhesus monkeys (Macaca mulatta) were chronically implanted stereotaxically⁸ with six concentric, bipolar stainless steel electrodes* aimed at various subcortical targets. After at least two weeks post-operative recovery, each electrode point was tested for stimulation effects. The constant current brain stimulus consisted of a one-half second train of 100 Hz, biphasic rectangular pulse pairs,

* Rhodes Medical Instr., Model NEX-100, 21044 Ventura Blvd., Woodland Hills, California 91364.

each pulse 1 msec in duration, with no delay between positive and negative phases.

Each animal was tested in a restraining chair facing a panel containing a rod-shaped lever, 3/8 in. in diameter, protruding 3 in. from the panel, depression of which triggered the brain stimulus. Current thresholds were determined for movement or emotional reactions, and several 1-hr test sessions were devoted to attempting to shape lever pressing, trying each electrode which appeared to mediate excitement, orienting, chewing, or sniffing. The currents used ranged from 0.3 to 2.5 milliamps.

When self-stimulation was forthcoming from one of the electrode sites, 1-hr daily sessions were run for at least 5 days to stabilize the pressing rate. Otherwise, only manually administered brain stimulation effects were noted. Following this stage, each animal was surgically implanted under halothane with a femoral arterial catheter projecting into the abdominal aorta from which arterial blood pressure (BP) was monitored with a Kulite PSL 125-6 Pressure Transducer[†] and a polygraph write out. One week

[†] Kulite Semiconductor Products, 1039 Hoyt Avenue,
Ridgefield, New Jersey 07657.

postoperatively the animal was run for several more days on self-stimulation to restabilize lever pressing prior to irradiation.

The animals were then monitored before, during, and after 1000 or 2000 rad, mid-body absorbed dose of ^{60}Co gamma at the Air Force Weapons Laboratory Large Animal Irradiation Facility located on Kirtland Air Force Base, Albuquerque, New Mexico. Each animal sat in its regular restraining chair and worked at the self-stimulation task, providing it was a self-stimulator, while oriented with its back toward the ^{60}Co source. The mid-body dose rate was between 183 and 193 rad/min. Further details of the exposure parameters and dosimetry are available in Bruner.²

Following the experiment, the animals were sacrificed and the brains perfused and stored using 10 percent formalin. The brains were later removed and sectioned on a freezing microtome allowing visual localization of the electrode tracks and tips which were photographed.

RESULTS

Self-Stimulation Performance Effects

Consistent self-stimulation behavior was observed in five monkeys prior to irradiation, with the response

rates ranging from over 50 down to about 5 presses per minute (Figs. 1-5). Two monkeys frequently self-stimulated at high rates but occasionally paused for one or more minutes (Figs. 6 and 7), which the consistent animals mentioned first did not do during pretesting. The three remaining animals did not self-stimulate and so were tested only for the effects on BP of manually administered stimulation (Figs. 8-10).

The five consistent self-stimulators all slowed or stopped lever pressing at some time beginning after 3 min following the start of irradiation and lasting up to 30 min or more (Figs. 1-5). This is the same period of radiation-induced performance decrement or incapacitation as for shock-avoidance performance tests.²

Monkey No. 686 (Fig. 1) showed only a gradual decrease in response rate over the first 15 min postradiation, slowing from about 55/min to around 36/min at the 15th minute where mean BP was only 53 mm Hg. After 20 min postradiation, the animal resumed a response rate averaging 50/min.

Monkey No. 672 (Fig. 2) ceased responding during postradiation minutes 5-15, except for five presses during the 7th minute. By 20 min and thereafter No. 672's response rate had recovered to a moderately high level.




Figure 1. No. 686, 2000 rad. Olfactory Area (A17, L4, H+4). For all figures: Time 0 indicates the start of irradiation period (shaded area). \$ indicates selected times of self- or manually-administered stimulation of the brain site identified (with stereotaxic coordinates). The amount of change in blood pressure (in mm Hg) is shown next to the \$ symbol, below which is given the percentage change relative to the mean BP existing just before the \$.




Figure 2. No. 672, 2000 rad. Caudate Nucleus (A17, L4, H+12).




Figure 3. No. 682, 2000 rad. Olfactory Area (A16, L4, H+3).




Figure 4. No. 704, 2000 rad. Lateral Hypothalamus (A14½, L3, H+3½).




Figure 5. No. 711, 1000 rad. Lateral Hypothalamus (A15, L3, H+3).




Figure 6. No. 685, 2000 rad. Lateral Hypothalamus (A12, L3, H+2).




Figure 7. No. 703, 1000 rad. Olfactory Area (A15 $\frac{1}{2}$, L4, H+2).




Figure 8. No. 699, 1000 rad. Lateral Hypothalamus (A14, L3, H+2).




Figure 9. No. 692, 2000 rad. Nucleus Reuniens (A11, L_{1.5}, H+5).




Figure 10. No. 693, 2000 rad. Supraoptic Nucleus (A14½, L4, H+2).

Monkey No. 682 (Fig. 3) stopped pressing during postradiation minutes 5-9, and then resumed pressing erratically. After 30 min, he eventually resumed a normal baseline.

Animals Nos. 704 (Fig. 4) and 711 (Fig. 5) did not show performance recoveries, but rather died after 35 and 90 min, respectively. These two represent the minority of so-called "early deaths" regularly seen in this dose range; most animals receiving up to 2000 rad live several days.

Subjects Nos. 685 (Fig. 6) and 703 (Fig. 7) demonstrated response rates too erratic to permit clear conclusions regarding radiation effects. Their data do suggest, however, that No. 685 showed no decrement while No. 703 apparently did so, although such is equivocal.

Blood Pressure Effects

All animals except No. 685 revealed hypotension developing after 3 min following the start of irradiation. Excluding No. 685, the mean BP* decreased 55 percent over

* Mean BP = $\frac{\text{Systolic BP} - \text{Diastolic BP}}{3} + \text{Diastolic BP}$. In the present instance, systolic and diastolic BP exhibited similar trends. Mean BP, therefore, was selected for simplicity in display.

the group measuring at the point of deepest hypotension for each animal relative to its initial BP. As is usual in this radiation-dose range, the BP returned to about 75 percent or more of the preradiation mean value after 30 min, in most cases. The mean time after raising the ^{60}Co source to deepest hypotension was 9.7 min, ranging from 6 to 15 min.

The effects on BP of electrical brain stimulation are indicated in Figures 1-10 before irradiation and at various times afterwards. All but one of the animals (No. 703, Fig. 7) revealed BP increases associated with stimulation of the selected brain site prior to irradiation. Six of the animals showed diminished or absent BP responses to the same stimulation administered during the early postradiation minutes while hypotensive (Figs. 2, 3, 4, 5, 8, and 9; No. 686, Fig. 1, showed a smaller BP response at 11 min in magnitude, but not in percentage). In the ensuing postradiation minutes, when BP had begun to rebound, the stimulation tended to again elicit BP increments (Figs. 2, 3, 8 and 9). Subjects Nos. 704 (Fig. 4) and 711 (Fig. 5), whose BP did not later respond to stimulation, became increasingly moribund and died at 35 and 90 min postradiation, respectively. As noted earlier, these two subjects likewise did not resume lever pressing as did the other self-stimulators.

Monkey No. 685 (Fig. 6) showed no clear developing hypotension postradiation. Two periods of decreased BP are evident, one pre- and one postradiation, both of which are concurrent with periods of no self-stimulation. As the stimulation alone could raise 685's BP by 30 mm Hg, the two low BP periods may have been due to the absence of stimulation rather than due to irradiation.

DISCUSSION

The present findings reveal that the time course and nature of changes in self-stimulation and BP following irradiation are similar to those observed with shock-avoidance tasks.^{11,13} This suggests that the aversive motivational properties of shock reinforcement are not necessary for the postradiation performance decrement phenomenon.

The present finding that the BP elevating influence of electrical stimulation of hypothalamic and olfactory area sites is temporarily depressed or abolished during the early postradiation period of hypotension and performance decrement correlates with other recent demonstrations of early, transitory depression of the CNS in the present dose range. MacFarland and Levin observed performance decrement accompanied

by slow wave EEG activity,⁶ Willis and MacFarland reported decreased brain temperatures,¹² and Bruner et al. found depressed baroreceptor reflexes,¹ all during the initial 5-15 min following high-dose-rate exposures of like magnitude.

The basis for this transient, generalized CNS depression has still not been elucidated. The often raised question of the postradiation adequacy of the cerebral blood supply and metabolism remains unresolved as a result of contradictory observations,^{3,7,10,11} and negative findings.⁹ Further research is needed to determine what conditions of deficit must develop rapidly within the nervous system following irradiation in order to make manifest the behavioral and cardiovascular decrements seen.

REFERENCES

1. Bruner, A., A. W. Neely, E. A. Henderson, and G. K. Weiss, "Baroreceptor Reflex Response to Phenylephrine and Carotid Occlusion in Monkeys Receiving 1000 Rads Cobalt-60," DNA-3161T, Director, Defense Nuclear Agency, Washington, D. C., 10 August 1973.
2. Bruner, A., V. Bogo, and R. K. Jones, "Delayed Match-to-Sample Performance Decrement in Monkeys Following Cobalt-60 Irradiation," DNA-3159T, Director, Defense Nuclear Agency, Washington, D. C., 10 August 1973.

3. Chapman, P. H. and R. J. Young, "Effect of Cobalt-60 Irradiation on Blood Pressure and Cerebral Blood Flow in the Macaca mulatta," Radiation Res. 35: 78-85, 1968.
4. Christensen, H. D., A. M. Flesher, and T. J. Haley, "Changes in Brain Self-Stimulation Rates After Exposure to X-Irradiation," J. Pharm. Sci. 58: 128-129, 1969.
5. Haley, T. J., P. Bach-y-Rita, and N. Komesu, "Effect of X-Irradiation on Self-Stimulation of the Brain," Nature, 192: 1307, December 30, 1961.
6. McFarland, W. and S. G. Levin, "Effects of Pulsed Gamma-Neutron Irradiation on the EEG and Behavior of the Monkey," AFRRRI SR72-8, Armed Forces Radiobiology Research Institute, Defense Nuclear Agency, Bethesda, MD, April 1972.
7. Nathan, M. A. and D. J. Craig, "Effect of High-Energy X-Ray and Pulsed Gamma-Neutron Radiation on Brain Blood Flow, Vascular Resistance, Blood Pressure, and Heart Rate in Monkeys," Radiation Res. 50: 543-555, 1972.
8. Snider, R. S. and J. C. Lee, "A Stereotaxic Atlas of the Monkey Brain (Macaca mulatta)," University of Chicago Press, Chicago, IL, 1961.

9. Thorp, J. W. "Blood PO₂ and pH in Monkeys after Incapacitating Doses of Ionizing Radiation," AFRRRI TN72-3, Armed Forces Radiobiology Research Institute, Defense Nuclear Agency, Bethesda, MD, June 1972.
10. Turbyfill, C. L. et al., "Lateral Ventricular Pressure Changes in the Monkey Induced by Supralethal Doses of Mixed Gamma-Neutron Irradiation," AFRRRI SR72-21, Armed Forces Radiobiology Research Institute, Defense Nuclear Agency, Bethesda, MD, December 1972.
11. Turbyfill, C. L., R. M. Roudon, and V. A. Kieffer, "Behavior and Physiology of the Monkey (Macaca mulatta) Following 2500 Rads of Pulsed Mixed Gamma-Neutron Radiation," Aerospace Med. 43(1): 41-45, 1972.
12. Willis, J. A. and W. L. McFarland, "A Computer Based Physiological Temperature Measurement System," AFRRRI TN73-12, Armed Forces Radiobiology Research Institute, Defense Nuclear Agency, Bethesda, MD, September 1973.
13. Young, R. J. et al., "Behavioral and Physiologic Responses of Macaca mulatta Monkeys to Supralethal Doses of Radiation," SAM-TR-68-73, USAF School of Aerospace Medicine, Aerospace Medical Division (AFSC), Brooks Air Force Base, TX, September 1968.

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

Director
Armed Forces Institute of Pathology
ATTN: Document Control

Director
Armed Forces Radiobiology Research Institute
Defense Nuclear Agency
10 cy ATTN: Lieutenant Colonel Cable

Director
Defense Civil Preparedness Agency
ATTN: Re. Asst. Dir. Rsch., Walmer E. Strope

Defense Documentation Center
12 cy ATTN: TC

Director
Defense Nuclear Agency
ATTN: STSL, Archives
ATTN: DDST
2 cy ATTN: STTL

Commander
Field Command
Defense Nuclear Agency
ATTN: FCTD

Interservice Nuclear Weapons School
ATTN: Document Control

Weapons Systems Evaluation Group
ATTN: CAPT Donald E. McCoy, USN

Livermore Division, Field Comd, DNA
Lawrence Livermore Laboratory
ATTN: FCTA-D

DEPARTMENT OF THE ARMY

Chief of Research & Development
Department of the Army
ATTN: NCB Division, LTC C. R. Sykes

Assistant Superintendent
Doctrine & Health Care Studies
ATTN: Document Control

Commander
Harry Diamond Laboratories
4 cy ATTN: AMXDO-NP

Commander
Medical Research & Development Command
ATTN: MBC Sciences Division

The Surgeon General
Department of the Army
ATTN: Document Control

DEPARTMENT OF THE ARMY (Continued)

Director
U.S. Army Ballistic Research Laboratories
ATTN: J. J. Meszaros

Commander
U.S. Army Nuclear Agency
ATTN: CDINS-E

Commandant
U.S. Army Ordnance Center & School
ATTN: CBR

Director
Walter Reed Army Institute of Research
ATTN: Documents Library

Director
Ballistic Missile Def. Prog. Off.
ATTN: John Shea

DEPARTMENT OF THE NAVY

Chief
Bureau of Medicine & Surgery
Navy Department
ATTN: Document Control

Chief of Naval Material
Navy Department
ATTN: MAT 0323, Irving Jaffe

Chief of Naval Research
Department of the Navy
ATTN: Tom Quinn
ATTN: Aubrey W. Pryce

Commanding Officer
Naval Aerospace Medical Institute
ATTN: Document Control

Commander
Naval Air Systems Command
Headquarters
ATTN: AIR-350, Ordnance Administrator

Commanding Officer
Naval Medical Research Institute
ATTN: Document Control

Director
Naval Research Laboratory
ATTN: Code 2027, Technical Library

Commander
Naval Ship Research & Development Center
ATTN: Code L42.3 Library

DEPARTMENT OF THE NAVY (Continued)

Commander
Naval Surface Weapons Center
ATTN: Code TIEC

Commander
Naval Surface Weapons Center
ATTN: Code 121, Navy Nuc. Prgms. Off.
ATTN: Code 121, O. M. Meredith
ATTN: Code 210, Wayne W. Scanlon

Chief of Naval Operations
Navy Department
2 cy ATTN: OP-985

Commanding Officer
Naval Weapons Evaluation Facility
ATTN: Document Control

DEPARTMENT OF THE AIR FORCE

Commander
Aerospace Medical Division, AFSC
ATTN: Col William R. Godden, AMRB

Commander
AF Special Weapons Center, AFSC
ATTN: SWTSX Survivability/Vulnerability Br.

AF Weapons Laboratory, AFSC
ATTN: SUL, Technical Library

Headquarters
Air Force Systems Command
ATTN: SCI

Chief of Staff
U.S. Air Force
ATTN: PDPS, Sci. & Tech. Div. of Dev. & Acq.
ATTN: RDQPN, S/V & Nuc. Prgms. Div.

Director of Nuclear Safety
The Inspector General
ATTN: Document Control

The Surgeon General
Department of the Air Force
ATTN: Document Control

USAF Medical Service School
ATTN: Document Control

USAF School of Aerospace Medicine, AFSC
ATTN: EDAD
ATTN: RAW, Donald R. Anderson, Radiobiol. Div.
ATTN: RAW, Donald J. Barnes
ATTN: RA, Chief, Radiobiology Div.
ATTN: RAT

6570th Aerospace Med. Rsch. Labs., AFSC
ATTN: Document Control

ATOMIC ENERGY COMMISSION

Assistant General Manager for Mil. Application
U.S. Atomic Energy Commission
ATTN: Document Control for R&D Branch

U.S. Atomic Energy Commission
Brookhaven Area Office
ATTN: Research Library

Los Alamos Scientific Laboratory
ATTN: Document Control

Manager
U.S. Atomic Energy Commission
Technical Information Center
ATTN: Document Control

U.S. Atomic Energy Commission
Division of Headquarters Services
ATTN: Doc. Cont. for Reports Section
ATTN: Doc. Cont. for Bio. Med. Div., H. H. Bruner

Union Carbide Corporation
Oak Ridge National Laboratory
ATTN: Doc. Cont. for J. Auxier

Union Carbide Corporation
Nuclear Division
ATTN: Doc. Cont. Atom/Mol. Pro. Info. Ctr.,
C. F. Barnett

University of California
Lawrence Livermore Laboratory
ATTN: Technical Library

OTHER GOVERNMENT

NASA Scientific & Technical Information Facility
ATTN: Acquisitions & Input Branch

National Library of Medicine
Accessions Branch
ATTN: Document Control

DEPARTMENT OF DEFENSE CONTRACTORS

General Electric Company
TEMPO-Center for Advanced Studies
ATTN: DASAC

Lovelace Foundation for Medical Education
ATTN: Assoc. Scientist, E. Royce Fletcher
ATTN: Assoc. Scientist, Edward G. Damon
ATTN: Head Dept. Comp. Env. Bio., D. Richmond
ATTN: Assoc. Scientist, A. Bruner
100 cy ATTN: Asst. Dir. of Rsch., Robert K. Jones