

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188) Washington, DC 20503.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

|   |                             |   |   |  |  |
|---|-----------------------------|---|---|--|--|
| 1. REPORT DATE (DD-MM-YYYY)<br>24/09/91   |                             | 2. REPORT DATE<br>September 2001 (Final Report) |   | 3. DATES COVERED (From - To)<br>12/15/95-09/30/00    |  |
| 4. TITLE AND SUBTITLE<br><br>Non Traditional Transport Processes in Tunneling and Proximity Junctions   |                             |   |   | 5a. CONTRACT NUMBER                                  |  |
|   |                             |   |   | 5b. GRANT NUMBER<br>N00014-96-1-0258                 |  |
|   |                             |   |   | 5c. PROGRAM ELEMENT NUMBER                           |  |
|   |                             |   |   | 5d. PROJECT NUMBER                                   |  |
|   |                             |   |   | 5e. TASK NUMBER                                      |  |
|   |                             |   |   | 5f. WORK UNIT NUMBER                                 |  |
| 6. AUTHOR(S)<br>M.R. Beasley  |                             |   |   | 8. PERFORMING ORGANIZATION REPORT NUMBER             |  |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)<br>Trustees of Leland Stanford Junior University<br>Office of Sponsored Research<br>651 Serra Street<br>Stanford, CA 94305-6215  |                             |   |   | 10. SPONSOR/MONITOR'S ACRONYM(S)                     |  |
|   |                             |   |   | 11. SPONSORING/MONITORING AGENCY REPORT NUMBER       |  |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)<br>Office of Naval Research<br>Electronics Div.<br>800 North Quincy Street<br>Arlington, VA 22217-5000<br>Dr. Deborah Van Vechten   |                             |   |   | 12. DISTRIBUTION AVAILABILITY STATEMENT<br>Unlimited |  |
| 13. SUPPLEMENTARY NOTES   |                             |   |   | 20011010 071   |  |
| 14. ABSTRACT<br>Several project aimed at dealing with fundamental limitations in the present superconducting electronics technology based on Josephson junctions were carried out. The need for high resistance superconductor/normal metal/superconductor Josephson junctions was reiterated and some constraints on the more favorable technology were established. A phenomenological theory of Josephson coupling in high Tc superconductor/normal metal/superconductor junctions was developed. The practical considerations to develop a new concept for memory storage in superconducting electronics based on the superconductor/ferromagnet proximity effect were pursued. |                             |   |   |  |  |
| 15. SUBJECT TERMS<br>Josephson junctions, Tunneling via localized states, Superconductor/ferromagnetic proximity effect.  |                             |   |   |  |  |
| 16. SECURITY CLASSIFICATION OF:   |                             |   | 17. LIMITATION OF ABSTRACT<br>unlimited | 18. NUMBER OF PAGES<br>8                             | 19a. NAME OF RESPONSIBLE PERSON<br>M.R. Beasley            |
| a. REPORT<br>-----  | b. ABSTRACT<br>unclassified | c. THIS PAGE<br>-----                           |   |  | 19b. TELEPHONE NUMBER (Include area code)<br>(650)723-1196 |

Final Report  
to the Office of Naval Research  
on a Program for

NON TRADITIONAL TRANSPORT PROCESSES IN  
TUNNELING AND PROXIMITY JUNCTIONS

ONR Grant N00014-96-1-0258  
for the period December 15 1995 – September 30 2000

Principal Investigator

M. R. Beasley

Edward L. Ginzton Laboratory  
Stanford University  
September 2001

## INTRODUCTION

Superconducting electronics based on the Josephson junction is the only technology that has speed and power characteristics vastly superior to those of silicon. Highly complex circuits with large device count have been successfully demonstrated. On the other hand, this technology has two serious problems that limit its extendibility. First, it is presently limited in ultimate speed by the need to provide an external resistive shunt in order to eliminate the hysteresis inherent in the switching characteristic of a tunneling Josephson junction. As we pointed out many years ago [1], this leads to the need to consider non-tunneling barriers in Josephson junctions. Second, the superconducting memory technology based on flux quantization in superconducting rings containing a Josephson junction is limited to relatively low-density memory, due to the inherently large size of the memory cells. Thus no cryogenic main memory technology compatible with Josephson junction logic exists. This ONR program was aimed principally at addressing these two problems. Also included was some final work on earlier projects.

## SUMMARY OF PROJECTS AND RESULTS

### *Transport Via Localized States in Tunnel Barriers.*

In previous work under ONR support we had developed a very good understanding of the role of localized states in transport through tunnel junctions [2]. The barrier used was amorphous silicon (a-Si) because it is known to contain a well-defined density of localized states. Under this program we examined some of our earlier work and documented empirically the manner in which the presence of these localized states leads to deterioration in the tunneling characteristic and a reduction on the Josephson coupling. Specifically, we examined the affect of the localized state on the I-V curve and the Josephson critical current of Nb/a-Si/Nb tunnel junctions as a function of junction thickness.

Experimentally we found that both the Josephson coupling and the single-particle tunneling characteristic deteriorated as the barrier thickness was increased. This is not surprising [3]. What was surprising was that this deterioration set in at a barrier thickness that was considerably smaller than that at which resonant tunneling or hopping via the localized states dominated the overall conductance of the junction. The physical mechanism of this deterioration is not understood.

The understanding of transport via localized states established in this program is now being used by those attempting to understand transport via barriers in the high  $T_c$  superconducting Josephson junctions, where the presence of localized states has been postulated.

### High Resistance SNS Proximity Coupled Josephson Junctions.

As noted in the introduction, in order to achieve in practice the full speed potential of Josephson junction electronics, one needs to use proximity coupled superconductor/normal metal/superconductor (SNS) Josephson junctions. The basic problem with this approach is to achieve a normal metal barrier with a high resistance. We had in earlier work under ONR support demonstrated that such junctions could be made by using N materials near a metal/insulator transition [1]. The material we used was an amorphous Nb-Si alloy.

From a simple-minded point of view, it should be possible to achieve an infinite resistance junction right at the M/I transition. In this program, we examined our earlier results to examine this possibility by looking at data from junctions with barriers very near the M/I transition. We found that it was not possible to achieve arbitrarily high resistances. The reason is clear. The physical mechanism of the M/I transition in many materials is due to the localization of the carriers. As is well established both theoretically and experimentally, this is a second order transition and therefore length scale dependent. Specifically, just on the insulating side of the transition, the material is insulating only at infinite length scales. Junction barriers are obviously of finite thickness, and therefore finite conduction remains at short length scales. In the language of phase transitions, the junctions are thinner than the coherence length of the localization process.

This phenomenon will limit the resistances that can be achieved in practical SNS Josephson junctions. Our results should provide a sound conceptual base to those presently attempting to develop high resistance SNS barriers for the high  $T_c$  superconductors and for the conventional high  $T_c$  superconductors that are of technological interest (i.e., NbN) [4].

### Theory of Josephson Coupling in High $T_c$ Josephson Junctions Using Cuprate Barriers.

Considerable success has been achieved making high  $T_c$  cuprate SNS Josephson junctions based on the use of "N" materials that are themselves a cuprate. There is no wide agreement on the electronic structure of these barriers, or on the nature of the Josephson coupling. One phenomenological theory of the high  $T_c$  superconductors postulates that both the superconducting and normal phases of these materials can be described in a unified way based on the notion of a 5 dimensional order parameter—the so-called SO(5) theory of high  $T_c$  superconductivity. Two dimensions describe the familiar superconducting (i.e., Ginzburg-Landau) order parameter, and the other three describe an assumed anti-ferromagnetic normal state. No other states are possible in this model. This raises the question of how Josephson coupling is achieved in this situation.

We have developed a model of Josephson coupling based on this theory that has a very unusual character [5]. The main difference arises when a phase shift of  $\pi$  exists across the junction. In a conventional Josephson junction the amplitude of the order parameter goes to zero at the center of the junction under this condition. In the SO(5) theory, the amplitude of the order parameter stays constant but rotates out of the

superconducting plane into an anti-ferromagnetic direction. Other, more subtle differences also pertain.

The SO(5) theory in its pure form has been criticized, but other, ostensibly more realistic, theories also have the property that the superconducting and normal states are described by a unified order parameter. The nature of the Josephson coupling in these theories can be expected to be qualitatively similar to that which we worked out with in the SO(5) theory.

The experimental situation remains too murky to definitely test these ideas.

#### Superconductor/Ferromagnet Proximity Effect.

Under support of the DoD URI in Superconducting Electronics, we proposed a new memory cell concept based on the superconductor/ferromagnet (SF) proximity effect [6]. The principle of this device is based on the particular (oscillatory) spatial behavior of the superconducting order parameter that extends into a ferromagnetic material. Preliminary examination of the scaling properties of memory cells based on this concept indicate that they can be scaled easily to sub-micron dimensions.

In this program we considered in more detail the scaling properties of these memory cells. We find that they should be easily scalable down to sub-micron dimensions. Questions remain as to the ultimate switching speed of these devices, however. We also examined the materials parameters needed to achieve this effect in a useful device configuration. Specifically, we found that this requires a ferromagnetic material with a low Curie temperature and small spin-orbit scattering. The former ensures a long coherence length in the ferromagnetic material, and the latter ensures that the S/F proximity effect is not destroyed by excessive non-magnetic (i.e, spin-orbit) spin-flip scattering.

These issues were examined both theoretically and experimentally. Theoretically we assessed the spin-orbit scattering process in various real materials in which observation of the S/F proximity effect had been claimed [7]. Experimentally, we identified two materials that appear favorable for observing the oscillatory S/F proximity effect and, hence, for real device applications. The two materials identified were Ni-Cu alloys for low  $T_c$  applications and SrRuO<sub>3</sub> for high- $T_c$  applications. Thin film deposition work has been successfully carried out on both of these materials in our laboratory. Significantly, success in demonstrating the oscillatory nature of the S/F proximity effect using these two materials systems has been claimed by other groups, indicating a favorable prognosis for this new device concept.

Some particular aspects of spin-dependent tunneling in superconductor/insulator/ferromagnet junctions were also investigated as part of this program [8].

## REFERENCES

- [1] A.S. Barrera and M. R. Beasley, "High-Resistance SNS Sandwich-Type Josephson Junctions," *IEEE Trans. Magnetics* **MAG-23**, 868 (March 1987).
- [2] Yizi Xu, D. Ephron, and M.R. Beasley, "Directed Inelastic Hopping of Electrons Through M-I-M Tunnel Junctions," *Phys. Rev. B.* **52**, 2843-2859 (15 July 1995); D. Ephron, Y. Xu, and M. R. Beasley, "Observation of Coulomb Correlations of Resonant Tunneling and Inelastic Hopping," *Phys. Rev. Lett.* **69**, 3112-3115 (Nov. 1992)
- [3] M. R. Beasley, "Transport via Localized States in MIM and SIS Tunnel Junctions," (invited paper), in *Hopping and Related Phenomena*, eds. O. Millo and Z. Ovadyahu, Racah Institute of Physics, the Hebrew University, Jerusalem, Israel. Proceedings of Conference, August 27-30, 1995, pp. 255-264. Published, 1996.
- [4] J. M. Rowell and T. Van Duzer, Private communication.
- [5] E. Demler, A.J. Berlinsky, C. Kallin, G.B. Arnold, M.R. Beasley, "Proximity effect and Josephson coupling in the SO(5) Theory of High-Tc Superconductivity," *Phys. Rev. Lett.* **80**, 2917-2920 (March 1998).
- [6] Sangjun Oh, D. Youm, and M.R. Beasley, "A new superconductive magnetoresistive memory element using controlled exchange interaction," *Appl. Phys. Lett.* **71**, 236-2378 (10 Oct. 1997).
- [7] Sangjun Oh, Yong-Hyun Kim, D. Youm, and M. R. Beasley, "Spin-orbit scattering effect on the oscillatory  $T_c$  of superconductive/magnetic multilayers," *Phys. Rev. B* **63**, p. 52501-4 (2001).
- [8] S. Kashiwaya, Y. Tanaka, N. Yoshida, M.R. Beasley, "Spin current in ferromagnet-insulator-superconductor junctions," *Phys. Rev. B* **60**, 3572-80 (1999).

Data for the period 15 December 1995 to 30 September 2000.

Grant No. N00014-96-1-0258

Program Officer: Dr. Deborah Van Vechten

Publications:

1. M. R. Beasley, "Transport via Localized States in MIM and SIS Tunnel Junctions," (invited paper), in *Hopping and Related Phenomena*, eds. O. Millo and Z. Ovadyahu, Racah Institute of Physics, the Hebrew University, Jerusalem, Israel. Proceedings of Conference, August 27-30, 1995, pp. 255-264. Published, 1996.  
(Citations—no information)
2. E.A. Demler, G.B. Arnold, M.R. Beasley, "Superconducting proximity effects in magnetic metals," *Phys. Rev. B* **55**, 15174-15182 (1 June, 1997). (Partial support.) (43 Citations)
3. Sangjun Oh, D. Youm, and M.R. Beasley, "A new superconductive magnetoresistive memory element using controlled exchange interaction," *Appl. Phys. Lett.* **71**, 236-2378 (10 Oct. 1997). (Partial support.) (3 citations)
4. A.J. Berlinsky, G.B. Arnold, D.P. Arovas, M.R. Beasley, E. Demler, C. Kallin, S-C. Zhang, "Experimental tests of the SO(5) theory of high temperature superconductivity," *J. Phys. Chem. Sol.* **59**, 1794-1797 (1998) (0 citations)
5. E. Demler, A.J. Berlinsky, C. Kallin, G.B. Arnold, M.R. Beasley, "Proximity effect and Josephson coupling in the SO(5) Theory of High-Tc Superconductivity," *Phys. Rev. Lett.* **80**, 2917-2920 (March 1998). (12 citations)
6. S. Kashiwaya, Y. Tanaka, N. Yoshida, M.R. Beasley, "Spin current in ferromagnet-insulator-superconductor junctions," *Phys. Rev. B* **60**, 3572-80 (1999). (45 citations)
7. Sangjun Oh, Yong-Hyun Kim, D. Youm, and M. R. Beasley, "Spin-orbit scattering effect on the oscillatory  $T_c$  of superconductive/magnetic multilayers," *Phys. Rev. B* **63**, p. 52501-4 (2001). (0 citations)

Invention Titles: 0

Patents Applied for: 0

Patents Issued: 0

Awards through ONR: 0

Technology transitions to industry: 0

Technology transitions to other DoD or US Govt. Agencies: 0

Number of doctorates: 1

Number of masters: 0

Citations = 103 Total