


SCR-59

82

587



# *Sandia Corporation*

**Bibliography**

## **IMPACT PHYSICS**

by

**Robert Graham**

**DISTRIBUTION STATEMENT A**  
Approved for Public Release  
Distribution Unlimited

*SC/118 dupl.*

DECEMBER 1958

**Reproduced From  
Best Available Copy**

**20011011 032**

5-3

## LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, express or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission to the extent that such employee or contractor prepares, handles or distributes, or provides access to, any information pursuant to his employment or contract with the Commission.

Printed in USA. Price \$2.50. Available from the Office of  
Technical Services, Department of Commerce,  
Washington 25, D. C.

SCR-59  
PHYSICS AND MATHEMATICS  
(TID-4500, 14th Ed)

SANDIA CORPORATION BIBLIOGRAPHY

IMPACT PHYSICS

by

Robert Graham  
Physical Research Department  
Sandia Corporation

December 1958

## ABSTRACT

This bibliography consists of a rather complete collection of references and abstracts on the subjects of: (1) plastic wave propagation in bounded solids; (2) behavior of metals under explosive conditions; (3) dynamic photoelasticity; (4) penetration phenomena. Other topics covered in less detail are: (5) behavior of material at high strain rates; (6) lateral impact; (7) impact measurement devices.

General references at the beginning of the bibliography cite articles or books which cover the field of impact. An author index and a chronological listing of articles within a particular topic are included.

## PREFACE

The Physical Research Department at Sandia Corporation has encountered many impact problems in its past and current activities. In order to become familiar with past work in this field, a systematic search and study of the literature was undertaken. This bibliography is the result of the literature search and is being published since comparison with other bibliographies shows it to be more complete in certain areas.

The subject of wave propagation is an important consideration in most impact problems but it was decided not to search the literature for articles dealing with wave propagation, as such, since this extensive field is the subject of several recent survey articles and books. 1, 2, 3, 6, 7, 8\*

The bibliography in its final form deals with wave propagation as it applies to specific areas of interest in impact problems. The references have been assembled into groups according to the main topic of the reference. The major subjects included in the bibliography are:

1. Plastic Wave Propagation in Bounded Solids
2. Behavior of Metals Under Explosive Conditions
3. Dynamic Photoelasticity and Related Topics
4. Penetration Phenomena

All of the references listed under these subjects are articles which are technically related and which normally follow the same general trend of thought in the literature. These subjects are felt to be well developed in the bibliography. That is, the references listed can be considered as representing a high percentage of the total references on this subject. To obtain this extensive coverage a search was made of the indexes of well known applied mechanics and physics publications. The articles listed in these indexes were then obtained and the references in each article were added to the bibliography. This new list of references was searched for more references, this method being continued until the list of references given by the various articles converged.

The subjects listed below are also included in this bibliography but do not necessarily represent extensive coverage of the subject:

5. Behavior of Materials at High-Strain Rates
6. Impact Measurement Devices
7. Lateral Impact-Beams and Plates
8. Miscellaneous

The general references listed at the beginning of the bibliography are a group of articles or books which cover the field of impact rather completely. No attempt has been made to duplicate the bibliographies given in these references.

---

\* Superscripts refer to reference numbers in the bibliography.

To improve the usefulness of the bibliography, a complete author index has been prepared along with a chronological listing of the references within a particular subject. The chronological listing is particularly helpful in giving the proper perspective to the various references.

The abstracts included are either the author's abstracts or short reviews made by this author.

To obtain current information on activities throughout the nation, an extensive trip has been made to the various centers of activity in this field. The observations made on this trip have been very enlightening and have served to give information which would not appear in the literature for some time. A report on this trip will be published in a Sandia Corporation Technical Memorandum.

The author hopes that users of the bibliography will call attention to errors or omissions.

The author would like to express appreciation to A. F. Beck who suggested this work, and Dr. S. E. Whitcomb who made many helpful suggestions.

## TABLE OF CONTENTS

	Page
PREFACE . . . . .	3
Reference Numbering Code . . . . .	6
GENERAL REFERENCES . . . . .	7
PLASTIC WAVE PROPAGATION IN BOUNDED SOLIDS . . . . .	9
Bibliography . . . . .	10
Chronological Listing . . . . .	22
BEHAVIOR OF METALS UNDER EXPLOSIVE CONDITIONS . . . . .	23
Bibliography . . . . .	24
Chronological Listing . . . . .	41
DYNAMIC PHOTOELASTICITY AND RELATED TOPICS . . . . .	42
Bibliography . . . . .	43
Chronological Listing . . . . .	52
PENETRATION PHENOMENA . . . . .	53
Bibliography . . . . .	54
Chronological Listing . . . . .	63
BEHAVIOR OF MATERIALS AT HIGH STRAIN RATES . . . . .	64
Bibliography . . . . .	65
IMPACT MEASUREMENT DEVICES . . . . .	71
Bibliography . . . . .	72
LATERAL IMPACT-BEAMS AND PLATES. . . . .	78
Bibliography . . . . .	79
MISCELLANEOUS . . . . .	87
Bibliography . . . . .	88
AUTHOR INDEX . . . . .	98

## IMPACT PHYSICS

### Reference Numbering Code

The references listed in the bibliography were given numbers within a group according to their subject with the following code being utilized.

	<u>Code</u>	<u>Page</u>
General References	1-100	7
Plastic Wave Propagation in Bounded Solids	1000-1099	9
Behavior of Metals Under Explosive Conditions	1100-1199	24
Dynamic Photoelasticity and Related Topics	2000-2099	42
Penetration Phenomena	3000-3099	53
Behavior of Material at High-Strain Rates	1200-1299	64
Impact Measurement Devices	2100-2199	71
Lateral Impact-Beams and Plates	4000-4099	78
Miscellaneous	5000-5099	87

GENERAL REFERENCES  
(1-100)

- 1 Kolsky H  
STRESS WAVES IN SOLIDS  
Oxford at the Clarendon Press, 1953.  
(165 references).
- 2 Rinehart J S and Pearson J  
BEHAVIOR OF METALS UNDER IMPULSIVE LOADS  
The American Society for Metals Cleveland, Ohio, 1954.  
(246 references).
- 3 Abramson H N, Plass H J and Ripperger E A  
STRESS WAVE PROPAGATION IN RODS AND BEAMS  
Advances in Applied Mechanics Vol. V, 1958.  
(145 references) .
- 4 Brennan J N  
BIBLIOGRAPHY ON SHOCK AND SHOCK EXCITED VIBRATIONS  
Vols. I and II  
The Pennsylvania State University  
Engineering Research Bulletin Nos. 68 and 69.  
(1583 references with abstracts).
- 5 Rice M H, McQueen R G and Walsh J M  
COMPRESSION OF SOLIDS BY STRONG SHOCK WAVES  
Solid State Physics, Advances in Research and Application Vol. 6  
Academic Press, Inc. New York, 1957.
- 6 Davies R M  
STRESS WAVES IN SOLIDS  
Applied Mechanics Review Vol. 6 pp. 1-3, January 1953.  
(Survey article containing 99 references).
- 7 Davies R M  
STRESS WAVES IN SOLIDS  
Surveys in Mechanics  
Taylor G I Anniversary Volume  
Cambridge at the University Press, 1956.  
(104 references).
- 8 Ewing M, Jardetzky W and Press F  
ELASTIC WAVES IN LAYERED MEDIA  
McGraw-Hill, 1957.

- 9 Andersen J R and Nestler D E  
SHOCK WAVE PROPAGATION IN SOLIDS  
( A Survey of the Literature)  
University of Pennsylvania, Project Frank, Contract NOrd-12772  
ASTIA AD 39616.  
(298 references annotated).
- 10 Goldsmith W, University of California, Berkeley  
BIBLIOGRAPHY ON WAVE PROPAGATION IN SOLIDS  
Private publication. (938 references).

PLASTIC WAVE PROPAGATION IN BOUNDED SOLIDS  
(1000-1099)

Subtopics

Experimental technique; material behavior as deduced from wave propagation characteristics; and graphical wave propagation analysis.

PLASTIC WAVE PROPAGATION IN BOUNDED SOLIDS  
(1000-1099)

Bibliography

- 1001 Taylor G I and Whiffin A C  
THE USE OF FLAT-ENDED PROJECTILES FOR DETERMINING  
DYNAMIC YIELD STRESS  
Proceedings of the Royal Society of London  
1948, Series A, Vol. 194, p. 289.

The deformation of a flat-ended projectile, due to being fired at high velocity against a steel plate, is used as a measure of the dynamic yield stress of the projectile. In Part I the theory of the method is presented. Results of experimental tests are shown in Part II. Satisfactory results obtained for velocity of impacts from 400 to 2500 ft/sec.

- 1002 Johnson J E, Wood D S and Clark D S  
DYNAMIC STRESS-STRAIN RELATIONS FOR ANNEALED 2S ALUMINUM UNDER COMPRESSIVE IMPACT  
Journal of Applied Mechanics, Trans. ASME  
1953, Vol. 75, pp. 523-529.

This paper presents the results of an experimental study of the dynamic stress-strain relations for annealed 2S Aluminum. Methods of obtaining data are presented. The technique used in analyzing the data involves the use of plastic and elastic stress-wave propagation.

Impact velocities to a maximum of about 150 fps.

- 1003 Von Karman T and Duwez P  
THE PROPAGATION OF PLASTIC DEFORMATION IN SOLIDS  
Journal of Applied Physics  
1950, Vol. 21, pp. 987-994.

The stress wave caused by longitudinal impact on a cylindrical bar is analyzed for the case where impact velocity is large enough to produce plastic strain. The concept of a critical velocity is presented. An experimental investigation is performed which substantiates the theoretical presentation.

- 1004 Clark D S and Datwyler G  
STRESS-STRAIN RELATIONS UNDER TENSION IMPACT LOADING  
Proceedings ASTM  
1938, Vol. 38, Part II, p. 98.

Force elongation curves are obtained for several materials for an impact velocity of 11 ft/sec. It is concluded that yield forces under dynamic conditions are higher than under static conditions.

- 1005 Clark D S and Duwez P E  
DISCUSSION OF THE FORCES ACTING IN TENSION IMPACT TESTS OF METAL  
Journal of Applied Mechanics, Trans. ASME  
1948, Vol. 70, p. 243.

A method is described for measuring the forces acting on a specimen during a tension impact test. Plastic wave propagation theory is used to interpret the results obtained. Impact velocities to a maximum of 200 ft/sec. Very good article on interpretation of force-time curves obtained from such tests.

- 1006 Plass H J  
A COMPARISON OF PLASTIC LONGITUDINAL WAVE THEORIES FOR STRAIGHT RODS  
University of Texas, Defense Research Lab. N. 327, CF2009.

- 1007 Lee E H and Tupper S J  
ANALYSIS OF PLASTIC DEFORMATION IN A STEEL CYLINDER STRIKING A RIGID TARGET  
Journal of Applied Mechanics, Trans. ASME  
1954, Vol. 76, p 63.

The G. I. Taylor dynamic compression test (article 1001) is used to determine the entire strain distribution for a test cylinder of nickel-chrome steel. In the interpretation of results, interest is concentrated on the plastic and elastic wave fronts which emanate from the surface of contact. The theory of the propagation of plastic waves is presented. This is a fundamental article in relation to impacts large enough to cause plastic deformation. Impact velocities to about 1500 fps.

- 1008 Lee E H and Wolf H  
PLASTIC-WAVE PROPAGATION EFFECTS IN HIGH SPEED TESTING  
Journal of Applied Mechanics, Trans. ASME  
1951, Vol. 73, p. 379.

This article discusses how a material test carried out at high speed may be markedly influenced by plastic-wave

propagation effects. The range of speed is determined which permits satisfactory test interpretation without the need for detailed plastic-wave analysis.

Fundamental article on the interpretation of high speed material tests.

- 1009      Habib E T  
A METHOD OF MAKING HIGH-SPEED COMPRESSION TESTS ON  
SMALL COPPER CYLINDERS  
Journal of Applied Mechanics, Trans. ASME  
1948, Vol. 70, p. 248  
Discussion Journal of Applied Mechanics, 1949, Vol. 71, p. 98.

High-speed compression tests are performed on small copper cylinders by subjecting them to the impact of a piston fired from a pneumatic gun. Experimental techniques are discussed and results of the tests are shown as energy absorbed versus deformation. The complication due to plastic strain waves is mentioned.

Velocity of impact 25-200 fps.

- 1010      White M P and Griffis LeVan  
THE PROPAGATION OF PLASTICITY IN UNIAXIAL COMPRESSION  
Journal of Applied Mechanics, Trans. ASME  
1948, Vol. 70, p. 256.  
Discussion Journal of Applied Mechanics, 1949, Vol. 71, p. 219.

A theoretical investigation of the mechanism of uniaxial compression impact on elastic-plastic materials is described. It is concluded that four different modes of behavior can occur, depending on the impact velocity.

- 1011      Sternglass E J and Stuart D A  
AN EXPERIMENTAL STUDY OF THE PROPAGATION OF TRAN-  
SIENT LONGITUDINAL DEFORMATIONS IN ELASTOPLASTIC  
MEDIA  
Journal of Applied Mechanics, Trans. ASME  
1953, Vol. 75, pp. 427-434.

An experimental study is presented which is concerned with confirming the theory of the propagation of plastic waves. It is concluded that the velocity of propagation of the wave front is that of the elastic wave which is not in agreement with theory as proposed by Von Karman and Taylor.

- 1012      Malvern L E  
THE PROPAGATION OF LONGITUDINAL WAVES OF PLASTIC  
DEFORMATION IN A BAR OF MATERIAL EXHIBITING A STRAIN-  
RATE EFFECT  
Journal of Applied Mechanics, Trans. ASME

1951, Vol. 73, pp. 203-208

Discussion Journal of Applied Mechanics, 1951, Vol. 73, pp. 428-429.

The theory of propagation of plastic longitudinal waves is extended to include the strain rate effect on the stress-strain curve.

See also 1052. Bibliography contains 30 references.

- 1014 White M P  
ON THE IMPACT BEHAVIOR OF A MATERIAL WITH A YIELD POINT  
Journal of Applied Mechanics, Trans. ASME  
1949, Vol. 71, pp. 39-52  
Discussion Journal of Applied Mechanics, 1949, Vol. 71, pp. 318-319.

A very complete analysis is made of impact behavior of materials with a yield point. The theory of plastic wave propagation and the combination of plastic and elastic waves is presented very clearly.

- 1015 White M P and Griffis LeVan  
THE PERMANENT STRAIN IN A UNIFORM BAR DUE TO LONGITUDINAL IMPACT  
Journal of Applied Mechanics, Trans. ASME  
1947, Vol. 69, pp. A-337-343.

A method is presented for giving the final distribution of strains in a uniform bar subjected to a plastic impact. The wave propagation theories are used in the development. The presentation is very basic from the standpoint of interpretation of impact stresses and strain in cylindrical specimens.

- 1016 Mann H C  
HIGH VELOCITY TENSION IMPACT TESTS  
Proceedings ASTM  
1936, Vol. 36, Part II, p. 85.

- 1017 Duwez P E and Clark D S  
AN EXPERIMENTAL STUDY OF THE PROPAGATION OF PLASTIC DEFORMATION UNDER CONDITIONS OF LONGITUDINAL IMPACT  
Proceedings ASTM  
1947, Vol. 47, p. 502.

- 1018 Von Karman Th  
ON THE PROPAGATION OF PLASTIC DEFORMATION IN SOLIDS  
NDRS Report No. A-29  
OSRD No. 365, 1942.

- 1019 Von Karman Th, Bohlenblust H E and Hyers D H  
THE PROPAGATION OF PLASTIC WAVES IN TENSION SPECIMENS  
OF FINITE LENGTH  
NDRC Report No. A-103  
OSRD No. 946, 1942.
- 1020 Campbell J D  
AN INVESTIGATION OF THE PLASTIC BEHAVIOR OF METAL RODS  
SUBJECTED TO LONGITUDINAL IMPACT  
Journal of Mechanics and Physics of Solids  
1953, Vol. 1, pp. 113-123.
- A dynamic stress-strain relation is obtained for an aluminum alloy. An SR-4 type strain gage is mounted on the specimen. The specimen is in the form of a long rod. Successively larger impacts are imparted to the specimen to obtain a stress-strain curve. Impact is applied to a steel rod then transmitted into the specimen. The effect of the steel rod is to increase the applied stress and also separates the flexural and longitudinal components due to differences in velocity of propagation.
- 1021 Bohlenblust H F, Hyers D H and Charyk J V  
GRAPHICAL SOLUTIONS FOR PROBLEMS OF STRAIN PROPAGATION IN TENSION  
NDRC Report No. A-131  
OSRD No. 1204, 1942.
- 1022 Von Karman Th and Duwez P E  
ON THE PROPAGATION OF PLASTIC STRAINS IN SOLIDS  
Presented at the Sixth International Congress for Applied Mechanics,  
Paris, France, September 1946.
- 1023 White M P and Griffis LeVan  
WAVE PROPAGATION IN A UNIFORM BAR WHOSE STRESS-STRAIN  
CURVE IS CONCAVE UPWARD  
NDRC Report No. 152  
OSRD No. 1302, 1943.
- 1024 Lee E H  
PLASTIC WAVES IN COMPRESSION  
British Official Report App,  
Coordinating Subcommittee No. 57, 1943.
- 1025 Lee E H and Tupper S J  
THE ANALYSIS OF THE PLASTIC DEFORMATION IN A CYLINDER  
OF SHOT STEEL STRIKING A RIGID TARGET  
British Official Report TRR 4/44, 1944.

- 1026 Taylor G I  
THE PLASTIC WAVE IN A WIRE EXTENDED BY AN IMPACT LOAD  
British Official Report R. C. 329, 1942.
- 1027 Seitz F, Lawson A W and Miller P  
THE PLASTIC PROPERTIES OF METALS AT HIGH RATES OF STRAIN  
NDRC Report A-41  
OSRD 495, April 1942.
- 1028 Winslow G H and Bessey W H  
HIGH SPEED COMPRESSION TESTING OF COPPER CYLINDERS AND SPHERES, II  
NDRC Report A-324  
OSRD Report 5039, April 1945.
- 1029 Wood D S, Duwez P E and Clark D S  
THE INFLUENCE OF SPECIMEN DIMENSION AND SHAPE ON THE RESULTS OF TENSILE IMPACT TESTS  
NDRC Report A-237  
OSRD Report 3028, December 1943.
- 1030 Greenfield M and Habib E T  
HIGH SPEED COMPRESSION TESTS ON COPPER  
Journal of Applied Physics  
July 1947, Vol. 18, pp. 645-650.
- 1031 Griffis LeVan  
THE BEHAVIOR OF LONGITUDINAL STRESS WAVES NEAR DISCONTINUITIES IN BARS OF PLASTIC MATERIAL  
NDRC Report A-212  
OSRD 1799, September 1943.
- 1032 White M P  
THE FORCE PRODUCED BY IMPACT OF A CYLINDRICAL BODY  
NDRC Report A-157.
- 1033 Duwez P E, Wood D S and Clark D S  
THE PROPAGATION OF PLASTIC STRAIN IN TENSION  
NDRC Report No. A-99, OSRD No. 931, 1942.
- 1034 Bohlenblust H F  
ADDENDUM TO VON KARMAN'S THEORY OF THE PROPAGATION OF PLASTIC DEFORMATION IN SOLIDS  
NDRC Memo A-41 M  
OSRD No. 664, 1942.

- 1035 Duwez P E, Clark D S, Wood D S and Charyk J V  
THE EFFECT OF STOPPED IMPACT AND REFLECTION ON THE  
PROPAGATION OF PLASTIC STRAIN IN TENSION  
NDRC Report No. A-108  
OSRD No. 988, 1942.
- 1036 Bell J F  
PROPAGATION OF PLASTIC WAVES IN PRE-STRESSED BARS  
Technical Report No. 5, Navy Contract N6-ONR-243  
Task Order III  
Johns Hopkins University, June 1951.
- 1037 Rakhmatulin K A  
PROPAGATION OF A WAVE OF UNLOADING (Russian)  
Prikladnaia Matematika i Mekhanika  
1945, Vol. 9, pp. 91-100.
- 1038 Rakhmatulin K A and Shapiro G S  
ON THE PROPAGATION OF PLANE ELASTIC-PLASTIC WAVES  
(Russian)  
Prikladnaia Matematika i Mekhanika  
1948, Vol. 12, pp. 369-374.
- 1039 Sokolovsky V V  
THE PROPAGATION OF ELASTIC VISCOUS-PLASTIC WAVES  
IN BARS (Russian)  
Prikladnaia Matematika i Mekhanika  
1948, Vol. 12, pp. 261-280.
- 1040 Donnell L H  
LONGITUDINAL WAVE TRANSMISSION AND IMPACT  
Trans. ASME, 1930, Vol. 52, pp. 153.
- 1041 Shanley F R  
ANALYSIS OF STRESS-STRAIN-TIME RELATIONS FROM THE  
ENGINEERING VIEWPOINT  
Presented at the Second Symposium on Plasticity, Brown University,  
Providence, R. I.  
April 1949, revised September 1951.
- 1042 Taylor G I  
PROPAGATION OF EARTH WAVES FROM AN EXPLOSION  
British Official Report R C 70, 1940.
- 1043 Lee E H  
A BOUNDARY VALUE PROBLEM IN THE THEORY OF PLASTIC  
WAVE PROPAGATION  
Quarterly of Applied Mathematics  
1953, Vol. X-4, pp. 335-346.

1044 Brown A F C and Vincent N D G  
THE RELATIONSHIP BETWEEN STRESS AND STRAIN IN THE TENSILE  
IMPACT TEST  
Proceedings of the Institution of Mechanical Engineers, London  
1941, Vol. 145, pp. 126-134.

1046 DeJuhasz K  
GRAPHICAL ANALYSIS OF IMPACT OF BARS STRESSED ABOVE THE  
ELASTIC RANGE  
Journal of the Franklin Institute  
July 1949, Vol. 248, pp. 15-48 and 113-142.

This article gives a detailed explanation of the use of graphical solutions to picture and solve problems relating to the impact of bars. A bibliography on impact, consisting of 45 references, is given. Wave propagation is pictured graphically.

1047 Burr A H  
LONGITUDINAL AND TORSIONAL IMPACT IN A UNIFORM BAR WITH  
A RIGID BODY AT ONE END  
Journal of Applied Mechanics, Trans. ASME  
1950, Vol. 72, pp. 209-217  
Discussion Journal of Applied Mechanics  
1950, Vol. 72, pp. 462-465.

1048 Riparbelli C  
ON THE RELATION AMONG STRESS, STRAIN, AND STRAIN RATE  
IN COPPER WIRES SUBMITTED TO LONGITUDINAL IMPACT  
Proceedings Society for Experimental Stress Analysis  
1956, Vol. XIV, No. 1, pp. 55-70.

A series of exploratory tests of tensile impact on copper wires is presented to show that the elastic component of a stress wave moves at a constant velocity regardless of the amount of plastic deformation. Method consists of dropping weight on copper wire. Bright tin spots on wire are photographed with high-speed photography to observe motion of the stress waves.

1049 Alter B E K and Curtis C W  
EFFECT OF STRAIN RATE ON THE PROPAGATION OF A PLASTIC  
PULSE ALONG A LEAD BAR  
Journal of Applied Physics  
1956, Vol. 27, pp. 1079-1085.

A very thorough article on the effect of strain rate on the velocity of propagation of a plastic wave in a bar. Tests were carried out to determine how pulses of plastic deformation disperse during propagation along a lead bar. The theory of rate of propagation is reviewed and experimental results are presented. Article contains a list of 20 references.

- 1050 Wood D S  
ON LONGITUDINAL PLANE WAVES OF ELASTIC-PLASTIC STRAIN  
IN SOLIDS  
Journal of Applied Mechanics, Trans. ASME  
1952, Vol. 74, pp. 521-525.
- 1051 Taylor G I  
THE TESTING OF MATERIALS AT HIGH RATES OF LOADING  
Journal of the Institution of Civil Engineers  
1946, Vol. 26, pp. 486-519.
- 1052 Malvern L E  
PLASTIC WAVE PROPAGATION IN A BAR OF MATERIAL EXHIBIT-  
ING A STRAIN RATE EFFECT  
Quarterly of Applied Mathematics  
1951, Vol. 8, pp. 405-411.
- 1053 Campbell J D and Duby J  
THE YIELD BEHAVIOR OF MILD STEEL IN DYNAMIC COMPRESSION  
Proceedings Royal Society of London  
1956, Series A, Vol. 236, pp. 24-40.
- Experiments are described in which a mild steel speci-  
men is subjected to a compressive impact load. Stress-  
time curves are obtained and analyzed. Micrographs of  
specimens after yielding are shown to show the metal-  
lurgical mechanism of yielding.
- 1054 Kolsky H  
AN INVESTIGATION OF THE MECHANICAL PROPERTIES OF  
MATERIALS AT VERY HIGH RATES OF LOADING  
Proceedings Physical Society of London  
1949, Vol. 62, p. 676.
- 1057 Lee E H  
WAVE PROPAGATION IN ANELASTIC MATERIALS, DEFORMATION  
AND FLOW OF SOLIDS  
Colloquium, Madrid, 26-30 September 1955  
Berlin, Springer Verlag, 1956  
Also Office of Naval Research Contract Nonr-562(10)  
NR-064-406, Brown University, Technical Report No. 5  
December 1955.
- 1058 Ogibalov P M and Loginova M A  
ON THE DEPENDENCE OF THE STRAINS IN A RAPID DEFORMATION  
UNDER IMPULSIVE LOADING BEYOND THE YIELD POINT (Russian)  
Vestnik, Moskov University No. 5, pp. 39-58, 1948.

1059 Lensky V S  
ON THE ELASTOPLASTIC IMPACT OF A ROD AGAINST A RIGID  
OBSTACLE (Russian)  
Prikladnaia Matematika i Mekhanika  
March/April 1949, Vol. 13, pp. 165-170.

1060 Lebedev N F  
SECONDARY ELASTOPLASTIC WAVE (Russian)  
Prikladnaia Matematika i Mekhanika  
March/April 1954, Vol. 18, pp. 167-180.

1061 Campbell W R  
DETERMINATION OF DYNAMIC STRESS-STRAIN CURVES FROM  
STRAIN WAVES IN LONG BARS  
Proceedings Society for Experimental Stress Analysis  
1952, Vol. 10, No. 1, pp. 113-124.

An exploratory experimental program is conducted to determine the feasibility of using a tangent modulus method to determine dynamic stress-strain curves. Analytical procedure is outlined and experimental results are presented. Measurements made with SR-4 type strain gages.

1062 Zener C and Hollomon J H  
EFFECT OF STRAIN RATE UPON PLASTIC FLOW OF STEEL  
Journal of Applied Physics  
1944, Vol. 15, pp. 22-32.

1063 Bell J F  
THEORETICAL AND EXPERIMENTAL STUDIES OF PLASTIC WAVE  
PROPAGATION IN LONGITUDINAL RODS SUBJECT TO IMPACT  
Johns Hopkins University, Institute for Cooperative Research  
Contract No. DA-36-034-ORD-2366, 1956.

A new method employing diffraction gratings of very short length will be utilized to study propagated plastic wave fronts of large magnitude. Unloading waves, reflected waves from fixed and free ends. Dynamic determination of Poisson's ratio.

1064 Rubin R J  
PROPAGATION OF LONGITUDINAL DEFORMATION WAVES IN A  
PRESTRESSED ROD OF MATERIAL EXHIBITING A STRAIN-RATE  
EFFECT  
Journal of Applied Physics  
1954, Vol. 25, pp. 528-536.

The longitudinal propagation of stresses above the yield stress in a material exhibiting a strain-rate effect is studied analytically. Mathematical expressions are developed which describe the wave propagation. The system analyzed is a semi-infinite rod subjected to end impact.

This article is referred to by many investigators and several extensive experiments are being conducted to verify this theory.

- 1065 Campbell J D  
THE YIELD OF MILD STEEL UNDER IMPACT LOADING  
Journal of Mechanics and Physics of Solids  
1954, Vol. 3, pp. 54-62.

In an extension of work reported in article 1020 the dynamic stress-strain curves of mild steel are obtained. The apparatus is adapted so that the steel rod which transmits the stress to the specimen is larger than the specimen. This increases the stress transmitted into the specimen. The strain gage is attached to the specimen.

- 1066 Campbell J D and Maiden C J  
THE EFFECT OF IMPACT LOADING ON THE STATIC YIELD STRENGTH OF A MEDIUM CARBON STEEL  
Journal of Mechanics and Physics of Solids  
1957, Vol. 6, pp. 53-61.

Although the results of this investigation are not of particular interest the experimental technique is interesting. A similar test setup is used as in articles 1020, 1065. Stress magnitude is amplified by transmitting the impact through steel rods of two cross-section changes. This amplifies the stress about two times. Strain gages are attached to the anvil bar.

- 1067 Riparbelli C  
A PARADOX IN THE THEORY OF IMPACT  
Journal of the Aeronautical Sciences  
1954, Vol. 21, pp. 429-430.

- 1068 Gilhamet J and Goldsmith W (Translators)  
PROPAGATION OF PLASTIC STRAIN  
Translation of five articles from Russian and French

1. On Explosions in a Compressible Plastic Medium  
Altschuler V
2. Concerning a Dynamic Problem of Thermoelasticity  
Danilovskaya I
3. Elasto-Plastic Waves of Loading  
Bakhshian R A
4. The Propagation of Cylindrical Waves of Plastic Deformation (Torsional Impact)  
Rakhmatulin Kh A

5. The Propagation of Spherical Waves in an  
Elasto-Plastic Medium  
Luntz Ya L

University of California, Institute of Engineering  
Research, July 1953.

## PLASTIC WAVE PROPAGATION

### Chronological Listing

Year	Reference number(s)						
1958							
1957	1066						
1956	1048	1049	1053	1063			
1955	1057						
1954	1007	1060	1064	1067	1065		
1953	1002	1011	1020	1043	1068		
1952	1050	1061					
1951	1008	1012	1036	1052			
1950	1003	1047					
1949	1014	1041	1046	1054	1059		
1948	1001	1005	1009	1010	1038	1039	1058
1947	1015	1017	1030				
1946	1022	1051					
1945	1028	1037					
1944	1025	1062					
1943	1023	1024	1029	1031			
1942	1018	1019	1021	1027	1033	1034	1035
1941	1044						
1940	1042						
1939							
1938	1004						
1937							
1936	1016						
1930	1040						

BEHAVIOR OF METALS UNDER EXPLOSIVE CONDITIONS  
(1100-1199)

Subtopics

Equations of states of solids; experimental techniques; free surface velocity determinations; scabbing (analysis and experimental) and fracture.

BEHAVIOR OF METALS UNDER EXPLOSIVE CONDITIONS  
(1100-1199)

Bibliography

- 1101 Rinehart J S and Pearson J  
ENGRAVEMENT OF TRANSIENT STRESS WAVE PARTICLE  
VELOCITIES  
Journal of Applied Physics  
1953, Vol. 24, pp 462-469.
- A simple and unique technique is described for determining the particle velocity of a material subjected to high-speed loading. The force is applied to a plate that has a pellet attached on the opposite side. The propagation of the wave through the plate and pellet causes the pellet to indent the surface of the plate. Average particle velocity can be determined by measuring the depth of penetration.
- 1102 Shreffler R G and Deal W E  
FREE SURFACE PROPERTIES OF EXPLOSIVE-DRIVEN METAL  
PLATES  
Journal of Applied Physics  
1953, Vol. 24, pp. 44-48.
- A photographic technique for study of metal-free surfaces under acceleration by high explosives is presented. Methods for reducing the data from the photographic record are described. Specific results using brass plates driven by explosives are cited. (Author's abstract)
- 1103 Allen W A  
FREE SURFACE MOTION INDUCED BY SHOCK WAVES IN STEEL  
Journal of Applied Physics  
1953, Vol. 24, pp. 1180-1185.
- Free surface motion is studied by photographing the motion of the image of point light sources on a highly polished steel surface. Plate is forced by the detonation of explosives. Results are analyzed.
- For details of experimental technique, see article 1051.

- 1104 Rinehart J S  
SOME QUANTITATIVE DATA BEARING ON THE SCABBING  
OF METALS UNDER EXPLOSIVE ATTACK  
Journal of Applied Physics  
1951, Vol. 22, pp. 555-560.
- The phenomenon of scabbing is stated to be dependent on the stress distribution within a wave and a critical normal stress that is a characteristic of the material. This paper presents the results of a modified Hopkinson pressure bar experiment in which results of stress versus time and critical velocity were obtained.
- 1105 Allen W A and McCrary C L  
EXPERIMENTAL TECHNIQUE USED TO MEASURE TRANSIENT WAVES THROUGH SOLIDS  
Review of Scientific Instruments  
1953, Vol. 24, pp. 165-171.
- 1106 Walsh J M and Christian R H  
EQUATION OF STATE OF METALS FROM SHOCK WAVE MEASUREMENTS  
Physical Review  
1955, Vol. 97, pp. 1544-1556.
- Pressure magnitudes of from 150 to 500 kilobars were obtained from metals with high explosives. Free surface velocities were determined by photographing the movement of shock waves in air or argon due to the pressure wave in the material. Results are analyzed and techniques are described.
- 1107 Allen W A and McCrary C L  
TRANSIENT WAVES THROUGH STEEL PRODUCED BY IMPULSIVE LOADING  
Paper presented at meeting of American Physical Society  
Berkeley, California, December 27-29, 1951  
Abstract in Physical Review, 1952, Vol. 85, p. 769.
- The transient behavior of a thick circular plate deforming under explosive attack has been investigated. An experimental technique, based upon the principle of the optical lever has been used to measure surface oscillations as small as  $10\mu$  in amplitude. Measured particle velocities determined by this method indicate the presence of elastic and plastic waves.
- 1108 Rinehart J S and Pearson J  
SOME TENSILE FRACTURES GENERATED IN METALS BY IMPULSIVE COMPRESSIONAL LOADING  
Paper presented at meeting of American Physical Society  
Berkeley, California, December 27-29, 1951  
Abstract in Physical Review, Vol. 85, p. 768.

One aspect of the part that high intensity stress waves play in the fracturing of metal cylinders subjected to internal explosive loading has been studied. It has been found that tensile type fractures will result from the interference of reflected tensile stress waves whenever the resulting tensile stress exceeds the critical normal fracture stress of the material

Stress wave velocities have been measured for low-carbon steel, brass, copper, lead and aluminum alloys from the geometry of fracture. These velocities are in reasonable agreement with accepted values for the velocities of dilatational waves in these metals.

- 1109 Rinehart J S  
SCABBING OF METALS UNDER EXPLOSIVE ATTACK, MULTIPLE SCABBING  
Journal of Applied Physics  
1952, Vol. 23, pp. 1229-1233.

The mechanism of multiple scabbing is explained in terms of stress propagation theory. Experimental results are shown which verify the theory. Particle velocities are determined by the use of pellets in a hole drilled on the back of the plate.

- 1110 Rinehart J S  
SOME EXPERIMENTAL INDICATIONS OF THE STRESSES PRODUCED IN A BODY BY AN EXPLODING CHARGE  
Journal of Applied Physics  
1951, Vol. 22, pp. 1178-1181.

The effects of detonating explosive charges on the surface of heavy steel plates is discussed. The mechanism of failure is discussed and stress distribution is determined by conducting a hardness survey after the plate is sectioned. Experimental techniques are not discussed.

- 1111 Pack D C, Evans W M and James H J  
THE PROPAGATION OF SHOCK WAVES IN STEEL AND LEAD  
Proceedings of the Physical Society, London  
1948, Vol. 60, pp. 1-8.

An experimental investigation is presented in which transit times for the passage of a shock wave through plates are measured. Wave is instigated by the detonation of explosive. Lead and steel plates are used. Time measured by making and breaking electrical contacts.

- 1112 Rinehart J S  
WORK HARDENING OF MILD STEEL BY EXPLOSIVE ATTACK  
Journal of Applied Physics  
1951, Vol. 22, pp. 1086-1087.

- 1113 Wood R W  
OPTICAL AND PHYSICAL EFFECTS OF HIGH EXPLOSIVES  
Proceedings Royal Society, London.  
1936, Series A, Vol. 157, pp. 249-261.

The deformation of the copper cap on an explosive detonator is studied to gain information about the mechanism of detonation. A spectroscopic investigation of the exploding materials is also made.

- 1114 Broberg K B  
SHOCK WAVES IN ELASTIC AND ELASTIC-PLASTIC MEDIA  
Kungl. Fortifikations forvaltningen Befästningsbyran  
Rapport 109-12, 141 pp. 1956. Library of Congress P. B. 126210.

Report gives interesting review of experiments on the propagation of elastic, plastic and shock waves produced by impact and by the detonation of explosive charges. The theory of wave propagation is discussed and the propagation of spherically divergent stress-waves is treated in detail. Tables of numerical values of dynamic stress-strain results for metals and other solids are presented and the fractures produced by the reflection of intense stress waves at the free boundaries of a specimen, are described and discussed. The bibliography contains 71 references in the field, most of which are recent. (Abstract as given in Applied Mechanics Review).

- 1115 Broberg K B  
STUDIES ON SCABBING OF SOLIDS UNDER EXPLOSIVE ATTACK  
Journal of Applied Mechanics, Trans. ASME  
1955, Vol. 77, pp. 317-323.

The mechanism of the scabbing phenomenon is discussed both theoretically and experimentally. Experimental method used to determine pressure-time relation on face of plate where detonation occurs, is a modified pressure bar. Plane scabbings are obtained by inserting cylinders in hole in plate.

- 1116 Kumar S and Davids N  
ELASTIC-PLASTIC ANALYSIS OF SCABBING OF MATERIALS  
Journal of the Franklin Institute  
May 1958, Vol. 265, pp. 371-383.

The graphical method is used to analyze stress propagation. Stress states are analyzed which can cause scabbing. No experimental work is presented.

- 1117 Kumar S and Davids N  
MULTIPLE SCABBING IN MATERIALS  
Journal of the Franklin Institute  
1957, Vol. 263, p. 295.
- 1118 Goldsmith W and Allen W A  
GRAPHICAL REPRESENTATION OF THE SPHERICAL PROPAGATION  
OF EXPLOSIVE PULSES IN ELASTIC MEDIA  
Journal of the Acoustical Society of America  
1955, Vol. 27, pp. 47-55.

Analytic expressions of displacements, velocities and stresses as a function of location and time, as solved with the use of an IBM machine, are presented in pictorial form. Presentation is applicable to spherical divergent waves in homogeneous, isotropic, elastic media of infinite extent under the waves generated by an explosion on one face of the medium. Graphs permit a rapid evaluation of the nature of the disturbance.

- 1119 PLASTIC DEFORMATION AND FORMATION OF CRACKS BY DETONATING CHARGES (Swedish)  
Ingen. Vetensk. Akad. Tidsk. Tekn. Forsk.  
1955, Vol. 26, pp. 16-25.

Author discusses the plastic deformation and some of the fractures which occur when an explosive charge is detonated in intimate contact with, or a high-velocity fragment strikes a solid body. Several specific examples that have not been heretofore reported are described. Each example is accompanied by a brief description of the other investigations that are most likely to lead to an understanding of what has taken place in each case.

- 1120 Pearson J and Rinehart J S  
SURFACE MOTION ASSOCIATED WITH OBLIQUELY INCIDENT ELASTIC WAVES  
Journal of the Acoustical Society of America  
1953, Vol. 25, pp. 217-219.

Well-known laws which govern the reflection of elastic waves that strike free surfaces obliquely, are used to deduce particle motion at the free surface of a body\_\_

---

The data are expected to be of value in the solution of problems connected with impulsively loaded bodies such as metal-explosive systems. (Excerpt from author's summary).

1121 Pearson J and Rinehart J S  
COMPUTATION RELATING TO REFLECTION OF PLANE ELASTIC  
WAVES STRIKING FREE SURFACES OBLIQUELY  
13 August 1952, NOTS TM No. 931.

1122 Allen W  
ELASTIC DESCRIPTION OF A HIGH-AMPLITUDE SPHERICAL  
PULSE IN STEEL  
21 April 1953, NOTS TM No. 994.

1123 Huth J H and Cole J D  
A THEORETICAL TREATMENT OF SPALLING  
Rand R M - 1181.

1124 Evans W M and Taylor G I  
DEFORMATION AND FRACTURES PRODUCED BY INTENSE  
STRESS PULSES IN STEEL  
Research, 1952, Vol. 5, pp. 502-509.

The mechanism of plastic deformation and fracture due to high explosives is investigated by studying the fractures produced. Specimens are sectioned and etched. Metallurgraphic photomicrographs are made to study the change in crystalline structure. Article is well illustrated with typical fractures.

1125 Kolsky H and Shearman A C  
INVESTIGATION OF FRACTURES PRODUCED BY TRANSIENT  
STRESS WAVES  
Research, 1949, Vol. 2, pp. 384-389.

The mechanism of fracture due to detonation of explosives is studied by observing the fractures of bodies of various shapes. Plastic bodies are used. Large plates, small plates, cylinders, and cones are investigated. Various fractures are well illustrated.

1126 Kochler J S and Seitz F  
THE STRESS WAVES PRODUCED IN A PLATE BY A PLANE  
PRESSURE PULSE  
1944, OSRD Report No. 3230.

1127 Rinehart J S and Pearson J  
CONICAL SURFACES OF FRACTURE PRODUCED BY ASYMMET-  
RICAL IMPULSIVE LOADING  
Journal of Applied Physics  
1952, Vol. 23, pp. 685-687.

The conical surface of fracture of an explosively loaded thick wall cylinder is analyzed from the

standpoint of stress wave propagation. It is shown that the angle of failure is a function of the velocity of propagation of the wave. Experimental results are shown which tend to verify the explanation.

- 1128 Pearson J and Rinehart J S  
DEFORMATION AND FRACTURING OF THICK-WALLED STEEL  
CYLINDERS UNDER EXPLOSIVE ATTACK  
Journal of Applied Physics  
1952, Vol. 23, pp. 434-441.

This article discusses the deformation and fracturing of thick-walled cylinders due to internal explosives. The presentation is primarily focused on describing the mechanism of failure that occurs under these circumstances. Stress wave propagation and behavior of the material are not emphasized in the presentation.

- 1129 Starr L and Savitt J  
SPALLING PRODUCED BY DETONATION OF EXPLOSIVE IN VERY  
HEAVY WALLED METAL TUBES  
Physical Review  
1952, Vol. 86, pp. 600.

- 1130 Rinehart J S  
HARDNESS PLATEAUS AND TWINNING IN EXPLOSIVELY LOADED  
MILD STEEL  
Journal of Applied Physics  
1954, Vol. 25, p. 778.

- 1131 Mallory H D  
PROPAGATION OF SHOCK WAVES IN ALUMINUM  
Journal of Applied Physics  
1955, Vol. 26, pp. 555-559.

The velocity of shock waves in aluminum and the associated translational motions, produced by metal-metal impact, have been determined by an electrical contact technique. The results obtained have been used to evaluate an equation of state for the metal. (Author's abstract)

- 1132 Rinehart J S  
SOME OBSERVATIONS ON HIGH SPEED IMPACT  
U. S. Naval Ordnance Test Station  
Technical Memorandum RRB-50  
19 October 1949.

- 1133 Rinehart J S  
THE BEHAVIOR OF METAL UNDER HIGH AND RAPIDLY APPLIED  
STRESSES OF SHORT DURATION  
U. S. Naval Ordnance Report No. 1183  
27 September 1949.

A number of interesting effects produced as the result of detonating explosive charges in intimate contact with metal plates, rods, and tubes are described. The principal observable effects are (1) fracturing of the metal caused by a tensional stress produced as the result of the reflection of a high compressional stress wave at a free boundary, (2) the fracturing of the metal caused by high stress concentration, and (3) permanent straining of the metal. (Author's abstract)

- 1134 Scardin H  
MEASUREMENTS OF SPHERICAL SHOCK WAVES  
Communications on Pure and Applied Mathematics  
1954, Vol. 7, pp. 223-243.

Although this article is primarily concerned with shock waves produced by explosives in air, it develops the pressure versus time data on explosives. Experimental data is shown which verify the experimental results. Photographs shown from multiple-spark camera, streak camera, condenser-microphone, kerr-cell photography, x-ray-photography.

- 1135 Walsh J M, Rice M H, McQueen R G and Yarger F L  
SHOCK WAVE COMPRESSIONS OF TWENTY-SEVEN METALS  
EQUATIONS OF STATE OF METALS  
Physical Review  
1957, Vol. 108, Part 1, pp. 196-216.

An explosive system is used to drive a strong shock wave into a plate of 24 ST aluminum. This shock wave propagates through the 24 ST aluminum into small test specimens which are in contact with the front surface of the plate. A photographic technique is used to measure velocities associated with the 24 ST aluminum shock wave and with the shock wave in each specimen. Resulting pressure-compression curves are given for 27 metals. \_\_\_\_\_ pressure interval 150 to 400 kilobars. \_\_\_\_\_ Very detailed information on the various metals behavior is given. (Author's abstract)

- 1136 Bancroft D, Peterson E L and Minshall S  
Journal of Applied Physics  
1956, Vol. 27, pp. 291-298.

This article investigates the propagation of compressive waves generated by high explosive in Armco iron. The pin technique is used to obtain free surface velocities. The presentation is given to investigate whether three stable shocks are propagated. Problem of wave propagation and reflection is well discussed.

- 1138 Drummond W E  
EXPLOSIVE-INDUCED SHOCK WAVES, PART II OBLIQUE SHOCK WAVES  
Journal of Applied Physics  
1958, Vol. 29, pp. 167-170.

The explosive production of oblique shock waves in solids is analyzed in the approximation that third and higher order terms in the shock strength can be neglected, and a procedure is developed for calculating the attenuation of the shocks. Application is made to the problem of determining the equation of state of the burned explosive gas. See also 1139. (Author's abstract)

- 1139 Drummond W E  
EXPLOSIVE INDUCED SHOCK WAVES, PART I, PLANE SHOCK WAVES  
Journal of Applied Physics  
1957, Vol. 28, pp. 1437-1441.

- 1140 Deal W E  
SHOCK HUGONIOT OF AIR  
Journal of Applied Physics  
1957, Vol. 28, pp. 782-784.

Experiments are described in which an explosive driven plate set up a strong shock in air in contact with the plate. Free surface velocity and air shock velocity are measured by means of a high-speed framing camera which views the plate in profile.

Experimental results are shown for pressures up to 200 bars. A 24 St Dural plate is used.

- 1141 Allen W A and Goldsmith W  
SPALL EFFECTS PRODUCED BY A CYLINDRICAL AND A SPHERICAL CHARGE OF HIGH EXPLOSIVE  
Journal of Applied Physics  
1954, Vol. 25, pp. 813-814.

A letter to the editor discusses the feasibility of using a spherical charge in replacement for a cylindrical charge in determining spall effects on the free surface of a plate.

- 1142 Becker H  
ON SHOCK PROPAGATION IN BRASS  
Journal of Applied Physics  
1954, Vol. 25, pp. 1066-1067.

- 1143 Savitt J, Stresau R H and Starr L E  
COMPRESSION WAVE VELOCITY EXPERIMENTS WITH COPPER  
Journal of Applied Physics  
1954, Vol. 25, pp. 1307-1310.

The velocity of compression waves in copper is investigated by detonation of explosives inside cylinders. The angle of failure of the end of the cylinder is taken as proportional to the wave velocity. Theory is explained and results are compared to article 1127.

- 1144 Mallory H D  
ON THE EXISTENCE OF A BINARY REACTION ZONE AT A METAL-EXPLOSIVE BOUNDARY DURING DETONATION  
U. S. Naval Ordnance Laboratory 1954  
Library of Congress P. B. 122054.

This report is a summary of recent progress made in the interpretation of pin-point data. The pin technique has been used to measure the free surface velocity of aluminum targets struck by a plane detonation wave from crystalline TNT at a loading density of 0.624 g/cc. (Author's abstract)

- 1145 Rinehart J S  
DEFORMATION OF AN EXPLOSIVELY LOADED ALUMINUM SINGLE CRYSTAL  
Journal of Applied Physics  
1955, Vol. 26, pp. 1315-1318.

A hollow cylindrical single crystal of pure aluminum was deformed by detonating an explosive charge that had been placed axially within the crystal. The approximate strain rate achieved was  $10^5 \text{ sec}^{-1}$ . The object of the test was to relate the pattern of deformation to the stresses set up by the explosive and the crystallographic axes of the crystal. The reaction of the cylinder was markedly different from the reaction which would be exhibited by a similarly shaped cylinder of polycrystalline material. The deformation was non-uniform with both the fracturing and the plastic flow exhibiting a twofold symmetry that could be unambiguously related to the orientation of stress with respect to the crystallographic axes and their associated slip systems. (Author's abstract)

- 1146 Goranson R W, Bancroft D, Burton B L, Blechar T, Houston E E, Gittings E F, and Landeen S A  
DYNAMIC DETERMINATION OF THE COMPRESSIBILITY OF METALS  
Journal of Applied Physics  
1955, Vol. 26, pp. 1472-1479.

Equation of state data for Duralumin in the pressure range from 0.1 to 0.3 megabar have been determined dynamically by measuring shock and free surface velocity electrically in a plate of 24 ST Duralumin that has been stressed by a high explosive detonation. A theory is presented which allows comparison with data obtained by other experimenters, and which yields the relationship

between pressure and compression either at constant entropy or constant temperature. The empirical form chosen for the equation of state ( $p = a\mu + \beta\mu^2$ ) expresses the pressure as a quadratic function of the compression. Experimental techniques are described in detail. Five points are given for the equation of state of Duralumin in the pressure range from approximately 0.15 megabar to 0.33 megabars. Some data are also presented for cadmium and steel. (Authors' abstract)

- 1147 Pearson J and Rinehart J S  
APPLICATION OF THE ENGRAVEMENT METHOD TO THE STUDY  
OF PARTICLE VELOCITY DISTRIBUTION IN EXPLOSIVELY LOADED  
CYLINDERS  
Journal of Applied Physics  
1955, Vol 26, pp. 1431-1435.

Application of the engraving method to the study of particle velocity distribution in the wall of a thick-walled metal cylinder internally loaded with an explosive charge is described. Tests were conducted with this method on modified cylinders of annealed low-carbon steel and of brass. Even though each of the modified cylinders broke into a number of fragments, the engravements were well enough preserved to furnish considerable data. Many measurements were obtained from each cylinder by using a large number of pellets of several thicknesses. Particle velocity data were obtained to within 7/16 inch from the metal explosive interface. Temporal particle velocity distribution curves are presented for each of the cylinders. (Author's abstract)

- 1148 Minshall S  
PROPERTIES OF ELASTIC AND PLASTIC WAVES DETERMINED BY  
PIN CONTACTORS AND CRYSTALS  
Journal of Applied Physics  
1955, Vol. 26, pp. 463-469.

Experimental techniques are described by which one can observe the separation of a shock wave in a metal into an elastic wave and a slower plastic wave. The plastic-wave velocity was about 15 percent less in steel and 10 percent less in tungsten than the elastic-wave velocity, at pressures imparted by Composition B explosive. Elastic-wave velocities were the same, within experimental error, as the measured sound velocities. The pressure in the elastic wave in SAE 1020 steel, deduced from the material and wave velocities, is independent of the plastic-wave pressure within experimental accuracy, and is about 12 kilobars. SAE 1040 steel, however, does not exhibit a single characteristic elastic-wave pressure. The pressure initially is about 6 kilobars and increases to about 12 kilobars before the arrival of the plastic wave. (Author's abstract)

- 1149 Allen W A, Mapes J M and Mayfield E B  
SHOCK WAVES IN AIR PRODUCED BY ELASTIC AND PLASTIC  
WAVES IN A PLATE  
Journal of Applied Physics  
1955, Vol. 26, pp. 125-126.

Letter to the editor describing shock waves in air produced by free surface velocity of plate. Shadow graphs are shown of these waves. Two shock waves shown for brass but only one wave for copper. Steel and lead also reported. No numerical results presented.

- 1150 Savitt J  
A NOTE ON SHOCK PROPAGATION IN BRASS  
Journal of Applied Physics  
1953, Vol. 24, p. 1335.

A theoretical description is given on the propagation of longitudinal waves through a body of large lateral extent. (Plates) Combination of elastic and plastic stresses is investigated.

- 1151 Murgai M P  
APPLICATION OF THE HERTZ THEORY OF IMPACT TO EXPLOSION  
PHENOMENON  
Journal of Chemical Physics  
1954, Vol. 22. 2, pp. 1687-1689.

- 1152 Singh Sampooran  
SPATIAL DISTRIBUTION OF FRAGMENTS OF EXPLOSIVELY  
LOADED THIN-WALLED STEEL CYLINDERS  
Proceedings Physical Society  
1956, Vol. 69-B, pp. 1089-1094.

- 1153 Allen W A and Goldsmith W  
ELASTIC DESCRIPTION OF A HIGH-AMPLITUDE SPHERICAL  
PULSE IN STEEL  
Journal of Applied Physics  
1955, Vol. 26, pp. 69-74.

Extensive calculations have been performed with an electronic calculator to evaluate a problem in elasticity that simulates the effect of a cylindrical charge of high explosive detonated in intimate contact with a steel plate. The general method of calculation has been described in detail. Although elastic theory has been extrapolated into a regime where it is known not to apply, insight of a valuable general nature has been obtained on the nature of the negative component of the pulse. (Author's abstract)

1155

Kumar S and Davids N  
BASIC THEORY OF SCABBING-ELASTO-PLASTIC WAVE PROPAGATION  
Interim Technical Report No. 10, Pennsylvania State University.

Semi-graphical approaches to the propagation of stress pulses in bars created by impacts is presented. This report consists of two main parts, viz., "Stress Jump Approach" and the "Strain Contour Approach." In the first part, after a brief discussion and development of the theory of plastic wave propagation, solutions of a number of problems with various boundary conditions for rectangular and triangular pulses of both long and short duration, are presented. An idealized stress-strain diagram for 14 ST-4 Aluminum alloy obtained in our laboratory has been used for most of the above cases. In the second part, first the theory of contour propagation in the X-T plane is developed and a set of rules that govern their geometrical patterns are presented. Then solutions are provided for most cases of reflections and interactions of the strain and velocity contours that are considered necessary for solving any given problem.  
(Authors' abstract)

1156

Dewey J, Breidenbach H I and Gehring J W  
SOME OBSERVATIONS OF ELASTIC PROPERTIES OF SOLIDS UNDER EXPLOSIVE LOADING  
Ballistic Research Laboratories, Report No. 931.

The strains and shock fronts in a magnesium alloy subjected to a contact detonation have been determined from flash radiographs. From these the stresses and stress-strain ratios for the compressional and shearing strains at the shock fronts have been computed, using finite strain theory. The compressional stress-strain ratio exceeds the infinitesimal and increases rapidly with strain. The shearing stress-strain ratio is considerably lower than the infinitesimal and about that predicted from Murnaghan's second order theory,  $\mu - p$ . Much less complete observations on plate glass and Catalin 61-893 are reported and reduced. Observations on heavier materials give subsonic shock velocities under very high stresses. In all materials except glass the compression front is markedly curved, indicating a rapid decay of shock strength. (Authors' abstract)

1157

Kumar S and Davids N  
MULTIPLE SCABBING IN MATERIALS  
Interim Technical Report No. 4, OOR Project TB2 -0001 (1253), Pennsylvania State University.

This report discusses first, scabbing and multiple scabbing from a phenomenological point of view, then past experiments on scabbing with critical comments. It then suggests new types of experiments and the use of an

inverse approach which could yield information on pulse shapes and some of the dynamic properties of the material. The relationships among these quantities have been determined graphically. (Authors' abstract)

1158

Davids N and Kumar S  
THE BASIC THEORY OF SCABBING IN MATERIALS WITH TWO SOLIDS IN CONTACT, PART I, ELASTIC THEORY  
Interim Technical Report No. 1, OOR Project TB2-0001 (1253), Pennsylvania State University.

Basic relationships for scab formation in a solid are developed from the point of view of elastic materials. Relationships giving the thickness of scabs are obtained for semi-infinite plates and thin rods on the basis of normally-incident pressure pulses of arbitrary form. The effect of a backing medium has been expressed in terms of impedance matching relations between the two media, and these used to determine quantitatively the reduction in stress. Criteria for required thicknesses are developed on the basis of momentum considerations. A preliminary treatment is included for spherically-diverging waves arising from a point explosion in a semi-infinite medium. Some available data are made use of in a discussion for the purpose of evaluating time constants of typical pressure pulses used in the report. (Authors' abstract)

1159

Davids N  
STRESS WAVES OF PENETRATION IN PLATES  
Interim Technical Report No. 12, OOR Project No. TB2-0001 (1253) Pennsylvania State University.

Scabbing effects in plates may be analyzed theoretically by assuming elastic stress-waves excited periodically at a point-source on its boundary. The usual classical results are inaccurate since, first, the damaging wave is the one penetrating through the plate rather than propagating along it, and second, the dimensions of the plate in practical applications are just of the order of a wavelength. A more precise boundary-value problem is worked out and resulting axial stress-wave distributions for aluminum plates are given. (Author's abstract)

1160

Kumar S  
SCABBING IN BARS AND PLATES - FURTHER STUDIES  
Interim Technical Report No. 13, OOR Project TB2-0001(1253) Pennsylvania State University.

Scabbing, a fracture phenomenon in materials, due to stress reversal of strong dynamic loads, is first discussed here from a phenomenological point of view. Then an elastic analysis for determining scab lengths both in bars and plates under plane stress and plane strain is presented. As a further refinement, after explaining briefly and applying the basic theory of

elastoplastic wave propagation in solids, a study is made of scabbing possibilities in bars by semi-graphical methods, and also the basis for the elastoplastic analysis of scabbing in plates. Implications of both the elastic and elastoplastic analyses are compared. Idealized stress-strain relations for 14ST-4 Aluminum, obtained in our laboratory, have been used. (Author's abstract)

- 1161 Duvall G E  
PRESSURE-VOLUME RELATIONS IN SOLIDS  
American Journal of Physics  
1958, Vol. 26, pp. 235-238.
- An equation of state of the form  $P(V) = f(V) + Tg(V)$ , which is useful for condensed matter, is proposed for the illustration of thermodynamic principles. Pressure-volume relations for adiabatic and shock compressions are derived with the assumption that specific heat at constant volume is independent of temperature. These derived relations are illustrated for a "Murnaghan" equation of state, and constants of this equation for several metals are tabulated. (Author's abstract)
- 1162 Duvall G E and Zwolinski B J  
ENTROPIC EQUATIONS OF STATE AND THEIR APPLICATION TO SHOCK WAVE PHENOMENON IN SOLIDS  
Journal of the Acoustical Society of America  
1955, Vol. 27, pp. 1054-1058.
- 1163 Drummond W E  
COMMENTS ON THE CUTTING OF METAL PLATES WITH HIGH EXPLOSIVE CHARGES  
Journal of Applied Mechanics, Trans. ASME,  
1958, Vol. 80, pp. 184-188.
- 1164 Kumar S  
SCABBING AND PULSE PROPAGATION IN MATERIALS  
The Pennsylvania State University Interim Technical Report No. 14  
OOR Research Project No. TB2-0001 (1253).
- 1165 Davids N and Kumar S  
STRESS WAVES AND SCABBING IN MATERIALS  
OOR Technical Memorandum 58-1, May 1958  
(73 references).
- 1166 Katz S, Curran D R and Doran D G  
HUGONIOT EQUATION OF STATE OF ALUMINUM AND STEEL FROM OBLIQUE SHOCK MEASUREMENT  
Stanford Research Institute, Poulter Laboratories, Lab. Technical Report 018-57, December 1957.

A new method for determining the Hugoniot equation of state of solids has been developed. This method uses an oblique shock in a wedge-shaped specimen, cut so that the oblique shock is incident at an angle close to normal over the wedge face. The oblique shock is produced by a slab of explosive, lying on top of the wedge and line-initiated, providing essentially a two-dimensional shock. Simultaneous measurement of shock and free-surface velocities down the wedge face provides the data for calculation of the Hugoniot pressure and density over a wide range on a single shot. In aluminum a pressure range exceeding 2:1 may be observed on a single shot. (Authors' Summary)

1167

Al'tshuler L V, Krupnikov K K, Ledenev B N, Zhuchikhin V I and Brazhnik M I  
THE DYNAMIC COMPRESSIBILITY AND THE EQUATION OF STATE FOR IRON AT HIGH PRESSURES  
Zhur. Eksper. i Teoret. Fiz. 34:874-85, No. 4, April 1958.

The paper describes two methods for measuring the dynamic compressibility of substances. These methods are based on determining the kinematic parameters of shock waves (propagation velocity and the mass velocity of the material behind the wave front). Using these methods in the pressure range from  $4 \times 10^5$  to  $5 \times 10^6$  atm., the adiabatic curves are obtained for the shock compressibility of iron specimens with various initial densities. The resulting experimental data is used to derive the compressibility curve at absolute zero. The curve is extrapolated to pressures for which the statistical models for an atom are valid. (Authors' abstract) (Abstract in Physics Express, July 1958).

1168

Al'tshuler L V, Krupnikov K K and Brazhnik M I  
THE DYNAMIC COMPRESSIBILITY OF METALS AT PRESSURES FROM FOUR HUNDRED THOUSAND TO FOUR MILLION ATMOSPHERES  
Zhur. Eksper. i Teoret. Fiz. 34:886-93, No. 4, April 1958.

The paper presents a method for determining pressures and densities under conditions of shock compression. The method is based on measuring the propagation velocities for high-power shock waves. The method was used to measure the dynamic compressibility of copper, zinc, silver, cadmium, tin, gold, lead and bismuth in the pressure range  $4 \times 10^5$  to  $4 \times 10^6$  atm. The highest degrees of compression (2.26 and 2.28 times) were observed in zinc and bismuth (i. e., for elements with large atomic volumes). The highest absolute density ( $32.7 \text{ g/cm}^3$ ) was registered for gold. (Abstract in Physics Express, July 1958).

Allen W A, Mapes J M and Mayfield E B  
SHOCK WAVES IN AIR PRODUCED BY WAVES IN A PLATE  
Journal of Applied Physics  
1955, Vol. 26, pp. 1173-1175.

A shadowgraphic technique has been used to measure surface motion of a series of steel plates while they deform under impact caused by 1/2-in. diameter steel cylinders fired into their back surfaces at about 2800 ft/sec. The strength of the air shock produced when an initial longitudinal wave in a plate strikes the free surface of the plate has been inferred from the measured shock wave velocity in the air. The shock strength has been related to particle velocity of the surface of the plate. The results are compared to previous work involving contact explosions of small charges on plates. (Authors' abstract)

## BEHAVIOR OF METALS UNDER EXPLOSIVE CONDITIONS

### Chronological Listing

Year	Reference number(s)								
1958	1116	1138	1139	1161	1167	1168	1163	1165	
1957	1117	1135	5	1140	1166				
1956	1114	1136	1152						
1955	1106	1115	1118	1119	1131	1145	1146	1147	1148
	1149	1153	1169	1162					
1954	1130	1134	1141	1142	1143	1144	1151		
1953	1101	1102	1103	1105	1120	1122	1150		
1952	1109	1121	1124	1127	1128	1129			
1951	1104	1107	1108	1110	1112				
1950									
1949	1125	1132	1133						
1948	1111								
1947									
1946									
1945									
1944	1126								
1943									
1942									
1941									
1936	1113								

DYNAMIC PHOTOELASTICITY AND RELATED TOPICS  
(2000-2099)

DYNAMIC PHOTOELASTICITY AND RELATED TOPICS  
(2000-2099)

Bibliography

- 2001 Frocht M M  
KINEMATOGRAPHY IN PHOTOELASTICITY  
Transactions American Society of Mechanical Engineers  
1932, Vol. 54, p. APM 54-9.
- Moving pictures are presented showing stress fluctuations in a beam due to impact of a falling weight. Camera Speed limited to 64 frames/sec.
- 2002 Foeppel L  
SLOW MOTION PICTURES OF IMPACT TESTS BY MEANS OF PHOTOELASTICITY  
Journal of Applied Mechanics  
Transactions American Society of Mechanical Engineers  
1949, Vol. 71, p. 173.
- Moving pictures are presented showing the stress fluctuation in beams due to the impact of a hammer. Both elastic and plastic conditions are shown. Camera speed maximum of 3020 frames/sec.
- 2003 Perkins H C  
MOVIES OF STRESS WAVES IN PHOTOELASTIC RUBBER  
Journal of Applied Mechanics, Trans. ASME  
1953, Vol. 75, p. 140.
- Moving pictures are presented which show stress waves propagating in photoelastic rubber specimens. Camera speed maximum of 5000 frames/sec.
- 2004 Frocht M M and Flynn P D  
STUDIES IN DYNAMIC PHOTOELASTICITY  
Journal of Applied Mechanics, Trans. ASME  
1956, Vol. 78, p. 116.
- Equipment and techniques are described for obtaining dynamic photoelastic stress patterns by means

of streak photography. Dynamic photoelastic stress patterns showing stress-wave propagation are given for a bar struck axially by a rigid mass. 1, 500, 000 equivalent exposures/sec.

- 2005 Durelli A J and Riley W E  
EXPERIMENTS FOR THE DETERMINATION OF TRANSIENT STRESS AND STRAIN DISTRIBUTION IN TWO-DIMENSIONAL PROBLEMS  
Journal of Applied Mechanics, Trans. ASME  
1957, Vol. 79, p. 69.

A photoelastic material of low modulus of elasticity is developed for use in stress-wave propagation studies. Dynamic and static photoelastic and mechanical properties are investigated and methods are described. Photographs of fringe patterns are shown for circular discs and beams subjected to impact. Camera speed 14, 000 frames/sec.

- 2006 Sutton G W  
A PHOTOELASTIC STUDY OF STRAIN WAVES CAUSED BY CAVITATION  
Journal of Applied Mechanics, Trans. ASME  
1957, Vol. 79, p. 340  
Discussion Journal of Applied Mechanics  
1958, Vol. 80, pp. 298-299.

Ultra-high-speed photoelastic techniques have been applied to a study of the transient stresses and strains in a photoelastic plastic when subject to cavitation. Cavitation bubbles have been photographed collapsing on the surface of a photoelastic specimen and the resulting strain wave has been photographed. The static and dynamic properties of CR-39 are determined. Camera speed 1, 000, 000 frames/sec.

- 2007 Betser A A and Frocht M M  
A PHOTOELASTIC STUDY OF MAXIMUM TENSILE STRESSES IN SIMPLY SUPPORTED SHORT BEAMS UNDER CENTRAL TRANSVERSE IMPACT  
Journal of Applied Mechanics, Trans. ASME  
1957, Vol. 79, p. 509  
Discussion Journal of Applied Mechanics  
1958, Vol. 80, p. 305.

Photoelastic streak photographs were taken for beams subjected to the impact of a heavy mass. This article is primarily concerned with the interpretation of results of this study. Experimental techniques are not fully discussed.

- 2008 Frocht M M, Flynn P D and Landsberg D  
DYNAMIC PHOTOELASTICITY BY MEANS OF STREAK PHOTOGRAPHY  
Proceedings Society for Experimental Stress Analysis  
1957, Vol. 14, No. 2, p. 81.
- A review of literature on high-speed photography and dynamic photoelasticity is presented. Equipment and techniques for streak photography are described in detail.
- 2009 Senior D A and Wells A A  
A PHOTOELASTIC STUDY OF STRESS WAVES  
Philosophical Magazine  
1946, Series 7, Vol. 37, pp. 463-469.
- This article shows the first photographs of stress-wave propagation by photoelastic means.
- 2010 Findley W N  
THE FUNDAMENTALS OF PHOTOELASTICITY APPLIED TO DYNAMIC STRESSES  
Ninth Semi-Annual Eastern Photoelasticity Conference, 13 May 1939, p. 1-11, published by the College of Engineering, Cornell University.
- 2011 Riparbelli C, Boehler G and Hitch H  
PHOTOELASTIC ANALYSIS OF IMPACT STRESS PROPAGATION IN TWO DIMENSIONS (See also 2028)  
Fluid Dynamic Division, American Physical Society, Cornell University (Unpublished).
- 2012 Tuzi Z  
PHOTOGRAPHIC AND KINEMATOGRAPHIC STUDY OF PHOTOELASTICITY  
Scientific Papers of the Institution of Physical and Chemical Research  
20 June 1928, Vol. 8, No. 149, pp. 247-267.
- 2013 Frocht M M and Flynn P D  
A PHOTOELASTIC STUDY OF DYNAMIC STRESSES IN STRUCTURES  
Technical Report to the U.S. Navy Bureau of Docks and Yards, U. S. Naval Civil Engineering Research and Evaluation Laboratory, Structures Research Department Port Hueneme, California, Contract No. -28149, Project Order 10703  
30 June 1952.
- 2014 Tuzi Z and Nisida M  
PHOTOELASTIC STUDY OF STRESSES DUE TO IMPACT  
Scientific Papers of the Institution of Physical and Chemical Research  
April 1935, Vol. 26, No. 566, pp. 277-309; also  
Philosophical Magazine, 1936, Series 7, Vol. 21, pp. 448-473.

- 2015 Feder J C, Gibbons R A, Gilbert J T and Offenbacher E L  
THE STUDY OF THE PROPAGATION OF STRESS WAVES BY PHOTO-  
ELASTICITY  
Proceedings of The Society for Experimental Stress Analysis  
1956, Vol. XIV, No. 1, pp. 109-122.

The propagation of stress waves in CR-39 plastic is shown. Propagation is instigated by the impact of rod and by the explosion of blasting caps in contact with the specimen. Maximum photo speed was 1.25 microsec between frames. Results are analyzed in terms of wave propagation theory.

- 2016 Betser A A, Flynn P D and Frocht M M  
ON THE STRESS-OPTIC LAW UNDER IMPACT LOADINGS  
Technical Report No. 3 to the Office of Ordnance Research, U. S.  
Army Contract DA-11-022-1609, November 1956.

- 2017 Flynn P D  
STUDIES IN DYNAMIC PHOTOELASTICITY  
Ph.D. Thesis, Illinois Institute of Technology, Chicago, Illinois  
June 1954.

- 2018 Betser A A  
STUDIES IN DYNAMIC PHOTOELASTICITY: FRINGE VALVES AND  
BEAMS UNDER IMPACT  
Ph.D. Thesis, Illinois Institute of Technology, Chicago Illinois  
June 1956.

- 2019 Clark A B J  
STATIC AND DYNAMIC CALIBRATION OF A PHOTOELASTIC  
MODEL MATERIAL, CR-39  
Proceedings Society for Experimental Stress Analysis  
1956, Vol. XIV No. 1, pp. 195-204.

- 2019 Clark A B J  
STATIC AND DYNAMIC CALIBRATION OF A PHOTOELASTIC  
MODEL MATERIAL, CR-39  
Proceedings Society for Experimental Stress Analysis  
1956, Vol. XIV No. 1, pp. 195-204.

A thorough investigation of the properties of CR-39 is conducted. Dynamic properties are determined by passing a stress wave through the material and using a photocell to record lightness and darkness (i. e. passage of different fringes). Techniques are fully discussed and results are analyzed.

- 2020 Christie D G  
REFLECTION OF ELASTIC WAVES FROM A FREE BOUNDARY  
Philosophical Magazine,  
May 1955, Vol. 46 Part 1, pp. 527-541.

The photoelastic technique is used in studying the problem of reflection of stress waves at a free boundary. Photographs shown are very clear and show the reflection very descriptively. Multiple spark camera was used which could take successive pictures at times ranging from 5 microsec to 50 microsec. Very clear photographs.

- 2021 Zandman F  
A PHOTOELASTIC STUDY OF RUPTURE UNDER PURE FLEXURE  
Compt. Rend. Académie des Sciences (Paris)  
1952, Vol. 234, pp. 2337-2339.
- 2022 Volterra E  
SOME RESULTS OF THE DYNAMIC TESTING OF MATERIALS  
Riv. Nuovo, Cim.,  
1948, Vol. 4, pp. 1-28.
- 2023 Schwieger H  
PHOTOELASTIC SHOCK INVESTIGATIONS IN THIN GLASS BARS  
Ann. Phys. (Leipzig)  
1955, Vol. 16, pp. 119-133.
- 2024 Schwieger H and Dietz H  
OPTICAL POLARIZATION EXPERIMENTS ON THE ELASTIC IMPACT  
THEORY OF ST. VENANT AND FLAMANT  
Ann. Phys. (Leipzig)  
1955, Vol. 16, pp. 306-321.
- 2025 Frocht M M and Betser A A  
A PHOTOELASTIC STUDY OF MAXIMUM TENSILE STRESSES IN  
SIMPLY SUPPORTED BEAMS UNDER CENTRAL TRANVERSE IMPACT  
Technical Report, OOR Contract No. DA-11-022-ORD-1609,  
October 1955.

- 2026 Stanton J S  
A METHOD OF ASSESSING TRANSIENT STRESSES IN PHOTOELASTIC  
SUBSTANCES  
Review of Scientific Instruments  
1949, Vol. 20, p. 139.

A brief half page note showing a photograph as an indication that photoelasticity can be used to study transient stress phenomena.

- 2027 Murray W M  
A PHOTOELASTIC STUDY IN VIBRATION  
Journal of Applied Physics  
1941, Vol. 12, pp. 617-622.

A photoelastic study of steady state vibration of a cantilever beam. Moving pictures not taken.

2028 Riparbelli C, Hitch H and Boehler G  
PHOTOELASTIC STRESS ANALYSIS OF A SHOCK LOADED STRUCTURE  
Paper presented at Meeting of the Division of Fluid Dynamics,  
American Physical Society, Ithaca, New York, 11-12 September 1951  
Abstract in Physical Review, 1951, Vol. 84, p. 614.

The analysis of stress propagation in solids of nonconstant section has occasioned the development of this technique, of which some of the first results are presented. High velocity moving pictures (4000 frames per second) were taken in the polariscope of specimens made out of gelatin. The specimens were struck by a hammer at various velocities between zero and 30 ft/sec \_\_\_\_\_. Moving pictures of isochromatic patterns are presented with emphasis on the boundary effects in plates of various shapes. \_\_\_\_\_.

2029 Jahn R G  
PHOTOELASTIC STRESS ANALYSIS OF A SHOCK LOADED STRUCTURE  
Paper presented at Meeting of the Division of Fluid Dynamics,  
American Physical Society, Ithaca, New York, 11-12 September 1951  
Abstract in Physical Review, 1951, Vol. 84, p. 612  
Also Princeton University Department of Physics Technical Report  
II-9 Contract NRO61-020, N6ORi-105.

To study the form and intensity of the stress distributions set up inside an object subjected to a shock wave, a solid model of photoelastic Bakelite was mounted in the shock tube and the stress progressions in it analyzed by means of a conventional circular polariscope. \_\_\_\_\_ (p - q) patterns were taken at 10 - 20 microsec intervals starting at the time of impact. \_\_\_\_\_.

2030 Sutton G W  
A STUDY OF THE APPLICATION OF PHOTOELASTICITY TO THE INVESTIGATION OF STRESS WAVES  
Ph.D. Thesis, California Institute of Technology, Pasadena, California, 1955.

A detailed account is given of the determination of the static and dynamic optical and mechanical properties of CR-39. The suitability of photoelastic techniques for investigating stress waves is analyzed very carefully.

2031 Kolsky H  
A PHOTOELASTIC INVESTIGATION OF THE HARDNESS OF PLASTIC AND GLASS  
Transactions Society of Glass Technology  
1952, Vol. 36, p. 54.

2032 Kolsky H and Christie O G  
THE FRACTURES PRODUCED IN GLASS AND PLASTICS BY THE STRESS OF WAVES  
Transactions Society of Glass Technology  
1952, Vol. 36, p. 65.

2033 Post D  
A NEW PHOTOELASTIC INTERFEROMETER SUITABLE FOR STATIC  
AND DYNAMIC MEASUREMENTS  
Proceedings Society for Experimental Stress Analysis  
1954, Vol. 12, No. 1, pp. 191-202.

2034 Marshall D F  
THE DYNAMIC STRESS-OPTIC COEFFICIENT OF PERSPEX  
Proceedings Physical Society of London  
1957, Series B, Vol. 70, pp. 1033-1039.

2035 Pugh E M, Heine-Geldern R V, Foner S and Mutschler E C  
GLASS CRACKING CAUSED BY HIGH EXPLOSIVES  
Journal of Applied Physics  
1952, Vol. 23, pp. 48-53.

High-speed photographs have been obtained of the fracture of glass produced by the detonation of a high explosive charge. Using photoelastic methods, the shock waves set up in the glass can also be photographed.  
Fringe patterns  
not shown in data obtained.

2036 Wells A A and Post D  
DYNAMIC STRESS DISTRIBUTION SURROUNDING A RUNNING  
CRACK, A PHOTOELASTIC ANALYSIS  
Office of Technical Service, P. B. 121987.

2037 Hetenyi M  
A STUDY IN PHOTOPLASTICITY  
Proceedings of the First U. S. National Congress of Applied  
Mechanics, Ann Arbor, Michigan, 1952, pp. 499-502.

2038 Fried B and Shoup N H  
A STUDY IN PHOTOPLASTICITY  
TR No. 3, ONR Contract N7onr-330-III NR064-121, State College of  
Washington, May 1953.

2039 Nisida M, Hondo M and Hasunuma T  
STUDIES OF PLASTIC DEFORMATION BY THE PHOTOPLASTIC  
METHOD  
Proceedings Sixth Japanese National Congress of Applied Mechanics,  
University of Kyoto, Japan, October 1956, pp. 137-140.

A proposal is made to use celluloid to represent an elastoplastic material such as a non-strain-hardening metal, and to determine stress and strain patterns in the plastic range by photoelastic techniques. The few simple examples tested indicate that not only can the plastic stress and strain distribution be determined but also the residual stress pattern after unloading can

be found. Although the time for a complete test is relatively long, the method shows considerable promise for at least qualitative studies of elasto-plastic materials in the plastic range.

- 2040 Bayoumi S E A and Frankl E K  
FUNDAMENTAL RELATIONS IN PHOTOPLASTICITY  
British Journal of Applied Physics  
October 1953, Vol. 4, pp. 306-310.
- A fundamental procedure for photoplastic investigations is proposed. This consists of taking two fringe photographs of the same model, one under load, the second immediately after removal of load. The difference between fringe counts at corresponding points gives the stress difference which in elastic problems is derived from a single photograph. (From authors' summary)
- 2041 THEORY AND APPLICATION OF PHOTOELASTICITY IN THE ELASTO-PLASTIC REGION (German)  
Zeitschrift des Vereines Deutscher Ingenieure, Düsseldorf  
January 1955, Vol. 97, pp. 49-58.
- 2042 Monch E  
THE DISPERSION OF DOUBLE REFRACTION AS A MEASURE OF PLASTICITY IN PHOTOELASTIC INVESTIGATIONS (German)  
Forschungsarbeiten auf dem Gebiet des Ingenieurwesen, Berlin.
- 2043 Fried B  
SOME OBSERVATIONS ON PHOTOELASTIC MATERIALS STRESSED BEYOND THE ELASTIC LIMIT  
Proceedings Society for Experimental Stress Analysis  
1951, Vol. 8, No. 2, pp. 143-148.
- 2044 Garvin Elsie L  
BIBLIOGRAPHY ON HIGH-SPEED PHOTOGRAPHY  
Eastman Kodak Company, Rochester, New York,  
September 1956. (840 references)
- 2045 BIBLIOGRAPHY ON HIGH-SPEED PHOTOGRAPHY INCLUDING SCHLIEREN AND CATHODE-RAY OSCILLOSCOPE PHOTOGRAPHY  
Journal of the Society of Motion Picture and Television Engineers  
1953, Vol. 61, pp. 749-757. (210 references)
- 2046 Edgerton H E and Barstow F E  
FURTHER STUDIES OF GLASS FRACTURE WITH HIGH-SPEED PHOTOGRAPHY  
Journal of American Ceramic Society  
1941, Vol. 24, pp. 131-137.

- 2047 Christie D G  
AN INVESTIGATION OF CRACKS AND STRESS WAVES IN GLASS  
AND PLASTICS BY HIGH-SPEED PHOTOGRAPHY  
Transactions of the Society of Glass Technology  
1952, Vol. 36, pp. 74-89.
- 2048 Hetenyi M and Kilner D D  
AN IMAGE DISSECTOR CAMERA FOR DYNAMIC STUDIES  
Presented at the Spring Meeting of the Society for Experimental  
Stress Analysis, Los Angeles, California, April 1955.
- 2049 Schardin H  
RESULTS OF KINEMATOGRAPHIC INVESTIGATION OF THE GLASS  
FRACTURE PHENOMENON (German)  
Glastechnische Berichte, January, March, and December 1950, Vol. 23,  
pp. 1-10, 67-79, and 325-336.
- 2050 Courtney-Pratt J S  
A REVIEW OF THE METHODS OF HIGH-SPEED PHOTOGRAPHY  
Reports of the Physical Society on Progress in Physics  
1957, Vol. 20, pp. 379-432. (130 references)
- 2051 Goldsmith W and Norris G W  
STRESSES IN CURVED BEAMS DUE TO TRANSVERSE IMPACT  
Paper presented at Third U. S. National Congress of Applied  
Mechanics, Brown University, June 1958  
Abstract in Journal of Applied Mechanics, 1958, Vol. 25, p. 167.
- 2052 Frocht M M and Thomson R A  
STUDIES IN PHOTOPLASTICITY  
Paper presented at Third U. S. National Congress of Applied  
Mechanics, Brown University, June 1958  
Abstract in Journal of Applied Mechanics, 1958, Vol. 25, p. 173.
- 2053 Ellis A T  
TECHNIQUES FOR PRESSURE PULSE MEASUREMENT AND  
HIGH-SPEED PHOTOGRAPHY IN ULTRASONIC CAVITATION  
Hydrodynamics Laboratory, California Institute of Technology  
Report No. 21-20, July 1955.
- 2054 Eisner R L  
REVERSIBLE PHOTOELECTRIC FRINGE COUNTING  
Review of Scientific Instruments  
June 1958, Vol. 29.

Simple modifications of a Fizeau interferometer are shown which give a sense of direction to the passing fringes, enabling a suitable counting system to operate reversibly. Very fast counts can be made accurately using an electronic circuit actuated by four phototubes sighted on four points in the fringe pattern. An oscilloscope display can be used for fractional fringe interpolation. (Author's abstract)

## DYNAMIC PHOTOELASTICITY AND RELATED TOPICS

### Chronological Listing

Year	Reference number(s)							
1958	2051	2054						
1957	2005	2006	2007	2008	2034	2036	2050	
1956	2004	2015	2016	2018	2019	2039	2044	
1955	2020	2023	2024	2025	2030	2041	2048	2053
1954	2017	2033						
1953	2003	2038	2040	2045				
1952	2013	2021	2031	2032	2035	2037	2047	
1951	2011	2028	2029	2043				
1950	2049							
1949	2002	2026						
1948	2022							
1946	2009							
1941	2027	2046						
1939	2010							
1935	2014							
1932	2001							
1928	2012							

PENETRATION PHENOMENA  
(3000-3099)

Subtopics

Hypervelocity impact; ballistic penetration and cratering due to projectile impact.

PENETRATION PHENOMENA  
(3001-3099)

Bibliography

- 3001      Zaid M and Paul B  
          MECHANICS OF HIGH SPEED PROJECTILE PERFORATION  
          Journal of the Franklin Institute  
          1957, Vol. 264, pp. 117-126.
- 3002      Paul B and Zaid M  
          NORMAL PERFORATION OF A THIN PLATE BY TRUNCATED  
          PROJECTILES  
          Journal of the Franklin Institute  
          1958, Vol. 265, pp. 317-335.
- 3003      Zaid M and Paul B  
          ARMOR PENETRATION SURVEY  
          Ordnance  
          January 1956, pp. 609-611.
- 3004      Van Valkenburg M E, Clay W G and Huth J H  
          IMPACT PHENOMENA AT HIGH SPEEDS  
          Journal of Applied Physics  
          1956, Vol. 27, pp. 1123-1129.

An analytical investigation is made of the perforation of a thin plate by truncated projectiles. Solutions are presented in graphical form. The strength of the plate is assumed to be negligible, which experimental data show is accurate for high velocities. Solutions are primarily concerned with loss of projectile velocity as it passes through the plate.

A study of high speed, metal-to-metal impact in the velocity range of 1 to 5 mm/ $\mu$  sec using 1/8 inch diameter spherical pellets is described\_\_\_\_\_. Experiments relating to the mechanism of cratering and the perforation of thin targets are presented\_\_\_\_\_. (Authors' abstract)

Projectiles given high velocities by putting a hollow cone in one face of a cylindrical explosive charge.

- 3005 Allen W A, Mayfield E B and Morrison H L  
DYNAMICS OF A PROJECTILE PENETRATING SAND  
Journal of Applied Physics  
1957, Vol. 28, pp. 370-376.
- The results of an experiment are presented for the case of a nonrotating projectile penetrating randomly-packed sand. Results are interpreted in terms of theories of penetration. See also article 3006.
- 3006 Allen W A, Mayfield E B and Morrison H L  
DYNAMICS OF A PROJECTILE PENETRATING SAND, PART II  
Journal of Applied Physics  
1957, Vol. 28, pp. 1331-1335.
- 3007 Huth J H, Thompson J S and Van Valkenburg M E  
SOME NEW DATA ON HIGH-SPEED IMPACT PHENOMENA  
Journal of Applied Mechanics, Trans. ASME  
1957, Vol. 79, pp. 65-68.
- This article presents a summary of some recent experimental work aimed at evaluating the role of various physical parameters in high-speed impact phenomena. Depth of cratering in thick targets is the main interest in this investigation. Impact velocities about 10,000 fps.
- 3008 Bluhm J I  
STRESSES IN PROJECTILES DURING PENETRATION  
Proceedings Society for Experimental Stress Analysis  
1956, Vol. 13, No. 2, pp. 167-182.
- Stresses in a projectile during penetration of a thin plate are measured by attaching SR-4 type strain gages to a stationary projectile and firing a plate at the projectile. Force versus time records are obtained at velocities of from 400 to 3000 fps.
- 3009 Craggs J  
THE NORMAL PENETRATION OF A THIN ELASTIC-PLASTIC PLATE BY A RIGHT CIRCULAR CONE  
Proceedings Royal Society of Edinburg  
1951-52, Vol. 63, p. 359.
- 3010 Rinehart J S  
SOME OBSERVATIONS ON HIGH SPEED IMPACT  
Popular Astronomy  
1950, Vol. 58, pp. 458-464.
- This article was presented to a meeting of the Meteoritical Society. The results of high speed impact tests are summarized as an indication of the craters formed by the impact of meteors. The meteor crater in Arizona is discussed.

- 3011 Birkhoff G, MacDougall D P, Pugh E M and Taylor Sir G  
EXPLOSIVES WITH LINED CAVITIES  
Journal of Applied Physics  
1948, Vol. 19, pp. 563-582.
- This article summarizes the armor penetration work performed during the World War II with shaped charges. The mechanism of penetration by the jet formed by the liner, and the slug formed by the liner is discussed. Mathematical expressions are developed for the formation of the jet and the slug. Photographs are shown of various penetrations.
- 3012 Gehring J W  
OBSERVATIONS ON HIGH SPEED PELLETS AND THEIR IMPACT UPON TARGET PELLETS  
B. R. L. Memorandum Report No. 704, 1953 (Unclassified)  
Aberdeen Proving Ground, Maryland.
- 3013 Van Valkenburg M E  
MODELING OF HIGH SPEED IMPACT THROUGH THE USE OF PLASTICS  
1955, OSR Report No. 1, University of Utah.
- 3014 Van Valkenburg M E and Hendricks C D  
METHOD FOR PRODUCING HIGH- VELOCITY METALLIC AND PLASTIC PELLETS  
Journal of Applied Physics  
1955, Vol. 26, pp. 776.
- 3015 Masket A V  
THE MEASUREMENT OF FORCES RESISTING ARMOR PENETRATION  
Journal of Applied Physics  
1949, Vol. 20, pp. 132-140.
- This paper summarizes the experimental and theoretical status of the optical chronograph developed in the course of ballistic research at the Naval Research Laboratory. The instrument together with a simple procedure for analysis of data, is capable of yielding the position velocity and deceleration of a non-plastically deforming small arms projectile during armor penetration.
- (Author's abstract)
- 3016 Lindsay J L and Masket A V  
ULTRA-SPEED TRANSIENT DYNAMIC ANALYZER FOR MECHANICS AND BALLISTICS  
Review of Scientific Instruments  
1954, Vol. 25, pp. 704-711.

A photoelectronic apparatus has been developed which makes possible the continuous simultaneous measurement of the depth of penetration, the speed, and the deceleration of a nondeforming small-caliber projectile during armor penetration. The basic operating principle of the apparatus is to have the flight path of the projectile pass perpendicularly through a thin parallel light beam of uniform intensity which activates a vacuum type phototube \_\_\_\_\_.  
(Authors' abstract)

Decelerations as high as  $10^8$  ft/sec<sup>2</sup> ±2%.

- 3017 Beth R A  
CONCRETE PENETRATION  
1945, OSRD 4856.
- 3018 Bethe H A  
AN ATTEMPT AT A THEORY OF ARMOR PENETRATION  
1941, Ordnance Laboratory, Frankford Arsenal.
- 3019 Rinehart J S and White W C  
SHAPES OF CRATERS FORMED IN PLASTER OF PARIS BY ULTRA-SPEED PELLETS  
American Journal of Physics  
1952, Vol. 20, p. 14.
- 3020 Thompson L T E and Scott E B  
A MOMENTUM INTERPRETATION OF PENETRATION DATA  
Memorial de l'artillerie Francaise  
1927, Vol. 6, p. 1253.
- 3021 Pugh E M, Heine-Geldren R V, Foner S and Mutschler E C  
KERR CELL PHOTOGRAPHY OF HIGH SPEED PHENOMENA  
Journal of Applied Physics  
1951, Vol. 22, p. 487.
- 3022 Spells K E  
VELOCITIES OF STEEL FRAGMENTS AFTER PERFORATION OF STEEL PLATES  
Proceedings Physical Society of London  
March 1951, Series B, Vol. 64, pp. 212-218.
- 3023 Pack D C and Evans W M  
PENETRATION BY HIGH VELOCITY JETS I, II  
Proceedings Physical Society of London  
April 1951, Series B, pp. 298-310.

- 3024 Sonntag G  
CRITICAL CONSIDERATIONS OF THE DYNAMIC RESISTANCE OF A  
PLATE CONSISTING OF SEVERAL LAYERS, STRESSED BY IMPACT  
(German)  
Zeitschrift für Angewandte Mathematik and Mechanik, Berlin  
May 1949, Vol. 29, pp. 157-159.

The author considers two cases of impact stress in a plate consisting of several layers. \_\_\_\_\_.  
The author investigates the question of whether it is of advantage to divide the plate into several layers in order to reduce the impact force, decrease the deceleration of the point of impact and thereby decrease the shear stress around the impact center \_\_\_\_\_  
(Abstract as it appears in Applied Mechanics Review).

- 3025 Nishiwaki J  
RESISTANCE TO THE PENETRATION OF A BULLET THROUGH AN ALUMINUM PLATE  
Journal of the Physical Society of Japan, Tokyo  
September-October 1951, Vol. 6, pp. 374-378.

- 3026 Heine-Geldren R V and Pugh E M  
THE PHOTOGRAPHY OF HIGH-SPEED METALLIC JETS  
Meteoritics  
1953, Vol. 1, No. 1, pp. 5-10.

- 3027 Rostoker N  
THE FORMATION OF CRATER'S BY HIGH SPEED PARTICLES  
Meteoritics  
1953, Vol. 1, No. 1, pp. 11-27.

This article is a study of the craters formed by high-speed particles ( $>10,000$  ft/sec). The theories of Öpik are compared to the theory that has been used for lower velocities (volume of crater proportional to kinetic energy). Experimental results are shown.

Problem is well discussed.

- 3028 Allen W A, Mapes J M and Wilson W G  
AN EFFECT PRODUCED BY OBLIQUE IMPACT OF A CYLINDER ON A THIN TARGET  
Letter in Journal of Applied Physics  
1954, Vol 25, pp. 675-676.

Letter to the editor describes a phenomenon observed when a circular steel cylinder is fired at ordnance velocities at thin lead targets (0.005 - 0.010 in).

If a critical angle of incidence of the projectile on the target is exceeded the front surface of the cylinder is marked by a series of ridges. Photographs are shown of the phenomenon.

- 3029 Rinehart J S  
SURFACE ENERGY, A MODE FOR ENERGY ABSORPTION DURING  
IMPACT  
American Journal of Physics  
1953, Vol. 21, pp. 305-307.

The role that pulverization of the target material may play in absorbing the energy of an impacting missile is discussed. The energy absorbed depends upon the area of the new surfaces formed. Correlation is made to impact of meteorites.

- 3030 Krafft J M  
SURFACE FRICTION IN BALLISTIC PENETRATION  
Journal of Applied Physics  
1955, Vol. 26, pp 1248-1254.

The frictional adhesion between projectile and target during a ballistic penetration has been measured with a torsion-type Hopkinson bar. The apparatus allows measurement of the torsional adhesion of a spinning projectile during target penetration. By assuming the friction resisting rotation to be equal to that resisting axial penetration, the energy loss due to friction was computed. The results show that the torque time pattern during penetration of a "mechanically" clean projectile can be predicted with the assumption of a frictional energy loss just sufficient to keep the sliding surfaces at the melting temperature of the metal. Metallographic analysis of the target metal at the projectile interface gives a further indication of a molten interface. In these tests, sliding friction accounts for about 3 per cent of the striking energy of the projectile common surface contaminants, not necessarily special lubricants, reduce this loss to less than 1 per cent. (Author's abstract)

- 3031 Thomson W T  
AN APPROXIMATE THEORY OF ARMOR PENETRATION  
Journal of Applied Physics  
1955, Vol. 26, pp. 80-82.

The problem of armor penetration of thin plates is considered from a quasi-dynamical approach. Equations are derived for the energy dissipation due to plastic deformation and for heating of the projectile target interface. Both the conical and the ogival head are considered in the application of the general equations. (Author's abstract)

- 3032 de Callatay X  
BEHAVIOR OF METALS UNDER IMPACT LOADING AND THE  
MECHANISM OF CRATERING  
University of Utah, Institute for the Study of Rate Processes, October 1956  
Library of Congress P. B. 125534.

- 3033 Kinser G D, Masket A V H and Streeter J R  
MEASUREMENT OF FORCES WHICH RESIST PENETRATION OF STJ  
ARMOR, MILD STEEL AND 24 ST Aluminum  
April 1944, U. S. Naval Research Laboratory  
Library of Congress P. B. 120710.
- 3034 Kinser G D  
PENETRATION OF FACE-HARDENED BULLET-PROOF ARMOR BY  
SOLID CALIBER .27 BULLET  
May 1944, U. S. Naval Research Laboratory.
- 3035 Irwin G. R and Webster R A  
EFFECT OF YAW UPON PENETRATION: THE EFFECT UPON BULLETS  
PENETRATING VERY THIN DURALUMIN SHEETS; THE USE OF SHIELD-  
ING STRUCTURES IN THE FORM OF GRARRINGS. FIFTH PARTIAL  
REPORT ON LIGHT ARMOR  
June 1939, U. S. Naval Research Laboratory  
Library of Congress P. B. 122806.
- 3036 Kinser G D and Jantzen A C  
VELOCITY LOSS OF A 1/2 INCH MODEL PROJECTILE WHEN IT PEN-  
ETRATES 1/32 INCH COLD-ROLLED SHEET STEEL  
March 1944, U. S. Naval Research Laboratory  
Library of Congress P. B. 120743.
- 3037 Kinser G D  
EFFECTS OF TEMPERATURE ON THE RESISTANCE TO IMPACT PEN-  
ETRATION AND HARDNESS OF SOFT HOMOGENEOUS ARMOR AND  
FACE-HARDENED BULLET-PROOF STEEL AND A DESCRIPTION OF  
A NEW BASIC FEATURE OF IMPACT PENETRATION  
June 1942, U. S. Naval Research Laboratory  
Library of Congress P. B. 120678.
- 3038 Clay W G and Partridge W  
WAX MODELING STUDIES OF HIGH-SPEED IMPACT  
June 1956, Utah University  
Library of Congress P. B. 123452.
- 3039 Partridge W S and Clay W G  
STUDIES OF HIGH-VELOCITY IMPACT IN WAX  
Journal of Applied Physics  
1958, Vol. 29, No. 6, pp. 939-942.

Wax targets are used to study the condition when impact velocities are greater than the sonic velocity of the target. The penetration was found to vary linearly with the cube root of the pellet velocity up to velocities in excess of twice the sonic velocity of the target material.

- 3040 Backman M E  
ELASTIC AND PLASTIC BEHAVIOR IN SIMPLE TARGET-PROJECTILE  
SYSTEMS  
NAVORD Report 5593.

The dynamic interaction of steel projectiles striking aluminum alloy plates at normal incidence has been investigated for geometrically simple projectiles. Observations on the penetration craters formed by flat-nose projectiles and certain idealized stress wave considerations lead to a theory of cavity formation. This can be formulated quantitatively as the relationship of the depth of penetration to (1) impact velocity, (2) certain functions of the characteristic impedances of the target and projectile materials, and (3) an empirically determined dynamic elastic limit. This theory agrees with measurements for small projectiles traveling at velocities between 300 and 850 meters/sec. Velocity ranges of dominantly elastic and dominantly plastic target behavior can be identified. (Author's abstract)

- 3041 Atkins W W  
FLASH ASSOCIATED WITH HIGH-VELOCITY IMPACT ON ALUMINUM  
Journal of Applied Physics  
1955, Vol. 26, p. 126.

- 3042 Rinehart J S  
GUIDE TO THE SUCCESSFUL PROPULSION OF A SOLID OBJECT  
BY AN EXPLOSIVE CHARGE  
Journal of Applied Physics  
1955, Vol. 26, p. 1518.

- 3043 Sponsored by U. S. Naval Research Laboratory and  
The Air Research and Development Command  
PROCEEDINGS OF THE SECOND HYPERVELOCITY AND IMPACT  
EFFECTS SYMPOSIUM  
December 1957.

- 3044 Sponsored by U. S. Army, Navy and Air Force  
Host: Armour Research Foundation  
PROCEEDINGS OF THE THIRD SYMPOSIUM ON HYPERVELOCITY  
IMPACT  
Held 7-9 October 1958.

- 3045 Bloxsom D E  
USE OF CAPACITOR DISCHARGES TO PRODUCE HIGH-VELOCITY  
PELLETS  
Journal of Applied Physics  
1958, Vol. 29, pp. 1049-1051.

- 3046 Bloxson D E  
ELECTRICALLY DRIVEN SHOCK TUBE  
Journal of Applied Physics  
1958, Vol. 29, pp. 1128-1129.
- 3047 HIGH VELOCITY IMPACT CRATERS IN LEAD-TIN ALLOYS  
University of Utah Report No. TR-OSR-13  
January 1958.

PENETRATION PHENOMENA

Chronological Listing

<u>Year</u>	<u>Reference number(s)</u>					
1958	3002	3039	3044	3045	3046	3047
1957	3001	3005	3006	3007	3040	3043
1956	3003	3004	3008	3032	3038	
1955	3013	3014	3030	3031	3041	3042
1954	3016	3028				
1953	3012	3026	3027	3029		
1952	3019					
1951	3009	3021	3022	3023	3025	
1950	3010					
1949	3015	3024				
1948	3011					
1947						
1946						
1945	2017					
1944	3033	3034	3036			
1943						
1942	3037					
1941	3018					
1939	3035					
1927	3020					

BEHAVIOR OF MATERIALS AT HIGH-STRAIN RATES  
(1200-1299)

Subtopic

Time delay for yielding.

BEHAVIOR OF MATERIALS AT HIGH-STRAIN RATES  
(1200-1299)

Bibliography

- 1201 Volterra E  
A MATHEMATICAL INTERPRETATION OF SOME EXPERIMENTS  
ON PLASTICS AND RUBBERLIKE MATERIALS  
Rheology Congress Proceedings pp. 73-78  
Reported in Nature, Vol. 172, p. 487.
- 1202 Ely R E  
HIGH SPEED TENSILE DATA FOR CELLULOSE ACETATE BUTYRATE  
U. S. Redstone Arsenal, July 1956, order from O. T. S.
- 1203 Maxwell B, Harrington J P and Monica R E  
TENSILE IMPACT PROPERTIES OF SOME PLASTICS  
Princeton University, order from Library of Congress P. B. 124336.
- 1204 DYNAMIC SHEAR PROPERTIES OF RUBBER-LIKE POLYMERS  
Journal of Applied Mechanics, Trans. ASME  
1951, Vol. 73, p. 195.
- 1205 Volterra E, Eubank R A and Muster D  
AN INVESTIGATION OF THE DYNAMIC PROPERTIES OF PLASTICS  
AND RUBBER-LIKE MATERIALS  
Proceedings Society for Experimental Stress Analysis  
1955, Vol. 13, No. 1, pp. 85-96.
- 1206 Astbury N F  
SOME THEORETICAL CONSIDERATIONS ON THE DYNAMIC  
PROPERTIES OF PLASTICS  
Proceedings Royal Society of London  
1949, Vol. 196, Series A, pp. 92-105.
- 1207 THE EFFECT OF STRAIN RATE ON THE TENSILE AND COMPRES-  
SIVE STRESS-STRAIN PROPERTIES OF POLYSTYRENE  
ASTM Bulletin No. 172  
February 1951, pp. 29-35.

- 1208 Smith R C, Pardue T E and Vigness I  
THE MECHANICAL PROPERTIES OF CERTAIN STEELS AS  
INDICATED BY AXIAL DYNAMIC LOAD TESTS  
Proceedings Society for Experimental Stress Analysis  
1956, Vol. 13 No. 2, p. 183.
- Stress strain curves are obtained for several steels at  
strain rates up to about 30 in/in/sec. Strain measured  
by SR-4 type gage on specimen. Stress measured by  
dynamometer. Unique loading arrangement used involv-  
ing shock table and specimen connected to table. Speci-  
men held mass which caused load when table was accel-  
erated. Not short time impact.
- 1209 Hawkyard J B and Freeman P  
STRESS-STRAIN CHARACTERISTICS OF METALS AT HIGH RATES  
OF STRAIN  
British Journal of Applied Physics  
1956, Vol. 7, pp. 3-4.
- 1210 Manjoine M J  
INFLUENCE OF RATE OF STRAIN AND TEMPERATURE ON YIELD  
STRESSES  
Transactions American Society of Mechanical Engineers  
1944, Vol. 66, p. A-211  
Discussion Transactions American Society of Mechanical Engineers  
1945, Vol. 67, p. A-186.
- 1211 Nadai A and Manjoine M J  
HIGH SPEED TENSION TESTS AT ELEVATED TEMPERATURES  
Transactions American Society of Mechanical Engineers  
1941, Vol. 63, p. A-77  
Discussion Transactions American Society of Mechanical Engineers  
1942, Vol. 64, p. A-45.
- 1212 Harris D B and White M P  
COMPARISON OF HARDENING PRODUCED IN STEEL UNDER  
DYNAMIC CONDITIONS  
Journal of Applied Mechanics, Trans. ASME  
1954, Vol. 76, p. 194.
- 1213 Clark D S  
THE INFLUENCE OF IMPACT VELOCITY ON THE TENSILE  
CHARACTERISTICS OF SOME AIRCRAFT METALS AND ALLOYS  
NACA TN No. 868, October 1942.
- 1214 Clark D S and Wood D S  
THE TENSILE IMPACT PROPERTIES OF SOME METALS AND  
ALLOYS  
Transactions American Society for Metals  
1950, Vol. 42, p. 45.

- 1215 Parker E R and Ferguson C  
THE EFFECT OF STRAIN RATE UPON THE TENSILE IMPACT  
STRENGTH OF SOME METALS  
Transactions American Society for Metals  
1941, Vol. 30, p. 68.
- 1216 Davis E A  
THE EFFECT OF THE SPEED OF STRETCHING AND THE RATE OF  
LOADING ON THE YIELDING OF MILD STEEL  
Trans. American Society of Mechanical Engineers  
1938, Vol. 60, p. A-137.
- 1217 Elam C F  
THE INFLUENCE OF RATE OF DEFORMATION ON THE TENSILE  
TEST WITH SPECIAL REFERENCE TO THE YIELD POINT IN IRON  
AND STEEL  
Proceedings Royal Society of London  
1938, Vol. 165, p. 568.
- 1218 Warnack F V and Brennan J B  
THE TENSILE YIELD STRENGTH OF CERTAIN STEELS UNDER  
SUDDENLY APPLIED LOADS  
Proceedings of the Institution of Mechanical Engineers, London  
1948, Vol. 159, pp. 1-14.
- 1219 Fink K  
EXPERIMENTAL DETERMINATION OF THE YIELD POINT OF MILD  
STEEL UNDER IMPACT LOADING (German)  
Archiv für das Eisenhüttenwesen, Düsseldorf  
1948, Vol. 19, pp. 153-160.
- 1220 Kraft, Sullivan and Tipper  
THE EFFECT OF STATIC AND DYNAMIC LOADING AND TEMPERA-  
TURE ON THE YIELD STRESS OF IRON AND MILD STEEL IN  
COMPRESSION  
Proceedings Royal Society of London  
1953, Vol. 221, p. 114.
- 1221 Wood D S and Clark D S  
THE INFLUENCE OF TEMPERATURE UPON THE TIME DELAY FOR  
YIELDING IN ANNEALED MILD STEEL  
Transactions American Society for Metals  
1953, Vol. 45, pp. 620.
- 1222 Parker E R and Smith E A  
HIGH SPEED TENSILE IMPACT TESTS ON SINGLE CRYSTAL AND  
POLYCRYSTALLINE BARS OF COPPER  
Transactions American Institute of Mining and Metallurgical Engineers  
1944, Vol. 156, p. 142.

- 1223 Turner T H  
THE MECHANICAL PROPERTIES OF SOME METALS AND ALLOYS  
BROKEN AT ULTRA SPEEDS  
Journal, Institute of Metals  
1937, Vol. 61, p. 61.
- 1224 Hawkes G A  
TENSION AND TORSION PROPERTIES OF SOME METALS UNDER  
REPEATED DYNAMIC LOADING  
Proceedings Institution of Mechanical Engineers  
1956, Vol. 170, p. 33.
- 1225 Author unknown  
EXPERIMENTS ON THE EFFECT OF RATE OF TESTING ON THE  
CRITERION OF FAILURE OF CERTAIN MILD STEELS WHEN SUBJECT  
TO DYNAMIC TORSION AND STATIC TENSILE STRESSES  
Proceedings Institution of Mechanical Engineers  
1955, Vol. 169, pp. 903-912.
- 1226 Hughes D F and Maurette C  
DYNAMIC ELASTIC MODULI OF IRON ALUMINUM AND FUSED  
QUARTZ  
Journal of Applied Physics  
1956, Vol. 27, pp. 1184-1186.
- 1226a Author unknown  
THE BEHAVIOR OF METALS UNDER TENSILE LOADS OF SHORT  
DURATION  
Proceedings Institution of Mechanical Engineers (B)  
1952/1953, Vol. , pp. 536-550.
- 1227 Calvert N G  
EXPERIMENTS ON THE EFFECT OF RATE OF TESTING ON THE  
CRITERION OF FAILURE OF CERTAIN MILD STEELS  
1955, Institution of Mechanical Engineers.
- 1228 Klinger R F  
TENSILE PROPERTIES OF SOME AIRCRAFT STRUCTURAL  
MATERIALS AT VARIOUS RATES OF LOADING  
Proceedings American Society for Testing Materials  
1950, Vol. 50, pp. 1035-1050.
- 1229 Eder F X  
MEASUREMENT OF THE DYNAMIC STRENGTH OF PLASTIC  
MATERIALS (German)  
Zeitschrift für Angewandte Physik  
1953, Vol. 5, pp. 1-5.

Starting from theoretical considerations, the importance  
of experimental conditions in determining the influence

of strain rate on the mechanical properties of materials is pointed out. Some interesting and hitherto unpublished experimental results, obtained by the author by means of an electromagnetic apparatus in which copper wires were loaded by a brief, strong current impulse, are briefly discussed. The effects of the propagation of plastic waves at high-test strain rates (with strain hardening) and of the length of test bar on accuracy of measurement, are considered in this paper.

- 1230 Meyer R H  
EFFECT OF SPEED OF TESTING ON THE TENSILE PROPERTIES OF AUSTENITIC STAINLESS STEEL SHEETS  
American Society for Testing Materials Bulletin Nos. 158,162  
May, December 1949, pp. 57-62 and pp. 53-55.
- 1231 Author unknown  
THE EFFECT OF RATE OF LOADING ON THE BENDING AND COMPRESSION STRESSES OF WOOD (Swedish)  
Svenska Traforsknings Institute Tratekniska  
Avdelningen Meddelande, Stockholm, No. 20, 1949.
- 1232 Warnack F V and Pope J A  
THE CHANGE IN MECHANICAL PROPERTIES OF MILD STEEL UNDER REPEATED IMPACT  
Proceedings Institution of Mechanical Engineers, London  
1947, Vol. 157, pp. 33-43.
- 1233 Fitzgibbon D P  
STRESS-STRAIN CHARACTERISTICS OF MATERIALS AT HIGH STRAIN RATE, PART I  
Structural Mechanics Research Lab., The University of Texas.

The dynamic properties of various plastics are determined. The experimental method involves placing the specimen on the end of a long bar. Another bar is impacted onto the first bar as in a ballistic pendulum. The movement of the two bars together after impact is recorded photographically by high-speed photography.

A photoelectric method for measuring displacements during high-velocity impacts is described. The theory of the system is discussed in detail and a prototype system which was built and tested is described. The performance of the prototype system is evaluated by comparing the results which it gives with results obtained by other methods of measurement. The system was found capable of a resolution of at least .01 inch.  
(Author's abstract)

- 1234 Ripperger E A  
STRESS STRAIN CHARACTERISTICS OF MATERIALS AT HIGH  
STRAIN RATES, PART II, EXPERIMENTAL RESULTS  
University of Texas, Structural Mechanics Research Lab.  
August 1958.
- 1235 Clark D S and Wood D S  
THE TIME DELAY FOR THE INITIATION OF PLASTIC DEFORMATION  
AT RAPIDLY APPLIED CONSTANT STRESS  
Proceedings American Society for Testing Materials  
1949, Vol. 49, p. 717.
- 1236 Johnson J E, Wood D S and Clark D S  
DELAYED YIELDING IN ANNEALED LOW-CARBON STEEL UNDER  
COMPRESSIVE IMPACT  
Proceedings American Society for Testing Materials  
1953, Vol. 53, pp. 755-767.
- 1237 Kolsky H and Shi Y Y  
FRACTURES PRODUCED BY STRESS PULSES IN GLASS-LIKE SOLIDS  
Proceedings of the Physical Society  
September 1958, Vol. 72, Pt 3, No. 465.
- 1238 Kumar S and Davids N  
THE DYNAMIC PROPERTIES OF MATERIALS UNDER IMPACT  
Theoretical Analysis of Scabbing in Materials, Interim Technical  
Report No. 6, OOR Project No. TB2-0001 (1253) Pennsylvania  
State University.

The stress-strain curve of a material for dynamic loads is chosen as the basic dynamic property of the material. The importance of strain-rate and other factors affecting it are discussed and some historical remarks presented. Then the present techniques of dynamic testing are discussed. Some semi-analytic approaches to estimate the theoretical relationships are given. After this some qualitative estimates of the nature of behavior of stress-strain curves are presented. In order to be able to study the general behavior of a material under dynamic loads, the necessity of experiments with controlled strain rates is pointed out and design of some experiments of this kind is given. (Authors' abstract)

IMPACT MEASUREMENT DEVICES  
(2100-2199)

IMPACT MEASUREMENT DEVICES  
(2100-2199)

Bibliography

- 2101       Hopkinson B  
A METHOD OF MEASURING THE PRESSURE PRODUCED IN THE  
DETONATION OF HIGH EXPLOSIVES OR BY THE IMPACT OF  
BULLETS  
Transactions Royal Society of London  
1914, Vol. 213A.
- 2102       Davies R M  
A CRITICAL STUDY OF THE HOPKINSON PRESSURE BAR  
Transactions Royal Society of London  
1946-1948, Vol. 240A, p. 375.
- 2103       Bell J F  
DETERMINATION OF DYNAMIC PLASTIC STRAIN THROUGH  
THE USE OF DIFFRACTION GRATINGS  
Journal of Applied Physics  
1956, Vol. 27, pp. 1109-1113.
- A new method is given for measuring dynamic plastic strain in metals under central impact. Strain-time curves for initial and reflected wave fronts have been determined using a gauge length of 1/32 inch. The measurements are made by observing the behavior during strain of the diffracted and central images of an 8300 line reflection grating ruled on the specimen surface.
- 2104       Courtney-Pratt J S  
A NEW METHOD FOR THE PHOTOGRAPHIC STUDY OF FAST  
TRANSIENT PHENOMENA  
Research, 1949, Vol. 2, pp. 287-293.
- 2105       Elliott K W T and Wilson D C  
AN OPTICAL PROBE FOR ACCURATELY MEASURING DISPLACEMENTS OF A REFLECTING SURFACE  
Journal of Scientific Instruments  
1957, Vol. 34, pp. 349-352.

The probe described is capable of accurately measuring the displacement of a plane reflecting surface along its

normal without making mechanical contact with it. The image of an illuminated grating of special construction is formed on the surface to be observed, and the light reflected from this surface then forms an image of equal size on a second, exactly similar, grating. The disposition of the second image relative to the second grating depends upon the position of the probe relative to the plane surface\_\_\_\_\_.

Displacements may be measured with a standard deviation of  $2.8 \times 10^{-5}$  in. Device is apparently for static deflections but appears to have promise for dynamic conditions.

- 2106 Barret P  
MEASUREMENT OF SMALL DISPLACEMENTS OF A PLANE SURFACE WITH A SEMI-VIRTUAL SLIT MODULATOR (French)  
Journal de Physique et le Radium, Paris  
June 1956, Vol. 17, No. 6, p. 29.

This method is suitable for measuring the displacement of a polished or plated surface. A metal plate such as a razor blade is mounted parallel to and about 0.01 mm away from the surface observation of the slit at grazing incidence shows a real and a virtual (reflected) edge. Variations in the magnitude of this "semi-virtual slit" are used to modulate a beam of light falling on a photocell for recording static or dynamic displacements of the surface.  
(Author's abstract)

- 2107 Kirby P L  
APPARATUS FOR THE MEASUREMENT OF TIME OF IMPACT  
British Journal of Applied Physics  
1956, Vol. 7, pp. 227-228.

An apparatus is described for measuring the time of impact of a ball impacting on a plane surface. A direct connection to the ball is not necessary. The plane surface forms one surface of a capacitor. The other capacitor electrode is a ring at about 5 mm above the plane surface. The ball drops through the ring which changes the capacitance. While the ball is in contact with the surface, the capacitance is unchanged and therefore a measure of the time of impact.

- 2108 Krafft J M  
WEIGH BAR APPARATUS FOR MEASURING FORCES RESISTING BALLISTIC PENETRATION  
Review of Scientific Instruments  
1955, Vol. 26, pp. 539-542.

- 2109 Dineff J, Carson J A and Charters A C  
PISTON-TYPE STRAIN GAGE FOR MEASURING PRESSURES IN  
INTERIOR BALLISTICS RESEARCH  
Review of Scientific Instruments  
1955, Vol. 26, pp. 879-883.
- 2110 Dapoigny J, Kieffer J and Vodar B  
SHOCK WAVES IN A DENSE MEDIUM. II EXPERIMENTAL  
METHODS AND SOME RESULTS OF MEASUREMENTS MADE  
BY THE METHOD OF ULTRA RAPID RADIOGRAPHY  
J. Rech. Cent. Nat. Rech. Sci.  
1955, Vol. 6, pp. 260-270.
- 2111 Muster D F and Volterra E G  
USE OF A ROTATING DRUM CAMERA FOR RECORDING IMPACT  
LOADING DEFORMATIONS  
Journal of the Society of Motion Picture and Television Engineers  
1952, Vol. 59, pp. 44-48.
- 2112 Mintrop H  
MEASUREMENTS OF LARGE IMPACT FORCES (German)  
Schweizer Archiv für Angewandte Wissenschaft and Technik, Zurich,  
1950, Vol. 16, pp. 119-124.
- Author's method of measurement of impact forces is  
based on Hertz classical equations, concerning the  
contact between elastic solid bodies. In order to  
verify their validity and utility for this purpose, ex-  
tensive static and dynamic tests were made, where  
the contact areas between spheres and plane solid  
surfaces were measured and the corresponding forces  
observed and computed. Balls were dropped on plane  
surfaces, and new methods, one of them involving the  
use of high-speed films, were used to measure the time  
of impact and the diameter of the circular contact sur-  
face \_\_\_\_\_ . (Author's abstract)
- 2113 MacLaren D D, Taylor I J and Beedle L S  
A MECHANICAL DEFLECTION GAGE--AN INSTRUMENT FOR  
MEASURING DISPLACEMENT UNDER IMPACT  
Proceedings Society for Experimental Stress Analysis  
Vol. 10, No. 1, pp. 135-142.
- 2114 Taylor I J  
SOME RECENT DEVELOPMENTS OF THE MECHANICAL DEFLEC-  
TION GAGE  
Proceedings Society for Experimental Stress Analysis  
Vol. 10, No. 1, pp. 142-146.

- 2115 MacDonalD R J, Carlson R L and Lankford W T  
APPARATUS FOR DETERMINATION OF STRESS-STRAIN PROP-  
ERTIES AT HIGH RATES OF STRAIN  
Proceedings Society for Experimental Stress Analysis  
1956, Vol. 14, No. 1, pp. 163-170.
- This article describes a machine used for tensile testing up to a strain rate of 190 inches/min. Load measurements are made with a dynamometer made from electric strain gages (SR-4). Head travel is controlled hydraulically. Strain of the specimen is measured with a clip gage extensometer placed between the loading heads.
- 2116 Hudson D E and Terrell O D  
A PRE-LOADED SPRING ACCELEROMETER FOR SHOCK AND IMPACT MEASUREMENTS  
Proceedings Society for Experimental Stress Analysis  
Vol. 9, No. 1, pp. 1-10.
- 2117 Durelli A J and Dally J W  
SOME PROPERTIES OF STRESSCOAT UNDER DYNAMIC LOADING  
Proceedings Society for Experimental Stress Analysis  
1956, Vol. 15, No. 1, pp. 43-56.
- 2118 Fusfeld H I and Feder J C  
STUDY OF DEFORMATION AT HIGH STRAIN RATES USING HIGH-SPEED MOTION PICTURES  
American Society for Testing Materials Preprint 42, 1950.
- 2119 Fanning R and Bassett W V  
MEASUREMENT OF IMPACT STRAINS BY A CARBON STRIP EXTENSOMETER  
Transactions American Society of Mechanical Engineers  
1940, Vol. 62, p. A-24  
Discussion Trans. American Society of Mechanical Engineers  
1940, p. A-125.
- 2120 Caughey T K and Hudson D E  
A RESPONSE SPECTRUM ANALYZER FOR TRANSIENT LOADING STUDIES  
Proceedings Society for Experimental Stress Analysis  
1956, Vol. XIII, No. 1, pp. 199-206.
- 2121 Vigness I  
SOME CHARACTERISTICS OF NAVY "HIGH IMPACT" TYPE SHOCK MACHINES  
Proceedings Society for Experimental Stress Analysis  
1947, Vol. 5, No. 1, pp. 101-110.

- 2122 Armstrong J H  
SHOCK TESTING TECHNOLOGY AT THE NAVAL ORDNANCE  
LABORATORY  
Proceedings Society for Experimental Stress Analysis  
1948, Vol. VI, No. 1, pp. 55-65.
- 2123 Hansen R J  
CONTROLLED IMPULSIVE-LOAD TESTING MACHINE  
Proceedings Society for Experimental stress Analysis  
1948, Vol. VI, No. 2, pp. 64-67.
- 2124 Conrad R W and Vigness I  
RESPONSE SPECTRA BY MEANS OF OSCILLOGRAPH GALVA-  
NOMETERS  
Journal of the Acoustical Society of America  
1957, Vol. 29, pp. 1110-1115.

A response spectrum (shock spectrum) is the response of a series of a single-degree-of-freedom systems of given damping to a shock or vibratory motion, as a function of the frequencies of the simple systems. An oscillographic galvanometer is a single-degree-of-freedom system having a rotational response to an exciting current. If the exciting current is made proportional to the amplitude of the motion, the response of the galvanometer to the current will be proportional to that of a single-degree-of-freedom system to the motion, provided their natural frequencies and damping properties are the same. A commercial galvanometer-type oscillograph has been obtained having twelve undamped galvanometer elements with natural frequencies in the range between 10 and 2500 cps. Damping by electrical means, has been made adjustable between about 3 and 50% of critical. Associated circuitry have been constructed so that electrical playback of recordings of shock and vibratory motions can be conveniently analyzed. Calibration techniques are described and examples are given for analysis of simple and complex shock motions. (Authors' abstract)

- 2125 Papirno R and Gerard G  
DYNAMIC DEFLECTION TRANSDUCER UTILIZING PHOTOCON-  
DUCTIVE SENSORS  
Review of Scientific Instruments  
1955, Vol. 26, pp. 968-969.
- 2126 Brennan J N and Nisbet J S  
DIRECT METHOD OF ACCELEROMETER CALIBRATION  
Journal of the Acoustical Society of America  
1958, Vol. 30, No. 1, pp. 41-46.

- 2127 Jones J L  
N. R. L. SHOCK AND VIBRATION BULLETIN NO. 8  
N. R. L. Report No. S-3276  
March 1948.
- 2128 Conrad R W and Vigness I  
CALIBRATION OF ACCELEROMETERS BY IMPACT TECHNIQUES  
Proceedings Instrument Society of America  
1953, Vol. 8, p. No. 53-11-3.
- 2129 Perls T A and Kissinger C W  
HIGH G ACCELEROMETER CALIBRATION BY IMPACT METHODS  
WITH BALLISTIC PENDULUM AIR GUN, AND INCLINED TROUGH  
Paper presented at First International Instrument Congress and  
Exposition of Instrument Society of America  
13-23 September 1954, Philadelphia, Pa.
- 2130 Goodier J N, Jahsman W E and Ripperger E A  
AN EXPERIMENTAL SURFACE-WAVE METHOD FOR RECORDING  
FORCE-TIME CURVES IN ELASTIC IMPACTS  
Journal of Applied Mechanics, Paper No. 58-A-51.

LATERAL IMPACT-BEAMS AND PLATES  
(4000-4099)

LATERAL IMPACT-BEAMS AND PLATES  
(4000-4099)

Bibliography

- 4001 Ripperger E A and Abramson H N  
A STUDY OF THE PROPAGATION OF FLEXURAL WAVES IN  
ELASTIC BEAMS  
Journal of Applied Mechanics, Trans. ASME,  
1957, Vol. 79, pp. 431-434  
Discussion ASME, Journal of Applied Mechanics  
1958, Vol. 80, pp. 153-155.
- 4002 Barnhart K E and Goldsmith W  
STRESSES IN BEAMS DURING TRANSVERSE IMPACT  
Journal of Applied Mechanics, Trans. ASME  
1957, Vol. 79, p. 440.
- 4003 Mason H L  
IMPACT ON BEAMS  
Transactions American Society of Mechanical Engineers  
1936, p. A-55.
- 4004 Lee E H  
IMPACT OF A MASS STRIKING A BEAM  
Transactions American Society of Mechanical Engineers  
1940, p. A-129.
- 4005 Hoppmann W H, 2nd  
IMPACT OF A MASS ON A DAMPED ELASTICALLY SUPPORTED  
BEAM  
Journal of Applied Mechanics, Trans. ASME  
1948, Vol. 70, p. 125.
- 4006 Duwez P E, Clark D S and Bohlenblust H F  
BEHAVIOR OF LONG BEAMS UNDER IMPACT LOADING  
Journal of Applied Mechanics, Trans. ASME  
1950, Vol. 72, p. 27.

- 4007 Hoppmann W H, 2nd  
IMPACT ON A MULTISPAN BEAM  
Journal of Applied Mechanics, Trans. ASME  
1950, Vol. 72, p. 409.
- 4008 Eringen A C  
TRANSVERSE IMPACT ON BEAMS AND PLATES  
Journal of Applied Mechanics, Trans. ASME  
1953, Vol. 75, p. 461.
- 4009 Boley B A  
AN APPROXIMATE THEORY OF LATERAL IMPACT ON BEAMS  
Journal of Applied Mechanics, Trans. ASME  
1955, Vol. 77, p. 69.
- 4010 Goland M, Wickersham P D and Dengler M A  
PROPAGATION OF ELASTIC IMPACT IN BEAMS IN BENDING  
Journal of Applied Mechanics, Trans. ASME  
1955, Vol. 77, p. 1  
Discussion Journal of Applied Mechanics  
1955, p. 608.
- 4011 Boley B A and Chao C C  
SOME SOLUTIONS OF THE TIMOSHENKO BEAM EQUATIONS  
Journal of Applied Mechanics, Trans. ASME  
1955, Vol. 77, p. 579  
Discussion Journal of Applied Mechanics  
1956, p. 321.
- 4012 Cunningham D M and Goldsmith W  
AN EXPERIMENTAL INVESTIGATION OF BEAM STRESSES PRO-  
DUCED BY OBLIQUE IMPACT OF A STEEL SPHERE  
Journal of Applied Mechanics, Trans. ASME  
1956, Vol. 78, pp. 606-611.

An experimental investigation designed to study the phenomena incident to the oblique collision of 1/2-inch-diameter steel spheres with mild-steel and annealed drill-rod beams at oblique angles of incidence has been undertaken. Initial ball velocities ranged from 30 ft/sec to 150 ft/sec, beam sizes varied from 1/4 in. x 1/4 in. to 3/4 in. x 3/4 in., angles of incidence were chosen from 85 deg to normal incidence, and simply supported, clamped, and free beams were employed. Information is reported concerning the values of maximum bending stress at various positions along the beam as function of the angle of incidence and as a function of beam size for various angles of incidence. The progressive dispersion of the initial transient has been examined in detail. The effect of end supports, effective beam length, and repetitive shots into the same hole upon stress are described.

- 4013 Goldsmith W and Cunningham D M  
KINEMATIC PHENOMENA OBSERVED DURING THE OBLIQUE  
IMPACT OF A SPHERE ON A BEAM  
Journal of Applied Mechanics, Trans. ASME  
1956, Vol. 78, pp. 612-616.

Experimental data relating to the kinetics of oblique impact of a 1/2-inch-diameter steel sphere upon steel beams at initial velocities ranging from 30 to 150 fps are presented. The variation of beam deflection, contact duration, trajectory of the sphere, and contour topography with angle of incidence, beam size, and initial velocity have been determined and the velocity of propagation of several waves has been ascertained.

- 4014 Symonds P S  
DYNAMIC LOAD CHARACTERISTICS IN PLASTIC BENDING OF  
BEAMS  
Journal of Applied Mechanics, Trans. ASME  
1953, Vol. 75, p. 475.

- 4015 Eringen A C  
TRANSVERSE IMPACT ON BEAMS AND PLATES  
Journal of Applied Mechanics, Trans. ASME  
1953, Vol. 75, p. 461.

- 4016 Wang A J  
PERMANENT DEFLECTION OF A PLASTIC PLATE UNDER  
BLAST LOADING  
Journal of Applied Mechanics, Trans. ASME  
1955, Vol. 77, p. 375.

- 4017 Conroy M F  
PLASTIC DEFORMATION OF SEMI-INFINITE BEAMS UNDER  
TRANSVERSE IMPACT LOADING AT THE FREE END  
Journal of Applied Mechanics, Trans. ASME  
1956, Vol. 78, pp. 239-243.

The object of this paper is to consider the plastic deformation of the semi-infinite beams subject to dynamic transverse loading at the free end. The type of loading considered is that of a constant bending moment, together with a transverse force the magnitude of which is inversely proportional to the square root of time. Part 1 of the paper consists of a plastic-rigid analysis of the problem, based on the plastic-rigid analysis of infinite beams under transverse, constant velocity, impact loading developed by the author. Part 2 of the paper consists of an elastic-plastic solution of the problem, based on a theoretical analysis of the plastic deformation of infinite beams subject to transverse, constant-velocity impact loading developed by H. F. Bohenblust. Specific problems are considered for which the deflection solutions obtained by elastic ideally plastic and rigid ideally plastic analyses are compared. (Author's abstract)

- 4018      Salvadori M G and Weidlinger P  
 ON THE DYNAMIC STRENGTH OF RIGID-PLASTIC BEAMS UNDER  
 BLAST LOADING  
 Proceedings American Society of Civil Engineers, Journal of  
 Engineering Mechanics Paper 1389, October 1957.
- 4019      Solodovnikov R V  
 TRANSVERSE IMPACT ON AN INFINITE STRETCHED BAR  
 (Russian)  
 Trudi Kharkovsk inzh. - stroit. in-fa No. 4  
 1955, pp. 263-268.
- 4020      Ruhl K and Pagel H J  
 RECENT INVESTIGATIONS OF THE STRAIN PRODUCED IN BEAMS  
 BY LATERAL IMPACT LOADING (German)  
 Forschungsarbeiten auf dem Gebiet des Ingenieurwesens, Berlin  
 1956, Vol. 22, pp. 202-209.
- 4021      Seiler J A, Cotler B A and Symonds P S  
 IMPULSIVE LOADING ON ELASTIC-PLASTIC BEAMS  
 Journal of Applied Mechanics, Trans. ASME  
 1956, Vol. 78, pp. 515-521.
- A simply supported uniform beam of ductile material,  
 subjected to impulsive loading such that the initial  
 velocity is a half-sine wave, is considered in this paper.  
 The elastic and elastic-plastic motions are discussed  
 under the assumption that plastic flow is confined to one  
 cross section, and the final deformations are compared  
 with those computed from an analysis which neglects all  
 elastic deformations. The purpose of the work is to pro-  
 vide further information which may help in estimating the  
 range of validity of the latter ("rigid-plastic") type of  
 analysis. (Authors' abstract)
- 4022      Eringen A C  
 RESPONSE OF AN ELASTIC DISK TO IMPACT AND MOVING LOADS  
 Quarterly Journal of Mechanics and Applied Mathematics  
 1955, Vol. 8, pp. 385-393.
- 4023      Symonds P S and Leth C F A  
 IMPACT OF FINITE BEAMS OF DUCTILE MATERIAL  
 Journal of Mechanics and Physics of Solids  
 1954, Vol. 2, pp. 92-102.
- 4024      Lamb G L  
 THE TRANSMISSION OF A SPHERICAL SOUND WAVE THROUGH A  
 THIN ELASTIC PLATE  
 Annals of Physics  
 1957, Vol. 1, pp. 233-246.

4025 Alverson R C  
IMPACT WITH FINITE ACCELERATION TIME ON ELASTIC AND  
ELASTIC-PLASTIC BEAMS  
Brown University, April 1955  
Library of Congress.

4026 Vigness I  
TRANSVERSE WAVES IN BEAMS  
Proceedings Society for Experimental Stress Analysis,  
1951, Vol. 8, No. 2, pp. 69-82.

4027 Mori D  
LATERAL IMPACT ON BARS AND BEAMS  
Proceedings Society for Experimental Stress Analysis  
1957, Vol. 15, No. 1, pp. 171-178.

Experimental results are presented for the effect of axial load on the propagation of bending waves in slender beams. Theory is presented and compared to experimental results. Application of method to measurement of tensile load in wires by using results of this work.

4028 Goldsmith W and Cunningham D M  
OBLIQUE IMPACT OF SPHERES UPON SIMPLY SUPPORTED  
STEEL BEAMS  
Proceedings Society for Experimental Stress Analysis  
1956, Vol. 14, No. 1.

4029 Alverson R C  
IMPACT WITH FINITE ACCELERATION TIME ON ELASTIC AND  
ELASTIC-PLASTIC BEAMS  
Journal of Applied Mechanics, Trans. ASME  
1956, Vol. 78, pp. 411-415.

The purpose of the work described in this paper was to provide information on the elastic and plastic deformation of steel beams subjected to transverse impact. The particular impact problem treated was chosen to correspond to conditions in tests in which a beam initially at rest is struck by a massive hammer, so that a specified change of velocity is imposed at a certain cross section in a small time interval. In the present analysis the initial elastic and subsequent elastic-plastic motions were obtained by methods similar to those used by Bleich and Salvadori (3). As in (3), it is assumed that plastic deformation occurs only at a single stationary plastic hinge (in this case at the struck cross section). Results obtained are compared with those of a "rigid-plastic" solution of the same problem, in which plasticity conditions are correctly taken into account but elastic vibrations are not included.

4030 Dohrenwend C O, Drucker D C and Moore P  
TRANSVERSE IMPACT TRANSIENTS  
Proceedings Society for Experimental Stress Analysis  
1943, Vol. 1, No. 2, pp. 1-10.

4031 Fischer E G  
LATERAL VIBRATION AND STRESS IN A BEAM UNDER SHOCK  
MACHINE LOADING  
Proceedings Society for Experimental Stress Analysis  
1947, Vol. V, No. 1, pp. 78-89.

4032 Locklin/Mills  
DYNAMIC RESPONSE OF THIN BEAMS TO AIR BLAST  
Ballistic Research Laboratories, Report No. 787.

This paper presents a comparison of the theoretically predicted and observed elastic responses of thin simply supported beams and of cantilever beams to air-blast loading. The theoretical responses are predicted from the linear "small-deflection" beam theory and compared to motions observed with a high-speed motion picture camera. The agreement of observed deflections with predicted ones is adequate for the thicker beams where the deflections were small, but inadequate for the thinner beams where the deflections were large. (Authors' abstract)

4033 Harris J I  
LARGE DEFLECTIONS OF NON-UNIFORM ELASTIC BEAMS  
SUBJECTED TO TRANSIENT LOADS  
Ballistic Research Laboratories, APG, Memo Report No. 1105,  
October 1957.

This report presents a method of solving the non-linear equation for large flexing motions of thin beams subjected to transient loads. The small deflection linearized equation is solved by successive approximation, and this solution is extended to large deflections by a perturbation scheme. The solution shows that the apparent dynamic load on any normal mode is not equal to the applied load. Because no experimental results on non-uniform beams are available, large deflections for a uniform cantilevered beam are predicted from the general solution and compared with experimental results. Agreement between experimental results and the general solution is better than that between experiment and the predictions from the solution of the linearized equations. (Author's abstract)

4034 Baker W E and Allen F J  
THE DAMPING OF TRANSVERSE VIBRATIONS OF THIN BEAMS  
IN AIR  
Ballistic Research Laboratories, APG, BRL Report No. 1033  
October 1957.

A non-linear partial differential equation describing the free transverse vibration of thin beams in air is formulated. The equation accounts for two types of force on the beam caused by its motion through the air and for the force caused by internal friction of the beam material, in addition to the usual elastic and inertia forces. An approximate solution to the equation is obtained by a perturbation method.

A series of experiments were conducted at large initial vibration amplitude to corroborate the theory, which predicts that "pressure drag" air damping is proportional to amplitude and that "viscous drag" air damping and internal damping are independent of amplitude. The dependence of pressure drag damping on air pressure is also predicted. The experimental results show reasonable agreement with the theory; however, the importance of viscous air drag damping relative to that of internal friction cannot be determined. (Authors' abstract)

4035

Allen F J

AN ELASTIC-PLASTIC THEORY OF THE RESPONSE OF CANTILEVERS TO AIR BLAST LOADING

Ballistic Research Laboratories, Memorandum Report No. 886.

An elastic-plastic theory of the response of cantilevers loaded by air blast waves is proposed and the predictions obtained from it are compared to experimental results. The theory is capable of providing estimates for the types of beams considered; it is expected to furnish more precise estimates for certain other beams of practical interest.

A method is developed by means of which a high speed digital computing machine can rapidly and accurately predict dynamic elastic strains, moments, and deflections in certain structures. (Author's abstract)

4036

Allen F J and Rally F

A PLASTIC-RIGID THEORY OF THE RESPONSE OF BEAMS TO AIR BLAST LOADING

Ballistic Research Laboratories, Memorandum Report No. 811.

This report presents a "plastic-rigid" theory of cantilever and simply-supported beams subjected to air blast loading. The equations of motion are derived and the theoretical deformations found. Theoretically predicted permanent deformations are compared to experimentally determined permanent deformations of thin rectangular cross-section metal beams subjected to air blast load. The theory predicts correctly the occurrence of localized regions of plastic deformation, but does not accurately predict the amount of this deformation. However, the results suggest a modification of the theory which is expected to be in better agreement with experiment. (Authors' abstract)

4037

Plass H J

SOME SOLUTIONS OF THE TIMOSHENKO BEAM EQUATION FOR  
SHORT PULSE-TYPE LOADING

Journal of Applied Mechanics, Trans. ASME

1958 Vol. 80, pp. 379-385.

A collection of solutions to the Timoshenko beam equation is presented. Various types of support conditions and impact conditions are included. In every case the impact is assumed to be a pulse in the form of a half-sine wave. The results were found numerically, using the method of characteristics, except for one case, which was done in addition by the Laplace transform method, for check purposes. Agreement with experiment is good except for a pulse of duration comparable to the time required for the bending-type wave to travel a distance of one diameter. Discussion is included of the differences among the various cases studied.

(Author's abstract)

4038

Abramson H N

FLEXURAL WAVES IN ELASTIC BEAMS OF CIRCULAR CROSS  
SECTION

Journal of the Acoustical Society of America

1957, Vol. 29, pp. 42-46.

The exact equations of elasticity are employed in an investigation of the flexural vibrations of a solid circular cylinder. Contrary to previous work, it is shown that the phase-velocity-wavelength relation has an infinity of branches, thus overcoming objections, on physical grounds, which have been made to the earlier work. The three lowest branches of this dispersion relation are calculated, and these are used to study the rate of energy transmission in terms of group velocity. (Author's abstract)

MISCELLANEOUS  
(5000-5099)

MISCELLANEOUS  
(5000-5099)

Bibliography

5001 Kulterman R W, Neilson F W and Benedick W B  
PULSE GENERATOR BASED ON HIGH SHOCK DEMAGNETIZATION  
OF FERROMAGNETIC MATERIAL  
Journal of Applied Physics  
March 1958, Vol. 29, pp. 500-501.

5002 Morrow C T  
SHOCK SPECTRUM AS A CRITERION OF SEVERITY OF SHOCK  
IMPULSES  
Journal of the Acoustical Society of America  
1957, Vol. 29, Part 1, pp. 596-602.

Shock impulses have not as yet yielded to any practical method of spectral analysis that would permit convenient exact calculation of all the peak internal responses of hardware subject to such accelerations, and also permit comparison of shock severities by inspection. The shock spectrum with a few supplementary techniques, provides adequate insight into the responses of a one degree of freedom resonator. As an indication of the responses of a system with several coupled degrees of freedom, a second-order shock spectrum is defined. An oscillatory constituent of the spectrum is also defined in such a way as to be applicable to any order of spectrum. Investigation of these two concepts leads to the conclusion that if the first-order shock spectrum technique is to be used as a basis for comparison of the severity of a laboratory test shock with that of a service shock, spectra should be plotted for both positive and negative directions. Moreover, when feasible, such spectra should ordinarily be plotted as distinct curves for the intervals during and after the test shock, and the oscillatory constituent for the interval during the shock should be estimated.  
(Authors' abstract)

5003 Conn W M  
STUDIES ON THE MECHANISM OF ELECTRICAL WIRE EXPLOSIONS  
Zeitschrift für Angewandte Physik  
1955, Vol. 7, pp. 539-554.  
(Comprehensive review. Extensive Bibliography)

- 5004 Walsh J M, Shreffler R G and Willig F J  
LIMITING CONDITIONS FOR JET FORMATION IN HIGH VELOCITY COLLISIONS  
Journal of Applied Physics  
1953, Vol. 24, pp. 349-359.
- 5005 Crook A W  
A STUDY OF SOME IMPACTS BETWEEN METAL BODIES BY A PIEZOELECTRIC METHOD  
Proceedings Royal Society of London,  
1952, Series A, Vol. 212, pp. 377-390.
- 5006 Hoppmann, 2nd W H  
IMPACT OF A MASS ON A COLUMN  
Journal of Applied Mechanics, Trans. ASME  
1949, Vol. 71, p. 370. Discussion Journal of Applied Mechanics  
1950, p. 221.
- 5007 Miklowitz J  
ELASTIC WAVES CREATED DURING TENSILE FRACTURE  
Journal of Applied Mechanics, Trans. ASME  
1953, Vol. 75, pp. 122-130.
- 5008 Crede C E  
EFFECT OF PULSE SHAPE ON SIMPLE SYSTEMS UNDER IMPULSIVE LOADING  
Transactions American Society of Mechanical Engineers  
1955, Vol. 77, p. 957.
- 5009 Boley B A  
APPLICATION OF ST. VENANT'S PRINCIPLE IN DYNAMICAL PROBLEMS  
Journal of Applied Mechanics, Trans. ASME  
1955, Vol. 77, p. 204.
- 5010 Schmitt A F  
A METHOD OF STEPWISE INTEGRATION IN PROBLEMS OF IMPACT BUCKLING  
Journal of Applied Mechanics, Trans. ASME  
1956, Vol. 78, p. 291.

The equations for the dynamic buckling of an axially impacted column are discussed. A method is presented for the calculation of approximate load and deflection variations in problems of high-velocity impact. The method may be extended for cases wherein the stresses exceed the elastic limit. Results of calculations are presented for two cases. In one of these, agreement with a previous exact solution is found to be good.  
(Author's abstract)

- 5011 Yoh-Han Pao  
EXTENSION OF THE HERTZ THEORY OF IMPACT TO THE VISCO-  
ELASTIC CASE  
Journal of Applied Physics  
1955, Vol. 26, pp. 1083-1088.

The problem considered is that of two bodies coming into normal contact over smooth curved surfaces. The initial relative velocity and the total kinetic energy involved is low. Contact is, however, confined to such small volumes of the objects involved that very high concentrations of energies are obtained at those places. The rates of application of stress are correspondingly high. The Hertz solution to this type of problem provides a useful approximation in the case of elastic objects.

In the present treatment one of the impinging bodies is of viscoelastic material. Two viscoelastic bodies may also be treated if they are of the same material. The Laplace transform method is used to obtain the viscoelastic expression for the force developed between the two surfaces. This expression is then applied to the impact case. The expression can also be applied to other truly static cases; e. g., contact between gear tooth surfaces.

The results are of technological interest, since it is not possible to say if a plastic is suitable for a certain category of impact applications, unless the rates of straining or stressing obtained in those applications can be estimated. (Author's abstract)

- 5012 Calvert N G  
IMPACT TORSION EXPERIMENTS  
Institution of Mechanical Engineers, 1955.
- 5013 Walsch J P and Blake R E  
THE EQUIVALENT STATIC ACCELERATION OF SHOCK MOTIONS  
Proceedings Society for Experimental Stress Analysis  
1948 Vol. 6, No. 2, pp. 150-158.
- 5014 Davies R M  
THE DETERMINATION OF STATIC AND DYNAMIC YIELD STRESSES  
USING A STEEL BALL  
Proceedings Royal Society of London,  
1949, Series A, Vol. 197, pp. 416-432.
- 5015 Vanek J  
A CONTRIBUTION TO THE THEORY OF ELASTIC WAVES PRO-  
DUCED BY SHOCK  
Czech Journal of Physics  
1953, No. 2, pp. 97-119.

- 5016 Gerard G and Becker H  
COLUMN BEHAVIOR UNDER CONDITIONS OF COMPRESSIVE  
STRESS WAVE PROPAGATION  
Journal of Applied Physics  
1951, Vol. 22, p. 1298.
- 5017 Krafft J M  
ELIMINATION OF THE TRANSIENT STRAIN FLUCTUTATIONS  
WHICH RESULT FROM LONGITUDINAL IMPACT OF BARS  
Proceedings Society for Experimental Stress Analysis  
1955, Vol. 12, No. 2, pp. 173-180.
- The longitudinal impact of cylindrical bars results in  
a rapid strain fluctuation superimposed upon a constant  
strain. These transient fluctuations are eliminated by  
cushioning the impact surfaces with grease or solder.  
Magnetostriction is also shown to be partly responsible.
- 5019 Forkois H M, Conrad R W and Vigness I  
PROPERTIES OF BOLTS UNDER SHOCK LOADING  
Proceedings Society for Experimental Stress Analysis  
1952, Vol. 10, No. 1, pp. 165-178.
- 5020 Pian T H H and Siddall J N  
PREDICTION OF STRESSES IN A STRUCTURE UNDER AN ARBI-  
TRARY DYNAMIC LOADING  
Proceedings Society for Experimental Stress Analysis  
1952, Vol. 9, No. 2 pp. 1-12.
- 5021 Zener C and Feshback H  
A METHOD OF CALCULATING ENERGY LOSSES DURING IMPACT  
Journal of Applied Mechanics, Trans. ASME  
1939, Vol. 6, p. A-125.
- 5022 Ringleb F O  
MOTION AND STRESS OF AN ELASTIC CABLE DUE TO IMPACT  
Journal of Applied Mechanics, Trans. ASME  
1957, Vol. 79, p. 417.
- 5023 Hodge P H  
INFLUENCE OF BLAST CHARACTERISTICS ON THE FINAL  
DEFORMATION OF CIRCULAR CYLINDRICAL SHELLS  
Journal of Applied Mechanics, Trans. ASME  
1956, Vol. 78, p. 617.
- 5024 Goodier J N and Jahsman W E  
PROPAGATION OF A SUDDEN ROTATIONAL DISTURBANCE  
IN AN ELASTIC PLATE IN PLANE STRESS  
Journal of Applied Mechanics, Trans. ASME  
1956, Vol. 78, pp. 284-286.

Detailed results are found for two plane-stress problems of an elastic plate with a hole from which a symmetrical disturbance is propagated. In the first a uniform shear stress is suddenly applied and maintained at the hole. In the second a uniform (rotary) velocity is suddenly applied and maintained. The subsequent motion is entirely rotary and involves shear stress only. The problems are mathematically analogous to those of symmetrical pressure and radial velocity at the hole, already solved by Kromm, and his analysis is followed. The existence of a similar analogy in the statistical cases is well known. (Author's abstract)

- 5025 Mindlin R D and Bleich H H  
RESPONSE OF AN ELASTIC SHELL TO TRANSVERSE STEP SHOCK WAVE  
Journal of Applied Mechanics, Trans. ASME  
1953, Vol. 75, p. 589.
- 5026 Tillett J P A  
FRACTURE OF GLASS BY SPHERICAL INDENTERS  
Proceedings Physical Society  
1956, Series B, Vol. 69, pp. 47-54.
- 5027 Tillett J P A  
A STUDY OF THE IMPACT OF SPHERES ON PLATES  
Proceedings Physical Society  
1954, Series B, Vol. 67, pp. 677-688.
- 5028 Davidson T and Meier J H  
IMPACT ON PRISMATICAL BARS  
Proceedings Society for Experimental Stress Analysis  
1946, Vol. IV, No. 1, pp. 88-111.
- 5029 Shepler P R  
EXPLOSIVE IMPACT TESTS  
Proceedings Society for Experimental Stress Analysis  
1947, Vol. 5, No. 1, pp. 1-25.
- 5030 Frankland J M  
EFFECTS OF IMPACT ON SIMPLE ELASTIC STRUCTURES  
Proceedings Society for Experimental Stress Analysis  
1948, Vol. 6, No. 2, pp. 7-27.
- 5031 Hudson G E  
A METHOD OF ESTIMATING EQUIVALENT STATIC LOADS IN SIMPLE ELASTIC STRUCTURES  
Proceedings Society for Experimental Stress Analysis  
1948, Vol. 6, No. 2, pp. 28-40.

- 5032      Claflin W M  
 THE EXPERIMENTAL DETERMINATION OF THE DYNAMIC  
 STRUCTURAL RESPONSE OF AN AIRPLANE TO IMPACT  
 LOADINGS  
 Proceedings Society for Experimental Stress Analysis  
 1947, Vol. V, No. 1, pp. 31-38.
- 5033      Welch W P  
 A PROPOSED NEW SHOCK MEASURING INSTRUMENT  
 Proceedings Society for Experimental Stress Analysis  
 1947, Vol. V, No. 1, pp. 39-51.
- 5034      Pederson A H and MacCarthy J G  
 DETERMINATION OF THE EFFECT OF GROUND IMPACT FORCES  
 IN THE AIRPLANE DROP TEST  
 Proceedings Society for Experimental Stress Analysis  
 1947, Vol. V, No. 1, pp. 122-136.
- 5035      Mindlin R D, Stubner F W and Cooper H L  
 RESPONSE OF DAMPED ELASTIC SYSTEMS TO TRANSIENT  
 DISTURBANCES  
 Proceedings Society for Experimental Stress Analysis  
 1947, Vol. V, No. 2, pp. 69-87.
- 5036      Leal O N, Bisplinghoff R L and Pian T H H  
 STUDIES OF TRANSIENT STRESSES IN AN AIRPLANE MODEL  
 WING DURING DROP TESTS  
 Proceedings Society for Experimental Stress Analysis  
 1948, Vol. VI, No. 1, pp. 115-122.
- 5037      Nisbet J S and Brennan J N  
 SOME SECONDARY EFFECTS RELATED TO IMPACT WAVE  
 FORMS  
 Journal of the Acoustical Society of America  
 1957, Vol. 29, pp. 837-842.
- This paper is a theoretical analysis of simple structures  
 under various types of applied impact. The results are  
 presented from the standpoint of a static acceleration  
 which would be required to produce the same maximum  
 response in an undamped single degree of freedom system.
- Reference is made to similar work by Frankland  
 Proceedings SESA, 1948, Vol. VI, No. 2, pp. 7-27.
- 5038      Gerard G and Becker H  
 COLUMN BEHAVIOR UNDER CONDITIONS OF IMPACT  
 Journal of the Aeronautical Sciences  
 1952, Vol. 19, pp. 58-60.

- 5039 Meier J H  
ON THE DYNAMICS OF ELASTIC BUCKLING  
Journal of the Aeronautical Sciences  
1945, Vol. 12, pp. 433-440.
- 5040 Hoff N J  
THE DYNAMICS OF THE BUCKLING OF ELASTIC COLUMNS  
Journal of Applied Mechanics, Trans. ASME  
1951, Vol. 73, pp. 68-74.
- 5041 Kornhauser M  
PREDICTION AND EVALUATION OF SENSITIVITY TO TRAN-  
SIENT ACCELERATIONS  
Journal of Applied Mechanics, Trans. ASME  
1954, Vol. 76, pp. 371-380.
- 5042 Orowan E  
CONDITION OF HIGH-VELOCITY DUCTILE FRACTURE  
Journal of Applied Physics  
1955, Vol. 26, pp. 900-902.
- The Griffith energy criterion,  $dW = -dU$  ( $dW$  = crack propagation work,  $-dU$  = released elastic energy), cannot be applied to essentially ductile fractures. In particular, it does not represent the condition of rapid ductile fracture propelled by the elastic energy of the specimen. The condition of such fractures is  $d^2W/dx^2 = -d^2U/dx^2$ , where  $x$  is the plastic extension accompanying the propagation of the crack.  
(Author's abstract)
- 5043 Fung Y C and Barton M V  
SOME SHOCK SPECTRA CHARACTERISTICS AND USES  
Journal of Applied Mechanics, Trans. ASME  
Vol. 80, pp. 365-372.
- 5044 Flynn P D  
ELASTIC RESPONSE OF SIMPLE STRUCTURES TO PULSE  
LOADING  
Ballistic Research Laboratories, Memorandum Report No. 525.

This paper deals with the elastic response of some simple structures subjected to a pulse loading. The structures considered are the mass on a spring, the simply supported beam, the cantilever, the circular membrane, and the clamped circular plate. The loading considered is that of a triangular pulse of pressure uniformly distributed over the area of the structural normal to the direction of motion. The pressure jumps to its peak value instantaneously and falls off linearly with increase in time, reaching

the value zero at the end of the pulse. Initially the structures are at rest and have no displacement.

The case of the simply supported beam is treated in some detail in order to illustrate the method of solution. In the other cases only the conditions necessary to specify the problem and the corresponding solutions for the deflection and strain as functions of the spatial argument and time are given. A numerical example is worked out for the simply supported beam, and the curves of deflection-time and strain-time are given for both during and after the pulse. A method is developed whereby the solutions for the triangular pulse may be modified to give directly the response of the structures to a general pressure-time loading. (Author's abstract)

5045

Baker W E and Allen F J  
THE RESPONSE OF ELASTIC SPHERICAL SHELLS TO SPHERICALLY SYMMETRIC INTERNAL BLAST LOADING  
Ballistic Research Laboratories, APG, BRLM Report No. 1113, August 1957.

This report presents the results of an analytical study of the reaction of an idealized nuclear reactor containment shell to internal transient loading which could be caused by reactor runaway.

The containment shell is assumed to be an elastic hollow sphere, and the transient loading is assumed spherically symmetric. A general theory of the response, valid for shells of any thickness, is developed. The theory is approximated for thin shells, and compared with experiment. The experiments corroborate the theoretical predictions. (Authors' abstract)

5046

Cunningham D M and Goldsmith W  
SHORT-TIME IMPULSES PRODUCED BY LONGITUDINAL IMPACT  
Paper presented at Spring Meeting of the Society for Experimental Stress Analysis, held May 14-16, 1958.

A program for the precise measurement of pulses in narrow rectangular bars generated by longitudinal impact of a 1/2-inch diameter steel ball was executed. The pulses were detected by means of resistance wire strain gages of various lengths and sandwiched piezoelectric quartz crystals, and were compared to the measured change of momentum of both ball and bar. An initial impact velocity up to 190 ft/sec always yielded permanent dents in the bar at the contact point with a depth small compared to the ball radius. Rise times of the order of 10 microseconds and peak forces of about 9,500 pounds were produced. No significant difference in the pulse shapes was observed from the records of wire-resistance strain gages and crystals,

but gages are considerably more convenient to use and are more universal in application. The impulses for longitudinal and transverse impact under similar geometric conditions appear to be comparable. (Authors' abstract)

5047

Mason P

**HIGH-SPEED FRACTURE IN RUBBER**

Journal of Applied Physics

1958, Vol. 29, pp. 1146-1150.

Cinematographic observations have been made of crack propagation under well-defined boundary conditions in rubbers at speeds up to 30 m/sec. The fracture markings showed resemblances to those obtained with metals, plastics, and glass, and could be related directly to the corresponding speed of fracture-propagation. In close analogy with Schardin's observations on glass, a noncrystallizing rubber (GR-S) showed a mode of crack propagation in which the fractured surfaces were visually smooth and the speed was about one quarter of the speed of longitudinal elastic waves. A crystallizing rubber (natural rubber) did not show this mode of propagation under the present test conditions. It is suggested that the modes of solid fracture can be usefully classified in three categories: (i) slow propagation, generally with smooth surfaces, obtained by careful control of the boundary conditions; (ii) propagation at intermediate rates with rough surfaces, involving correspondingly greater energy consumption; and (iii) fast propagation with smooth surfaces, the rate of propagation being limited by the speed of elastic waves in the material in accord with Mott's theory. (Author's abstract)

## AUTHOR INDEX

NOTE: The suffix -d after the reference number signifies that this author contributed to the published discussion.

## AUTHOR INDEX

- Abramson H N ... 3, 4001, 4011-d,  
 4038  
 Allen F J ... 4034, 4035, 4036, 5045  
 Allen W A ... 1103, 1105, 1107, 1118,  
 1122, 1141, 1149, 1153, 1169, 3028  
 Alter B E K ... 1049  
 Al'tshuler L V ... 1167, 1168  
 Alverson R C ... 4025, 4029  
 Andersen J R ... 9  
 Armstrong J H ... 2122  
 Astbury N F ... 1206  
 Atkins W W ... 3041
- Backman M E ... 3040  
 Baker W E ... 4034, 5045  
 Bancroft D ... 1136, 1146  
 Barnhart K E ... 4002  
 Barret P ... 2106  
 Barstow F E ... 2046  
 Barton M V ... 5043  
 Bassett W V ... 2119  
 Bayoumi S ... 2040  
 Beedle L S ... 2113  
 Becker H ... 1142, 5016, 5038  
 Bell J F ... 1036, 1063, 2103  
 Benedick W B ... 5001  
 Bessey W H ... 1028  
 Beth R A ... 3017  
 Bethe H A ... 3018  
 Betser A A ... 2007, 2016, 2018,  
 2025  
 Birkhoff G ... 3011  
 Bisplinghoff R L ... 5036  
 Blake R E ... 5013  
 Blechar T ... 1146  
 Bleich H H ... 5025  
 Bloxsom D E ... 3045, 3046  
 Bluhm J I ... 3008  
 Boehler G ... 2011, 2028  
 Bohlenblust H F ... 1019, 1021, 1034,  
 4006  
 Boley B A ... 4009, 4011, 5009  
 Brazhnik M I ... 1167, 1168
- Brennan J B ... 1218  
 Brennan J N ... 4, 2126, 5037  
 Broberg K W ... 1114, 1115  
 Brown A F C ... 1044  
 Burr A H ... 1047  
 Burton B L ... 1146  
 Burton P ... 3001, 3002, 3003
- Calvert N G ... 1227, 5012  
 Campbell J D ... 1002-d, 1020, 1053,  
 1065, 1066  
 Campbell W R ... 1061  
 Carlson R L ... 2115  
 Carson J A ... 2109  
 Caughey T K ... 2120  
 Chao C C ... 4011  
 Charters A C ... 2109  
 Charyk J V ... 1021, 1035  
 Christian R H ... 1106  
 Christie D G ... 2020, 2032, 2047  
 Claflin W M ... 5032  
 Clark A J B ... 2019  
 Clark D S ... 1002, 1004, 1005, 1009-d,  
 1010-d, 1017, 1029, 1033, 1035, 1213,  
 1214, 1221, 4006, 1235, 1236,  
 Clay W G ... 3004, 3038, 3039  
 Cole J D ... 1123  
 Conn W M ... 5003  
 Conrad R W ... 2124, 2128, 5019  
 Conroy M F ... 4017  
 Cooper H L ... 5035  
 Cotter B A ... 4021  
 Courtney-Pratt J S ... 2050, 2104  
 Craggs J ... 3009  
 Crede C E ... 5008  
 Cunningham D M ... 4012, 4013,  
 4028, 5046  
 Curran D R ... 1166  
 Curtis C W ... 1049,
- de Callatay X ... 3032  
 de Juhasz K J ... 1046  
 Dally J W ... 2117

AUTHOR INDEX (cont)

- Dapoigny J ... 2110  
 Datwyler G ... 1004  
 Davids N ... 1116, 1117, 1155, 1157,  
 1158, 1159, 1165, 1238  
 Davidson T ... 5028  
 Davies R M ... 6, 7, 2101, 5014  
 Davis E A ... 1216  
 Deal W E ... 1102, 1140  
 Dengler M A ... 4010  
 Dewey J ... 1156  
 Dietz H ... 2024  
 Dineff J ... 2109  
 Dohrenwend C O ... 4030  
 Doran D G ... 1166  
 Donnell C H ... 1040  
 Drucker D C ... 4030  
 Drummond W E ... 1138, 1139, 1163  
 Duby J ... 1053  
 Durelli A J ... 2004-d, 2005, 2117  
 Duwez P ... 1003, 1005, 1017, 1022,  
 1029, 1033, 1035, 4006  
 Duvall G E ... 1161, 1162
- Eder F X ... 1229  
 Edgerton H E ... 2046  
 Eisner R L ... 2054  
 Elam C F ... 1217  
 Elliot K W T ... 2105  
 Ellis A T ... 2053  
 Ely R E ... 1202  
 Eringen A C ... 4008, 4015, 4022  
 Eubank R A ... 1205  
 Evans W M ... 1111, 1124, 3023  
 Ewing M ... 8
- Fanning R ... 2119  
 Feder J C ... 2015, 2118  
 Ferguson C ... 1215  
 Feshback H ... 5021  
 Findlay W N ... 2010  
 Fink K ... 1219  
 Fischer E G ... 4031  
 Fitzgibbon D P ... 1233  
 Flynn P D ... 2004, 2008, 2013,  
 2016, 2017, 5044  
 Foepl L ... 2002  
 Foner S ... 2035, 3021  
 Forkois H M ... 5019  
 Frankl E K ... 2040  
 Frankland J M ... 5030  
 Freeman P ... 1209  
 Fried B ... 2038, 2043  
 Frocht M M ... 2001, 2004, 2005-d,  
 2007, 2008, 2013, 2016, 2025,  
 2052
- Fung Y C ... 5043  
 Fusfeld H I ... 2118
- Gehring J W ... 1156, 3012  
 Gerard G ... 2125, 5016, 5038  
 Gibbons R A ... 2015  
 Gilbert J T ... 2015  
 Gittings E F ... 1146  
 Goland M ... 4010  
 Goldsmith W ... 10, 1118, 1141,  
 1153, 2051, 4002, 4012, 4013,  
 4028, 5046  
 Goodier J N ... 2130, 5024  
 Goranson R W ... 1146  
 Greenfield M ... 1030  
 Griffis L ... 1010, 1015, 1023, 1031
- Habib E T ... 1009, 1030  
 Hansen R J ... 2123  
 Harrington J P ... 1203  
 Harris D B ... 1212  
 Harris J I ... 4033  
 Hasunuma T ... 2039  
 Hawkes G A ... 1224  
 Hawkyard J B ... 1209  
 Heine-Geldern R V ... 2035, 3021,  
 3027  
 Hendricks C D ... 3014  
 Hetenyi M ... 2037, 2048  
 Hitch H ... 2011, 2028  
 Hodge P H ... 5023  
 Hoff N J ... 5040  
 Hollaman J H ... 1062  
 Hondo M ... 2039  
 Hopkinson B ... 2101  
 Hoppman 2nd W H ... 4005, 4007, 5006  
 Houston E E ... 1146  
 Hudson D E ... 2116, 2120  
 Hudson G E ... 5031  
 Huth J H ... 1123, 3004, 3007  
 Hyers D H ... 1019, 1021
- Irwin G R ... 3035
- Jahn R G ... 2029  
 Jahsman W E ... 2130, 5024  
 Jardetzky W ... 8  
 James H J ... 1111  
 Jantzen A C ... 3036  
 Johnson J E ... 1002, 1236  
 Jones J L ... 2127
- Katz S ... 1166  
 Kieffer J ... 2110

AUTHOR INDEX (cont)

Kilner D D ... 2048  
 Kinser G D ... 3033, 3034, 3036,  
     3037  
 Kirby P L ... 2107  
 Kissinger C W ... 2129  
 Klinger R F ... 1228  
 Kochler J S ... 1126  
 Kolsky H ... 1, 1054, 1125, 1237,  
     2031, 2032  
 Kornhauser M ... 5041  
 Krafft J M ... 1220, 2108, 3030, 5017  
 Krupnikov K K ... 1167, 1168  
 Kulterman R W ... 5001  
 Kumar S ... 1116, 1117, 1155, 1157,  
     1158, 1160, 1164, 1165, 1238  
  
 Lamb G L ... 4024  
 Landeen S A ... 1146  
 Lankford W T ... 2115  
 Lawson A W ... 1027  
 Lebedev N F ... 1060  
 Lee E H ... 1002-d, 1007, 1008,  
     1010-d, 1012-d, 1014-d, 1024,  
     1025, 1043, 1046-d, 1057, 4004  
 Ledenev B N ... 1167  
 Lensky V S ... 1059  
 Leth C F A ... 4023  
 Lindsay J L ... 3016  
 Locklin ... 4032  
 Loginova M A ... 1058  
  
 MacCarthy J G ... 5034  
 MacDonald R J ... 2115  
 MacDougall D P ... 3011  
 MacLaren D D ... 2113  
 McCrary C L ... 1105, 1107  
 McQueen R G ... 5, 1135  
 Maiden C J ... 1066  
 Mallory H D ... 1131, 1144  
 Malvern L E ... 1002-d, 1012, 1052  
 Manjoine M J ... 1210, 1211  
 Mann H C ... 1016  
 Mapes J M ... 1149, 1169, 3028  
 Marshall D F ... 2034  
 Masket A V ... 3015, 3016, 3033  
 Mason H L ... 4003  
 Mason P ... 5047  
 Maxwell B ... 1203  
 Mayfield E B ... 1149, 1169  
 Meier J H ... 5028, 5039  
 Meyer R H ... 1230  
 Miklowitz J ... 5007  
 Miller P ... 1027  
  
 Mills ... 4032  
 Mindlin R D ... 5025, 5035  
 Minshall S ... 1136, 1148  
 Mintrop H ... 2112  
 Monch E ... 2042  
 Monica R E ... 1203  
 Moore P ... 4030  
 Mori D ... 4027  
 Morrow C T ... 5002  
 Murgai M P ... 1151  
 Murray W M ... 2027  
 Muster D F ... 1205, 2111  
 Mutschler E C ... 2035, 3021  
  
 Nadai A ... 1014-d, 1211  
 Neilson F W ... 5001  
 Nestler D E ... 9  
 Nisbet J S ... 2126, 5037  
 Nishiwaki J ... 3025  
 Nisida M ... 2014, 2039  
 Norris G W ... 2051  
  
 Offenbacker E L ... 2015  
 Ogibalov P M ... 1058  
 Orowan E ... 5042  
  
 Pack D C ... 1111, 3023  
 Pagel H J ... 4020  
 Papirno R ... 2125  
 Pardue T E ... 1208  
 Parker E R ... 1215, 1222  
 Partridge W S ... 3038, 3039  
 Pearson J ... 2, 1101, 1108, 1120,  
     1121, 1127, 1128, 1147  
 Pederson A H ... 5034  
 Perkins H C ... 2003  
 Perls T A ... 2129  
 Peterson E L ... 1136  
 Pian T H H ... 5020, 5036  
 Plass H J ... 3, 1006, 4037  
 Pope J A ... 1232  
 Post D ... 2033, 2036  
 Press F ... 8  
 Pugh E M ... 2035, 3011, 3021, 3026  
  
 Rakhmatulin K A ... 1037, 1038  
 Rally F ... 4036  
 Rice M H ... 5, 1135  
 Riley W F ... 2005  
 Rinehart J S ... 2, 1101, 1104, 1108,  
     1109, 1110, 1112, 1120, 1121,  
     1127, 1128, 1132, 1145, 1147,  
     3010, 3019, 3029, 3042

AUTHOR INDEX (cont)

Ringleb F O ... 5022  
Riparbelli C ... 1007-d, 1048, 1067,  
2011, 2028  
Ripperger E A ... 3, 1234, 2130, 4001  
Rostoker N ... 3027  
Ruhl K ... 4020

Salvadori M G ... 4018  
Savitt J ... 1129, 1143  
Scardin H ... 1134  
Schardin H ... 2049  
Schmitt A F ... 5010  
Schwieger H ... 2023, 2024  
Scott E B ... 3020  
Seiler J A ... 4021  
Seitz F ... 1027, 1126  
Senior D A ... 2009  
Shanley F R ... 1041  
Shapiro G S ... 1038  
Shearman A C ... 1125  
Shepler P H ... 5029  
Shi Y Y ... 1237  
Shoup N H ... 2038  
Shreffler R G ... 1102, 5004  
Siddall J N ... 5020  
Singh S ... 1152  
Smith E A ... 1222  
Smith R C ... 1208  
Sokolovsky V V ... 1039  
Solodovnikov R V ... 4019  
Sonntag G ... 3024  
Spells R E ... 3022  
Stanton J S ... 2026  
Starr L ... 1129, 1143  
Sternglass E J ... 1011  
Streeter J R ... 3033  
Stresau R H ... 1143  
Stuart D A ... 1002-d, 1011  
Stubner F W ... 5035  
Sullivan ... 1220  
Sutton G W ... 2006, 2030  
Symonds P S ... 4014, 4021, 4023

Taylor G I ... 1001, 1026, 1042, 1051,  
1124, 3011  
Taylor I J ... 2113, 2114  
Terrell O D ... 2116  
Thompson J S ... 3007  
Thompson L T E ... 3020  
Thomson R A ... 2052  
Thomson W T ... 3031  
Tillett J P A ... 5026, 5027  
Tipper ... 1220  
Tupper S J ... 1007, 1025

Turner T H ... 1223  
Tuzi Z ... 2001-d, 2012, 2014

Van Valkenburg M E ... 3004, 3007,  
3013, 3014  
Von Karman T ... 1003, 1018, 1019,  
1022  
Vanek J ... 5015  
Vigness I ... 1208, 2121, 2124, 2128,  
4026, 5019  
Vincent N D G ... 1044  
Vodar B ... 2110  
Volterra E G ... 1201, 1205, 2022,  
2111, 4001-d

Walsh J M ... 5, 1106, 1135, 5004  
Walsch J P ... 5013  
Wang A J ... 4016  
Warnack F V ... 1218, 1232  
Webster R A ... 3035  
Weidlinger P ... 4018  
Welch N P ... 5033  
Wells A A ... 2009, 2036  
Whiffin A C ... 1001  
White M P ... 1007-d, 1010, 1014,  
1015, 1023, 1032, 1212  
White W C ... 3019  
Wickersham P D ... 4010  
Willig F J ... 5004  
Wilson D C ... 2105  
Wilson W G ... 3028  
Winslow G H ... 1028  
Wolf H ... 1008  
Wood D S ... 1002, 1008-d, 1012-d,  
1029, 1033, 1035, 1050, 1214,  
1221, 1235, 1236  
Wood R W ... 1113

Yarger F L ... 1135  
Yorgiadis A ... 1007-d, 1046-d

Zaid M ... 3001, 3002, 3003  
Zandman F ... 2021  
Zener C ... 1062, 5021  
Zhuchikhin V I ... 1167

TID-4500(14th Ed.)  
PHYSICS AND MATHEMATICS

Number of copies	Distribution	Number of copies	Distribution
3	Aberdeen Proving Ground	3	Naval Research Laboratory
1	Aerojet-General Corporation	1	New Brunswick Area Office
1	Aerojet-General, San Ramon (IOO-880)	2	New York Operations Office
1	AFPR, Boeing, Seattle	1	New York University (Richtmyer)
2	AFPR, Lockheed, Marietta	2	Nuclear Development Corporation of America
2	Air Force Special Weapons Center	1	Nuclear Metals, Inc.
2	ANP Project Office, Convair, Fort Worth	1	Oak Ridge Institute of Nuclear Studies
1	Alco Products, Inc.	15	Office of Naval Research
1	Argonne Cancer Research Hospital	1	Office of Naval Research (Code 422)
10	Argonne National Laboratory	3	Office of Ordnance Research
1	Armed Forces Special Weapons Project, Washington	1	Office of Quartermaster General
5	Armed Services Technical Information Agency	1	Ordnance Materials Research Office
1	Army Ballistic Missile Agency	1	Ordnance Tank-Automotive Command
4	Army Chemical Center	1	Patent Branch, Washington
1	Army Signal Research and Development Laboratory	1	Pennsylvania State University (Blanchard)
1	Atomic Bomb Casualty Commission	4	Phillips Petroleum Company (NRTS)
1	AEC Scientific Representative, Japan	1	Power Reactor Development Company
3	Atomic Energy Commission, Washington (TL)	3	Pratt and Whitney Aircraft Division
3	Atomics International	1	Princeton University (White)
4	Babcock and Wilcox Company (NYOO-1940)	2	Public Health Service
2	Battelle Memorial Institute	1	Public Health Service, Savannah
4	Bettis Plant	1	Rensselaer Polytechnic Institute
4	Brookhaven National Laboratory	1	Sandia Corporation, Albuquerque
1	Brush Beryllium Company	1	Stevens Institute of Technology
1	Bureau of Ships (Code 1500)	1	Sylvania Electric Products, Inc.
1	Bureau of Yards and Docks	1	Technical Research Group
1	Carnegie Institute of Technology	1	Tennessee Valley Authority
1	Chicago Operations Office	1	Texas Nuclear Corporation
1	Chicago Patent Group	1	The Surgeon General
1	Columbia University (Havens)	2	Union Carbide Nuclear Company (ORGDP)
1	Columbia University (SOO-187)	5	Union Carbide Nuclear Company (ORNL)
2	Combustion Engineering, Inc.	1	Union Carbide Nuclear Company (Paducah Plant)
1	Convair-General Dynamics Corporation, San Diego	1	USAF Project RAND
1	Curtiss-Wright Corporation	1	U. S. Geological Survey, Denver
1	Defence Research Member	1	U. S. Geological Survey, Menlo Park
2	Department of the Army, G-2	1	U. S. Geological Survey, Naval Gun Factory
3	duPont Company, Aiken	1	U. S. Geological Survey, Washington
1	duPont Company, Wilmington	1	U. S. Naval Ordnance Laboratory
1	Frankford Arsenal	1	U. S. Naval Postgraduate School
1	General Atomic Division	2	U. S. Naval Radiological Defense Laboratory
2	General Electric Company (ANPD)	1	U. S. Patent Office
6	General Electric Company, Richland	1	UCLA Medical Research Laboratory
1	GE Company, San Jose (AT(30-3)-502)	1	University of California Medical Center
1	General Nuclear Engineering Corporation	2	University of California Lawrence Radiation Laboratory, Berkeley
1	Gibbs and Cox, Inc.	4	University of California Lawrence Radiation Laboratory, Livermore
2	Goodyear Atomic Corporation	1	University of Puerto Rico
1	Grand Junction Operations Office	1	University of Rochester
2	Iowa State College	2	University of Washington (Geballe)
1	Jet Propulsion Laboratory	1	University of Washington (Rohde)
3	Knolls Atomic Power Laboratory	1	Vitro Engineering Division
2	Los Alamos Scientific Laboratory	1	Walter Reed Army Medical Center
1	Lovelace Foundation	1	Watertown Arsenal
1	Maritime Administration	2	Westinghouse Electric Corporation (Schafer)
1	Martin Company	6	Wright Air Development Center
2	Midwestern Universities Research Association	1	Yale University (Breit)
1	Mound Laboratory	1	Yale University (Schultz)
1	National Advisory Committee for Aeronautics, Cleveland	1	Yankee Atomic Electric Company
2	National Bureau of Standards	325	Technical Information Service Extension
1	National Bureau of Standards (Library)	75*	Office of Technical Services, Washington
1	National Lead Company of Ohio		
1	Naval Medical Research Institute	813	

\*These copies should be shipped directly to the Office of Technical Services, Department of Commerce, Washington 25, D. C.

Issued by  
Technical Information Division  
Sandia Corporation  
Albuquerque, New Mexico