

REPORT DOCUMENTATION PAGE

*Form Approved
OMB No. 0704-0188*

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY) 03-06-2002	2. REPORT TYPE Conference Proceeding	3. DATES COVERED (From - To) 20-22 May, 2002
--	--	--

4. TITLE AND SUBTITLE Algorithm and Code to Calculate Specular Reflection of Light from a Wavy Water Surface	5a. CONTRACT NUMBER
	5b. GRANT NUMBER
	5c. PROGRAM ELEMENT NUMBER 73-5939-A1

6. AUTHOR(S) Vladimir Haltrin	5d. PROJECT NUMBER
	5e. TASK NUMBER
	5f. WORK UNIT NUMBER

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Research Laboratory Oceanography Division Stennis Space Center, MS 39529-5004	8. PERFORMING ORGANIZATION REPORT NUMBER NRL/PP/7330/01/0084
--	--

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research 800 N. Quincy St. Arlington, VA 22217-5660	10. SPONSOR/MONITOR'S ACRONYM(S)
	11. SPONSOR/MONITOR'S REPORT NUMBER(S)

12. DISTRIBUTION/AVAILABILITY STATEMENT
Approved for public release; distribution is unlimited

13. SUPPLEMENTARY NOTES
7th International Conference Remote Sensing for Marine and Coastal Environments

14. ABSTRACT
In studying light and image transfer in sea water the influence of Fresnel surface reflection is as significant as scattering and absorption phenomena. In these cases a knowledge of the reflective properties of sea surface at different wind speeds is very important. At present, little is published about these properties. We present here results of numerical modeling of Fresnel light reflection coefficient of sea water as a function of solar zenith angle and wind speed. The ray-tracing computer model was developed to generate wave slopes and elevations. In order to generate a realistic sea surface the model used Paul Hwang wave height spectrums. The final result of this paper is a simple equation and very fast FORTRAN code to calculate Fresnel reflection coefficient of wavy water surface and specular part of remote sensing reflectance.

15. SUBJECT TERMS
Fresnel Surface, scattering, ray-tracing

20020621 087

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT SAR	18. NUMBER OF PAGES 7	19a. NAME OF RESPONSIBLE PERSON Vladimir Haltrin
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (Include area code) (2228) 688-4528

PUBLICATION OR PRESENTATION RELEASE REQUEST

Pubkey: 3002

NRLINST 5600.2

1. REFERENCES AND ENCLOSURES	2. TYPE OF PUBLICATION OR PRESENTATION	3. ADMINISTRATIVE INFORMATION
Ref: (a) NRL Instruction 5600.2 (b) NRL Instruction 5510.40D Encl: (1) Two copies of subject paper (or abstract)	<input type="checkbox"/> Abstract only, published <input type="checkbox"/> Book <input type="checkbox"/> Conference Proceedings (refereed) <input type="checkbox"/> Invited speaker <input type="checkbox"/> Journal article (refereed) <input type="checkbox"/> Oral Presentation, published <input type="checkbox"/> Oral Presentation, not published <input type="checkbox"/> Other, explain	<input type="checkbox"/> Abstract only, not published <input type="checkbox"/> Book chapter <input checked="" type="checkbox"/> Conference Proceedings (not refereed) <input type="checkbox"/> Multimedia report <input type="checkbox"/> Journal article (not refereed) <input type="checkbox"/> Oral Presentation, not published
		STRN <u>NRL/PP/7330-01-84</u> Route Sheet No. <u>7330/</u> Job Order No. _____ Classification <input checked="" type="checkbox"/> U <input type="checkbox"/> C Sponsor _____ approval obtained <input type="checkbox"/> yes <input checked="" type="checkbox"/> no

4. AUTHOR

Title of Paper or Presentation
Algorithm and Code to Calculate Specular Reflection of Light from a Wavy Water Surface

Author(s) Name(s) (First, MI, Last), Code, Affiliation if not NRL
Vladimir I. Haltrin 7333

It is intended to offer this paper to the 7th Int. Conf. Remote Sensing for Marine and Coastal Environments
 (Name of Conference)

20-MAY - 22-MAY-2002, Miami, Florida, Unclassified
 (Date, Place and Classification of Conference)

and/or for publication in 7th Int. Conf. Remote Sensing for Marine and Coasta
 (Name and Classification of Publication) (Name of Publisher)

After presentation or publication, pertinent publication/presentation data will be entered in the publications data base, in accordance with reference (a).
 It is the opinion of the author that the subject paper (is) (is not) classified, in accordance with reference (b).
 This paper does not violate any disclosure of trade secrets or suggestions of outside individuals or concerns which have been communicated to the Laboratory in confidence. This paper (does) (does not) contain any militarily critical technology.
 This subject paper (has) (has never) been incorporated in an official NRL Report.

Vladimir I. Haltrin, 7333
 Name and Code (Principal Author)

V. Haltrin
 (Signature)

5. ROUTING/APPROVAL			
CODE	SIGNATURE	DATE	COMMENTS
Author(s) Haltrin	<i>V. Haltrin</i>	10/30/01	
Section Head Arnone	<i>R. Arnone</i>	10/31	
Branch Head Steven W. Payne, 7330	<i>S. W. Payne</i>	11/2	
Division Head William J. Jobst, 7300	<i>W. Jobst</i>	11/2	1. Release of this paper is approved 2. To the best knowledge of this Division, the subject matter of this paper (has <input type="checkbox"/>) (has never <input checked="" type="checkbox"/>) been classified.
Security, Code 7030.1	<i>David R. ...</i>	11/5	1. Paper or abstract was released. 2. A copy is filed in this office <u>58C-330-01</u>
Office of Counsel, Code 1008.3	<i>...</i>	11/7/01	<u>Memo 122</u>
ADOR/Director NCST E.O. Hartwig, 7000	<i>...</i>		
Public Affairs (Unclassified/ Unlimited Only), Code 7030.4	<i>Becky ...</i>	11/5/01	
Division, Code			
Author, Code			

6. DISTRIBUTION STATEMENTS (Author to check appropriate statement and fill reasons required)

A - Approved for public release, distribution is unlimited.

B - Distribution authorized to U.S. Government agencies only (check reason below):

<input type="checkbox"/> Foreign Government Information	<input type="checkbox"/> Contractor Performance Evaluation	<input type="checkbox"/> Critical Technology
<input type="checkbox"/> Proprietary Information	<input type="checkbox"/> Administrative/Operational Use	<input type="checkbox"/> Premature Dissemination
<input type="checkbox"/> Test and Evaluation	<input type="checkbox"/> Software Documentation	<input type="checkbox"/> Cite "Specific Authority" _____

Date statement applied _____ (Identification of valid documented authority)

Other requests for this document shall be referred to _____
(Insert Controlling DOD Office*)

C - Distribution authorized to U.S. Government agencies and their contractors (check reason below):

<input type="checkbox"/> Foreign Government Information	<input type="checkbox"/> Software Documentation
<input type="checkbox"/> Administrative/Operational Use	<input type="checkbox"/> Critical Technology
<input type="checkbox"/> Cite "Specific Authority" _____	

Date statement applied _____ (Identification of valid documented authority)

Other requests for this document shall be referred to _____
(Insert Controlling DOD Office*)

D - Distribution authorized to DOD and DOD contractors only (check reason below):

<input type="checkbox"/> Foreign Government Information	<input type="checkbox"/> Critical Technology
<input type="checkbox"/> Software Documentation	<input type="checkbox"/> Cite "Specific Authority" _____
<input type="checkbox"/> Administrative/Operational Use	

Date statement applied _____ (Identification of valid documented authority)

Other requests for this document shall be referred to _____
(Insert Controlling DOD Office*)

E - Distribution authorized to DOD components only (check reason below):

<input type="checkbox"/> Proprietary Information	<input type="checkbox"/> Premature Dissemination	<input type="checkbox"/> Critical Technology
<input type="checkbox"/> Foreign Government Information	<input type="checkbox"/> Software Documentation	<input type="checkbox"/> Direct Military Support
<input type="checkbox"/> Administrative/Operational Use	<input type="checkbox"/> Contractor Performance Evaluation	<input type="checkbox"/> Test and Evaluation
<input type="checkbox"/> Cite "Specific Authority" _____		

Date statement applied _____ (Identification of valid documented authority)

Other requests for this document shall be referred to _____
(Insert Controlling DOD Office*)

F - Further dissemination only as directed by _____
(Insert Controlling DOD Office*)

Date statement applied _____ or higher DOD authority _____

G - Distribution authorized to U.S. Government agencies and private individuals or enterprises eligible to obtain export-controlled technical data in accordance with regulations implementing 10 U.S.C. 140c.

Date statement applied _____

Other requests for this document shall be referred to _____
(Insert Controlling DOD Office*)

*For NRL publications, this is usually the Commanding Officer, Naval Research Laboratory, Washington, DC 20375-5320

7. OTHER LIMITATION

Classification NOFORN DTIC exempt (explain) _____

Classification Review (initial/Date) Substantive changes made in this document after approval by Classification Review and Public Release invalidate these reviews. Therefore, if any substantive changes are made by the author, Technical Information, or anyone else, the document must be returned for another Classification Review and Publication Release.

8. INSTRUCTIONS

Author completes and submits this form with the manuscript via line channels to the division head for review and approval according to the routing in Section 4.

1. NRL Reports.....	Submit the diskette (if available), manuscript, typed double-spaced, complete with tables, illustrations, references, draft SF 298, and proposed distribution list.
2. NRL Memorandum Reports.....	Submit a copy of the original, typed manuscript complete with tables, illustrations, references, draft SF 298, and proposed distribution list.
3. NRL Publications or other books, brochures, pamphlets, proceedings, or any other printed publications.....	Handled on a per case basis by Site Technical Information Office.

ALGORITHM AND CODE TO CALCULATE SPECULAR REFLECTION OF LIGHT FROM A WAVY WATER SURFACE

Vladimir I. Haltrin

Naval Research Laboratory, Ocean Optics Section, Code 7333
Stennis Space Center, MS 39529-5004, USA, phone: 228-688-4528
e-mail: haltrin@nrlssc.navy.mil; web page: <http://www7333.nrlssc.navy.mil/~haltrin>

ABSTRACT

In studying light and image transfer in sea water the influence of Fresnel surface reflection is as significant as scattering and absorption phenomena. In these cases a knowledge of the reflective properties of sea surface at different wind speeds is very important. At present, little is published about these properties. We present here results of numerical modeling of Fresnel light reflection coefficient of sea water as a function of solar zenith angle and wind speed. The ray-tracing computer model was developed to generate wave slopes and elevations. In order to generate a realistic sea surface the model used Paul Hwang wave height spectrums. The final result of this paper is a simple equation and very fast FORTRAN code to calculate Fresnel reflection coefficient of wavy water surface and specular part of remote sensing reflectance.

INTRODUCTION

The optical remote sensing reflectance of the ocean consists of two parts: one that is connected to the specular reflection of light from wavy water surface, and the second one that is due to the diffuse light ascending from the water. The information about the optical state of water body is contained in the internal light coming from the sea. In order to precisely estimate the second internal component of the remote sensing reflection we need an approach to precisely estimate the first, specular reflected component of light.

This presentation explains a new and very fast algorithm to compute specular reflection of solar light from the wavy water surface. The specular light reflected from the water surface consists of two parts. The first part is due to the Fresnel reflection from a wind-roughened surface, and the second one is due to the reflection by whitecaps. The Fresnel part of reflection was computed using a Monte Carlo method. The roughness of water surface was realistically modeled with the use of surface wave energy distributions by Paul Hwang. The resulting reflection coefficient of light by a water surface was obtained by averaging over billion realizations of reflection coefficient. Results of these calculations are expressed as a very precise regression that connects Fresnel reflection coefficient to the solar angle and wind speed.

The proposed algorithm is implemented as a very fast FORTRAN code (See Appendices A and B) to compute a specular reflection component of the remote sensing reflectance.

Presented to the Seventh International Conference: Remote Sensing for Marine and Coastal Environments, Miami, Florida, USA, 20-22 May 2002.

SPECULAR PART OF REMOTE SENSING REFLECTANCE

The specular part of remote sensing reflectance consists of two parts, the first one, connected with Fresnel reflection coefficient of light from rough (wavy) water surface r_F , and the second one, related to reflection of light from sea foam or whitecaps r_{SF} . It can be expressed as a following expression:

$$r_S = r_F + r_{SF}, \quad (1)$$

The reflection by sea foam can be regarded as Lambertian and is expressed as follows:

$$r_{SF} = f(u) A_F / \pi, \quad (2)$$

where A_F is an albedo of the foam ($A_F \cong 0.6$), and $f(u)$ is a portion of the sea surface covered with whitecaps (foam), u is a wind speed. The function $f(u)$ is defined by the following regression (Frouin, 1996):

$$f(u) = \begin{cases} 0.000012u^{3.3}, & u \leq 9 \text{ m/s}, \\ (0.225u - 0.99)u^3, & u > 9 \text{ m/s}. \end{cases} \quad (3)$$

The Fresnel portion of the remote sensing reflectance is defined by the following equation:

$$r_F = [1 - f(u)] R_F(u, Z_S), \quad (4)$$

where Z_S is an angle of incidence equal to a solar zenith angle for flat water surface. When wind speed is equal to zero, there are no foam on a sea surface ($f(u) = 0$) and foam-related part of remote sensing reflectance is equal to zero $r_{SF} = 0$, the surface is flat and $r_F = R_F^0(Z_S)$, where $R_F^0(Z_S)$ is Fresnel specular reflection coefficient from flat water surface, defined by the following equation:

$$R_F^0(Z_S) = \frac{1}{2} \left[\left(\frac{\cos Z_S - \sqrt{n_w^2 - \sin^2 Z_S}}{\cos Z_S + \sqrt{n_w^2 - \sin^2 Z_S}} \right)^2 + \left(\frac{n_w^2 \cos Z_S - \sqrt{n_w^2 - \sin^2 Z_S}}{n_w^2 \cos Z_S + \sqrt{n_w^2 - \sin^2 Z_S}} \right)^2 \right] \quad (5)$$

here $n_w \approx 1.341$ is a refractive index of water.

When wind started to blow, it roughens the water surface and the situation becomes more complex: we need to average expression (5) over incidence angles. There are different approaches to accomplish this procedure: 1) we can use a Cox and Munk (1954) sea water slope distribution, or 2) we can use Monte Carlo method to generate wave slopes using wave energy spectrums taken from experimental measurements (Haltrin, McBride III, and Weidemann, 2000). The second approach is more complex and time-consuming, but it gives better results, especially for remote sensing applications. To compute specular part of remote sensing reflectance in this paper we used the second approach.

COMPUTATIONS OF FRESNEL REFLECTION COEFFICIENT

To generate sea water surface slopes we used a Monte Carlo program described in Haltrin, McBride III, and Arnone (2001). The values of sea surface orientation allow us to compute light reflection coefficient in each pixel of the sample surface. Averaging over $M \times M$ spatial and L temporal realizations gives as an average Fresnel reflection coefficient for each value of wind speed u and zenith angle Z_s . To compute actual values of Fresnel reflection coefficient we used the Paul Hwang (1997) spectrum. This spectrum is specifically tailored for remote sensing problems to produce correct values of mean square slopes of ocean waves.

The generated realizations of Fresnel reflection coefficients have been averaged over 100×100 pixels of sample sea surface areas and 80 time realizations to produce resulting angular distributions of Fresnel reflection coefficient. The values of elevations and orientations in each pixel have been obtained using one million computations, 1000 realizations for flat sine waves and 1000 significant points of wave number k in energy spectrum range. To generate random numbers we used Mersenne Twister random number generator (Matsumoto and Kurita, 1992, 1994) capable to produce evenly distributed random numbers in a cube of 626 dimensions. So each value of Fresnel reflection coefficient for any value of wind speed and zenith angle represents an average value of 800 billion individual computations.

FRESNEL REFLECTION COEFFICIENT BY WAVY WATER SURFACE

The results of extensive Monte Carlo computations are compactly represented as a following regression equation (Haltrin, McBride III, and Arnone, 2001):

$$R_F(u, Z_s) = a_0(u) + R_F^0(Z_s) \{ a_1(u) + R_F^0(Z_s) [a_2(u) + a_3(u) R_F^0(Z_s)] \}, \quad (6)$$

where $R_F^0(Z_s)$ is a Fresnel reflection coefficient of flat water surface given by Eq. (5), and wind-speed-dependent coefficients $a_i(u)$ are given by the following equations:

$$a_0(u) = 0.001(6.944831 - 1.912076u + 0.03654833u^2), \quad r^2 = 0.9997, \quad (7)$$

$$a_1(u) = 0.7431368 + 0.0679787u - 0.0007171u^2, \quad r^2 = 0.9996, \quad (8)$$

$$a_2(u) = 0.5650262 + 0.0061502u - 0.0239810u^2 + 0.0010695u^3, \quad r^2 = 0.9995, \quad (9)$$

$$a_3(u) = -0.4128083 - 0.1271037u + 0.0283907u^2 - 0.0011706u^3, \quad r^2 = 0.9991. \quad (10)$$

Equations (1)-(6) represent a complete algorithm to compute the specular part of remote sensing reflectance. This algorithm is programmed in FORTRAN and presented in Appendices A and B.

ACKNOWLEDGMENTS

The author thanks continuing support through the Spectral Signatures program (73-5939-A1). This article represents NRL contribution NRL/PP/7330/01/0084.

APPENDIX A: PROGRAM RSSPEC.F

```

! *****
!                               program rsspec
! *****
!                               Vladimir I. Haltrin <haltrin@nrlssc.navy.mil>
!                               last modification: February 20, 2002
! *****
! vwk      = wind speed over the sea surface in knots
! vwm      = wind speed over the sea surface in m/sec
! f, ff    = fraction of sea surface covered by foam
! Zs(1:nSun) = a massive of solar zenith angles
! nWat     = refractive index of sea water
! *****
implicit none
integer nSun,Ns,Nw,Nz,j,k
parameter (Nw=20,Nz=90)
real nWat,R,Afoam,Pi,rd,ws,dt,ff,phi,fr0,rsa,f(Nw)
real windspeed(Nw),vwk(Nw),vwm(Nw),Zs(Nz),RfrFl(Nz),Fresnel
real RfrWn(Nw,Nz),Rrs(Nw,Nz),Ffoam,FresRwind
logical knots

open(11,file='rsspec.in',status='old')
  read(11,*) Afoam
  read(11,*) nWat
  read(11,*) knots
  read(11,*) Ns
  read(11,*) (windspeed(j),j=1,Ns)
  read(11,*) nSun
  read(11,*) (Zs(k), k=1, nSun) ! solar zenith angles in degrees
close(11)

Pi = 4.*ATAN(1.)
rd = Pi/180.

if (knots) then
  do j=1,Ns
    vwm(j) = 0.515*windspeed(j)
    vwk(j) = windspeed(j)
  end do
else
  do j=1,Ns
    vwm(j) = windspeed(j)
    vwk(j) = windspeed(j)/0.515
  end do
end if

do k = 1, nSun ! solar zenith angle loop
  phi = rd*Zs(k)
  fr0 = Fresnel(nWat,phi) ! Fresnel reflection coefficient
  RfrFl(k) = fr0
  do j=1, Ns ! windspeed loop
    ws = vwm(j)
    ff = Ffoam(ws)
    f(j) = ff
    R = FresRwind(fr0,ws)
    RfrWn(j,k) = R
    Rrs(j,k) = ff*Afoam/Pi + (1.-ff)*R
  end do
end do

```

```

        end do
    end do

    call Rout('RfrWnd.out',Afoam,nWat,Nw,Nz,Ns,nSun
    &
    ,f,vwk,vwm,Zs,RfrFl,RfrWn)
    call Rout('RSspec.out',Afoam,nWat,Nw,Nz,Ns,nSun
    &
    ,f,vwk,vwm,Zs,RfrFl,Rrs)

    end

! *****
! real function Fresnel(nWat,phi)
! -----
! phi = angle (in radians) at which light is incident on sea
! aRef = angle of refraction (in radians)
! Rpar = Fresnel reflection coefficient for parallel polarization
! Rper = Fresnel reflection coefficient for perpend. polarization
! *****
    implicit none
    real nWat,phi, aRef,aDif,aSum,Rpar,Rper

    if (phi .ne. 0.) then
        aRef = ASIN(SIN(phi)/nWat)
        aDif = phi-aRef
        aSum = phi+aRef
        Rpar = TAN(aDif)/TAN(aSum)
        Rper = SIN(aDif)/SIN(aSum)
        Fresnel = 0.5*(Rpar*Rpar+Rper*Rper)
    else
        aSum = (nWat-1.)/(nWat+1.)
        Fresnel = aSum*aSum
    end if

    return
end

! *****
! real function FresRwind(fr0,ws)
! -----
! Calculates Fresnel reflection coefficient of wavy water surface
! for the case of Paul Hwang wave energy spectrum distribution
! fr0 = Fresnel reflection coefficient of a flat water surface.
! ws = windspeed in m/sec, 0 <= ws <= 12 m/s.
! See: V. I. Haltrin, W. E. McBride III, and R. A. Arnone, "Spectral
! approach to calculate specular reflection of light from wavy water
! surface," - pp. 133-138 in Proceedings of D. S. Rozhdestvensky
! Optical Society: International Conference Current Problems in Optics
! of Natural Waters (ONW'2001), St. Petersburg, Russia, 2001.
! *****
    implicit none
    real fr0,ws, a0,a1,a2,a3

    a0 = 0.001*(6.944831+ws*(-1.912076+0.03654833*ws))
    a1 = 0.7431368+ws*(0.0679787-0.0007171*ws)
    a2 = 0.5650262+ws*(0.0061502+ws*(-0.023981+0.0010695*ws))
    a3 = -0.4128083+ws*(-0.1271037+ws*(0.0283907-0.0011706*ws))
    FresRwind = a0+fr0*(a1+fr0*(a2+a3*fr0))

    return

```

```

end

! *****
real    function Ffoam(ws)
! -----
!     Calculates a fraction of water surface covered by foam
!     ws = windspeed in m/sec, 0 <= ws <= 12 m/s.
!     R. Frouin, Ocean Optics XIII, Halifax, Canada, unpublished.
! *****
implicit none
real    ws,f

f = ws*ws*ws
f = 1.2E-5*f*(ws**0.3)
if (ws .gt. 9.) f = f*(0.225*ws-0.99)
if (f .gt. 1.) f = 1.
Ffoam = f

return
end

! *****
subroutine Rout(fname,Afoam,nWat,Nw,Nz,Ns,nSun
&          ,f,vwk,vwm,Zs,RfrFl,Rf)
! *****
implicit none
integer  Nw,Nz,Ns,nSun,k,j
real    Afoam,nWat,f(Nw),vwk(Nw),vwm(Nw)
real    Zs(Nz),RfrFl(Nz),Rf(Nw,Nz)
character tb,fname*10

tb = CHAR(9)
open(21, file=fname, status='new',recl=250)
write(21,44) Afoam
write(21,55) nWat
write(21,66) '      f:',tb,0.,(tb, f(j),j=1,Ns)
write(21,66) 'Zs\vwk:',tb,0.,(tb,vwk(j),j=1,Ns)
write(21,66) '-----'
&-----'
write(21,66) 'Zs\vwm:',tb,0.,(tb,vwm(j),j=1,Ns)
do k = 1, nSun
write(21,77) Zs(k),tb,RfrFl(k),(tb,Rf(j,k),j=1,Ns)
end do
close(21)

44 format(x,'Foam Albedo           = ',f7.5)
55 format(x,'Water refraction coefficient = ',f7.5)
66 format(a7, 21(a1,f10.5))
77 format(f6.3,21(a1,f10.7))

return
end
! *****

```

APPENDIX B: INPUT FILE RSSPEC.IN

```
0.60      <-- Afoam, foam albedo (0.60)
1.341     <-- nWat, water refractive index
.false.   <-- knots (if .true., windspeed is in knots, else -> in m/sec)
6         <-- Ns; windspeed(1:Ns):
2.   4.00 6.   8.   10.0 12.
22        <-- nSun; sun zenith angles in degrees, ang(1:nSun):
0.0 05.   10.  15   20.   25.  30.  35.  40.  45.
50. 55.   60.  65.  70.   75.  77.5 80. 82.5 85. 87.5 89.9
```

REFERENCES

- C. Cox, and W. Munk, "Measurements of the roughness of the sea surface from photographs of the sun's glitter," *Journ. Opt. Soc. America*, 44, 838-850 (1954).
- R. Frouin, 1996. Private communication.
- V. I. Haltrin, 1998. "Self-consistent approach to the solution of the light transfer problem for irradiances in marine waters with arbitrary turbidity, depth and surface illumination" *Appl. Optics*, 37, 3773-3784 .
- V. I. Haltrin, W. E. McBride III, and A. D. Weidemann, 2000. "Fresnel reflection and transmission by wavy sea surface," in *Proceedings of the International Geoscience and Remote Sensing Symposium*, ed. Tammy I. Stein, pp. 1863-1865 (IEEE, Piscataway, NJ, USA).
- V. I. Haltrin, W. E. McBride III, and R. A. Arnone, 2001. "Spectral approach to calculate specular reflection of light from wavy water surface," - pp. 133-138 in *Proceedings of D. S. Rozhdestvensky Optical Society: International Conference Current Problems in Optics of Natural Waters (ONW'2001)*, St. Petersburg, Russia.
- P. A. Hwang, 1997. "A study of a wavenumber spectra of short water waves in the ocean. Part II: Spectral model and mean square slope," *J. Atmos. Oceanic Technology*, 14, pp. 1174-1186.
- M. Matsumoto and Y. Kurita, 1992. "Twisted GFSR generators," *ACM Trans. on Modeling and Computer Simulation*, 2, pp. 179-194.
- M. Matsumoto and Y. Kurita, 1994. "Twisted GFSR generators II," *ACM Trans. on Modeling and Computer Simulation*, 4, pp. 254-266.