


REPORT DOCUMENTATION PAGE - SF298

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY) 30-08-02		2. REPORT TYPE		3. DATES COVERED (From - To) AUG 01 - AUG02	
4. TITLE AND SUBTITLE EINSTEIN Model Validation				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) MAJ Randall R. Klingaman, MS COL William B. Carlton, PhD				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Systems Engineering USMA West Point, NY 10996				8. PERFORMING ORGANIZATION REPORT NUMBER DSE-TR-02-03	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT APPROVED FOR PUBLIC RELEASE ; DISTRIBUTION IS UNLIMITED					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT The use of Agent Based Models (ABM) to simulate behaviors in combat is gaining increasing recognition and interest across the Operations Research community of both the Marine Corps and now the Army. This paper presents our attempt to "validate" EINSTEIN (Enhanced ISAAC Neural Simulation Tool) by comparing its outputs to those of another well-known combat simulation model, JANUS. The experiment first establishes the combat effectiveness of EINSTEIN entities executing a National Training Center (NTC)-type scenario. The scenario is designed to replicate one armored company of 14 "friendly" tanks versus a similar size force of 14 "enemy" main battle tanks. We allowed one set of "friendly" entities to gain knowledge, or "learn," by using the genetic algorithm incorporated in EINSTEIN. Another set of friendly entities was not allowed to "learn." For both cases, we recorded both the combat results of the EINSTEIN simulations and the entity actions. These observed actions were programmed into JANUS. For each instance, we compared the combat effectiveness resulting from JANUS to those obtained from EINSTEIN. The paper presents the findings of our analysis and suggests further research areas for using ABM's.					
15. SUBJECT TERMS Model Validation, Agent Based Modeling					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			19b. TELEPHONE NUMBER (include area code)

20020913 100



**United States Military Academy
West Point, New York 10996**

EINSTEIN Model Validation

**OPERATIONS RESEARCH CENTER OF EXCELLENCE
TECHNICAL REPORT # DSE-TR-02-03**

Lead Analyst

Major Randall R. Klingaman, M.S.
Assistant Professor, Department of Systems Engineering

Senior Investigator

Colonel William B. Carlton, Ph.D.
Program Director, Department of Systems Engineering

Directed by

Colonel William K. Klimack, Ph.D.
Director, Operations Research Center of Excellence

Approved by

Colonel Michael L. McGinnis, Ph.D.
Professor and Head, Department of Systems Engineering

August 2002

The Operations Research Center of Excellence is supported by the
Assistant Secretary of the Army (Financial Management & Comptroller)

**Distribution A: Approved for public release;
distribution is unlimited.**

AQMO2-12-3138

EINSTEIN Model Validation

Lead Analyst

Major Randall R. Klingaman

Assistant Professor, Department of Systems Engineering

Senior Investigator

Colonel William B. Carlton

Program Director, Department of Systems Engineering

OPERATIONS RESEARCH CENTER OF EXCELLENCE TECHNICAL REPORT #: DSE-TR-02-03

Directed by

Colonel Bill Klimack, Ph.D.

Director, Operations Research Center of Excellence

Approved by

Colonel Michael L. McGinnis, Ph.D.

Professor and Head, Department of Systems Engineering

August 2002

The Operations Research Center of Excellence is supported by the
Assistant Secretary of the Army (Financial Management & Comptroller)

**Distribution A: Approved for public release;
distribution is unlimited.**

Abstract

The use of Agent Based Models (ABM) to simulate behaviors in combat is gaining increasing recognition and interest across the Operations Research community of both the Marine Corps and now the Army. This paper presents our attempt to “validate” EINSTEIn (Enhanced ISAAC Neural Simulation Tool) by comparing its outputs to those of another well-known combat simulation model, JANUS. The experiment first establishes the combat effectiveness of EINSTEIn entities executing a National Training Center (NTC)-type scenario. The scenario is designed to replicate one armored company of 14 “friendly” tanks versus a similar size force of 14 “enemy” main battle tanks. We allowed one set of “friendly” entities to gain knowledge, or “learn,” by using the genetic algorithm incorporated in EINSTEIn. Another set of friendly entities was not allowed to “learn.” For both cases, we recorded both the combat results of the EINSTEIn simulations and the entity actions. These observed actions were programmed into JANUS. For each instance, we compared the combat effectiveness resulting from JANUS to those obtained from EINSTEIn. The hypothesis of the experiment is that the entities that were allowed to “learn” will have noticeably different behavior and have a significantly better loss-exchange ratio in both EINSTEIn and JANUS. The paper presents the findings of our analysis and suggests further research areas for using ABM’s.

About the Author(s)

Major Randall Klingaman is an Assistant Professor in the Department of Systems Engineering at the United States Military Academy (USMA) at West Point, New York. MAJ Klingaman graduated with a MS degree in Industrial Engineering from the Georgia Institute of Technology in 2000 and a BS in Chemistry from USMA in 1991. Major Klingaman has served as an Infantry Officer for 11 years in the U.S. Army and is currently serving in the U.S. Army as a Functional Area 49, Operations Research officer. Major Sander's research interests include complex adaptive systems, agent based modeling, and production operations engineering.

Acknowledgements


This work is indebted to previous work done in concert with Project Albert, in particular to work done by Dr Andy Illachinski of the Center for Naval Analysis who created the model that we utilized. We would also like to recognize MAJ Suzanne Delong and Mr. Paul West for their contribution to our understanding of the JANUS combat model.

Table of Contents

Abstract	iii
About the Author(s)	iv
Acknowledgements.....	iv
Table of Contents	v
Chapter 1: Briefing Slides for MORS Symposium	1
Bibliography	2
Appendix A: List of Abbreviations.....	3
Distribution List	4
REPORT DOCUMENTATION PAGE – SF298	5

Chapter 1: Briefing Slides for MORS Symposium

The following slides represent the briefing that was given at the MORS Symposium in June 2002 at Ft. Leavenworth, KS.



EINSTEIN Validation Experiment


MAJ Randall Klingaman

COL William Carlton

Department of Systems Engineering



U.S. Military Academy

West Point, NY



Agenda

- **Purpose**
- **Design of Experiment**
- **EINSTEIN Experiment and Results**
- **JANUS Experiment and Results**
- **Comparison of Results**
- **Validation Issues**
- **Conclusions**
- **Future Work**
- **Implications to Future Modeling and Simulation**
- **Questions**




Purpose of Research

• **To find out if an ABM scenario can be translated into JANUS and produce similar outcomes**

- Determine strengths and weaknesses of each model
- Determine areas for improvement
- Determine possibilities for transfer of processes
- Modeling issues and concerns

• **To “validate” Agent Based Model (ABM) via comparison to a proven combat simulation model - JANUS, using a National Training Center (NTC) scenario**

- Are outcomes similar
- Are observed behaviors similar
- Are results believable




Design of Experiment

(1 of 2)



- **Compare LER results for a 2^2 – Full Factorial Experimental Design:**
 - Factor A: EINSTEIN ABM, Janus
 - Factor B: Agents w/o learning, Agents w/ learning
- **Response variable is Loss Exchange Ratio (LER)**
 - Common to both models
 - Commonly used metric in combat models
- **H_0 : LER of initial agents and agents with “learning” in ABM will follow similar outcomes when transferred to a “traditional” combat simulation**





Design of Experiment

(2 of 2)




- **EINSTEIN's genetic algorithm enables agent "learning"**
- **Captured agent movements for input into JANUS**
 - Company Centers of Mass
- **Scenario chosen is 14 M1A2s against 14 T-80s in a Movement to Contact (MTC) mission**
- **Agents (& JANUS) entities have "matching" capabilities:**
 - Speed
 - Communications Ranges
 - Sensor Ranges
 - Engagement Capabilities



EINSTEIN Experiment

Convert the Terrain


Satellite Photo of NTC



EINSTEIN Terrain Model of NTC



- The NTC is reasonably close to EINSTEIN's "tabletop" terrain
- 30 km x 30 km square of NTC covering major force-on-force maneuver areas
- Grid NK2520 upper left corner
- Major terrain features captured as "boxes" in EINSTEIN
- Scale: 1 km = 5 EINSTEIN spaces
- 22 impassable squares created; agents can not see or shoot thru




EINSTEIN Experiment

Create the Agents (1 of 2)




- Maneuver Speed - M1 and T-80 speeds set equal
- Survivability – In EINSTEIN, 2 hits degrade agent to injured status, 1 additional hit degrades to killed status
- Communication Range - Based on max SINGGARS range (30 km), set to entire EINSTEIN box for both Blue and Red agents
- Sensor Range - Set to 20 EINSTEIN spaces for both Blue and Red agents to match JANUS capability
- Weapons Range - M1 and T-80 set equal at 10 EINSTEIN spaces; EINSTEIN agents have 1 weapon; based on max range of main gun sabot




EINSTEIN Experiment

Create the Agents (2 of 2)




- Single Shot Probability- Based on JANUS P(Hit) of weapon system:
 - 95% for M1 @ 2000m for SSEH
 - 91% for T80 @ 2000m for SSEH
 - When agent is injured, reduced to 50%
- Max # of Simultaneously Targetable Enemy - Set to 2 based on ability of Tank Commander and Gunner to track enemy for both Blue and Red
- Fratricide- Turned off
- Reconstitution- Turned Off
- Local Commanders- Not used




Initial Agent Personality





- **Agent's actions defined by relative values of six-component personality weight vector**
 - Propensity of alive Blue agent to move towards: alive Blue, alive Red, injured Blue, injured Red, Blue goal, Red goal
 - Similar vector for injured agents and Red agents
- **Alive agents are weighted to move towards injured enemy first, alive enemy second, and then the enemy flag; Vector = (10, 50, 10, 60, 0, 40)**
- **Injured agents are weighted to move towards alive friendly first, injured friendly second, and then the enemy flag; Vector = (50, 5, 40, 5, 0, 40)**




EINSTEIN'S Genetic Algorithm




- **Allows agents to “learn” via mutations in personality and meta-personality to most closely achieve mission primitive objectives**
- **Mission primitive objectives: Equally set to Maximize Enemy Killed and Maximize Friendly-to-Enemy Survival Ratio**
- **“Learned” Agents exhibit different behavior:**
 - Use terrain to their advantage
 - Will approach enemy more cautiously
 - Formation is tighter when moving and fighting
 - Tend to retreat if outnumbered or wounded



EINSTEIN Scenario






EINSTEIN LER Results

- 300 replications using each type of agent
- Results based on simulation time of 125 time steps at the “crescendo of the battle”

	Mean	Std Dev
Initial Agents-	2.659	1.67
Learned Agents-	2.451	1.29


- Mean LER of EINSTEIN agents are the same (p-value = 0.055)




JANUS Experiment

Creating the Scenario (1 of 2)


- NTC Terrain file # 951 used
- Center-of-Mass positions of agents used to derive routes in JANUS






JANUS Experiment



Creating the Scenario (2 of 2)



- **14 M1A2s (System # 101) vs. 14 T-80U (System # 102)**
- **120mm APDU (Weapon # 19) vs. 125mm AP (Weapon #22)**
- **P(Hit) Tables and P(Kill) tables taken from Joint Conflict & Tactical Simulation (JCATS) program**
- **No other battlefield effects modeled**
- **Central corridor fight centered around Hill 876 (Division Hill)**



JANUS Scenario

JANUS Side 1 Group 01

MINE DENSITY M H
 FLIGHT Mode 2
 TIMER 00:00:01
 ENG AREAS ON Floop 01

MANUEVER PLAN

EXT ALT DEL ROAD SHOW
 XIRL XONL STOP GO
 LOS MOUNT DISMNT CBR
 POP FIX SET OBS
 Upload 100%


STATUS LIMIT ASSR BLOS

HF Neg BRE SPP Defl
 REPORT KILLS SET INFO
 FRIENDS ARTY INTEL CLDS
 ROTATE VIEW FORM
 GROUP 01 RE-ORG
 ENG AREAS CREATE DELETE

ARTY PLANNING

PLAN ALTER CANCEL REPEAT
 CONVIC Timed Pcolor
 VALIS 01
 He Sm Ch Ic Fe Fz Tz
 NH 1 1 1 1
 FW 2
 RB

ZOOM 0004 Frew Next M
 CLEAR GRID HELP DIE Zm





JANUS LER Results


- 30 replications using each route and formation
- Results based on final LER as units converged

	Mean	Std Dev
Initial Agents-	3.47	1.81
Learned Agents-	3.13	0.903

- Mean LER of JANUS combatants are the same
(p-value = 0.399)




LER Results Comparison (1 of 2)






LER Results Comparison

(2 of 2)




- **MINITAB General Linear Model analysis of two factors (agent type and model type) with two levels each (initial/learned and EINStein/JANUS) indicates only model type affects LER outcome**
- **Agent Type coefficient = 0.0008 (p-value = 0.989, F=0)**
- **Model Type coefficient = -0.709 (p-value = 0.000, F=57.3)**
- **Data in both models does follow similar trends**
- **Standard deviations of mean LER also decrease from initial agents to “learned” agents in both models**




Modeling Issues- EINSTEIN

(1 of 2)



- Lack of elevation in terrain creates unrealistic scenario for transfer to JANUS (always moving at max speed, no inter-visibility lines, etc.)
- Necessary to smooth terrain features so agents have freedom to maneuver
- Inability to model roads and trails due to size
- 150 x 150 battlefield size and size of agent does not accurately correspond to size of vehicles in JANUS
- Combination of survivability and single shot probability does not accurately reflect P(Hit), P(Kill) and posture of engagements in JANUS




Modeling Issues- EINSTEIN

(2 of 2)





- Agents have ability to sense in 360 radius which is not the case in JANUS
- Communications range, weapons range, sensor range always at “best case”
- Single shot probability does not adjust for range
- No other battlefield effects considered (smoke, night engagements, artillery)
- Rate of fire and ammunition re-loads not modeled
- Position output improved to allow for translation into a specific route



Modeling Issues- JANUS




- Inability to allow for decision making of combatants: routes, formation, orientation all pre-set
- No representation of information sharing
- JANUS replications are started/stopped by hand
- Inability to allow “learning” via genetic algorithm
- Lack of mission primitive objective that drives combatant actions
- P(Hit) and P(Kill) tables do not incorporate classified weapons data




Conclusions


- **Reject H_0 ; LER is different based on the model type used; LER similar when based on agent type**
- **Agents in EINSTEIN do reasonably portray similarities of combat vehicles**
- **“Learning,” as portrayed in EINSTEIN can be transferred into a combat model**




Implications for Future Modeling and Simulation





- **ABMs need increased fidelity in terms of terrain and weapons performance**
- **Traditional combat models should incorporate ABM-type decision making and personality traits to allow for more realistic combatant actions**
- **Traditional combat models should incorporate ABM-type learning to account for experiential learning of combatants and more robust course of action development**



Possible Future Work



- Increase size of units being modeled to battalion level
- Account for unit-level commanders and C2
- Account for varying weapons platforms, including the M2 Bradley and BMP
- Account for other battlefield effects artillery, aviation, smoke, etc.
- Model verification



Questions?

Bibliography

Bauer, Kenneth W. and Wright, Samuel A. 1997. Covalidation of Dissimilarly Structured Models, *Proceedings of the 1997 Winter Simulation Conference*, Atlanta, GA, pp. 311-318.

Horne, Gary, and Leonardi, Mary. *Maneuver Warfare Science 2001*, Defense Automated Printing Service, 2001.

Ilachinski, A. EINSTEIN/ISAAC White Paper, <http://www.can.org/isaac/WHITE.htm>

Larimer, Larry R., and Carlton, William B., "Using Agent Based Modeling to Compute the Value of Information in Combat", Department of Systems Engineering Technical Report, US Military Academy, West Point, NY, 2 August 2001.

Distribution List

NAME/AGENCY	ADDRESS	COPIES
Author(s)	Department of Systems Engineering Mahan Hall West Point, NY 10996	2
Dean, USMA	Office of the Dean Building 600 West Point, NY 10996	1
Defense Technical Information Center (DTIC)	ATTN: DTIC-O Defense Technical Information Center 8725 John J. Kingman Rd, Suite 0944 Fort Belvoir, VA 22060-6218	1
Department Head-DSE	Department of Systems Engineering Mahan Hall West Point, NY 10996	1
ORCEN	Department of Systems Engineering Mahan Hall West Point, NY 10996	5
ORCEN Director	Department of Systems Engineering Mahan Hall West Point, NY 10996	1
USMA Library	USMA Library Bldg 757 West Point, NY 10996	1

REPORT DOCUMENTATION PAGE – SF298

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.**

1. REPORT DATE (DD-MM-YYYY) 30-08-02		2. REPORT TYPE		3. DATES COVERED (From - To) AUG 01 - AUG02	
4. TITLE AND SUBTITLE EINSTEIN Model Validation				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) MAJ Randall R. Klingaman, MS COL William B. Carlton, PhD				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Systems Engineering USMA West Point, NY 10996				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT The use of Agent Based Models (ABM) to simulate behaviors in combat is gaining increasing recognition and interest across the Operations Research community of both the Marine Corps and now the Army. This paper presents our attempt to "validate" EINSTEIN (Enhanced ISAAC Neural Simulation Tool) by comparing its outputs to those of another well-known combat simulation model, JANUS. The experiment first establishes the combat effectiveness of EINSTEIN entities executing a National Training Center (NTC)-type scenario. The scenario is designed to replicate one armored company of 14 "friendly" tanks versus a similar size force of 14 "enemy" main battle tanks. We allowed one set of "friendly" entities to gain knowledge, or "learn," by using the genetic algorithm incorporated in EINSTEIN. Another set of friendly entities was not allowed to "learn." For both cases, we recorded both the combat results of the EINSTEIN simulations and the entity actions. These observed actions were programmed into JANUS. For each instance, we compared the combat effectiveness resulting from JANUS to those obtained from EINSTEIN. The paper presents the findings of our analysis and suggests further research areas for using ABM's.					
15. SUBJECT TERMS Model Validation, Agent Based Modeling					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			19b. TELEPHONE NUMBER (include area code)