

REPORT DOCUMENTATION PAGE

Form Approved
OMB NO. 0704-0188

Public Reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimates or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188,) Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE 6/02	3. REPORT TYPE AND DATES COVERED Final Progress Report – 9/1/96 – 9/31/01	
4. TITLE AND SUBTITLE Photonic Band Engineering			5. FUNDING NUMBERS DAAH04-96-1-0389	
6. AUTHOR(S) Eli Yablonovitch			<div style="font-size: 2em; font-weight: bold; text-align: center;">20021021 044</div>	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of California, Los Angeles Electrical Engineering Dept. Los Angeles, CA 90095-1594				
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U. S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211			10. SPONSORING / MONITORING AGENCY REPORT NUMBER KD8K-Final-0900 35875-PH-MUR 0164	
11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.				
12 a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.			12 b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Scientists at UCLA, Caltech, and Polytechnic University have developed a new concept in Electromagnetics called "Photonic Bandgaps" that permits unprecedented control of Electromagnetic Waves, at both radio frequencies, and optical frequencies. This new paradigm of Electromagnetics is based on Nature's design for semiconductor crystals, but it is a crystal structure that is artificially engineered for electromagnetic waves rather than for electron waves. Beginning in 1996, new frontiers in the engineered control of electromagnetic waves have emerged from this design paradigm. For example, the very tiniest, most miniaturized electromagnetic cavity ever created was engineered, and demonstrated, under this MURI; trapping optical energy in the smallest volume ever achieved. This world's most tiny light trap was also made into the most miniaturized laser ever made, occupying a volume smaller than a cubic wavelength. At the same time this MURI advanced the electromagnetic bandgap concept into microwaves and radio waves that are so important for military systems. This required new concepts that permitted the bandgap structure to be much smaller than the electromagnetic wavelength. As in the optical version of photonic crystals, these electromagnetic bandgaps permit unprecedented control over radio frequency electromagnetic waves. For example new antenna structures have been invented that permit near field control over radio emissions from antennas, so that the hand-held radio transmitters can be more efficient.				
14. SUBJECT TERMS Photonic Crystal, Photonic Band Gap, Nano-laser, Photonic Band Structure, High Impedance Ground Plane			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION ON THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

Photonic Band Engineering

Final Progress Report

Eli Yablonovitch

Period covered: 9/1/96 - 09/31/01

U.S. Army Research Office

DAAH04-96-1-0389

University of California, Los Angeles

Approved for Public Release;

Distribution Unlimited.

The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official department of the army position, policy, or decision, unless so designated by other documentation.

Final Report

Photonic Band Engineering MURI

UCLA / Caltech / Polytechnic

Sept. 1996—Sept. 2001

Principal Investigators:

Eli Yablonovitch, Yahya Rahmat-Samii, Tatsuo Itoh and Oscar Stafsudd

Professors of Electrical Engineering, UCLA

Los Angeles, CA 90095

Axel Scherer and Amnon Yariv

Professors of Electrical Engineering and Applied Physics, Caltech

MC 200-36, Pasadena CA 91125

Ming Leung, Polytechnic Institute, Brooklyn

There were a number of accomplishments by our joint UCLA/Caltech/Polytechnic University team, in various areas of photonic crystal applications in electromagnetics:

(a) Our team established the validity of using 2-dimensional thin film slab photonic crystals, as a viable alternative to 3-dimensional photonic crystals. We proved that index confinement could perform adequately in the third dimension, greatly simplifying the technological demands of photonic crystals. Indeed, this 2-dimensionality opens up the possibility of creating photonic crystals by straightforward photo-lithography that is very much in the mainstream of conventional technology. This is expected to lead to commercialization of optical photonic crystal structures much faster than had been originally expected.

Among the specific accomplishments in 2-d thin film slab photonic crystals are:

- (i) The smallest electromagnetic cavity ever made.
- (ii) The smallest laser ever made.
- (iii) The demonstration of spontaneous emission enhancement and suppression in 2-d thin-film slab photonic crystals.

(b) Our team demonstrated that long wavelength low frequency photonic crystals were practical, and that they could be quite compact. The spatial period of these structures could be much smaller than the vacuum electromagnetic wavelength. This was quite a surprising conclusion, that emerged when the effect of LC resonances was taken into account. LC resonators can be much smaller than a wavelength, yet they have a powerful influence on electromagnetic waves. In effect then the periodicity of a photonic crystal is determined by the size of the LC resonators, rather than by the electromagnetic wavelength, as had been believed up until then. When the LC resonators are periodically distributed in space, interesting and compact electromagnetic bandgap structures result.

As an example, a two dimensional array of LC resonators above a conventional metallic ground plane results in a high impedance ground plane, that has novel applications in the control of electromagnetic waves. This can be useful for high precision GPS antennas, for example.

Among the specific accomplishments at UCLA and/or Caltech, we did the following:

- ◆ Designed and fabricated photonic crystal membrane microlasers which work at room temperature,
- ◆ optimized the necessary microfabrication instruments and procedures to define 2-D photonic bandgap crystals for use in the near-IR and visible wavelength range. Photonic crystals have been successfully fabricated in the InGaAs/InP, GaAs/AlGaAs, InGaP/InGaAlP, and GaN/AlGaN materials systems. In a collaboration with the Army Research Laboratory, diffractive optical lenses were also fabricated using these techniques.
- ◆ developed Finite Difference Time Domain (FDTD) computer code for the calculation of field intensities and the calculation of cavity Qs in three dimensional photonic crystal cavity structures, and to evaluate their spontaneous emission coupling factors.
- ◆ designed and modeled photonic crystal geometries which were optimized to define the smallest resonant cavities with high Qs (above 15,000).
- ◆ compared the spontaneous emission coupling efficiencies of single-defect photonic crystal microcavities with those in whispering gallery mode lasers and optimized the design of the microlaser structure with a 86% spontaneous emission coupling factor.
- ◆ fabricated microcavities and new in-plane optically pumped photonic crystal lasers operating at 1.55 μm in InGaAs/InP and passive resonator filters in GaAs/AlGaAs.
- ◆ measured the optical response of single defect photonic crystal microcavities as well as larger (2-10 μm diameter) photonic crystal lasers.
- ◆ measured luminescence intensities as function of lattice parameter and observed temperature tuning of the photonic bandgap in 2-D InGaAsP photonic crystals.
- ◆ measured bend losses and optimized the design in 2-D photonic crystal waveguides in silicon on insulator material.
- ◆ Constructed photonic crystal cavities in quantum dot material to examine these structures for strong coupling experiments.
- ◆ Fabricated multi-wavelength photonic crystal laser arrays in which the spectrum was lithographically tuned from 1.45 to 1.6 microns on the same chip
- ◆ Designed and fabricated ultra-small cavities which support only two modes and in which all-optical switching between these modes could be demonstrated.
- ◆ Designed and fabricated single mode photonic crystal waveguides and measured bend losses of light through sharp bends.
- ◆ Using photonic crystals as mirrors, we have designed a new family of high-Q cavities by using finite difference time domain calculations.
- ◆ We have designed devices in which light can be switched from one mode to another and




Figure 1: A thin film 2-dimensional photonic crystal slab, incorporating 5 coupled nano-cavities.

developed a waveguide converting all-optical switch.

- ◆ We have developed designs for photonic crystal cavities which will function with quantum cascade material.
- ◆ We have fabricated waveguides with sharp bends and show efficient light guiding around sharp corners at $1.55 \mu\text{m}$ in Si/SiO₂/Si (SOI) slab waveguides. We have also mapped the modes supported in these waveguides and fitted our measurements to our models.
- ◆ We have designed photonic crystal nanocavities with Er-dopants as active light sources.
- ◆ We have designed and measured new optical cavity geometries to control the emission direction, tuning wavelength, polarization and mode structures and Qs within photonic crystal cavities.

One of the unique features of active photonic crystal cavities, which arises from their ability to limit the number of modes supported within the laser, is the ability to build high contrast modulators. Figure 2 shows an example of such a single defect photonic crystal cavity, which supports both shallow acceptor modes as well as deep donor modes within the same cavity. Depending on the diameter of the pump beam, (shown on the left-hand side of the figure), we find that different modes are excited, and these in turn exhibit different spectra. Finite-difference time-domain simulations of the expected geometric distribution of the field intensities




Figure 2: A nano-cavity laser that can lase at donor modes as well as acceptor modes.

within these modes are also shown, and the relative overlap of the pump beam with the expected mode geometries matches well to the observations.

We have also demonstrated electrically and optically pumped multi-wavelength nanocavity lasers, modulators and detector arrays in which lithography is used to define the precise spectral response of each element. We also expect to use the high fields within optical nanocavities by filling the voids of the photonic crystals with nonlinear materials. In the future, we will use these nonlinearities and high fields to define tunable nanocavity lasers, detectors, routers, gates and spectrometers for wavelength and time division multiplexing applications.

Technology Transfer:

The goal of this MURI was to take the photonic crystal concept out of the laboratory into specific practical applications.

In addition to the large number of papers that were published there were a number of patents that were developed. A few of these patents have been licensed to startup companies that have paid significant licensing fees, and they are now dedicated to commercializing some these ideas to emerge from this MURI.

It appears that nano-photonics, that includes photonic band engineering is now rushing headlong out the laboratory, and into commercialization for miniaturized opto-electronic circuits.

In addition, there appears to be great interest in using some of the photonic band engineering ideas in various wireless applications, that are important to Defense, but also important to the commercial world, where taking everything wireless is expected to be a MACRO trend for the next 20 years.

Impact:

The entire field of photonic crystals was aided at a critical point in its development by this MURI. As a result, this topical area of photonic crystal research is more lively than ever, occupying a greater and greater fraction of annual meetings such as the CLEO, the Conference on Lasers and Electro-Optics.

Another way of measuring impact is that this MURI spawned fully three startup companies:

Two in antenna design for wireless electromagnetics:

Ethertronics, Inc. <http://www.ethertronics.com/>

Etenna, Inc. <http://www.etennacorp.com>

and one in Nano-photonics:

Luxtera, Inc. <http://www.luxtera.com/>

This MURI produced world leading research, that culminated in numerous invited presentations in scientific conferences. Indeed, in this year (2002) alone, there will be three international conferences dedicated to the topic of photonic crystals. Many of the papers to be presented at those conferences are outgrowths of the research done in this Photonic Band Engineering MURI.

The work did require an unusual integration of computational electromagnetics and opto-electronic device fabrication. There were strong teams at the individual Universities, and there was a lot of sharing of equipment, designs, software and samples.

The wireless electromagnetics work is expected to lead to new innovative designs for antenna structures, made possible in large part by the recognition of the power of LC resonators to control electromagnetic waves. The most immediate application will be to high precision GPS applications, and some work was done to achieve that objective.

The nano-photonics work is leading to a new type of integrated circuit, in which optical components are miniaturized down to the half wavelength level. This is expected to enable optical and electronic components to be fabricated together and to sit side by side in future integrated circuits. Such WDM opto-electronic integrated circuits are expected to impact military systems, and the research and development for this purpose is now being supported by DARPA's WDM program.

Educational Impact:

A number of students became educated, got their Ph.d. degrees and have gone on to excellent jobs in leading industrial and government research labs, as well as in the top Universities in the nation.

Photonic Band Structure Engineering Final Technical Report:
Period from September 1996 – October 2001
List of Manuscripts

Published

1. "Form-birefringent computer-generated holograms," Xu F; Tyan RC; Sun PC; Fainman Y; Cheng CC; Scherer A Optics Letters 1996, Vol 21, Iss 18, pp 1513-1515.
2. "Lasers Incorporating 2D photonic bandgap mirrors", J. O'Brien, O. Painter, R. Lee, C. C. Cheng, A. Yariv, A. Scherer, Electronics Letters, November 1996, Vol. 32, No. 24, P. 2243-2244.
3. "Polarizing beam splitter based on the anisotropic spectral reflectivity characteristic of form-birefringement multilayer gratings," Tyan RC, Sun PC; Scherer A; Fainman Y; Optics Letters 1996, Vol 21, Iss 10, pp 761-763.
4. "Lithographic band gap tuning in photonic band gap crystals" C. C. Cheng, A. Scherer, V. Arbet-Engles and E. Yablonovitch, J. Vac. Sci. Technol. B 14(6), Nov/Dec 1996, 4110-4114
5. "Lasers Incorporating Two-Dimensional Photonic Crystal Mirrors" O. Painter, J. O'Brien, R. Lee, C.C. Cheng, B. D'Urso, A. Yariv, A. Scherer, Proceeding of CLEO, Baltimore, MD, May, 1997, p. 525
6. "An Efficient Method for Wide Band Characterization of Periodic Structures Using a Modified Z Matrix Interpolation," Alon S. Barlevy, Yahya Rahmat-Samii, IEEE Antennas and Propagation Society International Symposium 1997, Digest - Volume 1, July, 1997, pp 56-59
7. "Photonic crystals boost light emission," M. Boroditsky, E. Yablonovitch, Physics World, July 1997, pp25-26
8. "Diamondlike Photonic Band-Gap Crystal with a sizable Gap," K. Ming Leung, Physical Review B, Third Series, Vol 56, No 7, Aug. 15, 1997, pp3517-3519
9. "New fabrication techniques for high quality photonic crystals," C.C. Cheng, A. Scherer, R.-C. Tyan, Y. Fainman, G. Witzgall, E. Yablonovitch, J. Vac. Sci. Technol. B 15(6), Nov/Dec 1997, pp2764-2767
10. "The Vs and Qs of optical microcavities," P. Rigby, T.F. Krauss, NATURE, Vol 390, Nov, 1997, p.125
11. "Simulation and Experiment of Photonic Band-Gap structure for Microstrip Circuits," Y. Qian, V. Radisic, T. Itoh, 1997 Asia Pacific Microwave Conference Proceedings, Hong Kong,, Dec. 1997, pp585-588
12. "A novel high-Q image guide resonator using band-gap structures," Fei-Ran Yang; Yongxi Qian; Itoh, T. (Edited by: Meixner, R.) 1998 IEEE MTT-S International Microwave Symposium Digest (Cat. No.98CH36192), (vol.3), New York, NY, USA: IEEE, 1998. p.1803-6 vol.3. 3 vol. (lii+xxii+1935) pp.
13. "Analysis of frequency selective layers via a combined finite-element integral-equation method (FE-IEM)," Lijun Zhang; Contopanagos, H.; Alexopoulos, N.G.; Yablonovitch, E. IEEE Antennas and Propagation Society International

- Symposium. 1998 Digest. Antennas: Gateways to the Global Network. New York, NY, USA: IEEE, 1998. p.398-401 vol.1. 4 vol. viii+2354 pp.
14. "Cavity backed antennas with PBG-like substrate or superstrate materials," Lijun Zhang; Contopanagos, H.; Alexopoulos, N.G.; Yablonovitch, E. IEEE Antennas and Propagation Society International Symposium. 1998 Digest. Antennas: Gateways to the Global Network. New York, NY, USA: IEEE, 1998. p.186-9 vol.1. 4 vol. viii+2354 pp.
 15. "High-Q rectangular cavities and waveguide filters using periodic metal-dielectric slabs," Contopanagos, H.; Alexopoulos, N.G.; Yablonovitch, E. (Edited by: Meixner, R.) 1998 IEEE MTT-S International Microwave Symposium Digest, New York, NY, USA: IEEE, 1998. p.1539-42 vol.3. 3 vol. (lii+xxii+1935) pp.
 16. "Linear taper slot antenna directivity improvement via substrate perforation: a FDTD evaluation," Colburn, J.S.; Rahmat-Samii, Y. IEEE Antennas and Propagation Society International Symposium. 1998 Digest. Antennas: Gateways to the Global Network. New York, NY, USA: IEEE, 1998. p.1176-9 vol.2. 4 vol. viii+2354 pp.
 17. "Optical multiplexing using transparency window of good conductors," Contopanagos, H.; Alexopoulos, N.G.; Yablonovitch, E. IEEE Antennas and Propagation Society International Symposium. 1998 Digest. Antennas: Gateways to the Global Network. New York, NY, USA: IEEE, 1998. p.162-5 vol.1. 4 vol. viii+2354 pp.
 18. "Photonic bandgap (PBG) structures of multiple metallic periodic screens: efficient electromagnetic characterization," Barlevy, A.S.; Sievenpiper, D.F.; Rahmat-Samii, Y. IEEE Antennas and Propagation Society International Symposium. 1998 Digest. Antennas: Gateways to the Global Network. New York, NY, USA: IEEE, 1998. p.1216-19 vol.2. 4 vol. viii+2354 pp.
 19. "Photonic crystals for light-emitting devices," Krauss, T.F.; Labilloy, D.; Scherer, A.; De La Rue, R.M. Proceedings of the SPIE - The International Society for Optical Engineering, vol.3278, (Integrated Optic Devices II, San Jose, CA, USA, 28-30 Jan. 1998.) SPIE-Int. Soc. Opt. Eng, 1998. p.306-13.
 20. "Radiation characteristics of a patch antenna on a thin PBG substrate," Coccioli, R.; Deal, W.R.; Itoh, T. IEEE Antennas and Propagation Society International Symposium. 1998 Digest. Antennas: Gateways to the Global Network. New York, NY, USA: IEEE, 1998. p.656-9 vol.2. 4 vol. viii+2354 pp.
 21. "Surface waves suppression in photonic band-gap substrates," Coccioli, R.; Itoh, T. International Symposium on Electromagnetic Theory. Proceedings, (vol.2), Thessaloniki, Greece: Aristotle Univ. Thessaloniki, 1998. p.849-51 vol.2. 2 vol. (xxxix+xxxviii+857) pp.
 22. "Novel 2-D Photonic Band-Gap Structure for Microstrip Lines", V. Radisic, Y. Qian, R. Coccioli, T. Itoh, IEEE Microwave and Guided Wave Letters, Vol.8, No. 2, February 1998.
 23. "Modal reflectivity in finite-depth two-dimensional photonic-crystal Microcavities," D'Urso, B.; Painter, O.; O'Brien, J.; Tombrello, T.; Yariv, A.; Scherer, A. Journal of the Optical Society of America B (Optical Physics), vol.15, (no.3), Opt. Soc. America, March 1998. p.1155-9.

24. "3D Metallo-Dielectric Photonic Crystals with Strong Capacitive Coupling Between Metallic Islands," D.F. Sievenpiper, E. Yablonovitch, J.N. Winn, S. Fan, P.R. Villeneuve, J.D. Joannopoulos, *Physical Review Letters*, Volume 80, No. 13, March 30, 1998, pp2829-2832
25. "Printed Antenna Pattern Improvement through Substrate Perforation of High Dielectric Material: A FDTD Evaluation," J.S. Colburn, Y. Rahmat-Samii, *Microwave and Optical Technology Letters*, Vol 18, No. May 1998
26. "Compact semiconductor lasers with photonic microstructure mirrors and oxide apertures," T.F. Krauss, A. Scherer, J.S. Roberts, R.M. De La Rue, *Integrated Photonics Research*, Victoria, B.C., April, 1998
27. "Photonic bandgap membrane microresonator," O. Painter, R. Lee, A. Yariv, A. Scherer, *Integrated Photonics Research*, Victoria, B.C., April, 1998
28. "Photonic microstructures as laser mirrors," T. F. Krauss, O. Painter, A. Scherer, J.S. Roberts, R.M. De La Rue, *Optical Engineering*, Special Issue on 30 years of Integrated Optics, vol.37, (no.4), SPIE, April 1998. p.1143-1148
29. "Design of photonic band-gap substrates for surface waves suppression," Coccioli, R.; Itoh, T. (Edited by: Meixner, R.) 1998 IEEE MTT-S International Microwave Symposium Digest (Cat. No.98CH36192), Baltimore, MD, USA, 7-12 June 1998.) New York, NY, USA: IEEE, 1998. p.1259-62 vol.3. 3 vol. (lii+xxii+1935) pp.
30. "A Novel Approach for Gain and Band width Enhancement of Patch Antennas," Y. Qian, D. Sievenpiper, V. Radisic, E. Yablonovitch, T. Itoh, *RAWCON 98*, Colorado Springs, CO August 1998.
31. "High-Q Radio-Frequency Structures Using One-Dimensionally Periodic metallic Films," H. Contopanagos, N.G. Alexopoulos and E. Yablonovitch, *IEEE Trans. Microwave Theory Tech.* Vol. 46, No. 9, Sept. 1998, pp.1310-1312.
32. "Photonic crystal microcavity enhanced LEDs," T.F. Krauss, Mi. Boroditsky, R. Coccioli, O. Painter, A. Scherer, E. Yablonovitch, *CLEO/Europe*, Glasgow, Scotland, September, 1998
33. "Group velocity dispersion cancellation and additive group delays by cascaded fiber Bragg gratings in transmission," Wang, S.; Erlig, H.; Fetterman, H.R.; Yablonovitch, E.; Grubsky, V.; Starodubov, D.S.; Feinberg, J., *IEEE Microwave and Guided Wave Letters*, vol.8, (no.10), IEEE, Oct. 1998. p.327-9.
34. "Realisation of a Magnetic Conducting Surface Using Novel Photonic Bandgap Structure," K.-P. Ma, K. Hirose, F.-R. Yang, Y. Qian, T. Itoh, *Electronics Letters*, vol. 34, no. 21, pp. 2041-2, 15 Oct. 1998.
35. "Engineered omnidirectional external-reflectivity from one-dimensional layered interference filters." Yablonovitch, E., *Optics Letters*, vol.23, (no.21), Opt. Soc. America, 1 Nov. 1998. p.1648-9.
36. "Thin Frequency Selective Lattices Integrated in Novel Compact MIC, MMIC and PCA Architectures", H. Contopanagos, L. Zhang and N.G. Alexopoulos, *IEEE Transactions on Microwave Theory and Techniques*, vol. 46, Nov. 11, 1998, pp. 1936-1948.

37. "Fabrication of high density nanostructures by electron beam lithography", O. Dial, C. C. Cheng, A. Scherer, *J. Vac. Sci. Technol.*, Vol. 16, (no. 6), Nov./Dec. 1998, p. 3887-3890.
38. "InGaAsP photonic bandgap crystal membrane microresonators" A. Scherer, O. J. Painter, B. D'Urso, R. K. Lee, A. Yariv, *J. Vac. Sci. Technol.*, Vol. 16, (no. 6), Nov./Dec. 1998, p. 3906-3910.
39. "Characteristics of Microstrip Lines on a Uniplanar Compact PBG Ground Plane," Yongxi Qian, Rei-Ran Yang, and Tatsuo Itoh, *Asia Pacific Microwave Conference*, Yokohama, Japan, December 8-11, 1998.
40. "Non-leaky Conductor-Backed CPW Using A Novel 2-D PBG Lattice," K.-P. Ma, F.-R. Yang, Y. Qian, T. Itoh, *1998 Asia-Pacific Microwave Conference Digest*, pp. 509-512, Yokohama, Japan, December 1998.
41. "Smallest possible electromagnetic mode volume in a dielectric cavity," Coccioli, R.; Boroditsky, M.; Kim, K.W.; Rahmat-Samii, Y.; Yablonovitch, E., *IEEE Proceedings-Optoelectronics*, vol.145, (no.6), IEEE, Dec. 1998. p.391-7.
42. "Antennas on high-impedance ground planes," Yablonovitch, E., Sievenpiper, D.; Broas, R.; (Edited by: Matloubian, M.; Ponti, E.), *1999 IEEE MTT-S International Microwave Symposium Digest*, p.1245-8 vol.3. 4 vol.(lix+xxviii+xx+xix+1930) pp., 1999.
43. "Coupling of InGaN quantum well photoluminescence to silver surface Plasmons," Gontijo, I.; Boroditsky, M.; Yablonovitch, E.; Keller, S.; Mishra, U.K.; Den Baars, S.P.; Krames, M. *1999 IEEE LEOS Annual Meeting Conference Proceedings. LEOS'99. 12th Annual Meeting. IEEE Lasers and Electro-Optics Society 1999 Annual Meeting*, Piscataway, NJ, USA: IEEE, 1999. p.100-1 vol.1. 2 vol. xxviii+918 pp.
44. "Computation of Complex Band Structures and Transmission Spectra of Two-Dimensional Photonic Crystals Using a Layer-KKR Method," Y. Qiu and K. M. Leung and Y. Qiu, *Electromagnetics*, Vol. 19, 305-319 (1999).
45. "High-impedance electromagnetic ground planes," Yablonovitch, E., Sievenpiper, D.; Zhang, L.; (Edited by: Matloubian, M.; Ponti, E.) *1999 IEEE MTT-S International Microwave Symposium Digest*, p.1529-32 vol.4. 4 vol.(lix+xxviii+xx+xix+1930) pp., 1999.
46. "Self-Poling of Thin BaTiO₃ Films by Contact Potential Difference," I. Lubomirsky, D. Chang and O.M. Stafsudd, *Ferroelectrics*, "Ferroelectric Thin Films VII. Symposium, Boston, MA, USA, Materials Research Society, 1999. p. 535-40. xvi+771 pp.
47. "Thin film 2-D photonic crystals high-performance light-emitting diodes," Yablonovitch, E., Boroditsky, M.; Vrijen, R.; Kranss, T.F.; Coccioli, R.; Bhat, R.; *1999 IEEE LEOS Annual Meeting Conference Proceedings*, p.238-9 vol.1. 2 vol. xxviii+918 pp, 1999.
48. "A microstrip patch antenna using novel photonic band-gap structures," Yongxi Qian; Coccioli, R.; Sievenpiper, D.; Radisic, V.; Yablonovitch, E.; Itoh, T., *Microwave Journal*, vol.42, (no.1), Jan. 1999. pp.66-76.
49. "Planar Geometry Electromagnetic Crystals for Optical and Millimeter-Wave Applications," R. Coccioli, M. Boroditsky, E. Yablonovitch, T. Itoh, (Invited

Paper) *International Topical Workshop on Contemporary Photonic Technology, CPT99*, Sendai, Japan, January 12-14, 1999.

50. "Control of spontaneous emission in photonic crystals," Yablonovitch, E., Boroditsky, M.; Vrijen, R.; Krauss, T.; Coccioli, R.; Bhat, R.; Proceedings of the SPIE - The International Society for Optical Engineering, vol.3621, (Light-Emitting Diodes: Research, Manufacturing, and Applications III, San Jose, CA, USA, 27-28 Jan. 1999.) SPIE-Int. Soc. Opt.
51. "Defect modes of a two-dimensional photonic crystal in an optically thin dielectric slab", O. J. Painter, J. Vuckovic, A. Scherer, *J. Opt. Soc. Am.*, Vol 16, (no. 2), Feb. 1999, p.275-285.
52. "Finite-difference time-domain calculation of spontaneous emission lifetime in a microcavity, Y. Xu, J.S. Vuckovic, R.K. Lee, O.J. Painter, A. Scherer, A. Yariv, *J OPT SOC AM*, Vol. 16, (no. 3), Mar 1999, p 465-474.
53. "Measurement of spontaneous emission from a two-dimensional photonic band gap defined microcavity at near-infrared wavelengths," R.K. Lee, O.J. Painter, B. U'rso, A. Scherer, A. Yariv , *APPL PHYS LETT*, Vol 74, (no. 11), Mar. 1999, p.1522-1524.
54. "Control of Resonant Bandwidth in Frequency-Selective Surfaces by Tilting the Periodic Elements," A. S. Barlevy and Y. Rahmat-Samii, *Microwave and Optical Technology Letters*, vol.21, no.2, pp.114-117, April, 1999.
55. "Dual Band FSS with Fractal Elements," J. Romeu and Y. Rahmat-Samii, *Electronics Letters*, vol.35, no.9, pp.702-703, April, 1999.
56. "Fabrication and characterization of high aspect ratio perpendicular patterned information storage media in an Al₂O₃/GaAs substrate", O. Dial, C. C. Cheng, A. Scherer, *J. Appl. Phys.*, Vol. 85, (no. 8), Apr. 1999, p.5489-5491.
57. "Photonic Bandgap Disc Lasers:", R. K. Lee, O. J. Painter, B. Kitzke, A. Scherer, A. Yariv, *Electronics Lett.*, Vol. 35, (no. 7), April 1999, p. 569-570.
58. "Writing and reading of single magnetic domain per bit perpendicular patterned media", M. Todorovic, S. Schultz, J. Wong, A. Scherer, *Appl. Phys. Lett.*, Vol. 74, (no.17), Apr. 1999, p. 2516-2518.
59. "Observation of Self-Poling in BaTiO₃ Thin Films," I. Lubomirsky, D.T. Chang, O.M Stafsudd, *J. Appl. Phys.*85(8), (1999) 6690-94.
60. "Low Loss Tunable (Ba,Sr)TiO₃ Ceramics Utilizing Intragrain Concentration Gradient," Lubomirsky,I., Wang, T., DeFlavis, F., Stafsudd, O., *Integrated Ferroelectrics*, 1999, Vol. 24, pp. 319-326.
61. "Computation of complex band structures and transmission spectra of 2-D photonic crystals using a layer-KKR method," Leung, K.M.; Qiu, Y., *Electromagnetics*, vol.19, (no.3), Taylor & Francis, May-June 1999. p.305-19.
62. "Analysis and application of photonic band-gap (PBG) structures for microwave circuits," F.-R. Yang, Y. Qian. R. Coccioli, T. Itoh, *Electromagnetics*, vol. 19, no. 3, pp. 241-54, May-June 1999.
63. "Finite-Element Based Techniques for the Modeling of PBG Materials", L. Zhang and N.G. Alexopoulos, *Electromagnetics*, Special issue on Theory and Applications of Photonic Band Gap Materials, vol. 19, no.3, May-June 1999, pp. 225-236.

64. "Antennas on high-impedance ground planes," Sievenpiper, D.; Broas, R.; Yablonovitch, E., 1999 IEEE MTT-S International Microwave Symposium Digest, Anaheim, CA, USA, 13-19 June 1999 p.1245-8 vol.3.
65. "Coupled-resonator optical waveguide: a proposal and analysis," A. Yariv, Y. Xu, R. K. Lee, A. Scherer, OPT LETT, Vol. 24, (no. 11), June 1999, p. 711-713.
66. "High-impedance electromagnetic ground planes," Sievenpiper, D.; Zhang, L.; Yablonovitch, E., 1999 IEEE MTT-S International Microwave Symposium Digest, Anaheim, CA, USA, 13-19 June 1999, p.1529-32 vol.4.
67. "Two dimensional photonic bandgap defect mode laser", O. J. Painter, R. K. Lee, A. Scherer, A. Yariv, J. D. O'Brian, P. D. Dapkus, I. Kim Science, Vol. 284, June 1999, p.1819-1821.
68. "An Efficient Finite-Element Method for the Analysis of Photonic Band-Gap Materials", L. Zhang, N.G. Alexopoulos, D. Sievenpiper and E. Yablonovitch, 1999 IEEE MTT-S International Microwave Symposium Digest, vol. IV, pp. 1703-1706.
69. "Magnetically Tunable PBG Materials for Printed Antenna Applications", L. Zhang and N.G. Alexopoulos, 1999 International Conference on Electromagnetics in Advanced Applications (ICEAA'99) Digest, pp. 399-401.
70. "Microstrip Line Fed Slot Antenna with PBG Superstrate", 1999 IEEE International Symposium on Antennas and Propagation Digest, vol. 3, pp. 1924-1927.
71. "Effective response functions for photonic bandgap materials," H. F. Contopanagos, C. A. Kyriazidou and W. M. Merrill, J. Opt. Soc. Am. A/Vol. 16, No. 7, July 1999, pp 1682- 1699.
72. "Finite Difference time domain calculations of the spontaneous emission coupling factor in optical microcavities", J. Vuckovic, O. J. Painter, Y. Xu, A. Yariv, A. Scherer, IEEE J. of Quantum Electronics, Vol. 34, (no. 8), Aug. 1999, p.1168-1175.
73. "Light extraction from optically pumped light-emitting diode by thin-slab photonic crystals," Boroditsky, M.; Krauss, T.F.; Coccioli, R.; Bhat, R.; Yablonovitch, E., Applied Physics Letters, vol.75, (no.8), AIP, 23 Aug. 1999. p.1036-8.
74. "Planar and Quasi-Planar Periodic Structures for Microwave Applications," Y. Qian, R. Coccioli and T. Itoh, XXVIth URSI General Assembly, p. 258, Toronto, Canada, August 1999.
75. "Electromagnetic properties of periodic multilayers of ultrathin metallic films from dc to ultraviolet frequencies," Contopanagos, A.; Yablonovitch, E.; Alexopoulos, N.G., Journal of the Optical Society of America A (Optics, Image Science and Vision), vol.16, (no.9), Opt. Soc. America, Sept. 1999. p.2294-306.
76. "Effects of UC-PBG Substrate on Patch Antennas Performance," R. Coccioli, F.-R. Yang, Y. Qian, T. Itoh, (Invited Paper) International Conference on Electromagnetics in Advanced Applications ICEAA99. September 13-17, 1999 Torino, Italy.
77. "Electromagnetic Optimization by Genetic Algorithms," Y. Rahmat-Samii and E. Michielssen, John Wiley & Sons, 1999.

78. "On the Electrical and Numerical Properties of High Q resonances in frequency selective Surfaces," A. S. Barlevy and Y. Rahmat-Samii, Chapter 1, in *Progress in Electromagnetics Research*, edited by J. A. Kong, pp. (1-27), EMW Publishing, Cambridge, MA, 1999.
79. "UC-PBG substrate for planar antennas," R. Coccioli, K.P. Ma, T. Itoh, *29th European Microwave Conference*, Munich, Germany, October 7, 1999.
80. "Genetic Algorithms and Method of Moments (GA/MoM) for the Design of Integrated Antennas," J. M. Johnson and Y. Rahmat-Samii, *IEEE Transactions on Antennas and Propagation*, vol.47, (no.10), IEEE, Oct. 1999. p.1606-14.
81. "A Novel TEM-Waveguide Using Uniplanar Compact Photonic Band-Gap (UC-PBG) Structure," F. R. Yang, K. P. Ma, Y. Qian and T. Itoh, *IEEE Trans. Microwave Theory and Techniques*, Mini Special Issue on Electromagnetic Crystals, vol. 47, no. 11, Nov. 1999.
82. "Aperture coupled patch antenna on UC-PBG substrate," R. Coccioli, F.-R. Yang, K.P. Ma, T. Itoh, *IEEE Trans. Microwave Theory and Techniques*, Mini Special Issue on Electromagnetic Crystals, vol. 47, no. 11, Nov. 1999.
83. "Guest Editorial - Electromagnetic Crystal Structures, Design, Synthesis, and Applications," Yablonovitch, E., Everitt, H.; *Journal of Lightwave Technology*, vol.17, No. 11, November 1999.
84. "Spontaneous Emission Extraction, and Purcell Enhancement from ThinFilm 2d Photonic Crystals ," Misha Boroditsky, Rutger Vrijen, Thomas F. Krauss, Roberto Coccioli, Raj Bhat, and Eli Yablonovitch, *J. of Lightwave Technology*, Nov. 1999.
85. "High-Impedance Electromagnetic Surfaces with Forbidden Bands at Radio and Microwave Frequencies," D. Sievenpiper, L. Zhang, R. Broas, E. Yablonovitch *IEEE Transactions on Microwave Theory & Techniques*, Nov. 1999.
86. "Electromagnetic Scattering from a PBG Material Excited by an Electric Line Source," W.M. Merrill, C.A. Kyriazidou, H.F. Contopanagos and N.G. Alexopoulos, *IEEE Transactions on Microwave Theory and Techniques*, vol.47, (no.11), IEEE, Nov. 1999. p.2105-14
87. "Room temperature Photonic Crystal Defect lasers at Near-infrared wavelengths in InGaAsP," O.Painter, A. Husain, A. Scherer, J.D. O'Brien, I. Kim, P.D. Dapkus, *J. Journal of Lightwave Technology*, vol.17, (no.11), IEEE, Nov. 1999. p.2082-8.
88. "Spontaneous Emission Extraction and Purcell Enhancement from Thin-Film 2-D Photonic Crystals," Yablonovitch, E., Boroditsky, M., Vrijen, R., Krauss, F., Coccioli, R., Bhat, R.; *Journal of Lightwave Tech.*, vol. 17, No.11, November 1999.
89. "Microwave applications of photonic band-gap (PBG) structures," Y. Qian and T. Itoh, *Asia Pacific Microwave Conference*, Singapore, Dec. 1999, vol. 2, pp. 315-318.
90. "Patch Antennas on Externally Perforated High Dielectric Constant Substrates," J. S. Colburn and Y. Rahmat-Samii, *IEEE Transactions on Antennas and Propagation*, vol.47, (no.12), IEEE, Dec. 1999. p.1785-94.
91. "Adiabatic coupling between conventional dielectric waveguides and waveguides

- with discrete translational symmetry," Y. Xu, R. K. Lee, and A. Yariv, *Opt. Lett.*, 25 (10), 755-757, 2000.
92. "Asymptotic analysis of Bragg fibers," Y. Xu, R. K. Lee, and A. Yariv, *Opt. Lett.*, 25 (24), 1756-1758, 2000.
 93. "Design and fabrication of silicon photonic crystal optical waveguides" Loncar M; Doll T; Vickovic J; Scherer A *Journal of Lightwave Technology* 2000, Vol 18 Iss 10, pp 1402-1411.
 94. "Diffractive lens with binary features less than 60 nm" Mait, JN; Scherer A; Dial O; Prather DW; Gao X; *Optics Letters* 2000, Vol 25, Iss 6, pp. 381-383.
 95. "Finite-difference time-domain analysis of spontaneous emission in a microdisk cavity," Y. Xu, R. K. Lee, and A. Yariv, *Phys. Rev. A*, 61 (3), Art. No. 033808, 2000.
 96. "Lithographic tuning of a two-dimensional photonic crystal laser array" Painter O; Husain A; Scherer A; Lee PT; Kim I; O'Brien JD; Dapkus PD *IEEE Photonics Technology Letters* 2000, Vol 12, Iss 9, pp 1126-1128.
 97. "Low-energy electron beam focusing in self-organized porous alumina vacuum windows," Doll, T; Vuckovic, J; Hochberg M; Scherer A *Applied Physics Letters* 2000, Vol 76. Iss 24, pp 3635-3637.
 98. "MEM's modulated photonic crystals," Yablonovitch, E. 2000 *IEEE/LEOS International Conference on Optical MEMS*, Kauai, HI, USA, 21-24 Aug. 2000.) Piscataway, NJ, USA: IEEE, 2000. p.53. 155 pp.
 99. "Modified spontaneous emission from a two-dimensional photonic crystal slab," R.K.Lee, Y.Xu, and A.Yariv, *J. OSA B*, 17 (8) 1438-1442, 2000.
 100. "Photonic crystal microcavities for strong coupling between an atom and the cavity field," Vuckovic, J.; Loncar, M.; Mabuchi, H.; Scherer, A. *LEOS 2000. 2000 IEEE Annual Meeting Conference Proceedings. 13th Annual Meeting. IEEE Lasers and Electro-Optics Society 2000 Annual Meeting*, Piscataway, NJ, USA: IEEE, 2000. p.840-1 vol.2. 2 vol. xxiii+898 pp.
 101. "Propagation and second-harmonic generation of electromagnetic waves in a coupled-resonator optical waveguide," Y. Xu, R. K. Lee, and A. Yariv, *J. Opt. Soc. Am. B*, 17 (3), 387-400, 2000.
 102. "Properties of the slab modes in photonic crystal optical waveguides," Adibi, Y. Xu, R. K. Lee, A. Yariv, and A. Scherer, *Journal of Lightwave Technology*, vol. 18, pp. 1554-1564, 2000.
 103. "Scattering-theory analysis of waveguide-resonator coupling," Y. Xu, Y. Li, R. K. Lee, and A. Yariv, *Phys. Rev. E*, 62 (5), 7389-7404, 2000.
 104. "Surface plasmon enhanced light-emitting diode" Vuckovic J; Loncar M; Scherer A *IEEE Journal of Quantum Electronics* 2000, Vol 36, Iss 10, pp 1131-1144.
 105. "Quantum analysis and classical analysis of spontaneous emission in a microcavity," Y. Xu, R. K. Lee, and A. Yariv, *Phys. Rev. A*, 61 (3), Art. No. 033807, 2000.
 106. "Waveguiding in planar photonic crystals" Loncar, M; Nedeljkovic D; Doll T; Vuckovic J; Scherer A; Pearsall TP; *Applied Physics Letters* 2000, Vol 77, Iss 13,

pp 1937-1939.

107. "Artificial versus Natural Crystals: Effective Wave Impedance of Printed Photonic Band Gap Materials," C.A. Kyriazidou, H.F. Contopanagos, W.M. Merrill and N.G. Alexopoulos, *IEEE Transactions on Antennas and Propagation*, vol.48, (no.1), IEEE, Jan. 2000. p.95-106.
108. "Principle of low-energy electron beam-induced current imaging for ferroelectric thin films," Lubomirsky, I.; Wang Tzu-Yu; Gartsman, K.; Stafsudd, O.M. *Advanced Materials*, vol.12, (no.2), VCH Verlagsgesellschaft, 20 Jan. 2000. p.91-4.
109. "Emission properties of a defect cavity in a two-dimensional photonic bandgap crystal slab," Lee RK, Painter O, Kitzke B, et al., *J OPT SOC AM B* 17: (4) 629-633 APR 2000
110. "Surface recombination measurements on III-V candidate materials for nanostructure light-emitting diodes," Yablonoitch, E., Boroditsky, M., Gontijo, I., Vrijen, R., Jackson, M., Krauss, T., Bhat, R., Cheng, C., Scherer, A., Krames, M.; *Journal of Applied Physics*, vol. 87, No. 7, 1 April 2000.
111. "Planar PBG structures: basic properties and applications," F. -R. Yang, R. Coccioli, Y. Qian, and T. Itoh, *IEICE Trans. on Electronics*, vol. E83-C, no. 5, pp. 687-696, May 2000.
112. "Analysis and application of coupled microstrips on periodically patterned ground plane," F. -R. Yang, R. Coccioli, Y. Qian, and T. Itoh, *IEEE MTT-S Symp. Dig.*, Boston, MA, 11-16 June 2000, vol. 3, pp. 1529-1532.
113. "Numerical and experimental characterization of slow-wave microstrip line on periodic ground plane," C. -C. Chang, R. Cocciolo, Y. Qian, and T. Itoh, *IEEE MTT-S Symp. Dig.*, Boston, MA, 11-16 June 2000, vol. 3, pp. 1533-1536.
114. "Fractal Elements Antennas: A Compilation of Configurations with Novel Characteristics," John P. Gianvittorio and Yahya Rahmat-Samii, *APS Symposium*, July 2000.
115. "Fractal Elements in Array Antennas: Investigating Reduced Mutual Coupling and Tighter Packing," John P. Gianvittorio and Yahya Rahmat-Samii, *APS Symposium*, July 2000.
116. "Fractal FSS: A Novel Dual-Band Frequency Selective Surface," Jordi Romeu and Yahya Rahmat-Samii, *Transaction on Antennas and Propagation*, July 2000.
117. "Low-profile cavity-backed slot antenna using UC-PBG substrate," F. -R. Yang, Y. Qian, and T. Itoh, *IEEE AP-S Int'l Symp.*, Salt Lake City, UT, 16-21 July 2000, vol. 3, pp. 1796-1799.
118. "PBG, PMC and PEC Surfaces for Antenna Applications: A Comparative Study," Zhan Li and Yahya Rahmat-Samii, *APS Symposium*, July 2000.
119. "Photonic Band-Gap (PBG) versus Effective Refractive Index: A Case Study of Dielectric Nanocavities," Hossein Mosallaei and Yahya Rahmat-Samii, *APS Symposium*, July 2000.
120. "Design of photonic crystal optical waveguides with singlemode propagation in the photonic bandgap," Adibi A, Lee RK, Xu Y, et al. *ELECTRON LETT* 36: (16) 1376-1378 AUG 3 2000
121. "Modal Transmission-Line Theory of Photonic Band-Gap Structures", Leung, K.

- M. and Chung-Hsiang Lin. Proc. 8th Asia-Pacific Physics Conference, August 7-10, 2000, Taipei, Taiwan, p. 397-402.
122. "Lithographic tuning of a two-dimensional photonic crystal laser array," Painter O, Husain A, Scherer A, et al. *IEEE PHOTONIC TECH L* 12: (9) 1126-1128 SEP 2000.
 123. "Waveguiding in planar photonic crystals," Loncar M, Nedeljkovic D, Doll T, et al. *APPL PHYS LETT* 77: (13) 1937-1939 SEP 25 2000
 124. "Two-photon photographic production of three-dimensional metallic structures within a dielectric matrix," Wu Pu-Wei; Cheng Wei; Martini, I.B.; Dunn, B.; Schwartz, B.J.; Yablonovitch, E. *Advanced Materials*, vol.12, (no.19), VCH Verlagsgesellschaft, 2 Oct. 2000. p.1438-41.
 125. "Characterization of Electromagnetic Band-Gap Composed of Multiple Periodic Tripods with Interconnecting Vias: Concept, Analysis, and Design," Alon S. Barlevy and Yahya Rahmat-Samii, *Transaction on Antennas and Propagation*, 2001.
 126. "Guiding mechanisms in dielectric-core photonic-crystal optical waveguides" Adibi A; Xu Y; Lee Rk; Yariv A Scherer A *Physical Review B* 2001 Vol 6403, Iss 3, pp 3308-12.
 127. "High quality two-dimensional photonic crystal slab cavities," Yoshie, T., Vuckovic, J., Scherer, A; Chen, H.; Deppe D *Applied Physics Letters* 2001, Vol 79, Iss 26, pp 4289-4291.
 128. "Optical characterization of two-dimensional photonic crystal cavities with indium arsenide quantum dot emitters" Yoshie T; Scherer A; Chen H; Huffaker D; Deppe D *Applied Physics Letters* 2001, Vol 79, Iss 1, pp 114-116.
 129. "Role of distributed Bragg reflection in photonic-crystal optical waveguides" Adibi, A; Xu, Y; Lee, RK; Loncar, M; Yariv A; Schere A; *Physical Review B* 2001. Vol 6404, Iss 4 pp 1102-4.
 130. "Design of photonic crystal optical microcavities", J. Vuckovic, M. Loncar and A. Scherer, *Proceedings of the SPIE meeting, Photonics West 2000*, San Jose, January 2001.
 131. Comments on "High-impedance electromagnetic surfaces with a forbidden frequency band" [and reply]. Kumar, K.; Sievenpiper, D.; Zhang, L.; Broas, R.F.J.; Alexopolous, N.G.; Yablonovitch, E. *IEEE Transactions on Microwave Theory and Techniques*, vol.49, (no.1), IEEE, Jan. 2001. p.228.
 132. "Electromagnetic Band-Gap Structures: Classification, Characterization, and Applications," Yahya Rahmat-Samii and Hossein Mosallaei, *IEEE Symposium*, UK, Apr. 2001.
 133. "Characterization of Complex Periodic Structures: FDTD Analysis based on Sin/Cos and Split-Field Approaches," Hossein Mosallaei and Yahya Rahmat-Samii, *URSI Electromagnetic Symposium*, May 2001.
 134. "PBG/Periodic Structures in Electromagnetics: Nanocavities, Waveguides, and Patch Antennas," Hossein Mosallaei and Yahya Rahmat-Samii, *URSI Electromagnetic Symposium*, May 2001.
 135. "Modal Transmission-Line Theory of Composite Periodic Structures: II. Three-Dimensional Configurations", Chung-Hsiang Lin, K. M. Leung, Mingming Jiang

- and T. Tamir, Proceeding, 2001 URSI International Symposium on Electromagnetic Theory, Victoria, Canada, May 13-17, 2001.
136. "Modal Transmission-Line Theory of Composite Periodic Structures: I. Multilayered Lamellar Gratings," T. Tamir, M. Jiang, and K. M. Leung, Proceeding, 2001 URSI International Symposium on Electromagnetic Theory, Victoria, Canada, May 13-17, 2001.
 137. "High-impedance electromagnetic surfaces with a forbidden frequency band" [and reply]. Kumar, K.; Sievenpiper, D.; Zhang, L.; Broas, R.F.J.; Alexopolous, N.G.; Yablonovitch, E. Comments on IEEE Transactions on Microwave Theory and Techniques, vol.49, (no.1), IEEE, Jan. 2001. p.228.
 138. "Characterization of Electromagnetic Band-Gap Composed of Multiple Periodic Tripods with Interconnecting Vias: Concept, Analysis, and Design," Alon S. Barlevy and Yahya Rahmat-Samii, *Transaction on Antennas and Propagation*, vol. 49, no. 3, pp. 343-353, Mar. 2001.
 139. "Quality factors of localized defect modes in planar photonic crystal structures", J. Vuckovic, M. Loncar, H. Mabuchi and A. Scherer, presented at *Electromagnetic Crystal Structures - Euroconference on Electromagnetic Confinement (PECS 3)*, St. Andrews, Scotland, 9-14 June 2001
 140. "A high-impedance ground plane applied to a cellphone handset geometry," Broas, R.F.J.; Sievenpiper, D.F.; Yablonovitch, E. IEEE Transactions on Microwave Theory and Techniques, vol.49, (no.7), IEEE, July 2001. p.1262-5.
 141. "Composite Materials with Negative Permittivity and Permeability Properties: Concept, Analysis, and Characterization," Hossein Mosallaei and Yahya Rahmat-Samii, *APS Symposium*, July 2001.
 142. "Curl Antennas over Electromagnetic Band-Gap Structures: A Low Profiled Design for CP Applications," Fan Yang and Yahya Rahmat-Samii, *APS Symposium*, July 2001.
 143. "Grand Challenges in Analyzing EM Band-Gap Structures: An FDTD Technique based on the Split-Field Approach," Hossein Mosallaei and Yahya Rahmat-Samii, *APS Symposium*, July 2001.
 144. "Mutual Coupling Reduction of Microstrip Antennas using Electromagnetic Band-Gap Structures," Fan Yang and Yahya Rahmat-Samii, *APS Symposium*, July 2001.
 145. "Step-Like Structure and EBG Structure to Improve the Performance of Patch Antennas on High Dielectric Substrate," Fan Yang and Yahya Rahmat-Samii, *APS Symposium*, July 2001.
 146. "A Novel Anisotropic Uniplanar Compact Photonic Band-Gap (UC-PBG) Ground Plane," C. Caloz, C. -C. Chang, and T. Itoh, *European Microwave Conference*, London, September, 2001.

Accepted for Publication

1. "Dielectric Relaxation in Ceramics with Intragrain Concentration Gradient," I. Lubomirsky, Y-W. Tzu, F. De Flaviis and O.M. Stafsudd, *Phys. Rev. B*.

2. "Properties of two-dimensional metallic photonic crystals," K. M. Leung and Y. Qiu, *Phys. Rev. B*.
3. "The Influence of Barium Carbonate Contamination on Dielectric Loss in Barium Titanate Ceramics," I. Lubomirsky, Tzu Yu Wang and Oscar M. Stafsudd.
4. "Critical coupling and its control in optical waveguide-ring resonator systems," A. Yariv, Accepted for publication to *Electronics Letters*.
5. "Design of photonic crystal microcavities for cavity QED," J. Vuckovic, M. Loncar, H. Mabuchi and A. Scherer, *submitted to Phys. Rev. A*.
6. "Light Coupling Mechanism of Quantum Grid Infrared Photodetectors", J. Mao, A. Majumdar, K.K. Choi, D.C. Tsui, K. M. Leung, C. H. Lin, T. Tamir and G. A. Vawter, *submitted to Appl. Phys. Lett.*
7. "Modal Transmission-Line Theory of Three-Dimensional Periodic Structures Having Arbitrary Lattice Configurations", Chung-Hsiang Lin, K. M. Leung, and T. Tamir, *submitted to J. Opt. Soc. Am. A*.
8. "A Novel Multilayer Super-Compact Inharmonic Photonic Band-Gap (PBG) Structure for Microstrip Applications," C. Caloz, C. -C. Chang, and T. Itoh, *Asia-Pacific Microwave Conference, Taipei, 2001*.
9. "A Low-Profile Circularly Polarized Curl Antenna Over an Electromagnetic Bandgap Surface," Fan Yang, Y. Rahmat-Samii, *submitted to Microwave and Opt Tech. Ltrrs., 2001*.
10. "Analysis of a Compact Slot Resonator in the Ground Plane for Microstrip Structures," C. -C. Chang, C. Caloz, and T. Itoh, *Asia-Pacific Microwave Conference, Taipei, 2001*.
11. "An Improved Low-Profile Cavity-Backed Slot Antenna Loaded with 2D UC-PBG Reflector," J.Y Park, CC Chang, Y Qian, T. Itoh, *IEEE Antennas & Propagation Society International Symposium, 2001*.
12. "Periodic PBG and Effective Dielectric Materials in Electromagnetics: Characterization and Applications in Nanocavities and Waveguides," Hossein Mosallaei and Yahya Rahmat-Samii, 2001.
13. "Photonic crystals: semiconductors of light," Yablonovitch, E. *submitted to Scientific American (International Edition), 2001*.
14. "Fractal FSS: Various Self-Similar Geometries Used for Dual-Band and Dual-Polarized FSS," J. Gianvitorio, Y. Rahmat-Samii, J. Romeo, *submitted to IEEE, 2001*.

List of Scientific personnel supported by this project and honors/awards/degrees received during this reporting period:

UCLA

Professors: Eli Yablonovitch, Nicolaos Alexopoulos, Yahya Rahmat-Samii, Tatsuo Itoh, Oscar Stafsudd

Post Docs: David Chen, Roberto Coccioli, Harry Contopanagos, Ivair Gontijo, Chul-Sik Kee, Kangwook Kim, Hideo Kosaka, O'Dae Kwon, Chryssoula Kyriazidou, Igor Lubomirsky, Gregory Poilasne, Yongxi Qian, Sebastian Rowson, Hans Robinson, Rutger Vrijen

Students: Ivan Alvarado, Alon Barlevy, Misha Boroditsky, Romulo Broas, M. Chatterji, Joseph Colburn, J. Gianvittorio, Zachary Hepner, Thomas Jun, Z. Li, Khang Le, H. Mossallaei, Adit Narasimha, Deepak Rao, Dan Sievenpiper, Jaione Tirapu-Azpiroz, Tzu-Yu Wang Fei-Ran Yang, Lijun Zhang, Wenyu Zhang

Caltech

Professors: Axel Scherer, Amnon Yariv

Post Docs: Thomas Krauss, John O'Brien, Reginald Lee, Oskar Painter, Jelena Vuckovic, Joyce Wong, Yong Xu

Students: David Barsic, T. R. Chen, Chuan-Cheng Cheng, Brian D'Urso, John Choi, Will Green, L. Gunn, Ali Husain, Ben Kitzke, Reynold Johnson, Marko Loncar, T. Yoshie

Visitor: T. Doll,

Staff: Ali Ghaffari, Reynold Johnson

Polytechnic

Professor: Ming Leung

Post Doc: Chung-Hsiang Lin

Honors/Awards

T. Itoh received 1998 Shida Award from Ministry of Post and Telecommunications, Japanese Government for his pioneering work on Active Integrated Antennas for Microwave and Millimeter Waves.

Y. Qian, F. R. Yang and T. Itoh received the Japan Microwave Prize for their paper "Characteristics of microstrip lines on uniplnar compact PBG ground plane", presented at

Asia Pacific Microwave Conference (APMC98), Yokohama, Japan, December 8-11, 1998.

Iterative Forum Second Prize for the paper: J. S. Colburn and Y. Rahmat-Samii, "Linear tapered slot antenna directivity improvement via substrate perforation", 1998 IEEE Antennas and Propagation Symposium, pp. 1176-1179, Atlanta, GA, June 1998.

1998 Distinguished Teacher Award, Polytechnic University: K. Ming Leung

Invited speaker at IEEE Terahertz Technology in Leeds, England to present microwave and millimeter wave applications of PBG in September 1998: T. Itoh

Japan Microwave Prize for the paper: "Characteristics of Microstrip Lines on a Uniplanar Compact PBG Ground Plane," Yongxi Qian, Rei-Ran Yang, and Tatsuo Itoh, 1998 Asia-Pacific Microwave Conference, Yokohama, Japan, December 8-11, 1998

Second Best Student Paper IEEE Award : Hossein Mosallaei and Yahya Rahmat-Samii, "Photonic Band-Gap (PBG) versus Effective Refractive Index: A Case Study of Dielectric Nanocavities," *APS Symposium*, July 2000.

Eli Yablonovitch received the Julius Springer Prize, 2001.

Invited Talk: Yahya Rahmat-Samii and Hossein Mosallaei, "Electromagnetic Band-Gap Structures: Classification, Characterization, and Applications," *IEE Symposium*, UK, Apr. 2001.

URSI Young Scientist Award: Hossein Mosallaei and Yahya Rahmat-Samii, "Characterization of Complex Periodic Structures: FDTD Analysis based on Sin/Cos and Split-Field Approaches," *URSI Electromagnetic Symposium*, May 2001.

List of Degrees/ Honors/Awards received

UCLA: Hossein Mosallaei, PhD, 2001
 Lijun Zhang, PhD, 2001
 David Chen, PhD, 2000
 Tzu-Yu Wang, PhD, 2000
 Fei-Ran Yang, PhD, 2000
 Chryssoula Kyriazidou, Ph.D, 1999
 Dan Sievenpiper, PhD, 1999
 Alon Barlevy, PhD, 1998
 Joseph Colburn, PhD, 1998

 Adithyaram Narasimha, MS, 2001
 John Gianvitorio, MS, 2000

Wenyu Zhang, MS, 2000
Romulo Broas, MS, 1999
Zachary Hepner – MS, 1998

Caltech: Jelena Vuckovic, PhD, 2001
Yong Xu, PhD, 2001
Reginald Lee, PhD, 2000
Oskar Painter, Ph.D., 2000
Joyce Wong, PhD, 2000
John Choi, MS, 2000
Will Green, MS, 2000

Report of Invention:

U.S. Patent No. 5,739,796, Issued 04/14/98

Title: "Ultra-Wideband Photonic Band Gap Crystal Having Selectable and Controllable Band Gaps and Methods for Achieving Photonic Band Gaps," Louis J. Jasper, Jr., Lawrence Carin, and K. Ming Leung.

U.S. Patent No. 6,040,590, Issued 3/21/00

Title: "Semiconductor laser device with electrostatic control," Reginald Lee, John O'Brien, Oskar Painter, Axel Scherer, Yuanjian Xu, Amnon Yariv

U.S. Patent No. 6,215,134, Issued 4/10/01

Title: "Fabrication of Semiconductor Surface Lenses and Hemispheres," J. O'Brien, C.-C. Cheng, A. Scherer, A. Yariv, Y. Xu.

U.S. Patent No. 6,262,498B1, Issued 07/17/2001

Title: "Circuit and Method for Eliminating Surface Currents on Metals," E. Yablonovitch, D. Sievenpiper.

Technology Transfer:

Ethertronics, Inc., Los Angeles
E-tenna Corporation, Maryland
Raytheon Systems Co., Los Angeles
Hughes Space and Comm, Los Angeles
Hewlett-Packard, Opto-electronics Div., San Jose
Hewlett-Packard Laboratories, Palo Alto
Rockwell International , Thousand Oaks
Ortel Corporation, Alhambra
Conexant, Newport Beach
Leica Geo-systems, Torrance
Corning Corp. Corning NY.

Among Federal Labs:

Air Force Research Lab., Hanscom Field, Mass.

Wright Paterson Air Force Base, Dayton Ohio

Naval Research Lab, Washington DC,

Army Research Lab, Adelphi MD

US Army AMCOM, Huntsville AL