

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED Final Report		
4. TITLE AND SUBTITLE Distributed Sensing & Cooperative Control for Plume Tracing.		5. FUNDING NUMBERS N00014 - 99 - F - 0086		
6. AUTHOR(S)				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Sandia National Laboratories Intelligent Systems, Sensors, and Controls P.O. Box 5800 Alb., NM 87185 - 1003		8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research 800 N. Quincy St. Arlington, VA 22217 - 5000		10. SPONSORING / MONITORING AGENCY REPORT NUMBER		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Distribution Unlimited.		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) This report discusses the results of applying distributed sensing & cooperative control algorithms to the problem of chemical plume localization. The algorithms were found to work well provided the plume as a function of (x,y) is dense.				
20030220 055				
14. SUBJECT TERMS plume localization, cooperative control, robot systems		15. NUMBER OF PAGES 3		
		16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL	

FINAL REPORT

GRANT #: N00014-99-F-0086

PRINCIPAL INVESTIGATOR: Dr. John E. Hurtado

INSTITUTION: Sandia National Laboratories, Albuquerque, NM

GRANT TITLE: Distributed Sensing and Cooperative Control for Plume Tracing

AWARD PERIOD: 11 Mar 99 to 01 Jan 00

OBJECTIVE: The objective of this proposed research was to apply distributed sensing and cooperative control algorithms developed by Sandia researchers (under separate DOE contracts) to the problem of chemical plume localization.

APPROACH: The distributed sensing and cooperative control algorithms were tested against mathematically modeled simulated plumes and against real plume data.

Two simulated plumes were considered. The first was given by the expression

$$\text{Simulated Plume 1: } F(r, \theta, t) = -\exp(-2r^2)(\cos(\pi+20r+5\theta-t)-4)$$

This function swirls with time and the nominal maximum value is at $(r, s)=(0, 0)$. The second was given by the expression

$$\text{Simulated Plume 2: } F(r, \theta, t) = -\exp(-2r^2)(\cos(10r-4t)\cos(5\theta-4t) + 4)$$

This function appears like a swirling flower pattern. These functions result in plumes that are dense.

The algorithm was tested against real plume data provided by the ONR via other researchers under this sponsored program. The real plume data differed significantly from the simulated plumes in that the real data is very sparse.

ACCOMPLISHMENTS: The algorithm for plume localization relies on distributed sensing and communication. Each robot of a team uses sensors to sample the plume field at its current location. This robot location and sensor reading information is transmitted to other robots of the team. Each robot uses this information to determine a position update (a current control) that brings it closer to the unknown plume source. This method provides a decentralized approach in plume localization because each robot determines its own update strategy. The mathematical details of this approach are explained in the Sandia Report SAND2000-3110.

The algorithm was tested against two simulated plumes. The first plume is given by

$$\text{Simulated Plume 1: } F(r, \theta, t) = -\exp(-2r^2)(\cos(\pi+20r+5\theta-t)-4)$$

This function swirls with time and the nominal maximum value is at $(r,s)=(0,0)$. The function folds softly away from the origin but sharply near the origin. The function is shown in Figure 1a, and Figure 1b shows robot movement for a team of 16 cooperating robots. The figure shows position updates 1 through 3. The robots are initially in the lower left region, and movement is denoted from 'x' to 'o'. The robots sense the chemical plume and they immediately begin towards the origin. Figure 1c shows robot movement for position updates 7 through 9. Notice that the leading robots actually overrun the target. Figure 1d shows robot movement for position updates 16 through 18. The robots have found the target and remain in the vicinity of the origin.




Figure 1a




Figure 1b




Figure 1c




Figure 1d

Figures 1a through 1d. The position updates of a team of 16 robots cooperating to localize Simulated Plume 1.

The other simulated plume is given by

$$\text{Simulated Plume 2: } F(r,\theta,t) = -\exp(-2r^2)(\cos(10r-4t)\cos(5\theta-4t) + 4)$$

The robots were able to localize the source of this simulated plume also.

The algorithm was tested against real plume data provided by the ONR via other researchers under this sponsored program. The real plume data differed significantly from the simulated plume in that the data

is very sparse. A one-frame snapshot of plume data is shown in Figure 2a, and a time average (over hundreds of frames) is shown in Figure 2b. A team of robots was using the distributed sensing and cooperative control algorithm was able to localize the source provided the robots averaged their sensor readings over many collected samples (i.e., hundreds of frames of data).




Figure 2a




Figure 2b

Figures 2a and 2b. The real plume data. A single frame of data (2a) and a time average (over hundreds of frames) (2b).

CONCLUSIONS: We were able to successfully apply our distributed sensing and cooperative control algorithms to the problem of chemical plume localization. The method works well provided the plume as a function of (x,y) is dense. If the plume is sparse across the space (x,y) , then it was necessary for the robots to average their sensor readings over many collected samples. The reason is that the algorithm operates on a model of the plume, which requires the plume to have a definite structure. For the simulated plumes this structure is present. For the real plume data, this structure is not present in a single frame of data, but does begin to form when many frames are averaged together.

SIGNIFICANCE: Our studies have demonstrated that our decentralized cooperative control method can be used to perform autonomous source localization of chemical plume sources.

PATENT INFORMATION: The United States government has granted a patent for a hardware robotic testbed that executes the cooperative source localization method that Sandia has developed and applied to the plume problems discussed in this report. Patent number US 6,408 226B1, "Cooperative System and Method Using Mobile Robots for testing a Cooperative Search Controller."

AWARD INFORMATION: None.

PUBLICATIONS (for total period of grant): None.